

CONTENTS BY KEYWORD

Adhesion	Properties of pressure-sensitive adhesives based on styrene copolymers.....	Š. Florián <i>et al.</i>	649
Adsorption	Investigation on the pyrolysis products from animal bone	B. Purevsuren <i>et al.</i>	737
Biomaterials	Investigation on the pyrolysis products from animal bone	B. Purevsuren <i>et al.</i>	737
Blends	Morphology-tensile behavior relationship in injection molded poly(ethylene terephthalate)/polyethylene and polycarbonate/polyethylene blends (I) Part I Skin-core structure	Z.-M. Li <i>et al.</i>	413
	Morphology-tensile behavior relationship in injection molded poly(ethylene terephthalate)/polyethylene and polycarbonate/polyethylene blends (II) Part II Tensile behavior	Z.-M. Li <i>et al.</i>	433
Bonding	Interfacial reactions between lithium silicate glass-ceramics and Ni-based superalloys and the effect of heat treatment at elevated temperatures	M. Bengisu <i>et al.</i>	605
	Transient liquid phase bonding of an ODS ferritic steel to silicon nitride.....	T. I. Khan <i>et al.</i>	741
Casting	Effects of thickness on fatigue properties of investment cast Ti-6Al-4V alloy plates	J. Oh <i>et al.</i>	587
Catalysts	Sol-gel titania modified with Ba and Li atoms for catalytic combustion	T. López <i>et al.</i>	565
	Novel route to prepare TiO ₂ -coated ceramic and its photocatalytic function	L. Zan <i>et al.</i>	761
Cellular materials	The influence of tissue porosity on the material properties of model plant tissues ...	A. P. Ormerod <i>et al.</i>	529
Ceramics	Binders for radioactive waste forms made from pretreated calcined sodium bearing waste	Y. Bao <i>et al.</i>	481
	Friction-wear characteristics of carbon fiber reinforced friction material	Q. F. Guan <i>et al.</i>	641
	Characterization of the formation of NaA zeolite membrane under microwave radiation	X. Chen <i>et al.</i>	671
	Novel route to prepare TiO ₂ -coated ceramic and its photocatalytic function	L. Zan <i>et al.</i>	761
Characterization methods	Shape and size characterization of potassium titanate fibers by image analysis	N. Bao <i>et al.</i>	469
	On the characterization of an electrically conductive polyaniline complex	R. H. Cruz-Estrada	511
	On the accuracy of the X-ray diffraction quantitative phases analysis method in Inconel 718	C. Dayong <i>et al.</i>	719
Coatings	Electrodeposition of composite copper/liquid-containing microcapsule coatings	Z. Liquun <i>et al.</i>	495
	Impact performance of electrodeposited nickel coating on steel substrate	L. Q. Zhou <i>et al.</i>	753
	Coating thickness variation during multistep drawing processes	L. Q. Zhou <i>et al.</i>	757
Composite materials	Properties of pressure-sensitive adhesives based on styrene copolymers.....	Š. Florián <i>et al.</i>	649
	Reaction mechanism in an Al-TiO ₂ -C system for producing <i>in situ</i> Al/(TiC + Al ₂ O ₃) composite	Z. Wang <i>et al.</i>	667
	Fracture micromechanism of Pt-Y ₂ O ₃ composites in relation to quality factor	M. Besterici <i>et al.</i>	747
Corrosion and oxidation	Effect of dissolved oxygen on PWSCC susceptibility of Alloy 600 in high temperature water	W. Y. Maeng <i>et al.</i>	655
Crystal growth	Microwave synthesis of metal phthalocyanines under solvent-free conditions	K. S. Jung <i>et al.</i>	723
Crystallization	Characterization of the formation of NaA zeolite membrane under microwave radiation	X. Chen <i>et al.</i>	671
Crystallographic texture	Sol-gel titania modified with Ba and Li atoms for catalytic combustion	T. López <i>et al.</i>	565
Deformation and fracture	Morphology-tensile behavior relationship in injection molded poly(ethylene terephthalate)/polyethylene and polycarbonate/polyethylene blends (I) Part I Skin-core structure	Z.-M. Li <i>et al.</i>	413
	Morphology-tensile behavior relationship in injection molded poly(ethylene terephthalate)/polyethylene and polycarbonate/polyethylene blends (II) Part II Tensile behavior	Z.-M. Li <i>et al.</i>	433
	The influence of tissue porosity on the material properties of model plant tissues ...	A. P. Ormerod <i>et al.</i>	529
	Effects of thickness on fatigue properties of investment cast Ti-6Al-4V alloy plates	J. Oh <i>et al.</i>	587
	Effect of dissolved oxygen on PWSCC susceptibility of Alloy 600 in high temperature water	W. Y. Maeng <i>et al.</i>	655
	Fracture micromechanism of Pt-Y ₂ O ₃ composites in relation to quality factor	M. Besterici <i>et al.</i>	747
	Impact performance of electrodeposited nickel coating on steel substrate	L. Q. Zhou <i>et al.</i>	753
Deposition techniques	Electrodeposition of composite copper/liquid-containing microcapsule coatings	Z. Liquun <i>et al.</i>	495
Elastic properties	On the fundamental relations used in the analysis of nanoindentation data	G. Fu	745

(Continued)

Electrical properties	On the characterization of an electrically conductive polyaniline complex R. H. Cruz-Estrada	511
	Friction-wear characteristics of carbon fiber reinforced friction material Q. F. Guan <i>et al.</i>	641
	Properties of pressure-sensitive adhesives based on styrene copolymers Š. Florián <i>et al.</i>	649
	Ion dynamic studies on $\text{Li}_3\text{CaZr}(\text{PO}_4)_3$ M. S. Bhuvaneswari <i>et al.</i>	727
	Effect of porosity and copper content on compressive strength of $\text{Cu}/\text{Cu}_2\text{O}$ cermet W. Z. Shao <i>et al.</i>	731
Electron beam techniques	Nanocrystalline rhombohedral In_2O_3 synthesized by hydrothermal and postannealing pathways M. Sorescu <i>et al.</i>	675
Electronic materials	Microwave synthesis of metal phthalocyanines under solvent-free conditions K. S. Jung <i>et al.</i>	723
Fatigue	Effects of thickness on fatigue properties of investment cast Ti-6Al-4V alloy plates J. Oh <i>et al.</i>	587
	Fatigue characterization of a spheroidal graphite cast iron under ultrasonic loading Q. Y. Wang <i>et al.</i>	687
Fiber technologies	Shape and size characterization of potassium titanate fibers by image analysis N. Bao <i>et al.</i>	469
	Preparation of porous $n\text{-BaTiO}_3$ ceramics by adding polyethylene glycol J.-G. Kim	645
	Preparation of silicon carbide nanofibers by use of polymer blend technique N. Patel <i>et al.</i>	691
Grain boundaries	Ion dynamic studies on $\text{Li}_3\text{CaZr}(\text{PO}_4)_3$ M. S. Bhuvaneswari <i>et al.</i>	727
Heat treatment	The influence of tissue porosity on the material properties of model plant tissues ... A. P. Ormerod <i>et al.</i>	529
	Interfacial reactions between lithium silicate glass-ceramics and Ni-based superalloys and the effect of heat treatment at elevated temperatures M. Bengisu <i>et al.</i>	605
	Polarized coloration of stretched poly(vinyl alcohol) films by heat treatment Y. Yamamoto <i>et al.</i>	653
	Nanocrystalline rhombohedral In_2O_3 synthesized by hydrothermal and postannealing pathways M. Sorescu <i>et al.</i>	675
	Preparation of silicon carbide nanofibers by use of polymer blend technique N. Patel <i>et al.</i>	691
Imaging	Shape and size characterization of potassium titanate fibers by image analysis N. Bao <i>et al.</i>	469
Interfaces	Interfacial reactions between lithium silicate glass-ceramics and Ni-based superalloys and the effect of heat treatment at elevated temperatures M. Bengisu <i>et al.</i>	605
	Transient liquid phase bonding of an ODS ferritic steel to silicon nitride T. I. Khan <i>et al.</i>	741
Intermetallic alloys and compounds	On the accuracy of the X-ray diffraction quantitative phases analysis method in Inconel 718 C. Dayong <i>et al.</i>	719
Mechanical properties	Ultrasound enhanced geopolymerisation D. Feng <i>et al.</i>	571
	Influence of residuals resulting from scrap use in the electric arc furnace process on the properties of hot-work tool steels C. Ernst <i>et al.</i>	637
	Properties of pressure-sensitive adhesives based on styrene copolymers Š. Florián <i>et al.</i>	649
	Effect of porosity and copper content on compressive strength of $\text{Cu}/\text{Cu}_2\text{O}$ cermet W. Z. Shao <i>et al.</i>	731
	On the fundamental relations used in the analysis of nanoindentation data G. Fu	745
	Impact performance of electrodeposited nickel coating on steel substrate L. Q. Zhou <i>et al.</i>	753
Metals and alloys	Influence of residuals resulting from scrap use in the electric arc furnace process on the properties of hot-work tool steels C. Ernst <i>et al.</i>	637
	Effect of dissolved oxygen on PWSCC susceptibility of Alloy 600 in high temperature water W. Y. Maeng <i>et al.</i>	655
	Reaction mechanism in an Al-TiO ₂ -C system for producing <i>in situ</i> Al/(TiC + Al ₂ O ₃) composite Z. Wang <i>et al.</i>	667
Microstructure	Microstructure features of polycrystalline diamond synthesized directly from graphite under static high pressure H. Sumiya <i>et al.</i>	445
	On the characterization of an electrically conductive polyaniline complex R. H. Cruz-Estrada	511
	Ultrasound enhanced geopolymerisation D. Feng <i>et al.</i>	571
	Influence of residuals resulting from scrap use in the electric arc furnace process on the properties of hot-work tool steels C. Ernst <i>et al.</i>	637
	Microwave synthesis of metal phthalocyanines under solvent-free conditions K. S. Jung <i>et al.</i>	723
	Fracture micromechanism of Pt-Y ₂ O ₃ composites in relation to quality factor M. Besterci <i>et al.</i>	747
Modelling	Study of rheological properties of pure and polymer-modified Brazilian asphalt binders L. S. da Silva <i>et al.</i>	539
	Influence of the composition heterogeneity on micropyretic synthesis of TiB ₂ compound H. P. Li	711
	On the fundamental relations used in the analysis of nanoindentation data G. Fu	745
Moulding	Semisolid extrusion molding of Mg-9%Al-1%Zn alloys F. Czerwinski	463
Nanomaterials	Microstructure features of polycrystalline diamond synthesized directly from graphite under static high pressure H. Sumiya <i>et al.</i>	445
	Control of the sizes of zinc sulfide particles by extractant X. Li <i>et al.</i>	659
	Closed-porosity mesoporous silica produced by high temperature rapid drying L. Pei <i>et al.</i>	663
Optical materials and properties	Polarized coloration of stretched poly(vinyl alcohol) films by heat treatment Y. Yamamoto <i>et al.</i>	653
	Transmission spectra investigation on tunable bandgap of liquid crystal infiltrated photonic crystal D. Xu <i>et al.</i>	679
	Optical properties of $(\text{C}_6\text{H}_5\text{C}_2\text{H}_4\text{NH}_3)_2\text{PbI}_{4-x}\text{Br}_x$ ($x = 0\text{--}4$) mixed-crystal doped PMMA films N. Kitazawa <i>et al.</i>	749

(Continued)

Phase transformations	Microstructure features of polycrystalline diamond synthesized directly from graphite under static high pressure H. Sumiya <i>et al.</i> 445
	Study on optical and electrical switching properties and phase transition mechanism of Mo ⁶⁺ -doped vanadium dioxide thin films S. Xu <i>et al.</i> 489
Polymers	Morphology-tensile behavior relationship in injection molded poly(ethylene terephthalate)/polyethylene and polycarbonate/polyethylene blends (I) Part I <i>Skin-core structure</i> Z.-M. Li <i>et al.</i> 413
	Morphology-tensile behavior relationship in injection molded poly(ethylene terephthalate)/polyethylene and polycarbonate/polyethylene blends (II) Part II <i>Tensile behavior</i> Z.-M. Li <i>et al.</i> 433
	On the characterization of an electrically conductive polyaniline complex R. H. Cruz-Estrada 511
	Study of rheological properties of pure and polymer-modified Brazilian asphalt binders L. S. da Silva <i>et al.</i> 539
	Ultrasound enhanced geopolymers D. Feng <i>et al.</i> 571
	Polarized coloration of stretched poly(vinyl alcohol) films by heat treatment Y. Yamamoto <i>et al.</i> 653
	Optical properties of (C ₆ H ₅ C ₂ H ₄ NH ₃) ₂ PbI _{4-x} Br _x ($x = 0\text{--}4$) mixed-crystal doped PMMA films N. Kitazawa <i>et al.</i> 749
Porosity	Friction-wear characteristics of carbon fiber reinforced friction material Q. F. Guan <i>et al.</i> 641
	Closed-porosity mesoporous silica produced by high temperature rapid drying L. Pei <i>et al.</i> 663
Powder technology	Control of the sizes of zinc sulfide particles by extractant X. Li <i>et al.</i> 659
	Effect of porosity and copper content on compressive strength of Cu/Cu ₂ O cermet W. Z. Shao <i>et al.</i> 731
Rapidly solidified materials	Closed-porosity mesoporous silica produced by high temperature rapid drying L. Pei <i>et al.</i> 663
	Influence of the composition heterogeneity on micropyretic synthesis of TiB ₂ compound H. P. Li 711
Semiconductors	Control of the sizes of zinc sulfide particles by extractant X. Li <i>et al.</i> 659
Simulations	Transmission spectra investigation on tunable bandgap of liquid crystal infiltrated photonic crystal D. Xu <i>et al.</i> 679
	Influence of the composition heterogeneity on micropyretic synthesis of TiB ₂ compound H. P. Li 711
	Coating thickness variation during multistep drawing processes L. Q. Zhou <i>et al.</i> 757
Sol-gel preparation	Study on optical and electrical switching properties and phase transition mechanism of Mo ⁶⁺ -doped vanadium dioxide thin films S. Xu <i>et al.</i> 489
	Sol-gel titania modified with Ba and Li atoms for catalytic combustion T. López <i>et al.</i> 565
Solidification	Binders for radioactive waste forms made from pretreated calcined sodium bearing waste Y. Bao <i>et al.</i> 481
	Study on optical and electrical switching properties and phase transition mechanism of Mo ⁶⁺ -doped vanadium dioxide thin films S. Xu <i>et al.</i> 489
Thermal properties	Investigation on the pyrolysis products from animal bone B. Purevsuren <i>et al.</i> 737
Thin and thick film coatings	Study on optical and electrical switching properties and phase transition mechanism of Mo ⁶⁺ -doped vanadium dioxide thin films S. Xu <i>et al.</i> 489
	Optical properties of (C ₆ H ₅ C ₂ H ₄ NH ₃) ₂ PbI _{4-x} Br _x ($x = 0\text{--}4$) mixed-crystal doped PMMA films N. Kitazawa <i>et al.</i> 749
	Novel route to prepare TiO ₂ -coated ceramic and its photocatalytic function L. Zan <i>et al.</i> 761
Transport mechanisms	Ion dynamic studies on Li ₃ CaZr(PO ₄) ₃ M. S. Bhuvaneswari <i>et al.</i> 727
Viscoelasticity	Study of rheological properties of pure and polymer-modified Brazilian asphalt binders L. S. da Silva <i>et al.</i> 539
Wear	Preparation of porous <i>n</i> -BaTiO ₃ ceramics by adding polyethylene glycol J.-G. Kim 645
X-ray techniques	Nanocrystalline rhombohedral In ₂ O ₃ synthesized by hydrothermal and postannealing pathways M. Sorescu <i>et al.</i> 675
	On the accuracy of the X-ray diffraction quantitative phases analysis method in Inconel 718 C. Dayong <i>et al.</i> 719