

# CONTENTS BY KEYWORD

<b>Adsorption</b>	Stabilization of poly(vinyl chloride) using iodine vapor for preparing carbon aerogels . . . . . J. Yamashita <i>et al.</i>	1463
<b>Anisotropy</b>	Novel approach to reducing stress-caused birefringence in polymers . . . . . Z. Zhang <i>et al.</i>	1415
<b>Annealing</b>	Structure stability of AA3003 alloy with ultra-fine grain size . . . . . Z. P. Xing <i>et al.</i>	1259
<b>Biomaterials</b>	Solid state reaction, sintering and Pb removal activity of hydroxyapatite/zirconia layered composite . . . . . M. Ozawa <i>et al.</i>	1337
	Preparation of carbon fiber fabric reinforced hydroxyapatite/epoxy composite by RTM processing . . . . . T. Fu <i>et al.</i>	1411
	Size-controlled polyelectrolyte nanocapsules via layer-by-layer self-assembly . . . . . H. Ai <i>et al.</i>	1429
	Comparison of MC nylon-based composites reinforced with two different three-dimensionally braided fabrics . . . . . Y. L. Wang <i>et al.</i>	1491
<b>Catalysts</b>	The formation of metal antimonates by mechanical milling and the conversion of $\alpha$ -Sb <sub>2</sub> O <sub>4</sub> to $\beta$ -Sb <sub>2</sub> O <sub>4</sub> . . . . . F. J. Berry <i>et al.</i>	1179
	Preparation of high loading Pt supported on carbon by on-site reduction . . . . . Z. Q. Tian <i>et al.</i>	1507
<b>Cellular materials</b>	Effect of adhesive on the strengthening of aluminum foam-filled circular tubes . . . . A. K. Toksoy <i>et al.</i>	1503
<b>Ceramics</b>	The formation of metal antimonates by mechanical milling and the conversion of $\alpha$ -Sb <sub>2</sub> O <sub>4</sub> to $\beta$ -Sb <sub>2</sub> O <sub>4</sub> . . . . . F. J. Berry <i>et al.</i>	1179
	Ultrasonic study of the temperature and pressure dependences of the elastic properties of ceramic dimolybdenum carbide ( $\alpha$ -Mo <sub>2</sub> C) . . . . . M. Cankurtaran <i>et al.</i>	1241
	Solid state reaction, sintering and Pb removal activity of hydroxyapatite/zirconia layered composite . . . . . M. Ozawa <i>et al.</i>	1337
	Synthesis of aluminum borate whiskers via flux method with and without microwaves . . . . . S. W. Kim <i>et al.</i>	1445
	Synthesis of high-purity Ti <sub>2</sub> AlC by spark plasma sintering (SPS) of the elemental powders . . . . . B. Mei <i>et al.</i>	1471
<b>Coatings</b>	A study on the corrosion behavior of nanostructured electrodeposited cobalt . . . . . A. Aledresse <i>et al.</i>	1523
<b>Composite materials</b>	Particle size effects on the mechanical properties of a polymer bonded explosive . . . C. R. Siviour <i>et al.</i>	1255
	Solid state reaction, sintering and Pb removal activity of hydroxyapatite/zirconia layered composite . . . . . M. Ozawa <i>et al.</i>	1337
	Preparation of carbon fiber fabric reinforced hydroxyapatite/epoxy composite by RTM processing . . . . . T. Fu <i>et al.</i>	1411
	Interlaminar fracture toughness and the associated fracture behavior for glass fiber reinforced polymers (GFRP) . . . . . T. Kuboki <i>et al.</i>	1419
	A novel technique to study the fracture of E-glass fiber reinforced composites . . . . G. Kister <i>et al.</i>	1425
	Possibility of nosing of common Japanese bamboo . . . . . K. Kitazawa <i>et al.</i>	1473
	Comparison of MC nylon-based composites reinforced with two different three-dimensionally braided fabrics . . . . . Y. L. Wang <i>et al.</i>	1491
<b>Computer simulations</b>	Best estimate of Weibull modulus obtained using linear least squares analysis: An improved empirical correction factor . . . . . I. J. Davies	1441
<b>Corrosion and oxidation</b>	A study on the corrosion behavior of nanostructured electrodeposited cobalt . . . . . A. Aledresse <i>et al.</i>	1523
<b>Crystal growth</b>	Growth of MgNb <sub>2</sub> O <sub>6</sub> crystals from a Na <sub>2</sub> Mo <sub>2</sub> O <sub>7</sub> flux . . . . . S. Oishi <i>et al.</i>	1467
	Effect of Ca-Si agent modifier on the granulation of $\gamma$ +(Fe,Mn) <sub>3</sub> C eutectic particle in an austenite steel . . . . . G.-F. Liang <i>et al.</i>	1527
<b>Crystallization</b>	Oriented strontium fresnoite glass-ceramics prepared by electro-chemically induced nucleation . . . . . R. Keding <i>et al.</i>	1433
	Hydrogenation mechanisms of Mg during reaction ball milling . . . . . Y. Q. Hu <i>et al.</i>	1455
	Growth of MgNb <sub>2</sub> O <sub>6</sub> crystals from a Na <sub>2</sub> Mo <sub>2</sub> O <sub>7</sub> flux . . . . . S. Oishi <i>et al.</i>	1467
<b>Crystallographic texture</b>	Oriented strontium fresnoite glass-ceramics prepared by electro-chemically induced nucleation . . . . . R. Keding <i>et al.</i>	1433
	Differential speed rolling of an AZ31 magnesium alloy and the resulting mechanical properties . . . . . H. Watanabe <i>et al.</i>	1477
	Structural characterization of CdTe thin films developed on metallic substrates by close spaced sublimation . . . . . G. P. Hernández <i>et al.</i>	1515
<b>Defects</b>	Observations of common microstructural issues associated with dynamic deformation phenomena: Twins, microbands, grain size effects, shear bands, and dynamic recrystallization . . . . . L. E. Murr <i>et al.</i>	1153
	Possibility of nosing of common Japanese bamboo . . . . . K. Kitazawa <i>et al.</i>	1473

(Continued)

<b>Deformation and fracture</b>	Observations of common microstructural issues associated with dynamic deformation phenomena: Twins, microbands, grain size effects, shear bands, and dynamic recrystallization . . . . . L. E. Murr <i>et al.</i> <b>1153</b>
	Particle size effects on the mechanical properties of a polymer bonded explosive . . . C. R. Siviour <i>et al.</i> <b>1255</b>
	Structure stability of AA3003 alloy with ultra-fine grain size . . . . . Z. P. Xing <i>et al.</i> <b>1259</b>
	Effects of thickness and environmental temperature on fracture behaviour of polyetherimide (PEI) . . . . . K.-Y. Kim <i>et al.</i> <b>1267</b>
	Crack toughness behavior of binary poly(styrene-butadiene) block copolymer blends . . . R. Lach <i>et al.</i> <b>1283</b>
	Interlaminar fracture toughness and the associated fracture behavior for glass fiber reinforced polymers (GFRP) . . . . . T. Kuboki <i>et al.</i> <b>1419</b>
	Static and dynamic fracture toughness of epoxy/alumina composite with submicron inclusions . . . . . P. R. Marur <i>et al.</i> <b>1437</b>
	Possibility of nosing of common Japanese bamboo . . . . . K. Kitazawa <i>et al.</i> <b>1473</b>
	Effect of adhesive on the strengthening of aluminum foam-filled circular tubes . . . . A. K. Toksoy <i>et al.</i> <b>1503</b>
<b>Elastic properties</b>	Ultrasonic study of the temperature and pressure dependences of the elastic properties of ceramic dimolybdenum carbide ( $\alpha$ -Mo <sub>2</sub> C) . . . . . M. Cankurtaran <i>et al.</i> <b>1241</b>
<b>Electrical properties</b>	Ultrasonic study of the temperature and pressure dependences of the elastic properties of ceramic dimolybdenum carbide ( $\alpha$ -Mo <sub>2</sub> C) . . . . . M. Cankurtaran <i>et al.</i> <b>1241</b>
<b>Electronic materials</b>	Novel ternary copolymer containing both Tb(III) and Eu(III) complexes for white-light electroluminescence . . . . . M. J. Yang <i>et al.</i> <b>1407</b>
<b>Ferroelectrics</b>	Growth mechanism and characteristics of Pb(Zr <sub>0.52</sub> Ti <sub>0.48</sub> )O <sub>3</sub> films prepared with alternate deposition of PbZrO <sub>3</sub> and PbTiO <sub>3</sub> layers . . . . . J. Liu <i>et al.</i> <b>1485</b>
<b>Fiber technologies</b>	Development of carbon fibres from pitches modified with polymers . . . . . G. Bhatia <i>et al.</i> <b>1297</b>
	Formation of interfiber bonding in electrospun poly(etherimide) nanofiber web . . . . . S.-S. Choi <i>et al.</i> <b>1511</b>
<b>Fracture</b>	A novel technique to study the fracture of E-glass fiber reinforced composites . . . . . G. Kister <i>et al.</i> <b>1425</b>
	Best estimate of Weibull modulus obtained using linear least squares analysis: An improved empirical correction factor . . . . . I. J. Davies <b>1441</b>
<b>Glasses</b>	A novel method to produce niobium phosphate glasses by microwave heating . . . . . L. Ghussn <i>et al.</i> <b>1371</b>
<b>Grain boundaries</b>	Influence of atmospheric humidity and grain size on the friction and wear of high nitrogen austenitic stainless steel . . . . . G. Bregliozzi <i>et al.</i> <b>1481</b>
<b>Heat treatment</b>	Synthesis of new sulphides of transition metal ions in presence of sun light . . . . . S. Lakshmi <i>et al.</i> <b>1325</b>
<b>Infrared spectroscopy</b>	Synthesis of new sulphides of transition metal ions in presence of sun light . . . . . S. Lakshmi <i>et al.</i> <b>1325</b>
<b>Irradiation</b>	Synthesis of aluminum borate whiskers via flux method with and without microwaves . . . . . S. W. Kim <i>et al.</i> <b>1445</b>
	Electron beam irradiation of carbon black filled linear low-density polyethylene . . . . A. Ahmad <i>et al.</i> <b>1459</b>
<b>Laminates</b>	Synthesis of high-purity Ti <sub>2</sub> AlC by spark plasma sintering (SPS) of the elemental powders . . . . . B. Mei <i>et al.</i> <b>1471</b>
<b>Laser processing</b>	Density analysis of direct metal laser re-melted 316L stainless steel cubic primitives . . . . . R. Morgan <i>et al.</i> <b>1195</b>
<b>Mechanical properties</b>	Development of carbon fibres from pitches modified with polymers . . . . . G. Bhatia <i>et al.</i> <b>1297</b>
	Static and dynamic fracture toughness of epoxy/alumina composite with submicron inclusions . . . . . P. R. Marur <i>et al.</i> <b>1437</b>
	Best estimate of Weibull modulus obtained using linear least squares analysis: An improved empirical correction factor . . . . . I. J. Davies <b>1441</b>
	Differential speed rolling of an AZ31 magnesium alloy and the resulting mechanical properties . . . . . H. Watanabe <i>et al.</i> <b>1477</b>
	Comparison of MC nylon-based composites reinforced with two different three-dimensionally braided fabrics . . . . . Y. L. Wang <i>et al.</i> <b>1491</b>
<b>Mercury cadmium telluride</b>	Structural characterization of CdTe thin films developed on metallic substrates by close spaced sublimation . . . . . G. P. Hernández <i>et al.</i> <b>1515</b>
<b>Metals and alloys</b>	Hydrogenation mechanisms of Mg during reaction ball milling . . . . . Y. Q. Hu <i>et al.</i> <b>1455</b>
	Differential speed rolling of an AZ31 magnesium alloy and the resulting mechanical properties . . . . . H. Watanabe <i>et al.</i> <b>1477</b>
	Influence of atmospheric humidity and grain size on the friction and wear of high nitrogen austenitic stainless steel . . . . . G. Bregliozzi <i>et al.</i> <b>1481</b>

(Continued)

<b>Microstructure</b>	Observations of common microstructural issues associated with dynamic deformation phenomena: Twins, microbands, grain size effects, shear bands, and dynamic recrystallization . . . . . L. E. Murr <i>et al.</i>	<b>1153</b>
	Structure stability of AA3003 alloy with ultra-fine grain size . . . . . Z. P. Xing <i>et al.</i>	<b>1259</b>
	Preparation and photocatalysis of TiO <sub>2</sub> nanoparticles co-doped with nitrogen and lanthanum . . . . . H. Wei <i>et al.</i>	<b>1305</b>
	Stabilization of poly(vinyl chloride) using iodine vapor for preparing carbon aerogels . . . . . J. Yamashita <i>et al.</i>	<b>1463</b>
	Effect of Ca-Si agent modifier on the granulation of $\gamma$ +(Fe,Mn) <sub>3</sub> C eutectic particle in an austenite steel . . . . . G.-F. Liang <i>et al.</i>	<b>1527</b>
<b>Mineral</b>	Growth of MgNb <sub>2</sub> O <sub>6</sub> crystals from a Na <sub>2</sub> Mo <sub>2</sub> O <sub>7</sub> flux . . . . . S. Oishi <i>et al.</i>	<b>1467</b>
<b>Moulding</b>	Possibility of nosing of common Japanese bamboo . . . . . K. Kitazawa <i>et al.</i>	<b>1473</b>
<b>Nanocomposites</b>	Static and dynamic fracture toughness of epoxy/alumina composite with submicron inclusions . . . . . P. R. Marur <i>et al.</i>	<b>1437</b>
	Preparation of high loading Pt supported on carbon by on-site reduction . . . . . Z. Q. Tian <i>et al.</i>	<b>1507</b>
<b>Nanomaterials</b>	Crack toughness behavior of binary poly(styrene-butadiene) block copolymer blends . . . . R. Lach <i>et al.</i>	<b>1283</b>
	Size-controlled polyelectrolyte nanocapsules via layer-by-layer self-assembly . . . . . H. Ai <i>et al.</i>	<b>1429</b>
	Formation of interfiber bonding in electrospun poly(etherimide) nanofiber web . . . . . S.-S. Choi <i>et al.</i>	<b>1511</b>
	A study on the corrosion behavior of nanostructured electrodeposited cobalt . . . . . A. Aledresse <i>et al.</i>	<b>1523</b>
<b>Optical materials and properties</b>	Synthesis and electroluminescent properties of substituted benzoate bis (8-hydroxyquinoline) gallium (III) complexes . . . . . S. Tan <i>et al.</i>	<b>1405</b>
	Novel ternary copolymer containing both Tb(III) and Eu(III) complexes for white-light electroluminescence . . . . . M. J. Yang <i>et al.</i>	<b>1407</b>
	Novel approach to reducing stress-caused birefringence in polymers . . . . . Z. Zhang <i>et al.</i>	<b>1415</b>
<b>Organic compounds</b>	Synthesis and electroluminescent properties of substituted benzoate bis (8-hydroxyquinoline) gallium (III) complexes . . . . . S. Tan <i>et al.</i>	<b>1405</b>
<b>Photoreactive materials</b>	Preparation and photocatalysis of TiO <sub>2</sub> nanoparticles co-doped with nitrogen and lanthanum . . . . . H. Wei <i>et al.</i>	<b>1305</b>
<b>Polymers</b>	Particle size effects on the mechanical properties of a polymer bonded explosive . . . C. R. Siviour <i>et al.</i>	<b>1255</b>
	Effects of thickness and environmental temperature on fracture behaviour of polyetherimide (PEI) . . . . . K.-Y. Kim <i>et al.</i>	<b>1267</b>
	Crack toughness behavior of binary poly(styrene-butadiene) block copolymer blends . . . R. Lach <i>et al.</i>	<b>1283</b>
	Development of carbon fibres from pitches modified with polymers . . . . . G. Bhatia <i>et al.</i>	<b>1297</b>
	Novel ternary copolymer containing both Tb(III) and Eu(III) complexes for white-light electroluminescence . . . . . M. J. Yang <i>et al.</i>	<b>1407</b>
	Novel approach to reducing stress-caused birefringence in polymers . . . . . Z. Zhang <i>et al.</i>	<b>1415</b>
	Size-controlled polyelectrolyte nanocapsules via layer-by-layer self-assembly . . . . . H. Ai <i>et al.</i>	<b>1429</b>
	Electron beam irradiation of carbon black filled linear low-density polyethylene . . . . A. Ahmad <i>et al.</i>	<b>1459</b>
	Formation of interfiber bonding in electrospun poly(etherimide) nanofiber web . . . . . S.-S. Choi <i>et al.</i>	<b>1511</b>
<b>Porosity</b>	Density analysis of direct metal laser re-melted 316L stainless steel cubic primitives . . . . . R. Morgan <i>et al.</i>	<b>1195</b>
<b>Powder technology</b>	Density analysis of direct metal laser re-melted 316L stainless steel cubic primitives . . . . . R. Morgan <i>et al.</i>	<b>1195</b>
<b>Semiconductors</b>	Synthesis of new sulphides of transition metal ions in presence of sun light . . . . . S. Lakshmi <i>et al.</i>	<b>1325</b>
	Structural characterization of CdTe thin films developed on metallic substrates by close spaced sublimation . . . . . G. P. Hernández <i>et al.</i>	<b>1515</b>
<b>Smart materials</b>	A novel technique to study the fracture of E-glass fiber reinforced composites . . . . . G. Kister <i>et al.</i>	<b>1425</b>
<b>Sol-gel preparation</b>	Stabilization of poly(vinyl chloride) using iodine vapor for preparing carbon aerogels . . . . . J. Yamashita <i>et al.</i>	<b>1463</b>
<b>Solidification</b>	Effect of Ca-Si agent modifier on the granulation of $\gamma$ +(Fe,Mn) <sub>3</sub> C eutectic particle in an austenite steel . . . . . G.-F. Liang <i>et al.</i>	<b>1527</b>
<b>Thin and thick film coatings</b>	Growth mechanism and characteristics of Pb(Zr <sub>0.52</sub> Ti <sub>0.48</sub> )O <sub>3</sub> films prepared with alternate deposition of PbZrO <sub>3</sub> and PbTiO <sub>3</sub> layers . . . . . J. Liu <i>et al.</i>	<b>1485</b>
<b>Tribology</b>	Influence of atmospheric humidity and grain size on the friction and wear of high nitrogen austenitic stainless steel . . . . . G. Bregliozzi <i>et al.</i>	<b>1481</b>