



ELSEVIER

Journal of Nuclear Materials 248 (1997) 454–464

**journal of
nuclear
materials**

Subject index

Actinides (excludes Plutonium, Thorium and Uranium)

- Interfacial behavior of actinides with colloids in the geosphere, S. Nagasaki, S. Tanaka and A. Suzuki
Effects of humic acid on the sorption of neptunium(V) on kaolinite, Y. Niitsu, S. Sato, H. Ohashi, Y. Sakamoto, S. Nagao, T. Ohnuki and S. Muraoka

248 (1997) 323

248 (1997) 328

Adsorption

- Elementary processes near the interface between hydrogen gas and solid, A.A. Pisarev and O.V. Ogorodnikova
Tritium release from Li_2O studied by infrared absorption spectroscopy, S. Tanaka and M. Taniguchi
Interfacial behavior of actinides with colloids in the geosphere, S. Nagasaki, S. Tanaka and A. Suzuki
Effects of humic acid on the sorption of neptunium(V) on kaolinite, Y. Niitsu, S. Sato, H. Ohashi, Y. Sakamoto, S. Nagao, T. Ohnuki and S. Muraoka

248 (1997) 52

248 (1997) 101

248 (1997) 323

248 (1997) 328

- Laser and X-ray spectroscopic studies of uranium–calcite interface phenomena, G. Geipel, T. Reich, V. Brendler, G. Bernhard and H. Nitsche

248 (1997) 408

- Investigation of hydrogen covered crystalline surfaces by low-energy ion-scattering and recoiling spectroscopy, O. Grizzi, J.E. Gayone, G.R. Gómez, R.G. Pregliasco and E.A. Sánchez

248 (1997) 428

Aluminum, Aluminum Alloys and Compounds

- Profiling with tritium imaging, I. Youle and A.A. Haasz

248 (1997) 64

Amorphization and Amorphous Materials

- Application of a mechanistic model for radiation-induced amorphization and crystallization of uranium silicide to recrystallization of UO_2 , J. Rest

248 (1997) 180

- Behavior of neutron-irradiated U_3Si , M. Ugajin, M. Akabori, A. Itoh, N. Ooka and Y. Nakakura

248 (1997) 204

- Irradiation effects on corrosion of zirconium alloy claddings, F. Lefebvre and C. Lemaigre

248 (1997) 268

Analytical Instruments and Methods

- Tritium release from Li_2O studied by infrared absorption spectroscopy, S. Tanaka and M. Taniguchi
Femto-second electron pulses from a linear accelerator, H. Wiedemann, D. Bocek, M. Hernandez and C. Settakorn
Production and utilization of synchronized femtosecond electron and laser single pulses, M. Uesaka, T. Watanabe, T. Ueda, M. Kando, K. Nakajima, H. Kotaki and A. Ogata
Laser and X-ray spectroscopic studies of uranium–calcite interface phenomena, G. Geipel, T. Reich, V. Brendler, G. Bernhard and H. Nitsche
Application of quantum beams to analysis of radioactive materials, M. Petri, L. Leibowitz and C.E. Johnson
Application of synchrotron radiation to analysis of local structures in energy-related materials, T. Matsui, T. Tokunaga, T. Nagasaki, Y. Arita, H. Shigematsu, T. Harami, H. Ohno and K. Kobayashi

248 (1997) 101

248 (1997) 374

248 (1997) 380

248 (1997) 408

248 (1997) 412

248 (1997) 435

248 (1997) 27

248 (1997) 42

Beryllium, Beryllium Alloys and Compounds

- Retention and re-emission processes of hydrogen isotopes in graphite and beryllium, K. Morita and B. Tsuchiya
Retention of hydrogen isotopes in beryllium by simultaneous H^+ and D^+ irradiation, B. Tsuchiya and K. Morita

Breeding Materials

- Advanced understanding of the tritium recovery process from the ceramic breeder blanket, C.E. Johnson, J.P. Kopasz and S.-W. Tam
Tritium release from Li_2O studied by infrared absorption spectroscopy, S. Tanaka and M. Taniguchi
Isotope exchange capacity of solid breeder materials, A. Baba, M. Nishikawa, Y. Kawamura and K. Okuno
Study on the sweep gas chemistry effect on vaporization behavior of Li_2TiO_3 by means of HT mass spectrometry, A. Suzuki, M. Yamawaki, M. Yasumoto and K. Yamaguchi

248 (1997) 91

248 (1997) 101

248 (1997) 106

248 (1997) 111

| | | | |
|---|----------------|---|----------------|
| Basic study of influence of radiation defects on tritium release processes from lithium silicates, A. Abramenkovs, J. Tiliks, G. Kizane, V. Grishmanovs and A. Supe | 248 (1997) 116 | als, T. Matsui, T. Tokunaga, T. Nagasaki, Y. Arita, H. Shigematsu, T. Harami, H. Ohno and K. Kobayashi | 248 (1997) 435 |
| A study on irradiation-induced structural change of lithium orthosilicate by infrared spectroscopy analysis with MNDO calculation, T. Nakazawa, D. Yamaki and K. Noda | 248 (1997) 121 | Chemical Reactions (includes Electrochemical and Thermochemical Reactions) | |
| Influence of irradiation defects and atmosphere on luminescence and tritium release from Li ₂ O, V. Grishmanov, S. Tanaka and T. Yoneoka | 248 (1997) 128 | Carbon chemistry due to combined H ⁺ and O ⁺ irradiation, A.A. Haasz, A.Y.K. Chen, J.W. Davis and E. Vietzke | 248 (1997) 19 |
| In situ luminescence measurement of irradiation defects in ternary lithium ceramics under ion beam irradiation, K. Moritani and H. Moriyama | 248 (1997) 132 | Effect of oxidation on thermal desorption of deuterium sorbed in graphite, A.V. Markin, A.E. Gorodetsky and A.P. Zakharov | 248 (1997) 34 |
| Thermodynamics of the interactions between liquid breeders and ceramic coating materials, P. Hubberstey and T. Sample | 248 (1997) 140 | Thermodynamics of the interactions between liquid breeders and ceramic coating materials, P. Hubberstey and T. Sample | 248 (1997) 140 |
| Blanket design using FLiBe in helical-type fusion reactor FFHR, A. Sagara, O. Motojima, O. Mitarai, S. Imagawa, K. Watanabe, H. Yamanishi, H. Chikaraishi, A. Kohyama, H. Matsui, T. Muroga, N. Noda, T. Noda, N. Ohyabu, T. Satow, A.A. Shishkin, S. Tanaka, T. Terai, K. Yamazaki, J. Yamamoto and FFHR Group | 248 (1997) 147 | The chemical state of defective uranium-plutonium oxide fuel pins irradiated in sodium cooled reactors, H. Kleykamp | 248 (1997) 209 |
| Research and development on ceramic coatings for fusion reactor liquid blankets, T. Terai | 248 (1997) 153 | Chemical processes in defective LWR fuel rods, D.R. Olander, W.-E. Wang, Y.S. Kim, C.Y. Li, S. Lim and S.K. Yagnik | 248 (1997) 214 |
| Tritium recovery from Li ₁₇ -Pb ₈₃ liquid breeder by permeation window method, T. Terai, A. Suzuki and S. Tanaka | 248 (1997) 159 | Experimental analyses of iodine behavior under severe accident conditions with ART, A. Hidaka, M. Igarashi, K. Hashimoto, T. Yoshino and J. Sugimoto | 248 (1997) 226 |
| Carbon | | Surface complexation modeling for description of actinide sorption at the buffer materials/water interface, M. Tsukamoto, T. Fujita and T. Ohe | 248 (1997) 333 |
| Carbon chemistry due to combined H ⁺ and O ⁺ irradiation, A.A. Haasz, A.Y.K. Chen, J.W. Davis and E. Vietzke | 248 (1997) 19 | Nitridation of uranium and rare-earth metals in liquid Cd, M. Akabori, A. Itoh and T. Ogawa | 248 (1997) 338 |
| Retention and re-emission processes of hydrogen isotopes in graphite and beryllium, K. Morita and B. Tsuchiya | 248 (1997) 27 | High temperature liquid metal corrosion and high temperature electrical conductivity of Y ₂ O ₃ , T. Yoneoka, T. Terai and Y. Takahashi | 248 (1997) 343 |
| Effect of oxidation on thermal desorption of deuterium sorbed in graphite, A.V. Markin, A.E. Gorodetsky and A.P. Zakharov | 248 (1997) 34 | Cladding Materials | |
| Interlayer structure changes of graphite after hydrogen ion irradiation, Y. Gotoh | 248 (1997) 46 | Chemical processes in defective LWR fuel rods, D.R. Olander, W.-E. Wang, Y.S. Kim, C.Y. Li, S. Lim and S.K. Yagnik | 248 (1997) 214 |
| Profiling with tritium imaging, I. Youle and A.A. Haasz | 248 (1997) 64 | Fuel failure and fission gas release in high burnup PWR fuels under RIA conditions, T. Fuketa, H. Sasajima, Y. Mori and K. Ishijima | 248 (1997) 249 |
| Advanced research of plasma wall interaction in China, J.P. Qian | 248 (1997) 78 | Irradiation effects on corrosion of zirconium alloy claddings, F. Lefebvre and C. Lemaignan | 248 (1997) 268 |
| Ceramics (not listed elsewhere) | | BWR Zircaloy cladding corrosion behavior – effect of microstructure, S. Shimada, Y. Etoh and K. Tomida | 248 (1997) 275 |
| Effect of the segregation-induced potential barrier on gas/solid kinetics. Impact on corrosion kinetics of Zircaloy, J. Nowotny, C.C. Sorrell and M. Yamawaki | 248 (1997) 288 | PWR Zircaloy cladding corrosion behavior: quantitative analyses, T. Kido, K. Kanasegi, M. Sugano and K. Komatsu | 248 (1997) 281 |
| High temperature liquid metal corrosion and high temperature electrical conductivity of Y ₂ O ₃ , T. Yoneoka, T. Terai and Y. Takahashi | 248 (1997) 343 | Effect of the segregation-induced potential barrier on gas/solid kinetics. Impact on corrosion kinetics of Zircaloy, J. Nowotny, C.C. Sorrell and M. Yamawaki | 248 (1997) 288 |
| Application of synchrotron radiation to analysis of local structures in energy-related materi- | | Study of environmental effects on water-side corrosion of Zircaloy-2 fuel cladding, Y. | |

| | | | |
|---|----------------|---|----------------|
| Etoh, S. Shimada, M. Sasaki, T. Kogai, H. Hayashi, M. Kitamura, K. Tsuji and M. Yamawaki | 248 (1997) 299 | 723 K by a technique of tritium microautoradiography, K. Isobe, Y. Hatano and M. Sugisaki | 248 (1997) 315 |
| Effects of the solid-solid interface on the thermal behavior of deuterium in zircaloy cladding tubes, I. Takagi, M. Hashizumi, A. Yamagami, K. Maehara and K. Higashi | 248 (1997) 306 | High temperature liquid metal corrosion and high temperature electrical conductivity of Y_2O_3 , T. Yoneoka, T. Terai and Y. Takahashi | 248 (1997) 343 |
| Influence of size distribution of $\text{Zr}(\text{Fe},\text{Cr})_2$ precipitates on hydrogen transport through oxide film of Zircaloy-4, Y. Hatano, R. Hatake, M. Sugisaki and M. Hayashi | 248 (1997) 311 | Compatibility of structural materials with molten chloride mixture at high temperature, Y. Hosoya, T. Terai, T. Yoneoka and S. Tanaka | 248 (1997) 348 |
| Observation of the spatial distribution of hydrogen in Zircaloy-2 oxidized in H_2O steam at 723 K by a technique of tritium microautoradiography, K. Isobe, Y. Hatano and M. Sugisaki | 248 (1997) 315 | Crystallographic Properties | |
| Coatings and Coated Particles | | Formation of the rim structure in high burnup fuel, H.J. Matzke and J. Spino | 248 (1997) 170 |
| Thermodynamics of the interactions between liquid breeders and ceramic coating materials, P. Hubberstey and T. Sample | 248 (1997) 140 | Production and utilization of synchronized femtosecond electron and laser single pulses, M. Uesaka, T. Watanabe, T. Ueda, M. Kando, K. Nakajima, H. Kotaki and A. Ogata | 248 (1997) 380 |
| Research and development on ceramic coatings for fusion reactor liquid blankets, T. Terai | 248 (1997) 153 | Investigation of hydrogen covered crystalline surfaces by low-energy ion-scattering and recoilion spectroscopy, O. Grizzi, J.E. Gayone, G.R. Gómez, R.G. Pregliasco and E.A. Sánchez | 248 (1997) 428 |
| Characterization of Y_2O_3 coating for liquid blanket, M. Nakamichi, H. Kawamura, T. Terai and S. Tanaka | 248 (1997) 165 | Application of synchrotron radiation to analysis of local structures in energy-related materials, T. Matsui, T. Tokunaga, T. Nagasaki, Y. Arita, H. Shigematsu, T. Harami, H. Ohno and K. Kobayashi | 248 (1997) 435 |
| Compatibility and Corrosion (includes Stress Corrosion Cracking) | | Defects and Defect Structures (excludes by Irradiation) | |
| Research and development on ceramic coatings for fusion reactor liquid blankets, T. Terai | 248 (1997) 153 | Effect of oxidation on thermal desorption of deuterium sorbed in graphite, A.V. Markin, A.E. Gorodetsky and A.P. Zakharov | 248 (1997) 34 |
| Characterization of Y_2O_3 coating for liquid blanket, M. Nakamichi, H. Kawamura, T. Terai and S. Tanaka | 248 (1997) 165 | Interlayer structure changes of graphite after hydrogen ion irradiation, Y. Gotoh | 248 (1997) 46 |
| Behavior of neutron-irradiated U_3Si , M. Ugajin, M. Akabori, A. Itoh, N. Ooka and Y. Nakakura | 248 (1997) 204 | A study on irradiation-induced structural change of lithium orthosilicate by infrared spectroscopy analysis with MNDO calculation, T. Nakazawa, D. Yamaki and K. Noda | 248 (1997) 121 |
| Irradiation effects on corrosion of zirconium alloy claddings, F. Lefebvre and C. Lemaigre | 248 (1997) 268 | Influence of irradiation defects and atmosphere on luminescence and tritium release from Li_2O , V. Grishmanov, S. Tanaka and T. Yoneoka | 248 (1997) 128 |
| BWR Zircaloy cladding corrosion behavior – effect of microstructure, S. Shimada, Y. Etoh and K. Tomida | 248 (1997) 275 | Effect of the segregation-induced potential barrier on gas/solid kinetics. Impact on corrosion kinetics of Zircaloy, J. Nowotny, C.C. Sorrell and M. Yamawaki | 248 (1997) 288 |
| PWR Zircaloy cladding corrosion behavior: quantitative analyses, T. Kido, K. Kanasugi, M. Sugano and K. Komatsu | 248 (1997) 281 | Study on surface defect structures of ZrO_2 and some doped ZrO_2 by means of work function measurement, M. Yamawaki, A. Suzuki, F. Ono and K. Yamaguchi | 248 (1997) 319 |
| Formation and dissolution of oxide film on zirconium alloys in 288°C pure water under γ -ray irradiation, Y. Nishino, M. Endo, E. Ibe and T. Yasuda | 248 (1997) 292 | Application of synchrotron radiation to analysis of local structures in energy-related materials, T. Matsui, T. Tokunaga, T. Nagasaki, Y. Arita, H. Shigematsu, T. Harami, H. Ohno and K. Kobayashi | 248 (1997) 435 |
| Study of environmental effects on water-side corrosion of Zircaloy-2 fuel cladding, Y. Etoh, S. Shimada, M. Sasaki, T. Kogai, H. Hayashi, M. Kitamura, K. Tsuji and M. Yamawaki | 248 (1997) 299 | Diffusion | |
| Influence of size distribution of $\text{Zr}(\text{Fe},\text{Cr})_2$ precipitates on hydrogen transport through oxide film of Zircaloy-4, Y. Hatano, R. Hatake, M. Sugisaki and M. Hayashi | 248 (1997) 311 | Advanced understanding of the tritium recovery process from the ceramic breeder blanket, | |
| Observation of the spatial distribution of hydrogen in Zircaloy-2 oxidized in H_2O steam at | | | |

| | | |
|---|----------------|---|
| C.E. Johnson, J.P. Kopasz and S.-W. Tam | 248 (1997) 91 | Environmental Effects |
| Influence of irradiation defects and atmosphere on luminescence and tritium release from Li_2O , V. Grishmanov, S. Tanaka and T. Yoneoka | | Study on the sweep gas chemistry effect on vaporization behavior of Li_2TiO_3 by means of HT mass spectrometry, A. Suzuki, M. Yamawaki, M. Yasumoto and K. Yamaguchi |
| Towards the mathematical model of rim structure formation, M. Kinoshita | 248 (1997) 128 | Vaporization properties of SrUO_3 and BaUO_3 in atmospheres simulating accident conditions, J. Huang, M. Yamawaki, K. Yamaguchi, M. Yasumoto, H. Sakurai and Y. Suzuki |
| Effects of pellet microstructure on irradiation behavior of UO_2 fuel, R. Yuda, H. Harada, M. Hirai, T. Hosokawa, K. Une, S. Kashibe, S. Shimizu and T. Kubo | 248 (1997) 185 | Effects of humic acid on the sorption of neptunium(V) on kaolinite, Y. Niitsu, S. Sato, H. Ohashi, Y. Sakamoto, S. Nagao, T. Ohnuki and S. Muraoka |
| Divertor Materials | 248 (1997) 262 | |
| Carbon chemistry due to combined H^+ and O^+ irradiation, A.A. Haasz, A.Y.K. Chen, J.W. Davis and E. Vietzke | 248 (1997) 19 | Experimental Techniques |
| Oxygen gettering properties of boron film produced by diborane dc glow discharge, T. Hino, T. Mochizuki, Y. Hirohata, K. Tsuzuki, N. Inoue, A. Sagara, N. Noda, O. Motojima, K. Mori, T. Sogabe and K. Kuroda | 248 (1997) 38 | Study on surface defect structures of ZrO_2 and some doped ZrO_2 by means of work function measurement, M. Yamawaki, A. Suzuki, F. Ono and K. Yamaguchi |
| Impurity production and transport processes in divertor regions, V.I. Pistunovich, V.A. Pozharov and D.Yu. Prokhorov | 248 (1997) 85 | Medical and other applications of high-energy heavy-ion beams from HIMAC, T. Murakami, H. Tsujii, Y. Furusawa, K. Ando, T. Kanai, S. Yamada and K. Kawachi |
| Chemistry of excited states: Its impact on plasma wall interactions in fusion devices, T. Tanabe | 248 (1997) 418 | Femto-second electron pulses from a linear accelerator, H. Wiedemann, D. Bocek, M. Hernandez and C. Settakorn |
| Electrical Properties | 248 (1997) 288 | Production and utilization of synchronized femtosecond electron and laser single pulses, M. Uesaka, T. Watanabe, T. Ueda, M. Kando, K. Nakajima, H. Kotaki and A. Ogata |
| Effect of the segregation-induced potential barrier on gas/solid kinetics. Impact on corrosion kinetics of Zircaloy, J. Nowotny, C.C. Sorrell and M. Yamawaki | 248 (1997) 343 | Novel interferometers for femtosecond phase spectroscopy, T. Kobayashi and K. Misawa |
| High temperature liquid metal corrosion and high temperature electrical conductivity of Y_2O_3 , T. Yoneoka, T. Terai and Y. Takahashi | 248 (1997) 374 | Hydrogen analysis of silicon surfaces by low-energy ion beams, F. Shoji and K. Oura |
| Electron Irradiation | 248 (1997) 380 | |
| Femto-second electron pulses from a linear accelerator, H. Wiedemann, D. Bocek, M. Hernandez and C. Settakorn | 248 (1997) 392 | First Wall Materials |
| Production and utilization of synchronized femtosecond electron and laser single pulses, M. Uesaka, T. Watanabe, T. Ueda, M. Kando, K. Nakajima, H. Kotaki and A. Ogata | 248 (1997) 380 | Oxygen gettering properties of boron film produced by diborane dc glow discharge, T. Hino, T. Mochizuki, Y. Hirohata, K. Tsuzuki, N. Inoue, A. Sagara, N. Noda, O. Motojima, K. Mori, T. Sogabe and K. Kuroda |
| Production of femtosecond single-bunched electrons by laser wakefield acceleration, A. Ogata, K. Nakajima and N. Andreev | 248 (1997) 64 | Interlayer structure changes of graphite after hydrogen ion irradiation, Y. Gotoh |
| Electron Microscopy | 248 (1997) 64 | Fission Products |
| Profiling with tritium imaging, I. Youle and A.A. Haasz | 248 (1997) 249 | Radiation effect on the chemical state of fission product iodine, K. Konashi, Y. Siokawa, H. Kayano and M. Yamawaki |
| Brittlement | 248 (1997) 249 | Experimental analyses of iodine behavior under severe accident conditions with ART, A. Hidaka, M. Igarashi, K. Hashimoto, T. Yoshino and J. Sugimoto |
| Fuel failure and fission gas release in high burnup PWR fuels under RIA conditions, T. Fuketa, H. Sasajima, Y. Mori and K. Ishijima | 248 (1997) 226 | High burnup fuel behavior related to fission gas effects under reactivity initiated accidents (RIA) conditions, F. Lemoine |
| | 248 (1997) 226 | Fuel failure and fission gas release in high burnup PWR fuels under RIA conditions, T. Fuketa, H. Sasajima, Y. Mori and K. Ishijima |
| | 248 (1997) 238 | |
| | 248 (1997) 238 | |
| | 248 (1997) 249 | |

| | |
|---|----------------|
| Vaporization properties of SrUO₃ and BaUO₃ in atmospheres simulating accident conditions , J. Huang, M. Yamawaki, K. Yamaguchi, M. Yasumoto, H. Sakurai and Y. Suzuki | 248 (1997) 257 |
| Effects of pellet microstructure on irradiation behavior of UO₂ fuel , R. Yuda, H. Harada, M. Hirai, T. Hosokawa, K. Une, S. Kashibe, S. Shimizu and T. Kubo | 248 (1997) 262 |
| Fuels and Fuel Elements | |
| Formation of the rim structure in high burnup fuel, H.J. Matzke and J. Spino | 248 (1997) 170 |
| Towards the mathematical model of rim structure formation, M. Kinoshita | 248 (1997) 185 |
| Radiation damage of UO ₂ by high-energy heavy ions, K. Hayashi, H. Kikuchi and K. Fukuda | 248 (1997) 191 |
| Effect of grain size on recrystallization in high burnup fuel pellets, K. Nogita, K. Une, M. Hirai, K. Ito, K. Ito and Y. Shirai | 248 (1997) 196 |
| Radiation effect on the chemical state of fission product iodine, K. Konashi, Y. Siokawa, H. Kayano and M. Yamawaki | 248 (1997) 220 |
| High burnup fuel behavior related to fission gas effects under reactivity initiated accidents (RIA) conditions, F. Lemoine | 248 (1997) 238 |
| Fuel failure and fission gas release in high burnup PWR fuels under RIA conditions, T. Fuketa, H. Sasajima, Y. Mori and K. Ishijima | 248 (1997) 249 |
| Compatibility of structural materials with molten chloride mixture at high temperature, Y. Hosoya, T. Terai, T. Yoneoka and S. Tanaka | 248 (1997) 348 |
| Fusion Reactors | |
| Interlayer structure changes of graphite after hydrogen ion irradiation, Y. Gotoh | 248 (1997) 46 |
| Blanket design using FLiBe in helical-type fusion reactor FFHR, A. Sagara, O. Motojima, O. Mitarai, S. Imagawa, K. Watanabe, H. Yamanishi, H. Chikaraishi, A. Kohyama, H. Matsui, T. Muroga, N. Noda, T. Noda, N. Ohyabu, T. Satow, A.A. Shishkin, S. Tanaka, T. Terai, K. Yamazaki, J. Yamamoto and FFHR Group | 248 (1997) 147 |
| Research and development on ceramic coatings for fusion reactor liquid blankets, T. Terai | 248 (1997) 153 |
| Characterization of Y ₂ O ₃ coating for liquid blanket, M. Nakamichi, H. Kawamura, T. Terai and S. Tanaka | 248 (1997) 165 |
| Gamma Irradiation | |
| Formation and dissolution of oxide film on zirconium alloys in 288°C pure water under γ -ray irradiation, Y. Nishino, M. Endo, E. Ibe and T. Yasuda | 248 (1997) 292 |
| Gases (excludes Hydrogen, Helium and Tritium) | |
| High burnup fuel behavior related to fission gas effects under reactivity initiated accidents (RIA) conditions, F. Lemoine | 248 (1997) 238 |
| in Materials | |
| Grain Boundaries | |
| Towards the mathematical model of rim structure formation, M. Kinoshita | 248 (1997) 185 |
| High burnup fuel behavior related to fission gas effects under reactivity initiated accidents (RIA) conditions, F. Lemoine | 248 (1997) 238 |
| Helium | |
| Study on retention of hydrogen isotopes and helium in nickel using tritium beam test apparatus, M. Okada, R. Sato, K. Yamaguchi and M. Yamawaki | 248 (1997) 72 |
| Hydrogen analysis of silicon surfaces by low-energy ion beams, F. Shoji and K. Oura | 248 (1997) 443 |
| Hydrogen and Hydrides (includes Deuterium and Deuterides) | |
| Retention, permeation and re-emission of deuterium implanted in Mo, S. Nagata, T. Hasunuma, K. Takahiro and S. Yamaguchi | 248 (1997) 9 |
| Retention and re-emission processes of hydrogen isotopes in graphite and beryllium, K. Morita and B. Tsuchiya | 248 (1997) 27 |
| Effect of oxidation on thermal desorption of deuterium sorbed in graphite, A.V. Markin, A.E. Gorodetsky and A.P. Zakharov | 248 (1997) 34 |
| Retention of hydrogen isotopes in beryllium by simultaneous H ⁺ and D ⁺ irradiation, B. Tsuchiya and K. Morita | 248 (1997) 42 |
| Permeation behavior of deuterium implanted into Ti-6Al-4V alloy, M. Arita, T. Hayashi, K. Okuno and Y. Hayashi | 248 (1997) 60 |
| Tritium recovery from Li ₁₇ -Pb ₈₃ liquid breeder by permeation window method, T. Terai, A. Suzuki and S. Tanaka | 248 (1997) 159 |
| PWR Zircaloy cladding corrosion behavior: quantitative analyses, T. Kido, K. Kanasugi, M. Sugano and K. Komatsu | 248 (1997) 281 |
| Effects of the solid-solid interface on the thermal behavior of deuterium in zircaloy cladding tubes, I. Takagi, M. Hashizumi, A. Yamagami, K. Maehara and K. Higashi | 248 (1997) 306 |
| Influence of size distribution of Zr(Fe,Cr) ₂ precipitates on hydrogen transport through oxide film of Zircaloy-4, Y. Hatano, R. Hikata, M. Sugisaki and M. Hayashi | 248 (1997) 311 |
| Observation of the spatial distribution of hydrogen in Zircaloy-2 oxidized in H ₂ O steam at 723 K by a technique of tritium microautoradiography, K. Isobe, Y. Hatano and M. Sugisaki | 248 (1997) 315 |
| Investigation of hydrogen covered crystalline surfaces by low-energy ion-scattering and recoil imaging spectroscopy, O. Grizzi, J.E. Gayone, G.R. Gómez, R.G. Pregliasco and E.A. Sánchez | 248 (1997) 428 |
| Hydrogen analysis of silicon surfaces by low-energy ion beams, F. Shoji and K. Oura | 248 (1997) 443 |

Impurities

Oxygen gettering properties of boron film produced by diborane dc glow discharge, T. Hino, T. Mochizuki, Y. Hirohata, K. Tsuzuki, N. Inoue, A. Sagara, N. Noda, O. Motojima, K. Mori, T. Sogabe and K. Kuroda

Advanced research of plasma wall interaction in China, J.P. Qian

Effects of the solid-solid interface on the thermal behavior of deuterium in zircaloy cladding tubes, I. Takagi, M. Hashizumi, A. Yamagami, K. Maehara and K. Higashi

248 (1997) 38

248 (1997) 78

248 (1997) 306

Interfaces

Effects of the solid-solid interface on the thermal behavior of deuterium in zircaloy cladding tubes, I. Takagi, M. Hashizumi, A. Yamagami, K. Maehara and K. Higashi

248 (1997) 306

Interfacial behavior of actinides with colloids in the geosphere, S. Nagasaki, S. Tanaka and A. Suzuki

248 (1997) 323

Effects of humic acid on the sorption of neptunium(V) on kaolinite, Y. Niitsu, S. Sato, H. Ohashi, Y. Sakamoto, S. Nagao, T. Ohnuki and S. Muraoka

248 (1997) 328

Nitridation of uranium and rare-earth metals in liquid Cd, M. Akabori, A. Itoh and T. Ogawa

248 (1997) 338

Hydrogen analysis of silicon surfaces by low-energy ion beams, F. Shoji and K. Oura

248 (1997) 443

Ion Irradiation

Retention, permeation and re-emission of deuterium implanted in Mo, S. Nagata, T. Hasunuma, K. Takahiro and S. Yamaguchi

248 (1997) 9

Carbon chemistry due to combined H⁺ and O⁺ irradiation, A.A. Haasz, A.Y.K. Chen, J.W. Davis and E. Vietzke

248 (1997) 19

Retention and re-emission processes of hydrogen isotopes in graphite and beryllium, K. Morita and B. Tsuchiya

248 (1997) 27

Retention of hydrogen isotopes in beryllium by simultaneous H⁺ and D⁺ irradiation, B. Tsuchiya and K. Morita

248 (1997) 42

Interlayer structure changes of graphite after hydrogen ion irradiation, Y. Gotoh

248 (1997) 46

Permeation behavior of deuterium implanted into Ti-6Al-4V alloy, M. Arita, T. Hayashi, K. Okuno and Y. Hayashi

248 (1997) 60

A study on irradiation-induced structural change of lithium orthosilicate by infrared spectroscopy analysis with MNDO calculation, T. Nakazawa, D. Yamaki and K. Noda

248 (1997) 121

In situ luminescence measurement of irradiation defects in ternary lithium ceramics under ion beam irradiation, K. Moritani and H. Moriyama

248 (1997) 132

Formation of the rim structure in high burnup fuel, H.J. Matzke and J. Spino

248 (1997) 170

Radiation damage of UO₂ by high-energy heavy ions, K. Hayashi, H. Kikuchi and K. Fukuda

248 (1997) 191

Application of ion beams to synthesis of environmentally responsive track membranes, H. Omichi, M. Yoshida, M. Asano, N. Nagao, H. Kubota, R. Katakai and R. Spohr

248 (1997) 354

Medical and other applications of high-energy heavy-ion beams from HIMAC, T. Murakami, H. Tsujii, Y. Furusawa, K. Ando, T. Kanai, S. Yamada and K. Kawachi

248 (1997) 360

Exciplex emission from amphiphilic polysilanes bearing ammonium moieties, T. Yamaki, Y. Nakashiba, K. Asai, K. Ishigure, S. Seki, S. Tagawa and H. Shibata

248 (1997) 369

A molecular dynamics study for ultrafast process of radiation damage in materials, K. Morishita, N. Sekimura and T. Diaz de la Rubia

248 (1997) 400

Measurement of a knock-on process induced by an ion beam, M. Teshigawara, K. Konishi and H. Kayano

248 (1997) 439

Irradiation (not listed elsewhere, includes Irradiation History or Schedule)

Study of environmental effects on water-side corrosion of Zircaloy-2 fuel cladding, Y. Etoh, S. Shimada, M. Sasaki, T. Kogai, H. Hayashi, M. Kitamura, K. Tsuji and M. Yamawaki

248 (1997) 299

Kinetics

Elementary processes near the interface between hydrogen gas and solid, A.A. Pisarev and O.V. Ogorodnikova

248 (1997) 52

Advanced understanding of the tritium recovery process from the ceramic breeder blanket, C.E. Johnson, J.P. Kopasz and S.-W. Tam

248 (1997) 91

Laser

Novel interferometers for femtosecond phase spectroscopy, T. Kobayashi and K. Misawa

248 (1997) 386

Production of femtosecond single-bunched electrons by laser wakefield acceleration, A. Ogata, K. Nakajima and N. Andreev

248 (1997) 392

Laser and X-ray spectroscopic studies of uranium-calcite interface phenomena, G. Geipel, T. Reich, V. Brendler, G. Bernhard and H. Nitsche

248 (1997) 408

Limiter Materials

Advanced research of plasma wall interaction in China, J.P. Qian

248 (1997) 78

Liquid Metals

Thermodynamics of the interactions between liquid breeders and ceramic coating materials, P. Hubberstey and T. Sample

248 (1997) 140

Research and development on ceramic coatings for fusion reactor liquid blankets, T. Terai

248 (1997) 153

Tritium recovery from Li₁₇-Pb₈₃ liquid breeder by permeation window method, T. Terai, A. Suzuki and S. Tanaka

248 (1997) 159

| | | |
|---|----------------|---|
| The chemical state of defective uranium-plutonium oxide fuel pins irradiated in sodium cooled reactors, H. Kleykamp | | Niobium, Niobium Alloys and Compounds |
| Nitridation of uranium and rare-earth metals in liquid Cd, M. Akabori, A. Itoh and T. Ogawa | 248 (1997) 209 | Tritium recovery from Li ₁₇ -Pb ₈₃ liquid breeder by permeation window method, T. Terai, A. Suzuki and S. Tanaka |
| High temperature liquid metal corrosion and high temperature electrical conductivity of Y ₂ O ₃ , T. Yoneoka, T. Terai and Y. Takahashi | 248 (1997) 338 | |
| Low Activation and Low Activation Materials (includes Reduced Activation) | 248 (1997) 343 | Optical Microscopy |
| Blanket design using FLiBe in helical-type fusion reactor FFHR, A. Sagara, O. Motojima, O. Mitarai, S. Imagawa, K. Watanabe, H. Yamanishi, H. Chikaraishi, A. Kohyama, H. Matsui, T. Muroga, N. Noda, T. Noda, N. Ohyabu, T. Satow, A.A. Shishkin, S. Tanaka, T. Terai, K. Yamazaki, J. Yamamoto and FFHR Group | 248 (1997) 147 | In situ luminescence measurement of irradiation defects in ternary lithium ceramics under ion beam irradiation, K. Moritani and H. Moriyama |
| Mathematical and Computational Methods | 248 (1997) 121 | Exciplex emission from amphiphilic polysilanes bearing ammonium moieties, T. Yamaki, Y. Nakashiba, K. Asai, K. Ishigure, S. Seki, S. Tagawa and H. Shibata |
| A study on irradiation-induced structural change of lithium orthosilicate by infrared spectroscopy analysis with MNDO calculation, T. Nakazawa, D. Yamaki and K. Noda | 248 (1997) 185 | |
| Towards the mathematical model of rim structure formation, M. Kinoshita | 248 (1997) 348 | Permeation |
| Metals, Alloys and Compounds (not listed elsewhere) | 248 (1997) 348 | Surface condition effects on plasma driven permeation, M. Takizawa, K. Kiuchi, M. Okamoto and Y. Fujii |
| Compatibility of structural materials with molten chloride mixture at high temperature, Y. Hosoya, T. Terai, T. Yoneoka and S. Tanaka | 248 (1997) 262 | Permeation behavior of deuterium implanted into Ti-6Al-4V alloy, M. Arita, T. Hayashi, K. Okuno and Y. Hayashi |
| Microstructure and Texture (excludes by Irradiation) | 248 (1997) 262 | Tritium recovery from Li ₁₇ -Pb ₈₃ liquid breeder by permeation window method, T. Terai, A. Suzuki and S. Tanaka |
| Effects of pellet microstructure on irradiation behavior of UO ₂ fuel, R. Yuda, H. Harada, M. Hirai, T. Hosokawa, K. Une, S. Kashibe, S. Shimizu and T. Kubo | 248 (1997) 9 | |
| Molybdenum, Molybdenum Alloys and Compounds | 248 (1997) 116 | Phase Equilibria (includes Constitution, Phase Stability, Phase Instability) |
| Retention, permeation and re-emission of deuterium implanted in Mo, S. Nagata, T. Hashunuma, K. Takahiro and S. Yamaguchi | 248 (1997) 72 | Study on the sweep gas chemistry effect on vaporization behavior of Li ₂ TiO ₃ by means of HT mass spectrometry, A. Suzuki, M. Yamawaki, M. Yasumoto and K. Yamaguchi |
| Neutron Irradiation | 248 (1997) 72 | Application of quantum beams to analysis of radioactive materials, M. Petri, L. Leibowitz and C.E. Johnson |
| Basic study of influence of radiation defects on tritium release processes from lithium silicates, A. Abramenkovs, J. Tiliks, G. Kizane, V. Grishmanovs and A. Supe | 248 (1997) 348 | |
| Nickel, Nickel Alloys and Compounds | 248 (1997) 348 | Physical Properties (not listed elsewhere) |
| Study on retention of hydrogen isotopes and helium in nickel using tritium beam test apparatus, M. Okada, R. Sato, K. Yamaguchi and M. Yamawaki | 248 (1997) 72 | Interaction of terawatt laser with plasma, M. Kando, K. Nakajima, M. Arinaga, T. Kawakubo, H. Nakanishi, A. Ogata, T. Kozawa, T. Ueda and M. Uesaka |
| Compatibility of structural materials with molten chloride mixture at high temperature, Y. Hosoya, T. Terai, T. Yoneoka and S. Tanaka | 248 (1997) 348 | |
| | | Plasma-Materials Interaction |
| | | Physical sputtering and reflection processes in plasma-wall interactions, W. Eckstein |
| | | Retention, permeation and re-emission of deuterium implanted in Mo, S. Nagata, T. Hashunuma, K. Takahiro and S. Yamaguchi |
| | | Surface condition effects on plasma driven permeation, M. Takizawa, K. Kiuchi, M. Okamoto and Y. Fujii |
| | | Carbon chemistry due to combined H ⁺ and O ⁺ irradiation, A.A. Haasz, A.Y.K. Chen, J.W. Davis and E. Vietzke |
| | | Oxygen gettering properties of boron film produced by diborane dc glow discharge, T. Hino, T. Mochizuki, Y. Hirohata, K. Tsuzuki, N. Inoue, A. Sagara, N. Noda, O. |

| | | | |
|--|----------------|---|----------------|
| Motojima, K. Mori, T. Sogabe and K. Kuroda | 248 (1997) 38 | Radiation damage of UO_2 by high-energy heavy ions, K. Hayashi, H. Kikuchi and K. Fukuda | 248 (1997) 191 |
| Retention of hydrogen isotopes in beryllium by simultaneous H^+ and D^+ irradiation, B. Tsuchiya and K. Morita | 248 (1997) 42 | Effect of grain size on recrystallization in high burnup fuel pellets, K. Nogita, K. Une, M. Hirai, K. Ito, K. Ito and Y. Shirai | 248 (1997) 196 |
| Elementary processes near the interface between hydrogen gas and solid, A.A. Pisarev and O.V. Ogorodnikova | 248 (1997) 52 | A molecular dynamics study for ultrafast process of radiation damage in materials, K. Morishita, N. Sekimura and T. Diaz de la Rubia | 248 (1997) 400 |
| Study on retention of hydrogen isotopes and helium in nickel using tritium beam test apparatus, M. Okada, R. Sato, K. Yamaguchi and M. Yamawaki | 248 (1997) 72 | Radiation Effects: Extended Defects, Microstructures | |
| Advanced research of plasma wall interaction in China, J.P. Qian | 248 (1997) 78 | Basic study of influence of radiation defects on tritium release processes from lithium silicates, A. Abramovks, J. Tiliks, G. Kizane, V. Grishmanovs and A. Supe | 248 (1997) 116 |
| Impurity production and transport processes in divertor regions, V.I. Pistunovich, V.A. Pozharov and D.Yu. Prokhorov | 248 (1997) 85 | In situ luminescence measurement of irradiation defects in ternary lithium ceramics under ion beam irradiation, K. Moritani and H. Moriyama | 248 (1997) 132 |
| Vaporization behavior of SrPuO_3 , K. Nakajima, Y. Arai, Y. Suzuki and M. Yamawaki | 248 (1997) 233 | Formation of the rim structure in high burnup fuel, H.J. Matzke and J. Spino | 248 (1997) 170 |
| Chemistry of excited states: Its impact on plasma wall interactions in fusion devices, T. Tanabe | 248 (1997) 418 | Application of a mechanistic model for radiation-induced amorphization and crystallization of uranium silicide to recrystallization of UO_2 , J. Rest | 248 (1997) 180 |
| Plasma Properties (includes Plasma Disruption) | | Towards the mathematical model of rim structure formation, M. Kinoshita | 248 (1997) 185 |
| Interaction of terawatt laser with plasma, M. Kando, K. Nakajima, M. Arinaga, T. Kawakubo, H. Nakanishi, A. Ogata, T. Kozawa, T. Ueda and M. Uesaka | 248 (1997) 405 | Effect of grain size on recrystallization in high burnup fuel pellets, K. Nogita, K. Une, M. Hirai, K. Ito, K. Ito and Y. Shirai | 248 (1997) 196 |
| Plutonium, Plutonium Alloys and Compounds | | Behavior of neutron-irradiated U_3Si , M. Ugajin, M. Akabori, A. Itoh, N. Ooka and Y. Nakakura | 248 (1997) 204 |
| The chemical state of defective uranium-plutonium oxide fuel pins irradiated in sodium cooled reactors, H. Kleykamp | 248 (1997) 209 | Irradiation effects on corrosion of zirconium alloy claddings, F. Lefebvre and C. Lemaigre | 248 (1997) 268 |
| Polymers | | BWR Zircaloy cladding corrosion behavior – effect of microstructure, S. Shimada, Y. Etoh and K. Tomida | 248 (1997) 275 |
| Application of ion beams to synthesis of environmentally responsive track membranes, H. Omichi, M. Yoshida, M. Asano, N. Nagaoka, H. Kubota, R. Katakai and R. Spohr | 248 (1997) 354 | Radiation Effects: Physical Properties | |
| Exciplex emission from amphiphilic polysilanes bearing ammonium moieties, T. Yamaki, Y. Nakashiba, K. Asai, K. Ishigure, S. Seki, S. Tagawa and H. Shibata | 248 (1997) 369 | Radiation damage of UO_2 by high-energy heavy ions, K. Hayashi, H. Kikuchi and K. Fukuda | 248 (1997) 191 |
| Pores (includes Porosity, Fabrication Pores) | | Radiation Sources | |
| Application of ion beams to synthesis of environmentally responsive track membranes, H. Omichi, M. Yoshida, M. Asano, N. Nagaoka, H. Kubota, R. Katakai and R. Spohr | 248 (1997) 354 | Production of femtosecond single-bunched electrons by laser wakefield acceleration, A. Ogata, K. Nakajima and N. Andreev | 248 (1997) 392 |
| BWR Zircaloy cladding corrosion behavior – effect of microstructure, S. Shimada, Y. Etoh and K. Tomida | 248 (1997) 275 | Radiolysis | |
| Precipitates and Precipitation | | Basic study of influence of radiation defects on tritium release processes from lithium silicates, A. Abramovks, J. Tiliks, G. Kizane, V. Grishmanovs and A. Supe | 248 (1997) 116 |
| BWR Zircaloy cladding corrosion behavior – effect of microstructure, S. Shimada, Y. Etoh and K. Tomida | 248 (1997) 275 | Radiation effect on the chemical state of fission product iodine, K. Konashi, Y. Siokawa, H. Kayano and M. Yamawaki | 248 (1997) 220 |
| Radiation Effects: Atomic Defects | | Experimental analyses of iodine behavior under severe accident conditions with ART, A. Hidaka, M. Igarashi, K. Hashimoto, T. Yoshino and J. Sugimoto | 248 (1997) 226 |
| Application of a mechanistic model for radiation-induced amorphization and crystallization of uranium silicide to recrystallization of UO_2 , J. Rest | 248 (1997) 180 | | |

| | | | |
|---|----------------|--|----------------|
| Formation and dissolution of oxide film on zirconium alloys in 288°C pure water under γ -ray irradiation, Y. Nishino, M. Endo, E. Ibe and T. Yasuda | 248 (1997) 292 | Influence of irradiation defects and atmosphere on luminescence and tritium release from Li_2O , V. Grishmanov, S. Tanaka and T. Yoneoka | 248 (1997) 128 |
| Novel interferometers for femtosecond phase spectroscopy, T. Kobayashi and K. Misawa | 248 (1997) 386 | Effect of the segregation-induced potential barrier on gas/solid kinetics. Impact on corrosion kinetics of Zircaloy, J. Nowotny, C.C. Sorrell and M. Yamawaki | 248 (1997) 288 |
| Recrystallization, Recovery and Grain Growth | | Surface complexation modeling for description of actinide sorption at the buffer materials/water interface, M. Tsukamoto, T. Fujita and T. Ohe | 248 (1997) 333 |
| Application of a mechanistic model for radiation-induced amorphization and crystallization of uranium silicide to recrystallization of UO_2 , J. Rest | 248 (1997) 180 | Investigation of hydrogen covered crystalline surfaces by low-energy ion-scattering and recoiling spectroscopy, O. Grizzi, J.E. Gayone, G.R. Gómez, R.G. Pregliasco and E.A. Sánchez | 248 (1997) 428 |
| Effect of grain size on recrystallization in high burnup fuel pellets, K. Nogita, K. Une, M. Hirai, K. Ito, K. Ito and Y. Shirai | 248 (1997) 196 | Hydrogen analysis of silicon surfaces by low-energy ion beams, F. Shoji and K. Oura | 248 (1997) 443 |
| Refractory Metals, Alloys and Compounds (<i>not listed elsewhere</i>) | | Swelling | |
| Compatibility of structural materials with molten chloride mixture at high temperature, Y. Hosoya, T. Terai, T. Yoneoka and S. Tanaka | 248 (1997) 348 | Application of a mechanistic model for radiation-induced amorphization and crystallization of uranium silicide to recrystallization of UO_2 , J. Rest | 248 (1997) 180 |
| Safety of Nuclear Reactors | | Behavior of neutron-irradiated U_3Si , M. Ugaian, M. Akabori, A. Itoh, N. Ooka and Y. Nakakura | 248 (1997) 204 |
| Blanket design using FLiBe in helical-type fusion reactor FFHR, A. Sagara, O. Motojima, O. Mitarai, S. Imagawa, K. Watanabe, H. Yamanishi, H. Chikaraishi, A. Kohyama, H. Matsui, T. Muroga, N. Noda, T. Noda, N. Ohbayu, T. Satow, A.A. Shishkin, S. Tanaka, T. Terai, K. Yamazaki, J. Yamamoto and FFHR Group | 248 (1997) 147 | Effects of pellet microstructure on irradiation behavior of UO_2 fuel, R. Yuda, H. Harada, M. Hirai, T. Hosokawa, K. Une, S. Kashibe, S. Shimizu and T. Kubo | 248 (1997) 262 |
| Experimental analyses of iodine behavior under severe accident conditions with ART, A. Hidaka, M. Igarashi, K. Hashimoto, T. Yoshino and J. Sugimoto | 248 (1997) 226 | Theory and Modelling | |
| High burnup fuel behavior related to fission gas effects under reactivity initiated accidents (RIA) conditions, F. Lemoine | 248 (1997) 238 | Elementary processes near the interface between hydrogen gas and solid, A.A. Pisarev and O.V. Ogorodnikova | 248 (1997) 52 |
| Silicon and Silicon Compounds | | Impurity production and transport processes in divertor regions, V.I. Pistunovich, V.A. Pozharov and D.Yu. Prokhorov | 248 (1997) 85 |
| Exciplex emission from amphiphilic polysilanes bearing ammonium moieties, T. Yamaki, Y. Nakashiba, K. Asai, K. Ishigure, S. Seki, S. Tagawa and H. Shibata | 248 (1997) 369 | Advanced understanding of the tritium recovery process from the ceramic breeder blanket, C.E. Johnson, J.P. Kopasz and S.-W. Tam | 248 (1997) 91 |
| Hydrogen analysis of silicon surfaces by low-energy ion beams, F. Shoji and K. Oura | 248 (1997) 443 | Radiation effect on the chemical state of fission product iodine, K. Konashi, Y. Siokawa, H. Kayano and M. Yamawaki | 248 (1997) 220 |
| Steels, Austenitic | | Thermal Reactors | |
| Surface condition effects on plasma driven permeation, M. Takizawa, K. Kiuchi, M. Okamoto and Y. Fujii | 248 (1997) 15 | Vaporization behavior of SrPuO_3 , K. Nakajima, Y. Arai, Y. Suzuki and M. Yamawaki | 248 (1997) 233 |
| Surface Effects | | Thermal Shock | |
| Physical sputtering and reflection processes in plasma-wall interactions, W. Eckstein | 248 (1997) 1 | Advanced research of plasma wall interaction in China, J.P. Qian | 248 (1997) 78 |
| Surface condition effects on plasma driven permeation, M. Takizawa, K. Kiuchi, M. Okamoto and Y. Fujii | 248 (1997) 15 | Thermodynamic Properties | |
| Profiling with tritium imaging, I. Youle and A.A. Haasz | 248 (1997) 64 | Vaporization properties of SrUO_3 and BaUO_3 in atmospheres simulating accident conditions, J. Huang, M. Yamawaki, K. Yamaguchi, M. Yasumoto, H. Sakurai and Y. Suzuki | 248 (1997) 257 |

| | | | |
|---|----------------|---|----------------|
| Nitridation of uranium and rare-earth metals in liquid Cd, M. Akabori, A. Itoh and T. Ogawa | 248 (1997) 338 | Vaporization properties of SrUO ₃ and BaUO ₃ in atmospheres simulating accident conditions, J. Huang, M. Yamawaki, K. Yamaguchi, M. Yasumoto, H. Sakurai and Y. Suzuki | 248 (1997) 257 |
| Laser and X-ray spectroscopic studies of uranium–calcite interface phenomena, G. Geipel, T. Reich, V. Brendler, G. Bernhard and H. Nitsche | 248 (1997) 408 | Nitridation of uranium and rare-earth metals in liquid Cd, M. Akabori, A. Itoh and T. Ogawa | 248 (1997) 338 |
| Application of quantum beams to analysis of radioactive materials, M. Petri, L. Leibowitz and C.E. Johnson | 248 (1997) 412 | Laser and X-ray spectroscopic studies of uranium–calcite interface phenomena, G. Geipel, T. Reich, V. Brendler, G. Bernhard and H. Nitsche | 248 (1997) 408 |
| Thermophysical Properties | | Application of quantum beams to analysis of radioactive materials, M. Petri, L. Leibowitz and C.E. Johnson | 248 (1997) 412 |
| Application of ion beams to synthesis of environmentally responsive track membranes, H. Omichi, M. Yoshida, M. Asano, N. Nagaoka, H. Kubota, R. Katakai and R. Spohr | 248 (1997) 354 | Application of synchrotron radiation to analysis of local structures in energy-related materials, T. Matsui, T. Tokunaga, T. Nagasaki, Y. Arita, H. Shigematsu, T. Harami, H. Ohno and K. Kobayashi | 248 (1997) 435 |
| Titanium, Titanium Alloys and Compounds | | Vanadium, Vanadium Alloys and Compounds | |
| Permeation behavior of deuterium implanted into Ti–6Al–4V alloy, M. Arita, T. Hayashi, K. Okuno and Y. Hayashi | 248 (1997) 60 | A molecular dynamics study for ultrafast process of radiation damage in materials, K. Morishita, N. Sekimura and T. Diaz de la Rubia | 248 (1997) 400 |
| Tritium and Tritides | | Vitrification | |
| Profiling with tritium imaging, I. Youle and A.A. Haasz | 248 (1997) 64 | Vaporization behavior of SrPuO ₃ , K. Nakajima, Y. Arai, Y. Suzuki and M. Yamawaki | 248 (1997) 233 |
| Study on retention of hydrogen isotopes and helium in nickel using tritium beam test apparatus, M. Okada, R. Sato, K. Yamaguchi and M. Yamawaki | 248 (1997) 72 | Wastes | |
| Advanced understanding of the tritium recovery process from the ceramic breeder blanket, C.E. Johnson, J.P. Kopasz and S.-W. Tam | 248 (1997) 91 | Interfacial behavior of actinides with colloids in the geosphere, S. Nagasaki, S. Tanaka and A. Suzuki | 248 (1997) 323 |
| Tritium release from Li ₂ O studied by infrared absorption spectroscopy, S. Tanaka and M. Taniguchi | 248 (1997) 101 | Effects of humic acid on the sorption of neptunium(V) on kaolinite, Y. Niitsu, S. Sato, H. Ohashi, Y. Sakamoto, S. Nagao, T. Ohnuki and S. Muraoka | 248 (1997) 328 |
| Isotope exchange capacity of solid breeder materials, A. Baba, M. Nishikawa, Y. Kawamura and K. Okuno | 248 (1997) 106 | Surface complexation modeling for description of actinide sorption at the buffer materials/water interface, M. Tsukamoto, T. Fujita and T. Ohe | 248 (1997) 333 |
| Influence of irradiation defects and atmosphere on luminescence and tritium release from Li ₂ O, V. Grishmanov, S. Tanaka and T. Yoneoka | 248 (1997) 128 | Zirconium, Zirconium Alloys and Compounds | |
| Observation of the spatial distribution of hydrogen in Zircaloy-2 oxidized in H ₂ O steam at 723 K by a technique of tritium microautoradiography, K. Isobe, Y. Hatano and M. Sugisaki | 248 (1997) 315 | Chemical processes in defective LWR fuel rods, D.R. Olander, W.-E. Wang, Y.S. Kim, C.Y. Li, S. Lim and S.K. Yagnik | 248 (1997) 214 |
| Uranium, Uranium Alloys and Compounds | | Irradiation effects on corrosion of zirconium alloy claddings, F. Lefebvre and C. Lemaigre | 248 (1997) 268 |
| Radiation damage of UO ₂ by high-energy heavy ions, K. Hayashi, H. Kikuchi and K. Fukuda | 248 (1997) 191 | PWR Zircaloy cladding corrosion behavior: quantitative analyses, T. Kido, K. Kanasegi, M. Sugano and K. Komatsu | 248 (1997) 281 |
| Effect of grain size on recrystallization in high burnup fuel pellets, K. Nogita, K. Une, M. Hirai, K. Ito, K. Ito and Y. Shirai | 248 (1997) 196 | Effect of the segregation-induced potential barrier on gas/solid kinetics. Impact on corrosion kinetics of Zircaloy, J. Nowotny, C.C. Sorrell and M. Yamawaki | 248 (1997) 288 |
| Behavior of neutron-irradiated U ₃ Si, M. Ugajin, M. Akabori, A. Itoh, N. Ooka and Y. Nakakura | 248 (1997) 204 | Formation and dissolution of oxide film on zirconium alloys in 288°C pure water under γ-ray irradiation, Y. Nishino, M. Endo, E. Ibe and T. Yasuda | 248 (1997) 292 |
| The chemical state of defective uranium–plutonium oxide fuel pins irradiated in sodium cooled reactors, H. Kleykamp | 248 (1997) 209 | | |

- Study of environmental effects on water-side corrosion of Zircaloy-2 fuel cladding, Y. Etoh, S. Shimada, M. Sasaki, T. Kogai, H. Hayashi, M. Kitamura, K. Tsuji and M. Yamawaki 248 (1997) 299
- Effects of the solid-solid interface on the thermal behavior of deuterium in zircaloy cladding tubes, I. Takagi, M. Hashizumi, A. Yamagami, K. Maehara and K. Higashi 248 (1997) 306
- Influence of size distribution of $Zr(Fe,Cr)_2$ precipitates on hydrogen transport through oxide film of Zircaloy-4, Y. Hatano, R. Hitaka, M. Sugisaki and M. Hayashi 248 (1997) 311
- Study on surface defect structures of ZrO_2 and some doped ZrO_2 by means of work function measurement, M. Yamawaki, A. Suzuki, F. Ono and K. Yamaguchi 248 (1997) 319