



Subject index

Adsorption

The impact of materials selection on long-term activation in fusion power plants, N.P. Taylor, C.B.A. Forty, D.A. Petti and K.A. McCarthy 283–287 (2000) 28

Measurement and analysis of radioactivity induced in steels and a vanadium alloy by 14-MeV neutrons, D. Richter, R.A. Forrest, H. Freiesleben, Va.D. Kovalchuk, Vi.D. Kovalchuk, D.V. Markovskij, K. Seidel, V.I. Tereshkin and S. Unholzer 283–287 (2000) 1434

Age Hardening

Study of the tritium behavior on the surface of Li₂O by means of work function measurement, T. Yokota, A. Suzuki, K. Yamaguchi, T. Terai and M. Yamawaki 283–287 (2000) 1366

Aluminum, Aluminum Alloys and Compounds

Progress and critical issues of reduced activation ferritic/martensitic steel development, B. van der Schaaf, D.S. Gelles, S. Jitsukawa, A. Kimura, R.L. Klueh, A. Möslang and G.R. Odette 283–287 (2000) 52

Chemical segregation behavior under thermal aging of the low-activation F82H-modified steel, J. Lapeña, M. Garcia-Mazario, P. Fernández and A.M. Lancha 283–287 (2000) 662

Mechanical properties of 8Cr–2WVTa steel aged for 30 000 h, M. Tamura, K. Shinozuka, H. Esaka, S. Sugimoto, K. Ishizawa and K. Masamura 283–287 (2000) 667

Tensile and impact behavior of the reduced-activation steels OPTIFER and F82H mod, L. Schäfer 283–287 (2000) 707

Recovery and recrystallization behavior of vanadium at various controlled nitrogen and oxygen levels, T. Nagasaka, H. Takahashi, T. Muroga, T. Tanabe and H. Matsui 283–287 (2000) 816

Effects of thermal aging on the mechanical behavior of F82H weldments, A. Alamo, A. Castaing, A. Fontes and P. Wident 283–287 (2000) 1192

Amorphization and Amorphous Materials

Microstructures in Ti–Al intermetallic compounds irradiated at 673 K in HFIR, Y. Miwa, T. Sawai, K. Fukai, D.T. Hoelzer and A. Hishinuma 283–287 (2000) 273

Significance of sample thickness and surface segregation on the electrical conductivity of Wesgo AL995 alumina under ITER environments, M.M.R. Howlader, C. Kinoshita, K. Shiiyama, M. Kutsuwada and T. Higuchi 283–287 (2000) 885

In-beam dielectric properties of alumina at low frequencies, R. Vila and E.R. Hodgson 283–287 (2000) 903

Current–voltage characteristic of alumina and aluminum nitride with or without electron irradiation, K. Shiiyama, M.M.R. Howlader, Y. Izumi, M. Kutsuwada, S. Matsu-mura and C. Kinoshita 283–287 (2000) 912

Neutron irradiation damage in aluminum oxide and nitride ceramics up to a fluence of 4.2×10^{26} n/m², T. Yano, K. Ichikawa, M. Akiyoshi and Y. Tachi 283–287 (2000) 947

Scale structure of aluminised MANET steel after HIP treatment, H. Glasbrenner, K. Stein-Fechner and J. Konys 283–287 (2000) 1302

Compatibility of AlN with liquid lithium, T. Terai, A. Suzuki, T. Yoneoka and T. Mitsuyama 283–287 (2000) 1322

Analytical Instruments and Methods

Differences in the microstructure of the F82H ferritic/martensitic steel after proton and neutron irradiation, R. Schäublin and M. Victoria 283–287 (2000) 339

Molecular dynamics simulation of defect production in irradiated β -SiC,

- L. Malerba, J.M. Perlado, A. Sánchez-Rubio, I. Pastor, L. Colombo and T. Diaz de la Rubia 283–287 (2000) 794
- Beryllium, Beryllium Alloys and Compounds**
- Assessment and selection of materials for ITER in-vessel components, G. Kalinin, V. Barabash, A. Cardella, J. Dietz, K. Ioki, R. Matera, R.T. Santoro, R. Tivey and The ITER Home Teams 283–287 (2000) 10
- The status of beryllium technology for fusion, F. Scaffidi-Argentina, G.R. Longhurst, V. Shestakov and H. Kawamura 283–287 (2000) 43
- Neutron irradiation effects on plasma facing materials, V. Barabash, G. Federici, M. Rödig, L.L. Snead and C.H. Wu 283–287 (2000) 138
- Codeposition of deuterium ions with beryllium oxide at elevated temperatures, A.V. Markin, V.P. Dubkov, A.E. Gorodetsky, M.A. Negodaev, N.V. Rozhanskii, F. Scaffidi-Argentina, H. Werle, C.H. Wu, R.Kh. Zalavutdinov and A.P. Zakharov 283–287 (2000) 1094
- Sputtering studies of beryllium with helium and deuterium using molecular dynamics approach, S. Ueda, T. Ohsaka and S. Kuwajima 283–287 (2000) 1100
- Effects of plasma disruption events on ITER first wall materials, A. Cardella, H. Gorenflo, A. Lodato, K. Ioki and R. Raffray 283–287 (2000) 1105
- Armor and heat sink materials joining technologies development for ITER plasma facing components, V. Barabash, M. Akiba, A. Cardella, I. Mazul, B.C. Odegard Jr., L. Plöchl, R. Tivey and G. Vieider 283–287 (2000) 1248
- Multiplier, moderator, and reflector materials for advanced lithium–vanadium fusion blankets, Y. Gohar and D.L. Smith 283–287 (2000) 1370
- Chemical reactivity of SiC fibre-reinforced SiC with beryllium and lithium ceramic breeder materials, H. Kleykamp 283–287 (2000) 1385
- On the mechanisms associated with the chemical reactivity of Be in steam, D.A. Petti, G.R. Smolik and R.A. Anderl 283–287 (2000) 1390
- Effects of helium production and radiation damage on tritium release behavior of neutron-irradiated beryllium pebbles, E. Ishitsuka, H. Kawamura, T. Terai and S. Tanaka 283–287 (2000) 1401
- Development of materials and fabrication of porous and pebble bed beryllium multipliers, D.A. Davydov, M.I. Solonin, Yu.E. Mar-kushkin, V.A. Gorokhov, V.V. Gorlevsky and G.N. Nikolaev 283–287 (2000) 1409
- Materials and fabrication technology of modules intended for irradiation tests of blanket tritium-breeding zones in Russian fusion reactor projects, V. Kapychev, D. Davydov, V. Gorokhov, A. Ioltukhovskiy, Yu. Kazennov, V. Tebus, V. Frolov, A. Shikov, N. Shishkov, V. Kovalenko, N. Shishkin and Yu. Strebkov 283–287 (2000) 1429
- Steam chemical reactivity of Be pebbles and Be powder, R.A. Anderl, F. Scaffidi-Argentina, D. Davydov, R.J. Pawelko and G.R. Smolik 283–287 (2000) 1463
- Present status and future prospect of the Russian program for fusion low-activation materials, M.I. Solonin, V.M. Chernov, V.A. Gorokhov, A.G. Ioltukhovskiy, A.K. Shikov and A.I. Blokhin 283–287 (2000) 1468
- Breeding Materials**
- The status of beryllium technology for fusion, F. Scaffidi-Argentina, G.R. Longhurst, V. Shestakov and H. Kawamura 283–287 (2000) 43
- Critical issues and current status of vanadium alloys for fusion energy applications, R.J. Kurtz, K. Abe, V.M. Chernov, V.A. Kazakov, G.E. Lucas, H. Matsui, T. Muroga, G.R. Odette, D.L. Smith and S.J. Zinkle 283–287 (2000) 70
- International strategy for fusion materials development, K. Ehrlich, E.E. Bloom and T. Kondo 283–287 (2000) 79
- High-performance SiC/SiC composites by improved PIP processing with new precursor polymers, A. Kohyama, M. Kotani, Y. Katoh, T. Nakayasu, M. Sato, T. Yamamura and K. Okamura 283–287 (2000) 565
- Thermomechanical characteristics of the low activation materials chromium and Cr-5Fe-1Y₂O₃ alloy, H. Stamm, U. Holzwarth, F. Lakestani, R. Valiev, V. Provenzano and A. Volcan 283–287 (2000) 597
- Uses of zirconium alloys in fusion applications, C.B.A. Forty and P.J. Karditsas 283–287 (2000) 607
- Design and fabrication methods of FW/blanket, divertor and vacuum vessel for ITER, K. Ioki, V. Barabash, A. Cardella, F. Elio, C. Ibbott, G. Janeschitz, G. Johnson, G. Kalinin, N. Miki, M. Onozuka, G. Sannazzaro, R. Tivey, Y. Utin and M. Yamada 283–287 (2000) 957

- Diffusion welding parameters and mechanical properties of martensitic chromium steels, K. Schleisiek, T. Lechler, L. Schäfer and P. Weimar 283–287 (2000) 1196
- Microstructure and mechanical properties of low-activation glass-ceramic joining and coating for SiC/SiC composites, Y. Katoh, M. Kotani, A. Kohyama, M. Montorsi, M. Salvo and M. Ferraris 283–287 (2000) 1262
- Magnetic field effect on deposition of corrosion products in liquid Pb–17Li, F. Barbier 283–287 (2000) 1267
- The hydrogen permeation behaviour of aluminised coated martensitic steels under gaseous hydrogen, liquid Pb–17Li/hydrogen and cyclic tensile load, T. Sample, A. Perujo, H. Kolbe and B. Mancinelli 283–287 (2000) 1272
- Liquid metal embrittlement (LME) susceptibility of the 8–9% Cr martensitic steels F82H-mod., OPTIFER IVb and their simulated welded structures in liquid Pb–17Li, T. Sample and H. Kolbe 283–287 (2000) 1336
- In-pile tritium-permeation measurements on T91 tubes with double walls or a Fe–Al/Al₂O₃ coating, R. Conrad, K. Bakker, C. Chabrol, M.A. Fütterer, J.G. van der Laan, E. Rigal and M.P. Stijkel 283–287 (2000) 1351
- Multiplier, moderator, and reflector materials for advanced lithium–vanadium fusion blankets, Y. Gohar and D.L. Smith 283–287 (2000) 1370
- On the use of tin–lithium alloys as breeder material for blankets of fusion power plants, M.A. Fütterer, G. Aiello, F. Barbier, L. Giancarli, Y. Poitevin, P. Sardain, J. Szczepanski, A. Li Puma, G. Ruvutuso and G. Vella 283–287 (2000) 1375
- Chemical reactivity of SiC fibre-reinforced SiC with beryllium and lithium ceramic breeder materials, H. Kleykamp 283–287 (2000) 1385
- Post-irradiation examinations of Li₄SiO₄ pebbles irradiated in the EXOTIC-7 experiment, G. Piazza, F. Scaffidi-Argentina and H. Werle 283–287 (2000) 1396
- Effects of helium production and radiation damage on tritium release behavior of neutron-irradiated beryllium pebbles, E. Ishitsuka, H. Kawamura, T. Terai and S. Tanaka 283–287 (2000) 1401
- Development of materials and fabrication of porous and pebble bed beryllium multipliers, D.A. Davydov, M.I. Solonin, Yu.E. Markushkin, V.A. Gorokhov, V.V. Gorlevsky and G.N. Nikolaev 283–287 (2000) 1409
- Improvement of the model for surface process of tritium release from lithium oxide, D. Yamaki, A. Iwamoto and S. Jitsukawa 283–287 (2000) 1414
- Compositional optimisation of silicon carbide for various fusion blanket designs, C.B.A. Forty 283–287 (2000) 1443
- Carbon**
- Temperature effect of electron-irradiation-induced structural modification in graphite, S. Muto and T. Tanabe 283–287 (2000) 917
- Positron lifetime calculation for defects and defect clusters in graphite, T. Onitsuka, H. Ohkubo, M. Takenaka, N. Tsukuda and E. Kuramoto 283–287 (2000) 922
- Hydrogen absorption process into graphite and carbon materials, H. Atsumi and M. Iseki 283–287 (2000) 1053
- Removal of deuterium from co-deposited carbon–silicon layers, M. Balden and M. Mayer 283–287 (2000) 1057
- Tungsten filament mock-ups for gas box liner, C. Cazzola, J. Boscarly and R. Matera 283–287 (2000) 1073
- Graphite–tungsten twin limiters in studies of material mixing processes on high heat flux components, M. Rubel, T. Tanabe, V. Philipps, B. Emmoth, A. Kirschner, J. von Seggern and P. Wienhold 283–287 (2000) 1089
- Erosion mechanisms and products in graphite targets under simulated disruption conditions, F. Scaffidi-Argentina, V. Safronov, I. Arkhipov, N. Arkhipov, V. Bakhtin, V. Barsuk, S. Kurkin, E. Mironova, D. Toporkov, S. Vasenin, H. Werle, H. Würz and A. Zhitlukhin 283–287 (2000) 1111
- Changes of composition and microstructure of joint interface of tungsten coated carbon by high heat flux, K. Tokunaga, T. Matsubara, Y. Miyamoto, Y. Takao, N. Yoshida, N. Noda, Y. Kubota, T. Sogabe, T. Kato and L. Plöchl 283–287 (2000) 1121
- Erosion characteristics of neutron-irradiated carbon-based materials under simulated disruption heat loads, K. Sato, E. Ishitsuka, M. Uda, H. Kawamura, S. Suzuki, M. Taniguchi, K. Ezato and M. Akiba 283–287 (2000) 1157
- Neutron-irradiation effects on high heat flux components – examination of plasma-facing materials and their joints, M. Rödiger, R. Conrad, H. Derz, R. Duwe, J. Linke, A. Lodato, M. Merola, G. Pott, G. Vieider and B. Wiechers 283–287 (2000) 1161

- Simulation study of carbon and tungsten deposition on W/C twin test limiter in TEXTOR-94, K. Ohya, R. Kawakami, T. Tanabe, M. Wada, T. Ohgo, V. Philipps, A. Pospieszczyk, B. Schweer, A. Huber, M. Rubel, J. von Seggern and N. Noda 283–287 (2000) 1182
- Cavities (includes Voids, Holes)**
- Neutron irradiation effects on plasma facing materials, V. Barabash, G. Federici, M. Rödiger, L.L. Snead and C.H. Wu 283–287 (2000) 138
- Effect of temperature gradients on void formation in modified 316 stainless steel cladding, N. Akasaka, I. Yamagata and S. Ukai 283–287 (2000) 169
- Effects of dose rate on microstructural evolution and swelling in austenitic steels under irradiation, T. Okita, T. Kamada and N. Sekimura 283–287 (2000) 220
- Synergistic effects of hydrogen and helium on microstructural evolution in vanadium alloys by triple ion beam irradiation, N. Sekimura, T. Iwai, Y. Arai, S. Yonamine, A. Naito, Y. Miwa and S. Hamada 283–287 (2000) 224
- Microstructural changes in a low-activation Fe–Cr–Mn alloy irradiated with 92 MeV Ar ions at 450°C, C. Zhang, K. Chen, Y. Wang, J. Sun, B. Hu, Y. Jin, M. Hou, C. Liu, Y. Sun, J. Han and C. Chen 283–287 (2000) 259
- Role of α_2/γ and γ/γ phase boundaries in cavity formation in a TiAl intermetallic compound irradiated with He-ions, K. Nakata, K. Fukai, A. Hishinuma and K. Ameyama 283–287 (2000) 278
- Microstructure of Cu–Ni alloys neutron irradiated at 210°C and 420°C to 14 dpa, S.J. Zinkle and B.N. Singh 283–287 (2000) 306
- Influence of variable temperatures irradiation on microstructural evolution in phosphorus doped Fe–Cr–Ni alloys, D. Hamaguchi, H. Watanabe, T. Muroga and N. Yoshida 283–287 (2000) 319
- Microstructural changes induced by post-irradiation annealing of neutron-irradiated austenitic stainless steels, J.I. Cole and T.R. Allen 283–287 (2000) 329
- Uses of zirconium alloys in fusion applications, C.B.A. Forty and P.J. Karditsas 283–287 (2000) 607
- Comparison of a microstructure evolution model with experiments on irradiated vanadium, S. Sharafat and N.M. Ghoniem 283–287 (2000) 789
- Effects of co-implanted oxygen or aluminum atoms on hydrogen migration and damage structure in multiple-beam irradiated Al_2O_3 , Y. Katano, T. Aruga, S. Yamamoto, T. Nakazawa, D. Yamaki and K. Noda 283–287 (2000) 942
- Manufacturing and testing of a prototypical divertor vertical target for ITER, M. Merola, L. Plöchl, Ph. Chappuis, F. Escourbiac, M. Grattarola, I. Smid, R. Tivey and G. Vieider 283–287 (2000) 1068
- Effects of plasma disruption events on ITER first wall materials, A. Cardella, H. Gorenflo, A. Lodato, K. Ioki and R. Raffray 283–287 (2000) 1105
- High heat flux simulation experiments with improved electron beam diagnostics, J. Linke, H. Bolt, R. Duwe, W. Kühnlein, A. Lodato, M. Rödiger, K. Schöpflin and B. Wiechers 283–287 (2000) 1152
- Armor and heat sink materials joining technologies development for ITER plasma facing components, V. Barabash, M. Akiba, A. Cardella, I. Mazul, B.C. Odegard Jr., L. Plöchl, R. Tivey and G. Vieider 283–287 (2000) 1248
- Ceramics (not listed elsewhere)**
- Impact of irradiation effects on design solutions for ITER diagnostics, S. Yamamoto, T. Shikama, V. Belyakov, E. Farnum, E. Hodgson, T. Nishitani, D. Orlinski, S. Zinkle, S. Kasai, P. Stott, K. Young, V. Zaveriaev, A. Costley, L. deKock, C. Walker and G. Janeschitz 283–287 (2000) 60
- Ceramic breeder research and development: progress and focus, J.G. van der Laan, H. Kawamura, N. Roux and D. Yamaki 283–287 (2000) 99
- Development of vacancy clusters in neutron-irradiated copper at high temperature, Y. Shimomura and I. Mukouda 283–287 (2000) 249
- Microstructural changes of austenitic steels caused by proton irradiation under various conditions, T. Fukuda, M. Sagisaka, Y. Isobe, A. Hasegawa, M. Sato, K. Abe, Y. Nishida, T. Kamada and Y. Kaneshima 283–287 (2000) 263
- The contribution of various defects to irradiation-induced hardening in an austenitic model alloy, M. Ando, Y. Katoh, H. Tanigawa, A. Kohyama and T. Iwai 283–287 (2000) 423
- In situ thermal conductivity measurement of ceramics in a fast neutron

- environment, L.L. Snead, R. Yamada, K. Noda, Y. Katoh, S.J. Zinkle, W.S. Eatherly and A.L. Qualls 283–287 (2000) 545
- SYLRAMIC™** SiC fibers for CMC reinforcement, R.E. Jones, D. Petrak, J. Rabe and A. Szweda 283–287 (2000) 556
- High-performance SiC/SiC composites by improved PIP processing with new precursor polymers, A. Kohyama, M. Kotani, Y. Katoh, T. Nakayasu, M. Sato, T. Yamamura and K. Okamura 283–287 (2000) 565
- New evaluation method of crack growth in SiC/SiC composites using interface elements, H. Serizawa, M. Ando, C.A. Lewinsohn and H. Murakawa 283–287 (2000) 579
- In-beam dielectric properties of alumina at low frequencies, R. Vila and E.R. Hodgson 283–287 (2000) 903
- Radiation-induced processes and their influence on the functional properties of dielectrics for different types of irradiation, V.A. Stepanov and V.M. Chernov 283–287 (2000) 932
- Microstructure and mechanical properties of low-activation glass-ceramic joining and coating for SiC/SiC composites, Y. Katoh, M. Kotani, A. Kohyama, M. Montorsi, M. Salvo and M. Ferraris 283–287 (2000) 1262
- Post-irradiation examinations of Li₄SiO₄ pebbles irradiated in the EXOTIC-7 experiment, G. Piazza, F. Scaffidi-Argentina and H. Werle 283–287 (2000) 1396
- Improvement of the model for surface process of tritium release from lithium oxide, D. Yamaki, A. Iwamoto and S. Jitsukawa 283–287 (2000) 1414
- Chemical Reactions** (includes *Electrochemical and Thermochemical Reactions*)
- Neutron irradiation effects in magnesium-aluminate spinel doped with transition metals, V.T. Gritsyna, I.V. Afanasyev-Charkin, V.A. Kobayakov and K.E. Sickafus 283–287 (2000) 927
- Thermal stability and kinetics of defects in magnesium aluminate spinel irradiated with fast neutrons, K. Yasuda, C. Kinoshita, K. Fukuda and F.A. Garner 283–287 (2000) 937
- Cation disordering in magnesium aluminate spinel crystals induced by electron or ion irradiation, T. Soeda, S. Matsumura, C. Kinoshita and N.J. Zaluzec 283–287 (2000) 952
- Removal of deuterium from co-deposited carbon–silicon layers, M. Balden and M. Mayer 283–287 (2000) 1057
- Development of electrically insulating coatings for service in a lithium environment, K. Natesan, M. Uz and S. Wieder 283–287 (2000) 1277
- The oxidation kinetics of Incoloy 800 and its deuterium permeation behavior, A. Perujo, J. Reimann, H. Feuerstein and B. Mancinelli 283–287 (2000) 1292
- Oxidation and hardness profile of V–Ti–Cr–Si–Al–Y alloys, M. Fujiwara, M. Satou, A. Hasegawa and K. Abe 283–287 (2000) 1311
- Chemical reactivity of SiC fibre-reinforced SiC with beryllium and lithium ceramic breeder materials, H. Kleykamp 283–287 (2000) 1385
- Oxidation and volatilization of TZM alloy in air, G.R. Smolik, D.A. Petti and S.T. Schuetz 283–287 (2000) 1458
- Steam chemical reactivity of Be pebbles and Be powder, R.A. Anderl, F. Scaffidi-Argentina, D. Davydov, R.J. Pawelko and G.R. Smolik 283–287 (2000) 1463
- Cladding Materials**
- Effect of temperature gradients on void formation in modified 316 stainless steel cladding, N. Akasaka, I. Yamagata and S. Ukai 283–287 (2000) 169
- Tube manufacturing and characterization of oxide dispersion strengthened ferritic steels, S. Ukai, S. Mizuta, T. Yoshitake, T. Okuda, M. Fujiwara, S. Hagi and T. Kobayashi 283–287 (2000) 702
- A microstructural study of the oxide scale formation on ODS Fe–13Cr steel, D.T. Hoelzer, B.A. Pint and I.G. Wright 283–287 (2000) 1306
- Coatings and Coated Particles**
- The behavior of coatings and SiC_f/SiC composites under thermal shock, J. Yu, Z. Yao, G. Yu, F. Chu, X. Tang, Y. Zeng and T. Noda 283–287 (2000) 1077
- Changes of composition and microstructure of joint interface of tungsten coated carbon by high heat flux, K. Tokunaga, T. Matsubara, Y. Miyamoto, Y. Takao, N. Yoshida, N. Noda, Y. Kubota, T. Sogabe, T. Kato and L. Plöchl 283–287 (2000) 1121
- Microstructure and mechanical properties of low-activation glass-ceramic joining and coating for SiC/SiC composites, Y. Katoh, M. Kotani, A. Kohyama, M. Montorsi, M. Salvo and M. Ferraris 283–287 (2000) 1262
- The hydrogen permeation behaviour of aluminised coated martensitic steels under gaseous hydrogen,

- liquid Pb–17Li/hydrogen and cyclic tensile load, T. Sample, A. Perujo, H. Kolbe and B. Mancinelli 283–287 (2000) 1272
- Development of electrically insulating coatings for service in a lithium environment, K. Natesan, M. Uz and S. Wieder 283–287 (2000) 1277
- The permeation of tritium through 316L stainless steel with multiple coatings, Z. Yao, J. Hao, C. Zhou, C. Shan and J. Yu 283–287 (2000) 1287
- The oxidation kinetics of Incoloy 800 and its deuterium permeation behavior, A. Perujo, J. Reimann, H. Feuerstein and B. Mancinelli 283–287 (2000) 1292
- Effects of thin films on inventory, permeation and re-emission of energetic hydrogen, N. Ohyabu, Y. Nakamura, Y. Nakahara, A. Livshits, V. Alimov, A. Busnyuk, M. Notkin, A. Samartsev and A. Doroshin 283–287 (2000) 1297
- Compatibility of AlN with liquid lithium, T. Terai, A. Suzuki, T. Yoneoka and T. Mitsuyama 283–287 (2000) 1322
- Cold-Worked Materials**
- Influence of combined thermo-mechanical treatment on impurity segregation in ferritic–martensitic and austenitic stainless steels, A.M. Ilyin, V.S. Neustroev, V.K. Sharmardin, V.P. Shestakov, I.L. Tazhibaeva and V.A. Krivchenko 283–287 (2000) 694
- Infrared characterization and high heat flux testing of plasma sprayed layers, Ph. Chappuis, F. Escourbiac, M. Chantant, M. Febvre, M. Grattarola, M. Bet, M. Merola and B. Riccardi 283–287 (2000) 1081
- Compatibility and Corrosion (include Stress Corrosion Cracking)**
- Phenomenological aspects of fatigue cracking in as-received and hardened F82H modified steel exposed to lithiated water with dissolved hydrogen at 240°C, M.-F. Maday 283–287 (2000) 689
- Performance limits for fusion first-wall structural materials, D.L. Smith, S. Majumdar, M. Billone and R. Mattas 283–287 (2000) 716
- Magnetic field effect on deposition of corrosion products in liquid Pb–17Li, F. Barbier 283–287 (2000) 1267
- Development of electrically insulating coatings for service in a lithium environment, K. Natesan, M. Uz and S. Wieder 283–287 (2000) 1277
- Corrosion of V–Ti–Cr alloys in liquid lithium: influence of alloy composition and concentration of nitrogen in lithium, O.I. Eliseeva, V.N. Fedirko, V.M. Chernov and L.P. Zavialsky 283–287 (2000) 1282
- Compatibility of AlN with liquid lithium, T. Terai, A. Suzuki, T. Yoneoka and T. Mitsuyama 283–287 (2000) 1322
- Compatibility of structural candidate materials with LiF–BeF₂ molten salt mixture, H. Nishimura, T. Terai, T. Yoneoka, S. Tanaka, A. Sagara and O. Motojima 283–287 (2000) 1326
- Corrosion of ferritic–martensitic steels in the eutectic Pb–17Li, H. Glasbrenner, J. Konys, H.D. Röhrig, K. Stein-Fechner and Z. Voss 283–287 (2000) 1332
- Water corrosion of F82H-modified in simulated irradiation conditions by heat treatment, J. Lapeña and F. Blázquez 283–287 (2000) 1341
- Copper corrosion and activation in water cooling loops under fusion irradiation conditions, P.J. Karditsas, S.M. Ali and D. Wan 283–287 (2000) 1346
- Composite Materials**
- Critical issues and current status of SiC/SiC composites for fusion, A. Hasegawa, A. Kohyama, R.H. Jones, L.L. Snead, B. Riccardi and P. Fenici 283–287 (2000) 128
- Effect of dual-beam-irradiation by helium and carbon ions on microstructure development of SiC/SiC composites, S. Nogami, A. Hasegawa, K. Abe, T. Taguchi and R. Yamada 283–287 (2000) 268
- The effect of neutron-irradiation on the shear properties of SiC/SiC composites with varied interface, T. Hinoki, L.L. Snead, Y. Katoh, A. Kohyama and R. Shinavski 283–287 (2000) 376
- SYLRAMIC™ SiC fibers for CMC reinforcement, R.E. Jones, D. Petrak, J. Rabe and A. Szweda 283–287 (2000) 556
- Room and high-temperature mechanical and thermal properties of SiC fiber-reinforced SiC composite sintered under pressure, K. Yoshida and T. Yano 283–287 (2000) 560
- High thermal conductivity SiC/SiC composites for fusion applications, W. Kowbel, C.A. Bruce, K.L. Tsou, K. Patel, J.C. Withers and G.E. Youngblood 283–287 (2000) 570
- Mechanical and thermal properties of 2D and 3D SiC/SiC composites, R. Yamada, T. Taguchi and N. Igawa 283–287 (2000) 574
- New evaluation method of crack growth in SiC/SiC composites using interface elements, H. Se-

- rizawa, M. Ando, C.A. Lewinsohn and H. Murakawa 283–287 (2000) 579
- Study of helium effects in SiC/SiC composites under fusion reactor environment, A. Hasegawa, B.M. Oliver, S. Nogami, K. Abe and R.H. Jones 283–287 (2000) 811
- Russian superconducting materials for magnet systems of fusion reactors, A. Shikov, A. Nikulin, V. Pantyrnyi, A. Vorobieva, G. Vedernikov, A. Silaev, E. Dergunova, S. Soudiev and I. Akimov 283–287 (2000) 968
- The behavior of coatings and SiC/SiC composites under thermal shock, J. Yu, Z. Yao, G. Yu, F. Chu, X. Tang, Y. Zeng and T. Noda 283–287 (2000) 1077
- Copper, Copper Alloys and Compounds**
- Evaluation of hot isostatic pressing for joining of fusion reactor structural components, A.D. Ivanov, S. Sato and G. Le Marois 283–287 (2000) 35
- Influence of neutron irradiation on CuNiCrSi alloy pre-implanted with helium, A.V. Kozlov, M.V. Chernetsov, S.A. Averin, V.Ya. Abramov, A.D. Ivanov, Yu.S. Strebkov and V.F. Reutov 283–287 (2000) 193
- The effect of transmutation and displacement in irradiated copper for heat-sink materials, S. Ishino, A. Kurui, S. Ichikawa, T. Inaba and T. Hasegawa 283–287 (2000) 215
- Application of the internal friction method to studying microstructural effects in fusion materials, S. Tähtinen, Y. Jagodzinski, O. Tarasenko, S. Smuk and H. Hänninen 283–287 (2000) 255
- Computer simulations of the effects of temperature change on defect accumulation in copper during neutron irradiation, Q. Xu, H.L. Heinisch and T. Yoshiie 283–287 (2000) 297
- Microstructure of Cu–Ni alloys neutron irradiated at 210°C and 420°C to 14 dpa, S.J. Zinkle and B.N. Singh 283–287 (2000) 306
- Effect of neutron dose and irradiation temperature on the mechanical properties and structure of dispersion strengthened copper alloys, A.S. Pokrovsky, S.A. Fabritsiev, D.J. Edwards, S.J. Zinkle and A.F. Rowcliffe 283–287 (2000) 404
- Effect of high-dose neutron irradiation on the mechanical properties and structure of copper alloys and Cu/SS joints for ITER applications, S.A. Fabritsiev, A.S. Pokrovsky, D.J. Edwards, S.J. Zinkle and A.F. Rowcliffe 283–287 (2000) 523
- Status of international collaborative efforts on selected ITER materials, V.A. Belyakov, S.A. Fabritsiev, I.V. Mazul and A.F. Rowcliffe 283–287 (2000) 962
- Fracture behavior of high-strength, high-conductivity copper alloys, M. Li, J.K. Heuer, J.F. Stubbins and D.J. Edwards 283–287 (2000) 977
- Evaluation of the deformation fields and bond integrity of Cu/SS joints, J.F. Stubbins, J. Collins and J. Min 283–287 (2000) 982
- Damage mechanisms and fracture toughness of GlidCop® CuAl25 IG0 copper alloy, S. Tähtinen, A. Laukkanen and B.N. Singh 283–287 (2000) 1028
- Effects of heat treatments on microstructure changes in the interface of Cu/SS316L joint materials, Q. Xu, D.J. Edwards and T. Yoshiie 283–287 (2000) 1229
- Low cycle fatigue strength of diffusion bonded joints of alumina dispersion-strengthened copper to stainless steel, H. Nishi and T. Araki 283–287 (2000) 1234
- Effect of neutron irradiation on mechanical properties of Cu/SS joints after single and multiple HIP cycles, S. Tähtinen, B.N. Singh and P. Toft 283–287 (2000) 1238
- High temperature residual strain measurements in a brazed sample for NET/ITER, R. Coppola, C. Nardi and B. Riccardi 283–287 (2000) 1243
- Copper corrosion and activation in water cooling loops under fusion irradiation conditions, P.J. Karditsas, S.M. Ali and D. Wan 283–287 (2000) 1346
- Creep and Stress Relaxation**
- Assessment and selection of materials for ITER in-vessel components, G. Kalinin, V. Barabash, A. Cardella, J. Dietz, K. Ioki, R. Matera, R.T. Santoro, R. Tivey and The ITER Home Teams 283–287 (2000) 10
- Development of vacancy clusters in neutron-irradiated copper at high temperature, Y. Shimomura and I. Mukouda 283–287 (2000) 249
- Microstructure in pure copper irradiated by simultaneous multi-ion beam of hydrogen, helium and self ions, I. Mukouda, Y. Shimomura, T. Iiyama, Y. Harada, Y. Katano, T. Nakazawa, D. Yamaki and K. Noda 283–287 (2000) 302
- New evaluation method of crack growth in SiC/SiC composites using interface elements, H. Serizawa, M. Ando, C.A. Lewinsohn and H. Murakawa 283–287 (2000) 579
- A molecular dynamics simulation study of small cluster formation and migration in metals, K. Mo-

- rishita, T. Diaz de la Rubia, E. Alonso, N. Sekimura and N. Yoshida 283–287 (2000) 753
- Effect of oxygen on the crack growth behavior of V–4Cr–4Ti at 600°C, R.J. Kurtz 283–287 (2000) 822
- Fatigue behavior and development of microcracks in F82H after helium implantation at 200°C, J. Bertsch, S. Meyer and A. Möslang 283–287 (2000) 832
- Fracture behavior of high-strength, high-conductivity copper alloys, M. Li, J.K. Heuer, J.F. Stubbins and D.J. Edwards 283–287 (2000) 977
- Effects of plasma disruption events on ITER first wall materials, A. Cardella, H. Gorenflo, A. Lodato, K. Ioki and R. Raffray 283–287 (2000) 1105
- ITER structural design criteria and their extension to advanced reactor blankets, S. Majumdar and G. Kalinin 283–287 (2000) 1424
- Crystallographic Properties**
- In-pile and post-irradiation creep of type 304 stainless steel under different neutron spectra, Y. Kurata, Y. Itabashi, H. Mimura, T. Kikuchi, H. Amezawa, S. Shimakawa, H. Tsuji and M. Shindo 283–287 (2000) 386
- Irradiation creep at 60°C in SUS 316 and its impact on fatigue fracture, J. Nagakawa, Y. Murase, N. Yamamoto and T. Fukuzawa 283–287 (2000) 391
- Irradiation creep of 11Cr–0.5Mo–2W, V, Nb ferritic–martensitic, modified 316, and 15Cr–20Ni austenitic S.S. irradiated in FFTF to 103–206 dpa, A. Uehira, S. Mizuta, S. Ukai and R.J. Puigh 283–287 (2000) 396
- Effects of helium implantation on creep rupture properties of low activation ferritic steel F82H IEA heat, N. Yamamoto, J. Nagakawa and K. Shiba 283–287 (2000) 400
- Application of generalized deformation theory to irradiation creep of fcc and bcc stainless steels, M.B. Toloczko, J.P. Hirth and F.A. Garner 283–287 (2000) 409
- Mechanical behavior and microstructural evolution of vanadium alloys irradiated in ATR-A1, K.-i. Fukumoto, H. Matsui, H. Tsai and D.L. Smith 283–287 (2000) 492
- New evaluation method of crack growth in SiC/SiC composites using interface elements, H. Serizawa, M. Ando, C.A. Lewinsohn and H. Murakawa 283–287 (2000) 579
- Uses of zirconium alloys in fusion applications, C.B.A. Forty and P.J. Karditsas 283–287 (2000) 607
- Biaxial thermal creep of V–4Cr–4Ti at 700°C and 800°C, R.J. Kurtz and M.L. Hamilton 283–287 (2000) 628
- Defects and Defect Structures (excludes by Irradiation)**
- Tensile and impact properties of V–4Cr–4Ti alloy heats 832665 and 832864, T.S. Bray, H. Tsai, L.J. Nowicki, M.C. Billone, D.L. Smith, W.R. Johnson and P.W. Trester 283–287 (2000) 633
- 3D dislocation dynamics study of plastic instability in irradiated copper, L.Z. Sun, N.M. Ghoniem, S.-H. Tong and B.N. Singh 283–287 (2000) 741
- In-beam dielectric properties of alumina at low frequencies, R. Vila and E.R. Hodgson 283–287 (2000) 903
- Material composition and nuclear data libraries' influence on nickel–chromium alloys activation evaluation: a comparison with decay heat experiments, D.G. Cepraga and G. Cambi 283–287 (2000) 1453
- Oxidation and volatilization of TZM alloy in air, G.R. Smolik, D.A. Petti and S.T. Schuetz 283–287 (2000) 1458
- Deformation**
- Radiation-induced inter-granular segregation in first wall fusion reactor materials, R.G. Faulkner, S. Song and P.E.J. Flewitt 283–287 (2000) 147
- The effect of alloying elements on the defect structural evolution in neutron irradiated Ni alloys, T. Yoshiie, Q. Xu, Y. Satoh, H. Ohkubo and M. Kiritani 283–287 (2000) 229
- Tensile properties and microstructure of 590 MeV proton-irradiated pure Fe and a Fe–Cr alloy, M.I. Luppó, C. Bailat, R. Schäublin and M. Victoria 283–287 (2000) 483
- Effect of strain rate on the tensile properties of unirradiated and irradiated V–4Cr–4Ti, A.F. Rowcliffe, S.J. Zinkle and D.T. Hoelzer 283–287 (2000) 508
- The mechanical properties and microstructure of the OPTIMAX series of low activation ferritic–martensitic steels, N. Baluc, R. Schäublin, C. Bailat, F. Paschoud and M. Victoria 283–287 (2000) 731
- 3D dislocation dynamics study of plastic instability in irradiated copper, L.Z. Sun, N.M. Ghoniem, S.-H. Tong and B.N. Singh 283–287 (2000) 741

- Molecular dynamics simulation of defect production in irradiated β -SiC, L. Malerba, J.M. Perlado, A. Sánchez-Rubio, I. Pastor, L. Colombo and T. Diaz de la Rubia 283–287 (2000) 794
- Positron-lifetime study of electrically hydrogen charged Ni, austenitic stainless steel and Fe, H. Ohkubo, S. Sugiyama, K. Fukuzato, M. Takenaka, N. Tsukuda and E. Kuramoto 283–287 (2000) 858
- Study on the damaging process of silica by in-reactor luminescence, T. Ii, T. Yoshida, T. Tanabe, T. Hara, M. Okada and K. Yamaguchi 283–287 (2000) 898
- Effects of co-implanted oxygen or aluminum atoms on hydrogen migration and damage structure in multiple-beam irradiated Al_2O_3 , Y. Katano, T. Aruga, S. Yamamoto, T. Nakazawa, D. Yamaki and K. Noda 283–287 (2000) 942
- Ductility correlations between shear punch and uniaxial tensile test data, M.B. Toloczko, M.L. Hamilton and G.E. Lucas 283–287 (2000) 987
- Deuterium retention in tungsten and molybdenum, S. Nagata and K. Takahiro 283–287 (2000) 1038
- Study of the tritium behavior on the surface of Li_2O by means of work function measurement, T. Yokota, A. Suzuki, K. Yamaguchi, T. Terai and M. Yamawaki 283–287 (2000) 1366
- Diffusion**
- Application of generalized deformation theory to irradiation creep of fcc and bcc stainless steels, M.B. Toloczko, J.P. Hirth and F.A. Garner 283–287 (2000) 409
- The effects of irradiation and testing temperature on tensile behaviour of stainless steels, C. Bailat, A. Almazouzi, N. Baluc, R. Schäublin, F. Gröschel and M. Victoria 283–287 (2000) 446
- Biaxial thermal creep of V-4Cr-4Ti at 700°C and 800°C, R.J. Kurtz and M.L. Hamilton 283–287 (2000) 628
- The interaction of deuterium and tritium with radiation and other defects in austenitic steel and nickel, V.L. Arbutov, G.A. Raspopova, S.E. Danilov, A.P. Druzhkov and Yu.N. Zouev 283–287 (2000) 849
- Radiation-induced processes and their influence on the functional properties of dielectrics for different types of irradiation, V.A. Stepanov and V.M. Chernov 283–287 (2000) 932
- Fracture behavior of high-strength, high-conductivity copper alloys, M. Li, J.K. Heuer, J.F. Stubbins and D.J. Edwards 283–287 (2000) 977
- Evaluation of the deformation fields and bond integrity of Cu/SS joints, J.F. Stubbins, J. Collins and J. Min 283–287 (2000) 982
- Specimen size effects on the tensile properties of JPCA and JFMS, Y. Kohno, A. Kohyama, M.L. Hamilton, T. Hirose, Y. Katoh and F.A. Garner 283–287 (2000) 1014
- Damage mechanisms and fracture toughness of GlidCop[®] CuAl25 IG0 copper alloy, S. Tähtinen, A. Laukkanen and B.N. Singh 283–287 (2000) 1028
- Effect of ITER components manufacturing cycle on the irradiation behaviour of 316L(N)-IG steel, B.S. Rodchenkov, V.I. Prokhorov, O.Yu. Makarov, V.K. Shamardin, G.M. Kalinin, Yu.S. Strebkov and O.A. Golosov 283–287 (2000) 1166
- Dislocations**
- Evaluation of hot isostatic pressing for joining of fusion reactor structural components, A.D. Ivanov, S. Sato and G. Le Marois 283–287 (2000) 35
- Formation and migration of helium bubbles in Fe-16Cr-17Ni austenitic alloy at high temperature, K. Ono, K. Arakawa, M. Oohashi, H. Kurata, K. Hojou and N. Yoshida 283–287 (2000) 210
- Study of point defect behaviors in vanadium and its alloys by using HVEM, T. Hayashi, K. Fukumoto and H. Matsui 283–287 (2000) 234
- V-alloy embrittlement by irradiation in a cooling gas environment, H.D. Röhrig, M. Rieth, B. Dafferner and E. Materna-Morris 283–287 (2000) 498
- Diffusion and permeation of hydrogen in low-activation martensitic stainless steel – effect of irradiation, F. Schliefer, C. Liu and P. Jung 283–287 (2000) 540
- The effects of one-dimensional glide on the reaction kinetics of interstitial clusters, H.L. Heinisch, B.N. Singh and S.I. Golubov 283–287 (2000) 737
- A molecular dynamics simulation study of small cluster formation and migration in metals, K. Morishita, T. Diaz de la Rubia, E. Alonso, N. Sekimura and N. Yoshida 283–287 (2000) 753
- A comparison of defects in helium implanted α - and β -SiC, P. Jung, H. Klein and J. Chen 283–287 (2000) 806

- Thermal stability and kinetics of defects in magnesium aluminate spinel irradiated with fast neutrons, K. Yasuda, C. Kinoshita, K. Fukuda and F.A. Garner 283–287 (2000) 937
- Hydrogen absorption process into graphite and carbon materials, H. Atsumi and M. Iseki 283–287 (2000) 1053
- TEM study on deuterium-irradiation-induced defects in tungsten and molybdenum, T. Matsui, S. Muto and T. Tanabe 283–287 (2000) 1139
- Diffusion welding parameters and mechanical properties of martensitic chromium steels, K. Schleisiek, T. Lechler, L. Schäfer and P. Weimar 283–287 (2000) 1196
- Effects of helium production and radiation damage on tritium release behavior of neutron-irradiated beryllium pebbles, E. Ishitsuka, H. Kawamura, T. Terai and S. Tanaka 283–287 (2000) 1401
- Divertor Materials**
- Effects of dose rate on microstructural evolution and swelling in austenitic steels under irradiation, T. Okita, T. Kamada and N. Sekimura 283–287 (2000) 220
- Microstructural changes induced by post-irradiation annealing of neutron-irradiated austenitic stainless steels, J.I. Cole and T.R. Allen 283–287 (2000) 329
- Application of generalized deformation theory to irradiation creep of fcc and bcc stainless steels, M.B. Toloczko, J.P. Hirth and F.A. Garner 283–287 (2000) 409
- The contribution of various defects to irradiation-induced hardening in an austenitic model alloy, M. Ando, Y. Katoh, H. Tanigawa, A. Kohyama and T. Iwai 283–287 (2000) 423
- A physically based constitutive model for a V-4Cr-4Ti alloy, E.G. Donahue, G.R. Odette and G.E. Lucas 283–287 (2000) 637
- Phenomenological aspects of fatigue cracking in as-received and hardened F82H modified steel exposed to lithiated water with dissolved hydrogen at 240°C, M.-F. Maday 283–287 (2000) 689
- Constitutive behavior and fracture toughness properties of the F82H ferritic/martensitic steel, P. Spätig, G.R. Odette, E. Donahue and G.E. Lucas 283–287 (2000) 721
- Interstitial cluster motion in displacement cascades, N.V. Doan 283–287 (2000) 763
- Computer simulation of defects interacting with a dislocation in Fe and Ni, E. Kuramoto, K. Ohsawa and T. Tsutsumi 283–287 (2000) 778
- Neutron-irradiation effects on high heat flux components – examination of plasma-facing materials and their joints, M. Rödiger, R. Conrad, H. Derz, R. Duwe, J. Linke, A. Lodato, M. Merola, G. Pott, G. Vieider and B. Wiechers 283–287 (2000) 1161
- Effects of heat treatments on microstructure changes in the interface of Cu/SS316L joint materials, Q. Xu, D.J. Edwards and T. Yoshiie 283–287 (2000) 1229
- Dosimetry**
- Assessment and selection of materials for ITER in-vessel components, G. Kalinin, V. Barabash, A. Cardella, J. Dietz, K. Ioki, R. Matera, R.T. Santoro, R. Tivey and The ITER Home Teams 283–287 (2000) 10
- Critical plasma-wall interaction issues for plasma-facing materials and components in near-term fusion devices, G. Federici, J.P. Coad, A.A. Haasz, G. Janeschitz, N. Noda, V. Philipps, J. Roth, C.H. Skinner, R. Tivey and C.H. Wu 283–287 (2000) 110
- Correlation between defect structures and hardness in tantalum irradiated by heavy ions, K. Yasunaga, H. Watanabe, N. Yoshida, T. Muroga and N. Noda 283–287 (2000) 179
- Design and fabrication methods of FW/blanket, divertor and vacuum vessel for ITER, K. Ioki, V. Barabash, A. Cardella, F. Elio, C. Ibott, G. Janeschitz, G. Johnson, G. Kalinin, N. Miki, M. Onozuka, G. Sannazzaro, R. Tivey, Y. Utin and M. Yamada 283–287 (2000) 957
- Hydrogen and deuterium transport and inventory parameters through W and W-alloys for fusion reactor applications, G. Benamati, E. Serra and C.H. Wu 283–287 (2000) 1033
- Tritium permeation experiment using a tungsten armored divertor-simulating module, H. Nakamura, S. O'hira, W. Shu, M. Nishi, T.J. Venhaus, R.A. Causey, D.R. Hyatt and R.S. Willms 283–287 (2000) 1043
- Effect of carbon pre-implantation on deuterium retention in tungsten, M. Poon, J.W. Davis and A.A. Haasz 283–287 (2000) 1062
- Manufacturing and testing of a prototypical divertor vertical target for ITER, M. Merola, L. Plöchl, Ph. Chappuis, F. Escourbiac, M. Grattarola, I. Smid, R. Tivey and G. Vieider 283–287 (2000) 1068
- Erosion mechanisms and products in graphite targets under simulated

- disruption conditions, F. Scaffidi-Argentina, V. Safronov, I. Arkhipov, N. Arkhipov, V. Bakhtin, V. Barsuk, S. Kurkin, E. Mironova, D. Toporkov, S. Vasenin, H. Werle, H. Würz and A. Zhitulkin 283–287 (2000) 1111
- Changes of composition and microstructure of joint interface of tungsten coated carbon by high heat flux, K. Tokunaga, T. Matsubara, Y. Miyamoto, Y. Takao, N. Yoshida, N. Noda, Y. Kubota, T. Sogabe, T. Kato and L. Plöchl 283–287 (2000) 1121
- High temperature residual strain measurements in a brazed sample for NET/ITER, R. Coppola, C. Nardi and B. Riccardi 283–287 (2000) 1243
- Electrical Properties**
- Impact of irradiation effects on design solutions for ITER diagnostics, S. Yamamoto, T. Shikama, V. Belyakov, E. Farnum, E. Hodgson, T. Nishitani, D. Orlinski, S. Zinkle, S. Kasai, P. Stott, K. Young, V. Zaveriaev, A. Costley, L. deKock, C. Walker and G. Janeschitz 283–287 (2000) 60
- An initial model for the RIED effect, E.R. Hodgson and A. Moroño 283–287 (2000) 880
- Significance of sample thickness and surface segregation on the electrical conductivity of Wesgo AL995 alumina under ITER environments, M.M.R. Howlader, C. Kinoshita, K. Shiiyama, M. Kutsuwada and T. Higuchi 283–287 (2000) 885
- In-beam dielectric properties of alumina at low frequencies, R. Vila and E.R. Hodgson 283–287 (2000) 903
- Radiation-induced conductivity of doped silicon in response to photon, proton and neutron irradiation, N. Kishimoto, H. Amekura, O.A. Plaksin and V.A. Stepanov 283–287 (2000) 907
- Current–voltage characteristic of alumina and aluminum nitride with or without electron irradiation, K. Shiiyama, M.M.R. Howlader, Y. Izumi, M. Kutsuwada, S. Matsumura and C. Kinoshita 283–287 (2000) 912
- Development of electrically insulating coatings for service in a lithium environment, K. Natesan, M. Uz and S. Wieder 283–287 (2000) 1277
- Study of the tritium behavior on the surface of Li₂O by means of work function measurement, T. Yokota, A. Suzuki, K. Yamaguchi, T. Terai and M. Yamawaki 283–287 (2000) 1366
- Electron Irradiation**
- Recovery of electrical resistivity of high-purity iron irradiated with 30 MeV electrons at 77 K, H. Abe and E. Kuramoto 283–287 (2000) 174
- Study of point defect behaviors in vanadium and its alloys by using HVEM, T. Hayashi, K. Fukumoto and H. Matsui 283–287 (2000) 234
- Radiation-induced segregation in model alloys, T. Ezawa, E. Wakai and R. Oshima 283–287 (2000) 244
- Differences in the microstructure of the F82H ferritic/martensitic steel after proton and neutron irradiation, R. Schäublin and M. Victoria 283–287 (2000) 339
- Microstructure of welded and thermalaged low activation steel F82H IEA heat, T. Sawai, K. Shiba and A. Hishinuma 283–287 (2000) 657
- An initial model for the RIED effect, E.R. Hodgson and A. Moroño 283–287 (2000) 880
- Significance of sample thickness and surface segregation on the electrical conductivity of Wesgo AL995 alumina under ITER environments, M.M.R. Howlader, C. Kinoshita, K. Shiiyama, M. Kutsuwada and T. Higuchi 283–287 (2000) 885
- KU1 quartz glass for remote handling and LIDAR diagnostic optical transmission systems, M. García-Matos, A. Moroño and E.R. Hodgson 283–287 (2000) 890
- Current–voltage characteristic of alumina and aluminum nitride with or without electron irradiation, K. Shiiyama, M.M.R. Howlader, Y. Izumi, M. Kutsuwada, S. Matsumura and C. Kinoshita 283–287 (2000) 912
- Temperature effect of electron-irradiation-induced structural modification in graphite, S. Muto and T. Tanabe 283–287 (2000) 917
- Positron lifetime calculation for defects and defect clusters in graphite, T. Onitsuka, H. Ohkubo, M. Takenaka, N. Tsukuda and E. Kuramoto 283–287 (2000) 922
- Cation disordering in magnesium aluminate spinel crystals induced by electron or ion irradiation, T. Soeda, S. Matsumura, C. Kinoshita and N.J. Zaluzec 283–287 (2000) 952
- Neutron-irradiation effects on high heat flux components – examination of plasma-facing materials and their joints, M. Rödig, R. Conrad, H. Derz, R. Duwe, J. Linke, A. Lodato, M. Merola, G. Pott, G. Vieider and B. Wiechers 283–287 (2000) 1161

Electron Microscopy

- Radiation-induced inter-granular segregation in first wall fusion reactor materials, R.G. Faulkner, S. Song and P.E.J. Flewitt 283–287 (2000) 147
- Effect of temperature gradients on void formation in modified 316 stainless steel cladding, N. Akasaka, I. Yamagata and S. Ukai 283–287 (2000) 169
- Correlation between defect structures and hardness in tantalum irradiated by heavy ions, K. Yasunaga, H. Watanabe, N. Yoshida, T. Muroga and N. Noda 283–287 (2000) 179
- Correlation of simulated TEM images with irradiation induced damage, R. Schäublin, P. de Almeida, A. Almazouzi and M. Victoria 283–287 (2000) 205
- Formation and migration of helium bubbles in Fe–16Cr–17Ni austenitic alloy at high temperature, K. Ono, K. Arakawa, M. Oohashi, H. Kurata, K. Hojou and N. Yoshida 283–287 (2000) 210
- The effect of alloying elements on the defect structural evolution in neutron irradiated Ni alloys, T. Yoshiie, Q. Xu, Y. Satoh, H. Ohkubo and M. Kiritani 283–287 (2000) 229
- Radiation-induced segregation in model alloys, T. Ezawa, E. Wakai and R. Oshima 283–287 (2000) 244
- Development of vacancy clusters in neutron-irradiated copper at high temperature, Y. Shimomura and I. Mukouda 283–287 (2000) 249
- Microstructural changes in a low-activation Fe–Cr–Mn alloy irradiated with 92 MeV Ar ions at 450°C, C. Zhang, K. Chen, Y. Wang, J. Sun, B. Hu, Y. Jin, M. Hou, C. Liu, Y. Sun, J. Han and C. Chen 283–287 (2000) 259
- Effect of dual-beam-irradiation by helium and carbon ions on microstructure development of SiC/SiC composites, S. Nogami, A. Hasegawa, K. Abe, T. Taguchi and R. Yamada 283–287 (2000) 268
- Defect structures introduced in iron under varying temperature neutron irradiation, M. Horiki, T. Yoshiie, Q. Xu, M. Iseki and M. Kiritani 283–287 (2000) 282
- Microstructure of vanadium alloys during ion irradiation with step-wise change of temperature, H. Watanabe, T. Arinaga, K. Ochiai, T. Muroga and N. Yoshida 283–287 (2000) 286
- Effects of temperature change on the microstructural evolution of vanadium alloys under ion irradiation, N. Nita, T. Iwai, K. Fukumoto and H. Matsui 283–287 (2000) 291
- Microstructure in pure copper irradiated by simultaneous multi-ion beam of hydrogen, helium and self ions, I. Mukouda, Y. Shimomura, T. Iiyama, Y. Harada, Y. Katano, T. Nakazawa, D. Yamaki and K. Noda 283–287 (2000) 302
- Microstructure of Cu–Ni alloys neutron irradiated at 210°C and 420°C to 14 dpa, S.J. Zinkle and B.N. Singh 283–287 (2000) 306
- Influence of variable temperatures irradiation on microstructural evolution in phosphorus doped Fe–Cr–Ni alloys, D. Hamaguchi, H. Watanabe, T. Muroga and N. Yoshida 283–287 (2000) 319
- Microstructural evolution of Alloy 718 at high helium and hydrogen generation rates during irradiation with 600–800 MeV protons, B.H. Sencer, G.M. Bond, F.A. Garner, M.L. Hamilton, B.M. Oliver, L.E. Thomas, S.A. Maloy, W.F. Sommer, M.R. James and P.D. Ferguson 283–287 (2000) 324
- Microstructural changes induced by post-irradiation annealing of neutron-irradiated austenitic stainless steels, J.I. Cole and T.R. Allen 283–287 (2000) 329
- Tensile properties and microstructure of 590 MeV proton-irradiated pure Fe and a Fe–Cr alloy, M.I. Luppó, C. Bailat, R. Schäublin and M. Victoria 283–287 (2000) 483
- Effect of thermal aging on the microstructure and mechanical properties of 7–11 CrW steels, Y. de Carlan, A. Alamo, M.H. Mathon, G. Geoffroy and A. Castaing 283–287 (2000) 672
- Features of radiation damage of vanadium and its alloys at a temperature of 330–340°C, V.A. Kazakov, Z. Ostrovsky, Yu. Goncharenko and V. Chakin 283–287 (2000) 727
- The mechanical properties and microstructure of the OPTIMAX series of low activation ferritic–martensitic steels, N. Baluc, R. Schäublin, C. Bailat, F. Paschoud and M. Victoria 283–287 (2000) 731
- Temperature effect of electron-irradiation-induced structural modification in graphite, S. Muto and T. Tanabe 283–287 (2000) 917
- Thermal stability and kinetics of defects in magnesium aluminate spinel irradiated with fast neutrons, K. Yasuda, C. Kinoshita, K. Fukuda and F.A. Garner 283–287 (2000) 937
- Effects of co-implanted oxygen or aluminum atoms on hydrogen mi-

- gration and damage structure in multiple-beam irradiated Al_2O_3 , Y. Katano, T. Aruga, S. Yamamoto, T. Nakazawa, D. Yamaki and K. Noda 283–287 (2000) 942
- Cation disordering in magnesium aluminate spinel crystals induced by electron or ion irradiation, T. Soeda, S. Matsumura, C. Kinoshita and N.J. Zaluzec 283–287 (2000) 952
- TEM study on deuterium-irradiation-induced defects in tungsten and molybdenum, T. Matsui, S. Muto and T. Tanabe 283–287 (2000) 1139
- A microstructural study of the oxide scale formation on ODS Fe–13Cr steel, D.T. Hoelzer, B.A. Pint and I.G. Wright 283–287 (2000) 1306
- Embrittlement**
- A cleavage toughness master curve model, G.R. Odette and M.Y. He 283–287 (2000) 120
- Influence of neutron irradiation on CuNiCrSi alloy pre-implanted with helium, A.V. Kozlov, M.V. Chernetsov, S.A. Averin, V.Ya. Abramov, A.D. Ivanov, Yu.S. Strebkov and V.F. Reutov 283–287 (2000) 193
- Microstructural examination of V–(3–6%)Cr–(3–5%)Ti irradiated in the ATR-A1 experiment, D.S. Gelles 283–287 (2000) 344
- Effect of neutron dose and irradiation temperature on the mechanical properties and structure of dispersion strengthened copper alloys, A.S. Pokrovsky, S.A. Fabritsiev, D.J. Edwards, S.J. Zinkle and A.F. Rowcliffe 283–287 (2000) 404
- Embrittlement of reduced-activation ferritic/martensitic steels irradiated in HFIR at 300°C and 400°C, R.L. Klueh, M.A. Sokolov, K. Shiba, Y. Miwa and J.P. Robertson 283–287 (2000) 478
- Defect microstructure and deformation behavior of V–Ti–Cr–Si–Al–Y alloy irradiated in ATR, T. Chuto, M. Satou and K. Abe 283–287 (2000) 503
- Phenomenological aspects of fatigue cracking in as-received and hardened F82H modified steel exposed to lithiated water with dissolved hydrogen at 240°C, M.-F. Maday 283–287 (2000) 689
- Influence of combined thermo-mechanical treatment on impurity segregation in ferritic–martensitic and austenitic stainless steels, A.M. Ilyin, V.S. Neustroev, V.K. Sharmardin, V.P. Shestakov, I.L. Tazhibaeva and V.A. Krivchenkoa 283–287 (2000) 694
- copper, L.Z. Sun, N.M. Ghoniem, S.-H. Tong and B.N. Singh 283–287 (2000) 741
- On quantification of helium embrittlement in ferritic/martensitic steels, D.S. Gelles 283–287 (2000) 838
- Development of a small specimen test machine to evaluate irradiation embrittlement of fusion reactor materials, T. Ishii, M. Ohmi, J. Saito, T. Hoshiya, N. Ooka, S. Jitsukawa and M. Eto 283–287 (2000) 1023
- Microstructural development of neutron irradiated W–Re alloys, Y. Nemoto, A. Hasegawa, M. Satou and K. Abe 283–287 (2000) 1144
- Radiation resistance of weld joints of type 316 stainless steel containing about 10 appm He, S.A. Fabritsiev and A.S. Pokrovsky 283–287 (2000) 1215
- Performance of V–Cr–Ti alloys in a hydrogen environment, K. Natesan and W.K. Soppet 283–287 (2000) 1316
- Liquid metal embrittlement (LME) susceptibility of the 8–9% Cr martensitic steels F82H-mod., OPTIFER IVb and their simulated welded structures in liquid Pb–17Li, T. Sample and H. Kolbe 283–287 (2000) 1336
- ITER structural design criteria and their extension to advanced reactor blankets, S. Majumdar and G. Kalinin 283–287 (2000) 1424
- Environmental Effects**
- Performance of V–4Cr–4Ti alloy exposed to the JFT-2M tokamak environment, W.R. Johnson, P.W. Trester, S. Sengoku, S. Ishiyama, K. Fukaya, M. Eto, T. Oda, Y. Hirohata, T. Hino and H. Tsai 283–287 (2000) 622
- Phenomenological aspects of fatigue cracking in as-received and hardened F82H modified steel exposed to lithiated water with dissolved hydrogen at 240°C, M.-F. Maday 283–287 (2000) 689
- Effect of oxygen on the crack growth behavior of V–4Cr–4Ti at 600°C, R.J. Kurtz 283–287 (2000) 822
- Effects of plasma disruption events on ITER first wall materials, A. Cardella, H. Gorenflo, A. Lodato, K. Ioki and R. Raffray 283–287 (2000) 1105
- A microstructural study of the oxide scale formation on ODS Fe–13Cr steel, D.T. Hoelzer, B.A. Pint and I.G. Wright 283–287 (2000) 1306
- Performance of V–Cr–Ti alloys in a hydrogen environment, K. Natesan and W.K. Soppet 283–287 (2000) 1316
- Experimental Techniques**
- Synergistic effect of hydrogen and impurity segregations on the grain

- boundary embrittlement in Nb, A.M. Ilyin, V.P. Shestakov and I.L. Tazhibaeva 283–287 (2000) 161
- Effects of grain boundary misorientation on solute segregation in thermally sensitized and proton-irradiated 304 stainless steel, T.S. Duh, J.J. Kai and F.R. Chen 283–287 (2000) 198
- Shear punch and tensile measurements of mechanical property changes induced in various austenitic alloys by high-energy mixed proton and neutron irradiation at low temperatures, M.L. Hamilton, F.A. Garner, M.B. Toloczko, S.A. Maloy, W.F. Sommer, M.R. James, P.D. Ferguson and M.R. Louthan Jr. 283–287 (2000) 418
- Effect of low temperature irradiation on the mechanical properties of ternary V–Cr–Ti alloys as determined by tensile tests and shear punch tests, M.L. Hamilton and M.B. Toloczko 283–287 (2000) 488
- Time-dependent failure mechanisms in silicon carbide composites for fusion energy applications, C.A. Lewinsohn, G.E. Youngblood, C.H. Henager Jr., E.P. Simonen and R.H. Jones 283–287 (2000) 584
- Influence of combined thermo-mechanical treatment on impurity segregation in ferritic–martensitic and austenitic stainless steels, A.M. Ilyin, V.S. Neustroev, V.K. Sharmardin, V.P. Shestakov, I.L. Tazhibaeva and V.A. Krivchenkoa 283–287 (2000) 694
- Ductility correlations between shear punch and uniaxial tensile test data, M.B. Toloczko, M.L. Hamilton and G.E. Lucas 283–287 (2000) 987
- Confocal microscopy–fracture reconstruction and finite element modeling characterization of local cleavage toughness in a ferritic/martensitic steel in subsized Charpy V-notch impact tests, T. Yamamoto, G.R. Odette, G.E. Lucas and H. Matsui 283–287 (2000) 992
- High-sensitivity quadrupole mass spectrometry system for the determination of hydrogen in irradiated materials, B.M. Oliver, F.A. Garner, L.R. Greenwood and J.A. Abrefah 283–287 (2000) 1006
- Specimen size effects on the tensile properties of JPCA and JFMS, Y. Kohno, A. Kohyama, M.L. Hamilton, T. Hirose, Y. Katoh and F.A. Garner 283–287 (2000) 1014
- Effect of specimen size on fatigue properties of reduced activation ferritic/martensitic steels, T. Hirose, H. Sakasegawa, A. Kohyama, Y. Katoh and H. Tanigawa 283–287 (2000) 1018
- Development of a small specimen test machine to evaluate irradiation embrittlement of fusion reactor materials, T. Ishii, M. Ohmi, J. Saito, T. Hoshiya, N. Ooka, S. Jitsukawa and M. Eto 283–287 (2000) 1023
- Joining of silicon carbide composites for fusion energy applications, C.A. Lewinsohn, M. Singh, T. Shibayama, T. Hinoki, M. Ando, Y. Katoh and A. Kohyama 283–287 (2000) 1258
- Development of wet process with substitution reaction for the mass production of Li₂TiO₃ pebbles, K. Tsuchiya and H. Kawamura 283–287 (2000) 1380
- Fabrication**
- Assessment and selection of materials for ITER in-vessel components, G. Kalinin, V. Barabash, A. Cardella, J. Dietz, K. Ioki, R. Matera, R.T. Santoro, R. Tivey and The ITER Home Teams 283–287 (2000) 10
- Microstructure control to improve mechanical properties of vanadium alloys for fusion applications, T. Kuwabara, H. Kurishita and M. Hasegawa 283–287 (2000) 611
- Material science and manufacturing of heat-resistant reduced-activation ferritic–martensitic steels for fusion, A.G. Ioltukhovskiy, A.I. Blokhin, N.I. Budylnin, V.M. Chernov, M.V. Leont'eva-Smirnova, E.G. Mironova, E.A. Medvedeva, M.I. Solonin, S.I. Porollo and L.P. Zavyalsky 283–287 (2000) 652
- Tube manufacturing and characterization of oxide dispersion strengthened ferritic steels, S. Ukai, S. Mizuta, T. Yoshitake, T. Okuda, M. Fujiwara, S. Hagi and T. Kobayashi 283–287 (2000) 702
- NIFS program for large ingot production of a V–Cr–Ti alloy, T. Muroga, T. Nagasaka, A. Iiyoshi, A. Kawabata, S. Sakurai and M. Sakata 283–287 (2000) 711
- Russian superconducting materials for magnet systems of fusion reactors, A. Shikov, A. Nikulin, V. Pant-syrnyi, A. Vorobieva, G. Vedernikov, A. Silaev, E. Dergunova, S. Soudiev and I. Akimov 283–287 (2000) 968
- Effect of ITER components manufacturing cycle on the irradiation behaviour of 316L(N)-IG steel, B.S. Rodchenkov, V.I. Prokhorov,

- O.Yu. Makarov, V.K. Shamardin, G.M. Kalinin, Yu.S. Strebkov and O.A. Golosov 283–287 (2000) 1166
- Diffusion welding parameters and mechanical properties of martensitic chromium steels, K. Schleisiek, T. Lechler, L. Schäfer and P. Weimar 283–287 (2000) 1196
- The effect of laser welding process parameters on the mechanical and microstructural properties of V–4Cr–4Ti structural materials, C.B. Reed, K. Natesan, Z. Xu and D.L. Smith 283–287 (2000) 1206
- Behaviour of Li_2ZrO_3 and Li_2TiO_3 pebbles relevant to their utilization as ceramic breeder for the HCPB blanket, J.D. Lulewicz, N. Roux, G. Piazza, J. Reimann and J. van der Laan 283–287 (2000) 1361
- Development of wet process with substitution reaction for the mass production of Li_2TiO_3 pebbles, K. Tsuchiya and H. Kawamura 283–287 (2000) 1380
- Development of materials and fabrication of porous and pebble bed beryllium multipliers, D.A. Davydov, M.I. Solonin, Yu.E. Markushkin, V.A. Gorokhov, V.V. Gorlevsky and G.N. Nikolaev 283–287 (2000) 1409
- Present status and future prospect of the Russian program for fusion low-activation materials, M.I. Solonin, V.M. Chernov, V.A. Gorokhov, A.G. Ioltukhovskiy, A.K. Shikov and A.I. Blokhin 283–287 (2000) 1468
- Fast Reactors**
- Influence of cold work to increase swelling of pure iron irradiated in the BR-10 reactor to ~ 6 and ~ 25 dpa at $\sim 400^\circ\text{C}$, A.M. Dvoriashin, S.I. Porollo, Yu.V. Konobeev and F.A. Garner 283–287 (2000) 157
- Compositional and temperature dependence of void swelling in model Fe–Cr base alloys irradiated in the EBR-II fast reactor, B.H. Sencer and F.A. Garner 283–287 (2000) 164
- Void swelling and irradiation creep of two high-nickel steels after irradiation at 400 – 410°C to 84 – 91 dpa in the BN-350 fast reactor, S.I. Porollo, A.M. Dvoriashin, A.N. Vorobjev, Yu.V. Konobeev, V.M. Krigan, E.G. Mironova, N.I. Budykin and F.A. Garner 283–287 (2000) 239
- In-pile and post-irradiation creep of type 304 stainless steel under different neutron spectra, Y. Kurata, Y. Itabashi, H. Mimura, T. Kikuchi, H. Amezawa, S. Shimakawa, H. Tsuji and M. Shindo 283–287 (2000) 386
- Irradiation creep of 11Cr–0.5Mo–2W, V, Nb ferritic–martensitic, modified 316, and 15Cr–20Ni austenitic S.S. irradiated in FFTF to 103 – 206 dpa, A. Uehira, S. Mizuta, S. Ukai and R.J. Puigh 283–287 (2000) 396
- Tube manufacturing and characterization of oxide dispersion strengthened ferritic steels, S. Ukai, S. Mizuta, T. Yoshitake, T. Okuda, M. Fujiwara, S. Hagi and T. Kobayashi 283–287 (2000) 702
- Fatigue**
- Irradiation creep at 60°C in SUS 316 and its impact on fatigue fracture, J. Nagakawa, Y. Murase, N. Yamamoto and T. Fukuzawa 283–287 (2000) 391
- Tensile and low-cycle fatigue properties of solution annealed type 316L stainless steel plate and TIG-weld exposed to 5 dpa at low-temperature (42°C), J.-L. Puzzolante, M. Scibetta, R. Chaouadi and W. Vandermeulen 283–287 (2000) 428
- Effect of helium to dpa ratio on fatigue behavior of austenitic stainless steel irradiated to 2 dpa, I. Ioka, M. Yonekawa, Y. Miwa, H. Mimura, H. Tsuji and T. Hoshiya 283–287 (2000) 440
- Thermal fatigue crack nucleation in ferritic–martensitic steels before and after neutron irradiation, L.A. Belyaeva, A.A. Zisman, C. Petersen, V.A. Potapova and V.V. Rybin 283–287 (2000) 461
- Low cycle fatigue properties of a low activation ferritic steel (JLF-1) at room temperature, A. Nishimura, T. Nagasaka, N. Inoue, T. Muroga and C. Namba 283–287 (2000) 677
- High heat flux test of a HIP-bonded first wall panel of reduced activation ferritic steel F-82H, T. Hatanoto, S. Suzuki, K. Yokoyama, T. Kuroda and M. Enoeda 283–287 (2000) 685
- Phenomenological aspects of fatigue cracking in as-received and hardened F82H modified steel exposed to lithiated water with dissolved hydrogen at 240°C , M.-F. Maday 283–287 (2000) 689
- Fatigue behavior and development of microcracks in F82H after helium implantation at 200°C , J. Bertsch, S. Meyer and A. Möslang 283–287 (2000) 832
- Mechanical properties of the ITER central solenoid model coil insulation under static and dynamic load after reactor irradiation, K. Humer, P. Rosenkranz, H.W. Weber, P.E. Fabian and J.A. Rice 283–287 (2000) 973
- Effect of specimen size on fatigue properties of reduced activation

- ferritic/martensitic steels, T. Hirose, H. Sakasegawa, A. Kohyama, Y. Katoh and H. Tanigawa 283–287 (2000) 1018
- Manufacturing and testing of a prototypical divertor vertical target for ITER, M. Merola, L. Plöchl, Ph. Chappuis, F. Escourbiac, M. Grattarola, I. Smid, R. Tivey and G. Vieider 283–287 (2000) 1068
- Low cycle fatigue strength of diffusion bonded joints of alumina dispersion-strengthened copper to stainless steel, H. Nishi and T. Araki 283–287 (2000) 1234
- First Wall Materials**
- Assessment and selection of materials for ITER in-vessel components, G. Kalinin, V. Barabash, A. Cardella, J. Dietz, K. Ioki, R. Matera, R.T. Santoro, R. Tivey and The ITER Home Teams 283–287 (2000) 10
- Critical issues and current status of vanadium alloys for fusion energy applications, R.J. Kurtz, K. Abe, V.M. Chernov, V.A. Kazakov, G.E. Lucas, H. Matsui, T. Muroga, G.R. Odette, D.L. Smith and S.J. Zinkle 283–287 (2000) 70
- International strategy for fusion materials development, K. Ehrlich, E.E. Bloom and T. Kondo 283–287 (2000) 79
- Influence of neutron irradiation on CuNiCrSi alloy pre-implanted with helium, A.V. Kozlov, M.V. Chernetsov, S.A. Averin, V.Ya. Abramov, A.D. Ivanov, Yu.S. Strebkov and V.F. Reutov 283–287 (2000) 193
- Application of the internal friction method to studying microstructural effects in fusion materials, S. Tähtinen, Y. Jagodzinski, O. Tarasenko, S. Smuk and H. Hänninen 283–287 (2000) 255
- Microstructures in Ti–Al intermetallic compounds irradiated at 673 K in HFIR, Y. Miwa, T. Sawai, K. Fukai, D.T. Hoelzer and A. Hishinuma 283–287 (2000) 273
- Defect structures introduced in iron under varying temperature neutron irradiation, M. Horiki, T. Yoshiie, Q. Xu, M. Iseki and M. Kiritani 283–287 (2000) 282
- Simulating the influence of radiation temperature variations on microstructural evolution, Y. Katoh, R.E. Stoller, A. Kohyama and T. Muroga 283–287 (2000) 313
- Swelling of F82H irradiated at 673 K up to 51 dpa in HFIR, Y. Miwa, E. Wakai, K. Shiba, N. Hashimoto, J.P. Robertson, A.F. Rowcliffe and A. Hishinuma 283–287 (2000) 334
- Mechanical behavior of reduced-activation and conventional martensitic steels after neutron irradiation in the range 250–450°C, A. Alamo, M. Horsten, X. Averty, E.I. Materna-Morris, M. Rieth and J.C. Brachet 283–287 (2000) 353
- Tensile behavior of F82H with and without spectral tailoring, K. Shiba, R.L. Klueh, Y. Miwa, J.P. Robertson and A. Hishinuma 283–287 (2000) 358
- The contribution of various defects to irradiation-induced hardening in an austenitic model alloy, M. Ando, Y. Katoh, H. Tanigawa, A. Kohyama and T. Iwai 283–287 (2000) 423
- Tensile and low-cycle fatigue properties of solution annealed type 316L stainless steel plate and TIG-weld exposed to 5 dpa at low-temperature (42°C), J.-L. Puzzolante, M. Scibetta, R. Chaouadi and W. Vandermeulen 283–287 (2000) 428
- Thermal fatigue crack nucleation in ferritic–martensitic steels before and after neutron irradiation, L.A. Belyaeva, A.A. Zisman, C. Petersen, V.A. Potapova and V.V. Rybin 283–287 (2000) 461
- Low-temperature irradiation effects on tensile and Charpy properties of low-activation ferritic steels, K. Shiba and A. Hishinuma 283–287 (2000) 474
- Time-dependent failure mechanisms in silicon carbide composites for fusion energy applications, C.A. Lewinsohn, G.E. Youngblood, C.H. Henager Jr., E.P. Simonen and R.H. Jones 283–287 (2000) 584
- Thermomechanical characteristics of the low activation materials chromium and Cr-5Fe-1Y₂O₃ alloy, H. Stamm, U. Holzwarth, F. Lakes-tani, R. Valiev, V. Provenzano and A. Volcan 283–287 (2000) 597
- High heat flux test of a HIP-bonded first wall panel of reduced activation ferritic steel F-82H, T. Hatanoto, S. Suzuki, K. Yokoyama, T. Kuroda and M. Enoeda 283–287 (2000) 685
- A potential new ferritic/martensitic steel for fusion applications, R.L. Klueh, N. Hashimoto, R.F. Buck and M.A. Sokolov 283–287 (2000) 697
- Tensile and impact behavior of the reduced-activation steels OPTIFER and F82H mod, L. Schäfer 283–287 (2000) 707
- Performance limits for fusion first-wall structural materials, D.L. Smith, S. Majumdar, M. Billone and R. Mattas 283–287 (2000) 716

- Features of radiation damage of vanadium and its alloys at a temperature of 330–340°C, V.A. Kazakov, Z. Ostrovsky, Yu. Goncharenko and V. Chakin 283–287 (2000) 727
- Damage mechanisms and fracture toughness of GlidCop® CuAl25 IG0 copper alloy, S. Tähtinen, A. Laukkanen and B.N. Singh 283–287 (2000) 1028
- Hydrogen absorption process into graphite and carbon materials, H. Atsumi and M. Iseki 283–287 (2000) 1053
- The removal of ion implanted deuterium from tungsten and stainless steel by transferred-arc cleaning, K.J. Hollis, R.G. Castro, C.J. Maggiore and A. Ayala 283–287 (2000) 1085
- Effects of plasma disruption events on ITER first wall materials, A. Cardella, H. Gorenflo, A. Lodato, K. Ioki and R. Raffray 283–287 (2000) 1105
- Furnace brazing type 304 stainless steel to vanadium alloy (V–5Cr–5Ti), R.V. Steward, M.L. Grossbeck, B.A. Chin, H.A. Aglan and Y. Gan 283–287 (2000) 1224
- Effects of heat treatments on microstructure changes in the interface of Cu/SS316L joint materials, Q. Xu, D.J. Edwards and T. Yoshiie 283–287 (2000) 1229
- Effect of neutron irradiation on mechanical properties of Cu/SS joints after single and multiple HIP cycles, S. Tähtinen, B.N. Singh and P. Toft 283–287 (2000) 1238
- Joining of silicon carbide composites for fusion energy applications, C.A. Lewinsohn, M. Singh, T. Shibayama, T. Hinoki, M. Ando, Y. Katoh and A. Kohyama 283–287 (2000) 1258
- Fracture and Fracture Toughness**
- A cleavage toughness master curve model, G.R. Odette and M.Y. He 283–287 (2000) 120
- Analysis of tensile and fracture toughness results on irradiated molybdenum alloys, TZM and Mo–5%Re, M. Scibetta, R. Chaouadi and J.L. Puzzolante 283–287 (2000) 455
- Embrittlement of reduced-activation ferritic/martensitic steels irradiated in HFIR at 300°C and 400°C, R.L. Klueh, M.A. Sokolov, K. Shiba, Y. Miwa and J.P. Robertson 283–287 (2000) 478
- On the mechanisms and mechanics of fracture toughness of a V–4Cr–4Ti alloy, E.G. Donahue, G.R. Odette and G.E. Lucas 283–287 (2000) 518
- New evaluation method of crack growth in SiC/SiC composites using interface elements, H. Serizawa, M. Ando, C.A. Lewinsohn and H. Murakawa 283–287 (2000) 579
- Constitutive behavior and fracture toughness properties of the F82H ferritic/martensitic steel, P. Spätig, G.R. Odette, E. Donahue and G.E. Lucas 283–287 (2000) 721
- Effect of oxygen on the crack growth behavior of V–4Cr–4Ti at 600°C, R.J. Kurtz 283–287 (2000) 822
- Fracture behavior of high-strength, high-conductivity copper alloys, M. Li, J.K. Heuer, J.F. Stubbins and D.J. Edwards 283–287 (2000) 977
- Confocal microscopy–fracture reconstruction and finite element modeling characterization of local cleavage toughness in a ferritic/martensitic steel in subsized Charpy V-notch impact tests, T. Yamamoto, G.R. Odette, G.E. Lucas and H. Matsui 283–287 (2000) 992
- Damage mechanisms and fracture toughness of GlidCop® CuAl25 IG0 copper alloy, S. Tähtinen, A. Laukkanen and B.N. Singh 283–287 (2000) 1028
- Effect of neutron irradiation on mechanical properties of Cu/SS joints after single and multiple HIP cycles, S. Tähtinen, B.N. Singh and P. Toft 283–287 (2000) 1238
- Fusion Reactors**
- Advances in fusion technology, C.C. Baker 283–287 (2000) 1
- Interactions between fusion materials R&D and other technologies, A. Kohyama, M. Seki, K. Abe, T. Muroga, H. Matsui, S. Jitsukawa and S. Matsuda 283–287 (2000) 20
- The impact of materials selection on long-term activation in fusion power plants, N.P. Taylor, C.B.A. Forty, D.A. Petti and K.A. McCarthy 283–287 (2000) 28
- International strategy for fusion materials development, K. Ehrlich, E.E. Bloom and T. Kondo 283–287 (2000) 79
- A cleavage toughness master curve model, G.R. Odette and M.Y. He 283–287 (2000) 120
- V-alloy embrittlement by irradiation in a cooling gas environment, H.D. Röhrig, M. Rieth, B. Dafferner and E. Materna-Morris 283–287 (2000) 498
- Effect of strain rate on the tensile properties of unirradiated and irradiated V–4Cr–4Ti, A.F. Rowcliffe, S.J. Zinkle and D.T. Hoelzer 283–287 (2000) 508
- Neutron wall loading of Tokamak reactors, C.P.C. Wong 283–287 (2000) 588

- High heat flux test of a HIP-bonded first wall panel of reduced activation ferritic steel F-82H, T. Hatanano, S. Suzuki, K. Yokoyama, T. Kuroda and M. Enoeda 283–287 (2000) 685
- Design and fabrication methods of FW/blanket, divertor and vacuum vessel for ITER, K. Ioki, V. Barabash, A. Cardella, F. Elio, C. Ibbott, G. Janeschitz, G. Johnson, G. Kalinin, N. Miki, M. Onozuka, G. Sannazzaro, R. Tivey, Y. Utin and M. Yamada 283–287 (2000) 957
- Manufacturing and testing of a prototypical divertor vertical target for ITER, M. Merola, L. Plöchl, Ph. Chappuis, F. Escourbiac, M. Grattarola, I. Smid, R. Tivey and G. Vieider 283–287 (2000) 1068
- Effects of plasma disruption events on ITER first wall materials, A. Cardella, H. Gorenflo, A. Lodato, K. Ioki and R. Raffray 283–287 (2000) 1105
- Magnetic field effect on deposition of corrosion products in liquid Pb–17Li, F. Barbier 283–287 (2000) 1267
- Copper corrosion and activation in water cooling loops under fusion irradiation conditions, P.J. Karditsas, S.M. Ali and D. Wan 283–287 (2000) 1346
- Multiplier, moderator, and reflector materials for advanced lithium–vanadium fusion blankets, Y. Gohar and D.L. Smith 283–287 (2000) 1370
- On the use of tin–lithium alloys as breeder material for blankets of fusion power plants, M.A. Fütterer, G. Aiello, F. Barbier, L. Giancarli, Y. Poitevin, P. Sardain, J. Szczepanski, A. Li Puma, G. Ruvutuso and G. Vella 283–287 (2000) 1375
- Materials and fabrication technology of modules intended for irradiation tests of blanket tritium-breeding zones in Russian fusion reactor projects, V. Kapychev, D. Davydov, V. Gorokhov, A. Ioltukhovskiy, Yu. Kazennov, V. Tebus, V. Frolov, A. Shikov, N. Shishkov, V. Kovalenko, N. Shishkin and Yu. Strebkov 283–287 (2000) 1429
- Material composition and nuclear data libraries' influence on nickel–chromium alloys activation evaluation: a comparison with decay heat experiments, D.G. Cefruga and G. Cambi 283–287 (2000) 1453
- Steam chemical reactivity of Be pebbles and Be powder, R.A. Anderl, F. Scaffidi-Argentina, D. Davydov, R.J. Pawelik and G.R. Smolik 283–287 (2000) 1463
- Gamma Irradiation**
- KU1 quartz glass for remote handling and LIDAR diagnostic optical transmission systems, M. García-Matos, A. Moroño and E.R. Hodgson 283–287 (2000) 890
- Study on the damaging process of silica by in-reactor luminescence, T. Ii, T. Yoshida, T. Tanabe, T. Hara, M. Okada and K. Yamaguchi 283–287 (2000) 898
- Gases (excludes Hydrogen, Helium and Tritium) in Materials**
- Microstructural changes in a low-activation Fe–Cr–Mn alloy irradiated with 92 MeV Ar ions at 450°C, C. Zhang, K. Chen, Y. Wang, J. Sun, B. Hu, Y. Jin, M. Hou, C. Liu, Y. Sun, J. Han and C. Chen 283–287 (2000) 259
- High-sensitivity quadrupole mass spectrometry system for the determination of hydrogen in irradiated materials, B.M. Oliver, F.A. Garner, L.R. Greenwood and J.A. Abrefah 283–287 (2000) 1006
- Grain Boundaries**
- Sink effect of grain boundary on radiation-induced segregation in austenitic stainless steel, S. Watanabe, Y. Takamatsu, N. Sakaguchi and H. Takahashi 283–287 (2000) 152
- Synergistic effect of hydrogen and impurity segregations on the grain boundary embrittlement in Nb, A.M. Ilyin, V.P. Shestakov and I.L. Tazhibaeva 283–287 (2000) 161
- Effects of grain boundary misorientation on solute segregation in thermally sensitized and proton-irradiated 304 stainless steel, T.S. Duh, J.J. Kai and F.R. Chen 283–287 (2000) 198
- Chemical segregation behavior under thermal aging of the low-activation F82H-modified steel, J. Lapeña, M. Garcia-Mazario, P. Fernández and A.M. Lancha 283–287 (2000) 662
- Influence of combined thermo-mechanical treatment on impurity segregation in ferritic–martensitic and austenitic stainless steels, A.M. Ilyin, V.S. Neustroev, V.K. Sharmardin, V.P. Shestakov, I.L. Tazhibaeva and V.A. Krivchenkoa 283–287 (2000) 694
- A comparison of defects in helium implanted α - and β -SiC, P. Jung, H. Klein and J. Chen 283–287 (2000) 806
- Heat Treatment**
- Assessment and selection of materials for ITER in-vessel components, G. Kalinin, V. Barabash, A. Cardella, J. Dietz, K. Ioki, R. Matera, R.T.

- Santoro, R. Tivey and The ITER Home Teams 283–287 (2000) 10
- Improvement in post-irradiation ductility of neutron irradiated V–Ti–Cr–Si–Al–Y alloy and the role of interstitial impurities, M. Satou, T. Chuto and K. Abe 283–287 (2000) 367
- Tube manufacturing and characterization of oxide dispersion strengthened ferritic steels, S. Ukai, S. Mizuta, T. Yoshitake, T. Okuda, M. Fujiwara, S. Hagi and T. Kobayashi 283–287 (2000) 702
- Hydrogen-irradiated steel interaction during alternating hydrogenation and annealing, E.A. Krasikov and A.D. Amajev 283–287 (2000) 846
- Russian superconducting materials for magnet systems of fusion reactors, A. Shikov, A. Nikulin, V. Pansyrnyi, A. Vorobieva, G. Vedernikov, A. Silaev, E. Dergunova, S. Soudiev and I. Akimov 283–287 (2000) 968
- Effect of ITER components manufacturing cycle on the irradiation behaviour of 316L(N)-IG steel, B.S. Rodchenkov, V.I. Prokhorov, O.Yu. Makarov, V.K. Shamardin, G.M. Kalinin, Yu.S. Strebkov and O.A. Golosov 283–287 (2000) 1166
- Characterization of low-activation ferritic steel (JLF-1) weld joint by simulated heat-treatments, N. Inoue, T. Muroga, A. Nishimura, T. Nagasaka, O. Motojima, S. Uchida, H. Yabe, K. Oguri, Y. Nishi, Y. Katoh and A. Kohyama 283–287 (2000) 1187
- Helium**
- Study of He-bubble growth in α -particle implanted F82H-mod martensitic steel, R. Coppola, M. Magnani, R.P. May, A. Möslang and M. Valli 283–287 (2000) 183
- Influence of neutron irradiation on CuNiCrSi alloy pre-implanted with helium, A.V. Kozlov, M.V. Chernetsov, S.A. Averin, V.Ya. Abramov, A.D. Ivanov, Yu.S. Strebkov and V.F. Reutov 283–287 (2000) 193
- Synergistic effects of hydrogen and helium on microstructural evolution in vanadium alloys by triple ion beam irradiation, N. Sekimura, T. Iwai, Y. Arai, S. Yonamine, A. Naito, Y. Miwa and S. Hamada 283–287 (2000) 224
- Microstructural changes of austenitic steels caused by proton irradiation under various conditions, T. Fukuda, M. Sagisaka, Y. Isobe, A. Hasegawa, M. Sato, K. Abe, Y. Nishida, T. Kamada and Y. Kaneshima 283–287 (2000) 263
- Effect of dual-beam-irradiation by helium and carbon ions on microstructure development of SiC/SiC composites, S. Nogami, A. Hasegawa, K. Abe, T. Taguchi and R. Yamada 283–287 (2000) 268
- Microstructure in pure copper irradiated by simultaneous multi-ion beam of hydrogen, helium and self ions, I. Mukouda, Y. Shimomura, T. Iiyama, Y. Harada, Y. Katano, T. Nakazawa, D. Yamaki and K. Noda 283–287 (2000) 302
- Microstructural evolution of Alloy 718 at high helium and hydrogen generation rates during irradiation with 600–800 MeV protons, B.H. Sencer, G.M. Bond, F.A. Garner, M.L. Hamilton, B.M. Oliver, L.E. Thomas, S.A. Maloy, W.F. Sommer, M.R. James and P.D. Ferguson 283–287 (2000) 324
- Effects of helium implantation on creep rupture properties of low activation ferritic steel F82H IEA heat, N. Yamamoto, J. Nagakawa and K. Shiba 283–287 (2000) 400
- Shear punch and tensile measurements of mechanical property changes induced in various austenitic alloys by high-energy mixed proton and neutron irradiation at low temperatures, M.L. Hamilton, F.A. Garner, M.B. Toloczko, S.A. Maloy, W.F. Sommer, M.R. James, P.D. Ferguson and M.R. Louthan Jr. 283–287 (2000) 418
- Effect of helium to dpa ratio on fatigue behavior of austenitic stainless steel irradiated to 2 dpa, I. Ioka, M. Yonekawa, Y. Miwa, H. Mimura, H. Tsuji and T. Hoshiya 283–287 (2000) 440
- Effects of helium implantation on hardness of pure iron and a reduced activation ferritic-martensitic steel, H. Tanigawa, S. Jitsukawa, A. Hishinuma, M. Ando, Y. Katoh, A. Kohyama and T. Iwai 283–287 (2000) 470
- Embrittlement of reduced-activation ferritic/martensitic steels irradiated in HFIR at 300°C and 400°C, R.L. Klueh, M.A. Sokolov, K. Shiba, Y. Miwa and J.P. Robertson 283–287 (2000) 478
- Comparison of a microstructure evolution model with experiments on irradiated vanadium, S. Sharafat and N.M. Ghoniem 283–287 (2000) 789

- Effect of helium production on swelling of F82H irradiated in HFIR, E. Wakai, N. Hashimoto, Y. Miwa, J.P. Robertson, R.L. Klueh, K. Shiba and S. Jstukawa 283–287 (2000) 799
- A comparison of defects in helium implanted α - and β -SiC, P. Jung, H. Klein and J. Chen 283–287 (2000) 806
- Study of helium effects in SiC/SiC composites under fusion reactor environment, A. Hasegawa, B.M. Oliver, S. Nogami, K. Abe and R.H. Jones 283–287 (2000) 811
- Annealing behavior of irradiation hardening and microstructure in helium-implanted reduced activation martensitic steel, A. Kimura, R. Kasada, R. Sugano, A. Hasegawa and H. Matsui 283–287 (2000) 827
- Fatigue behavior and development of microcracks in F82H after helium implantation at 200°C, J. Bertsch, S. Meyer and A. Möslang 283–287 (2000) 832
- On quantification of helium embrittlement in ferritic/martensitic steels, D.S. Gelles 283–287 (2000) 838
- Positron-lifetime study of electrically hydrogen charged Ni, austenitic stainless steel and Fe, H. Ohkubo, S. Sugiyama, K. Fukuzato, M. Takekawa, N. Tsukuda and E. Kuramoto 283–287 (2000) 858
- Permeation of hydrogen through vanadium under helium ion irradiation, Y. Hatano, Y. Nanjo, R. Hayakawa and K. Watanabe 283–287 (2000) 868
- Microstructure evolution in tungsten during low-energy helium ion irradiation, H. Iwakiri, K. Yasunaga, K. Morishita and N. Yoshida 283–287 (2000) 1134
- Re-weldability tests of irradiated austenitic stainless steel by a TIG welding method, K. Tsuchiya, H. Kawamura and G. Kalinin 283–287 (2000) 1210
- Radiation resistance of weld joints of type 316 stainless steel containing about 10 appm He, S.A. Fabritsiev and A.S. Pokrovsky 283–287 (2000) 1215
- Effect of weld thermal cycle and restraint stress on helium bubble formation in stainless steels, S. Kawano, K. Fukuya, F. Kano, M. Satou, A. Hasegawa and K. Abe 283–287 (2000) 1220
- Accelerated helium and hydrogen production in ^{54}Fe doped alloys – measurements and calculations for the FIST experiment, L.R. Greenwood, B.M. Oliver, S. Ohnuki, K. Shiba, Y. Kohno, A. Kohyama, J.P. Robertson, J.W. Meadows and D.S. Gelles 283–287 (2000) 1438
- High Temperature Reactors**
- Manufacturing and testing of a prototypical divertor vertical target for ITER, M. Merola, L. Plöchl, Ph. Chappuis, F. Escourbiac, M. Grattarola, I. Smid, R. Tivey and G. Vieider 283–287 (2000) 1068
- Infrared characterization and high heat flux testing of plasma sprayed layers, Ph. Chappuis, F. Escourbiac, M. Chantant, M. Febvre, M. Grattarola, M. Bet, M. Merola and B. Riccardi 283–287 (2000) 1081
- Effects of plasma disruption events on ITER first wall materials, A. Cardella, H. Gorenflo, A. Lodato, K. Ioki and R. Raffray 283–287 (2000) 1105
- Microstructural development of neutron irradiated W-Re alloys, Y. Nemoto, A. Hasegawa, M. Satou and K. Abe 283–287 (2000) 1144
- Low cycle fatigue strength of diffusion bonded joints of alumina dispersion-strengthened copper to stainless steel, H. Nishi and T. Araki 283–287 (2000) 1234
- ITER structural design criteria and their extension to advanced reactor blankets, S. Majumdar and G. Kalinin 283–287 (2000) 1424
- History (of Nuclear Materials, Nuclear Technology)**
- The interaction of deuterium and tritium with radiation and other defects in austenitic steel and nickel, V.L. Arbuzov, G.A. Raspopova, S.E. Danilov, A.P. Druzhkov and Yu.N. Zouev 283–287 (2000) 849
- Hydrogen and Hydrides (includes Deuterium and Deuterides)**
- Synergistic effect of hydrogen and impurity segregations on the grain boundary embrittlement in Nb, A.M. Ilyin, V.P. Shestakov and I.L. Tazhibaeva 283–287 (2000) 161
- Formation and migration of helium bubbles in Fe-16Cr-17Ni austenitic alloy at high temperature, K. Ono, K. Arakawa, M. Oohashi, H. Kurata, K. Hojou and N. Yoshida 283–287 (2000) 210
- Synergistic effects of hydrogen and helium on microstructural evolution in vanadium alloys by triple ion beam irradiation, N. Sekimura, T. Iwai, Y. Arai, S. Yonamine, A. Naito, Y. Miwa and S. Hamada 283–287 (2000) 224
- Application of the internal friction method to studying microstructural effects in fusion materials, S. Tähtinen, Y. Jagodzinski, O. Tarasenko, S. Smuk and H. Hänninen 283–287 (2000) 255

- Microstructure in pure copper irradiated by simultaneous multi-ion beam of hydrogen, helium and self ions, I. Mukouda, Y. Shimomura, T. Iiyama, Y. Harada, Y. Katano, T. Nakazawa, D. Yamaki and K. Noda 283–287 (2000) 302
- Microstructural evolution of Alloy 718 at high helium and hydrogen generation rates during irradiation with 600–800 MeV protons, B.H. Sencer, G.M. Bond, F.A. Garner, M.L. Hamilton, B.M. Oliver, L.E. Thomas, S.A. Maloy, W.F. Sommer, M.R. James and P.D. Ferguson 283–287 (2000) 324
- Shear punch and tensile measurements of mechanical property changes induced in various austenitic alloys by high-energy mixed proton and neutron irradiation at low temperatures, M.L. Hamilton, F.A. Garner, M.B. Toloczko, S.A. Maloy, W.F. Sommer, M.R. James, P.D. Ferguson and M.R. Louthan Jr. 283–287 (2000) 418
- Diffusion and permeation of hydrogen in low-activation martensitic stainless steel – effect of irradiation, F. Schliefer, C. Liu and P. Jung 283–287 (2000) 540
- Influence of combined thermo-mechanical treatment on impurity segregation in ferritic–martensitic and austenitic stainless steels, A.M. Ilyin, V.S. Neustroev, V.K. Sharmardin, V.P. Shestakov, I.L. Tazhibaeva and V.A. Krivchenko 283–287 (2000) 694
- Heavy hydrogen isotopes penetration through austenitic and martensitic steels, Yu. Dolinski, I. Lyasota, A. Shestakov, Yu. Repritsev and Yu. Zouev 283–287 (2000) 854
- The effect of electrical hydrogen charging on the strength of 316 stainless steel, S. Sugiyama, H. Ohkubo, M. Takenaka, K. Ohsawa, M.I. Ansari, N. Tsukuda and E. Kuramoto 283–287 (2000) 863
- Permeation of hydrogen through vanadium under helium ion irradiation, Y. Hatano, Y. Nanjo, R. Hayakawa and K. Watanabe 283–287 (2000) 868
- Hydrogen permeation through vanadium alloy V–4Cr–4Ti ‘in situ’ of reactor irradiation, T.V. Kulsartov, V.P. Shestakov, I.L. Tazhibaeva and E.A. Kenzhin 283–287 (2000) 872
- Effect of hydrogen accumulation on mechanical property and microstructure of V–Cr–Ti alloys, K. Aoyagi, E.P. Torres, T. Suda and S. Ohnuki 283–287 (2000) 876
- Hydrogen and deuterium transport and inventory parameters through W and W-alloys for fusion reactor applications, G. Benamati, E. Serra and C.H. Wu 283–287 (2000) 1033
- Deuterium retention in tungsten and molybdenum, S. Nagata and K. Takahiro 283–287 (2000) 1038
- Hydrogen absorption process into graphite and carbon materials, H. Atsumi and M. Iseki 283–287 (2000) 1053
- Removal of deuterium from co-deposited carbon–silicon layers, M. Balden and M. Mayer 283–287 (2000) 1057
- Effect of carbon pre-implantation on deuterium retention in tungsten, M. Poon, J.W. Davis and A.A. Haasz 283–287 (2000) 1062
- Tungsten filament mock-ups for gas box liner, C. Cazzola, J. Boscary and R. Matera 283–287 (2000) 1073
- The removal of ion implanted deuterium from tungsten and stainless steel by transferred-arc cleaning, K.J. Hollis, R.G. Castro, C.J. Maggiore and A. Ayala 283–287 (2000) 1085
- Graphite–tungsten twin limiters in studies of material mixing processes on high heat flux components, M. Rubel, T. Tanabe, V. Philipps, B. Emmoth, A. Kirschner, J. von Seggern and P. Wienhold 283–287 (2000) 1089
- Codeposition of deuterium ions with beryllium oxide at elevated temperatures, A.V. Markin, V.P. Dubkov, A.E. Gorodetsky, M.A. Negodaev, N.V. Rozhanskii, F. Scaffidi-Argentina, H. Werle, C.H. Wu, R.Kh. Zalavutdinov and A.P. Zakharov 283–287 (2000) 1094
- TEM study on deuterium-irradiation-induced defects in tungsten and molybdenum, T. Matsui, S. Muto and T. Tanabe 283–287 (2000) 1139
- The hydrogen permeation behaviour of aluminised coated martensitic steels under gaseous hydrogen, liquid Pb–17Li/hydrogen and cyclic tensile load, T. Sample, A. Perujo, H. Kolbe and B. Mancinelli 283–287 (2000) 1272
- The oxidation kinetics of Incoloy 800 and its deuterium permeation behavior, A. Perujo, J. Reimann, H. Feuerstein and B. Mancinelli 283–287 (2000) 1292
- Effects of thin films on inventory, permeation and re-emission of energetic hydrogen, N. Ohyabu, Y. Nakamura, Y. Nakahara, A. Livshits, V. Alimov, A. Busnyuk, M. Notkin, A. Samartsev and A. Doroshin 283–287 (2000) 1297

- Performance of V–Cr–Ti alloys in a hydrogen environment, K. Natesan and W.K. Soppet 283–287 (2000) 1316
- Water corrosion of F82H-modified in simulated irradiation conditions by heat treatment, J. Lapeña and F. Blázquez 283–287 (2000) 1341
- Study of the tritium behavior on the surface of Li₂O by means of work function measurement, T. Yokota, A. Suzuki, K. Yamaguchi, T. Terai and M. Yamawaki 283–287 (2000) 1366
- XPS and UPS studies on electronic structure of Li₂O, S. Tanaka, M. Taniguchi and H. Tanigawa 283–287 (2000) 1405
- Improvement of the model for surface process of tritium release from lithium oxide, D. Yamaki, A. Iwamoto and S. Jitsukawa 283–287 (2000) 1414
- Accelerated helium and hydrogen production in ⁵⁴Fe doped alloys – measurements and calculations for the FIST experiment, L.R. Greenwood, B.M. Oliver, S. Ohnuki, K. Shiba, Y. Kohno, A. Kohyama, J.P. Robertson, J.W. Meadows and D.S. Gelles 283–287 (2000) 1438
- Impact**
- Effect of heat treatment and irradiation temperature on mechanical properties and structure of reduced-activation Cr–W–V steels of bainitic, martensitic, and martensitic–ferritic classes, I.V. Gorynin, V.V. Rybin, I.P. Kursevich, A.N. Lapin, E.V. Nesterova and E.Yu. Klepikov 283–287 (2000) 465
- Embrittlement of reduced-activation ferritic/martensitic steels irradiated in HFIR at 300°C and 400°C, R.L. Klueh, M.A. Sokolov, K. Shiba, Y. Miwa and J.P. Robertson 283–287 (2000) 478
- Mechanical behavior and microstructural evolution of vanadium alloys irradiated in ATR-A1, K.-i. Fukumoto, H. Matsui, H. Tsai and D.L. Smith 283–287 (2000) 492
- V-alloy embrittlement by irradiation in a cooling gas environment, H.D. Röhrig, M. Rieth, B. Dafferner and E. Materna-Morris 283–287 (2000) 498
- Tensile and impact properties of V–4Cr–4Ti alloy heats 832665 and 832864, T.S. Bray, H. Tsai, L.J. Nowicki, M.C. Billone, D.L. Smith, W.R. Johnson and P.W. Trester 283–287 (2000) 633
- Effect of thermal aging on the microstructure and mechanical properties of 7–11 CrW steels, Y. de Carlan, A. Alamo, M.H. Mathon, G. Geoffroy and A. Castaing 283–287 (2000) 672
- On quantification of helium embrittlement in ferritic/martensitic steels, D.S. Gelles 283–287 (2000) 838
- Confocal microscopy–fracture reconstruction and finite element modeling characterization of local cleavage toughness in a ferritic/martensitic steel in subsized Charpy V-notch impact tests, T. Yamamoto, G.R. Odette, G.E. Lucas and H. Matsui 283–287 (2000) 992
- Impurities**
- Synergistic effect of hydrogen and impurity segregations on the grain boundary embrittlement in Nb, A.M. Ilyin, V.P. Shestakov and I.L. Tazhibaeva 283–287 (2000) 161
- Synergistic effects of hydrogen and helium on microstructural evolution in vanadium alloys by triple ion beam irradiation, N. Sekimura, T. Iwai, Y. Arai, S. Yonamine, A. Naito, Y. Miwa and S. Hamada 283–287 (2000) 224
- Effect of strain rate on the tensile properties of unirradiated and irradiated V–4Cr–4Ti, A.F. Rowcliffe, S.J. Zinkle and D.T. Hoelzer 283–287 (2000) 508
- Microstructure control to improve mechanical properties of vanadium alloys for fusion applications, T. Kuwabara, H. Kurishita and M. Hasegawa 283–287 (2000) 611
- Solute interactions in pure vanadium and V–4Cr–4Ti alloy, D.T. Hoelzer, M.K. West, S.J. Zinkle and A.F. Rowcliffe 283–287 (2000) 616
- NIFS program for large ingot production of a V–Cr–Ti alloy, T. Muroga, T. Nagasaka, A. Iiyoshi, A. Kawabata, S. Sakurai and M. Sakata 283–287 (2000) 711
- Recovery and recrystallization behavior of vanadium at various controlled nitrogen and oxygen levels, T. Nagasaka, H. Takahashi, T. Muroga, T. Tanabe and H. Matsui 283–287 (2000) 816
- Effects of oxygen and hydrogen at low pressure on the mechanical properties of V–Cr–Ti alloys, J.R. DiStefano, B.A. Pint, J.H. DeVan, H.D. Röhrig and L.D. Chitwood 283–287 (2000) 841
- Impurity effects on gas tungsten arc welds in V–Cr–Ti alloys, M.L. Grossbeck, J.F. King and D.T. Hoelzer 283–287 (2000) 1356
- Interfaces**
- The effect of neutron-irradiation on the shear properties of SiC/SiC composites with varied interface,

- T. Hinoki, L.L. Snead, Y. Katoh, A. Kohyama and R. Shinavski 283–287 (2000) 376
- Evaluation of the deformation fields and bond integrity of Cu/SS joints, J.F. Stubbins, J. Collins and J. Min 283–287 (2000) 982
- Effects of heat treatments on microstructure changes in the interface of Cu/SS316L joint materials, Q. Xu, D.J. Edwards and T. Yoshiie 283–287 (2000) 1229
- Low cycle fatigue strength of diffusion bonded joints of alumina dispersion-strengthened copper to stainless steel, H. Nishi and T. Araki 283–287 (2000) 1234
- Internal Friction**
- Application of the internal friction method to studying microstructural effects in fusion materials, S. Tähtinen, Y. Jagodzinski, O. Tarasenko, S. Smuk and H. Hänninen 283–287 (2000) 255
- Ion Irradiation**
- Correlation between defect structures and hardness in tantalum irradiated by heavy ions, K. Yasunaga, H. Watanabe, N. Yoshida, T. Muroga and N. Noda 283–287 (2000) 179
- The effect of transmutation and displacement in irradiated copper for heat-sink materials, S. Ishino, A. Kurui, S. Ichikawa, T. Inaba and T. Hasegawa 283–287 (2000) 215
- Microstructural changes in a low-activation Fe–Cr–Mn alloy irradiated with 92 MeV Ar ions at 450°C, C. Zhang, K. Chen, Y. Wang, J. Sun, B. Hu, Y. Jin, M. Hou, C. Liu, Y. Sun, J. Han and C. Chen 283–287 (2000) 259
- Effect of dual-beam-irradiation by helium and carbon ions on microstructure development of SiC/SiC composites, S. Nogami, A. Hasegawa, K. Abe, T. Taguchi and R. Yamada 283–287 (2000) 268
- Role of α_2/γ and γ/γ phase boundaries in cavity formation in a TiAl intermetallic compound irradiated with He-ions, K. Nakata, K. Fukai, A. Hishinuma and K. Ameyama 283–287 (2000) 278
- Microstructure of vanadium alloys during ion irradiation with stepwise change of temperature, H. Watanabe, T. Arinaga, K. Ochiai, T. Muroga and N. Yoshida 283–287 (2000) 286
- Effects of temperature change on the microstructural evolution of vanadium alloys under ion irradiation, N. Nita, T. Iwai, K. Fukumoto and H. Matsui 283–287 (2000) 291
- Microstructure in pure copper irradiated by simultaneous multi-ion beam of hydrogen, helium and self ions, I. Mukouda, Y. Shimomura, T. Iiyama, Y. Harada, Y. Katano, T. Nakazawa, D. Yamaki and K. Noda 283–287 (2000) 302
- Influence of variable temperatures irradiation on microstructural evolution in phosphorus doped Fe–Cr–Ni alloys, D. Hamaguchi, H. Watanabe, T. Muroga and N. Yoshida 283–287 (2000) 319
- Effects of helium implantation on creep rupture properties of low activation ferritic steel F82H IEA heat, N. Yamamoto, J. Nagakawa and K. Shiba 283–287 (2000) 400
- The contribution of various defects to irradiation-induced hardening in an austenitic model alloy, M. Ando, Y. Katoh, H. Tanigawa, A. Kohyama and T. Iwai 283–287 (2000) 423
- Radiation-induced precipitation in V–(Cr,Fe)–Ti alloys irradiated at low temperature with low dose during neutron or ion irradiation, K.-i. Fukumoto, H. Matsui, Y. Candra, K. Takahashi, H. Sasanuma, S. Nagata and K. Takahiro 283–287 (2000) 535
- Study of helium effects in SiC/SiC composites under fusion reactor environment, A. Hasegawa, B.M. Oliver, S. Nogami, K. Abe and R.H. Jones 283–287 (2000) 811
- Fatigue behavior and development of microcracks in F82H after helium implantation at 200°C, J. Bertsch, S. Meyer and A. Möslang 283–287 (2000) 832
- Permeation of hydrogen through vanadium under helium ion irradiation, Y. Hatano, Y. Nanjo, R. Hayakawa and K. Watanabe 283–287 (2000) 868
- Effects of co-implanted oxygen or aluminum atoms on hydrogen migration and damage structure in multiple-beam irradiated Al₂O₃, Y. Katano, T. Aruga, S. Yamamoto, T. Nakazawa, D. Yamaki and K. Noda 283–287 (2000) 942
- Cation disordering in magnesium aluminate spinel crystals induced by electron or ion irradiation, T. Soeda, S. Matsumura, C. Kinoshita and N.J. Zaluzec 283–287 (2000) 952
- Deuterium retention in tungsten and molybdenum, S. Nagata and K. Takahiro 283–287 (2000) 1038
- Effect of carbon pre-implantation on deuterium retention in tungsten, M. Poon, J.W. Davis and A.A. Haasz 283–287 (2000) 1062

- The removal of ion implanted deuterium from tungsten and stainless steel by transferred-arc cleaning, K.J. Hollis, R.G. Castro, C.J. Maggiore and A. Ayala 283–287 (2000) 1085
- Microstructure evolution in tungsten during low-energy helium ion irradiation, H. Iwakiri, K. Yasunaga, K. Morishita and N. Yoshida 283–287 (2000) 1134
- Effect of weld thermal cycle and restraint stress on helium bubble formation in stainless steels, S. Kawano, K. Fukuya, F. Kano, M. Satou, A. Hasegawa and K. Abe 283–287 (2000) 1220
- Iron, Iron alloys (excludes Steels) and Compounds**
- Influence of cold work to increase swelling of pure iron irradiated in the BR-10 reactor to ~6 and ~25 dpa at ~400°C, A.M. Dvoriashin, S.I. Porollo, Yu.V. Konobeev and F.A. Garner 283–287 (2000) 157
- Recovery of electrical resistivity of high-purity iron irradiated with 30 MeV electrons at 77 K, H. Abe and E. Kuramoto 283–287 (2000) 174
- Defect structures introduced in iron under varying temperature neutron irradiation, M. Horiki, T. Yoshiie, Q. Xu, M. Iseki and M. Kiritani 283–287 (2000) 282
- Effects of helium implantation on hardness of pure iron and a reduced activation ferritic–martensitic steel, H. Tanigawa, S. Jitsukawa, A. Hishinuma, M. Ando, Y. Katoh, A. Kohyama and T. Iwai 283–287 (2000) 470
- Statistical analysis of a library of molecular dynamics cascade simulations in iron at 100 K, R.E. Stoller and A.F. Calder 283–287 (2000) 746
- Comparative study of damage accumulation in iron under magnetic and inertial fusion conditions, E. Alonso, M.J. Caturla, T. Diaz de la Rubia, N. Soneda, J. Marian, J.M. Perlado and R.E. Stoller 283–287 (2000) 768
- Computer simulation of defects interacting with a dislocation in Fe and Ni, E. Kuramoto, K. Ohsawa and T. Tsutsumi 283–287 (2000) 778
- Study of loop–loop and loop–edge dislocation interactions in bcc iron, Yu.N. Osetsky, D.J. Bacon, F. Gao, A. Serra and B.N. Singh 283–287 (2000) 784
- Positron-lifetime study of electrically hydrogen charged Ni, austenitic stainless steel and Fe, H. Ohkubo, S. Sugiyama, K. Fukuzato, M. Takenaka, N. Tsukuda and E. Kuramoto 283–287 (2000) 858
- Accelerated helium and hydrogen production in ⁵⁴Fe doped alloys – measurements and calculations for the FIST experiment, L.R. Greenwood, B.M. Oliver, S. Ohnuki, K. Shiba, Y. Kohno, A. Kohyama, J.P. Robertson, J.W. Meadows and D.S. Gelles 283–287 (2000) 1438
- Irradiation (not listed elsewhere, includes Irradiation History or Schedule)**
- International strategy for fusion materials development, K. Ehrlich, E.E. Bloom and T. Kondo 283–287 (2000) 79
- Study of He-bubble growth in α -particle implanted F82H-mod martensitic steel, R. Coppola, M. Magnani, R.P. May, A. Möslang and M. Valli 283–287 (2000) 183
- Mechanical behavior of reduced-activation and conventional martensitic steels after neutron irradiation in the range 250–450°C, A. Alamo, M. Horsten, X. Averty, E.I. Materna-Morris, M. Rieth and J.C. Brachet 283–287 (2000) 353
- Embrittlement of reduced-activation ferritic/martensitic steels irradiated in HFIR at 300°C and 400°C, R.L. Klueh, M.A. Sokolov, K. Shiba, Y. Miwa and J.P. Robertson 283–287 (2000) 478
- The effects of irradiation and testing temperature on tensile behaviour of stainless steels, C. Bailat, A. Almazouzi, N. Baluc, R. Schäublin, F. Gröschel and M. Victoria 283–287 (2000) 446
- Comparative study of damage accumulation in iron under magnetic and inertial fusion conditions, E. Alonso, M.J. Caturla, T. Diaz de la Rubia, N. Soneda, J. Marian, J.M. Perlado and R.E. Stoller 283–287 (2000) 768
- Molecular dynamics simulation of defect production in irradiated β -SiC, L. Malerba, J.M. Perlado, A. Sánchez-Rubio, I. Pastor, L. Colombo and T. Diaz de la Rubia 283–287 (2000) 794
- The interaction of deuterium and tritium with radiation and other defects in austenitic steel and nickel, V.L. Arbuzov, G.A. Raspopova, S.E. Danilov, A.P. Druzhkov and Yu.N. Zouev 283–287 (2000) 849
- Hydrogen permeation through vanadium alloy V–4Cr–4Ti ‘in situ’ of reactor irradiation, T.V. Kulsartov, V.P. Shestakov, I.L. Tazhibaeva and E.A. Kenzhin 283–287 (2000) 872
- In-beam dielectric properties of alumina at low frequencies, R. Vila and E.R. Hodgson 283–287 (2000) 903

- Radiation-induced processes and their influence on the functional properties of dielectrics for different types of irradiation, V.A. Stepanov and V.M. Chernov 283–287 (2000) 932
- Mechanical properties of the ITER central solenoid model coil insulation under static and dynamic load after reactor irradiation, K. Humer, P. Rosenkranz, H.W. Weber, P.E. Fabian and J.A. Rice 283–287 (2000) 973
- Neutron irradiation hardening of ODS alloy tested by miniature disk bend test method, C.Q. Chen, J.G. Sun and Y.C. Xu 283–287 (2000) 1011
- Development of a small specimen test machine to evaluate irradiation embrittlement of fusion reactor materials, T. Ishii, M. Ohmi, J. Saito, T. Hoshiya, N. Ooka, S. Jitsukawa and M. Eto 283–287 (2000) 1023
- In-pile tritium-permeation measurements on T91 tubes with double walls or a Fe–Al/Al₂O₃ coating, R. Conrad, K. Bakker, C. Chabrol, M.A. Fütterer, J.G. van der Laan, E. Rigal and M.P. Stijkel 283–287 (2000) 1351
- Post-irradiation examinations of Li-4SiO₄ pebbles irradiated in the EXOTIC-7 experiment, G. Piazza, F. Scaffidi-Argentina and H. Werle 283–287 (2000) 1396
- Materials and fabrication technology of modules intended for irradiation tests of blanket tritium-breeding zones in Russian fusion reactor projects, V. Kapychev, D. Davydov, V. Gorokhov, A. Ioltukhovskiy, Yu. Kazennov, V. Tebus, V. Frolov, A. Shikov, N. Shishkov, V. Kovalenko, N. Shishkin and Yu. Strebkov 283–287 (2000) 1429
- Joining**
- Evaluation of hot isostatic pressing for joining of fusion reactor structural components, A.D. Ivanov, S. Sato and G. Le Marois 283–287 (2000) 35
- Neutron-irradiation effects on high heat flux components – examination of plasma-facing materials and their joints, M. Rödiger, R. Conrad, H. Derz, R. Duwe, J. Linke, A. Lodato, M. Merola, G. Pott, G. Vieider and B. Wiechers 283–287 (2000) 1161
- Diffusion welding parameters and mechanical properties of martensitic chromium steels, K. Schleisiek, T. Lechler, L. Schäfer and P. Weimar 283–287 (2000) 1196
- The effect of laser welding process parameters on the mechanical and microstructural properties of V–4Cr–4Ti structural materials, C.B. Reed, K. Natesan, Z. Xu and D.L. Smith 283–287 (2000) 1206
- Re-weldability tests of irradiated austenitic stainless steel by a TIG welding method, K. Tsuchiya, H. Kawamura and G. Kalinin 283–287 (2000) 1210
- Furnace brazing type 304 stainless steel to vanadium alloy (V–5Cr–5Ti), R.V. Steward, M.L. Grossbeck, B.A. Chin, H.A. Aglan and Y. Gan 283–287 (2000) 1224
- Effects of heat treatments on microstructure changes in the interface of Cu/SS316L joint materials, Q. Xu, D.J. Edwards and T. Yoshiie 283–287 (2000) 1229
- Low cycle fatigue strength of diffusion bonded joints of alumina dispersion-strengthened copper to stainless steel, H. Nishi and T. Araki 283–287 (2000) 1234
- Effect of neutron irradiation on mechanical properties of Cu/SS joints after single and multiple HIP cycles, S. Tähtinen, B.N. Singh and P. Toft 283–287 (2000) 1238
- High temperature residual strain measurements in a brazed sample for NET/ITER, R. Coppola, C. Nardi and B. Riccardi 283–287 (2000) 1243
- Armor and heat sink materials joining technologies development for ITER plasma facing components, V. Barabash, M. Akiba, A. Cardella, I. Mazul, B.C. Odegard Jr., L. Plöchl, R. Tivey and G. Vieider 283–287 (2000) 1248
- Refractory metal joining for first wall applications, C.H. Cadden and B.C. Odegard Jr. 283–287 (2000) 1253
- Joining of silicon carbide composites for fusion energy applications, C.A. Lewinsohn, M. Singh, T. Shibayama, T. Hinoki, M. Ando, Y. Katoh and A. Kohyama 283–287 (2000) 1258
- Microstructure and mechanical properties of low-activation glass-ceramic joining and coating for SiC/SiC composites, Y. Katoh, M. Kotani, A. Kohyama, M. Montorsi, M. Salvo and M. Ferraris 283–287 (2000) 1262
- Kinetics**
- Progress in modelling the microstructural evolution in metals under cascade damage conditions, H. Trinkaus, B.N. Singh and S.I. Golubov 283–287 (2000) 89
- Comparison of a microstructure evolution model with experiments on irradiated vanadium, S. Sharafat and N.M. Ghoniem 283–287 (2000) 789
- Radiation-induced processes and their influence on the functional properties of dielectrics for different

- types of irradiation, V.A. Stepanov and V.M. Chernov 283–287 (2000) 932
- Laser**
- Effect of helium to dpa ratio on fatigue behavior of austenitic stainless steel irradiated to 2 dpa, I. Ioka, M. Yonekawa, Y. Miwa, H. Mimura, H. Tsuji and T. Hoshiya 283–287 (2000) 440
- KU1 quartz glass for remote handling and LIDAR diagnostic optical transmission systems, M. García-Matos, A. Moroño and E.R. Hodgson 283–287 (2000) 890
- Radiation effects on laser damage in KU1 quartz glass, P. Martin, A. Moroño and E.R. Hodgson 283–287 (2000) 894
- Limitier Materials**
- Synergistic effect of hydrogen and impurity segregations on the grain boundary embrittlement in Nb, A.M. Ilyin, V.P. Shestakov and I.L. Tazhibaeva 283–287 (2000) 161
- Liquid Metals**
- Magnetic field effect on deposition of corrosion products in liquid Pb–17Li, F. Barbier 283–287 (2000) 1267
- The hydrogen permeation behaviour of aluminised coated martensitic steels under gaseous hydrogen, liquid Pb–17Li/hydrogen and cyclic tensile load, T. Sample, A. Perujo, H. Kolbe and B. Mancinelli 283–287 (2000) 1272
- Development of electrically insulating coatings for service in a lithium environment, K. Natesan, M. Uz and S. Wieder 283–287 (2000) 1277
- Corrosion of V–Ti–Cr alloys in liquid lithium: influence of alloy composition and concentration of nitrogen in lithium, O.I. Eliseeva, V.N. Fedirko, V.M. Chernov and L.P. Zavialsky 283–287 (2000) 1282
- Compatibility of AlN with liquid lithium, T. Terai, A. Suzuki, T. Yoneoka and T. Mitsuyama 283–287 (2000) 1322
- Compatibility of structural candidate materials with LiF–BeF₂ molten salt mixture, H. Nishimura, T. Terai, T. Yoneoka, S. Tanaka, A. Sagara and O. Motojima 283–287 (2000) 1326
- Corrosion of ferritic–martensitic steels in the eutectic Pb–17Li, H. Glasbrenner, J. Konys, H.D. Röhrig, K. Stein-Fechner and Z. Voss 283–287 (2000) 1332
- Liquid metal embrittlement (LME) susceptibility of the 8–9% Cr martensitic steels F82H-mod., OPTIFER IVb and their simulated welded structures in liquid Pb–17Li, T. Sample and H. Kolbe 283–287 (2000) 1336
- Multiplier, moderator, and reflector materials for advanced lithium–vanadium fusion blankets, Y. Gohar and D.L. Smith 283–287 (2000) 1370
- On the use of tin–lithium alloys as breeder material for blankets of fusion power plants, M.A. Fütterer, G. Aiello, F. Barbier, L. Giancarli, Y. Poitevin, P. Sardain, J. Szczepanski, A. Li Puma, G. Ruvutuso and G. Vella 283–287 (2000) 1375
- Waste management for different fusion reactor designs, P. Rocco and M. Zucchetti 283–287 (2000) 1473
- Low Activation and Low Activation Materials (includes Reduced Activation)**
- Interactions between fusion materials R&D and other technologies, A. Kohyama, M. Seki, K. Abe, T. Muroga, H. Matsui, S. Jitsukawa and S. Matsuda 283–287 (2000) 20
- The impact of materials selection on long-term activation in fusion power plants, N.P. Taylor, C.B.A. Forty, D.A. Petti and K.A. McCarthy 283–287 (2000) 28
- Progress and critical issues of reduced activation ferritic/martensitic steel development, B. van der Schaaf, D.S. Gelles, S. Jitsukawa, A. Kimura, R.L. Klueh, A. Möslang and G.R. Odette 283–287 (2000) 52
- Critical issues and current status of vanadium alloys for fusion energy applications, R.J. Kurtz, K. Abe, V.M. Chernov, V.A. Kazakov, G.E. Lucas, H. Matsui, T. Muroga, G.R. Odette, D.L. Smith and S.J. Zinkle 283–287 (2000) 70
- Modeling of microstructure evolution and mechanical property change of reduced-activation martensitic steel during varying-temperature irradiation, R. Kasada and A. Kimura 283–287 (2000) 188
- Application of the internal friction method to studying microstructural effects in fusion materials, S. Tähtinen, Y. Jagodzinski, O. Tarasenko, S. Smuk and H. Hänninen 283–287 (2000) 255
- Microstructural changes in a low-activation Fe–Cr–Mn alloy irradiated with 92 MeV Ar ions at 450°C, C. Zhang, K. Chen, Y. Wang, J. Sun, B. Hu, Y. Jin, M. Hou, C. Liu, Y. Sun, J. Han and C. Chen 283–287 (2000) 259
- Microstructures in Ti–Al intermetallic compounds irradiated at 673 K in HFIR, Y. Miwa, T. Sawai, K.

- Fukai, D.T. Hoelzer and A. Hishinuma 283–287 (2000) 273
- Role of α_2/γ and γ/γ phase boundaries in cavity formation in a TiAl intermetallic compound irradiated with He-ions, K. Nakata, K. Fukai, A. Hishinuma and K. Ameyama 283–287 (2000) 278
- Microstructure of vanadium alloys during ion irradiation with stepwise change of temperature, H. Watanabe, T. Arinaga, K. Ochiai, T. Muroga and N. Yoshida 283–287 (2000) 286
- Swelling of F82H irradiated at 673 K up to 51 dpa in HFIR, Y. Miwa, E. Wakai, K. Shiba, N. Hashimoto, J.P. Robertson, A.F. Rowcliffe and A. Hishinuma 283–287 (2000) 334
- Mechanical behavior of reduced-activation and conventional martensitic steels after neutron irradiation in the range 250–450°C, A. Alamo, M. Horsten, X. Averty, E.I. Materna-Morris, M. Rieth and J.C. Brachet 283–287 (2000) 353
- Tensile behavior of F82H with and without spectral tailoring, K. Shiba, R.L. Klueh, Y. Miwa, J.P. Robertson and A. Hishinuma 283–287 (2000) 358
- The effect of neutron-irradiation on the shear properties of SiC/SiC composites with varied interface, T. Hinoki, L.L. Snead, Y. Katoh, A. Kohyama and R. Shinavski 283–287 (2000) 376
- Effects of helium implantation on creep rupture properties of low activation ferritic steel F82H IEA heat, N. Yamamoto, J. Nagakawa and K. Shiba 283–287 (2000) 400
- Thermal fatigue crack nucleation in ferritic–martensitic steels before and after neutron irradiation, L.A. Belyaeva, A.A. Zisman, C. Petersen, V.A. Potapova and V.V. Rybin 283–287 (2000) 461
- Effect of heat treatment and irradiation temperature on mechanical properties and structure of reduced-activation Cr–W–V steels of bainitic, martensitic, and martensitic–ferritic classes, I.V. Gorynin, V.V. Rybin, I.P. Kursevich, A.N. Lapin, E.V. Nesterova and E.Yu. Klepikov 283–287 (2000) 465
- Effects of helium implantation on hardness of pure iron and a reduced activation ferritic–martensitic steel, H. Tanigawa, S. Jitsukawa, A. Hishinuma, M. Ando, Y. Katoh, A. Kohyama and T. Iwai 283–287 (2000) 470
- low-activation ferritic steels, K. Shiba and A. Hishinuma 283–287 (2000) 474
- Embrittlement of reduced-activation ferritic/martensitic steels irradiated in HFIR at 300°C and 400°C, R.L. Klueh, M.A. Sokolov, K. Shiba, Y. Miwa and J.P. Robertson 283–287 (2000) 478
- Effect of low temperature irradiation on the mechanical properties of ternary V–Cr–Ti alloys as determined by tensile tests and shear punch tests, M.L. Hamilton and M.B. Toloczko 283–287 (2000) 488
- Defect microstructure and deformation behavior of V–Ti–Cr–Si–Al–Y alloy irradiated in ATR, T. Chuto, M. Satou and K. Abe 283–287 (2000) 503
- Mechanical properties and microstructure in low-activation martensitic steels F82H and Optimax after 800-MeV proton irradiation, Y. Dai, S.A. Maloy, G.S. Bauer and W.F. Sommer 283–287 (2000) 513
- Diffusion and permeation of hydrogen in low-activation martensitic stainless steel – effect of irradiation, F. Schliefer, C. Liu and P. Jung 283–287 (2000) 540
- Room and high-temperature mechanical and thermal properties of SiC fiber-reinforced SiC composite sintered under pressure, K. Yoshida and T. Yano 283–287 (2000) 560
- High-performance SiC/SiC composites by improved PIP processing with new precursor polymers, A. Kohyama, M. Kotani, Y. Katoh, T. Nakayasu, M. Sato, T. Yamamura and K. Okamura 283–287 (2000) 565
- Time-dependent failure mechanisms in silicon carbide composites for fusion energy applications, C.A. Lewinsohn, G.E. Youngblood, C.H. Henager Jr., E.P. Simonen and R.H. Jones 283–287 (2000) 584
- Characterization of non-magnetic Mn–Cr steel as a low induced activation material for vacuum vessels, S. Saito, K. Fukaya, S. Ishiyama, M. Eto, I. Sato, M. Kusuhashi, T. Hatakeyama, H. Takahashi and M. Kikuchi 283–287 (2000) 593
- Thermomechanical characteristics of the low activation materials chromium and Cr-5Fe-1Y₂O₃ alloy, H. Stamm, U. Holzwarth, F. Lakes-tani, R. Valiev, V. Provenzano and A. Volcan 283–287 (2000) 597
- Performance of V–4Cr–4Ti alloy exposed to the JFT-2M tokamak environment, W.R. Johnson, P.W. Trester, S. Sengoku, S. Ishiyama,

- K. Fukaya, M. Eto, T. Oda, Y. Hirohata, T. Hino and H. Tsai 283–287 (2000) 622
- Development of an oxide dispersion strengthened, reduced-activation steel for fusion energy, G.R. Romanoski, L.L. Snead, R.L. Klueh and D.T. Hoelzer 283–287 (2000) 642
- Material science and manufacturing of heat-resistant reduced-activation ferritic–martensitic steels for fusion, A.G. Ioltukhovskiy, A.I. Blokhin, N.I. Budylnin, V.M. Chernov, M.V. Leont'eva-Smirnova, E.G. Mironova, E.A. Medvedeva, M.I. Solonin, S.I. Porollo and L.P. Zavyalsky 283–287 (2000) 652
- Mechanical properties of 8Cr–2WVTa steel aged for 30 000 h, M. Tamura, K. Shinozuka, H. Esaka, S. Sugimoto, K. Ishizawa and K. Masamura 283–287 (2000) 667
- Effect of thermal aging on the microstructure and mechanical properties of 7–11 CrW steels, Y. de Carlan, A. Alamo, M.H. Mathon, G. Geoffroy and A. Castaing 283–287 (2000) 672
- Low cycle fatigue properties of a low activation ferritic steel (JLF-1) at room temperature, A. Nishimura, T. Nagasaka, N. Inoue, T. Muroga and C. Namba 283–287 (2000) 677
- Ripple reduction and surface coating tests with ferritic steel on JFT-2M, K. Tsuzuki, M. Sato, H. Kawashima, Y. Miura, H. Kimura, T. Abe, K. Uehara, T. Ogawa, T. Akiyama, T. Shibata, M. Yamamoto and T. Koike 283–287 (2000) 681
- Phenomenological aspects of fatigue cracking in as-received and hardened F82H modified steel exposed to lithiated water with dissolved hydrogen at 240°C, M.-F. Maday 283–287 (2000) 689
- Tube manufacturing and characterization of oxide dispersion strengthened ferritic steels, S. Ukai, S. Mizuta, T. Yoshitake, T. Okuda, M. Fujiwara, S. Hagi and T. Kobayashi 283–287 (2000) 702
- Tensile and impact behavior of the reduced-activation steels OPTIFER and F82H mod, L. Schäfer 283–287 (2000) 707
- Constitutive behavior and fracture toughness properties of the F82H ferritic/martensitic steel, P. Spätig, G.R. Odette, E. Donahue and G.E. Lucas 283–287 (2000) 721
- The mechanical properties and microstructure of the OPTIMAX series of low activation ferritic–martensitic steels, N. Baluc, R. Schäublin, C. Bailat, F. Paschoud and M. Victoria 283–287 (2000) 731
- Recovery and recrystallization behavior of vanadium at various controlled nitrogen and oxygen levels, T. Nagasaka, H. Takahashi, T. Muroga, T. Tanabe and H. Matsui 283–287 (2000) 816
- Annealing behavior of irradiation hardening and microstructure in helium-implanted reduced activation martensitic steel, A. Kimura, R. Kasada, R. Sugano, A. Hasegawa and H. Matsui 283–287 (2000) 827
- Fatigue behavior and development of microcracks in F82H after helium implantation at 200°C, J. Bertsch, S. Meyer and A. Möslang 283–287 (2000) 832
- Permeation of hydrogen through vanadium under helium ion irradiation, Y. Hatano, Y. Nanjo, R. Hayakawa and K. Watanabe 283–287 (2000) 868
- Effect of specimen size on fatigue properties of reduced activation ferritic/martensitic steels, T. Hirose, H. Sakasegawa, A. Kohyama, Y. Katoh and H. Tanigawa 283–287 (2000) 1018
- Characterization of low-activation ferritic steel (JLF-1) weld joint by simulated heat-treatments, N. Inoue, T. Muroga, A. Nishimura, T. Nagasaka, O. Motojima, S. Uchida, H. Yabe, K. Oguri, Y. Nishi, Y. Katoh and A. Kohyama 283–287 (2000) 1187
- Effects of thermal aging on the mechanical behavior of F82H weldments, A. Alamo, A. Castaing, A. Fontes and P. Wident 283–287 (2000) 1192
- Post-irradiation mechanical tests on F82H EB and TIG welds, J. Rensman, E.V. van Osch, M.G. Horsten and D.S. d'Hulst 283–287 (2000) 1201
- Joining of silicon carbide composites for fusion energy applications, C.A. Lewinsohn, M. Singh, T. Shibayama, T. Hinoki, M. Ando, Y. Katoh and A. Kohyama 283–287 (2000) 1258
- Microstructure and mechanical properties of low-activation glass-ceramic joining and coating for SiC/SiC composites, Y. Katoh, M. Kotani, A. Kohyama, M. Montorsi, M. Salvo and M. Ferraris 283–287 (2000) 1262
- The hydrogen permeation behaviour of aluminised coated martensitic steels under gaseous hydrogen, liquid Pb–17Li/hydrogen and cyclic tensile load, T. Sample, A. Perujo, H. Kolbe and B. Mancinelli 283–287 (2000) 1272
- Oxidation and hardness profile of V–Ti–Cr–Si–Al–Y alloys, M. Fuji-

- wara, M. Satou, A. Hasegawa and K. Abe 283–287 (2000) 1311
- Liquid metal embrittlement (LME) susceptibility of the 8–9% Cr martensitic steels F82H-mod., OPTIFER IVb and their simulated welded structures in liquid Pb–17Li, T. Sample and H. Kolbe 283–287 (2000) 1336
- Measurement and analysis of radioactivity induced in steels and a vanadium alloy by 14-MeV neutrons, D. Richter, R.A. Forrest, H. Freiesleben, Va.D. Kovalchuk, Vi.D. Kovalchuk, D.V. Markovskij, K. Seidel, V.I. Tereshkin and S. Unholzer 283–287 (2000) 1434
- Compositional optimisation of silicon carbide for various fusion blanket designs, C.B.A. Forty 283–287 (2000) 1443
- Experimental study on beryllium-7 production via sequential reactions in lithium-containing compounds irradiated by 14 MeV neutrons, F. Maekawa, Y.M. Verzilov, D.L. Smith and Y. Ikeda 283–287 (2000) 1448
- Present status and future prospect of the Russian program for fusion low-activation materials, M.I. Solonin, V.M. Chernov, V.A. Gorokhov, A.G. Ioltukhovskiy, A.K. Shikov and A.I. Blokhin 283–287 (2000) 1468
- Waste management for different fusion reactor designs, P. Rocco and M. Zucchetti 283–287 (2000) 1473
- Mathematical and Computational Methods**
- Correlation of simulated TEM images with irradiation induced damage, R. Schäublin, P. de Almeida, A. Almazouzi and M. Victoria 283–287 (2000) 205
- Development of vacancy clusters in neutron-irradiated copper at high temperature, Y. Shimomura and I. Mukouda 283–287 (2000) 249
- Computer simulations of the effects of temperature change on defect accumulation in copper during neutron irradiation, Q. Xu, H.L. Heinisch and T. Yoshiie 283–287 (2000) 297
- Simulating the influence of radiation temperature variations on microstructural evolution, Y. Katoh, R.E. Stoller, A. Kohyama and T. Muroga 283–287 (2000) 313
- Irradiation creep at 60°C in SUS 316 and its impact on fatigue fracture, J. Nagakawa, Y. Murase, N. Yamamoto and T. Fukuzawa 283–287 (2000) 391
- New evaluation method of crack growth in SiC/SiC composites using interface elements, H. Se-
rizawa, M. Ando, C.A. Lewinsohn and H. Murakawa 283–287 (2000) 579
- Statistical analysis of a library of molecular dynamics cascade simulations in iron at 100 K, R.E. Stoller and A.F. Calder 283–287 (2000) 746
- A molecular dynamics simulation study of small cluster formation and migration in metals, K. Morishita, T. Diaz de la Rubia, E. Alonso, N. Sekimura and N. Yoshida 283–287 (2000) 753
- Interstitial cluster motion in displacement cascades, N.V. Doan 283–287 (2000) 763
- Atomistic simulation of stacking fault tetrahedra formation in Cu, B.D. Wirth, V. Bulatov and T. Diaz de la Rubia 283–287 (2000) 773
- Molecular dynamics simulation of defect production in irradiated β -SiC, L. Malerba, J.M. Perlado, A. Sánchez-Rubio, I. Pastor, L. Colombo and T. Diaz de la Rubia 283–287 (2000) 794
- Positron lifetime calculation for defects and defect clusters in graphite, T. Onitsuka, H. Ohkubo, M. Takenaka, N. Tsukuda and E. Kuramoto 283–287 (2000) 922
- Sputtering studies of beryllium with helium and deuterium using molecular dynamics approach, S. Ueda, T. Ohsaka and S. Kuwajima 283–287 (2000) 1100
- Simulation study of carbon and tungsten deposition on W/C twin test limiter in TEXTOR-94, K. Ohya, R. Kawakami, T. Tanabe, M. Wada, T. Ohgo, V. Philipps, A. Pospieszczyk, B. Schweer, A. Huber, M. Rubel, J. von Seggern and N. Noda 283–287 (2000) 1182
- Mechanical Properties (not listed elsewhere)**
- Evaluation of hot isostatic pressing for joining of fusion reactor structural components, A.D. Ivanov, S. Sato and G. Le Marois 283–287 (2000) 35
- Progress and critical issues of reduced activation ferritic/martensitic steel development, B. van der Schaaf, D.S. Gelles, S. Jitsukawa, A. Kimura, R.L. Klueh, A. Möslang and G.R. Odette 283–287 (2000) 52
- A cleavage toughness master curve model, G.R. Odette and M.Y. He 283–287 (2000) 120
- Correlation between defect structures and hardness in tantalum irradiated by heavy ions, K. Yasunaga, H. Watanabe, N. Yoshida, T. Muroga and N. Noda 283–287 (2000) 179
- Mechanical behavior of reduced-activation and conventional martensitic steels after neutron irradiation in

- the range 250–450°C, A. Alamo, M. Horsten, X. Averty, E.I. Materna-Morris, M. Rieth and J.C. Brachet 283–287 (2000) 353
- Tensile properties and damage microstructures in ORR/HFIR-irradiated austenitic stainless steels, E. Wakai, N. Hashimoto, J.P. Robertson, S. Jistukawa, T. Sawai and A. Hishinuma 283–287 (2000) 435
- The effects of irradiation and testing temperature on tensile behaviour of stainless steels, C. Bailat, A. Almazouzi, N. Baluc, R. Schäublin, F. Gröschel and M. Victoria 283–287 (2000) 446
- Mechanical properties of hot isostatic pressed type 316LN steel after irradiation, A. Lind and U. Bergenlid 283–287 (2000) 451
- Effect of heat treatment and irradiation temperature on mechanical properties and structure of reduced-activation Cr–W–V steels of bainitic, martensitic, and martensitic–ferritic classes, I.V. Gorynin, V.V. Rybin, I.P. Kursevich, A.N. Lapin, E.V. Nesterova and E.Yu. Klepikov 283–287 (2000) 465
- Effects of helium implantation on hardness of pure iron and a reduced activation ferritic–martensitic steel, H. Tanigawa, S. Jitsukawa, A. Hishinuma, M. Ando, Y. Katoh, A. Kohyama and T. Iwai 283–287 (2000) 470
- Tensile properties and microstructure of 590 MeV proton-irradiated pure Fe and a Fe–Cr alloy, M.I. Luppó, C. Bailat, R. Schäublin and M. Victoria 283–287 (2000) 483
- Mechanical properties and microstructure in low-activation martensitic steels F82H and Optimax after 800-MeV proton irradiation, Y. Dai, S.A. Maloy, G.S. Bauer and W.F. Sommer 283–287 (2000) 513
- Room and high-temperature mechanical and thermal properties of SiC fiber-reinforced SiC composite sintered under pressure, K. Yoshida and T. Yano 283–287 (2000) 560
- Mechanical and thermal properties of 2D and 3D SiC/SiC composites, R. Yamada, T. Taguchi and N. Igawa 283–287 (2000) 574
- Characterization of non-magnetic Mn–Cr steel as a low induced activation material for vacuum vessels, S. Saito, K. Fukaya, S. Ishiyama, M. Eto, I. Sato, M. Kusuhashi, T. Hatakeyama, H. Takahashi and M. Kikuchi 283–287 (2000) 593
- Thermomechanical characteristics of the low activation materials chromium and Cr-5Fe-1Y₂O₃ alloy, H. Stamm, U. Holzwarth, F. Lakes-tani, R. Valiev, V. Provenzano and A. Volcan 283–287 (2000) 597
- Performance of V–4Cr–4Ti alloy exposed to the JFT-2M tokamak environment, W.R. Johnson, P.W. Trester, S. Sengoku, S. Ishiyama, K. Fukaya, M. Eto, T. Oda, Y. Hirohata, T. Hino and H. Tsai 283–287 (2000) 622
- Tensile and impact properties of V–4Cr–4Ti alloy heats 832665 and 832864, T.S. Bray, H. Tsai, L.J. Nowicki, M.C. Billone, D.L. Smith, W.R. Johnson and P.W. Trester 283–287 (2000) 633
- A physically based constitutive model for a V–4Cr–4Ti alloy, E.G. Donahue, G.R. Odette and G.E. Lucas 283–287 (2000) 637
- Chemical segregation behavior under thermal aging of the low-activation F82H-modified steel, J. Lapeña, M. Garcia-Mazario, P. Fernández and A.M. Lancha 283–287 (2000) 662
- Mechanical properties of 8Cr–2WVTa steel aged for 30 000 h, M. Tamura, K. Shinozuka, H. Esaka, S. Sugimoto, K. Ishizawa and K. Masamura 283–287 (2000) 667
- A potential new ferritic/martensitic steel for fusion applications, R.L. Klueh, N. Hashimoto, R.F. Buck and M.A. Sokolov 283–287 (2000) 697
- Tube manufacturing and characterization of oxide dispersion strengthened ferritic steels, S. Ukai, S. Mizuta, T. Yoshitake, T. Okuda, M. Fujiwara, S. Hagi and T. Kobayashi 283–287 (2000) 702
- Tensile and impact behavior of the reduced-activation steels OPTIFER and F82H mod, L. Schäfer 283–287 (2000) 707
- Constitutive behavior and fracture toughness properties of the F82H ferritic/martensitic steel, P. Spätig, G.R. Odette, E. Donahue and G.E. Lucas 283–287 (2000) 721
- The mechanical properties and microstructure of the OPTIMAX series of low activation ferritic–martensitic steels, N. Baluc, R. Schäublin, C. Bailat, F. Paschoud and M. Victoria 283–287 (2000) 731
- 3D dislocation dynamics study of plastic instability in irradiated copper, L.Z. Sun, N.M. Ghoniem, S.-H. Tong and B.N. Singh 283–287 (2000) 741
- Study of loop–loop and loop–edge dislocation interactions in bcc iron, Yu.N. Osetsky, D.J. Bacon, F. Gao, A. Serra and B.N. Singh 283–287 (2000) 784
- Effects of oxygen and hydrogen at low pressure on the mechanical prop-

- erties of V–Cr–Ti alloys, J.R. DiStefano, B.A. Pint, J.H. DeVan, H.D. Röhrig and L.D. Chitwood 283–287 (2000) 841
- The effect of electrical hydrogen charging on the strength of 316 stainless steel, S. Sugiyama, H. Ohkubo, M. Takenaka, K. Ohsawa, M.I. Ansari, N. Tsukuda and E. Kuramoto 283–287 (2000) 863
- Effect of hydrogen accumulation on mechanical property and microstructure of V–Cr–Ti alloys, K. Aoyagi, E.P. Torres, T. Suda and S. Ohnuki 283–287 (2000) 876
- Neutron irradiation hardening of ODS alloy tested by miniature disk bend test method, C.Q. Chen, J.G. Sun and Y.C. Xu 283–287 (2000) 1011
- Specimen size effects on the tensile properties of JPCA and JFMS, Y. Kohno, A. Kohyama, M.L. Hamilton, T. Hirose, Y. Katoh and F.A. Garner 283–287 (2000) 1014
- Effects of plasma disruption events on ITER first wall materials, A. Cardella, H. Gorenflo, A. Lodato, K. Ioki and R. Raffray 283–287 (2000) 1105
- Characterization of low-activation ferritic steel (JLF-1) weld joint by simulated heat-treatments, N. Inoue, T. Muroga, A. Nishimura, T. Nagasaka, O. Motojima, S. Uchida, H. Yabe, K. Oguri, Y. Nishi, Y. Katoh and A. Kohyama 283–287 (2000) 1187
- Effects of thermal aging on the mechanical behavior of F82H weldments, A. Alamo, A. Castaing, A. Fontes and P. Wident 283–287 (2000) 1192
- Re-weldability tests of irradiated austenitic stainless steel by a TIG welding method, K. Tsuchiya, H. Kawamura and G. Kalinin 283–287 (2000) 1210
- Furnace brazing type 304 stainless steel to vanadium alloy (V–5Cr–5Ti), R.V. Steward, M.L. Grossbeck, B.A. Chin, H.A. Aglan and Y. Gan 283–287 (2000) 1224
- Oxidation and hardness profile of V–Ti–Cr–Si–Al–Y alloys, M. Fujiwara, M. Satou, A. Hasegawa and K. Abe 283–287 (2000) 1311
- Performance of V–Cr–Ti alloys in a hydrogen environment, K. Natesan and W.K. Soppet 283–287 (2000) 1316
- Behaviour of Li_2ZrO_3 and Li_2TiO_3 pebbles relevant to their utilization as ceramic breeder for the HCPB blanket, J.D. Lulewicz, N. Roux, G. Piazza, J. Reimann and J. van der Laan 283–287 (2000) 1361
- Metals, Alloys and Compounds (not listed elsewhere)**
- Advances in fusion technology, C.C. Baker 283–287 (2000) 1
- Progress in modelling the microstructural evolution in metals under cascade damage conditions, H. Trinkaus, B.N. Singh and S.I. Golubov 283–287 (2000) 89
- Microstructure and Texture (excludes by Irradiation)**
- Evaluation of hot isostatic pressing for joining of fusion reactor structural components, A.D. Ivanov, S. Sato and G. Le Marois 283–287 (2000) 35
- Progress and critical issues of reduced activation ferritic/martensitic steel development, B. van der Schaaf, D.S. Gelles, S. Jitsukawa, A. Kimura, R.L. Klueh, A. Möslang and G.R. Odette 283–287 (2000) 52
- Role of α_2/γ and γ/γ' phase boundaries in cavity formation in a TiAl intermetallic compound irradiated with He-ions, K. Nakata, K. Fukai, A. Hishinuma and K. Ameyama 283–287 (2000) 278
- Microstructural examination of V–(3–6%)Cr–(3–5%)Ti irradiated in the ATR-A1 experiment, D.S. Gelles 283–287 (2000) 344
- Tensile properties and damage microstructures in ORR/HFIR-irradiated austenitic stainless steels, E. Wakai, N. Hashimoto, J.P. Robertson, S. Jitsukawa, T. Sawai and A. Hishinuma 283–287 (2000) 435
- Effects of helium implantation on hardness of pure iron and a reduced activation ferritic–martensitic steel, H. Tanigawa, S. Jitsukawa, A. Hishinuma, M. Ando, Y. Katoh, A. Kohyama and T. Iwai 283–287 (2000) 470
- Mechanical behavior and microstructural evolution of vanadium alloys irradiated in ATR-A1, K.-i. Fukumoto, H. Matsui, H. Tsai and D.L. Smith 283–287 (2000) 492
- Radiation-induced precipitation in V–(Cr,Fe)–Ti alloys irradiated at low temperature with low dose during neutron or ion irradiation, K.-i. Fukumoto, H. Matsui, Y. Candra, K. Takahashi, H. Sasanuma, S. Nagata and K. Takahiro 283–287 (2000) 535
- Microstructure control to improve mechanical properties of vanadium alloys for fusion applications, T. Kuwabara, H. Kurishita and M. Hasegawa 283–287 (2000) 611
- Microstructure of welded and thermal-aged low activation steel F82H

- IEA heat, T. Sawai, K. Shiba and A. Hishinuma 283–287 (2000) 657
- Chemical segregation behavior under thermal aging of the low-activation F82H-modified steel, J. Lapeña, M. Garcia-Mazario, P. Fernández and A.M. Lancha 283–287 (2000) 662
- Mechanical properties of 8Cr–2WVTa steel aged for 30 000 h, M. Tamura, K. Shinozuka, H. Esaka, S. Sugimoto, K. Ishizawa and K. Masamura 283–287 (2000) 667
- Phenomenological aspects of fatigue cracking in as-received and hardened F82H modified steel exposed to lithiated water with dissolved hydrogen at 240°C, M.-F. Maday 283–287 (2000) 689
- A potential new ferritic/martensitic steel for fusion applications, R.L. Klueh, N. Hashimoto, R.F. Buck and M.A. Sokolov 283–287 (2000) 697
- Effect of hydrogen accumulation on mechanical property and microstructure of V–Cr–Ti alloys, K. Aoyagi, E.P. Torres, T. Suda and S. Ohnuki 283–287 (2000) 876
- Structure of materials deposited on the plasma facing surface in TRIAM-1M tokamak and the effect on hydrogen recycling, T. Hirai, T. Fujiwara, K. Tokunaga, N. Yoshida, A. Komori, O. Motojima, S. Itoh and TRIAM group 283–287 (2000) 1177
- A microstructural study of the oxide scale formation on ODS Fe–13Cr steel, D.T. Hoelzer, B.A. Pint and I.G. Wright 283–287 (2000) 1306
- Behaviour of Li_2ZrO_3 and Li_2TiO_3 pebbles relevant to their utilization as ceramic breeder for the HCPB blanket, J.D. Lulewicz, N. Roux, G. Piazza, J. Reimann and J. van der Laan 283–287 (2000) 1361
- Moderator and Reflector Materials**
- Multiplier, moderator, and reflector materials for advanced lithium–vanadium fusion blankets, Y. Gohar and D.L. Smith 283–287 (2000) 1370
- Molybdenum, Molybdenum Alloys and Compounds**
- Analysis of tensile and fracture toughness results on irradiated molybdenum alloys, TZM and Mo–5%Re, M. Scibetta, R. Chaouadi and J.L. Puzzolante 283–287 (2000) 455
- Deuterium retention in tungsten and molybdenum, S. Nagata and K. Takahiro 283–287 (2000) 1038
- TEM study on deuterium-irradiation-induced defects in tungsten and molybdenum, T. Matsui, S. Muto and T. Tanabe 283–287 (2000) 1139
- Structure of materials deposited on the plasma facing surface in TRIAM-1M tokamak and the effect on hydrogen recycling, T. Hirai, T. Fujiwara, K. Tokunaga, N. Yoshida, A. Komori, O. Motojima, S. Itoh and TRIAM group 283–287 (2000) 1177
- Refractory metal joining for first wall applications, C.H. Cadden and B.C. Odegard Jr. 283–287 (2000) 1253
- Oxidation and volatilization of TZM alloy in air, G.R. Smolik, D.A. Petti and S.T. Schuetz 283–287 (2000) 1458
- Neutron Irradiation**
- Interactions between fusion materials R&D and other technologies, A. Kohyama, M. Seki, K. Abe, T. Muroga, H. Matsui, S. Jitsukawa and S. Matsuda 283–287 (2000) 20
- Progress in modelling the microstructural evolution in metals under cascade damage conditions, H. Trinkaus, B.N. Singh and S.I. Golubov 283–287 (2000) 89
- Radiation-induced inter-granular segregation in first wall fusion reactor materials, R.G. Faulkner, S. Song and P.E.J. Flewitt 283–287 (2000) 147
- Influence of cold work to increase swelling of pure iron irradiated in the BR-10 reactor to ~ 6 and ~ 25 dpa at $\sim 400^\circ\text{C}$, A.M. Dvoriashin, S.I. Porollo, Yu.V. Konobeev and F.A. Garner 283–287 (2000) 157
- Compositional and temperature dependence of void swelling in model Fe–Cr base alloys irradiated in the EBR-II fast reactor, B.H. Sencer and F.A. Garner 283–287 (2000) 164
- Effect of temperature gradients on void formation in modified 316 stainless steel cladding, N. Akasaka, I. Yamagata and S. Ukai 283–287 (2000) 169
- Recovery of electrical resistivity of high-purity iron irradiated with 30 MeV electrons at 77 K, H. Abe and E. Kuramoto 283–287 (2000) 174
- Modeling of microstructure evolution and mechanical property change of reduced-activation martensitic steel during varying-temperature irradiation, R. Kasada and A. Kimura 283–287 (2000) 188
- Influence of neutron irradiation on CuNiCrSi alloy pre-implanted with helium, A.V. Kozlov, M.V. Chernetsov, S.A. Averin, V.Ya. Abramov, A.D. Ivanov, Yu.S. Strebkov and V.F. Reutov 283–287 (2000) 193
- Void swelling and irradiation creep of two high-nickel steels after irra-

- diation at 400–410°C to 84–91 dpa in the BN-350 fast reactor, S.I. Porollo, A.M. Dvoriashin, A.N. Vorobjev, Yu.V. Konobeev, V.M. Krigan, E.G. Mironova, N.I. Budylnkin and F.A. Garner 283–287 (2000) 239
- Development of vacancy clusters in neutron-irradiated copper at high temperature, Y. Shimomura and I. Mukouda 283–287 (2000) 249
- Microstructures in Ti–Al intermetallic compounds irradiated at 673 K in HFIR, Y. Miwa, T. Sawai, K. Fukai, D.T. Hoelzer and A. Hishinuma 283–287 (2000) 273
- Defect structures introduced in iron under varying temperature neutron irradiation, M. Horiki, T. Yoshiie, Q. Xu, M. Iseki and M. Kiritani 283–287 (2000) 282
- Microstructure of Cu–Ni alloys neutron irradiated at 210°C and 420°C to 14 dpa, S.J. Zinkle and B.N. Singh 283–287 (2000) 306
- Simulating the influence of radiation temperature variations on microstructural evolution, Y. Katoh, R.E. Stoller, A. Kohyama and T. Muroga 283–287 (2000) 313
- Swelling of F82H irradiated at 673 K up to 51 dpa in HFIR, Y. Miwa, E. Wakai, K. Shiba, N. Hashimoto, J.P. Robertson, A.F. Rowcliffe and A. Hishinuma 283–287 (2000) 334
- Differences in the microstructure of the F82H ferritic/martensitic steel after proton and neutron irradiation, R. Schäublin and M. Victoria 283–287 (2000) 339
- Microstructural examination of V–(3–6%)Cr–(3–5%)Ti irradiated in the ATR-A1 experiment, D.S. Gelles 283–287 (2000) 344
- Tensile behavior of F82H with and without spectral tailoring, K. Shiba, R.L. Klueh, Y. Miwa, J.P. Robertson and A. Hishinuma 283–287 (2000) 358
- Effects of low-temperature neutron irradiation on mechanical properties of vanadium-base alloys, H. Tsai, T.S. Bray, H. Matsui, M.L. Grossbeck, K. Fukumoto, J. Gazda, M.C. Billone and D.L. Smith 283–287 (2000) 362
- Improvement in post-irradiation ductility of neutron irradiated V–Ti–Cr–Si–Al–Y alloy and the role of interstitial impurities, M. Satou, T. Chuto and K. Abe 283–287 (2000) 367
- The effect of neutron-irradiation on the shear properties of SiC/SiC composites with varied interface, T. Hinoki, L.L. Snead, Y. Katoh, A. Kohyama and R. Shinavski 283–287 (2000) 376
- Swelling, irradiation creep and growth of pure rhenium irradiated with fast neutrons at 1030–1330°C, F.A. Garner, M.B. Toloczko, L.R. Greenwood, C.R. Eiholzer, M.M. Paxton and R.J. Puigh 283–287 (2000) 380
- In-pile and post-irradiation creep of type 304 stainless steel under different neutron spectra, Y. Kurata, Y. Itabashi, H. Mimura, T. Kikuchi, H. Amezawa, S. Shimakawa, H. Tsuji and M. Shindo 283–287 (2000) 386
- Effect of neutron dose and irradiation temperature on the mechanical properties and structure of dispersion strengthened copper alloys, A.S. Pokrovsky, S.A. Fabritsiev, D.J. Edwards, S.J. Zinkle and A.F. Rowcliffe 283–287 (2000) 404
- Shear punch and tensile measurements of mechanical property changes induced in various austenitic alloys by high-energy mixed proton and neutron irradiation at low temperatures, M.L. Hamilton, F.A. Garner, M.B. Toloczko, S.A. Maloy, W.F. Sommer, M.R. James, P.D. Ferguson and M.R. Louthan Jr. 283–287 (2000) 418
- Tensile and low-cycle fatigue properties of solution annealed type 316L stainless steel plate and TIG-weld exposed to 5 dpa at low-temperature (42°C), J.-L. Puzzolante, M. Scibetta, R. Chaouadi and W. Vandermeulen 283–287 (2000) 428
- Tensile properties and damage microstructures in ORR/HFIR-irradiated austenitic stainless steels, E. Wakai, N. Hashimoto, J.P. Robertson, S. Jistukawa, T. Sawai and A. Hishinuma 283–287 (2000) 435
- Mechanical properties of hot isostatic pressed type 316LN steel after irradiation, A. Lind and U. Bergenglid 283–287 (2000) 451
- Thermal fatigue crack nucleation in ferritic–martensitic steels before and after neutron irradiation, L.A. Belyaeva, A.A. Zisman, C. Petersen, V.A. Potapova and V.V. Rybin 283–287 (2000) 461
- Effect of heat treatment and irradiation temperature on mechanical properties and structure of reduced-activation Cr–W–V steels of bainitic, martensitic, and martensitic–ferritic classes, I.V. Gorynin, V.V. Rybin, I.P. Kursevich, A.N. Lapin, E.V. Nesterova and E.Yu. Klepikov 283–287 (2000) 465
- Effect of low temperature irradiation on the mechanical properties of ternary V–Cr–Ti alloys as determined by tensile tests and shear

- punch tests, M.L. Hamilton and M.B. Toloczko 283–287 (2000) 488
- Mechanical behavior and microstructural evolution of vanadium alloys irradiated in ATR-A1, K.-i. Fukumoto, H. Matsui, H. Tsai and D.L. Smith 283–287 (2000) 492
- V-alloy embrittlement by irradiation in a cooling gas environment, H.D. Röhrig, M. Rieth, B. Dafferner and E. Materna-Morris 283–287 (2000) 498
- Defect microstructure and deformation behavior of V–Ti–Cr–Si–Al–Y alloy irradiated in ATR, T. Chuto, M. Satou and K. Abe 283–287 (2000) 503
- Effect of high-dose neutron irradiation on the mechanical properties and structure of copper alloys and Cu/SS joints for ITER applications, S.A. Fabritsiev, A.S. Pokrovsky, D.J. Edwards, S.J. Zinkle and A.F. Rowcliffe 283–287 (2000) 523
- Deformation mechanisms in 316 stainless steel irradiated at 60°C and 330°C, N. Hashimoto, S.J. Zinkle, A.F. Rowcliffe, J.P. Robertson and S. Jitsukawa 283–287 (2000) 528
- Radiation-induced precipitation in V–(Cr,Fe)–Ti alloys irradiated at low temperature with low dose during neutron or ion irradiation, K.-i. Fukumoto, H. Matsui, Y. Candra, K. Takahashi, H. Sasanuma, S. Nagata and K. Takahiro 283–287 (2000) 535
- In situ thermal conductivity measurement of ceramics in a fast neutron environment, L.L. Snead, R. Yamada, K. Noda, Y. Katoh, S.J. Zinkle, W.S. Eatherly and A.L. Qualls 283–287 (2000) 545
- Evaluation of neutron irradiated near-stoichiometric silicon carbide fiber composites, L.L. Snead, Y. Katoh, A. Kohyama, J.L. Bailey, N.L. Vaughn and R.A. Lowden 283–287 (2000) 551
- Neutron wall loading of Tokamak reactors, C.P.C. Wong 283–287 (2000) 588
- Material science and manufacturing of heat-resistant reduced-activation ferritic–martensitic steels for fusion, A.G. Ioltukhovskiy, A.I. Blokhin, N.I. Budylnin, V.M. Chernov, M.V. Leont'eva-Smirnova, E.G. Mironova, E.A. Medvedeva, M.I. Solonin, S.I. Porollo and L.P. Zavyalsky 283–287 (2000) 652
- Features of radiation damage of vanadium and its alloys at a temperature of 330–340°C, V.A. Kazakov, Z. Ostrovsky, Yu. Goncharenko and V. Chakin 283–287 (2000) 727
- On quantification of helium embrittlement in ferritic/martensitic steels, D.S. Gelles 283–287 (2000) 838
- Hydrogen-irradiated steel interaction during alternating hydrogenation and annealing, E.A. Krasikov and A.D. Amajev 283–287 (2000) 846
- Study on the damaging process of silica by in-reactor luminescence, T. Ii, T. Yoshida, T. Tanabe, T. Hara, M. Okada and K. Yamaguchi 283–287 (2000) 898
- Radiation-induced conductivity of doped silicon in response to photon, proton and neutron irradiation, N. Kishimoto, H. Amekura, O.A. Plaksin and V.A. Stepanov 283–287 (2000) 907
- Thermal stability and kinetics of defects in magnesium aluminate spinel irradiated with fast neutrons, K. Yasuda, C. Kinoshita, K. Fukuda and F.A. Garner 283–287 (2000) 937
- Neutron irradiation damage in aluminum oxide and nitride ceramics up to a fluence of 4.2×10^{26} n/m², T. Yano, K. Ichikawa, M. Akiyoshi and Y. Tachi 283–287 (2000) 947
- Status of international collaborative efforts on selected ITER materials, V.A. Belyakov, S.A. Fabritsiev, I.V. Mazul and A.F. Rowcliffe 283–287 (2000) 962
- Irradiation-coupling techniques using JMTR and another facility, Y. Matsui, Y. Itahashi, M. Shimizu and H. Tsuji 283–287 (2000) 997
- Neutron irradiation hardening of ODS alloy tested by miniature disk bend test method, C.Q. Chen, J.G. Sun and Y.C. Xu 283–287 (2000) 1011
- Specimen size effects on the tensile properties of JPCA and JFMS, Y. Kohno, A. Kohyama, M.L. Hamilton, T. Hirose, Y. Katoh and F.A. Garner 283–287 (2000) 1014
- Development of a small specimen test machine to evaluate irradiation embrittlement of fusion reactor materials, T. Ishii, M. Ohmi, J. Saito, T. Hoshiya, N. Ooka, S. Jitsukawa and M. Eto 283–287 (2000) 1023
- Microstructural development of neutron irradiated W–Re alloys, Y. Nemoto, A. Hasegawa, M. Satou and K. Abe 283–287 (2000) 1144
- Effect of neutron irradiation on thermal diffusivity of tungsten–rhenium alloys, M. Fujitsuka, B. Tsuchiya, I. Mutoh, T. Tanabe and T. Shikama 283–287 (2000) 1148
- Neutron-irradiation effects on high heat flux components – examination of plasma-facing materials and their joints, M. Rödig, R. Conrad, H. Derz, R. Duwe, J. Linke, A. Lodato, M. Merola, G. Pott, G. Vieider and B. Wiechers 283–287 (2000) 1161

- Effect of ITER components manufacturing cycle on the irradiation behaviour of 316L(N)-IG steel, B.S. Rodchenkov, V.I. Prokhorov, O.Yu. Makarov, V.K. Shamardin, G.M. Kalinin, Yu.S. Strebkov and O.A. Golosov 283–287 (2000) 1166
- Re-weldability tests of irradiated austenitic stainless steel by a TIG welding method, K. Tsuchiya, H. Kawamura and G. Kalinin 283–287 (2000) 1210
- Radiation resistance of weld joints of type 316 stainless steel containing about 10 appm He, S.A. Fabritsiev and A.S. Pokrovsky 283–287 (2000) 1215
- Effect of neutron irradiation on mechanical properties of Cu/SS joints after single and multiple HIP cycles, S. Tähtinen, B.N. Singh and P. Toft 283–287 (2000) 1238
- In-pile tritium-permeation measurements on T91 tubes with double walls or a Fe–Al/Al₂O₃ coating, R. Conrad, K. Bakker, C. Chabrol, M.A. Fütterer, J.G. van der Laan, E. Rigal and M.P. Stijkel 283–287 (2000) 1351
- Effects of helium production and radiation damage on tritium release behavior of neutron-irradiated beryllium pebbles, E. Ishitsuka, H. Kawamura, T. Terai and S. Tanaka 283–287 (2000) 1401
- Improvement of the model for surface process of tritium release from lithium oxide, D. Yamaki, A. Iwamoto and S. Jitsukawa 283–287 (2000) 1414
- Tritium release from neutron-irradiated Li₂O sintered pellets: porosity dependence, T. Tanifuji, D. Yamaki, T. Takahashi and A. Iwamoto 283–287 (2000) 1419
- Measurement and analysis of radioactivity induced in steels and a vanadium alloy by 14-MeV neutrons, D. Richter, R.A. Forrest, H. Freiesleben, Va.D. Kovalchuk, Vi.D. Kovalchuk, D.V. Markovskij, K. Seidel, V.I. Tereshkin and S. Unholzer 283–287 (2000) 1434
- Compositional optimisation of silicon carbide for various fusion blanket designs, C.B.A. Forty 283–287 (2000) 1443
- Material composition and nuclear data libraries' influence on nickel–chromium alloys activation evaluation: a comparison with decay heat experiments, D.G. Cefruga and G. Cambi 283–287 (2000) 1453
- Present status and future prospect of the Russian program for fusion low-activation materials, M.I. Solonin, V.M. Chernov, V.A. Gorokhov, A.G. Ioltukhovskiy, A.K. Shikov and A.I. Blokhin 283–287 (2000) 1468
- Nickel, Nickel Alloys and Compounds**
- The effect of alloying elements on the defect structural evolution in neutron irradiated Ni alloys, T. Yoshiie, Q. Xu, Y. Satoh, H. Ohkubo and M. Kiritani 283–287 (2000) 229
- Void swelling and irradiation creep of two high-nickel steels after irradiation at 400–410°C to 84–91 dpa in the BN-350 fast reactor, S.I. Porollo, A.M. Dvoriashin, A.N. Vorobjev, Yu.V. Konobeev, V.M. Krigan, E.G. Mironova, N.I. Budylnkin and F.A. Garner 283–287 (2000) 239
- Radiation-induced segregation in model alloys, T. Ezawa, E. Wakai and R. Oshima 283–287 (2000) 244
- Computer simulation of defects interacting with a dislocation in Fe and Ni, E. Kuramoto, K. Ohsawa and T. Tsutsumi 283–287 (2000) 778
- Positron-lifetime study of electrically hydrogen charged Ni, austenitic stainless steel and Fe, H. Ohkubo, S. Sugiyama, K. Fukuzato, M. Takenaka, N. Tsukuda and E. Kuramoto 283–287 (2000) 858
- High-sensitivity quadrupole mass spectrometry system for the determination of hydrogen in irradiated materials, B.M. Oliver, F.A. Garner, L.R. Greenwood and J.A. Abrefah 283–287 (2000) 1006
- The oxidation kinetics of Incoloy 800 and its deuterium permeation behavior, A. Perujo, J. Reimann, H. Feuerstein and B. Mancinelli 283–287 (2000) 1292
- Material composition and nuclear data libraries' influence on nickel–chromium alloys activation evaluation: a comparison with decay heat experiments, D.G. Cefruga and G. Cambi 283–287 (2000) 1453
- Niobium, Niobium Alloys and Compounds**
- Synergistic effect of hydrogen and impurity segregations on the grain boundary embrittlement in Nb, A.M. Ilyin, V.P. Shestakov and I.L. Tazhibaeva 283–287 (2000) 161
- Russian superconducting materials for magnet systems of fusion reactors, A. Shikov, A. Nikulin, V. Pantyrnyi, A. Vorobieva, G. Vedernikov, A. Silaev, E. Dergunova, S. Soudiev and I. Akimov 283–287 (2000) 968

- Effects of thin films on inventory, permeation and re-emission of energetic hydrogen, N. Ohyabu, Y. Nakamura, Y. Nakahara, A. Livshits, V. Alimov, A. Busnyuk, M. Notkin, A. Samartsev and A. Doroshin 283–287 (2000) 1297
- Nuclear Properties**
- Experimental study on beryllium-7 production via sequential reactions in lithium-containing compounds irradiated by 14 MeV neutrons, F. Maekawa, Y.M. Verzilov, D.L. Smith and Y. Ikeda 283–287 (2000) 1448
- Optical Microscopy**
- Study on the damaging process of silica by in-reactor luminescence, T. Ii, T. Yoshida, T. Tanabe, T. Hara, M. Okada and K. Yamaguchi 283–287 (2000) 898
- Radiation-induced conductivity of doped silicon in response to photon, proton and neutron irradiation, N. Kishimoto, H. Amekura, O.A. Plaksin and V.A. Stepanov 283–287 (2000) 907
- Permeation**
- Diffusion and permeation of hydrogen in low-activation martensitic stainless steel – effect of irradiation, F. Schliefer, C. Liu and P. Jung 283–287 (2000) 540
- Heavy hydrogen isotopes penetration through austenitic and martensitic steels, Yu. Dolinski, I. Lyasota, A. Shestakov, Yu. Repritsev and Yu. Zouev 283–287 (2000) 854
- Permeation of hydrogen through vanadium under helium ion irradiation, Y. Hatano, Y. Nanjo, R. Hayakawa and K. Watanabe 283–287 (2000) 868
- Hydrogen and deuterium transport and inventory parameters through W and W-alloys for fusion reactor applications, G. Benamati, E. Serra and C.H. Wu 283–287 (2000) 1033
- Tritium permeation experiment using a tungsten armored divertor-simulating module, H. Nakamura, S. O'hira, W. Shu, M. Nishi, T.J. Venhaus, R.A. Causey, D.R. Hyatt and R.S. Willms 283–287 (2000) 1043
- The permeation of tritium through 316L stainless steel with multiple coatings, Z. Yao, J. Hao, C. Zhou, C. Shan and J. Yu 283–287 (2000) 1287
- The oxidation kinetics of Incoloy 800 and its deuterium permeation behavior, A. Perujo, J. Reimann, H. Feuerstein and B. Mancinelli 283–287 (2000) 1292
- Effects of thin films on inventory, permeation and re-emission of energetic hydrogen, N. Ohyabu, Y. Nakamura, Y. Nakahara, A. Livshits, V. Alimov, A. Busnyuk, M. Notkin, A. Samartsev and A. Doroshin 283–287 (2000) 1297
- Scale structure of aluminised MANET steel after HIP treatment, H. Glasbrenner, K. Stein-Fechner and J. Konys 283–287 (2000) 1302
- In-pile tritium-permeation measurements on T91 tubes with double walls or a Fe–Al/Al₂O₃ coating, R. Conrad, K. Bakker, C. Chabrol, M.A. Fütterer, J.G. van der Laan, E. Rigal and M.P. Stijkel 283–287 (2000) 1351
- Phase Transformation (includes Evaporation, Sublimation)**
- Neutron irradiation effects in magnesium-aluminate spinel doped with transition metals, V.T. Gritsyna, I.V. Afanasyev-Charkin, V.A. Kobayakov and K.E. Sickafus 283–287 (2000) 927
- Physical Properties (not listed elsewhere)**
- Impact of irradiation effects on design solutions for ITER diagnostics, S. Yamamoto, T. Shikama, V. Belyakov, E. Farnum, E. Hodgson, T. Nishitani, D. Orlinski, S. Zinkle, S. Kasai, P. Stott, K. Young, V. Zaveriaev, A. Costley, L. deKock, C. Walker and G. Janeschitz 283–287 (2000) 60
- The effect of transmutation and displacement in irradiated copper for heat-sink materials, S. Ishino, A. Kurui, S. Ichikawa, T. Inaba and T. Hasegawa 283–287 (2000) 215
- Solute interactions in pure vanadium and V–4Cr–4Ti alloy, D.T. Hoelzer, M.K. West, S.J. Zinkle and A.F. Rowcliffe 283–287 (2000) 616
- KU1 quartz glass for remote handling and LIDAR diagnostic optical transmission systems, M. García-Matos, A. Moroño and E.R. Hodgson 283–287 (2000) 890
- Radiation effects on laser damage in KU1 quartz glass, P. Martin, A. Moroño and E.R. Hodgson 283–287 (2000) 894
- Russian superconducting materials for magnet systems of fusion reactors, A. Shikov, A. Nikulin, V. Pantsyrnyi, A. Vorobieva, G. Vedernikov, A. Silaev, E. Dergunova, S. Soudiev and I. Akimov 283–287 (2000) 968
- Effect of neutron irradiation on thermal diffusivity of tungsten–rhenium alloys, M. Fujitsuka, B.

- Tsuchiya, I. Mutoh, T. Tanabe and T. Shikama 283–287 (2000) 1148
- Plasma-Materials Interaction**
- Assessment and selection of materials for ITER in-vessel components, G. Kalinin, V. Barabash, A. Cardella, J. Dietz, K. Ioki, R. Matera, R.T. Santoro, R. Tivey and The ITER Home Teams 283–287 (2000) 10
- The status of beryllium technology for fusion, F. Scaffidi-Argentina, G.R. Longhurst, V. Shestakov and H. Kawamura 283–287 (2000) 43
- Critical plasma-wall interaction issues for plasma-facing materials and components in near-term fusion devices, G. Federici, J.P. Coad, A.A. Haasz, G. Janeschitz, N. Noda, V. Philipps, J. Roth, C.H. Skinner, R. Tivey and C.H. Wu 283–287 (2000) 110
- Manufacturing and testing of a prototypical divertor vertical target for ITER, M. Merola, L. Plöchl, Ph. Chappuis, F. Escourbiac, M. Grattarola, I. Smid, R. Tivey and G. Vieider 283–287 (2000) 1068
- Infrared characterization and high heat flux testing of plasma sprayed layers, Ph. Chappuis, F. Escourbiac, M. Chantant, M. Febvre, M. Grattarola, M. Bet, M. Merola and B. Riccardi 283–287 (2000) 1081
- Graphite-tungsten twin limiters in studies of material mixing processes on high heat flux components, M. Rubel, T. Tanabe, V. Philipps, B. Emmoth, A. Kirschner, J. von Seggern and P. Wienhold 283–287 (2000) 1089
- Sputtering studies of beryllium with helium and deuterium using molecular dynamics approach, S. Ueda, T. Ohsaka and S. Kuwajima 283–287 (2000) 1100
- Effects of plasma disruption events on ITER first wall materials, A. Cardella, H. Gorenflo, A. Lodato, K. Ioki and R. Raffray 283–287 (2000) 1105
- Development of functionally graded plasma-facing materials, C.-C. Ge, J.-T. Li, Z.-J. Zhou, W.-B. Cao, W.-P. Shen, M.-X. Wang, N.-M. Zhang, X. Liu and Z.-Y. Xu 283–287 (2000) 1116
- Changes of composition and microstructure of joint interface of tungsten coated carbon by high heat flux, K. Tokunaga, T. Matsubara, Y. Miyamoto, Y. Takao, N. Yoshida, N. Noda, Y. Kubota, T. Sogabe, T. Kato and L. Plöchl 283–287 (2000) 1121
- Application of tungsten for plasma limiters in TEXTOR, T. Tanabe, M. Wada, T. Ohgo, V. Philipps, M. Rubel, A. Huber, J. von Seggern, K. Ohya, A. Pospieszczyk, B. Schweer and TEXTOR team 283–287 (2000) 1128
- Microstructure evolution in tungsten during low-energy helium ion irradiation, H. Iwakiri, K. Yasunaga, K. Morishita and N. Yoshida 283–287 (2000) 1134
- High heat flux simulation experiments with improved electron beam diagnostics, J. Linke, H. Bolt, R. Duwe, W. Kühnlein, A. Lodato, M. Rödig, K. Schöpflin and B. Wiechers 283–287 (2000) 1152
- Erosion characteristics of neutron-irradiated carbon-based materials under simulated disruption heat loads, K. Sato, E. Ishitsuka, M. Uda, H. Kawamura, S. Suzuki, M. Taniguchi, K. Ezato and M. Akiba 283–287 (2000) 1157
- Hydrodynamic effects of eroded materials of plasma-facing component during a Tokamak disruption, A. Hassanein and I. Konkashbaev 283–287 (2000) 1171
- Armor and heat sink materials joining technologies development for ITER plasma facing components, V. Barabash, M. Akiba, A. Cardella, I. Mazul, B.C. Odegard Jr., L. Ploechl, R. Tivey and G. Vieider 283–287 (2000) 1248
- Refractory metal joining for first wall applications, C.H. Cadden and B.C. Odegard Jr. 283–287 (2000) 1253
- On the mechanisms associated with the chemical reactivity of Be in steam, D.A. Petti, G.R. Smolik and R.A. Anderl 283–287 (2000) 1390
- Plasma Properties (includes Plasma Disruption)**
- Advances in fusion technology, C.C. Baker 283–287 (2000) 1
- Critical plasma-wall interaction issues for plasma-facing materials and components in near-term fusion devices, G. Federici, J.P. Coad, A.A. Haasz, G. Janeschitz, N. Noda, V. Philipps, J. Roth, C.H. Skinner, R. Tivey and C.H. Wu 283–287 (2000) 110
- Hydrogen-irradiated steel interaction during alternating hydrogenation and annealing, E.A. Krasikov and A.D. Amajev 283–287 (2000) 846
- Depth profile of tritium in plasma exposed CX-2002U, T. Tadokoro, K. Isobe, S. O'hira, W. Shu and M. Nishi 283–287 (2000) 1048
- Graphite-tungsten twin limiters in studies of material mixing pro-

- cesses on high heat flux components, M. Rubel, T. Tanabe, V. Philipps, B. Emmoth, A. Kirschner, J. von Seggern and P. Wienhold 283–287 (2000) 1089
- Erosion mechanisms and products in graphite targets under simulated disruption conditions, F. Scaffidi-Argentina, V. Safronov, I. Arkhipov, N. Arkhipov, V. Bakhtin, V. Barsuk, S. Kurkin, E. Mironova, D. Toporkov, S. Vasenin, H. Werle, H. Würz and A. Zhitlukhin 283–287 (2000) 1111
- Development of functionally graded plasma-facing materials, C.-C. Ge, J.-T. Li, Z.-J. Zhou, W.-B. Cao, W.-P. Shen, M.-X. Wang, N.-M. Zhang, X. Liu and Z.-Y. Xu 283–287 (2000) 1116
- High heat flux simulation experiments with improved electron beam diagnostics, J. Linke, H. Bolt, R. Duwe, W. Kühnlein, A. Lodato, M. Rödiger, K. Schöpflin and B. Wiechers 283–287 (2000) 1152
- Erosion characteristics of neutron-irradiated carbon-based materials under simulated disruption heat loads, K. Sato, E. Ishitsuka, M. Uda, H. Kawamura, S. Suzuki, M. Taniguchi, K. Ezato and M. Akiba 283–287 (2000) 1157
- Hydrodynamic effects of eroded materials of plasma-facing component during a Tokamak disruption, A. Hassanein and I. Konkashbaev 283–287 (2000) 1171
- Structure of materials deposited on the plasma facing surface in TRIAM-1M tokamak and the effect on hydrogen recycling, T. Hirai, T. Fujiwara, K. Tokunaga, N. Yoshida, A. Komori, O. Motojima, S. Itoh and TRIAM group 283–287 (2000) 1177
- Simulation study of carbon and tungsten deposition on W/C twin test limiter in TEXTOR-94, K. Ohya, R. Kawakami, T. Tanabe, M. Wada, T. Ohgo, V. Philipps, A. Pospieszczyk, B. Schweer, A. Huber, M. Rubel, J. von Seggern and N. Noda 283–287 (2000) 1182
- Effects of thin films on inventory, permeation and re-emission of energetic hydrogen, N. Ohyabu, Y. Nakamura, Y. Nakahara, A. Livshits, V. Alimov, A. Busnyuk, M. Notkin, A. Samartsev and A. Doroshin 283–287 (2000) 1297
- Plutonium, Plutonium Alloys and Compounds**
- Ripple reduction and surface coating tests with ferritic steel on JFT-2M, K. Tsuzuki, M. Sato, H. Kawashima, Y. Miura, H. Kimura, T. Abe, K. Uehara, T. Ogawa, T. Akiyama, T. Shibata, M. Yamamoto and T. Koike 283–287 (2000) 681
- Pores (includes Porosity, Fabrication Pores)**
- Development of materials and fabrication of porous and pebble bed beryllium multipliers, D.A. Davydov, M.I. Solonin, Yu.E. Markushkin, V.A. Gorokhov, V.V. Gorlevsky and G.N. Nikolaev 283–287 (2000) 1409
- Tritium release from neutron-irradiated Li₂O sintered pellets: porosity dependence, T. Tanifuji, D. Yamaki, T. Takahashi and A. Iwamoto 283–287 (2000) 1419
- Powder Processes and Products**
- Mechanical properties of hot isostatic pressed type 316LN steel after irradiation, A. Lind and U. Bergenglid 283–287 (2000) 451
- Microstructure control to improve mechanical properties of vanadium alloys for fusion applications, T. Kuwabara, H. Kurishita and M. Hasegawa 283–287 (2000) 611
- High heat flux test of a HIP-bonded first wall panel of reduced activation ferritic steel F-82H, T. Hatanoto, S. Suzuki, K. Yokoyama, T. Kuroda and M. Enoeda 283–287 (2000) 685
- Precipitates and Precipitation**
- Influence of variable temperatures irradiation on microstructural evolution in phosphorus doped Fe–Cr–Ni alloys, D. Hamaguchi, H. Watanabe, T. Muroga and N. Yoshida 283–287 (2000) 319
- Microstructural examination of V–(3–6%)Cr–(3–5%)Ti irradiated in the ATR-A1 experiment, D.S. Gelles 283–287 (2000) 344
- Radiation-induced precipitation in V–(Cr,Fe)–Ti alloys irradiated at low temperature with low dose during neutron or ion irradiation, K.-i. Fukumoto, H. Matsui, Y. Candra, K. Takahashi, H. Sasanuma, S. Nagata and K. Takahiro 283–287 (2000) 535
- Solute interactions in pure vanadium and V–4Cr–4Ti alloy, D.T. Hoelzer, M.K. West, S.J. Zinkle and A.F. Rowcliffe 283–287 (2000) 616
- Microstructure of welded and thermalaged low activation steel F82H IEA heat, T. Sawai, K. Shiba and A. Hishinuma 283–287 (2000) 657
- Microstructural development of neutron irradiated W–Re alloys, Y.

- Nemoto, A. Hasegawa, M. Satou and K. Abe 283–287 (2000) 1144
- Radiation Effects: Atomic Defects**
- Progress in modelling the microstructural evolution in metals under cascade damage conditions, H. Trinkaus, B.N. Singh and S.I. Golubov 283–287 (2000) 89
- Recovery of electrical resistivity of high-purity iron irradiated with 30 MeV electrons at 77 K, H. Abe and E. Kuramoto 283–287 (2000) 174
- Effects of grain boundary misorientation on solute segregation in thermally sensitized and proton-irradiated 304 stainless steel, T.S. Duh, J.J. Kai and F.R. Chen 283–287 (2000) 198
- Correlation of simulated TEM images with irradiation induced damage, R. Schäublin, P. de Almeida, A. Almazouzi and M. Victoria 283–287 (2000) 205
- Study of point defect behaviors in vanadium and its alloys by using HVEM, T. Hayashi, K. Fukumoto and H. Matsui 283–287 (2000) 234
- Differences in the microstructure of the F82H ferritic/martensitic steel after proton and neutron irradiation, R. Schäublin and M. Victoria 283–287 (2000) 339
- Tensile properties and microstructure of 590 MeV proton-irradiated pure Fe and a Fe–Cr alloy, M.I. Luppó, C. Bailat, R. Schäublin and M. Victoria 283–287 (2000) 483
- Mechanical properties and microstructure in low-activation martensitic steels F82H and Optimax after 800-MeV proton irradiation, Y. Dai, S.A. Maloy, G.S. Bauer and W.F. Sommer 283–287 (2000) 513
- The mechanical properties and microstructure of the OPTIMAX series of low activation ferritic–martensitic steels, N. Baluc, R. Schäublin, C. Bailat, F. Paschoud and M. Victoria 283–287 (2000) 731
- The effects of one-dimensional glide on the reaction kinetics of interstitial clusters, H.L. Heinisch, B.N. Singh and S.I. Golubov 283–287 (2000) 737
- Statistical analysis of a library of molecular dynamics cascade simulations in iron at 100 K, R.E. Stoller and A.F. Calder 283–287 (2000) 746
- Modeling of cascade damage interactions by Monte-Carlo method, N. Sekimura, T. Morioka and K. Morishita 283–287 (2000) 758
- Interstitial cluster motion in displacement cascades, N.V. Doan 283–287 (2000) 763
- Computer simulation of defects interacting with a dislocation in Fe and Ni, E. Kuramoto, K. Ohsawa and T. Tsutsumi 283–287 (2000) 778
- Molecular dynamics simulation of defect production in irradiated β -SiC, L. Malerba, J.M. Perlado, A. Sánchez-Rubio, I. Pastor, L. Colombo and T. Diaz de la Rubia 283–287 (2000) 794
- An initial model for the RIED effect, E.R. Hodgson and A. Moroño 283–287 (2000) 880
- Positron lifetime calculation for defects and defect clusters in graphite, T. Onitsuka, H. Ohkubo, M. Takenaka, N. Tsukuda and E. Kuramoto 283–287 (2000) 922
- Neutron irradiation effects in magnesium-aluminate spinel doped with transition metals, V.T. Gritsyna, I.V. Afanasyev-Charkin, V.A. Kobayakov and K.E. Sickafus 283–287 (2000) 927
- Thermal stability and kinetics of defects in magnesium aluminate spinel irradiated with fast neutrons, K. Yasuda, C. Kinoshita, K. Fukuda and F.A. Garner 283–287 (2000) 937
- Cation disordering in magnesium aluminate spinel crystals induced by electron or ion irradiation, T. Soeda, S. Matsumura, C. Kinoshita and N.J. Zaluzec 283–287 (2000) 952
- Post-irradiation examinations of Li-4SiO₄ pebbles irradiated in the EXOTIC-7 experiment, G. Piazza, F. Scaffidi-Argentina and H. Werle 283–287 (2000) 1396
- Radiation Effects: Extended Defects, Microstructures**
- Critical issues and current status of SiC/SiC composites for fusion, A. Hasegawa, A. Kohyama, R.H. Jones, L.L. Snead, B. Riccardi and P. Fenici 283–287 (2000) 128
- Sink effect of grain boundary on radiation-induced segregation in austenitic stainless steel, S. Watanabe, Y. Takamatsu, N. Sakaguchi and H. Takahashi 283–287 (2000) 152
- Correlation between defect structures and hardness in tantalum irradiated by heavy ions, K. Yasunaga, H. Watanabe, N. Yoshida, T. Muroga and N. Noda 283–287 (2000) 179
- Formation and migration of helium bubbles in Fe–16Cr–17Ni austenitic alloy at high temperature, K. Ono, K. Arakawa, M. Oohashi, H. Kurata, K. Hojou and N. Yoshida 283–287 (2000) 210
- Effects of dose rate on microstructural evolution and swelling in austenitic steels under irradiation, T. Okita, T. Kamada and N. Sekimura 283–287 (2000) 220

- The effect of alloying elements on the defect structural evolution in neutron irradiated Ni alloys, T. Yoshiie, Q. Xu, Y. Satoh, H. Ohkubo and M. Kiritani 283–287 (2000) 229
- Study of point defect behaviors in vanadium and its alloys by using HVEM, T. Hayashi, K. Fukumoto and H. Matsui 283–287 (2000) 234
- Effect of dual-beam-irradiation by helium and carbon ions on microstructure development of SiC/SiC composites, S. Nogami, A. Hasegawa, K. Abe, T. Taguchi and R. Yamada 283–287 (2000) 268
- Microstructures in Ti–Al intermetallic compounds irradiated at 673 K in HFIR, Y. Miwa, T. Sawai, K. Fukai, D.T. Hoelzer and A. Hishinuma 283–287 (2000) 273
- Defect structures introduced in iron under varying temperature neutron irradiation, M. Horiki, T. Yoshiie, Q. Xu, M. Iseki and M. Kiritani 283–287 (2000) 282
- Computer simulations of the effects of temperature change on defect accumulation in copper during neutron irradiation, Q. Xu, H.L. Heinisch and T. Yoshiie 283–287 (2000) 297
- Microstructure of Cu–Ni alloys neutron irradiated at 210°C and 420°C to 14 dpa, S.J. Zinkle and B.N. Singh 283–287 (2000) 306
- Simulating the influence of radiation temperature variations on microstructural evolution, Y. Katoh, R.E. Stoller, A. Kohyama and T. Muroga 283–287 (2000) 313
- Influence of variable temperatures irradiation on microstructural evolution in phosphorus doped Fe–Cr–Ni alloys, D. Hamaguchi, H. Watanabe, T. Muroga and N. Yoshida 283–287 (2000) 319
- Microstructural changes induced by post-irradiation annealing of neutron-irradiated austenitic stainless steels, J.I. Cole and T.R. Allen 283–287 (2000) 329
- Swelling of F82H irradiated at 673 K up to 51 dpa in HFIR, Y. Miwa, E. Wakai, K. Shiba, N. Hashimoto, J.P. Robertson, A.F. Rowcliffe and A. Hishinuma 283–287 (2000) 334
- On the relationship between uniaxial yield strength and resolved shear stress in polycrystalline materials, R.E. Stoller and S.J. Zinkle 283–287 (2000) 349
- Improvement in post-irradiation ductility of neutron irradiated V–Ti–Cr–Si–Al–Y alloy and the role of interstitial impurities, M. Satou, T. Chuto and K. Abe 283–287 (2000) 367
- In-pile and post-irradiation creep of type 304 stainless steel under different neutron spectra, Y. Kurata, Y. Itabashi, H. Mimura, T. Kikuchi, H. Amezawa, S. Shimakawa, H. Tsuji and M. Shindo 283–287 (2000) 386
- The contribution of various defects to irradiation-induced hardening in an austenitic model alloy, M. Ando, Y. Katoh, H. Tanigawa, A. Kohyama and T. Iwai 283–287 (2000) 423
- Tensile properties and microstructure of 590 MeV proton-irradiated pure Fe and a Fe–Cr alloy, M.I. Luppó, C. Bailat, R. Schäublin and M. Victoria 283–287 (2000) 483
- Defect microstructure and deformation behavior of V–Ti–Cr–Si–Al–Y alloy irradiated in ATR, T. Chuto, M. Satou and K. Abe 283–287 (2000) 503
- Effect of mechanical alloying parameters on irradiation damage in oxide dispersion strengthened ferritic steels, S. Yamashita, S. Watanabe, S. Ohnuki, H. Takahashi, N. Akasaka and S. Ukai 283–287 (2000) 647
- Features of radiation damage of vanadium and its alloys at a temperature of 330–340°C, V.A. Kazakov, Z. Ostrovsky, Yu. Goncharenko and V. Chakin 283–287 (2000) 727
- The mechanical properties and microstructure of the OPTIMAX series of low activation ferritic–martensitic steels, N. Baluc, R. Schäublin, C. Bailat, F. Paschoud and M. Victoria 283–287 (2000) 731
- Modeling of cascade damage interactions by Monte-Carlo method, N. Sekimura, T. Morioka and K. Morishita 283–287 (2000) 758
- Interstitial cluster motion in displacement cascades, N.V. Doan 283–287 (2000) 763
- Atomistic simulation of stacking fault tetrahedra formation in Cu, B.D. Wirth, V. Bulatov and T. Diaz de la Rubia 283–287 (2000) 773
- Study of loop–loop and loop–edge dislocation interactions in bcc iron, Yu.N. Osetsky, D.J. Bacon, F. Gao, A. Serra and B.N. Singh 283–287 (2000) 784
- An initial model for the RIED effect, E.R. Hodgson and A. Moroño 283–287 (2000) 880
- Temperature effect of electron-irradiation-induced structural modification in graphite, S. Muto and T. Tanabe 283–287 (2000) 917
- Positron lifetime calculation for defects and defect clusters in graphite, T. Onitsuka, H. Ohkubo, M. Takenaka, N. Tsukuda and E. Kuramoto 283–287 (2000) 922

- Thermal stability and kinetics of defects in magnesium aluminate spinel irradiated with fast neutrons, K. Yasuda, C. Kinoshita, K. Fukuda and F.A. Garner 283–287 (2000) 937
- Deuterium retention in tungsten and molybdenum, S. Nagata and K. Takahiro 283–287 (2000) 1038
- Microstructure evolution in tungsten during low-energy helium ion irradiation, H. Iwakiri, K. Yasunaga, K. Morishita and N. Yoshida 283–287 (2000) 1134
- TEM study on deuterium-irradiation-induced defects in tungsten and molybdenum, T. Matsui, S. Muto and T. Tanabe 283–287 (2000) 1139
- Radiation Effects: Mechanical Properties**
- Assessment and selection of materials for ITER in-vessel components, G. Kalinin, V. Barabash, A. Cardella, J. Dietz, K. Ioki, R. Matera, R.T. Santoro, R. Tivey and The ITER Home Teams 283–287 (2000) 10
- Progress and critical issues of reduced activation ferritic/martensitic steel development, B. van der Schaaf, D.S. Gelles, S. Jitsukawa, A. Kimura, R.L. Klueh, A. Möslang and G.R. Odette 283–287 (2000) 52
- Critical issues and current status of vanadium alloys for fusion energy applications, R.J. Kurtz, K. Abe, V.M. Chernov, V.A. Kazakov, G.E. Lucas, H. Matsui, T. Muroga, G.R. Odette, D.L. Smith and S.J. Zinkle 283–287 (2000) 70
- Neutron irradiation effects on plasma facing materials, V. Barabash, G. Federici, M. Rödiger, L.L. Snead and C.H. Wu 283–287 (2000) 138
- Modeling of microstructure evolution and mechanical property change of reduced-activation martensitic steel during varying-temperature irradiation, R. Kasada and A. Kimura 283–287 (2000) 188
- Influence of neutron irradiation on CuNiCrSi alloy pre-implanted with helium, A.V. Kozlov, M.V. Chernetsov, S.A. Averin, V.Ya. Abramov, A.D. Ivanov, Yu.S. Strebkov and V.F. Reutov 283–287 (2000) 193
- The effect of transmutation and displacement in irradiated copper for heat-sink materials, S. Ishino, A. Kurui, S. Ichikawa, T. Inaba and T. Hasegawa 283–287 (2000) 215
- Application of the internal friction method to studying microstructural effects in fusion materials, S. Tähtinen, Y. Jagodzinski, O. Tarasenko, S. Smuk and H. Hänninen 283–287 (2000) 255
- On the relationship between uniaxial yield strength and resolved shear stress in polycrystalline materials, R.E. Stoller and S.J. Zinkle 283–287 (2000) 349
- Mechanical behavior of reduced-activation and conventional martensitic steels after neutron irradiation in the range 250–450°C, A. Alamo, M. Horsten, X. Averty, E.I. Matera-Morris, M. Rieth and J.C. Brachet 283–287 (2000) 353
- Tensile behavior of F82H with and without spectral tailoring, K. Shiba, R.L. Klueh, Y. Miwa, J.P. Robertson and A. Hishinuma 283–287 (2000) 358
- Effects of low-temperature neutron irradiation on mechanical properties of vanadium-base alloys, H. Tsai, T.S. Bray, H. Matsui, M.L. Grossbeck, K. Fukumoto, J. Gazda, M.C. Billone and D.L. Smith 283–287 (2000) 362
- Improvement in post-irradiation ductility of neutron irradiated V–Ti–Cr–Si–Al–Y alloy and the role of interstitial impurities, M. Satou, T. Chuto and K. Abe 283–287 (2000) 367
- The effect of neutron-irradiation on the shear properties of SiC/SiC composites with varied interface, T. Hinoki, L.L. Snead, Y. Katoh, A. Kohyama and R. Shinavski 283–287 (2000) 376
- In-pile and post-irradiation creep of type 304 stainless steel under different neutron spectra, Y. Kurata, Y. Itabashi, H. Mimura, T. Kikuchi, H. Amezawa, S. Shimakawa, H. Tsuji and M. Shindo 283–287 (2000) 386
- Irradiation creep at 60°C in SUS 316 and its impact on fatigue fracture, J. Nagakawa, Y. Murase, N. Yamamoto and T. Fukuzawa 283–287 (2000) 391
- Effects of helium implantation on creep rupture properties of low activation ferritic steel F82H IEA heat, N. Yamamoto, J. Nagakawa and K. Shiba 283–287 (2000) 400
- Shear punch and tensile measurements of mechanical property changes induced in various austenitic alloys by high-energy mixed proton and neutron irradiation at low temperatures, M.L. Hamilton, F.A. Garner, M.B. Toloczko, S.A. Maloy, W.F. Sommer, M.R. James, P.D. Ferguson and M.R. Louthan Jr. 283–287 (2000) 418
- The contribution of various defects to irradiation-induced hardening in

- an austenitic model alloy, M. Ando, Y. Katoh, H. Tanigawa, A. Kohyama and T. Iwai 283–287 (2000) 423
- Tensile and low-cycle fatigue properties of solution annealed type 316L stainless steel plate and TIG-weld exposed to 5 dpa at low-temperature (42°C), J.-L. Puzzolante, M. Scibetta, R. Chaouadi and W. Vandermeulen 283–287 (2000) 428
- Effect of helium to dpa ratio on fatigue behavior of austenitic stainless steel irradiated to 2 dpa, I. Ioka, M. Yonekawa, Y. Miwa, H. Mimura, H. Tsuji and T. Hoshiya 283–287 (2000) 440
- The effects of irradiation and testing temperature on tensile behaviour of stainless steels, C. Bailat, A. Almazouzi, N. Baluc, R. Schäublin, F. Gröschel and M. Victoria 283–287 (2000) 446
- Mechanical properties of hot isostatically pressed type 316LN steel after irradiation, A. Lind and U. Bergenglid 283–287 (2000) 451
- Analysis of tensile and fracture toughness results on irradiated molybdenum alloys, TZM and Mo–5%Re, M. Scibetta, R. Chaouadi and J.L. Puzzolante 283–287 (2000) 455
- Thermal fatigue crack nucleation in ferritic–martensitic steels before and after neutron irradiation, L.A. Belyaeva, A.A. Zisman, C. Petersen, V.A. Potapova and V.V. Rybin 283–287 (2000) 461
- Effects of helium implantation on hardness of pure iron and a reduced activation ferritic–martensitic steel, H. Tanigawa, S. Jitsukawa, A. Hishinuma, M. Ando, Y. Katoh, A. Kohyama and T. Iwai 283–287 (2000) 470
- Low-temperature irradiation effects on tensile and Charpy properties of low-activation ferritic steels, K. Shiba and A. Hishinuma 283–287 (2000) 474
- Tensile properties and microstructure of 590 MeV proton-irradiated pure Fe and a Fe–Cr alloy, M.I. Luppó, C. Bailat, R. Schäublin and M. Victoria 283–287 (2000) 483
- Effect of low temperature irradiation on the mechanical properties of ternary V–Cr–Ti alloys as determined by tensile tests and shear punch tests, M.L. Hamilton and M.B. Toloczko 283–287 (2000) 488
- V-alloy embrittlement by irradiation in a cooling gas environment, H.D. Röhrig, M. Rieth, B. Dafferner and E. Materna-Morris 283–287 (2000) 498
- Defect microstructure and deformation behavior of V–Ti–Cr–Si–Al–Y alloy irradiated in ATR, T. Chuto, M. Satou and K. Abe 283–287 (2000) 503
- Effect of strain rate on the tensile properties of unirradiated and irradiated V–4Cr–4Ti, A.F. Rowcliffe, S.J. Zinkle and D.T. Hoelzer 283–287 (2000) 508
- Deformation mechanisms in 316 stainless steel irradiated at 60°C and 330°C, N. Hashimoto, S.J. Zinkle, A.F. Rowcliffe, J.P. Robertson and S. Jitsukawa 283–287 (2000) 528
- Evaluation of neutron irradiated near-stoichiometric silicon carbide fiber composites, L.L. Snead, Y. Katoh, A. Kohyama, J.L. Bailey, N.L. Vaughn and R.A. Lowden 283–287 (2000) 551
- Uses of zirconium alloys in fusion applications, C.B.A. Forty and P.J. Karditsas 283–287 (2000) 607
- Effect of mechanical alloying parameters on irradiation damage in oxide dispersion strengthened ferritic steels, S. Yamashita, S. Watanabe, S. Ohnuki, H. Takahashi, N. Akasaka and S. Ukai 283–287 (2000) 647
- Material science and manufacturing of heat-resistant reduced-activation ferritic–martensitic steels for fusion, A.G. Ioltukhovskiy, A.I. Blokhin, N.I. Budylkin, V.M. Chernov, M.V. Leont'eva-Smirnova, E.G. Mironova, E.A. Medvedeva, M.I. Solonin, S.I. Porollo and L.P. Zavyalsky 283–287 (2000) 652
- Performance limits for fusion first-wall structural materials, D.L. Smith, S. Majumdar, M. Billone and R. Mattas 283–287 (2000) 716
- The mechanical properties and microstructure of the OPTIMAX series of low activation ferritic–martensitic steels, N. Baluc, R. Schäublin, C. Bailat, F. Paschoud and M. Victoria 283–287 (2000) 731
- Annealing behavior of irradiation hardening and microstructure in helium-implanted reduced activation martensitic steel, A. Kimura, R. Kasada, R. Sugano, A. Hasegawa and H. Matsui 283–287 (2000) 827
- Hydrogen-irradiated steel interaction during alternating hydrogenation and annealing, E.A. Krasikov and A.D. Amajev 283–287 (2000) 846
- Radiation effects on laser damage in KU1 quartz glass, P. Martin, A. Moróño and E.R. Hodgson 283–287 (2000) 894
- Neutron irradiation damage in aluminum oxide and nitride ceramics up

- to a fluence of 4.2×10^{26} n/m², T. Yano, K. Ichikawa, M. Akiyoshi and Y. Tachi 283–287 (2000) 947
- Mechanical properties of the ITER central solenoid model coil insulation under static and dynamic load after reactor irradiation, K. Hummer, P. Rosenkranz, H.W. Weber, P.E. Fabian and J.A. Rice 283–287 (2000) 973
- Development of a small specimen test machine to evaluate irradiation embrittlement of fusion reactor materials, T. Ishii, M. Ohmi, J. Saito, T. Hoshiya, N. Ooka, S. Jitsukawa and M. Eto 283–287 (2000) 1023
- Effect of ITER components manufacturing cycle on the irradiation behaviour of 316L(N)-IG steel, B.S. Rodchenkov, V.I. Prokhorov, O.Yu. Makarov, V.K. Shamardin, G.M. Kalinin, Yu.S. Strebkov and O.A. Golosov 283–287 (2000) 1166
- Post-irradiation mechanical tests on F82H EB and TIG welds, J. Rensman, E.V. van Osch, M.G. Horsten and D.S. d'Hulst 283–287 (2000) 1201
- Radiation Effects: Physical Properties**
- Neutron irradiation effects on plasma facing materials, V. Barabash, G. Federici, M. Rödig, L.L. Snead and C.H. Wu 283–287 (2000) 138
- An initial model for the RIED effect, E.R. Hodgson and A. Moroño 283–287 (2000) 880
- Significance of sample thickness and surface segregation on the electrical conductivity of Wesgo AL995 alumina under ITER environments, M.M.R. Howlader, C. Kinoshita, K. Shiiyama, M. Kutsuwada and T. Higuchi 283–287 (2000) 885
- KU1 quartz glass for remote handling and LIDAR diagnostic optical transmission systems, M. García-Matos, A. Moroño and E.R. Hodgson 283–287 (2000) 890
- Radiation effects on laser damage in KU1 quartz glass, P. Martin, A. Moroño and E.R. Hodgson 283–287 (2000) 894
- Radiation-induced conductivity of doped silicon in response to photon, proton and neutron irradiation, N. Kishimoto, H. Amekura, O.A. Plaksin and V.A. Stepanov 283–287 (2000) 907
- Current–voltage characteristic of alumina and aluminum nitride with or without electron irradiation, K. Shiiyama, M.M.R. Howlader, Y. Izumi, M. Kutsuwada, S. Matsu-mura and C. Kinoshita 283–287 (2000) 912
- Neutron irradiation effects in magnesium-aluminate spinel doped with transition metals, V.T. Gritsyna, I.V. Afanasyev-Charkin, V.A. Kobayakov and K.E. Sickafus 283–287 (2000) 927
- Radiation Sources**
- How to improve the irradiation conditions for the International Fusion Materials Irradiation Facility, E. Daum 283–287 (2000) 1001
- Radiolysis**
- Copper corrosion and activation in water cooling loops under fusion irradiation conditions, P.J. Karditsas, S.M. Ali and D. Wan 283–287 (2000) 1346
- Recrystallization, Recovery and Grain Growth**
- Solute interactions in pure vanadium and V-4Cr-4Ti alloy, D.T. Hoelzer, M.K. West, S.J. Zinkle and A.F. Rowcliffe 283–287 (2000) 616
- Redeposition**
- Removal of deuterium from co-deposited carbon–silicon layers, M. Balden and M. Mayer 283–287 (2000) 1057
- Graphite–tungsten twin limiters in studies of material mixing processes on high heat flux components, M. Rubel, T. Tanabe, V. Philipps, B. Emmoth, A. Kirschner, J. von Seggern and P. Wienhold 283–287 (2000) 1089
- Erosion mechanisms and products in graphite targets under simulated disruption conditions, F. Scaffidi-Argentina, V. Safronov, I. Arkhipov, N. Arkhipov, V. Bakhtin, V. Barsuk, S. Kurkin, E. Mironova, D. Toporkov, S. Vasenin, H. Werle, H. Würz and A. Zhitlukhin 283–287 (2000) 1111
- Structure of materials deposited on the plasma facing surface in TRIAM-1M tokamak and the effect on hydrogen recycling, T. Hirai, T. Fujiwara, K. Tokunaga, N. Yoshida, A. Komori, O. Motojima, S. Itoh and TRIAM group 283–287 (2000) 1177
- Simulation study of carbon and tungsten deposition on W/C twin test limiter in TEXTOR-94, K. Ohya, R. Kawakami, T. Tanabe, M. Wada, T. Ohgo, V. Philipps, A. Pospieszczyk, B. Schweer, A. Huber, M. Rubel, J. von Seggern and N. Noda 283–287 (2000) 1182
- Magnetic field effect on deposition of corrosion products in liquid Pb-17Li, F. Barbier 283–287 (2000) 1267

Refractory Metals, Alloys and Compounds (*not listed elsewhere*)

- Correlation between defect structures and hardness in tantalum irradiated by heavy ions, K. Yasunaga, H. Watanabe, N. Yoshida, T. Muroga and N. Noda 283–287 (2000) 179
- Swelling, irradiation creep and growth of pure rhenium irradiated with fast neutrons at 1030–1330°C, F.A. Garner, M.B. Toloczko, L.R. Greenwood, C.R. Eiholzer, M.M. Paxton and R.J. Puigh 283–287 (2000) 380
- Thermomechanical characteristics of the low activation materials chromium and Cr-5Fe-1Y₂O₃ alloy, H. Stamm, U. Holzwarth, F. Lakes-tani, R. Valiev, V. Provenzano and A. Volcan 283–287 (2000) 597
- Safety of Nuclear Reactors**
- On the mechanisms associated with the chemical reactivity of Be in steam, D.A. Petti, G.R. Smolik and R.A. Anderl 283–287 (2000) 1390
- Oxidation and volatilization of TZM alloy in air, G.R. Smolik, D.A. Petti and S.T. Schuetz 283–287 (2000) 1458
- Segregation**
- Radiation-induced inter-granular segregation in first wall fusion reactor materials, R.G. Faulkner, S. Song and P.E.J. Flewitt 283–287 (2000) 147
- Sink effect of grain boundary on radiation-induced segregation in austenitic stainless steel, S. Watanabe, Y. Takamatsu, N. Sakaguchi and H. Takahashi 283–287 (2000) 152
- Synergistic effect of hydrogen and impurity segregations on the grain boundary embrittlement in Nb, A.M. Ilyin, V.P. Shestakov and I.L. Tazhibaeva 283–287 (2000) 161
- Effects of grain boundary misorientation on solute segregation in thermally sensitized and proton-irradiated 304 stainless steel, T.S. Duh, J.J. Kai and F.R. Chen 283–287 (2000) 198
- Radiation-induced segregation in model alloys, T. Ezawa, E. Wakai and R. Oshima 283–287 (2000) 244
- Microstructural changes of austenitic steels caused by proton irradiation under various conditions, T. Fukuda, M. Sagisaka, Y. Isobe, A. Hasegawa, M. Sato, K. Abe, Y. Nishida, T. Kamada and Y. Kaneshima 283–287 (2000) 263
- Chemical segregation behavior under thermal aging of the low-activation F82H-modified steel, J. Lapeña,

- M. Garcia-Mazario, P. Fernández and A.M. Lancha 283–287 (2000) 662
- Influence of combined thermo-mechanical treatment on impurity segregation in ferritic–martensitic and austenitic stainless steels, A.M. Ilyin, V.S. Neustroev, V.K. Sharmardin, V.P. Shestakov, I.L. Tazhibaeva and V.A. Krivchenkoa 283–287 (2000) 694
- Semiconductors**
- Radiation-induced conductivity of doped silicon in response to photon, proton and neutron irradiation, N. Kishimoto, H. Amekura, O.A. Plaksin and V.A. Stepanov 283–287 (2000) 907
- Silicon and Silicon Compounds**
- Interactions between fusion materials R&D and other technologies, A. Kohyama, M. Seki, K. Abe, T. Muroga, H. Matsui, S. Jitsukawa and S. Matsuda 283–287 (2000) 20
- Critical issues and current status of SiC/SiC composites for fusion, A. Hasegawa, A. Kohyama, R.H. Jones, L.L. Snead, B. Riccardi and P. Fenici 283–287 (2000) 128
- Effect of dual-beam-irradiation by helium and carbon ions on microstructure development of SiC/SiC composites, S. Nogami, A. Hasegawa, K. Abe, T. Taguchi and R. Yamada 283–287 (2000) 268
- Irradiation creep of advanced silicon carbide fibers, R. Scholz and G.E. Youngblood 283–287 (2000) 372
- The effect of neutron-irradiation on the shear properties of SiC/SiC composites with varied interface, T. Hinoki, L.L. Snead, Y. Katoh, A. Kohyama and R. Shinavski 283–287 (2000) 376
- In situ thermal conductivity measurement of ceramics in a fast neutron environment, L.L. Snead, R. Yamada, K. Noda, Y. Katoh, S.J. Zinkle, W.S. Eatherly and A.L. Qualls 283–287 (2000) 545
- Evaluation of neutron irradiated near-stoichiometric silicon carbide fiber composites, L.L. Snead, Y. Katoh, A. Kohyama, J.L. Bailey, N.L. Vaughn and R.A. Lowden 283–287 (2000) 551
- Room and high-temperature mechanical and thermal properties of SiC fiber-reinforced SiC composite sintered under pressure, K. Yoshida and T. Yano 283–287 (2000) 560
- High thermal conductivity SiC/SiC composites for fusion applications, W. Kowbel, C.A. Bruce, K.L.

- Tsou, K. Patel, J.C. Withers and G.E. Youngblood 283–287 (2000) 570
- Mechanical and thermal properties of 2D and 3D SiC/SiC composites, R. Yamada, T. Taguchi and N. Igawa 283–287 (2000) 574
- Time-dependent failure mechanisms in silicon carbide composites for fusion energy applications, C.A. Lewinsohn, G.E. Youngblood, C.H. Henager Jr., E.P. Simonen and R.H. Jones 283–287 (2000) 584
- Performance limits for fusion first-wall structural materials, D.L. Smith, S. Majumdar, M. Billone and R. Mattas 283–287 (2000) 716
- Molecular dynamics simulation of defect production in irradiated β -SiC, L. Malerba, J.M. Perlado, A. Sánchez-Rubio, I. Pastor, L. Colombo and T. Diaz de la Rubia 283–287 (2000) 794
- A comparison of defects in helium implanted α - and β -SiC, P. Jung, H. Klein and J. Chen 283–287 (2000) 806
- Study of helium effects in SiC/SiC composites under fusion reactor environment, A. Hasegawa, B.M. Oliver, S. Nogami, K. Abe and R.H. Jones 283–287 (2000) 811
- Study on the damaging process of silica by in-reactor luminescence, T. Ii, T. Yoshida, T. Tanabe, T. Hara, M. Okada and K. Yamaguchi 283–287 (2000) 898
- Radiation-induced conductivity of doped silicon in response to photon, proton and neutron irradiation, N. Kishimoto, H. Amekura, O.A. Plaksin and V.A. Stepanov 283–287 (2000) 907
- Removal of deuterium from co-deposited carbon-silicon layers, M. Balden and M. Mayer 283–287 (2000) 1057
- Joining of silicon carbide composites for fusion energy applications, C.A. Lewinsohn, M. Singh, T. Shibayama, T. Hinoki, M. Ando, Y. Katoh and A. Kohyama 283–287 (2000) 1258
- Compatibility of structural candidate materials with LiF-BeF₂ molten salt mixture, H. Nishimura, T. Terai, T. Yoneoka, S. Tanaka, A. Sagara and O. Motojima 283–287 (2000) 1326
- Chemical reactivity of SiC fibre-reinforced SiC with beryllium and lithium ceramic breeder materials, H. Kleykamp 283–287 (2000) 1385
- Compositional optimisation of silicon carbide for various fusion blanket designs, C.B.A. Forty 283–287 (2000) 1443
- Waste management for different fusion reactor designs, P. Rocco and M. Zucchetti 283–287 (2000) 1473
- Steels, Austenitic**
- Assessment and selection of materials for ITER in-vessel components, G. Kalinin, V. Barabash, A. Cardella, J. Dietz, K. Ioki, R. Matera, R.T. Santoro, R. Tivey and The ITER Home Teams 283–287 (2000) 10
- Evaluation of hot isostatic pressing for joining of fusion reactor structural components, A.D. Ivanov, S. Sato and G. Le Marois 283–287 (2000) 35
- Sink effect of grain boundary on radiation-induced segregation in austenitic stainless steel, S. Watanabe, Y. Takamatsu, N. Sakaguchi and H. Takahashi 283–287 (2000) 152
- Effect of temperature gradients on void formation in modified 316 stainless steel cladding, N. Akasaka, I. Yamagata and S. Ukai 283–287 (2000) 169
- Effects of grain boundary misorientation on solute segregation in thermally sensitized and proton-irradiated 304 stainless steel, T.S. Duh, J.J. Kai and F.R. Chen 283–287 (2000) 198
- Formation and migration of helium bubbles in Fe-16Cr-17Ni austenitic alloy at high temperature, K. Ono, K. Arakawa, M. Oohashi, H. Kurata, K. Hojou and N. Yoshida 283–287 (2000) 210
- Effects of dose rate on microstructural evolution and swelling in austenitic steels under irradiation, T. Okita, T. Kamada and N. Sekimura 283–287 (2000) 220
- Microstructural changes in a low-activation Fe-Cr-Mn alloy irradiated with 92 MeV Ar ions at 450°C, C. Zhang, K. Chen, Y. Wang, J. Sun, B. Hu, Y. Jin, M. Hou, C. Liu, Y. Sun, J. Han and C. Chen 283–287 (2000) 259
- Microstructural changes of austenitic steels caused by proton irradiation under various conditions, T. Fukuda, M. Sagisaka, Y. Isobe, A. Hasegawa, M. Sato, K. Abe, Y. Nishida, T. Kamada and Y. Kaneshima 283–287 (2000) 263
- Simulating the influence of radiation temperature variations on microstructural evolution, Y. Katoh, R.E. Stoller, A. Kohyama and T. Muroga 283–287 (2000) 313
- Influence of variable temperatures irradiation on microstructural evolution in phosphorus doped Fe-Cr-Ni alloys, D. Hamaguchi, H. Watanabe, T. Muroga and N. Yoshida 283–287 (2000) 319
- Microstructural changes induced by post-irradiation annealing of neu-

- tron-irradiated austenitic stainless steels, J.I. Cole and T.R. Allen 283–287 (2000) 329
- In-pile and post-irradiation creep of type 304 stainless steel under different neutron spectra, Y. Kurata, Y. Itabashi, H. Mimura, T. Kikuchi, H. Amezawa, S. Shimakawa, H. Tsuji and M. Shindo 283–287 (2000) 386
- Irradiation creep at 60°C in SUS 316 and its impact on fatigue fracture, J. Nagakawa, Y. Murase, N. Yamamoto and T. Fukuzawa 283–287 (2000) 391
- Irradiation creep of 11Cr–0.5Mo–2W, V, Nb ferritic–martensitic, modified 316, and 15Cr–20Ni austenitic S.S. irradiated in FFTF to 103–206 dpa, A. Uehira, S. Mizuta, S. Ukai and R.J. Puigh 283–287 (2000) 396
- Application of generalized deformation theory to irradiation creep of fcc and bcc stainless steels, M.B. Toloczko, J.P. Hirth and F.A. Garner 283–287 (2000) 409
- Proton irradiation creep of Inconel 718 at 300°C, R. Scholz and R. Matera 283–287 (2000) 414
- Shear punch and tensile measurements of mechanical property changes induced in various austenitic alloys by high-energy mixed proton and neutron irradiation at low temperatures, M.L. Hamilton, F.A. Garner, M.B. Toloczko, S.A. Maloy, W.F. Sommer, M.R. James, P.D. Ferguson and M.R. Louthan Jr. 283–287 (2000) 418
- Tensile and low-cycle fatigue properties of solution annealed type 316L stainless steel plate and TIG-weld exposed to 5 dpa at low-temperature (42°C), J.-L. Puzolante, M. Scibetta, R. Chaouadi and W. Vandermeulen 283–287 (2000) 428
- Tensile properties and damage microstructures in ORR/HFIR-irradiated austenitic stainless steels, E. Wakai, N. Hashimoto, J.P. Robertson, S. Jistukawa, T. Sawai and A. Hishinuma 283–287 (2000) 435
- Effect of helium to dpa ratio on fatigue behavior of austenitic stainless steel irradiated to 2 dpa, I. Ioka, M. Yonekawa, Y. Miwa, H. Mimura, H. Tsuji and T. Hoshiya 283–287 (2000) 440
- The effects of irradiation and testing temperature on tensile behaviour of stainless steels, C. Bailat, A. Almazouzi, N. Baluc, R. Schäublin, F. Gröschel and M. Victoria 283–287 (2000) 446
- Deformation mechanisms in 316 stainless steel irradiated at 60°C and 330°C, N. Hashimoto, S.J. Zinkle, A.F. Rowcliffe, J.P. Robertson and S. Jitsukawa 283–287 (2000) 528
- Characterization of non-magnetic Mn–Cr steel as a low induced activation material for vacuum vessels, S. Saito, K. Fukaya, S. Ishiyama, M. Eto, I. Sato, M. Kusuhashi, T. Hatakeyama, H. Takahashi and M. Kikuchi 283–287 (2000) 593
- Influence of combined thermo-mechanical treatment on impurity segregation in ferritic–martensitic and austenitic stainless steels, A.M. Ilyin, V.S. Neustroev, V.K. Shamardin, V.P. Shestakov, I.L. Tazhibaeva and V.A. Krivchenkoa 283–287 (2000) 694
- On quantification of helium embrittlement in ferritic/martensitic steels, D.S. Gelles 283–287 (2000) 838
- The interaction of deuterium and tritium with radiation and other defects in austenitic steel and nickel, V.L. Arbuzov, G.A. Raspopova, S.E. Danilov, A.P. Druzhkov and Yu.N. Zouev 283–287 (2000) 849
- Positron-lifetime study of electrically hydrogen charged Ni, austenitic stainless steel and Fe, H. Ohkubo, S. Sugiyama, K. Fukuzato, M. Takenaka, N. Tsukuda and E. Kuramoto 283–287 (2000) 858
- The effect of electrical hydrogen charging on the strength of 316 stainless steel, S. Sugiyama, H. Ohkubo, M. Takenaka, K. Ohsawa, M.I. Ansari, N. Tsukuda and E. Kuramoto 283–287 (2000) 863
- Evaluation of the deformation fields and bond integrity of Cu/SS joints, J.F. Stubbins, J. Collins and J. Min 283–287 (2000) 982
- The removal of ion implanted deuterium from tungsten and stainless steel by transferred-arc cleaning, K.J. Hollis, R.G. Castro, C.J. Maggiore and A. Ayala 283–287 (2000) 1085
- Effect of ITER components manufacturing cycle on the irradiation behaviour of 316L(N)-IG steel, B.S. Rodchenkov, V.I. Prokhorov, O.Yu. Makarov, V.K. Shamardin, G.M. Kalinin, Yu.S. Strebkov and O.A. Golosov 283–287 (2000) 1166
- Re-weldability tests of irradiated austenitic stainless steel by a TIG welding method, K. Tsuchiya, H. Kawamura and G. Kalinin 283–287 (2000) 1210
- Effect of weld thermal cycle and restraint stress on helium bubble formation in stainless steels, S.

- Kawano, K. Fukuya, F. Kano, M. Satou, A. Hasegawa and K. Abe 283–287 (2000) 1220
- Low cycle fatigue strength of diffusion bonded joints of alumina dispersion-strengthened copper to stainless steel, H. Nishi and T. Araki 283–287 (2000) 1234
- Measurement and analysis of radioactivity induced in steels and a vanadium alloy by 14-MeV neutrons, D. Richter, R.A. Forrest, H. Freiesleben, Va.D. Kovalchuk, Vi.D. Kovalchuk, D.V. Markovskij, K. Seidel, V.I. Tereshkin and S. Unholzer 283–287 (2000) 1434
- Steels, Ferritic**
- Interactions between fusion materials R&D and other technologies, A. Kohyama, M. Seki, K. Abe, T. Muroga, H. Matsui, S. Jitsukawa and S. Matsuda 283–287 (2000) 20
- Progress and critical issues of reduced activation ferritic/martensitic steel development, B. van der Schaaf, D.S. Gelles, S. Jitsukawa, A. Kimura, R.L. Klueh, A. Möslang and G.R. Odette 283–287 (2000) 52
- Compositional and temperature dependence of void swelling in model Fe–Cr base alloys irradiated in the EBR-II fast reactor, B.H. Sencer and F.A. Garner 283–287 (2000) 164
- Study of He-bubble growth in α -particle implanted F82H-mod martensitic steel, R. Coppola, M. Magnani, R.P. May, A. Möslang and M. Valli 283–287 (2000) 183
- Modeling of microstructure evolution and mechanical property change of reduced-activation martensitic steel during varying-temperature irradiation, R. Kasada and A. Kimura 283–287 (2000) 188
- Swelling of F82H irradiated at 673 K up to 51 dpa in HFIR, Y. Miwa, E. Wakai, K. Shiba, N. Hashimoto, J.P. Robertson, A.F. Rowcliffe and A. Hishinuma 283–287 (2000) 334
- Differences in the microstructure of the F82H ferritic/martensitic steel after proton and neutron irradiation, R. Schäublin and M. Victoria 283–287 (2000) 339
- Mechanical behavior of reduced-activation and conventional martensitic steels after neutron irradiation in the range 250–450°C, A. Alamo, M. Horsten, X. Averty, E.I. Materna-Morris, M. Rieth and J.C. Brachet 283–287 (2000) 353
- Tensile behavior of F82H with and without spectral tailoring, K. Shiba, R.L. Klueh, Y. Miwa, J.P. Robertson and A. Hishinuma 283–287 (2000) 358
- Irradiation creep of 11Cr–0.5Mo–2W, V, Nb ferritic–martensitic, modified 316, and 15Cr–20Ni austenitic S.S. irradiated in FFTF to 103–206 dpa, A. Uehira, S. Mizuta, S. Ukai and R.J. Puigh 283–287 (2000) 396
- Effects of helium implantation on creep rupture properties of low activation ferritic steel F82H IEA heat, N. Yamamoto, J. Nagakawa and K. Shiba 283–287 (2000) 400
- Application of generalized deformation theory to irradiation creep of fcc and bcc stainless steels, M.B. Toloczko, J.P. Hirth and F.A. Garner 283–287 (2000) 409
- Thermal fatigue crack nucleation in ferritic–martensitic steels before and after neutron irradiation, L.A. Belyaeva, A.A. Zisman, C. Petersen, V.A. Potapova and V.V. Rybin 283–287 (2000) 461
- Effect of heat treatment and irradiation temperature on mechanical properties and structure of reduced-activation Cr–W–V steels of bainitic, martensitic, and martensitic–ferritic classes, I.V. Gorynin, V.V. Rybin, I.P. Kursevich, A.N. Lapin, E.V. Nesterova and E.Yu. Klepikov 283–287 (2000) 465
- Low-temperature irradiation effects on tensile and Charpy properties of low-activation ferritic steels, K. Shiba and A. Hishinuma 283–287 (2000) 474
- Embrittlement of reduced-activation ferritic/martensitic steels irradiated in HFIR at 300°C and 400°C, R.L. Klueh, M.A. Sokolov, K. Shiba, Y. Miwa and J.P. Robertson 283–287 (2000) 478
- Mechanical properties and microstructure in low-activation martensitic steels F82H and Optimax after 800-MeV proton irradiation, Y. Dai, S.A. Maloy, G.S. Bauer and W.F. Sommer 283–287 (2000) 513
- Diffusion and permeation of hydrogen in low-activation martensitic stainless steel – effect of irradiation, F. Schliefer, C. Liu and P. Jung 283–287 (2000) 540
- Development of an oxide dispersion strengthened, reduced-activation steel for fusion energy, G.R. Romanoski, L.L. Snead, R.L. Klueh and D.T. Hoelzer 283–287 (2000) 642
- Effect of mechanical alloying parameters on irradiation damage in oxide dispersion strengthened fer-

- ritic steels, S. Yamashita, S. Watanabe, S. Ohnuki, H. Takahashi, N. Akasaka and S. Ukai 283–287 (2000) 647
- Material science and manufacturing of heat-resistant reduced-activation ferritic–martensitic steels for fusion, A.G. Ioltukhovskiy, A.I. Blokhin, N.I. Budylnin, V.M. Chernov, M.V. Leont'eva-Smirnova, E.G. Mironova, E.A. Medvedeva, M.I. Solonin, S.I. Porollo and L.P. Zavyalsky 283–287 (2000) 652
- Microstructure of welded and thermal-aged low activation steel F82H IEA heat, T. Sawai, K. Shiba and A. Hishinuma 283–287 (2000) 657
- Chemical segregation behavior under thermal aging of the low-activation F82H-modified steel, J. Lapeña, M. Garcia-Mazario, P. Fernández and A.M. Lancha 283–287 (2000) 662
- Mechanical properties of 8Cr–2WVTa steel aged for 30 000 h, M. Tamura, K. Shinozuka, H. Esaka, S. Sugimoto, K. Ishizawa and K. Masamura 283–287 (2000) 667
- Effect of thermal aging on the microstructure and mechanical properties of 7–11 CrW steels, Y. de Carlan, A. Alamo, M.H. Mathon, G. Geoffroy and A. Castaing 283–287 (2000) 672
- Low cycle fatigue properties of a low activation ferritic steel (JLF-1) at room temperature, A. Nishimura, T. Nagasaka, N. Inoue, T. Muroga and C. Namba 283–287 (2000) 677
- Ripple reduction and surface coating tests with ferritic steel on JFT-2M, K. Tsuzuki, M. Sato, H. Kawashima, Y. Miura, H. Kimura, T. Abe, K. Uehara, T. Ogawa, T. Akiyama, T. Shibata, M. Yamamoto and T. Koike 283–287 (2000) 681
- High heat flux test of a HIP-bonded first wall panel of reduced activation ferritic steel F-82H, T. Hatanoto, S. Suzuki, K. Yokoyama, T. Kuroda and M. Enoeda 283–287 (2000) 685
- Phenomenological aspects of fatigue cracking in as-received and hardened F82H modified steel exposed to lithiated water with dissolved hydrogen at 240°C, M.-F. Maday 283–287 (2000) 689
- Influence of combined thermo-mechanical treatment on impurity segregation in ferritic–martensitic and austenitic stainless steels, A.M. Ilyin, V.S. Neustroev, V.K. Sharmardin, V.P. Shestakov, I.L. Tazhibavaeva and V.A. Krivchenkoa 283–287 (2000) 694
- A potential new ferritic/martensitic steel for fusion applications, R.L. Klueh, N. Hashimoto, R.F. Buck and M.A. Sokolov 283–287 (2000) 697
- Tube manufacturing and characterization of oxide dispersion strengthened ferritic steels, S. Ukai, S. Mizuta, T. Yoshitake, T. Okuda, M. Fujiwara, S. Hagi and T. Kobayashi 283–287 (2000) 702
- Tensile and impact behavior of the reduced-activation steels OPTIFER and F82H mod, L. Schäfer 283–287 (2000) 707
- Performance limits for fusion first-wall structural materials, D.L. Smith, S. Majumdar, M. Billone and R. Mattas 283–287 (2000) 716
- Constitutive behavior and fracture toughness properties of the F82H ferritic/martensitic steel, P. Spätig, G.R. Odette, E. Donahue and G.E. Lucas 283–287 (2000) 721
- The mechanical properties and microstructure of the OPTIMAX series of low activation ferritic–martensitic steels, N. Baluc, R. Schäublin, C. Bailat, F. Paschoud and M. Victoria 283–287 (2000) 731
- Effect of helium production on swelling of F82H irradiated in HFIR, E. Wakai, N. Hashimoto, Y. Miwa, J.P. Robertson, R.L. Klueh, K. Shiba and S. Jistukawa 283–287 (2000) 799
- Annealing behavior of irradiation hardening and microstructure in helium-implanted reduced activation martensitic steel, A. Kimura, R. Kasada, R. Sugano, A. Hasegawa and H. Matsui 283–287 (2000) 827
- Hydrogen-irradiated steel interaction during alternating hydrogenation and annealing, E.A. Krasikov and A.D. Amajev 283–287 (2000) 846
- Confocal microscopy–fracture reconstruction and finite element modeling characterization of local cleavage toughness in a ferritic/martensitic steel in subsized Charpy V-notch impact tests, T. Yamamoto, G.R. Odette, G.E. Lucas and H. Matsui 283–287 (2000) 992
- Neutron irradiation hardening of ODS alloy tested by miniature disk bend test method, C.Q. Chen, J.G. Sun and Y.C. Xu 283–287 (2000) 1011
- Effect of specimen size on fatigue properties of reduced activation ferritic/martensitic steels, T. Hirose, H. Sakasegawa, A. Kohyama, Y. Katoh and H. Tanigawa 283–287 (2000) 1018

- Characterization of low-activation ferritic steel (JLF-1) weld joint by simulated heat-treatments, N. Inoue, T. Muroga, A. Nishimura, T. Nagasaka, O. Motojima, S. Uchida, H. Yabe, K. Oguri, Y. Nishi, Y. Katoh and A. Kohyama 283–287 (2000) 1187
- Effects of thermal aging on the mechanical behavior of F82H weldments, A. Alamo, A. Castaing, A. Fontes and P. Wident 283–287 (2000) 1192
- Diffusion welding parameters and mechanical properties of martensitic chromium steels, K. Schleisiek, T. Lechler, L. Schäfer and P. Weimar 283–287 (2000) 1196
- Scale structure of aluminised MANET steel after HIP treatment, H. Glasbrenner, K. Stein-Fechner and J. Konys 283–287 (2000) 1302
- A microstructural study of the oxide scale formation on ODS Fe–13Cr steel, D.T. Hoelzer, B.A. Pint and I.G. Wright 283–287 (2000) 1306
- Compatibility of AlN with liquid lithium, T. Terai, A. Suzuki, T. Yoneoka and T. Mitsuyama 283–287 (2000) 1322
- Compatibility of structural candidate materials with LiF–BeF₂ molten salt mixture, H. Nishimura, T. Terai, T. Yoneoka, S. Tanaka, A. Sagara and O. Motojima 283–287 (2000) 1326
- Corrosion of ferritic–martensitic steels in the eutectic Pb–17Li, H. Glasbrenner, J. Konys, H.D. Röhrig, K. Stein-Fechner and Z. Voss 283–287 (2000) 1332
- Liquid metal embrittlement (LME) susceptibility of the 8–9% Cr martensitic steels F82H-mod., OPTIFER IVb and their simulated welded structures in liquid Pb–17Li, T. Sample and H. Kolbe 283–287 (2000) 1336
- Water corrosion of F82H-modified in simulated irradiation conditions by heat treatment, J. Lapeña and F. Blázquez 283–287 (2000) 1341
- Measurement and analysis of radioactivity induced in steels and a vanadium alloy by 14-MeV neutrons, D. Richter, R.A. Forrest, H. Freiesleben, Va.D. Kovalchuk, Vi.D. Kovalchuk, D.V. Markovskij, K. Seidel, V.I. Tereshkin and S. Unholzer 283–287 (2000) 1434
- Present status and future prospect of the Russian program for fusion low-activation materials, M.I. Solonin, V.M. Chernov, V.A. Gorokhov, A.G. Ioltukhovskiy, A.K. Shikov and A.I. Blokhin 283–287 (2000) 1468
- Structural Materials**
- Critical issues and current status of vanadium alloys for fusion energy applications, R.J. Kurtz, K. Abe, V.M. Chernov, V.A. Kazakov, G.E. Lucas, H. Matsui, T. Muroga, G.R. Odette, D.L. Smith and S.J. Zinkle 283–287 (2000) 70
- International strategy for fusion materials development, K. Ehrlich, E.E. Bloom and T. Kondo 283–287 (2000) 79
- Sink effect of grain boundary on radiation-induced segregation in austenitic stainless steel, S. Watanabe, Y. Takamatsu, N. Sakaguchi and H. Takahashi 283–287 (2000) 152
- Influence of variable temperatures irradiation on microstructural evolution in phosphorus doped Fe–Cr–Ni alloys, D. Hamaguchi, H. Watanabe, T. Muroga and N. Yoshida 283–287 (2000) 319
- Microstructural evolution of Alloy 718 at high helium and hydrogen generation rates during irradiation with 600–800 MeV protons, B.H. Sencer, G.M. Bond, F.A. Garner, M.L. Hamilton, B.M. Oliver, L.E. Thomas, S.A. Maloy, W.F. Sommer, M.R. James and P.D. Ferguson 283–287 (2000) 324
- Mechanical behavior of reduced-activation and conventional martensitic steels after neutron irradiation in the range 250–450°C, A. Alamo, M. Horsten, X. Averty, E.I. Materna-Morris, M. Rieth and J.C. Brachet 283–287 (2000) 353
- Effect of strain rate on the tensile properties of unirradiated and irradiated V–4Cr–4Ti, A.F. Rowcliffe, S.J. Zinkle and D.T. Hoelzer 283–287 (2000) 508
- SYLRAMIC™ SiC fibers for CMC reinforcement, R.E. Jones, D. Petrak, J. Rabe and A. Szweda 283–287 (2000) 556
- Microstructure control to improve mechanical properties of vanadium alloys for fusion applications, T. Kuwabara, H. Kurishita and M. Hasegawa 283–287 (2000) 611
- Biaxial thermal creep of V–4Cr–4Ti at 700°C and 800°C, R.J. Kurtz and M.L. Hamilton 283–287 (2000) 628
- Performance limits for fusion first-wall structural materials, D.L. Smith, S. Majumdar, M. Billone and R. Mattas 283–287 (2000) 716
- Recovery and recrystallization behavior of vanadium at various controlled nitrogen and oxygen levels,

- T. Nagasaka, H. Takahashi, T. Muroga, T. Tanabe and H. Matsui 283–287 (2000) 816
- Effect of oxygen on the crack growth behavior of V-4Cr-4Ti at 600°C, R.J. Kurtz 283–287 (2000) 822
- Mechanical properties of the ITER central solenoid model coil insulation under static and dynamic load after reactor irradiation, K. Humer, P. Rosenkranz, H.W. Weber, P.E. Fabian and J.A. Rice 283–287 (2000) 973
- Development of a small specimen test machine to evaluate irradiation embrittlement of fusion reactor materials, T. Ishii, M. Ohmi, J. Saito, T. Hoshiya, N. Ooka, S. Jitsukawa and M. Eto 283–287 (2000) 1023
- Characterization of low-activation ferritic steel (JLF-1) weld joint by simulated heat-treatments, N. Inoue, T. Muroga, A. Nishimura, T. Nagasaka, O. Motojima, S. Uchida, H. Yabe, K. Oguri, Y. Nishi, Y. Katoh and A. Kohyama 283–287 (2000) 1187
- Post-irradiation mechanical tests on F82H EB and TIG welds, J. Rensman, E.V. van Osch, M.G. Horsten and D.S. d'Hulst 283–287 (2000) 1201
- Magnetic field effect on deposition of corrosion products in liquid Pb-17Li, F. Barbier 283–287 (2000) 1267
- Oxidation and hardness profile of V-Ti-Cr-Si-Al-Y alloys, M. Fujiwara, M. Satou, A. Hasegawa and K. Abe 283–287 (2000) 1311
- Compatibility of structural candidate materials with LiF-BeF₂ molten salt mixture, H. Nishimura, T. Terai, T. Yoneoka, S. Tanaka, A. Sagara and O. Motojima 283–287 (2000) 1326
- Superconductors**
- Russian superconducting materials for magnet systems of fusion reactors, A. Shikov, A. Nikulin, V. Pantyrnyi, A. Vorobieva, G. Vedernikov, A. Silaev, E. Dergunova, S. Soudiev and I. Akimov 283–287 (2000) 968
- Surface Effects**
- The status of beryllium technology for fusion, F. Scaffidi-Argentina, G.R. Longhurst, V. Shestakov and H. Kawamura 283–287 (2000) 43
- Critical plasma-wall interaction issues for plasma-facing materials and components in near-term fusion devices, G. Federici, J.P. Coad, A.A. Haasz, G. Janeschitz, N. Noda, V. Philipps, J. Roth, C.H. Skinner, R. Tivey and C.H. Wu 283–287 (2000) 110
- Hydrogen permeation through vanadium alloy V-4Cr-4Ti 'in situ' of reactor irradiation, T.V. Kulsartov, V.P. Shestakov, I.L. Tazhibaeva and E.A. Kenzhin 283–287 (2000) 872
- Removal of deuterium from co-deposited carbon-silicon layers, M. Balden and M. Mayer 283–287 (2000) 1057
- The behavior of coatings and SiC_p/SiC composites under thermal shock, J. Yu, Z. Yao, G. Yu, F. Chu, X. Tang, Y. Zeng and T. Noda 283–287 (2000) 1077
- Codeposition of deuterium ions with beryllium oxide at elevated temperatures, A.V. Markin, V.P. Dubkov, A.E. Gorodetsky, M.A. Negodaev, N.V. Rozhanskii, F. Scaffidi-Argentina, H. Werle, C.H. Wu, R.Kh. Zalavutdinov and A.P. Zakharov 283–287 (2000) 1094
- Sputtering studies of beryllium with helium and deuterium using molecular dynamics approach, S. Ueda, T. Ohsaka and S. Kuwajima 283–287 (2000) 1100
- Erosion mechanisms and products in graphite targets under simulated disruption conditions, F. Scaffidi-Argentina, V. Safronov, I. Arkhipov, N. Arkhipov, V. Bakhtin, V. Barsuk, S. Kurkin, E. Mironova, D. Toporkov, S. Vasenin, H. Werle, H. Würz and A. Zhitlukhin 283–287 (2000) 1111
- Development of functionally graded plasma-facing materials, C.-C. Ge, J.-T. Li, Z.-J. Zhou, W.-B. Cao, W.-P. Shen, M.-X. Wang, N.-M. Zhang, X. Liu and Z.-Y. Xu 283–287 (2000) 1116
- Erosion characteristics of neutron-irradiated carbon-based materials under simulated disruption heat loads, K. Sato, E. Ishitsuka, M. Uda, H. Kawamura, S. Suzuki, M. Taniguchi, K. Ezato and M. Akiba 283–287 (2000) 1157
- Hydrodynamic effects of eroded materials of plasma-facing component during a Tokamak disruption, A. Hassanein and I. Konkashbaev 283–287 (2000) 1171
- Structure of materials deposited on the plasma facing surface in TRIAM-IM tokamak and the effect on hydrogen recycling, T. Hirai, T. Fujiwara, K. Tokunaga, N. Yoshida, A. Komori, O. Motojima, S. Itoh and TRIAM group 283–287 (2000) 1177
- Simulation study of carbon and tungsten deposition on W/C twin test limiter in TEXTOR-94, K. Ohya, R. Kawakami, T. Tanabe, M. Wada, T. Ohgo, V. Philipps, A. Pospieszczyk, B. Schweer, A. Hu-

- ber, M. Rubel, J. von Seggern and N. Noda 283–287 (2000) 1182
- The oxidation kinetics of Incoloy 800 and its deuterium permeation behavior, A. Perujo, J. Reimann, H. Feuerstein and B. Mancinelli 283–287 (2000) 1292
- Effects of thin films on inventory, permeation and re-emission of energetic hydrogen, N. Ohyabu, Y. Nakamura, Y. Nakahara, A. Livshits, V. Alimov, A. Busnyuk, M. Notkin, A. Samartsev and A. Doroshin 283–287 (2000) 1297
- XPS and UPS studies on electronic structure of Li_2O , S. Tanaka, M. Taniguchi and H. Tanigawa 283–287 (2000) 1405
- Swelling**
- Progress in modelling the microstructural evolution in metals under cascade damage conditions, H. Trinkaus, B.N. Singh and S.I. Golubov 283–287 (2000) 89
- Influence of cold work to increase swelling of pure iron irradiated in the BR-10 reactor to ~ 6 and ~ 25 dpa at $\sim 400^\circ\text{C}$, A.M. Dvoriashin, S.I. Porollo, Yu.V. Konobeev and F.A. Garner 283–287 (2000) 157
- Compositional and temperature dependence of void swelling in model Fe–Cr base alloys irradiated in the EBR-II fast reactor, B.H. Sencer and F.A. Garner 283–287 (2000) 164
- Effect of temperature gradients on void formation in modified 316 stainless steel cladding, N. Akasaka, I. Yamagata and S. Ukai 283–287 (2000) 169
- The effect of alloying elements on the defect structural evolution in neutron irradiated Ni alloys, T. Yoshiie, Q. Xu, Y. Satoh, H. Ohkubo and M. Kiritani 283–287 (2000) 229
- Void swelling and irradiation creep of two high-nickel steels after irradiation at $400\text{--}410^\circ\text{C}$ to $84\text{--}91$ dpa in the BN-350 fast reactor, S.I. Porollo, A.M. Dvoriashin, A.N. Vorobjev, Yu.V. Konobeev, V.M. Krigan, E.G. Mironova, N.I. Budylnkin and F.A. Garner 283–287 (2000) 239
- Microstructural changes of austenitic steels caused by proton irradiation under various conditions, T. Fukuda, M. Sagisaka, Y. Isobe, A. Hasegawa, M. Sato, K. Abe, Y. Nishida, T. Kamada and Y. Kaneshima 283–287 (2000) 263
- Microstructures in Ti–Al intermetallic compounds irradiated at 673 K in HFIR, Y. Miwa, T. Sawai, K. Fukai, D.T. Hoelzer and A. Hishinuma 283–287 (2000) 273
- Microstructure of Cu–Ni alloys neutron irradiated at 210°C and 420°C to 14 dpa, S.J. Zinkle and B.N. Singh 283–287 (2000) 306
- Influence of variable temperatures irradiation on microstructural evolution in phosphorus doped Fe–Cr–Ni alloys, D. Hamaguchi, H. Watanabe, T. Muroga and N. Yoshida 283–287 (2000) 319
- Swelling of F82H irradiated at 673 K up to 51 dpa in HFIR, Y. Miwa, E. Wakai, K. Shiba, N. Hashimoto, J.P. Robertson, A.F. Rowcliffe and A. Hishinuma 283–287 (2000) 334
- Swelling, irradiation creep and growth of pure rhenium irradiated with fast neutrons at $1030\text{--}1330^\circ\text{C}$, F.A. Garner, M.B. Toloczko, L.R. Greenwood, C.R. Eiholzer, M.M. Paxton and R.J. Puigh 283–287 (2000) 380
- Effect of helium production on swelling of F82H irradiated in HFIR, E. Wakai, N. Hashimoto, Y. Miwa, J.P. Robertson, R.L. Klueh, K. Shiba and S. Jistukawa 283–287 (2000) 799
- A comparison of defects in helium implanted α - and β -SiC, P. Jung, H. Klein and J. Chen 283–287 (2000) 806
- Neutron irradiation damage in aluminum oxide and nitride ceramics up to a fluence of 4.2×10^{26} n/m², T. Yano, K. Ichikawa, M. Akiyoshi and Y. Tachi 283–287 (2000) 947
- Mechanical properties of the ITER central solenoid model coil insulation under static and dynamic load after reactor irradiation, K. Humer, P. Rosenkranz, H.W. Weber, P.E. Fabian and J.A. Rice 283–287 (2000) 973
- Theory and Modelling**
- Progress in modelling the microstructural evolution in metals under cascade damage conditions, H. Trinkaus, B.N. Singh and S.I. Golubov 283–287 (2000) 89
- Radiation-induced inter-granular segregation in first wall fusion reactor materials, R.G. Faulkner, S. Song and P.E.J. Flewitt 283–287 (2000) 147
- Sink effect of grain boundary on radiation-induced segregation in austenitic stainless steel, S. Watanabe, Y. Takamatsu, N. Sakaguchi and H. Takahashi 283–287 (2000) 152
- Modeling of microstructure evolution and mechanical property change of reduced-activation martensitic steel

- during varying-temperature irradiation, R. Kasada and A. Kimura 283–287 (2000) 188
- Computer simulations of the effects of temperature change on defect accumulation in copper during neutron irradiation, Q. Xu, H.L. Heinisch and T. Yoshiie 283–287 (2000) 297
- The effects of one-dimensional glide on the reaction kinetics of interstitial clusters, H.L. Heinisch, B.N. Singh and S.I. Golubov 283–287 (2000) 737
- A molecular dynamics simulation study of small cluster formation and migration in metals, K. Morishita, T. Diaz de la Rubia, E. Alonso, N. Sekimura and N. Yoshida 283–287 (2000) 753
- Modeling of cascade damage interactions by Monte-Carlo method, N. Sekimura, T. Morioka and K. Morishita 283–287 (2000) 758
- Computer simulation of defects interacting with a dislocation in Fe and Ni, E. Kuramoto, K. Ohsawa and T. Tsutsumi 283–287 (2000) 778
- An initial model for the RIED effect, E.R. Hodgson and A. Morono 283–287 (2000) 880
- Evaluation of the deformation fields and bond integrity of Cu/SS joints, J.F. Stubbins, J. Collins and J. Min 283–287 (2000) 982
- Confocal microscopy–fracture reconstruction and finite element modeling characterization of local cleavage toughness in a ferritic/martensitic steel in subsized Charpy V-notch impact tests, T. Yamamoto, G.R. Odette, G.E. Lucas and H. Matsui 283–287 (2000) 992
- In-pile tritium-permeation measurements on T91 tubes with double walls or a Fe–Al/Al₂O₃ coating, R. Conrad, K. Bakker, C. Chabrol, M.A. Fütterer, J.G. van der Laan, E. Rigal and M.P. Stijkel 283–287 (2000) 1351
- Thermal Shock**
- The behavior of coatings and SiC_f/SiC composites under thermal shock, J. Yu, Z. Yao, G. Yu, F. Chu, X. Tang, Y. Zeng and T. Noda 283–287 (2000) 1077
- Effects of plasma disruption events on ITER first wall materials, A. Cardella, H. Gorenflo, A. Lodato, K. Ioki and R. Raffray 283–287 (2000) 1105
- Changes of composition and microstructure of joint interface of tungsten coated carbon by high heat flux, K. Tokunaga, T. Matsumura, Y. Miyamoto, Y. Takao, N. Yoshida, N. Noda, Y. Kubota, T. Sogabe, T. Kato and L. Plöchl 283–287 (2000) 1121
- High heat flux simulation experiments with improved electron beam diagnostics, J. Linke, H. Bolt, R. Duwe, W. Kühnlein, A. Lodato, M. Rödiger, K. Schöpflin and B. Wiechers 283–287 (2000) 1152
- Behaviour of Li₂ZrO₃ and Li₂TiO₃ pebbles relevant to their utilization as ceramic breeder for the HCPB blanket, J.D. Lulewicz, N. Roux, G. Piazza, J. Reimann and J. van der Laan 283–287 (2000) 1361
- Thermomechanical Treatment**
- Microstructure of welded and thermal-aged low activation steel F82H IEA heat, T. Sawai, K. Shiba and A. Hishinuma 283–287 (2000) 657
- Effect of thermal aging on the microstructure and mechanical properties of 7–11 CrW steels, Y. de Carlan, A. Alamo, M.H. Mathon, G. Geoffroy and A. Castaing 283–287 (2000) 672
- Tube manufacturing and characterization of oxide dispersion strengthened ferritic steels, S. Ukai, S. Mizuta, T. Yoshitake, T. Okuda, M. Fujiwara, S. Hagi and T. Kobayashi 283–287 (2000) 702
- Water corrosion of F82H-modified in simulated irradiation conditions by heat treatment, J. Lapeña and F. Blázquez 283–287 (2000) 1341
- Thermophysical Properties**
- In situ thermal conductivity measurement of ceramics in a fast neutron environment, L.L. Snead, R. Yamada, K. Noda, Y. Katoh, S.J. Zinkle, W.S. Eatherly and A.L. Qualls 283–287 (2000) 545
- Room and high-temperature mechanical and thermal properties of SiC fiber-reinforced SiC composite sintered under pressure, K. Yoshida and T. Yano 283–287 (2000) 560
- High thermal conductivity SiC/SiC composites for fusion applications, W. Kowbel, C.A. Bruce, K.L. Tsou, K. Patel, J.C. Withers and G.E. Youngblood 283–287 (2000) 570
- Mechanical and thermal properties of 2D and 3D SiC/SiC composites, R. Yamada, T. Taguchi and N. Igawa 283–287 (2000) 574
- Thermomechanical characteristics of the low activation materials chromium and Cr-5Fe-1Y₂O₃ alloy, H. Stamm, U. Holzwarth, F. Lakes-tani, R. Valiev, V. Provenzano and A. Volcan 283–287 (2000) 597

- Study of helium effects in SiC/SiC composites under fusion reactor environment, A. Hasegawa, B.M. Oliver, S. Nogami, K. Abe and R.H. Jones 283–287 (2000) 811
- Effect of neutron irradiation on thermal diffusivity of tungsten–rhenium alloys, M. Fujitsuka, B. Tsuchiya, I. Mutoh, T. Tanabe and T. Shikama 283–287 (2000) 1148
- Development of materials and fabrication of porous and pebble bed beryllium multipliers, D.A. Davydov, M.I. Solonin, Yu.E. Markushkin, V.A. Gorokhov, V.V. Gorlevsky and G.N. Nikolaev 283–287 (2000) 1409
- Titanium, Titanium Alloys and Compounds**
- Role of α_2/γ and γ/γ phase boundaries in cavity formation in a TiAl intermetallic compound irradiated with He-ions, K. Nakata, K. Fukai, A. Hishinuma and K. Ameyama 283–287 (2000) 278
- Tensile and fatigue properties of two titanium alloys as candidate materials for fusion reactors, P. Marmy, T. Leguey, I. Belianov and M. Victoria 283–287 (2000) 602
- Tritium and Tritides**
- Critical plasma–wall interaction issues for plasma-facing materials and components in near-term fusion devices, G. Federici, J.P. Coad, A.A. Haasz, G. Janeschitz, N. Noda, V. Philipps, J. Roth, C.H. Skinner, R. Tivey and C.H. Wu 283–287 (2000) 110
- The interaction of deuterium and tritium with radiation and other defects in austenitic steel and nickel, V.L. Arbusov, G.A. Raspopova, S.E. Danilov, A.P. Druzhkov and Yu.N. Zouev 283–287 (2000) 849
- Heavy hydrogen isotopes penetration through austenitic and martensitic steels, Yu. Dolinski, I. Lyasota, A. Shestakov, Yu. Repritsev and Yu. Zouev 283–287 (2000) 854
- Tritium permeation experiment using a tungsten armored divertor-simulating module, H. Nakamura, S. O'hira, W. Shu, M. Nishi, T.J. Venhaus, R.A. Causey, D.R. Hyatt and R.S. Willms 283–287 (2000) 1043
- Depth profile of tritium in plasma exposed CX-2002U, T. Tadokoro, K. Isobe, S. O'hira, W. Shu and M. Nishi 283–287 (2000) 1048
- Tungsten filament mock-ups for gas box liner, C. Cazzola, J. Boscaro and R. Matera 283–287 (2000) 1073
- The permeation of tritium through 316L stainless steel with multiple coatings, Z. Yao, J. Hao, C. Zhou, C. Shan and J. Yu 283–287 (2000) 1287
- Scale structure of aluminised Manet steel after HIP treatment, H. Glasbrenner, K. Stein-Fechner and J. Konys 283–287 (2000) 1302
- Behaviour of Li_2ZrO_3 and Li_2TiO_3 pebbles relevant to their utilization as ceramic breeder for the HCPB blanket, J.D. Lulewicz, N. Roux, G. Piazza, J. Reimann and J. van der Laan 283–287 (2000) 1361
- Effects of helium production and radiation damage on tritium release behavior of neutron-irradiated beryllium pebbles, E. Ishitsuka, H. Kawamura, T. Terai and S. Tanaka 283–287 (2000) 1401
- Improvement of the model for surface process of tritium release from lithium oxide, D. Yamaki, A. Iwamoto and S. Jitsukawa 283–287 (2000) 1414
- Tritium release from neutron-irradiated Li_2O sintered pellets: porosity dependence, T. Tanifuji, D. Yamaki, T. Takahashi and A. Iwamoto 283–287 (2000) 1419
- Materials and fabrication technology of modules intended for irradiation tests of blanket tritium-breeding zones in Russian fusion reactor projects, V. Kapychev, D. Davydov, V. Gorokhov, A. Ioltukhovskiy, Yu. Kazennov, V. Tebus, V. Frolov, A. Shikov, N. Shishkov, V. Kovalenko, N. Shishkin and Yu. Strebkov 283–287 (2000) 1429
- Tungsten, Tungsten Alloys and Compounds**
- Assessment and selection of materials for ITER in-vessel components, G. Kalinin, V. Barabash, A. Cardella, J. Dietz, K. Ioki, R. Matera, R.T. Santoro, R. Tivey and The ITER Home Teams 283–287 (2000) 10
- Neutron irradiation effects on plasma facing materials, V. Barabash, G. Federici, M. Rödiger, L.L. Snead and C.H. Wu 283–287 (2000) 138
- Neutron wall loading of Tokamak reactors, C.P.C. Wong 283–287 (2000) 588
- High-sensitivity quadrupole mass spectrometry system for the determination of hydrogen in irradiated materials, B.M. Oliver, F.A. Garner, L.R. Greenwood and J.A. Abrefah 283–287 (2000) 1006
- Hydrogen and deuterium transport and inventory parameters through

- W and W-alloys for fusion reactor applications, G. Benamati, E. Serra and C.H. Wu 283–287 (2000) 1033
- Deuterium retention in tungsten and molybdenum, S. Nagata and K. Takahiro 283–287 (2000) 1038
- Tritium permeation experiment using a tungsten armored divertor-simulating module, H. Nakamura, S. O'hira, W. Shu, M. Nishi, T.J. Venhaus, R.A. Causey, D.R. Hyatt and R.S. Willms 283–287 (2000) 1043
- Effect of carbon pre-implantation on deuterium retention in tungsten, M. Poon, J.W. Davis and A.A. Haasz 283–287 (2000) 1062
- Tungsten filament mock-ups for gas box liner, C. Cazzola, J. Boscary and R. Matera 283–287 (2000) 1073
- Infrared characterization and high heat flux testing of plasma sprayed layers, Ph. Chappuis, F. Escourbiac, M. Chantant, M. Febvre, M. Grattarola, M. Bet, M. Merola and B. Riccardi 283–287 (2000) 1081
- The removal of ion implanted deuterium from tungsten and stainless steel by transferred-arc cleaning, K.J. Hollis, R.G. Castro, C.J. Maggiore and A. Ayala 283–287 (2000) 1085
- Graphite-tungsten twin limiters in studies of material mixing processes on high heat flux components, M. Rubel, T. Tanabe, V. Philipps, B. Emmoth, A. Kirschner, J. von Seggern and P. Wienhold 283–287 (2000) 1089
- Effects of plasma disruption events on ITER first wall materials, A. Cardella, H. Gorenflo, A. Lodato, K. Ioki and R. Raffray 283–287 (2000) 1105
- Changes of composition and microstructure of joint interface of tungsten coated carbon by high heat flux, K. Tokunaga, T. Matsubara, Y. Miyamoto, Y. Takao, N. Yoshida, N. Noda, Y. Kubota, T. Sogabe, T. Kato and L. Plöchl 283–287 (2000) 1121
- Application of tungsten for plasma limiters in TEXTOR, T. Tanabe, M. Wada, T. Ohgo, V. Philipps, M. Rubel, A. Huber, J. von Seggern, K. Ohya, A. Pospieszczyk, B. Schweer and TEXTOR team 283–287 (2000) 1128
- Microstructure evolution in tungsten during low-energy helium ion irradiation, H. Iwakiri, K. Yasunaga, K. Morishita and N. Yoshida 283–287 (2000) 1134
- TEM study on deuterium-irradiation-induced defects in tungsten and molybdenum, T. Matsui, S. Muto and T. Tanabe 283–287 (2000) 1139
- Microstructural development of neutron irradiated W–Re alloys, Y. Nemoto, A. Hasegawa, M. Satou and K. Abe 283–287 (2000) 1144
- Effect of neutron irradiation on thermal diffusivity of tungsten–rhenium alloys, M. Fujitsuka, B. Tsuchiya, I. Mutoh, T. Tanabe and T. Shikama 283–287 (2000) 1148
- High heat flux simulation experiments with improved electron beam diagnostics, J. Linke, H. Bolt, R. Duwe, W. Kühnlein, A. Lodato, M. Rödig, K. Schöpflin and B. Wiechers 283–287 (2000) 1152
- Simulation study of carbon and tungsten deposition on W/C twin test limiter in TEXTOR-94, K. Ohya, R. Kawakami, T. Tanabe, M. Wada, T. Ohgo, V. Philipps, A. Pospieszczyk, B. Schweer, A. Huber, M. Rubel, J. von Seggern and N. Noda 283–287 (2000) 1182
- Armor and heat sink materials joining technologies development for ITER plasma facing components, V. Barabash, M. Akiba, A. Cardella, I. Mazul, B.C. Odegard Jr., L. Ploechl, R. Tivey and G. Vieider 283–287 (2000) 1248
- Refractory metal joining for first wall applications, C.H. Cadden and B.C. Odegard Jr. 283–287 (2000) 1253
- ITER structural design criteria and their extension to advanced reactor blankets, S. Majumdar and G. Kalinin 283–287 (2000) 1424
- Vanadium, Vanadium Alloys and Compounds**
- Interactions between fusion materials R&D and other technologies, A. Kohyama, M. Seki, K. Abe, T. Muroga, H. Matsui, S. Jitsukawa and S. Matsuda 283–287 (2000) 20
- Critical issues and current status of vanadium alloys for fusion energy applications, R.J. Kurtz, K. Abe, V.M. Chernov, V.A. Kazakov, G.E. Lucas, H. Matsui, T. Muroga, G.R. Odette, D.L. Smith and S.J. Zinkle 283–287 (2000) 70
- Synergistic effects of hydrogen and helium on microstructural evolution in vanadium alloys by triple ion beam irradiation, N. Sekimura, T. Iwai, Y. Arai, S. Yonamine, A. Naito, Y. Miwa and S. Hamada 283–287 (2000) 224
- Study of point defect behaviors in vanadium and its alloys by using HVEM, T. Hayashi, K. Fukumoto and H. Matsui 283–287 (2000) 234

- Microstructure of vanadium alloys during ion irradiation with stepwise change of temperature, H. Watanabe, T. Arinaga, K. Ochiai, T. Muroga and N. Yoshida 283–287 (2000) 286
- Effects of temperature change on the microstructural evolution of vanadium alloys under ion irradiation, N. Nita, T. Iwai, K. Fukumoto and H. Matsui 283–287 (2000) 291
- Microstructural examination of V–(3–6%)Cr–(3–5%)Ti irradiated in the ATR-A1 experiment, D.S. Gelles 283–287 (2000) 344
- Effects of low-temperature neutron irradiation on mechanical properties of vanadium-base alloys, H. Tsai, T.S. Bray, H. Matsui, M.L. Grossbeck, K. Fukumoto, J. Gazda, M.C. Billone and D.L. Smith 283–287 (2000) 362
- Improvement in post-irradiation ductility of neutron irradiated V–Ti–Cr–Si–Al–Y alloy and the role of interstitial impurities, M. Satou, T. Chuto and K. Abe 283–287 (2000) 367
- Effect of low temperature irradiation on the mechanical properties of ternary V–Cr–Ti alloys as determined by tensile tests and shear punch tests, M.L. Hamilton and M.B. Toloczko 283–287 (2000) 488
- Mechanical behavior and microstructural evolution of vanadium alloys irradiated in ATR-A1, K.-i. Fukumoto, H. Matsui, H. Tsai and D.L. Smith 283–287 (2000) 492
- V-alloy embrittlement by irradiation in a cooling gas environment, H.D. Röhrig, M. Rieth, B. Dafferner and E. Materna-Morris 283–287 (2000) 498
- Defect microstructure and deformation behavior of V–Ti–Cr–Si–Al–Y alloy irradiated in ATR, T. Chuto, M. Satou and K. Abe 283–287 (2000) 503
- Effect of strain rate on the tensile properties of unirradiated and irradiated V–4Cr–4Ti, A.F. Rowcliffe, S.J. Zinkle and D.T. Hoelzer 283–287 (2000) 508
- On the mechanisms and mechanics of fracture toughness of a V–4Cr–4Ti alloy, E.G. Donahue, G.R. Odette and G.E. Lucas 283–287 (2000) 518
- Radiation-induced precipitation in V–(Cr,Fe)–Ti alloys irradiated at low temperature with low dose during neutron or ion irradiation, K.-i. Fukumoto, H. Matsui, Y. Candra, K. Takahashi, H. Sasanuma, S. Nagata and K. Takahiro 283–287 (2000) 535
- Microstructure control to improve mechanical properties of vanadium alloys for fusion applications, T. Kuwabara, H. Kurishita and M. Hasegawa 283–287 (2000) 611
- Solute interactions in pure vanadium and V–4Cr–4Ti alloy, D.T. Hoelzer, M.K. West, S.J. Zinkle and A.F. Rowcliffe 283–287 (2000) 616
- Performance of V–4Cr–4Ti alloy exposed to the JFT-2M tokamak environment, W.R. Johnson, P.W. Trester, S. Sengoku, S. Ishiyama, K. Fukaya, M. Eto, T. Oda, Y. Hirohata, T. Hino and H. Tsai 283–287 (2000) 622
- Biaxial thermal creep of V–4Cr–4Ti at 700°C and 800°C, R.J. Kurtz and M.L. Hamilton 283–287 (2000) 628
- Tensile and impact properties of V–4Cr–4Ti alloy heats 832665 and 832864, T.S. Bray, H. Tsai, L.J. Nowicki, M.C. Billone, D.L. Smith, W.R. Johnson and P.W. Trester 283–287 (2000) 633
- A physically based constitutive model for a V–4Cr–4Ti alloy, E.G. Donahue, G.R. Odette and G.E. Lucas 283–287 (2000) 637
- NIFS program for large ingot production of a V–Cr–Ti alloy, T. Muroga, T. Nagasaka, A. Iiyoshi, A. Kawabata, S. Sakurai and M. Sakata 283–287 (2000) 711
- Performance limits for fusion first-wall structural materials, D.L. Smith, S. Majumdar, M. Billone and R. Mattas 283–287 (2000) 716
- Features of radiation damage of vanadium and its alloys at a temperature of 330–340°C, V.A. Kazakov, Z. Ostrovsky, Yu. Goncharenko and V. Chakin 283–287 (2000) 727
- A molecular dynamics simulation study of small cluster formation and migration in metals, K. Morishita, T. Diaz de la Rubia, E. Alonso, N. Sekimura and N. Yoshida 283–287 (2000) 753
- Comparison of a microstructure evolution model with experiments on irradiated vanadium, S. Sharafat and N.M. Ghoniem 283–287 (2000) 789
- Recovery and recrystallization behavior of vanadium at various controlled nitrogen and oxygen levels, T. Nagasaka, H. Takahashi, T. Muroga, T. Tanabe and H. Matsui 283–287 (2000) 816
- Effect of oxygen on the crack growth behavior of V–4Cr–4Ti at 600°C, R.J. Kurtz 283–287 (2000) 822
- Effects of oxygen and hydrogen at low pressure on the mechanical properties of V–Cr–Ti alloys, J.R. DiStefano, B.A. Pint, J.H. DeVan, H.D. Röhrig and L.D. Chitwood 283–287 (2000) 841

- Permeation of hydrogen through vanadium under helium ion irradiation, Y. Hatano, Y. Nanjo, R. Hayakawa and K. Watanabe 283–287 (2000) 868
- Hydrogen permeation through vanadium alloy V–4Cr–4Ti ‘in situ’ of reactor irradiation, T.V. Kulsartov, V.P. Shestakov, I.L. Tazhibaeva and E.A. Kenzhin 283–287 (2000) 872
- Effect of hydrogen accumulation on mechanical property and microstructure of V–Cr–Ti alloys, K. Aoyagi, E.P. Torres, T. Suda and S. Ohnuki 283–287 (2000) 876
- High-sensitivity quadrupole mass spectrometry system for the determination of hydrogen in irradiated materials, B.M. Oliver, F.A. Garner, L.R. Greenwood and J.A. Abrefah 283–287 (2000) 1006
- The effect of laser welding process parameters on the mechanical and microstructural properties of V–4Cr–4Ti structural materials, C.B. Reed, K. Natesan, Z. Xu and D.L. Smith 283–287 (2000) 1206
- Furnace brazing type 304 stainless steel to vanadium alloy (V–5Cr–5Ti), R.V. Steward, M.L. Grossbeck, B.A. Chin, H.A. Aglan and Y. Gan 283–287 (2000) 1224
- Corrosion of V–Ti–Cr alloys in liquid lithium: influence of alloy composition and concentration of nitrogen in lithium, O.I. Eliseeva, V.N. Fedirko, V.M. Chernov and L.P. Zavialsky 283–287 (2000) 1282
- Oxidation and hardness profile of V–Ti–Cr–Si–Al–Y alloys, M. Fujiwara, M. Satou, A. Hasegawa and K. Abe 283–287 (2000) 1311
- Performance of V–Cr–Ti alloys in a hydrogen environment, K. Natesan and W.K. Soppet 283–287 (2000) 1316
- Impurity effects on gas tungsten arc welds in V–Cr–Ti alloys, M.L. Grossbeck, J.F. King and D.T. Hoelzer 283–287 (2000) 1356
- Multiplier, moderator, and reflector materials for advanced lithium–vanadium fusion blankets, Y. Gohar and D.L. Smith 283–287 (2000) 1370
- Measurement and analysis of radioactivity induced in steels and a vanadium alloy by 14-MeV neutrons, D. Richter, R.A. Forrest, H. Freiesleben, Va.D. Kovalchuk, Vi.D. Kovalchuk, D.V. Markovskij, K. Seidel, V.I. Tereshkin and S. Unholzer 283–287 (2000) 1434
- Present status and future prospect of the Russian program for fusion low-activation materials, M.I. Solonin, V.M. Chernov, V.A. Gorkhov, A.G. Ioltukhovskiy, A.K. Shikov and A.I. Blokhin 283–287 (2000) 1468
- Waste management for different fusion reactor designs, P. Rocco and M. Zucchetti 283–287 (2000) 1473
- Vitrification**
- The effect of alloying elements on the defect structural evolution in neutron irradiated Ni alloys, T. Yoshiie, Q. Xu, Y. Satoh, H. Ohkubo and M. Kiritani 283–287 (2000) 229
- Wastes**
- The impact of materials selection on long-term activation in fusion power plants, N.P. Taylor, C.B.A. Forty, D.A. Petti and K.A. McCarthy 283–287 (2000) 28
- Waste management for different fusion reactor designs, P. Rocco and M. Zucchetti 283–287 (2000) 1473