



Subject index

Actinides (*excludes Plutonium, Thorium and Uranium*)

- The effect of clay on the dissolution of nuclear waste glass, K. Lemmens 298 (2001) 11
- Overview of actinides (Np, Pu, Am) and Tc release from waste glasses: influence of solution composition, V. Pirlet 298 (2001) 47
- Long-term alteration mechanisms in water for SON68 radioactive borosilicate glass, T. Advocat, P. Jollivet, J.L. Crovisier and M. del Nero 298 (2001) 55
- In situ testing of the chemical durability of vitrified high-level waste in a Boom Clay formation in Belgium: discussion of recent data and concept of a new test, P. Van Iseghem, E. Valcke and A. Lodding 298 (2001) 86
- Database development of glass dissolution and radionuclide migration for performance analysis of HLW repository in Japan, M. Yui 298 (2001) 136
- Determination of sorption isotherms for Eu, Th, U and Am on the gel layer of corroded HLW glass, B. Luckscheiter and B. Kienzler 298 (2001) 155
- Release and retention of uranium during glass corrosion, T. Maeda, T. Banba, K. Sonoda, Y. Inagaki and H. Furuya 298 (2001) 163
- Leaching and migration of neptunium in a simulated engineered barrier system consisting of HLW glass and compacted bentonite, Y. Inagaki, H. Furuya, K. Idemitsu, T. Arima, H. Osako, T. Banba, T. Maeda, S. Matsumoto, I. Nomura, S. Kikkawa, M. Saito and H. Okamoto 298 (2001) 168

Ceramics (*not listed elsewhere*)

- Role and properties of the gel formed during nuclear glass alteration: importance of gel formation conditions, S. Gin, I. Ribet and M. Couillard 298 (2001) 1
- The effect of clay on the dissolution of nuclear waste glass, K. Lemmens 298 (2001) 11
- A proposition for an improved theoretical treatment of the corrosion of multi-component glasses, R. Conradt 298 (2001) 19
- New techniques for modelling glass dissolution, M. Aertsens and D. Ghaleb 298 (2001) 37

- Overview of actinides (Np, Pu, Am) and Tc release from waste glasses: influence of solution composition, V. Pirlet 298 (2001) 47
- The effect of coprecipitation in some key spent fuel elements, J. Quiñones, J. Serrano and P. Diaz Arocas 298 (2001) 63
- Glass dissolution: testing and modeling for long-term behavior, D.M. Strachan 298 (2001) 69
- Database development of glass dissolution and radionuclide migration for performance analysis of HLW repository in Japan, M. Yui 298 (2001) 136
- Numerical modelling of glass dissolution: gel layer morphology, F. Devreux and P. Barboux 298 (2001) 145
- Determination of sorption isotherms for Eu, Th, U and Am on the gel layer of corroded HLW glass, B. Luckscheiter and B. Kienzler 298 (2001) 155
- Release and retention of uranium during glass corrosion, T. Maeda, T. Banba, K. Sonoda, Y. Inagaki and H. Furuya 298 (2001) 163
- Leaching and migration of neptunium in a simulated engineered barrier system consisting of HLW glass and compacted bentonite, Y. Inagaki, H. Furuya, K. Idemitsu, T. Arima, H. Osako, T. Banba, T. Maeda, S. Matsumoto, I. Nomura, S. Kikkawa, M. Saito and H. Okamoto 298 (2001) 168
- Waste glass behavior in a loamy soil of a wet repository site, M.I. Ojovan, N.V. Ojovan, I.V. Startceva, G.N. Tchuikova, Z.I. Golubeva and A.S. Barinov 298 (2001) 174
- A comparison of HLW-glass and PWR-borate waste glass, S. Luo, J. Sheng and B. Tang 298 (2001) 180
- Effect of a siliceous additive on aqueous alteration of waste glass with engineered barrier materials, S. Mitsui and R. Aoki 298 (2001) 184

Chemical Reactions (*includes Electrochemical and Thermochemical Reactions*)

- Role and properties of the gel formed during nuclear glass alteration: importance of gel formation conditions, S. Gin, I. Ribet and M. Couillard 298 (2001) 1

- A proposition for an improved theoretical treatment of the corrosion of multi-component glasses, R. Conradt 298 (2001) 19
- Present understanding of R7T7 glass alteration kinetics and their impact on long-term behavior modeling, E. Vernaz, S. Gin, C. Jégou and I. Ribet 298 (2001) 27
- New techniques for modelling glass dissolution, M. Aertsens and D. Ghaleb 298 (2001) 37
- Glass dissolution: testing and modeling for long-term behavior, D.M. Strachan 298 (2001) 69
- US field testing programs and results, G.G. Wicks 298 (2001) 78
- In situ testing of the chemical durability of vitrified high-level waste in a Boom Clay formation in Belgium: discussion of recent data and concept of a new test, P. Van Iseghem, E. Valcke and A. Lodding 298 (2001) 86
- First-order dissolution rate law and the role of surface layers in glass performance assessment, B. Grambow and R. Müller 298 (2001) 112
- Database development of glass dissolution and radionuclide migration for performance analysis of HLW repository in Japan, M. Yui 298 (2001) 136
- Numerical modelling of glass dissolution: gel layer morphology, F. Devreux and P. Barboux 298 (2001) 145
- Release of boron and cesium or uranium from simulated borosilicate waste glasses through a compacted Ca-bentonite layer, K.S. Chun, S.S. Kim and C.H. Kang 298 (2001) 150
- Waste glass behavior in a loamy soil of a wet repository site, M.I. Ojovan, N.V. Ojovan, I.V. Startceva, G.N. Tchuikova, Z.I. Golubeva and A.S. Barinov 298 (2001) 174
- A comparison of HLW-glass and PWR-borate waste glass, S. Luo, J. Sheng and B. Tang 298 (2001) 180
- Effect of a siliceous additive on aqueous alteration of waste glass with engineered barrier materials, S. Mitsui and R. Aoki 298 (2001) 184
- Application of electrochemical impedance spectroscopy (EIS) for in situ study of glass alteration, D. Chaulet, S. Martemianov, J.H. Thomassin and P. Le Coustumer 298 (2001) 192
- In-depth distributions of elements in leached layers on two HLW waste glasses after burial in clay; step-scan by SIMS, A. Lodding and P. Van Iseghem 298 (2001) 197
- Compatibility and Corrosion (include Stress Corrosion Cracking)**
- The effect of clay on the dissolution of nuclear waste glass, K. Lemmens 298 (2001) 11
- Overview of actinides (Np, Pu, Am) and Tc release from waste glasses: influence of solution composition, V. Pirlet 298 (2001) 47
- Long-term alteration mechanisms in water for SON68 radioactive borosilicate glass, T. Advocat, P. Jollivet, J.L. Crovisier and M. del Nero 298 (2001) 55
- US field testing programs and results, G.G. Wicks 298 (2001) 78
- Near-field performance assessment for a low-activity waste glass disposal system: laboratory testing to modeling results, B.P. McGrail, D.H. Bacon, J.P. Icenhower, F.M. Mann, R.J. Puigh, H.T. Schaef and S.V. Mattigod 298 (2001) 95
- Performance assessment of the disposal of vitrified high-level waste in a clay layer, D. Mallants, J. Marivoet and X. Sillen 298 (2001) 125
- Release of boron and cesium or uranium from simulated borosilicate waste glasses through a compacted Ca-bentonite layer, K.S. Chun, S.S. Kim and C.H. Kang 298 (2001) 150
- Determination of sorption isotherms for Eu, Th, U and Am on the gel layer of corroded HLW glass, B. Luckscheiter and B. Kienzler 298 (2001) 155
- Release and retention of uranium during glass corrosion, T. Maeda, T. Banba, K. Sonoda, Y. Inagaki and H. Furuya 298 (2001) 163
- Leaching and migration of neptunium in a simulated engineered barrier system consisting of HLW glass and compacted bentonite, Y. Inagaki, H. Furuya, K. Idemitsu, T. Arima, H. Osako, T. Banba, T. Maeda, S. Matsumoto, I. Nomura, S. Kikkawa, M. Saito and H. Okamoto 298 (2001) 168
- Environmental Effects**
- Present understanding of R7T7 glass alteration kinetics and their impact on long-term behavior modeling, E. Vernaz, S. Gin, C. Jégou and I. Ribet 298 (2001) 27
- US field testing programs and results, G.G. Wicks 298 (2001) 78
- Near-field performance assessment for a low-activity waste glass disposal system: laboratory testing to modeling results, B.P. McGrail, D.H. Bacon, J.P. Icenhower, F.M. Mann, R.J. Puigh, H.T. Schaef and S.V. Mattigod 298 (2001) 95
- Performance assessment of the disposal of vitrified high-level waste in a clay layer, D. Mallants, J. Marivoet and X. Sillen 298 (2001) 125
- Experimental Techniques**
- US field testing programs and results, G.G. Wicks 298 (2001) 78
- Application of electrochemical impedance spectroscopy (EIS) for in situ study of glass alteration, D. Chaulet, S. Martemianov, J.H. Thomassin and P. Le Coustumer 298 (2001) 192
- In-depth distributions of elements in leached layers on two HLW waste glasses after burial in clay; step-scan by SIMS, A. Lodding and P. Van Iseghem 298 (2001) 197

Gamma Irradiation

- In situ testing of the chemical durability of vitrified high-level waste in a Boom Clay formation in Belgium: discussion of recent data and concept of a new test, P. Van Iseghem, E. Valcke and A. Lodding 298 (2001) 86

Kinetics

- Present understanding of R7T7 glass alteration kinetics and their impact on long-term behavior modeling, E. Vernaz, S. Gin, C. Jégou and I. Ribet 298 (2001) 27
- Long-term alteration mechanisms in water for SON68 radioactive borosilicate glass, T. Advocat, P. Jollivet, J.L. Crovisier and M. del Nero 298 (2001) 55
- US field testing programs and results, G.G. Wicks 298 (2001) 78
- In situ testing of the chemical durability of vitrified high-level waste in a Boom Clay formation in Belgium: discussion of recent data and concept of a new test, P. Van Iseghem, E. Valcke and A. Lodding 298 (2001) 86
- First-order dissolution rate law and the role of surface layers in glass performance assessment, B. Grambow and R. Müller 298 (2001) 112
- Release of boron and cesium or uranium from simulated borosilicate waste glasses through a compacted Ca-bentonite layer, K.S. Chun, S.S. Kim and C.H. Kang 298 (2001) 150
- Application of electrochemical impedance spectroscopy (EIS) for in situ study of glass alteration, D. Chaulet, S. Martemianov, J.H. Thomassin and P. Le Coustumer 298 (2001) 192
- In-depth distributions of elements in leached layers on two HLW waste glasses after burial in clay; step-scan by SIMS, A. Lodding and P. Van Iseghem 298 (2001) 197

Plutonium, Plutonium Alloys and Compounds

- Long-term alteration mechanisms in water for SON68 radioactive borosilicate glass, T. Advocat, P. Jollivet, J.L. Crovisier and M. del Nero 298 (2001) 55
- The effect of coprecipitation in some key spent fuel elements, J. Quiñones, J. Serrano and P. Diaz Arocas 298 (2001) 63

Precipitates and Precipitation

- The effect of coprecipitation in some key spent fuel elements, J. Quiñones, J. Serrano and P. Diaz Arocas 298 (2001) 63

Radiolysis

- Long-term alteration mechanisms in water for SON68 radioactive borosilicate glass, T. Advocat, P. Jollivet, J.L. Crovisier and M. del Nero 298 (2001) 55

Surface Effects

- Role and properties of the gel formed during nuclear glass alteration: importance of gel formation conditions, S. Gin, I. Ribet and M. Couillard 298 (2001) 1
- Present understanding of R7T7 glass alteration kinetics and their impact on long-term behavior modeling, E. Vernaz, S. Gin, C. Jégou and I. Ribet 298 (2001) 27
- Glass dissolution: testing and modeling for long-term behavior, D.M. Strachan 298 (2001) 69
- US field testing programs and results, G.G. Wicks 298 (2001) 78
- In situ testing of the chemical durability of vitrified high-level waste in a Boom Clay formation in Belgium: discussion of recent data and concept of a new test, P. Van Iseghem, E. Valcke and A. Lodding 298 (2001) 86
- First-order dissolution rate law and the role of surface layers in glass performance assessment, B. Grambow and R. Müller 298 (2001) 112
- Waste glass behavior in a loamy soil of a wet repository site, M.I. Ojovan, N.V. Ojovan, I.V. Startceva, G.N. Tchuikova, Z.I. Golubeva and A.S. Barinov 298 (2001) 174
- A comparison of HLW-glass and PWR-borate waste glass, S. Luo, J. Sheng and B. Tang 298 (2001) 180
- Effect of a siliceous additive on aqueous alteration of waste glass with engineered barrier materials, S. Mitsui and R. Aoki 298 (2001) 184
- In-depth distributions of elements in leached layers on two HLW waste glasses after burial in clay; step-scan by SIMS, A. Lodding and P. Van Iseghem 298 (2001) 197

Theory and Modelling

- New techniques for modelling glass dissolution, M. Aertsens and D. Ghaleb 298 (2001) 37
- Near-field performance assessment for a low-activity waste glass disposal system: laboratory testing to modeling results, B.P. McGrail, D.H. Bacon, J.P. Icenhower, F.M. Mann, R.J. Puigh, H.T. Schaefer and S.V. Mattigod 298 (2001) 95
- First-order dissolution rate law and the role of surface layers in glass performance assessment, B. Grambow and R. Müller 298 (2001) 112
- Performance assessment of the disposal of vitrified high-level waste in a clay layer, D. Mallants, J. Marivoet and X. Sillen 298 (2001) 125
- Numerical modelling of glass dissolution: gel layer morphology, F. Devreux and P. Barboux 298 (2001) 145

Uranium, Uranium Alloys and Compounds

- The effect of coprecipitation in some key spent fuel elements, J. Quiñones, J. Serrano and P. Diaz Arocas 298 (2001) 63

- Release of boron and cesium or uranium from simulated borosilicate waste glasses through a compacted Ca-bentonite layer, K.S. Chun, S.S. Kim and C.H. Kang 298 (2001) 150
- Determination of sorption isotherms for Eu, Th, U and Am on the gel layer of corroded HLW glass, B. Luckscheiter and B. Kienzler 298 (2001) 155
- Release and retention of uranium during glass corrosion, T. Maeda, T. Banba, K. Sonoda, Y. Inagaki and H. Furuya 298 (2001) 163
- Vitrification**
- Role and properties of the gel formed during nuclear glass alteration: importance of gel formation conditions, S. Gin, I. Ribet and M. Couillard 298 (2001) 1
- The effect of clay on the dissolution of nuclear waste glass, K. Lemmens 298 (2001) 11
- A proposition for an improved theoretical treatment of the corrosion of multi-component glasses, R. Conradt 298 (2001) 19
- Present understanding of R7T7 glass alteration kinetics and their impact on long-term behavior modeling, E. Vernaz, S. Gin, C. Jégou and I. Ribet 298 (2001) 27
- New techniques for modelling glass dissolution, M. Aertsens and D. Ghaleb 298 (2001) 37
- Overview of actinides (Np, Pu, Am) and Tc release from waste glasses: influence of solution composition, V. Pirlet 298 (2001) 47
- Long-term alteration mechanisms in water for SON68 radioactive borosilicate glass, T. Advocat, P. Jollivet, J.L. Crovisier and M. del Nero 298 (2001) 55
- Glass dissolution: testing and modeling for long-term behavior, D.M. Strachan 298 (2001) 69
- US field testing programs and results, G.G. Wicks 298 (2001) 78
- In situ testing of the chemical durability of vitrified high-level waste in a Boom Clay formation in Belgium: discussion of recent data and concept of a new test, P. Van Iseghem, E. Valcke and A. Lodding 298 (2001) 86
- Near-field performance assessment for a low-activity waste glass disposal system: laboratory testing to modeling results, B.P. McGrail, D.H. Bacon, J.P. Icenhower, F.M. Mann, R.J. Puigh, H.T. Schaefer and S.V. Mattigod 298 (2001) 95
- First-order dissolution rate law and the role of surface layers in glass performance assessment, B. Grambow and R. Müller 298 (2001) 112
- Performance assessment of the disposal of vitrified high-level waste in a clay layer, D. Mallants, J. Marivoet and X. Sillen 298 (2001) 125
- Database development of glass dissolution and radionuclide migration for performance analysis of HLW repository in Japan, M. Yui 298 (2001) 136
- Numerical modelling of glass dissolution: gel layer morphology, F. Devreux and P. Barboux 298 (2001) 145
- Release of boron and cesium or uranium from simulated borosilicate waste glasses through a compacted Ca-bentonite layer, K.S. Chun, S.S. Kim and C.H. Kang 298 (2001) 150
- Determination of sorption isotherms for Eu, Th, U and Am on the gel layer of corroded HLW glass, B. Luckscheiter and B. Kienzler 298 (2001) 155
- Release and retention of uranium during glass corrosion, T. Maeda, T. Banba, K. Sonoda, Y. Inagaki and H. Furuya 298 (2001) 163
- Leaching and migration of neptunium in a simulated engineered barrier system consisting of HLW glass and compacted bentonite, Y. Inagaki, H. Furuya, K. Idemitsu, T. Arima, H. Osako, T. Banba, T. Maeda, S. Matsumoto, I. Nomura, S. Kikkawa, M. Saito and H. Okamoto 298 (2001) 168
- Waste glass behavior in a loamy soil of a wet repository site, M.I. Ojovan, N.V. Ojovan, I.V. Startceva, G.N. Tchuikova, Z.I. Golubeva and A.S. Barinov 298 (2001) 174
- A comparison of HLW-glass and PWR-borate waste glass, S. Luo, J. Sheng and B. Tang 298 (2001) 180
- Effect of a siliceous additive on aqueous alteration of waste glass with engineered barrier materials, S. Mitsui and R. Aoki 298 (2001) 184
- Application of electrochemical impedance spectroscopy (EIS) for in situ study of glass alteration, D. Chaulet, S. Martemianov, J.H. Thomassin and P. Le Coustumer 298 (2001) 192
- In-depth distributions of elements in leached layers on two HLW waste glasses after burial in clay; step-scan by SIMS, A. Lodding and P. Van Iseghem 298 (2001) 197
- Wastes**
- Role and properties of the gel formed during nuclear glass alteration: importance of gel formation conditions, S. Gin, I. Ribet and M. Couillard 298 (2001) 1
- The effect of clay on the dissolution of nuclear waste glass, K. Lemmens 298 (2001) 11
- Present understanding of R7T7 glass alteration kinetics and their impact on long-term behavior modeling, E. Vernaz, S. Gin, C. Jégou and I. Ribet 298 (2001) 27
- Overview of actinides (Np, Pu, Am) and Tc release from waste glasses: influence of solution composition, V. Pirlet 298 (2001) 47
- Long-term alteration mechanisms in water for SON68 radioactive borosilicate glass, T. Advocat, P. Jollivet, J.L. Crovisier and M. del Nero 298 (2001) 55

- The effect of coprecipitation in some key spent fuel elements, J. Quiñones, J. Ser-rano and P. Diaz Arocas 298 (2001) 63
- Glass dissolution: testing and modeling for long-term behavior, D.M. Strachan 298 (2001) 69
- US field testing programs and results, G.G. Wicks 298 (2001) 78
- In situ testing of the chemical durability of vitrified high-level waste in a Boom Clay formation in Belgium: discussion of recent data and concept of a new test, P. Van Iseghem, E. Valcke and A. Lodding 298 (2001) 86
- Near-field performance assessment for a low-activity waste glass disposal system: laboratory testing to modeling results, B.P. McGrail, D.H. Bacon, J.P. Icenhower, F.M. Mann, R.J. Puigh, H.T. Schaefer and S.V. Mattigod 298 (2001) 95
- First-order dissolution rate law and the role of surface layers in glass performance assessment, B. Grambow and R. Müller 298 (2001) 112
- Performance assessment of the disposal of vitrified high-level waste in a clay layer, D. Mallants, J. Marivoet and X. Sillen 298 (2001) 125
- Database development of glass dissolution and radionuclide migration for performance analysis of HLW repository in Japan, M. Yui 298 (2001) 136
- Release of boron and cesium or uranium from simulated borosilicate waste glasses through a compacted Ca-bentonite layer, K.S. Chun, S.S. Kim and C.H. Kang 298 (2001) 150
- Determination of sorption isotherms for Eu, Th, U and Am on the gel layer of corroded HLW glass, B. Luckscheiter and B. Kienzler 298 (2001) 155
- Release and retention of uranium during glass corrosion, T. Maeda, T. Banba, K. Sonoda, Y. Inagaki and H. Furuya 298 (2001) 163
- Leaching and migration of neptunium in a simulated engineered barrier system consisting of HLW glass and compacted bentonite, Y. Inagaki, H. Furuya, K. Idemitsu, T. Arima, H. Osako, T. Banba, T. Maeda, S. Matsumoto, I. Nomura, S. Kikkawa, M. Saito and H. Okamoto 298 (2001) 168
- Waste glass behavior in a loamy soil of a wet repository site, M.I. Ojovan, N.V. Ojovan, I.V. Startceva, G.N. Techuikova, Z.I. Golubeva and A.S. Barinov 298 (2001) 174
- A comparison of HLW-glass and PWR-borate waste glass, S. Luo, J. Sheng and B. Tang 298 (2001) 180
- Effect of a siliceous additive on aqueous alteration of waste glass with engineered barrier materials, S. Mitsui and R. Aoki 298 (2001) 184
- In-depth distributions of elements in leached layers on two HLW waste glasses after burial in clay; step-scan by SIMS, A. Lodding and P. Van Iseghem 298 (2001) 197