



Subject index

Actinides (excludes Plutonium, Thorium and Uranium)

- The effect of clay on the dissolution of nuclear waste glass, K. Lemmens 298 (2001) 11
- Overview of actinides (Np, Pu, Am) and Tc release from waste glasses: influence of solution composition, V. Pirlet 298 (2001) 47
- Long-term alteration mechanisms in water for SON68 radioactive borosilicate glass, T. Advocat, P. Jollivet, J.L. Crovisier and M. del Nero 298 (2001) 55
- In situ testing of the chemical durability of vitrified high-level waste in a Boom Clay formation in Belgium: discussion of recent data and concept of a new test, P. Van Iseghem, E. Valcke and A. Lodding 298 (2001) 86
- Database development of glass dissolution and radionuclide migration for performance analysis of HLW repository in Japan, M. Yui 298 (2001) 136
- Determination of sorption isotherms for Eu, Th, U and Am on the gel layer of corroded HLW glass, B. Luckscheiter and B. Kienzler 298 (2001) 155
- Release and retention of uranium during glass corrosion, T. Maeda, T. Banba, K. Sonoda, Y. Inagaki and H. Furuya 298 (2001) 163
- Leaching and migration of neptunium in a simulated engineered barrier system consisting of HLW glass and compacted bentonite, Y. Inagaki, H. Furuya, K. Idemitsu, T. Arima, H. Osako, T. Banba, T. Maeda, S. Matsumoto, I. Nomura, S. Kikkawa, M. Saito and H. Okamoto 298 (2001) 168
- Thermochemical and thermophysical properties of curium and its oxides, R.J.M. Konings 298 (2001) 255

Adsorption

- Accumulation of radioactive corrosion products on steel surfaces of VVER-type nuclear reactors. II. ⁶⁰Co, K. Varga, G. Hirschberg, Z. Németh, G. Myburg, J. Schunk and P. Tilky 298 (2001) 231

Carbon

- Deuterium in re-deposited silicon-doped carbon layers and its removal by heating in air, M. Balden and M. Mayer 298 (2001) 225

Ceramics (not listed elsewhere)

- Role and properties of the gel formed during nuclear glass alteration: importance of gel formation conditions, S. Gin, I. Ribet and M. Couillard 298 (2001) 1
- The effect of clay on the dissolution of nuclear waste glass, K. Lemmens 298 (2001) 11
- A proposition for an improved theoretical treatment of the corrosion of multi-component glasses, R. Conradt 298 (2001) 19
- New techniques for modelling glass dissolution, M. Aertsens and D. Ghaleb 298 (2001) 37
- Overview of actinides (Np, Pu, Am) and Tc release from waste glasses: influence of solution composition, V. Pirlet 298 (2001) 47
- The effect of coprecipitation in some key spent fuel elements, J. Quiñones, J. Serrano and P. Diaz Arocas 298 (2001) 63
- Glass dissolution: testing and modeling for long-term behavior, D.M. Strachan 298 (2001) 69
- Database development of glass dissolution and radionuclide migration for performance analysis of HLW repository in Japan, M. Yui 298 (2001) 136
- Numerical modelling of glass dissolution: gel layer morphology, F. Devreux and P. Barboux 298 (2001) 145
- Determination of sorption isotherms for Eu, Th, U and Am on the gel layer of corroded HLW glass, B. Luckscheiter and B. Kienzler 298 (2001) 155
- Release and retention of uranium during glass corrosion, T. Maeda, T. Banba, K. Sonoda, Y. Inagaki and H. Furuya 298 (2001) 163
- Leaching and migration of neptunium in a simulated engineered barrier system consisting of HLW glass and compacted bentonite, Y. Inagaki, H. Furuya, K. Idemitsu, T. Arima, H. Osako, T. Banba, T. Maeda, S. Matsumoto, I. Nomura, S. Kikkawa, M. Saito and H. Okamoto 298 (2001) 168
- Waste glass behavior in a loamy soil of a wet repository site, M.I. Ojovan, N.V. Ojovan, I.V. Startceva, G.N. Tchukikova, Z.I. Golubeva and A.S. Barinov 298 (2001) 174
- A comparison of HLW-glass and PWR-borate waste glass, S. Luo, J. Sheng and B. Tang 298 (2001) 180

- Effect of a siliceous additive on aqueous alteration of waste glass with engineered barrier materials, S. Mitsui and R. Aoki 298 (2001) 184
- Chemical Reactions** (*includes Electrochemical and Thermochemical Reactions*)
- Role and properties of the gel formed during nuclear glass alteration: importance of gel formation conditions, S. Gin, I. Ribet and M. Couillard 298 (2001) 1
- A proposition for an improved theoretical treatment of the corrosion of multi-component glasses, R. Conradt 298 (2001) 19
- Present understanding of R7T7 glass alteration kinetics and their impact on long-term behavior modeling, E. Vernaz, S. Gin, C. Jégou and I. Ribet 298 (2001) 27
- New techniques for modelling glass dissolution, M. Aertsens and D. Ghaleb 298 (2001) 37
- Glass dissolution: testing and modeling for long-term behavior, D.M. Strachan 298 (2001) 69
- US field testing programs and results, G.G. Wicks 298 (2001) 78
- In situ testing of the chemical durability of vitrified high-level waste in a Boom Clay formation in Belgium: discussion of recent data and concept of a new test, P. Van Iseghem, E. Valcke and A. Lodding 298 (2001) 86
- First-order dissolution rate law and the role of surface layers in glass performance assessment, B. Grambow and R. Müller 298 (2001) 112
- Database development of glass dissolution and radionuclide migration for performance analysis of HLW repository in Japan, M. Yui 298 (2001) 136
- Numerical modelling of glass dissolution: gel layer morphology, F. Devreux and P. Barboux 298 (2001) 145
- Release of boron and cesium or uranium from simulated borosilicate waste glasses through a compacted Ca-bentonite layer, K.S. Chun, S.S. Kim and C.H. Kang 298 (2001) 150
- Waste glass behavior in a loamy soil of a wet repository site, M.I. Ojovan, N.V. Ojovan, I.V. Startceva, G.N. Tchuikova, Z.I. Golubeva and A.S. Barinov 298 (2001) 174
- A comparison of HLW-glass and PWR-borate waste glass, S. Luo, J. Sheng and B. Tang 298 (2001) 180
- Effect of a siliceous additive on aqueous alteration of waste glass with engineered barrier materials, S. Mitsui and R. Aoki 298 (2001) 184
- Application of electrochemical impedance spectroscopy (EIS) for in situ study of glass alteration, D. Chaulet, S. Martemianov, J.H. Thomassin and P. Le Coustumer 298 (2001) 192
- In-depth distributions of elements in leached layers on two HLW waste glasses after burial in clay; step-scan by SIMS, A. Lodding and P. Van Iseghem 298 (2001) 197
- In situ characterization of Zircaloy-4 oxidation at 500 °C in dry air, J.J. Vermoyal, L. Dessemond, A. Hammou and A. Frichet 298 (2001) 297
- Compatibility and Corrosion** (*include Stress Corrosion Cracking*)
- The effect of clay on the dissolution of nuclear waste glass, K. Lemmens 298 (2001) 11
- Overview of actinides (Np, Pu, Am) and Tc release from waste glasses: influence of solution composition, V. Pirlet 298 (2001) 47
- Long-term alteration mechanisms in water for SON68 radioactive borosilicate glass, T. Advocat, P. Jollivet, J.L. Crovisier and M. del Nero 298 (2001) 55
- US field testing programs and results, G.G. Wicks 298 (2001) 78
- Near-field performance assessment for a low-activity waste glass disposal system: laboratory testing to modeling results, B.P. McGrail, D.H. Bacon, J.P. Icenhower, F.M. Mann, R.J. Puigh, H.T. Schaef and S.V. Mattigod 298 (2001) 95
- Performance assessment of the disposal of vitrified high-level waste in a clay layer, D. Mallants, J. Marivoet and X. Sillen 298 (2001) 125
- Release of boron and cesium or uranium from simulated borosilicate waste glasses through a compacted Ca-bentonite layer, K.S. Chun, S.S. Kim and C.H. Kang 298 (2001) 150
- Determination of sorption isotherms for Eu, Th, U and Am on the gel layer of corroded HLW glass, B. Luckscheiter and B. Kienzler 298 (2001) 155
- Release and retention of uranium during glass corrosion, T. Maeda, T. Banba, K. Sonoda, Y. Inagaki and H. Furuya 298 (2001) 163
- Leaching and migration of neptunium in a simulated engineered barrier system consisting of HLW glass and compacted bentonite, Y. Inagaki, H. Furuya, K. Idemitsu, T. Arima, H. Osako, T. Banba, T. Maeda, S. Matsumoto, I. Nomura, S. Kikkawa, M. Saito and H. Okamoto 298 (2001) 168
- Accumulation of radioactive corrosion products on steel surfaces of VVER-type nuclear reactors. II. ⁶⁰Co, K. Varga, G. Hirschberg, Z. Németh, G. Myburg, J. Schunk and P. Tilky 298 (2001) 231
- In situ Raman spectroscopic investigation of zirconium–niobium alloy corrosion under hydrothermal conditions, J.E. Maslar, W.S. Hurst, W.J. Bowers Jr. and J.H. Hendricks 298 (2001) 239
- Creep and Stress Relaxation**
- Dependence of the non-swelling in-reactor steady-state creep component of austenitic phase alloys on the stacking fault energy, E.R. Gilbert and J.P. Foster 298 (2001) 321

Environmental Effects

- Present understanding of R7T7 glass alteration kinetics and their impact on long-term behavior modeling, E. Vernaz, S. Gin, C. Jégou and I. Ribet 298 (2001) 27
- US field testing programs and results, G.G. Wicks 298 (2001) 78
- Near-field performance assessment for a low-activity waste glass disposal system: laboratory testing to modeling results, B.P. McGrail, D.H. Bacon, J.P. Icenhower, F.M. Mann, R.J. Puigh, H.T. Schaefer and S.V. Mattigod 298 (2001) 95
- Performance assessment of the disposal of vitrified high-level waste in a clay layer, D. Mallants, J. Marivoet and X. Sillen 298 (2001) 125

Experimental Techniques

- US field testing programs and results, G.G. Wicks 298 (2001) 78
- Application of electrochemical impedance spectroscopy (EIS) for in situ study of glass alteration, D. Chaulet, S. Martemianov, J.H. Thomassin and P. Le Coustumer 298 (2001) 192
- In-depth distributions of elements in leached layers on two HLW waste glasses after burial in clay; step-scan by SIMS, A. Lodding and P. Van Iseghem 298 (2001) 197

Fabrication

- Structural and thermal investigations on cerium oxalate and derived oxide powders for the preparation of (Th,Ce)₂O₂ pellets, Y. Altaş and H. Tel 298 (2001) 316

Fuels and Fuel Elements

- Accumulation of radioactive corrosion products on steel surfaces of VVER-type nuclear reactors. II. ⁶⁰Co, K. Varga, G. Hirschberg, Z. Németh, G. Myburg, J. Schunk and P. Tilky 298 (2001) 231
- In situ Raman spectroscopic investigation of zirconium–niobium alloy corrosion under hydrothermal conditions, J.E. Maslar, W.S. Hurst, W.J. Bowers Jr. and J.H. Hendricks 298 (2001) 239
- Use of UO₂ films for electrochemical studies, F. Miserque, T. Gouder, D.H. Wegen and P.D.W. Bottomley 298 (2001) 280

Gamma Irradiation

- In situ testing of the chemical durability of vitrified high-level waste in a Boom Clay formation in Belgium: discussion of recent data and concept of a new test, P. Van Iseghem, E. Valcke and A. Lodding 298 (2001) 86

Heat Treatment

- Deuterium in re-deposited silicon-doped carbon layers and its removal by heating in air, M. Balden and M. Mayer 298 (2001) 225

Hydrogen and Hydrides (includes Deuterium and Deuterides)

- Deuterium in re-deposited silicon-doped carbon layers and its removal by heating in air, M. Balden and M. Mayer 298 (2001) 225

Impurities

- Accumulation of radioactive corrosion products on steel surfaces of VVER-type nuclear reactors. II. ⁶⁰Co, K. Varga, G. Hirschberg, Z. Németh, G. Myburg, J. Schunk and P. Tilky 298 (2001) 231

Ion Irradiation

- Mechanical properties of pure tantalum after 800 MeV proton irradiation, J. Chen, H. Ullmaier, T. Floßdorf, W. Kühnlein, R. Duwe, F. Carsughi and T. Broome 298 (2001) 248
- Strain hardening and plastic instability properties of austenitic stainless steels after proton and neutron irradiation, T.S. Byun, K. Farrell, E.H. Lee, J.D. Hunn and L.K. Mansur 298 (2001) 269

Kinetics

- Present understanding of R7T7 glass alteration kinetics and their impact on long-term behavior modeling, E. Vernaz, S. Gin, C. Jégou and I. Ribet 298 (2001) 27
- Long-term alteration mechanisms in water for SON68 radioactive borosilicate glass, T. Advocat, P. Jollivet, J.L. Crovisier and M. del Nero 298 (2001) 55
- US field testing programs and results, G.G. Wicks 298 (2001) 78
- In situ testing of the chemical durability of vitrified high-level waste in a Boom Clay formation in Belgium: discussion of recent data and concept of a new test, P. Van Iseghem, E. Valcke and A. Lodding 298 (2001) 86
- First-order dissolution rate law and the role of surface layers in glass performance assessment, B. Grambow and R. Müller 298 (2001) 112
- Release of boron and cesium or uranium from simulated borosilicate waste glasses through a compacted Ca-bentonite layer, K.S. Chun, S.S. Kim and C.H. Kang 298 (2001) 150
- Application of electrochemical impedance spectroscopy (EIS) for in situ study of glass alteration, D. Chaulet, S. Martemianov, J.H. Thomassin and P. Le Coustumer 298 (2001) 192
- In-depth distributions of elements in leached layers on two HLW waste glasses after burial in clay; step-scan by SIMS, A. Lodding and P. Van Iseghem 298 (2001) 197

- In situ characterization of Zircaloy-4 oxidation at 500 °C in dry air, J.J. Vermoyal, L. Dessemond, A. Hammou and A. Frichet 298 (2001) 297
- Mechanical Properties** (*not listed elsewhere*)
Torsion texture development of zirconium alloys, P. Sanchez, A. Pochettino, T. Chauveau and B. Bacroix 298 (2001) 329
- Metals, Alloys and Compounds** (*not listed elsewhere*)
Mechanical properties of pure tantalum after 800 MeV proton irradiation, J. Chen, H. Ullmaier, T. Floßdorf, W. Kühnlein, R. Duwe, F. Carsughi and T. Broome 298 (2001) 248
- Microstructure and Texture** (*excludes by Irradiation*)
Torsion texture development of zirconium alloys, P. Sanchez, A. Pochettino, T. Chauveau and B. Bacroix 298 (2001) 329
- Neutron Irradiation**
Microstructural characterization of irradiation-induced Cu-enriched clusters in reactor pressure vessel steels, R.G. Carter, N. Soneda, K. Dohi, J.M. Hyde, C.A. English and W.L. Server 298 (2001) 211
Strain hardening and plastic instability properties of austenitic stainless steels after proton and neutron irradiation, T.S. Byun, K. Farrell, E.H. Lee, J.D. Hunn and L.K. Mansur 298 (2001) 269
Activation of stainless steel with high energy neutrons, O. Grégoire and J. Ladrière 298 (2001) 309
Dependence of the non-swelling in-reactor steady-state creep component of austenitic phase alloys on the stacking fault energy, E.R. Gilbert and J.P. Foster 298 (2001) 321
- Plutonium, Plutonium Alloys and Compounds**
Long-term alteration mechanisms in water for SON68 radioactive borosilicate glass, T. Advocat, P. Jollivet, J.L. Crovisier and M. del Nero 298 (2001) 55
The effect of coprecipitation in some key spent fuel elements, J. Quiñones, J. Serrano and P. Diaz Arocas 298 (2001) 63
- Powder Processes and Products**
Structural and thermal investigations on cerium oxalate and derived oxide powders for the preparation of (Th,Ce)O₂ pellets, Y. Altaş and H. Tel 298 (2001) 316
- Precipitates and Precipitation**
The effect of coprecipitation in some key spent fuel elements, J. Quiñones, J. Serrano and P. Diaz Arocas 298 (2001) 63
- Pressure Vessels**
Microstructural characterization of irradiation-induced Cu-enriched clusters in reactor pressure vessel steels, R.G. Carter, N. Soneda, K. Dohi, J.M. Hyde, C.A. English and W.L. Server 298 (2001) 211
- Radiation Effects: Mechanical Properties**
Mechanical properties of pure tantalum after 800 MeV proton irradiation, J. Chen, H. Ullmaier, T. Floßdorf, W. Kühnlein, R. Duwe, F. Carsughi and T. Broome 298 (2001) 248
Strain hardening and plastic instability properties of austenitic stainless steels after proton and neutron irradiation, T.S. Byun, K. Farrell, E.H. Lee, J.D. Hunn and L.K. Mansur 298 (2001) 269
Dependence of the non-swelling in-reactor steady-state creep component of austenitic phase alloys on the stacking fault energy, E.R. Gilbert and J.P. Foster 298 (2001) 321
- Radiolysis**
Long-term alteration mechanisms in water for SON68 radioactive borosilicate glass, T. Advocat, P. Jollivet, J.L. Crovisier and M. del Nero 298 (2001) 55
- Steels, Austenitic**
Accumulation of radioactive corrosion products on steel surfaces of VVER-type nuclear reactors. II. ⁶⁰Co, K. Varga, G. Hirschberg, Z. Németh, G. Myburg, J. Schunk and P. Tilky 298 (2001) 231
Strain hardening and plastic instability properties of austenitic stainless steels after proton and neutron irradiation, T.S. Byun, K. Farrell, E.H. Lee, J.D. Hunn and L.K. Mansur 298 (2001) 269
Activation of stainless steel with high energy neutrons, O. Grégoire and J. Ladrière 298 (2001) 309
Dependence of the non-swelling in-reactor steady-state creep component of austenitic phase alloys on the stacking fault energy, E.R. Gilbert and J.P. Foster 298 (2001) 321
- Steels, Ferritic**
Microstructural characterization of irradiation-induced Cu-enriched clusters in reactor pressure vessel steels, R.G. Carter, N. Soneda, K. Dohi, J.M. Hyde, C.A. English and W.L. Server 298 (2001) 211
Accumulation of radioactive corrosion products on steel surfaces of VVER-type nuclear reactors. II. ⁶⁰Co, K. Varga, G. Hirschberg, Z. Németh, G. Myburg, J. Schunk and P. Tilky 298 (2001) 231
- Surface Effects**
Role and properties of the gel formed during nuclear glass alteration: importance of gel formation conditions, S. Gin, I. Ribet and M. Couillard 298 (2001) 1
Present understanding of R7T7 glass alteration kinetics and their impact on long-term behavior modeling, E. Vernaz, S. Gin, C. Jégou and I. Ribet 298 (2001) 27

- Glass dissolution: testing and modeling for long-term behavior, D.M. Strachan 298 (2001) 69
- US field testing programs and results, G.G. Wicks 298 (2001) 78
- In situ testing of the chemical durability of vitrified high-level waste in a Boom Clay formation in Belgium: discussion of recent data and concept of a new test, P. Van Iseghem, E. Valcke and A. Lodding 298 (2001) 86
- First-order dissolution rate law and the role of surface layers in glass performance assessment, B. Grambow and R. Müller 298 (2001) 112
- Waste glass behavior in a loamy soil of a wet repository site, M.I. Ojovan, N.V. Ojovan, I.V. Startceva, G.N. Tchukikova, Z.I. Golubeva and A.S. Barinov 298 (2001) 174
- A comparison of HLW-glass and PWR-borate waste glass, S. Luo, J. Sheng and B. Tang 298 (2001) 180
- Effect of a siliceous additive on aqueous alteration of waste glass with engineered barrier materials, S. Mitsui and R. Aoki 298 (2001) 184
- In-depth distributions of elements in leached layers on two HLW waste glasses after burial in clay; step-scan by SIMS, A. Lodding and P. Van Iseghem 298 (2001) 197
- In situ Raman spectroscopic investigation of zirconium–niobium alloy corrosion under hydrothermal conditions, J.E. Maslar, W.S. Hurst, W.J. Bowers Jr. and J.H. Hendricks 298 (2001) 239
- Use of UO₂ films for electrochemical studies, F. Miserque, T. Gouder, D.H. Wegen and P.D.W. Bottomley 298 (2001) 280
- Theory and Modelling**
- New techniques for modelling glass dissolution, M. Aertsens and D. Ghaleb 298 (2001) 37
- Near-field performance assessment for a low-activity waste glass disposal system: laboratory testing to modeling results, B.P. McGrail, D.H. Bacon, J.P. Icenhower, F.M. Mann, R.J. Puigh, H.T. Schaefer and S.V. Mattigod 298 (2001) 95
- First-order dissolution rate law and the role of surface layers in glass performance assessment, B. Grambow and R. Müller 298 (2001) 112
- Performance assessment of the disposal of vitrified high-level waste in a clay layer, D. Mallants, J. Marivoet and X. Sillen 298 (2001) 125
- Numerical modelling of glass dissolution: gel layer morphology, F. Devreux and P. Barboux 298 (2001) 145
- Torsion texture development of zirconium alloys, P. Sanchez, A. Pochettino, T. Chauveau and B. Bacroix 298 (2001) 329
- Thermodynamic Properties**
- Thermochemical and thermophysical properties of curium and its oxides, R.J.M. Konings 298 (2001) 255
- Thermophysical Properties**
- Thermochemical and thermophysical properties of curium and its oxides, R.J.M. Konings 298 (2001) 255
- Thorium, Thorium Alloys and Compounds**
- Structural and thermal investigations on cerium oxalate and derived oxide powders for the preparation of (Th,Ce)O₂ pellets, Y. Altaş and H. Tel 298 (2001) 316
- Uranium, Uranium Alloys and Compounds**
- The effect of coprecipitation in some key spent fuel elements, J. Quiñones, J. Serano and P. Diaz Arocas 298 (2001) 63
- Release of boron and cesium or uranium from simulated borosilicate waste glasses through a compacted Ca-bentonite layer, K.S. Chun, S.S. Kim and C.H. Kang 298 (2001) 150
- Determination of sorption isotherms for Eu, Th, U and Am on the gel layer of corroded HLW glass, B. Luckscheiter and B. Kienzler 298 (2001) 155
- Release and retention of uranium during glass corrosion, T. Maeda, T. Banba, K. Sonoda, Y. Inagaki and H. Furuya 298 (2001) 163
- Use of UO₂ films for electrochemical studies, F. Miserque, T. Gouder, D.H. Wegen and P.D.W. Bottomley 298 (2001) 280
- Vitrification**
- Role and properties of the gel formed during nuclear glass alteration: importance of gel formation conditions, S. Gin, I. Ribet and M. Couillard 298 (2001) 1
- The effect of clay on the dissolution of nuclear waste glass, K. Lemmens 298 (2001) 11
- A proposition for an improved theoretical treatment of the corrosion of multi-component glasses, R. Conradt 298 (2001) 19
- Present understanding of R7T7 glass alteration kinetics and their impact on long-term behavior modeling, E. Vernaz, S. Gin, C. Jégou and I. Ribet 298 (2001) 27
- New techniques for modelling glass dissolution, M. Aertsens and D. Ghaleb 298 (2001) 37
- Overview of actinides (Np, Pu, Am) and Tc release from waste glasses: influence of solution composition, V. Pirlet 298 (2001) 47
- Long-term alteration mechanisms in water for SON68 radioactive borosilicate glass, T. Advocat, P. Jollivet, J.L. Crovisier and M. del Nero 298 (2001) 55
- Glass dissolution: testing and modeling for long-term behavior, D.M. Strachan 298 (2001) 69

- US field testing programs and results, G.G. Wicks 298 (2001) 78
- In situ testing of the chemical durability of vitrified high-level waste in a Boom Clay formation in Belgium: discussion of recent data and concept of a new test, P. Van Iseghem, E. Valcke and A. Lodding 298 (2001) 86
- Near-field performance assessment for a low-activity waste glass disposal system: laboratory testing to modeling results, B.P. McGrail, D.H. Bacon, J.P. Icenhower, F.M. Mann, R.J. Puigh, H.T. Schaefer and S.V. Mattigod 298 (2001) 95
- First-order dissolution rate law and the role of surface layers in glass performance assessment, B. Grambow and R. Müller 298 (2001) 112
- Performance assessment of the disposal of vitrified high-level waste in a clay layer, D. Mallants, J. Marivoet and X. Sillen 298 (2001) 125
- Database development of glass dissolution and radionuclide migration for performance analysis of HLW repository in Japan, M. Yui 298 (2001) 136
- Numerical modelling of glass dissolution: gel layer morphology, F. Devreux and P. Barboux 298 (2001) 145
- Release of boron and cesium or uranium from simulated borosilicate waste glasses through a compacted Ca-bentonite layer, K.S. Chun, S.S. Kim and C.H. Kang 298 (2001) 150
- Determination of sorption isotherms for Eu, Th, U and Am on the gel layer of corroded HLW glass, B. Luckscheiter and B. Kienzler 298 (2001) 155
- Release and retention of uranium during glass corrosion, T. Maeda, T. Banba, K. Sonoda, Y. Inagaki and H. Furuya 298 (2001) 163
- Leaching and migration of neptunium in a simulated engineered barrier system consisting of HLW glass and compacted bentonite, Y. Inagaki, H. Furuya, K. Idemitsu, T. Arima, H. Osako, T. Banba, T. Maeda, S. Matsumoto, I. Nomura, S. Kikkawa, M. Saito and H. Okamoto 298 (2001) 168
- Waste glass behavior in a loamy soil of a wet repository site, M.I. Ojovan, N.V. Ojovan, I.V. Startceva, G.N. Tchuikova, Z.I. Golubeva and A.S. Barinov 298 (2001) 174
- A comparison of HLW-glass and PWR-borate waste glass, S. Luo, J. Sheng and B. Tang 298 (2001) 180
- Effect of a siliceous additive on aqueous alteration of waste glass with engineered barrier materials, S. Mitsui and R. Aoki 298 (2001) 184
- Application of electrochemical impedance spectroscopy (EIS) for in situ study of glass alteration, D. Chaulet, S. Martemianov, J.H. Thomassin and P. Le Coustumer 298 (2001) 192
- In-depth distributions of elements in leached layers on two HLW waste glasses after burial in clay; step-scan by SIMS, A. Lodding and P. Van Iseghem 298 (2001) 197
- Wastes**
- Role and properties of the gel formed during nuclear glass alteration: importance of gel formation conditions, S. Gin, I. Ribet and M. Couillard 298 (2001) 1
- The effect of clay on the dissolution of nuclear waste glass, K. Lemmens 298 (2001) 11
- Present understanding of R7T7 glass alteration kinetics and their impact on long-term behavior modeling, E. Vernaz, S. Gin, C. Jégou and I. Ribet 298 (2001) 27
- Overview of actinides (Np, Pu, Am) and Tc release from waste glasses: influence of solution composition, V. Pirlet 298 (2001) 47
- Long-term alteration mechanisms in water for SON68 radioactive borosilicate glass, T. Advocat, P. Jollivet, J.L. Crovisier and M. del Nero 298 (2001) 55
- The effect of coprecipitation in some key spent fuel elements, J. Quiñones, J. Serrano and P. Diaz Arocas 298 (2001) 63
- Glass dissolution: testing and modeling for long-term behavior, D.M. Strachan 298 (2001) 69
- US field testing programs and results, G.G. Wicks 298 (2001) 78
- In situ testing of the chemical durability of vitrified high-level waste in a Boom Clay formation in Belgium: discussion of recent data and concept of a new test, P. Van Iseghem, E. Valcke and A. Lodding 298 (2001) 86
- Near-field performance assessment for a low-activity waste glass disposal system: laboratory testing to modeling results, B.P. McGrail, D.H. Bacon, J.P. Icenhower, F.M. Mann, R.J. Puigh, H.T. Schaefer and S.V. Mattigod 298 (2001) 95
- First-order dissolution rate law and the role of surface layers in glass performance assessment, B. Grambow and R. Müller 298 (2001) 112
- Performance assessment of the disposal of vitrified high-level waste in a clay layer, D. Mallants, J. Marivoet and X. Sillen 298 (2001) 125
- Database development of glass dissolution and radionuclide migration for performance analysis of HLW repository in Japan, M. Yui 298 (2001) 136
- Release of boron and cesium or uranium from simulated borosilicate waste glasses through a compacted Ca-bentonite layer, K.S. Chun, S.S. Kim and C.H. Kang 298 (2001) 150
- Determination of sorption isotherms for Eu, Th, U and Am on the gel layer of corroded HLW glass, B. Luckscheiter and B. Kienzler 298 (2001) 155
- Release and retention of uranium during glass corrosion, T. Maeda, T. Banba, K. Sonoda, Y. Inagaki and H. Furuya 298 (2001) 163

- Leaching and migration of neptunium in a simulated engineered barrier system consisting of HLW glass and compacted bentonite, Y. Inagaki, H. Furuya, K. Idemitsu, T. Arima, H. Osako, T. Banba, T. Maeda, S. Matsumoto, I. Nomura, S. Kikkawa, M. Saito and H. Okamoto 298 (2001) 168
- Waste glass behavior in a loamy soil of a wet repository site, M.I. Ojovan, N.V. Ojovan, I.V. Startceva, G.N. Tchuikova, Z.I. Golubeva and A.S. Barinov 298 (2001) 174
- A comparison of HLW-glass and PWR-borate waste glass, S. Luo, J. Sheng and B. Tang 298 (2001) 180
- Effect of a siliceous additive on aqueous alteration of waste glass with engineered barrier materials, S. Mitsui and R. Aoki 298 (2001) 184
- In-depth distributions of elements in leached layers on two HLW waste glasses after burial in clay; step-scan by SIMS, A. Lodding and P. Van Iseghem 298 (2001) 197
- Zirconium, Zirconium Alloys and Compounds**
- In situ Raman spectroscopic investigation of zirconium–niobium alloy corrosion under hydrothermal conditions, J.E. Maslar, W.S. Hurst, W.J. Bowers Jr. and J.H. Hendricks 298 (2001) 239
- Dissolution of oxygen-enriched Zircaloy-2, M. Oskarsson, E. Ahlberg and K. Pettersson 298 (2001) 291
- In situ characterization of Zircaloy-4 oxidation at 500 °C in dry air, J.J. Vermoyal, L. Dessemond, A. Hammou and A. Frichet 298 (2001) 297
- Torsion texture development of zirconium alloys, P. Sanchez, A. Pochettino, T. Chauveau and B. Bacroix 298 (2001) 329