



## Subject index

**Absorber Materials**

- Modeling of boron carbide oxidation in steam, H. Steiner 345 (2005) 75
- Vapour pressure and standard enthalpy of sublimation of  $\text{KBF}_4$  by a TG based transpiration technique, R. Pankajavalli, K. Ananthasivan, S. Anthonyam and P.R. Vasudeva Rao 345 (2005) 96
- The concentration and pH dependent diffusion of  $^{137}\text{Cs}$  in compacted bentonite by using capillary method, X. Wang, X. Tan, C. Chen and L. Chen 345 (2005) 184

**Age Hardening**

- Characterisation of  $\beta$ -quenched and thermally aged Zircaloy-2 by positron annihilation, hardness and ultrasonic velocity measurements, P. Gopalan, R. Rajaraman, G. Amarendra, C.S. Sundar, B. Viswanathan, T. Jayakumar, P. Palanichamy and B. Raj 345 (2005) 162

**Amorphization and Amorphous Materials**

- Vitrification and testing of a Hanford high-level waste sample. Part 1: Glass fabrication, and chemical and radiochemical analysis, P. Hrma, J.V. Crum, D.J. Bates, P.R. Bredt, L.R. Greenwood and H.D. Smith 345 (2005) 19
- Vitrification and testing of a Hanford high-level waste sample. Part 2: Phase identification and waste form leachability, P. Hrma, J.V. Crum, P.R. Bredt, L.R. Greenwood, B.W. Arey and H.D. Smith 345 (2005) 31
- Leach testing at 50 °C of  $\alpha$ -doped SON68 glass alteration gels, P. Jollivet and G. Parisot 345 (2005) 46
- Radiation damage effects in candidate titanates for Pu disposition: Pyrochlore, D.M. Strachan, R.D. Scheele, E.C. Buck, J.P. Icenhower, A.E. Kotelsky, R.L. Sell, R.J. Elovich and W.C. Buchmiller 345 (2005) 109

**Analytical Instruments and Methods (not listed elsewhere)**

- Characterisation of  $\beta$ -quenched and thermally aged Zircaloy-2 by positron annihilation, hardness and ultrasonic velocity measurements, P. Gopalan, R. Rajaraman, G. Amarendra, C.S. Sundar, B. Viswanathan, T. Jayakumar, P. Palanichamy and B. Raj 345 (2005) 162
- Control of particle size and density of  $\text{Li}_2\text{TiO}_3$  pebbles fabricated by indirect wet processes, K. Tsuchiya, H. Kawamura, T. Takayama and S. Kato 345 (2005) 239

**Carbon**

- Immobilization of carbon-14 from reactor graphite waste by use of self-sustaining reaction in the C-Al-TiO<sub>2</sub> system, O.K. Karlina, V.L. Klimov, M.I. Ojovan, G.Yu. Pavlova, S.A. Dmitriev and A.Yu. Yurchenko 345 (2005) 84
- Comparison of tritium retention and carbon deposition in JET and JT-60U, T. Tanabe, K. Sugiyama, P. Coad, N. Bekris, M. Glugla and N. Miya 345 (2005) 89

**Ceramics (not listed elsewhere)**

- Natural sintering of carbonate powder for use as a carbon-14 immobilization matrix, A. Grandjean and G. Leturcq 345 (2005) 11
- About the validity of analytical approximations for temperature and stress for actively cooled windows during thermal loading, O.V. Ogorodnikova 345 (2005) 41
- Control of particle size and density of  $\text{Li}_2\text{TiO}_3$  pebbles fabricated by indirect wet processes, K. Tsuchiya, H. Kawamura, T. Takayama and S. Kato 345 (2005) 239

**Chemical Reactions (includes Electrochemical and Thermochemical Reactions)**

- Modeling of boron carbide oxidation in steam, H. Steiner 345 (2005) 75

Immobilization of carbon-14 from reactor graphite waste by use of self-sustaining reaction in the C-Al-TiO <sub>2</sub> system, O.K. Karlina, V.L. Klimov, M.I. Ojovan, G.Yu. Pavlova, S.A. Dmitriev and A.Yu. Yurchenko	345 (2005) 84	Control of particle size and density of Li <sub>2</sub> TiO <sub>3</sub> pebbles fabricated by indirect wet processes, K. Tsuchiya, H. Kawamura, T. Takayama and S. Kato	345 (2005) 239
<b>Compatibility and Corrosion (includes Stress Corrosion Cracking)</b>			
Ex-reactor corrosion and oxide characteristics of Zr–Nb–Fe alloys with the Nb/Fe ratio, H.-G. Kim, J.-Y. Park and Y.-H. Jeong	345 (2005) 1	Selection of optimum microstructure for improved corrosion resistance in a Ti–5%Ta–1.8%Nb alloy, R. Mythili, S. Saroja, M. Vijayalakshmi and V.S. Raghunathan	345 (2005) 167
Leach testing at 50 °C of $\alpha$ -doped SON68 glass alteration gels, P. Jollivet and G. Parisot	345 (2005) 46	<b>Hydrogen and Hydrides (includes Deuterium and Deuterides)</b>	
Selection of optimum microstructure for improved corrosion resistance in a Ti–5%Ta–1.8%Nb alloy, R. Mythili, S. Saroja, M. Vijayalakshmi and V.S. Raghunathan	345 (2005) 167	Hydrogen ion bombardment damage in stainless steel mirrors, A.I. Belyaeva, A.F. Bardamid, J.W. Davis, A.A. Haasz, V.G. Konovalov, A.D. Kudlenko, M. Poon, K.A. Slatin and V.S. Voitsenya	345 (2005) 101
<b>Copper, Copper Alloys and Compounds</b>			
Copper precipitate hardening of irradiated RPV materials and implications on the superposition law and re-irradiation kinetics, R. Chaouadi and R. Gérard	345 (2005) 65	<b>Ion Irradiation</b>	
Microstructural evolution of both as-irradiated and subsequently deformed microstructures of 316 L stainless steel irradiated at 30–160 °C at LANSCe, B.H. Sencer, S.A. Maloy, M.L. Hamilton and F.A. Garner	345 (2005) 136	Hydrogen ion bombardment damage in stainless steel mirrors, A.I. Belyaeva, A.F. Bardamid, J.W. Davis, A.A. Haasz, V.G. Konovalov, A.D. Kudlenko, M. Poon, K.A. Slatin and V.S. Voitsenya	345 (2005) 101
<b>Embrittlement</b>			
Microstructural evolution of both as-irradiated and subsequently deformed microstructures of 316 L stainless steel irradiated at 30–160 °C at LANSCe, B.H. Sencer, S.A. Maloy, M.L. Hamilton and F.A. Garner	345 (2005) 136	<b>Mechanical Properties (not listed elsewhere)</b>	
Burnup effect on <sup>95</sup> Nb/ <sup>95</sup> Zr ratio-cooling time correlation, Kh. Haddad	345 (2005) 86	About the validity of analytical approximations for temperature and stress for actively cooled windows during thermal loading, O.V. Ogorodnikova	345 (2005) 41
The oxidative dissolution of unirradiated UO <sub>2</sub> by hydrogen peroxide as a function of pH, F. Clarens, J. de Pablo, I. Casas, J. Giménez, M. Rovira, J. Merino, E. Cera, J. Bruno, J. Quiñones and A. Martínez-Esparza	345 (2005) 225	Flow behaviour of a modified Zr–2.5wt%Nb pressure tube alloy, R.N. Singh, S. Mukherjee, R. Kishore and B.P. Kashyap	345 (2005) 146
Synthesis and sintering of (U <sub>0.72</sub> Ce <sub>0.28</sub> )O <sub>2</sub> solid solution, A. Jain, K. Ananthasivan, S. Anthonyam and P.R. Vasudeva Rao	345 (2005) 245	<b>Metals, Alloys and Compounds (not listed elsewhere)</b>	
Comparison of tritium retention and carbon deposition in JET and JT-60U, T. Tanabe, K. Sugiyama, P. Coad, N. Bekris, M. Glugla and N. Miya	345 (2005) 89	Selection of optimum microstructure for improved corrosion resistance in a Ti–5%Ta–1.8%Nb alloy, R. Mythili, S. Saroja, M. Vijayalakshmi and V.S. Raghunathan	345 (2005) 167
Dynamics for oxidation of Fe <sub>3</sub> O <sub>4</sub> , Fe <sub>2</sub> CoO <sub>4</sub> and Fe <sub>2</sub> NiO <sub>4</sub> , M. Abili Nejad and M. Jonsson	345 (2005) 219	<b>Microstructure and Texture (excludes by Irradiation)</b>	
Microstructural evolution of both as-irradiated and subsequently deformed microstructures of 316 L stainless steel irradiated at 30–160 °C at LANSCe, B.H. Sencer, S.A. Maloy, M.L. Hamilton and F.A. Garner	345 (2005) 136	Ex-reactor corrosion and oxide characteristics of Zr–Nb–Fe alloys with the Nb/Fe ratio, H.-G. Kim, J.-Y. Park and Y.-H. Jeong	345 (2005) 1
<b>Fusion Reactor Materials</b>			
Comparison of tritium retention and carbon deposition in JET and JT-60U, T. Tanabe, K. Sugiyama, P. Coad, N. Bekris, M. Glugla and N. Miya	345 (2005) 89	<b>Neutron Irradiation</b>	
Dynamics for oxidation of Fe <sub>3</sub> O <sub>4</sub> , Fe <sub>2</sub> CoO <sub>4</sub> and Fe <sub>2</sub> NiO <sub>4</sub> , M. Abili Nejad and M. Jonsson	345 (2005) 219	Microstructural evolution of both as-irradiated and subsequently deformed microstructures of 316 L stainless steel irradiated at 30–160 °C at LANSCe, B.H. Sencer, S.A. Maloy, M.L. Hamilton and F.A. Garner	345 (2005) 136
<b>Niobium, Niobium Alloys and Compounds</b>			
Burnup effect on <sup>95</sup> Nb/ <sup>95</sup> Zr ratio-cooling time correlation, Kh. Haddad	345 (2005) 86	<b>Niobium, Niobium Alloys and Compounds</b>	

**Oxides**

Dynamics for oxidation of  $\text{Fe}_3\text{O}_4$ ,  $\text{Fe}_2\text{CoO}_4$  and  $\text{Fe}_2\text{NiO}_4$ , M. Abili Nejad and M. Jonsson

345 (2005) 219

Bredt, L.R. Greenwood, B.W. Arey and H.D. Smith

345 (2005) 31

**Plasma-Materials Interaction**

Comparison of tritium retention and carbon deposition in JET and JT-60U, T. Tanabe, K. Sugiyama, P. Coad, N. Bekris, M. Glugla and N. Miya

345 (2005) 89

Control of particle size and density of  $\text{Li}_2\text{TiO}_3$  pebbles fabricated by indirect wet processes, K. Tsuchiya, H. Kawamura, T. Takayama and S. Kato

345 (2005) 239

Synthesis and sintering of  $(\text{U}_{0.72}\text{Ce}_{0.28})\text{O}_2$  solid solution, A. Jain, K. Ananthasivan, S. Anthonysamy and P.R. Vasudeva Rao

345 (2005) 101

Hydrogen ion bombardment damage in stainless steel mirrors, A.I. Belyaeva, A.F. Bardamid, J.W. Davis, A.A. Haasz, V.G. Konovalov, A.D. Kudlenko, M. Poon, K.A. Slatin and V.S. Voitsenya

345 (2005) 245

**Plutonium, Plutonium Alloys and Compounds**

Radiation damage effects in candidate titanates for Pu disposition: Pyrochlore, D.M. Strachan, R.D. Scheele, E.C. Buck, J.P. Icenhower, A.E. Kozelisky, R.L. Sell, R.J. Elovich and W.C. Buchmiller

345 (2005) 109

Copper precipitate hardening of irradiated RPV materials and implications on the superposition law and re-irradiation kinetics, R. Chaouadi and R. Gérard

345 (2005) 65

**Powder Processes and Products**

Natural sintering of carbonate powder for use as a carbon-14 immobilization matrix, A. Grandjean and G. Leturcq

345 (2005) 11

Synthesis and sintering of  $(\text{U}_{0.72}\text{Ce}_{0.28})\text{O}_2$  solid solution, A. Jain, K. Ananthasivan, S. Anthonysamy and P.R. Vasudeva Rao

345 (2005) 109

**Precipitates and Precipitation**

Ex-reactor corrosion and oxide characteristics of Zr–Nb–Fe alloys with the Nb/Fe ratio, H.-G. Kim, J.-Y. Park and Y.-H. Jeong

345 (2005) 245

Hydrogen ion bombardment damage in stainless steel mirrors, A.I. Belyaeva, A.F. Bardamid, J.W. Davis, A.A. Haasz, V.G. Konovalov, A.D. Kudlenko, M. Poon, K.A. Slatin and V.S. Voitsenya

345 (2005) 101

**Pressure Vessel Materials**

Copper precipitate hardening of irradiated RPV materials and implications on the superposition law and re-irradiation kinetics, R. Chaouadi and R. Gérard

345 (2005) 1

Microstructural evolution of both as-irradiated and subsequently deformed microstructures of 316 L stainless steel irradiated at 30–160 °C at LANSCe, B.H. Sencer, S.A. Maloy, M.L. Hamilton and F.A. Garner

345 (2005) 136

**Processing**

Vitrification and testing of a Hanford high-level waste sample. Part 1: Glass fabrication, and chemical and radiochemical analysis, P. Hrma, J.V. Crum, D.J. Bates, P.R. Bredt, L.R. Greenwood and H.D. Smith

345 (2005) 65

Hydrogen ion bombardment damage in stainless steel mirrors, A.I. Belyaeva, A.F. Bardamid, J.W. Davis, A.A. Haasz, V.G. Konovalov, A.D. Kudlenko, M. Poon, K.A. Slatin and V.S. Voitsenya

345 (2005) 101

Vitrification and testing of a Hanford high-level waste sample. Part 2: Phase identification and waste form leachability, P. Hrma, J.V. Crum, P.R.

345 (2005) 19

Vapour pressure and standard enthalpy of sublimation of  $\text{KBF}_4$  by a TG based transpiration technique, R. Pankajavalli, K. Ananthasivan, S. Anthonysamy and P.R. Vasudeva Rao

345 (2005) 96

On the oxidation state of  $\text{UO}_2$  nuclear fuel at a burn-up of around 100 MWd/kgHM, C.T. Walker, V.V. Rondinella, D. Papaioannou, S.V. Winckel, W. Goll and R. Manzel

345 (2005) 192

**Thermophysical Properties**

About the validity of analytical approximations for temperature and stress for actively cooled windows during thermal loading, O.V. Ogorodnikova

345 (2005) 41

**Titanium, Titanium Alloys and Compounds**

Radiation damage effects in candidate titanates for Pu disposition: Pyrochlore, D.M. Strachan, R.D. Scheele, E.C. Buck, J.P. Icenhower, A.E. Kozelisky, R.L. Sell, R.J. Elovich and W.C. Buchmiller

Selection of optimum microstructure for improved corrosion resistance in a Ti-5%Ta-1.8%Nb alloy, R. Mythili, S. Saroja, M. Vijayalakshmi and V.S. Raghunathan

345 (2005) 109

345 (2005) 167

**Tritium and Tritides**

Comparison of tritium retention and carbon deposition in JET and JT-60U, T. Tanabe, K. Sugiyama, P. Coad, N. Bekris, M. Glugla and N. Miya

345 (2005) 89

**Uranium Oxides and Compounds**

Vitrification and testing of a Hanford high-level waste sample. Part 2: Phase identification and waste form leachability, P. Hrma, J.V. Crum, P.R. Bredt, L.R. Greenwood, B.W. Arey and H.D. Smith

On the oxidation state of UO<sub>2</sub> nuclear fuel at a burn-up of around 100 MWd/kgHM, C.T. Walker, V.V. Rondinella, D. Papaioannou, S.V. Winckel, W. Goll and R. Manzel

Experimental determination of UO<sub>2</sub>(cr) dissolution kinetics: Effects of solution saturation state and pH, E.M. Pierce, J.P. Icenhower, R.J. Serne and J.G. Catalano

The oxidative dissolution of unirradiated UO<sub>2</sub> by hydrogen peroxide as a function of pH, F. Clarenas, J. de Pablo, I. Casas, J. Giménez, M. Rovira, J. Merino, E. Cera, J. Bruno, J. Quiñones and A. Martínez-Esparza

Oxidation and dissolution of UO<sub>2</sub> in bicarbonate media: Implications for the spent nuclear fuel oxidative dissolution mechanism, J. Giménez, F. Clarenas, I. Casas, M. Rovira, J. de Pablo and J. Bruno

Synthesis and sintering of (U<sub>0.72</sub>Ce<sub>0.28</sub>)O<sub>2</sub> solid solution, A. Jain, K. Ananthasivan, S. Anthonysamy and P.R. Vasudeva Rao

345 (2005) 31

345 (2005) 192

345 (2005) 206

345 (2005) 225

345 (2005) 232

345 (2005) 245

**Vitrification**

Vitrification and testing of a Hanford high-level waste sample. Part 1: Glass fabrication, and chemical and radiochemical analysis, P. Hrma, J.V. Crum, D.J. Bates, P.R. Bredt, L.R. Greenwood and H.D. Smith

345 (2005) 19

**Waste Materials**

Vitrification and testing of a Hanford high-level waste sample. Part 1: Glass fabrication, and chemical and radiochemical analysis, P. Hrma, J.V. Crum, D.J. Bates, P.R. Bredt, L.R. Greenwood and H.D. Smith

345 (2005) 19

Vitrification and testing of a Hanford high-level waste sample. Part 2: Phase identification and waste form leachability, P. Hrma, J.V. Crum, P.R. Bredt, L.R. Greenwood, B.W. Arey and H.D. Smith

345 (2005) 31

Experimental determination of UO<sub>2</sub>(cr) dissolution kinetics: Effects of solution saturation state and pH, E.M. Pierce, J.P. Icenhower, R.J. Serne and J.G. Catalano

345 (2005) 206

**Waste: Behavior in Storage**

Vitrification and testing of a Hanford high-level waste sample. Part 1: Glass fabrication, and chemical and radiochemical analysis, P. Hrma, J.V. Crum, D.J. Bates, P.R. Bredt, L.R. Greenwood and H.D. Smith

345 (2005) 19

Vitrification and testing of a Hanford high-level waste sample. Part 2: Phase identification and waste form leachability, P. Hrma, J.V. Crum, P.R. Bredt, L.R. Greenwood, B.W. Arey and H.D. Smith

345 (2005) 31

Leach testing at 50 °C of  $\alpha$ -doped SON68 glass alteration gels, P. Jollivet and G. Parisot

345 (2005) 46

Immobilization of carbon-14 from reactor graphite waste by use of self-sustaining reaction in the C-Al-TiO<sub>2</sub> system, O.K. Karlina, V.L. Klimov, M.I. Ojovan, G.Yu. Pavlova, S.A. Dmitriev and A.Yu. Yurchenko

345 (2005) 84

Radiation damage effects in candidate titanates for Pu disposition: Pyrochlore, D.M. Strachan, R.D. Scheele, E.C. Buck, J.P. Icenhower, A.E. Kozelisky, R.L. Sell, R.J. Elovich and W.C. Buchmiller

345 (2005) 109

The oxidative dissolution of unirradiated UO<sub>2</sub> by hydrogen peroxide as a function of pH, F. Clarenas, J. de Pablo, I. Casas, J. Giménez, M. Rovira, J. Merino, E. Cera, J. Bruno, J. Quiñones and A. Martínez-Esparza

345 (2005) 225

- Oxidation and dissolution of  $\text{UO}_2$  in bicarbonate media: Implications for the spent nuclear fuel oxidative dissolution mechanism, J. Giménez, F. Clarençs, I. Casas, M. Rovira, J. de Pablo and J. Bruno  
345 (2005) 232
- Zirconium, Zirconium Alloys**
- Ex-reactor corrosion and oxide characteristics of Zr–Nb–Fe alloys with the Nb/Fe ratio, H.-G. Kim, J.-Y. Park and Y.-H. Jeong  
345 (2005) 1
- Burnup effect on  $^{95}\text{Nb}/^{95}\text{Zr}$  ratio-cooling time correlation, Kh. Haddad  
Flow behaviour of a modified Zr–2.5wt%Nb pressure tube alloy, R.N. Singh, S. Mukherjee, R. Kishore and B.P. Kashyap  
Characterisation of  $\beta$ -quenched and thermally aged Zircaloy-2 by positron annihilation, hardness and ultrasonic velocity measurements, P. Gopalan, R. Rajaraman, G. Amarendra, C.S. Sundar, B. Viswanathan, T. Jayakumar, P. Palanichamy and B. Raj  
345 (2005) 86  
345 (2005) 146  
345 (2005) 162