

Contents

Proceedings of the 12th International Conference on Fusion Reactor Materials (ICFRM-12)

Committees	vii		
Preface	xi		
Contents to Part A and B	xiii		
PART A			
Section 1. Critical assessments of materials performance in irradiation environments			
Critical questions in materials science and engineering for successful development of fusion power, <i>E.E. Bloom, J.T. Busby, C.E. Duty, P.J. Maziasz, T.E. McGreevy, B.E. Nelson, B.A. Pint, P.F. Tortorelli and S.J. Zinkle</i>	1		
Materials degradation in fission reactors: Lessons learned of relevance to fusion reactor systems, <i>G.S. Was</i>	11		
Materials challenges for ITER – Current status and future activities, <i>V. Barabash, The ITER International Team, A. Peacock, S. Fabritsiev, G. Kalinin, S. Zinkle, A. Rowcliffe, J.-W. Rensman, A.A. Tavassoli, P. Marmy, P.J. Karditsas, F. Gillemot and M. Akiba</i>	21		
Section 2. Ferritic/martensitic steels			
Status of reduced activation ferritic/martensitic steel development, <i>N. Baluc, D.S. Gelles, S. Jitsukawa, A. Kimura, R.L. Klueh, G.R. Odette, B. van der Schaaf and J. Yu</i>	33		
Irradiation effects on precipitation and its impact on the mechanical properties of reduced-activation ferritic/martensitic steels, <i>H. Tanigawa, H. Sakasegawa, N. Hashimoto, R.L. Klueh, M. Ando and M.A. Sokolov</i>	42		
New nano-particle-strengthened ferritic/martensitic steels by conventional thermo-mechanical treatment, <i>R.L. Klueh, N. Hashimoto and P.J. Maziasz</i>	48		
Mechanical properties of 9Cr martensitic steels and ODS-FeCr alloys after neutron irradiation at 325 °C up to 42 dpa, <i>A. Alamo, J.L. Bertin, V.K. Shamardin and P. Wident</i>	54		
Recent progress in US–Japan collaborative research on ferritic steels R&D, <i>A. Kimura, R. Kasada, A. Kohyama, H. Tanigawa, T. Hirose, K. Shiba, S. Jitsukawa, S. Ohtsuka, S. Ukai, M.A. Sokolov, R.L. Klueh, T. Yamamoto and G.R. Odette</i>			60
Fracture toughness and Charpy impact properties of several RAFMS before and after irradiation in HFIR, <i>M.A. Sokolov, H. Tanigawa, G.R. Odette, K. Shiba and R.L. Klueh</i>			68
Effect of heat treatments on tensile properties of F82H steel irradiated by neutrons, <i>E. Wakai, M. Ando, T. Sawai, H. Tanigawa, T. Taguchi, R.E. Stoller, T. Yamamoto, Y. Kato and F. Takada</i>			74
Embrittlement behavior of neutron irradiated RAFM steels, <i>E. Gaganidze, H.-C. Schneider, B. Dafferner and J. Aktaa</i>			81
<i>In situ</i> fatigue of the Eurofer 97 steel, <i>P. Marmy</i>			86
Mechanical properties and microstructure of three Russian ferritic/martensitic steels irradiated in BN-350 reactor to 50 dpa at 490 °C, <i>A.M. Dvoriashin, S.I. Porollo, Yu.V. Konobeev, N.I. Budylnin, E.G. Mironova, A.G. Ioltukhovskiy, M.V. Leontyeva-Smirnova and F.A. Garner</i>			92
Research and development on the China low activation martensitic steel (CLAM), <i>J. Yu, Q. Huang and F. Wan</i>			97
Mechanical properties of irradiated 9Cr–2WVTa steel with and without nickel, <i>R.L. Klueh and M.A. Sokolov</i>			102
Effects of heat treatment and irradiation on mechanical properties in F82H steel doped with boron and nitrogen, <i>N. Okubo, E. Wakai, S. Matsukawa, T. Sawai, S. Kitazawa and S. Jitsukawa</i>			107
Mechanical properties and microstructures in F82H steel irradiated under alternating temperature, <i>N. Okubo, E. Wakai, T. Tomita and S. Jitsukawa</i>			112
Mechanical properties and microstructures of China low activation martensitic steel compared with JLF-1, <i>Y. Li, Q. Huang, Y. Wu, T. Nagasaka and T. Muroga</i>			117
Creep behavior of reduced activation ferritic/martensitic steels irradiated at 573 and 773 K up to 5 dpa, <i>M. Ando, M. Li, H. Tanigawa, M.L. Grossbeck, S. Kim, T. Sawai, K. Shiba, Y. Kohno and A. Kohyama</i>			122
Tensile and transient burst properties of advanced ferritic/martensitic steel claddings after neutron irradiation, <i>Y. Yano, T. Yoshitake, S. Yamashita, N. Akasaka, S. Onose and H. Takahashi</i>			127

Radiation induced phase instability of precipitates in reduced-activation ferritic/martensitic steels, <i>H. Tanigawa, H. Sakasegawa, H. Ogiwara, H. Kishimoto and A. Kohyama</i>	132	Pre- and post-deformation microstructures of oxide dispersion strengthened ferritic steels, <i>R. Kasada, N. Toda, K. Yutani, H.S. Cho, H. Kishimoto and A. Kimura</i>	222
Long-term stability of TaC particles during tempering of 8%Cr–2%W steel, <i>M. Tamura, H. Kusuyama, K. Shinozuka and H. Esaka</i>	137	Embrittlement and hardening during thermal aging of high Cr oxide dispersion strengthened alloys, <i>J.S. Lee, C.H. Jang, I.S. Kim and A. Kimura</i>	229
Progress in development of China Low Activation Martensitic steel for fusion application, <i>Q. Huang, C. Li, Y. Li, M. Chen, M. Zhang, L. Peng, Z. Zhu, Y. Song and S. Gao</i>	142	Low cycle fatigue properties of ODS ferritic–martensitic steels at high temperature, <i>S. Ukai and S. Ohtsuka</i>	234
Microstructural analysis on JLF-1 steel tested by fatigue deformation, <i>H. Li, A. Nishimura, T. Muroga and T. Nagasaka</i>	147	Effects of neutron irradiation on the tensile properties of high-Cr oxide dispersion strengthened ferritic steels, <i>H.S. Cho, R. Kasada and A. Kimura</i>	239
Section 3. Development of ODS steels		Section 4. Fundamentals of radiation effects	
Lattice Monte Carlo simulations of nanocluster formation in nanostructured ferritic alloys, <i>M.J. Alinger, B.D. Wirth, H.-J. Lee and G.R. Odette</i>	153	Interaction between helium and self-defects in α -iron from first principles, <i>C.-C. Fu and F. Willaime</i>	244
Nano-mesoscopic structural characterization of 9Cr-ODS martensitic steel for improving creep strength, <i>S. Ohtsuka, S. Ukai, H. Sakasegawa, M. Fujiwara, T. Kaito and T. Narita</i>	160	Molecular dynamics modelling of radiation defects in ferromagnetic α -iron, <i>S.L. Dudarev and P.M. Derlet</i>	251
Influence of particle dispersions on the high-temperature strength of ferritic alloys, <i>D.T. Hoelzer, J. Bentley, M.A. Sokolov, M.K. Miller, G.R. Odette and M.J. Alinger</i>	166	Systematic group-specific trends for point defects in bcc transition metals: An ab initio study, <i>D. Nguyen-Manh, S.L. Dudarev and A.P. Horsfield</i>	257
Direct correlation between morphology of (Fe,Cr) ₂₃ C ₆ precipitates and impact behavior of ODS steels, <i>M. Klimiankou, R. Lindau and A. Möslang</i>	173	Validation of potential models for Li ₂ O in classical molecular dynamics simulation, <i>T. Oda, Y. Oya, S. Tanaka and W.J. Weber</i>	263
Heavy-ion irradiation effects on the morphology of complex oxide particles in oxide dispersion strengthened ferritic steels, <i>H. Kishimoto, K. Yutani, R. Kasada, O. Hashitomi and A. Kimura</i>	179	Diffuse X-ray scattering measurements of point defects and clusters in iron, <i>R.E. Stoller, F.J. Walker, E.D. Specht, D.M. Nicholson, R.I. Barabash, P. Zschack and G.E. Ice</i>	269
Particle size effects in mechanically alloyed 9Cr ODS steel powder, <i>H. Sakasegawa, S. Ohtsuka, S. Ukai, H. Tanigawa, M. Fujiwara, H. Ogiwara and A. Kohyama</i>	185	Molecular dynamics simulations of point defect interactions in Fe–Cr alloys, <i>K.L. Wong, J.H. Shim and B.D. Wirth</i>	276
Effect of milling on morphological and microstructural properties of powder particles for High-Cr Oxide dispersion strengthened ferritic steels, <i>N.Y. Iwata, A. Kimura, M. Fujiwara and N. Kawashima</i>	191	PKA energy spectra and primary damage identification in amorphous silica under different neutron energy spectra, <i>M.L. Gámez, M. Velarde, F. Mota, J.M. Perlado, M. León and A. Ibarra</i>	282
Mechanical and microstructural behaviour of Y ₂ O ₃ ODS EUROFER 97, <i>V. de Castro, T. Leguey, A. Muñoz, M.A. Monge, P. Fernández, A.M. Lancha and R. Pareja</i>	196	Lattice kinetic Monte-Carlo modelling of helium–vacancy cluster formation in bcc iron, <i>V.A. Borodin, P.V. Vladimirov and A. Möslang</i>	286
Microstructural development of a heavily neutron-irradiated ODS ferritic steel (MA957) at elevated temperature, <i>S. Yamashita, N. Akasaka, S. Ukai and S. Ohnuki</i>	202	Atomistic modeling of the interaction between self-interstitial dislocation loops and He in bcc Fe, <i>J.-H. Shim, S.C. Kwon, W.W. Kim and B.D. Wirth</i>	292
Effects of consolidation temperature, strength and microstructure on fracture toughness of nanostructured ferritic alloys, <i>P. Miao, G.R. Odette, T. Yamamoto, M. Alinger, D. Hoelzer and D. Gragg</i>	208	Study of cascades damage in Ni by MD with different interatomic potentials, <i>Z. Yao, M.J. Caturla and R. Schäublin</i>	298
Fracture toughness and tensile properties of nanostructured ferritic steel 12YWT, <i>M.A. Sokolov, D.T. Hoelzer, R.E. Stoller and D.A. McClintock</i>	213	Diffraction imaging and diffuse scattering by small dislocation loops, <i>Z. Zhou, S.L. Dudarev, M.L. Jenkins, A.P. Sutton and M.A. Kirk</i>	305
Effect of irradiation on the microstructure and the mechanical properties of oxide dispersion strengthened low activation ferritic/martensitic steel, <i>A. Ramar, N. Baluc and R. Schäublin</i>	217	Atomistic modeling of helium interacting with screw dislocations in α -Fe, <i>H.L. Heinisch, F. Gao and R.J. Kurtz</i>	311
		Anisotropy migration of self-point defects in dislocation stress fields in BCC Fe and FCC Cu, <i>A.B. Sivak, V.M. Chernov, N.A. Dubasova and V.A. Romanov</i>	316
		Temperature dependence of one-dimensional motion of interstitial clusters in Fe and Ni, <i>T. Yoshiie, M. Horiki, Q. Xu and K. Sato</i>	322
		Thermally activated transport of a dislocation loop within an elastic model, <i>K. Ohsawa and E. Kuramoto</i>	327
		Kinetic Monte Carlo studies of the reaction kinetics of crystal defects that diffuse one-dimensionally with occasional transverse migration, <i>H.L. Heinisch, H. Trinkaus and B.N. Singh</i>	332

Temperature dependence of damage accumulation in α -zirconium, <i>C. Arévalo, M.J. Caturla and J.M. Perlado</i>	338	Diffusion of He interstitial and di-He cluster at grain boundaries in α -Fe, <i>F. Gao, H.L. Heinisch and R.J. Kurtz</i>	446
Identification and characterization of defects produced in irradiated fused silica through molecular dynamics, <i>F. Mota, M.-J. Caturla, J.M. Perlado, A. Ibarra, M. León and J. Mollá</i>	344	The effects of helium on irradiation damage in single crystal iron, <i>C.S. Deo, M.A. Okuniewski, S.G. Sri-villiputhur, S.A. Maloy, M.I. Baskes, M.R. James and J.F. Stubbins</i>	451
Effects of cascade damages on the dynamical behavior of helium bubbles in Cu, <i>M. Miyamoto, K. Ono, K. Arakawa and R.C. Birtcher</i>	350	Microstructure change and helium release due to tensile loading on austenitic stainless steel implanted with low energy helium ions, <i>T. Kawakami, K. Tokunaga and N. Yoshida</i>	457
Development of a Fe-He interatomic potential based on electronic structure calculations, <i>T. Seletskaiia, Yu.N. Osetskiy, R.E. Stoller and G.M. Stocks</i>	355	Synergistic effects of PKA and helium on primary damage formation in Fe-0.1%He, <i>J. Yu, G. Yu, Z. Yao and R. Schäublin</i>	462
Effects of oversized element Sn on diffusion of interstitial clusters in Ni irradiated by ions and neutrons, <i>Q. Xu, T. Yoshiie, H. Watanabe and N. Yoshida</i>	361	Behavior of helium in steel 16Cr12W2VTaB under various implantation temperatures, <i>I.I. Chernov, S.Yu. Binyukova, B.A. Kalin, M. Htet Win, T. Swe, S.V. Chubarov, A.N. Kalashnikov, A.G. Ioltukhovskiy and M.V. Leontyeva-Smirnova</i>	468
The elastic interaction between an edge dislocation and a loop in BCC systems, <i>T. Okita and N. Sekimura</i>	368	Hydrogen transport and trapping in EUROFER'97, <i>G.A. Esteban, A. Peña, I. Urrea, F. Legarda and B. Riccardi</i>	473
Application of positron beam Doppler broadening technique to ion beam irradiation in nickel, <i>T. Iwai, H. Tsuchida and M. Awano</i>	372	Effect of solute elements in Ni alloys on blistering under He ⁺ and D ⁺ ion irradiation, <i>E. Wakai, T. Ezawa, T. Takenaka, J. Imamura, T. Tanabe and R. Oshima</i>	478
Microstructural investigation, using small-angle neutron scattering (SANS), of Optifer steel after low dose neutron irradiation and subsequent high temperature tempering, <i>R. Coppola, R. Lindau, M. Magnani, R.P. May, A. Möslang and M. Valli</i>	377	Thermal helium desorption spectrometry of helium-implanted iron, <i>D. Xu, T. Bus, S.C. Glade and B.D. Wirth</i>	483
One dimensional motion of interstitial clusters in Ni-Au alloy, <i>K. Sato, T. Yoshiie and Q. Xu</i>	382	Characteristics of traps for hydrogen in helium-irradiated copper, <i>I. Takagi, M. Akiyoshi, N. Matsubara, T. Nishiuchi, K. Moritani, T. Sasaki and H. Moriyama</i>	489
Comparison of erosion processes of RAF and pure Fe by hydrogen and carbon mixed ion beam irradiation, <i>Y. Ueda, M. Fukumoto, D. Sakizono, I. Sawamura and M. Nishikawa</i>	386	Effects of irradiation on mechanical properties of HIP-bonded reduced-activation ferritic/martensitic steel F82H first wall, <i>F. Kazuyuki, W. Eiichi, M. Kenji, A. Masato and S. Masayoshi</i>	494
Quantitative analysis of the dependence of hardening on copper precipitate diameter and density in Fe-Cu alloys, <i>K. Nogiwa, N. Nita and H. Matsui</i>	392	Effectiveness of helium bubbles as traps for hydrogen, <i>S.Yu. Binyukova, I.I. Chernov, B.A. Kalin and T. Swe</i>	500
		Effects of interstitial impurity on behavior of helium-defect complexes in vanadium studied by THDS, <i>N. Nita, K. Miyawaki and H. Matsui</i>	505
Section 5. H and He effects in irradiated materials		Desorption of tritium and helium from high dose neutron irradiated beryllium, <i>I.B. Kupriyanov, G.N. Nikolaev, V.V. Vlasov, A.M. Kovalev and V.P. Chakin</i>	511
The transport and fate of helium in nanostructured ferritic alloys at fusion relevant He/dpa ratios and dpa rates, <i>T. Yamamoto, G.R. Odette, P. Miao, D.T. Hoelzer, J. Bentley, N. Hashimoto, H. Tanigawa and R.J. Kurtz</i>	399	The influence of hydrogen on the fatigue behaviour of base and gas tungsten arc welded Eurofer, <i>M.-F. Maday and L. Pilloni</i>	516
Effect of a high helium content on the flow and fracture properties of a 9Cr martensitic steel, <i>J. Henry, L. Vincent, X. Averty, B. Marini and P. Jung</i>	411	Dynamical interaction of helium bubbles with grain boundaries in Fe and Fe-9Cr ferritic alloy, <i>K. Ono, M. Miyamoto and K. Arakawa</i>	522
The transport and fate of helium in martensitic steels at fusion relevant He/dpa ratios and dpa rates, <i>R.J. Kurtz, G.R. Odette, T. Yamamoto, D.S. Gelles, P. Miao and B.M. Oliver</i>	417		
Evaluation of Helium effects on swelling behavior of oxide dispersion strengthened ferritic steels under ion irradiation, <i>K. Yutani, H. Kishimoto, R. Kasada and A. Kimura</i>	423	Section 6. Deformation and fracture	
Helium effects on mechanical properties and microstructure of high fluence ion-irradiated RAFM steel, <i>H. Ogiwara, A. Kohyama, H. Tanigawa and H. Sakasegawa</i>	428	Plastic flow properties and fracture toughness characterization of unirradiated and irradiated tempered martensitic steels, <i>P. Spätig, R. Bonadé, G.R. Odette, J.W. Rensman, E.N. Campitelli and P. Mueller</i>	527
Implantation of He ⁺ in candidate fusion first wall materials, <i>R.F. Radel and G.L. Kulcinski</i>	434	Effect of temperature change on the irradiation hardening of the structural alloys for ITER blanket and ITER TBM irradiated to 1.5 dpa in JMTR, <i>S. Jitsukawa, E. Wakai, N. Okubo and M. Ohmi</i>	539
Microstructure of helium-implanted and proton-irradiated T91 ferritic/martensitic steel, <i>Z. Jiao, N. Ham and G.S. Was</i>	440	Impact property degradation of ferritic/martensitic steels after the fast reactor irradiation 'ARBOR 1',	

<i>C. Petersen, A. Povstyanko, V. Prokhorov, A. Fedoseev, O. Makarov and B. Dafferner</i>	544	Section 7. SiC and SiC composites	
Deformation and damage of RAFM steels under thermo-mechanical loading: A challenge for constitutive equations, <i>J. Aktaa, M. Klotz and C. Petersen</i>	550	Current status and critical issues for development of SiC composites for fusion applications, <i>Y. Katoh, L.L. Snead, C.H. Henager Jr., A. Hasegawa, A. Kohyama, B. Riccardi and H. Hegeman</i>	659
A universal relationship between indentation hardness and flow stress, <i>M.Y. He, G.R. Odette, T. Yamamoto and D. Klingensmith</i>	556	Characterization of commercial grade Tyranno SA/CVI-SiC composites, <i>B. Riccardi, E. Trentini, M. Labanti, M. Leuchs, S. Roccella and E. Visca</i>	672
On the relation between irradiation induced changes in the master curve reference temperature shift and changes in strain hardened flow stress, <i>G.R. Odette, M.Y. He and T. Yamamoto</i>	561	Swelling of SiC at intermediate and high irradiation temperatures, <i>L.L. Snead, Y. Katoh and S. Connerly</i>	677
Effects of surface morphology on fatigue behavior of reduced activation ferritic/martensitic steel, <i>S.W. Kim, H. Tanigawa, T. Hirose, K. Shiba and A. Kohyama</i>	568	The effects of neutron irradiation on shear properties of monolayered PyC and multilayered PyC/SiC interfaces of SiC/SiC composites, <i>T. Nozawa, Y. Katoh and L.L. Snead</i>	685
A closer look at the fracture toughness of ferritic/martensitic steels, <i>E. Lucon</i>	575	Analysis of recovery process of neutron-irradiation-induced defects in α -SiC by isothermal annealing up to 1400 °C, <i>S. Yamazaki, K. Yamaya, M. Imai and T. Yano</i>	692
Fracture toughness properties in the transition region of the Eurofer97 tempered martensitic steel, <i>R. Bonadé, P. Spätig and N. Baluc</i>	581	Effect of displacement damage up to 50 dpa on microstructural development in SiC/SiC composites, <i>T. Taguchi, N. Igawa, S. Miwa, E. Wakai, S. Jitsukawa, L.L. Snead and A. Hasegawa</i>	698
Application of the master curve to inhomogeneous ferritic/martensitic steel, <i>M.A. Sokolov and H. Tanigawa</i>	587	Influence of irradiation-induced defects on fracture behavior in highly pure SiC, <i>K.H. Park, T. Hinoki and A. Kohyama</i>	703
Evaluation of fracture toughness master curve shifts for JMTR irradiated F82H using small specimens, <i>T. Yamamoto, G.R. Odette, D. Gragg, H. Kurishita, H. Matsui, W.J. Yang, M. Narui and M. Yamazaki</i>	593	The effect of SiC nanowires on the flexural properties of CVI-SiC/SiC composites, <i>W. Yang, H. Araki, A. Kohyama, Q. Yang, Y. Xu, J. Yu and T. Noda</i>	708
Small fracture toughness specimen for post-irradiation experiments, <i>H.-C. Schneider, J. Aktaa and R. Rolli</i>	599	Mechanical properties of advanced SiC/SiC composites after neutron irradiation, <i>K. Ozawa, T. Nozawa, Y. Katoh, T. Hinoki and A. Kohyama</i>	713
Neural network analysis of Charpy transition temperature of irradiated low-activation martensitic steels, <i>G.A. Cottrell, R. Kemp, H.K.D.H. Bhadeshia, G.R. Odette and T. Yamamoto</i>	603	Efforts on large scale production of NITE-SiC/SiC composites, <i>J.-S. Park, A. Kohyama, T. Hinoki, K. Shimoda and Y.-H. Park</i>	719
Brittle-ductile transition in F82H and effects of irradiation, <i>S.J. Noronha and N.M. Ghoniem</i>	610	Mechanical properties of SiC/SiC composite with magnesium-silicon oxide interphase, <i>N. Igawa, T. Taguchi, R. Yamada, Y. Ishii and S. Jitsukawa</i>	725
A critical stress-critical area statistical model of the $K_{Jc}(T)$ curve for MA957 in the cleavage transition, <i>W.J. Yang, G.R. Odette, T. Yamamoto, P. Miao, M.J. Alinger, M. Hribernik and J.H. Lee</i>	616	Physical property changes of crystalline and non-crystalline SiO ₂ due to neutron irradiation and recovery by subsequent annealing, <i>T. Yano, K. Fukuda, M. Imai and H. Miyazaki</i>	730
Irradiation-induced impurity segregation and ductile-to-brittle transition temperature shift in high chromium ferritic/martensitic steels, <i>Z. Lu, R.G. Faulkner and P.E.J. Flewitt</i>	621	Helium gas permeability of SiC/SiC composite after heat cycles, <i>T. Hino, E. Hayashishita, A. Kohyama, Y. Yamauchi and Y. Hirohata</i>	736
Effect of displacement dose and irradiation temperature on tensile and fracture toughness properties of titanium alloys, <i>S. Tähtinen, P. Moilanen and B.N. Singh</i>	627	Swelling and time-dependent crack growth in SiC/SiC composites, <i>C.H. Henager Jr.</i>	742
Multiaxial fatigue behavior of EUROFER 97, <i>M. Weick and J. Aktaa</i>	633	Microstructural evolution analysis of NITE SiC/SiC composite using TEM examination and dual-ion irradiation, <i>H. Kishimoto, K. Ozawa, O. Hashitomi and A. Kohyama</i>	748
Brittle-ductile transitions in vanadium and iron-chromium, <i>T.D. Joseph, M. Tanaka, A.J. Wilkinson and S.G. Roberts</i>	637	Cavity formation in Tyranno-SA SiC _f /SiC composite irradiated with multiple-ion beam at elevated temperatures, <i>H.T. Keng, S.W. Li, S.W. Wu, J.-J. Kai, F.-R. Chen, Y. Katoh and A. Kohyama</i>	753
Fracture toughness characterization of JLF-1 steel after irradiation in HFIR to 5 dpa, <i>M.A. Sokolov, A. Kimura, H. Tanigawa and S. Jitsukawa</i>	644	Irradiation creep of high purity CVD silicon carbide as estimated by the bend stress relaxation method, <i>Y. Katoh, L.L. Snead, T. Hinoki, S. Kondo and A. Kohyama</i>	758
High temperature indentation tests on fusion reactor candidate materials, <i>R. Montanari, G. Filacchioni, B. Iacovone, P. Plini and B. Riccardi</i>	648	Anisotropic evolution of Frank loops in ion-irradiated silicon carbide, <i>S. Kondo, A. Kohyama and T. Hinoki</i>	764
Miniaturized fracture stress tests for thin-walled tubular SiC specimens, <i>T.S. Byun, E. Lara-Curzio, R.A. Lowden, L.L. Snead and Y. Katoh</i>	653		

Reaction sintering of two-dimensional silicon carbide fiber-reinforced silicon carbide composite by sheet stacking method, <i>K. Yoshida, H. Mukai, M. Imai, K. Hashimoto, Y. Toda, H. Hyuga, N. Kondo, H. Kita and T. Yano</i>	769	Irradiation induced precipitates in vanadium alloys studied by atom probe microanalysis, <i>N. Nita, Y. Anma, H. Matsui, T. Ohkubo and K. Hono</i>	858
Effect of neutron irradiation on tensile properties of unidirectional silicon carbide composites, <i>Y. Katoh, T. Nozawa, L.L. Snead and T. Hinoki</i>	774	Retention and desorption behavior of helium in oxidized V-4Cr-4Ti alloy, <i>D. Oku, T. Yamada, Y. Hirohata, Y. Yamauchi and T. Hino</i>	864
Section 8. Vanadium and other refractory alloys		Thermal creep mechanisms in V-4Cr-4Ti pressurized tube specimens, <i>D.S. Gelles, M.B. Toloczko and R.J. Kurtz</i>	869
Review of advances in development of vanadium alloys and MHD insulator coatings, <i>T. Muroga, J.M. Chen, V.M. Chernov, K. Fukumoto, D.T. Hoelzer, R.J. Kurtz, T. Nagasaka, B.A. Pint, M. Satou, A. Suzuki and H. Watanabe</i>	780	Diffusional behavior of tritium in V-4Cr-4Ti alloy, <i>K. Hashizume, J. Masuda, T. Otsuka, T. Tanabe, Y. Hatano, Y. Nakamura, T. Nagasaka and T. Muroga</i>	876
Biaxial thermal creep of two heats of V4Cr4Ti at 700 and 800 °C in a liquid lithium environment, <i>M. Li, T. Nagasaka, D.T. Hoelzer, M.L. Grossbeck, S.J. Zinkle, T. Muroga, K. Fukumoto, H. Matsui and M. Narui</i>	788	The diffusion behaviors of interstitial impurities in V-4Cr-4Ti alloys under ion irradiation, <i>M. Hatakeyama, S. Tamura, T. Muroga, N. Yoshida, M. Hasegawa and H. Matsui</i>	882
The microstructure of laser welded V-4Cr-4Ti alloy after neutron irradiation, <i>H. Watanabe, K. Yamasaki, A. Higashizima, N. Yoshida, T. Nagasaka and T. Muroga</i>	794	Influence of heat treatment on tritium distribution in V-4Cr-4Ti alloy, <i>H. Homma, Y. Hatano, H. Daifuku, H. Saitoh, T. Nagasaka, T. Muroga, M. Hara, Y. Nakamura and M. Matsuyama</i>	887
Fracture toughness investigations of tungsten alloys and SPD tungsten alloys, <i>M. Faleschini, H. Kreuzer, D. Kiener and R. Pippan</i>	800	Recycling of vanadium alloys in fusion reactors, <i>S.A. Bartenev, A. Ciampichetti, N.G. Firsin, R.A. Forrest, B.N. Kolbasov, I.B. Kvasnitskij, P.V. Romanov, V.N. Romanovskij and M. Zucchetti</i>	892
Accumulation of helium in tungsten irradiated by helium and neutrons, <i>Q. Xu, N. Yoshida and T. Yoshiie</i>	806	PART B	
Effects of helium implantation on damage during pulsed high heat loading of tungsten, <i>K. Tokunaga, T. Fujiwara, K. Ezato, S. Suzuki, M. Akiba and N. Yoshida</i>	812	Section 9. Radiation effects in FCC metals	
Defect cluster formation and radiation hardening in molybdenum neutron-irradiated at 80 °C, <i>M. Li, N. Hashimoto, T.S. Byun, L.L. Snead and S.J. Zinkle</i>	817	Influence of carbon addition on neutron-induced void swelling of Fe-15Cr-16Ni-0.25Ti model alloy, <i>N. Sekimura, T. Okita and F.A. Garner</i>	897
Impurity behavior in V-4Cr-4Ti-Y alloys produced by levitation melting, <i>T. Nagasaka, T. Muroga, T. Hino, M. Satou, K. Abe, T. Chuto and T. Iikubo</i>	823	Effect of heat treatments on precipitate microstructure and mechanical properties of a CuCrZr alloy, <i>D.J. Edwards, B.N. Singh and S. Tähtinen</i>	904
Features of dislocation channeling in neutron-irradiated V-(Fe, Cr)-Ti alloy, <i>K.-i. Fukumoto, M. Sugiyama and H. Matsui</i>	829	Effect of cold-work on the radiation-induced deformation of austenitic stainless steels, <i>J. Nagakawa, K. Ueno, Y. Murase and N. Yamamoto</i>	910
Creep mechanism of highly purified V-4Cr-4Ti alloys during thermal creep in a vacuum, <i>K.-i. Fukumoto, T. Nagasaka, T. Muroga, N. Nita and H. Matsui</i>	834	A comprising steady-state creep model for the austenitic AISI 316 L(N) steel, <i>M. Rieth</i>	915
Oxidation behavior of a V-4Cr-4Ti alloy during the commercial processing of thin-wall tubing, <i>A.F. Rowcliffe, D.T. Hoelzer, R.J. Kurtz and C.M. Young</i>	839	Ageing effect on the properties of CuCrZr alloy used for the ITER HHF components, <i>G.M. Kalinin, A.D. Ivanov, A.N. Obushev, B.S. Rodchenkov, M.E. Rodin and Y.S. Strebkov</i>	920
Studies of reactor irradiation effect on hydrogen isotope release from vanadium alloy V4Cr4Ti, <i>T. Kulsartov, V. Shestakov, Y. Chikhray, Y. Kenzhin, A. Kolbayenkov and I. Tazhibayeva</i>	844	The mechanism of stress influence on swelling of 20% cold-worked 16Cr15Ni2MoTiMnSi steel, <i>I.A. Portnykh, A.V. Kozlov, V.L. Panchenko, V.M. Chernov and F.A. Garner</i>	925
Effect of 2 wt% Ti addition on high-temperature strength of fine-grained, particle dispersed V-Y alloys, <i>H. Kurishita, S. Oda, S. Kobayashi, K. Nakai, T. Kuwabara, M. Hasegawa and H. Matsui</i>	848	The synergistic influence of temperature and displacement rate on microstructural evolution of ion-irradiated Fe-15Cr-16Ni model austenitic alloy, <i>T. Okita, T. Sato, N. Sekimura, T. Iwai and F.A. Garner</i>	930
Effect of internal oxidation on the microstructure and mechanical properties of vanadium alloys, <i>A.N. Tyumentsev, A.D. Korotaev, Yu.P. Pinzhin, S.V. Ovchinnikov, I.A. Ditenberg, A.K. Shikov, M.M. Potapenko and V.M. Chernov</i>	853	Low-temperature mechanical properties of Fe-0.06C-18Cr-10Ni-0.4Ti austenitic steel determined using ring-pull tensile tests and microhardness measurements, <i>V.S. Neustroev, E.V. Boev and F.A. Garner</i>	935
		In situ SCC observation on neutron irradiated thermally-sensitized austenitic stainless steel, <i>J. Nakano, Y. Miwa, T. Tsukada, S. Endo and K. Hide</i>	940
		Effect of irradiation dose on mechanical properties and fracture character of Cu/SS joints for ITER,	

<i>A.S. Pokrovsky, S.A. Fabritsiev, A. Peacock, A. Gerwash and V.R. Barabash</i>	947	tion properties, <i>B. Constantinescu, R. Bugoi, E.R. Hodgson, R. Vila and P. Ioan</i>	1048
The influence of cold-work level on the irradiation creep and swelling of AISI 316 stainless steel irradiated as pressurized tubes in the EBR-II fast reactor, <i>E.R. Gilbert and F.A. Garner</i>	954	Investigation of phase transition in Li_2TiO_3 by high temperature X-ray diffraction, <i>T. Hoshino, K. Tanaka, J. Makita and T. Hashimoto</i>	1052
Deformation-induced martensite formation and dislocation channeling in neutron-irradiated 316 stainless steel, <i>N. Hashimoto and T.S. Byun</i>	960	Kinetics of reaction with water vapor and ab initio study of titanium beryllide, <i>K. Munakata, H. Kawamura and M. Uchida</i>	1057
Plastic deformation of SUS304 under in situ and post-irradiation fatigue loadings, <i>Y. Murase, J. Nagakawa and N. Yamamoto</i>	966	Experimental determination of creep properties of Beryllium irradiated to relevant fusion power reactor doses, <i>M. Scibetta, A. Pellettieri and L. Sannen</i>	1063
Void swelling behavior in electron irradiated Fe–Cr–Ni model alloys under temperature variation, <i>Y. Satoh, S. Abe, H. Matsui and I. Yamagata</i>	972	Production and characterization of titanium beryllides for HIDOBE irradiation, <i>P. Kurinskiy, A. Moeslang, M. Klimiankou and A.A. Goraieb</i>	1069
Effect of irradiation temperature on microstructure, radiation hardening and embrittlement of pure copper and copper-based alloy, <i>S.A. Fabritsiev and A.S. Pokrovsky</i>	977	Radiation enhanced diffusion of hydrogen in perovskite-type oxide ceramics under reactor irradiation, <i>B. Tsuchiya, T. Shikama, S. Nagata, K. Toh, M. Narui and M. Yamazaki</i>	1073
Hold-time effects on the fatigue life of CuCrZr alloys for fusion applications, <i>X. Wu, X. Pan, B.N. Singh, M. Li and J.F. Stubbins</i>	984	Some characteristics of fine beryllium particle combustion, <i>D.A. Davydov, O.V. Kholopova and B.N. Kolbasov</i>	1079
Void swelling of AISI 321 analog stainless steel irradiated at low dpa rates in the BN-350 reactor, <i>O.P. Maksimkin, K.V. Tsai, L.G. Turubarova, T. Doronina and F.A. Garner</i>	990	Development of 300 °C heat resistant boron-loaded resin for neutron shielding, <i>A. Morioka, S. Sakurai, K. Okuno, S. Sato, Y. Verzirov, A. Kaminaga, T. Nishitani, H. Tamai, Y. Kudo, S. Yoshida and M. Matsukawa</i>	1085
		Performance of a hydrogen sensor in Pb–16Li, <i>A. Ciampichetti, M. Zucchetti, I. Ricapito, M. Utili, A. Aiello and G. Benamati</i>	1090
Section 10. Functional materials		Applicability of Pd–Cu alloy to self-developing gas chromatography of hydrogen isotopes, <i>M. Matsuyama, H. Sugiyama, M. Hara and K. Watanabe</i>	1096
Effects of neutron irradiation on the properties of functional materials for fusion applications: Role of hydrogen in radiation effects on oxide ceramics, <i>T. Shikama, B. Tsuchiya and E.R. Hodgson</i>	995	HTO electrolysis method by using proton exchange membrane fuel cell, <i>H. Takata, M. Nishikawa, T. Egawa and N. Mizuno</i>	1102
Radiation effects on the deuterium diffusion in SiO_2 , <i>A. Ibarra, A. Muñoz-Martín, P. Martín, A. Climent-Font and E.R. Hodgson</i>	1003	Radioluminescence behaviour for electron irradiated KS-4V, <i>A. Moroño and E.R. Hodgson</i>	1107
Luminescence characteristics and defect formation in silica glasses under H and He ion irradiation, <i>S. Nagata, S. Yamamoto, A. Inouye, B. Tsuchiya, K. Toh and T. Shikama</i>	1009	Luminescence of Cr-doped alumina induced by charged particle irradiation, <i>A. Inouye, S. Nagata, K. Toh, B. Tsuchiya, S. Yamamoto and T. Shikama</i>	1112
Surface electrical degradation of helium implanted SiO_2 , <i>S.M. González, A. Moroño and E.R. Hodgson</i>	1014	Effect of temperature and irradiation on fused silica optical fiber for temperature measurement, <i>A. Honda, K. Toh, S. Nagata, B. Tsuchiya and T. Shikama</i>	1117
Compatibility between Be–Ti alloys and F82H steel, <i>K. Tsuchiya, H. Kawamura and T. Ishida</i>	1018	The role of the fused silica stoichiometry on the intrinsic defects concentration, <i>J. Mollá, F. Mota, M. León, A. Ibarra, M.J. Caturla and J.M. Perlado</i>	1122
Saturation in degradation of thermal diffusivity of neutron-irradiated ceramics at $3 \times 10^{26} \text{ n/m}^2$, <i>M. Akiyoshi, T. Yano, Y. Tachi and H. Nakano</i>	1023	Search for luminescent materials under 14 MeV neutron irradiation, <i>K. Toh, T. Shikama, S. Nagata, B. Tsuchiya, M. Yamauchi and T. Nishitani</i>	1128
Measurement system for in-pile tritium monitoring from Li_2TiO_3 ceramics at WWRK reactor, <i>Y. Chikhray, V. Shestakov, T. Kulsartov, I. Tazhibayeva, H. Kawamura and A. Kuykabaeva</i>	1028	Analysis on damage to TF coils of a compact reversed shear tokamak CREST, <i>Q. Huang, S. Zheng, L. Lu, Q. Zeng, R. Hiwatari, Y. Asaoka, K. Okano and Y. Ogawa</i>	1133
Erbium oxide as a new promising tritium permeation barrier, <i>D. Levchuk, S. Levchuk, H. Maier, H. Bolt and A. Suzuki</i>	1033		
Chemical shift of characteristic X-ray wavelength in silicon-containing ceramics due to neutron irradiation, <i>T. Yano, S. Yamazaki, H. Kawano and K. Katayama</i>	1038	Section 11. Chemical compatibility and coatings	
Thermally induced EMF in unirradiated MI cables, <i>R. Vila and E.R. Hodgson</i>	1044	Coatings and joining for SiC and SiC-composites for nuclear energy systems, <i>C.H. Henager Jr., Y. Shin, Y. Blum, L.A. Giannuzzi, B.W. Kempshall and S.M. Schwarz</i>	1139
Studies on proton irradiation-induced modifications of KU1 and KS-4V quartz glasses ultraviolet transmis-		Comparison of corrosion behavior of bare and hot-dip coated EUROFER steel in flowing Pb–17Li, <i>J. Konyas, W. Krauss, Z. Voss and O. Wedemeyer</i>	1144

Investigation of Pb–Li compatibility issues for the dual coolant blanket concept, <i>B.A. Pint, J.L. Moser and P.F. Tortorelli</i>	1150	
Electrical insulating property of ceramic coating materials in radiation and high-temperature environment, <i>T. Tanaka, R. Nagayasu, A. Sawada, T. Ikeda, F. Sato, A. Suzuki, T. Muroga and T. Iida</i>	1155	
Charging of V–4Cr–4Ti by oxygen to create <i>in situ</i> insulator coating, <i>O. Yeliseyeva, T. Muroga, A. Suzuki, Z. Yao and A. Lukyanenko</i>	1160	
Compatibility of multi-layer, electrically insulating coatings for vanadium–lithium blankets, <i>B.A. Pint, J.L. Moser, A. Jankowski and J. Hayes</i>	1165	
Dynamics of deuterium implanted in boron coating film for wall conditioning, <i>T. Nakahata, A. Yoshikawa, M. Oyaidzu, Y. Oya, Y. Ishimoto, K. Kizu, J. Yagyuu, N. Ashikawa, K. Nishimura, N. Miya and K. Okuno</i>	1170	
SCC behavior of solid-HIPed and irradiated type 316LN-IG stainless steel in oxygenated or hydrogenated water at 423–603 K, <i>Y. Miwa, T. Tsukada and S. Jitsukawa</i>	1175	
Corrosion resistance of high-Cr oxide dispersion strengthened ferritic steels in super-critical pressurized water, <i>H.S. Cho and A. Kimura</i>	1180	
Corrosion and stress corrosion cracking of ferritic/martensitic steel in super critical pressurized water, <i>T. Hirose, K. Shiba, M. Enoeda and M. Akiba</i>	1185	
Reaction rate of beryllium with fluorine ion for Flibe redox control, <i>S. Fukada, M.F. Simpson, R.A. Anderl, J.P. Sharpe, K. Katayama, G.R. Smolik, Y. Oya, T. Terai, K. Okuno, M. Hara, D.A. Petti, S. Tanaka, D.-K. Sze and A. Sagara</i>	1190	
Section 12. Materials joining technology		
The microstructure and strength properties of MA957 nanostructured ferritic alloy joints produced by friction stir and electro-spark deposition welding, <i>P. Miao, G.R. Odette, J. Gould, J. Bernath, R. Miller, M. Alinger and C. Zanis</i>	1197	
Optimization of the EUROFER uniaxial diffusion weld, <i>A. von der Weth, H. Kempe, J. Aktaa and B. Dafferner</i>	1203	
CuCrZr alloy hot cracking during electron beam welding, <i>A. Durocher, D. Ayrault, Ch. Chagnot, M. Lipa and W. Saikaly</i>	1208	
Properties of friction welds between 9Cr-ODS martensitic and ferritic–martensitic steels, <i>T. Uwaba, S. Ukai, T. Nakai and M. Fujiwara</i>	1213	
Development of brazing foils to join monocrystalline tungsten alloys with ODS-EUROFER steel, <i>B.A. Kalin, V.T. Fedotov, O.N. Sevrjukov, A.N. Kalashnikov, A.N. Suchkov, A. Moeslang and M. Rohde</i>	1218	
Numerical analysis of mechanical testing for evaluating shear strength of SiC/SiC composite joints, <i>H. Serizawa, D. Fujita, C.A. Lewinsohn, M. Singh and H. Murakawa</i>	1223	
Mechanical characterization and modeling of brazed EUROFER-tungsten-joints, <i>T. Chehtov, J. Aktaa and O. Kraft</i>	1228	
Interface reactions and control of diffusion at the interface between SiC fibres and layer of deposited Fe–9Cr base alloy, <i>S. Levchuk, S. Lindig, A. Brendel and H. Bolt</i>	1233	
Section 13. Effects and properties of tritium		
Dynamic Monte-Carlo modeling of hydrogen isotope reactive–diffusive transport in porous graphite, <i>R. Schneider, A. Rai, A. Mutzke, M. Warriier, E. Salonen and K. Nordlund</i>	1238	
Evaluation of tritium behavior in concrete, <i>K. Furuichi, H. Takata, K. Katayama, T. Takeishi, M. Nishikawa, T. Hayashi, K. Kobayashi and H. Namba</i>	1243	
Tritium distribution measurement of the tile gap of JT-60U, <i>K. Sugiyama, T. Tanabe, K. Masaki and N. Miya</i>	1248	
Thermal release rate of tritium trapped in bulk and plasma exposed surfaces of carbon specimens obtained from JET divertor, <i>N. Bekris, J.P. Coad, C.H. Skinner, C.A. Gentile, E. Damm and W. Nägele</i>	1254	
Distribution of hydrogen isotopes retained in the divertor tiles used in JT-60U, <i>Y. Hirohata, T. Tanabe, T. Shibahara, M. Oyaidzu, K. Sugiyama, Y. Oya, A. Yoshikawa, Y. Onishi, T. Arai, K. Masaki, Y. Ishimoto, K. Okuno and N. Miya</i>	1260	
Hydrogen isotope behavior in the first wall of JT-60U after deuterium plasma operation, <i>Y. Oya, T. Tanabe, M. Oyaidzu, T. Shibahara, K. Sugiyama, A. Yoshikawa, Y. Onishi, Y. Hirohata, Y. Ishimoto, J. Yagyuu, T. Arai, K. Masaki, K. Okuno, N. Miya and S. Tanaka</i>	1266	
Section 14. ITER and DEMO-relevant technology		
Test blanket modules in ITER: An overview on proposed designs and required DEMO-relevant materials, <i>L. Giancarli, V. Chuyanov, M. Abdou, M. Akiba, B.G. Hong, R. Lässer, C. Pan and Y. Strebkov and the TBWG Team</i>	1271	
Status and perspective of the R&D on ceramic breeder materials for testing in ITER, <i>A. Ying, M. Akiba, L.V. Boccaccini, S. Casadio, G. Dell’Orco, M. Enoeda, K. Hayashi, J.B. Hegeman, R. Knitter, J. van der Laan, J.D. Lewiewicz and Z.Y. Wen</i>	1281	
ITER-Test blanket module functional materials, <i>C.P.C. Wong, V. Chernov, A. Kimura, Y. Katoh, N. Morley, T. Muroga, K.W. Song, Y.C. Wu and M. Zmitko</i>	1287	
Experimental and numerical analyses on LiSO ₄ and Li ₂ TiO ₃ pebble beds used in a ITER test blanket module, <i>D. Aquaro and N. Zaccari</i>	1293	
Overview of recent Russian materials and technologies R&D activities related to ITER and DEMO constructions, <i>A.K. Shikov and V.A. Beliakov</i>	1298	
The effect of low-dose neutron irradiation on mechanical properties, electrical resistivity and fracture of NiAl bronze for ITER, <i>V. Barabash, A. Pokrovsky and S. Fabritsiev</i>	1305	
Irradiation behavior of Ti–4Al–2V (IIT-3B) alloy for ITER blanket modules flexible attachment, <i>B.S. Rodchenkov, A.V. Kozlov, Yu.G. Kuznetsov, G.M. Kalinin and Yu.S. Strebkov</i>	1312	
Extending ITER materials design to welded joints, <i>A.-A.F. Tavassoli</i>	1316	
Features of plasma sprayed beryllium armor for the ITER first wall, <i>R.E. Nygren, D.L. Youchison and K.J. Hollis</i>	1325	
Damage evaluation under thermal fatigue of a vertical target full scale component for the ITER divertor,		

<i>M. Missirlian, F. Escourbiac, M. Merola, A. Durocher, I. Bobin-Vastra and B. Schedler</i>	1330	Overview of co-deposition and fuel inventory in castellated divertor structures at JET, <i>M.J. Rubel, J.P. Coad, R.A. Pitts and Contributors to the JET-EFDA Workprogramme</i>	1432
Proposed damage evolution model for large-scale finite element modeling of the dual coolant US-ITER TBM, <i>S. Sharafat, J. El-Awady, S. Liu, E. Diegele and N.M. Ghoniem</i>	1337	R&D on tungsten plasma facing components for the ITER-like wall project, <i>G. Piazza, G.F. Matthews, J. Pamela, H. Altmann, J.P. Coad, T. Hirai, A. Lioure, H. Maier, Ph. Mertens, V. Philipps, V. Riccardo, M. Rubel, E. Villedieu and Collaborators of the ITER-like Project</i>	1438
On the effects of the supporting frame on the radiation-induced damage of HCLL-TBM structural material, <i>P. Chiovaro, P.A. Di Maio, E. Oliveri and G. Vella</i>	1344	High heat flux facility GLADIS: Operational characteristics and results of W7-X pre-series target tests, <i>H. Greuner, B. Boeswirth, J. Boscarly and P. McNeely</i>	1444
The value of materials R&D in the fast track development of fusion power, <i>D.J. Ward, N.P. Taylor and I. Cook</i>	1350	Manufacturing and testing W/Cu functionally graded material mock-ups for plasma facing components, <i>W.-p. Shen, Q. Li, K. Chang, Z.-j. Zhou and C.-c. Ge</i>	1449
Section 15. Reactor blanket engineering		Development of ultra-fine grained W-TiC and their mechanical properties for fusion applications, <i>H. Kurishita, Y. Amano, S. Kobayashi, K. Nakai, H. Arakawa, Y. Hiraoka, T. Takida, K. Takebe and H. Matsui</i>	1453
The feasibility of recycling and clearance of active materials from fusion power plants, <i>M. Zucchetti, L.A. El-Guebaly, R.A. Forrest, T.D. Marshall, N.P. Taylor and K. Tobita</i>	1355	Thermal stability and nano-structure of metal-doped carbon layers, <i>M. Balden, C. Adelhelm and M. Sikora</i>	1458
Estimation of tritium release behavior from solid breeder materials under the condition of ITER test blanket module, <i>T. Kinjo, M. Nishikawa and M. Enoeda</i>	1361	Mechanisms of retention and blistering in near-surface region of tungsten exposed to high flux deuterium plasmas of tens of eV, <i>W.M. Shu, G.-N. Luo and T. Yamanishi</i>	1463
Material compatibility issues in EU fusion fuel cycle R&D and design, <i>D.K. Murdoch, I. Cristescu, C. Day, M. Glugla, R. Lässer and A. Mack</i>	1366	High heat flux testing of tungsten plasma facing materials, <i>Z.-j. Zhou, S.-x. Song, J. Du and C.-c. Ge</i>	1468
Correlation between tritium release and thermal annealing of irradiation damage in neutron-irradiated Li ₂ SiO ₃ , <i>Y. Nishikawa, M. Oyaizu, A. Yoshikawa, K. Munakata, M. Okada, M. Nishikawa and K. Okuno</i>	1371	Fabrication of a He-cooled divertor module for DEMO reactor, <i>A. Gervash, R. Giniyatulin, T. Ihli, W. Krauss, A. Makhankov, I. Mazul, P. Norajitra and N. Yablokov</i>	1472
Swelling, mechanical properties and microstructure of beryllium irradiated at 200 °C up to extremely high neutron doses, <i>V.P. Chakin, A.O. Posevin and I.B. Kupriyanov</i>	1377	Promising composite heat sink material for the divertor of future fusion reactors, <i>A. Brendel, C. Popescu, T. Köck and H. Bolt</i>	1476
Recent results on beryllium and beryllides in Japan, <i>Y. Mishima, N. Yoshida, H. Kawamura, K. Ishida, Y. Hatano, T. Shibayama, K. Munakata, Y. Sato, M. Uchida, K. Tsuchiya and S. Tanaka</i>	1382	Carbon transport, deposition and fuel accumulation in castellated structures exposed in TEXTOR, <i>A. Litnovsky, V. Philipps, A. Kirschner, P. Wienhold, G. Sergienko, A. Kreter, U. Samm, O. Schmitz, K. Krieger, P. Karduck, M. Blome, B. Emmoth, M. Rubel, U. Breuer and A. Scholl</i>	1481
Crystallisation and microstructure of lithium orthosilicate pebbles, <i>R. Knitter, B. Alm and G. Roth</i>	1387	Hydrogen retention properties of co-deposition under high-density plasmas in TRIAM-1M, <i>M. Tokitani, M. Miyamoto, K. Tokunaga, T. Fujiwara, N. Yoshida, M. Sakamoto, H. Zushi, K. Hanada, TRIAM Group, S. Nagata and B. Tsuchiya</i>	1487
Numerical characterization of thermo-mechanical performance of breeder pebble beds, <i>Z. An, A. Ying and M. Abdou</i>	1393	Application of lock-in thermography non destructive technique to CFC armoured plasma facing components, <i>F. Escourbiac, S. Constans, X. Courtois and A. Durocher</i>	1492
High energy heavy ion induced structural disorder in Li ₂ TiO ₃ , <i>T. Nakazawa, A. Naito, T. Aruga, V. Grismanovs, Y. Chimi, A. Iwase and S. Jitsukawa</i>	1398	Operational conditions in a W-clad tokamak, <i>R. Neu, Ch. Hopf, A. Kallenbach, T. Pütterich, R. Dux, H. Greuner, O. Gruber, A. Herrmann, K. Krieger, H. Maier, V. Rohde and ASDEX Upgrade Team</i>	1497
Verification of design rules for EUROFER under TBM operating conditions, <i>R. Sunyk and J. Aktaa</i>	1404	Behavior of deuterium in boron films covered by oxygen-containing layer, <i>M.X. Wang, A. Yoshikawa, H. Miyauchi, T. Nakahata, Y. Oya, N. Noda and K. Okuno</i>	1503
Design status and development strategy of China liquid lithium-lead blankets and related material technology, <i>Y. Wu and the FDS Team</i>	1410	Properties of co-deposited layers on graphite high heat flux components at the TEXTOR tokamak, <i>E. Fortuna, M.J. Rubel, V. Philipps, K.J. Kurzydłowski,</i>	
Development of a helium-cooled divertor: Material choice and technological studies, <i>P. Norajitra, L.V. Boccacini, A. Gervash, R. Giniyatulin, N. Holstein, T. Ihli, G. Janeschitz, W. Krauss, R. Kruessmann, V. Kuznetsov, A. Makhankov, I. Mazul, A. Moeslang, I. Ovchinnikov, M. Rieth and B. Zepf</i>	1416		
Section 16. High heat flux and plasma facing materials			
High heat flux testing of plasma facing materials and components – Status and perspectives for ITER related activities, <i>J. Linke, F. Escourbiac, I.V. Mazul, R. Nygren, M. Rödiger, J. Schlosser and S. Suzuki</i>	1422		

<i>Ph. Mertens, M. Miśkiewicz, M. Pisarek, G. Van Oost and W. Zieliński</i>	1507	target, <i>H. Nakamura, M. Ida, T. Chida, K. Shiba, K. Shimizu and M. Sugimoto</i>	1543
Removal of the codeposited carbon layer using He–O glow discharge, <i>C.L. Kunz, R.A. Causey, M. Clift, W.R. Wampler and D.F. Cowgill</i>	1512	The role of small specimen test technology in fusion materials development, <i>G.E. Lucas, G.R. Odette, H. Matsui, A. Möslang, P. Spätig, J. Rensman and T. Yamamoto</i>	1549
Pulsed-laser ablation of co-deposits on JT-60 graphite tile, <i>Y. Sakawa, D. Watanabe, T. Shibahara, K. Sugiyama and T. Tanabe</i>	1516	Analytical estimation of accessibility to the activated lithium loop in IFMIF, <i>M. Ida, H. Nakamura and M. Sugimoto</i>	1557
Effects of chemical states of carbon on deuterium retention in carbon-containing materials, <i>M. Oyaidzu, H. Kimura, T. Nakahata, Y. Nishikawa, M. Tokitani, Y. Oya, H. Iwakiri, N. Yoshida and K. Okuno</i>	1522	Transmutation analysis of realistic low-activation steels for magnetic fusion reactors and IFMIF, <i>O. Cabellos, J. Sanz, N. García-Herranz, S. Díaz, S. Reyes and S. Piedloup</i>	1562
Effect of oxygen concentration on the chemical behavior of deuterium implanted into oxygen-containing boron thin films, <i>A. Yoshikawa, M. Oyaidzu, H. Miyauchi, Y. Oya, A. Sagara, N. Noda and K. Okuno</i>	1527	Neutron and deuteron activation calculations for IFMIF, <i>R.A. Forrest and M.J. Loughlin</i>	1568
Section 17. IFMIF and specialized test techniques		Material irradiation conditions for the IFMIF medium flux test module, <i>P. Vladimirov, A. Möslang, U. Fischer and S. Simakov</i>	1574
Evaluation and validation of d–Li cross section data for the IFMIF neutron source term simulation, <i>U. Fischer, M. Avrigeanu, P. Pereslavitsev, S.P. Simakov and I. Schmuck</i>	1531	Shielding analyses of the IFMIF test cell, <i>Y. Chen, U. Fischer, S.P. Simakov and F. Wasastjerna</i>	1580
Preliminary assessment of the safety of IFMIF, <i>N.P. Taylor, B. Brañas, E. Eriksson, A. Natalizio, T. Pinna, L. Rodríguez-Rodrigo, S. Ciattaglia and R. Lässer</i>	1537	Designing optimised experiments for the international fusion materials irradiation facility, <i>R. Kemp, G.A. Cottrell and H.K.D.H. Bhadeshia</i>	1586
Thermo-structural analysis and design consideration of the replaceable backwall in IFMIF liquid lithium		Liquid metal compatibility under irradiation: The LiSoR 5 experiment, <i>H. Glasbrenner and F. Gröschel</i>	1590
		Neutron elastic recoil detection for hydrogen isotope analysis in fusion materials, <i>N. Kubota, K. Kondo, K. Ochiai and T. Nishitani</i>	1596