

JOURNAL OF ORGANOMETALLIC CHEMISTRY

CUMULATIVE SUBJECT INDEX: VOL. 101 (1975)—125 (1977)

Actinides

Lanthanides and actinides; Annual Survey covering the year 1975 (T.J. Marks), (119)229

Aluminium

Alkylaluminium compounds, oxidation with peroxomolybdenum complexes (G. Schmitt, B. Hessner, P. Kramp, B. Olbertz), (122)295

Aluminium; Annual Survey covering the year 1974 (J.D. Smith), (103)39

Carbalumination of olefins, steric factors in; anomalous, reduced reactivity of olefins vs. acetylenes (J.J. Eisch, N.E. Burlinson, M. Bolesławski), (111)137

Carbynetungsten complexes as catalysts in the polymetathesis of cycloolefins (E.O. Fischer, W.R. Wagner), (116)C21

Catalytic systems containing nickel supported on silica gel and bonded with organic ligands and complexed by Lewis acids (W. Skupinski, S. Malinowski), (117)183

Chemical synthesis with metal atoms (J.R. Blackborow, C.R. Eady, E.A. Koerner von Gustorf, A. Scrivanti, O. Wolfbeis), (108)C32

Chloroaluminium compounds, evidence for the formation of cyclic compounds with carbonyl compounds of (K.B. Starowieyski, S. Pasynekiewicz, A. Sporyński), (117)117

(Chloromethyl)alumoxanes in complexes with benzonitrile (S. Pasynekiewicz, M. Bolesławski, A. Sadownik), (113)303

Cobalt(III) acetylacetonate, reaction with triisobutylaluminium in aromatic hydrocarbons under hydrogen, nature of the cobalt species formed (S. Tyrlík, M. Michalski), (102)93

π -Cyclooctatetraenyl and π -cyclopentadienyl complexes of cerium (A. Greco, S. Cesca, G. Bertolini), (113)321

Cyclopentadienyl and arene derivatives of Groups VI and VII transition metal carbonyls and nitrosyls, IR study of Lewis acid reactions with (B.V. Lokshin,

E.B. Rusach, N.E. Kolobova, Yu.V. Makarov, N.A. Ustynyuk, V.I. Zdanovich, A.Zh. Zhakaeva, V.N. Setkina), (108)353

Cyclopentadienyl- and arenecarbonyl-transition metal complexes, IR study of reactions of aluminium chloride with (B.V. Lokshin, E.B. Rusach, Z.P. Valueva, A.G. Ginzburg, N.E. Kolobova), (102)535

Dialkylalkenylaluminium compounds, complexes of (K.B. Starowieyski, C. Bandlow, K. Haage), (117)215

cis-Dialkylcobalt complexes, $\text{CoR}_2(\text{acac})(\text{PR}'_3)_2$, preparation and properties of (T. Ikariya, A. Yamamoto), (116)239

Dialkylcyclopentadienyl derivatives of Group IIIB elements, preparation and vibrational spectral analysis of (J. Stadelhofer, J. Weidlein, P. Fischer, A. Haaland), (116)55

Diisobutylaluminium-*n*-hexenolate isomers, oxidation of (G. Schmitt), (102)13

Dimethylaluminium hydroxide, PMR evidence for (S. Pasynekiewicz, A. Sadownik, A. Kunicki), (124)265

Di- and mono-nitrosylmolybdenum complexes, IR spectroscopic investigation of the reaction with $\text{C}_2\text{H}_5\text{AlCl}_2$, $(\text{C}_2\text{H}_5)_3\text{Al}$, AlCl_3 and CO ; nature of the catalytic activity of the complexes in olefin metathesis (R. Taube, K. Seyferth, L. Bencze, L. Markó), (111)215

Ferrocene and its alkylated and acylated derivatives, mechanism of ligand exchange and complexation by aluminium chloride of (D. Astruc, R. Dabard), (111)339

Hexameric organoaluminium imides, preparation by the reactions of $(\text{HAIN-iso-C}_3\text{H}_7)_6$ with trialkylaluminium compounds (S. Cucinella, T. Salvatori, C. Busetto, M. Cesari), (121)137

Hydroxyalane, ab initio barrier to internal rotation and π -bonding in (O. Gropen, E.W. Nilssen), (111)257

Iron(II) complexes containing isocyanoborate ligands, preparation and investigation of (J. Emri, B. Györi, A. Bakos, G. Czira), (112)325

- $K[CH_3Se\{Al(CH_3)_3\}_3] \cdot 2C_6H_6$, preparation and structure of (J.L. Atwood, S.K. Seale), (114)107
- Lithium aluminium hydride addition to olefins catalyzed by zirconium tetrachloride, convenient route to alkanes and 1-haloalkanes from 1-alkenes (F. Sato, S. Sato, M. Sato), (122)C25
- Main Group element cyclopentadienyl derivatives, ^{13}C chemical shifts and C—H coupling constants of (P. Fischer, J. Stadelhofer, J. Weidlein), (116)65
- Metal—alkene compounds, ^{13}C NMR investigation of (M.J. Albright, J.N.St. Denis, J.P. Oliver), (125)1
- Methylaluminium compounds in reaction with methyl benzoate (K.B. Starowieyski, S. Pasynekiewicz, A. Sporzyński, K. Wisniewska), (117)C1
- Methylbis[1,2-bis(diphenylphosphino)ethane]cobalt(II), preparation and properties of (T. Ikariya, A. Yamamoto), (116)231
- Methylethyllead alkyls, direct synthesis of (K. Jaworski, L. Wilkanowicz, A. Kunicki), (102)431
- Monomeric, dimeric and polymeric *N*-alkylaluminio-*S*,*S*-dialkylsulphur(VI) diimides, preparation of (W. Wolfsberger, H. Försterling), (122)13
- Nickel(II) carboxylate/ethylaluminium sesquichloride/benzene-1,3-butadiene, a homogeneous catalytic system (B.T. Pennington, J.E. Howell), (113)75
- Organoaluminium compounds, reactions with *p*-benzoquinone (Z. Florjanczyk, W. Kuran, S. Pasynekiewicz, G. Kwas), (112)21
- Poly(*N*-alkyliminoalanes), chlorination of (S. Cucinella, T. Salvatori, C. Busetto, A. Mazzei), (108)13
- , direct synthesis of (S. Cucinella, G. Dozzi, C. Busetto, A. Mazzei), (113)233
- Sodium iminoaluminate, a new type of ate complexes (H. Hoberg, J. Korff), (118)C1
- Tetraethylalumoxane, PMR studies on the structure of (M. Boleslawski, S. Pasynekiewicz, A. Kunicki, J. Serwatowski), (116)285
- Tetrakis(trimethylsilyl)lithiumalanate, preparation of (L. Rösch), (121)C15
- Transition metal alkylations of alkynols (R.A. Coleman, C.M. O'Doherty, H.E. Tweedy, T.V. Harris, D.W. Thompson), (107)C15
- Trimethylphosphiniminopentamethylsiloxane and bis(trimethylphosphinimino)dimethylsilane, 1/1 complexes with trimethyl-aluminium, -gallium, and -indium (W. Wolfsberger, H. Schmidbaur), (122)5

Antimony

- Antimony; Annual Survey covering the year 1974 (L.D. Freedman, G.O. Doak), (106)217
- α,ω -Bis(dimethylstibino)alkanes, synthesis of heterocyclic antimony compounds via thermolysis of (H.A. Meinema, H.F. Martens, J.G. Noltes), (110)183
- (η^5 -C₅H₅)Mo(CO)₂(COCH₃)E(C₆H₅)₃ (E = As, Sb), synthesis and decarbonylation of (A.C. Gingell, A. Harris, A.J. Rest, R.N. Turner), (121)205
- $C^{18}O$ -substituted *cis*-Mn(CO)₄LBr (L = PPh₃, AsPh₃, SbPh₃), vibrational spectra of (I.S. Butler, H.K. Spendjian), (101)97
- Diphosphine and distibine ligands with backbones of varying lengths, mass spectra of (W. Levason, C.A. McAuliffe, I.E. Niven, R.V. Parish, P.D. Randall), (125)209
- Halo- and pseudohalo-diphenylantimonates(V), synthesis and low-frequency vibrational spectra of (N. Bertazzi), (110)175
- Heterocyclic mercury, sulphur, selenium, tellurium, arsenic and antimony compounds, synthesis of (C.M. Woodard, G. Hughes, A.G. Massey), (112)9
- Methyl-substituted bidentate Group VB donor ligands, mass spectral studies on (W. Levason, C.A. McAuliffe, S.G. Murray, R.D. Sedgwick), (105)195
- Monochlorodiorganoantimony(V) complexes with dianionic ONO tridentate ligands (H.A. Meinema, J.G. Noltes, F. Di Bianca, N. Bertazzi, E. Rivarola, R. Barbieri), (107)249
- Palladium(II) and platinum(II) cationic chelate ylide complexes, preparation of (M. Kato, H. Urabe, Y. Oosawa, T. Saito, Y. Sasaki), (121)81
- Pentaarylantimony(V) compounds, solution studies of (G.L. Kuykendall, J.L. Mills), (118)123
- Pentafluorophenylpalladium(II) neutral and cationic complexes (R. Usón, J. Fornies, S. Gonzalo), (104)253

- Phosphine, phosphite, arsine and stibine ligands and their $\text{LNi}(\text{CO})_3$, $\text{LCr}(\text{CO})_5$ and $\eta\text{-C}_5\text{H}_5\text{Mn}(\text{CO})_2\text{L}$ complexes, ^{13}C NMR study of (G.M. Bodner, M. Gaul), (101)63
- Ruthenium complexes in the catalytic hydromerization of acrylonitrile (W. Strohmeier, A. Kaiser), (114)273
- [(Tricarbonyltriphenylstibinephenyliron)-diphenylstibine]tetracarbonyliron, synthesis and X-ray structure of (D.J. Cane, E.J. Forbes, T.A. Hamor), (117)C101
- Trimethyltin phosphines as ligands in transition metal carbonyl complexes, tin-119m Mössbauer spectra of (H. Schumann, W.-W. Du Mont, P.J. Corvan, J.J. Zuckerman), (121)321
- Triphenyl derivatives of Group V elements, photoelectron spectroscopy of (G. Distefano, S. Pignataro, L. Szepes, J. Borossay), (102)313
- Triphenylpnictogen chalcogenides, preparation and mass spectrometry of (C. Glidewell), (116)199
- Arsenic**
- Arsenic; Annual Survey covering the year 1974 (G.O. Doak, L.D. Freedman), (106)115
- Arsonium betaines, steric and electronic effects of substituents at arsenic on decomposition of (D.W. Allen, G. Jackson), (110)315
- Arsonium ylids, reactions involving transylidation of (P.S. Kendurkar, R.S. Tewari), (102)141
- $\text{AsCo}_3(\text{CO})_9$, its cyclic trimer $\text{As}_3\text{Co}_9(\text{CO})_{24}$ and the phosphorus-containing analogue $\text{P}_3\text{Co}_9(\text{CO})_{24}$ (A. Vizi-Orosz, V. Galamb, G. Pályi, L. Markó, G. Bor, G. Natile), (107)235
- 1,12-Bis(dimethylarsino)dodecane, *trans*-chelation to palladium(II) compounds of (W. Levason, C.A. McAuliffe, S.G. Murray), (110)C25
- Bismuth-carbon bond fission in the reaction of palladium(II) salts with tris(*o*-dimethylarsinophenyl)bismuthine (R.P. Burns, W. Levason, C.A. McAuliffe), (111)C1
- Bis(pentafluorophenyl)-platinum(II) and -platinum(IV) complexes, preparation and oxidative addition of (R. Usón
- Carbonyl olefination with semistabilized arsonium ylides (R.S. Tewari, K.C. Gupta), (112)279
- (Chloromethyl)arsine, synthesis and characterization of (A.L. Rheingold, J.M. Bellama), (102)437
- $(\eta^5\text{-C}_5\text{H}_5)\text{Mo}(\text{CO})_2(\text{COCH}_3)\text{E}(\text{C}_6\text{H}_5)_3$ (E = As, Sb), synthesis and decarbonylation of (A.C. Gingell, A. Harris, A.J. Rest, R.N. Turner), (121)205
- C^{18}O -substituted *cis*- $\text{Mn}(\text{CO})_4\text{LBr}$ (L = PPh_3 , AsPh_3 , SbPh_3), vibrational spectra of (I.S. Butler, H.K. Spendjian), (101)97
- Cyclic esters of arsenic acid, exchange reactions of (F. Kober, W.J. Rühl), (101)57
- $\eta^1\text{-}\sigma$ -Cyclononatetraenyl derivatives of Group IVB elements and arsenic (G. Boche, F. Haidenhain), (121)C49
- Decafluoro-phosphorobenzene and -arsenobenzene platinum derivatives, crystal structure of $\text{Pt}(\text{PPh}_3)_2(\text{PC}_6\text{F}_5)_2$ (P.S. Elmes, M.L. Scudder, B.O. West), (122)281
- Dichlorophenyl- and chlorodiphenylarsines, reduction with dimethoxymethylphosphine to form an As-As bond (K.M. Abraham, J.R. Van Wazer), (113)265
- Diphosphine and distibine ligands with backbones of varying lengths, mass spectra of (W. Levason, C.A. McAuliffe, I.E. Niven, R.V. Parish, P.D. Randall), (125)209
- Five-coordinate spiroarsorane, structure and dynamic stereochemistry of (H. Goldwhite, J. Grey, R. Teller), (113)C1
- Heterocyclic mercury, sulphur, selenium, tellurium, arsenic and antimony compounds, synthesis of (C.M. Woodard, G. Hughes, A.G. Massey), (112)9
- Hydropalladation reaction (D.J. Mabbott, P.M. Maitlis), (102)C34
- $\text{Me}_2\text{AsCHN}_2$, preparation and reactions of (P. Krommes, J. Lorberth), (110)195
- Metal-metal bonded compounds with MAg^{I} pairs bridged by oxygen acid anions O_2CCF_3^- , ClO_4^- , $\text{O}_2\text{CCH}(\text{CH}_3)_2^-$ (J. Kuyper, K. Vrieze), (107)129
- Methyl-substituted bidentate Group VB donor ligands, mass spectral studies on (W. Levason, C.A. McAuliffe, S.G. Murray, R.D. Sedgwick), (105)195
- 1-Methylarsenane (J.B. Lambert, H.-N. Sun), (117)17

- phosphine and arsine ligands, steric effects (C.S. Kraihanzel, P.K. Maples), (117)159
- Methylplatinum and methylgold compounds in reactions with phenylselenol, diphenylphosphine, diphenylarsine, *N*-bromosuccinimide and 2-nitrophenylsulphenyl chloride (R.J. Puddephatt, P.J. Thompson), (117)395
- Monosubstituted trialkyl- and triaryl-phosphine and -phosphite derivatives of $(\mu_2\text{-L})_2\text{Co}_2(\text{CO})_6$ compounds, preparation and infrared spectra of (G. Váradi, A. Vizi-Orosz, S. Vastag, G. Pályi), (108)225
- 2-Naphthylmethylenetriphenylarsenanes, generation and reactions of (P.S. Kendurkar, R.S. Tewari), (108)175
- Organocyclotriarsane, reactions with carbonylmetal and carbonylnitrosylmetal complexes of (J. Ellermann, H. Schössner), (118)C69
- Palladium(II) and platinum(II) cationic chelate ylide complexes, preparation of (M. Kato, H. Urabe, Y. Oosawa, T. Saito, Y. Sasaki), (121)81
- Palladium(II) complexes with keto-stabilized phosphonium, arsonium and pyridinium ylides (P. Bravo, G. Fronza, C. Ticozzi), (111)361
- Palladium(II), platinum(II) and mercury(II) complexes of ambidentate phosphonium, arsonium, sulphonium and pyridinium ylides (E.T. Weleski, Jr., J.L. Silver, M.D. Jansson, J.L. Burmeister), (102)365
- Pentacarbonyl-manganese(-I) and -rhenium(-I), reactions with metal carbonyl halide derivatives of (D.L. Morse, M.S. Wrighton), (125)71
- Pentafluorophenylpalladium(II) neutral and cationic complexes (R. Usón, J. Fornies, S. Gonzalo), (104)253
- Pentakis(chloromethyl)cyclopentaarsine, preparation and dynamic NMR spectra of (A.L. Rheingold, J.M. Bellama), (102)445
- Ph-As as a complex ligand, the structure of $\text{Fe}_3(\text{CO})_9(\text{Ph-As})_2$ (G. Huttner, G. Mohr, A. Frank, U. Schubert), (118)C73
- Phosphine, phosphite, arsine and stibine ligands and their $\text{LNi}(\text{CO})_3$, $\text{LCr}(\text{CO})_5$ and $\eta\text{-C}_5\text{H}_5\text{Mn}(\text{CO})_2\text{L}$ complexes, ^{13}C NMR study of (G.M. Bodner, M. Gaul), (101)163
- borate ion-promoted hydrogenation caused by a chelating olefinic tertiary phosphine or arsine of (M.A. Bennett, E.J. Hann), (124)213
- Rhodium(I) and iridium(I) 4- and 5-coordinate chelate olefin complexes, intramolecular isomeric conversions caused by (*o*-vinylphenyl)diphenyl-phosphine and -arsine in (M.A. Bennett, E.J. Hann, R.N. Johnson), (124)189
- Trans*-bidentate behaviour of a potentially tetradentate ligand to palladium(II) and platinum(II) (W. Levason, C.A. McAuliffe, S.G. Murray), (101)C29
- Trimethylgallium, product-catalysed reaction with arsine of (D.J. Schlyer, M.A. Ring), (114)9
- Trimethyltin phosphines as ligands in transition metal carbonyl complexes, tin-119m Mössbauer spectra of (H. Schumann, W.-W. Du Mont, P.J. Corvan, J.J. Zuckerman), (121)321
- Triphenyl derivatives of Group V elements, photoelectron spectroscopy of (G. Distefano, S. Pignataro, L. Szepes, J. Borossay), (102)313
- Triphenylpnictogen chalcogenides, preparation and mass spectrometry of (C. Glidewell), (116)199

Barium

- Alkylido-strontium and -barium compounds, preparation and isolation of (B.G. Gowenlock, W.E. Lindsell, B. Singh), (101)C37

Beryllium

- Di-*t*-butylberyllium, vibrational spectral study of the action of trialkyl-amines and -phosphines (J. Mounier, B. Mula, A. Potier), (105)289
- Di-*t*-butylberyllium complexes with ethers, alkylamines, sulphides and phosphines, comparative study of the vibrational spectra of (J. Mounier, B. Mula, A. Potier), (107)281
- Main Group element cyclopentadienyl derivatives, ^{13}C chemical shifts and C-H coupling constants of (P. Fischer, J. Stadelhofer, J. Weidlein), (116)65
- Metallocenes and related species, Jahn-Teller effects in (C. Glidewell), (100)220

Bismuth

- Bidentate bismuth-containing ligands, synthesis of (W. Levason, C.A. McAuliffe, R.D. Sedgwick), (122)351
- Bismuth; Annual Survey covering the year 1974 (L.D. Freedman, G.O. Doak), (106)255
- Bismuth—carbon bond fission in the reaction of palladium(II) salts with tris(*o*-dimethylarsinophenyl)bismuthine (R.P. Burns, W. Levason, C.A. McAuliffe), (111)C1
- Triphenylpnictogen chalcogenides, preparation and mass spectrometry of (C. Glidewell), (116)199

Boron

- cis*- π -Acetylenic methylplatinum(II) complexes (H.C. Clark, K. von Werner), (101)347
- Alkali metal iminoborates, a new type of boronate complexes (H. Hoberg, V. Götz), (118)C3
- Alkenylboranes, spectral properties showing evidence for conjugative interaction of boron with C—C π -systems of (G. Zweifel, G.M. Clark, T. Leung, C.C. Whitney), (117)303
- BH₃OH₂, (BH₂OH)₂ and related compounds, ab initio MO calculations on (E. Flood, O. Gropen), (110)7
- Bis(trimethylstannyl)acetylene, *cis*-addition of trialkylboranes at room temperature to (B. Wrackmeyer, H. Nöth), (108)C21
- Boron, II; Annual Survey covering the year 1975 (K. Niedenzu), (119)57
- Boron. I. Carboranes and hydroboration; Annual Survey covering the year 1975 (D.S. Matteson), (119)1
- Boron heterocyclic compounds, aromatic character of (B.M. Mikhailov, M.E. Kuimova), (116)123
- Boron trifluoride catalysed organosilane reductions; selectivity and mechanism (M.P. Doyle, C.T. West, S.J. Donnelly, C.C. McOsker), (117)129
- 1-Bromo-1-ethylenedioxyboryl-2-phenylethane and 1,2-bis(ethylenedioxyboryl)-1-phenylethane, synthesis of (D.S. Matteson, P.K. Jesthi), (114)1
- Carborane molecules, correlation between spectral and chemical properties of C—H bonds in (L.A. Leites, L.E. Vinogradova), (125)37
- closo*-1,5-C₂B₃H₅, reactions with Cl₂ and with BMe₃ of (R.C. Dobbie, E.W. Distefano, M. Black, J.B. Leach, T. Onak), (114)233
- 1,2- and 1,7-dicarba-*closo*-dodecaborane(12)-platinum(II) complexes formed through metal—carbon σ bonds; *cis*- and *trans*-monohydride derivatives (B. Longato, F. Morandini, S. Bresadola), (121)113
- μ, μ' -Dichlorobis(hexafluoro-2-butenyl)dicycloocta-1,5-dienyldiiridium(III), crystal and molecular structure of (D.R. Russell, P.A. Tucker), (125)303
- Dichloromethaneboronic acid esters, preparation and reactions of (M.W. Rathke, E. Chao, G. Wu), (122)145
- [Diethylbis(1-pyrazolyl)borato]methyl(1-phenylpropyne)platinum(II) [(C₂H₅)₂B(N₂C₃H₃)₂](CH₃)Pt-(C₆H₅C \equiv CCH₃), crystal and molecular structure of (B.W. Davies, N.C. Payne), (102)245
- 1,3,2-Dithiaborinans, 2-substituted, preparation and properties of (R.H. Cragg, M. Nazery), (120)35
- Ferrocenyl- and cymantrenyl-boranes, preparation and properties of (T. Renk, W. Ruf, W. Siebert), (120)1
- Iron(II) complexes containing isocyanoborate ligands, preparation and investigation of (J. Emri, B. Györi, A. Bakos, G. Czira), (112)325
- Lithium bis(ethylenedioxyboryl)methide, reactions with carbonyl compounds, and chlorotriphenyl derivatives of germanium, tin and lead of (D.S. Matteson, P.K. Jesthi), (110)25
- Me₃P, Me₃N and R₂NH in reactions with small *closo*-carboranes C₂B_xH_{x+2} ($x = 3, 4, 5$) (L. Lew, G. Haran, R. Dobbie, M. Black, T. Onak), (111)123
- Mercuration of *ortho*- and *meta*-carboranes (V.I. Bregadze, V.Ts. Kampel, N.N. Godovikov), (112)249
- Methyl[hydridotris(pyrazol-1-yl)borato]-carbonylplatinum(II), crystal structure of (J.D. Oliver, P.E. Rush), (104)117
- Methyl(perfluorovinyl)boranes, preparation and characterization of (E.J. Stampf, J.D. Odom), (108)1
- Organoboranes, oxidation with trimethylamine *N*-oxide dihydrate of (G.W. Kabalka, S.W. Slayden), (125)273
- Organoborates, chemistry of (Review)

- (E.-I. Negishi), (108)281
- Organometallic benzyl compounds, direct and retro fragmentations in; aromatisational metallation (V.A. Nikanorov, V.I. Rozenberg, R.I. Gorbacheva, Yu.G. Bundel', O.A. Reutov), (101)259
- Organosilylboranes, methoxide promoted protonolysis of (P.R. Jones, T.F.O. Lim), (120)27
- 1,3,2-Oxathiaborolans, 2-substituted, synthesis and properties of (R.H. Cragg, J. Dudman, J.P.N. Husband), (116)281
- Pentacarbonylchromium complexes of di-organylmethylthioboranes and 2-diethylboryl-5-methylthiophene (H. Nöth, U. Schuchardt), (125)155
- Planar rhodium(I) cations, tetraphenylborate ion-promoted hydrogenation caused by a chelating olefinic tertiary phosphine or arsine of (M.A. Bennett, E.J. Hann), (124)213
- Polypyrazolylborate complexes of titanium and vanadium (L.E. Manzer), (102)167
- Primary alkylboranes, electrophilic substitution of (D.E. Bergbreiter, D.P. Rainville), (121)19
- (2-Pyridylamino)diphenylborane, and related species (B.R. Cragg, K. Niedenzu), (117)1
- , reactions with aldehydes and ketones of (B.R. Cragg, R.E. Handshoe, K. Niedenzu), (116)135
- Stannocene, reaction with haloboranes of (W. Siebert, K. Kinberger), (116)C7
- Transition metal—acetyl complexes, boron hydride reduction of (J.A. van Doorn, C. Masters, H.C. Volger), (105)245
- Trialkylboranes in reaction with BH_3 in tetrahydrofuran, ^{11}B NMR investigations of (B. Wrackmeyer), (117)313
- Trialkylsilylaldimines, preparation of (H. Hoberg, V. Götz, A. Milchereit), (118)C6
- Triazaboracyclooctane compounds, preparation and molecular structure of (K.-D. Müller, U.W. Gerwarth), (110)15
- Tricarbonylchromiumphenylboric acid (G.A. Razuvaev, A.N. Artemov, A.A. Aladjin, N.I. Sirotkin), (111)131
- β -Trimethylsiloxy organoboranes, stereochemistry of β -elimination of (G.L. Larson, A. Hernández), (102)123
- Triorganoboranes formed by treatment of alkenyltrialkylborates with hydrochloric acid, dehydroboration of (K.-W. Chiu, E.-I. Negishi, M.S. Plante, A. Silveira, Jr.), (112)C3
- Triple-decked sandwich metallocarboranes, substituent NMR effects in (R. Weiss, R.N. Grimes), (113)29
- Tris(methyl-o-carboranyl)phosphine, synthesis of (V.I. Bregadze, N.N. Godovikov, A.N. Degtyarev, M.I. Kabachnik), (112)C25

Cadmium

- Cadmium(II) and zinc(II) π -arene complexes (L.C. Damude, P.A.W. Dean), (125)C1
- Nitrosyltricarboronyliron and its reaction products with metal halides as catalysts for selective dimerisation of butadiene to 4-vinylcyclohexene (I. Tkatchenko), (124)C39
- Schiff bases metallated by organometallic compounds, acylation by Ac_2O of (J. Thomas), (101)249
- Zinc and cadmium; Annual Survey covering the year 1974 (J. Boersma), (115)1

Calcium

- Dicyclopentadienyl- and diindenyl-calcium complexes with ammonia and tetrahydrofuran (M. Kirilov, G. Petrov, C. Angelov), (113)225
- Organocalcium halides, action on 1,3-benzoxathiole and 1,3-benzodioxole derivatives of (S. Cabiddu, S. Melis, E. Marongiu, P.P. Piras, G. Podda), (111)249

Cerium

- π -Cyclooctatetraenyl and π -cyclopentadienyl complexes of cerium (A. Greco, S. Cesca, G. Bertolini), (113)321
- Dicyclooctatetraenylcerium(III) anion, MO calculations of (D.W. Clack, K.D. Warren), (122)C28

Chromium

- Alkylated nickelocene, cobaltocene, chromocene and vanadocene, ^{13}C and 1H NMR spectra and preparation of (F.H. Köhler), (110)235
- Alkylchromium complexes, R_2CrCl_2 (base)_n (R = Me, Et), preparation of and effects of the base on their thermal stability (A. Yamamoto, Y. Kano, T. Yamamoto), (102)57

- Alkyl-substituted π -(tricarbonylchromium)-benzenes, ^1H NMR spectroscopy of (F. van Meurs, J.M. van der Toorn, H. van Bekkum), (113)341
- , infrared study of the CO stretching vibrations in (F. van Meurs, J.M.A. Baas, H. van Bekkum), (113)353
- Aminocarbene pentacarbonylchromium(0) chiral complexes, synthesis and characterization of (H. Brunner, J. Doppelberger, E.O. Fischer, M. Lappus), (112)65
- α -Anions of metal-carbene complexes, effect of alkyl substitution on the thermodynamic stability and kinetic reactivity of (C.P. Casey, W.R. Brunsvold), (118)309
- Arenecarbonylchromium π -complexes, reaction with light of (V.N. Trembovler, N.K. Baranetskaya, N.V. Fok, G.B. Zaslavskaya, B.M. Yavorskii, V.N. Setkina), (117)339
- Areneolefindicarbonylchromium chelate complex, molecular structure with (2,5-dimethylbenzyl)allyl ether as the chelate ligand of (Yu.T. Struchkov, V.G. Andrianov, A.N. Nesmeyanov, V.V. Krivykh, V.S. Kaganovich, M.I. Rybinskaya), (117)C81
- Arenetricarbonylchromium derivatives, ESCA studies of (C. Azokpota, C. Pommier, Y. Limouzin, J.C. Maire), (117)349
- Biphenyl- and diphenyl-methane-, diphenylethane-, *cis*-stilbene- and benzophenone-tricarbonylchromium complexes, ^{13}C NMR study of (D.A. Brown, N.J. Fitzpatrick, I.J. King, N.J. Mathews), (104)C9
- Bis(arene)chromium compounds, synthesis from 1,4-diphenylbutane and chromium vapour of (A.N. Nesmeyanov, N.N. Zaitseva, G.A. Domrachev, V.D. Zinov'ev, L.P. Yur'eva, I.I. Tverdokhlebova), (121)C52
- Bis(arene)chromium(0) substituted complexes, PMR spectra of (V. Graves, J.J. Lagowski), (120)397
- Bis(η^5 -cyclopentadienyl)metal complexes, Raman spectra of (V.T. Aleksanyan, B.V. Lokshin, G.K. Borisov, G.G. Devyatykh, A.S. Smirnov, R.V. Nazarova, J.A. Koningstein, B.F. Gächter), (124)293
- (1'-*t*-Butyl-2',2'-dimethylpropyl)- π -(tricarbonylchromium)benzene, molecular structure of (F. van Meurs, H. van Koningsveld), (118)295
- , dynamic behaviour in (F. van Meurs, J.M.A. Baas, J.M. van der Toorn, H. van Bekkum), (118)305
- Carbynetungsten complexes as catalysts in the polymetathesis of cycloolefins (E.O. Fischer, W.R. Wagner), (116)C21
- Chemical synthesis with metal atoms \ddagger (J.R. Blackborow, C.R. Eady, E.A. Koerner von Gustorf, A. Scrivanti, O. Wolfbeis), (108)C32
- Chlorodiethylaminocarbene-pentacarbonylchromium, preparation and characterization of (E.O. Fischer, W. Kleine, F.R. Kreissl), (107)C23
- $\text{C}_5\text{H}_5\text{Mn}(\text{CO})_2\text{L}$ and $\text{C}_5\text{H}_5\text{Cr}(\text{CO})(\text{NO})\text{L}$ complexes, rotation of olefinic ligands L in (L = maleic acid dimethyl ester or fumaric acid dimethyl ester) (H. Alt, M. Herberhold, C.G. Kreiter, H. Strack), (102)491
- Chromium atoms, trifluorophosphine and 1,4- and 1,3-cyclohexadiene, reactions of (J.R. Blackborow, R.H. Grubbs, A. Miyashita, A. Scrivanti, E.A. Koerner von Gustorf), (122)C6
- Chromium and cobalt perfluoroalkyl derivatives containing sulphur donor ligands (A.L. Marchese, M. Scudder, A.M. Van den Bergen, B.O. West), (121)63
- Chromium and nickel atoms, reaction with styrene of (J.R. Blackborow, R. Grubbs, A. Miyashita, A. Scrivanti), (120)C49
- Chromium, molybdenum and tungsten; Annual Survey covering the year 1974 (D.J. Darensbourg, M.Y. Darensbourg), (115)221
- Chromium, molybdenum and tungsten benzo[*c*]cinnoline and phenanthridine pentacarbonyl complexes, synthesis, reactions and fluxional behaviour of (M. Kooti, J.F. Nixon), (105)217
- Chromium, molybdenum and tungsten cycloolefinic complexes (A. Salzer), (117)245
- Chromium hexacarbonyl, quantum yield for photosubstitution of a CO group by pyridine in (J. Nasielski, A. Colas), (101)215
- Chromocene, the electronic structure using INDO MO calculations of (D.W. Clack, M. Monshi), (116)C41
- Cobaltocene and chromocene, magnetic susceptibilities of (K.R. Gordon, K.D. Warren), (117)C27

- Cyclohexatrienyltricarbonylchromium substituted cations, INDO calculations on (D.W. Clack, M. Monshi, L.A.P. Kane-Maguire), (120)C25
- Cyclopentadienyl and arene derivatives of Groups VI and VII transition metal carbonyls and nitrosyls, IR study of Lewis acid reactions with (B.V. Lokshin, E.B. Rusach, N.E. Kolobova, Yu.V. Makarov, N.A. Ustynyuyk, V.I. Zdanovich, A.Zh. Zhakaeva, V.N. Setkina), (108)353
- Cyclopentadienyl- and arenecarbonyl-transition metal complexes, IR study of reactions of aluminium chloride with (B.V. Lokshin, E.B. Rusach, Z.P. Valueva, A.G. Ginzburg, N.E. Kolobova), (102)535
- Cyclopentadienylmethyltricarbonylchromium and -tungsten compounds, photochemical reactions of (H.G. Alt), (124)167
- Dialkylsulphurdiiminetetra-carbonylmetal compounds, structural, spectroscopic and fluxional properties of (R. Meij, J. Kuyper, D.J. Stufkens, K. Vrieze), (110)219
- Dibenzenechromium, thermodynamics of the direct-synthesis reaction and its relation to decomposition reactions of (G.A. Domrachev, V.D. Zinov'ev), (117)241
- Dicarbonyl- η -benzenephenylcarbyne-chromium tetrachloroborate, trimethylphosphine addition to (F.R. Kreissl, P. Stückler), (110)C9
- Dicyclopentadienyltin and bis(methylcyclopentadienyl)tin, reactions with metal carbonyl compounds of (A.B. Cornwell, P.G. Harrison, J.A. Richards), (108)47
- 1,3-Dienetetra-carbonylchromium complexes, photochemical synthesis of and their behaviour in photocatalytic hydration of dienes with hexacarbonylchromium (I. Fischler, M. Budzwait, E.A. Koerner von Gustorf), (105)325
- Dimethylsulphoxonium methylide as a ligand in metal carbonyl complexes (L. Weber), (105)C9
- Gaseous benzenechromium tricarbonyl, internal rotation in (N.-S. Chiu, L. Schäfer, R. Seip), (101)331
- Germanes, exchange of metal carbonyl moieties on (R.F. Gerlach, B.W.L. Graham, K.M. Mackay), (118)C23
- Group VIA anionic carbonyl complexes with sulphur-containing ligands (G. Doyle), (101)85
- Group VIA metals, nitrosyl carbonyl derivatives of (S.C. Tripathi, S.C. Srivastava, A.K. Shrimal), (118)325
- Group VI metal carbonyls, phase-transfer catalysed substitution of (K.-Y. Hui, B.L. Shaw), (124)262
- , reactions with tetraphosphorus hexoxide of (M.L. Walker, J.L. Mills), (120)355
- μ -H[Cr(CO)₅]₂⁻ anion, carbonyl ligand lability in (M. Darensbourg, N. Walker), (117)C68
- Hexacarbonyl(1,1,3,3-tetramethyl-2-thiocarbonylcyclohexane)diiron(0) and pentacarbonyl(1,1,3,3-tetramethyl-2-thiocarbonylcyclohexane)chromium(0), synthesis and characterization of (U. Behrens, F. Edelmann), (118)C41
- Isonitrile insertion into metal-halogen bonds (B. Crociani, M. Nicolini, R.L. Richards), (101)C1
- Mercury(II) halide adducts with transition metal carbonyl derivatives, stability and bond strength in (D.P. Graddon, I.K. Gregor, L.A. Siddiqi), (102)321
- Mesitylenechromium tricarbonyl, quantum yield for the photosubstitution of a carbonyl group by a maleimide in (J. Nasielski, O. Denisoff), (102)65
- Metal carbonyls, electrochemical measurements as a probe for the investigation of the structure of (C.J. Pickett, D. Pletcher), (102)327
- Metal carbonyl halide adducts in reactions with Lewis acids (M. Pańkowski, M. Bigorgne, Y. Chauvin), (110)331
- Metallocenes of the first-row transition metal ions, MO study of ground and excited state properties of (D.R. Armstrong, R. Fortune, P.G. Perkins), (111)197
- Methyl benzoate tricarbonylchromium, vibrational spectra and valence force field of (P. Caillet), (102)481
- (π -Methyl benzoate)(triphenylphosphine)-chromium dicarbonyl, crystal and molecular structure of (V.G. Andrianov, Yu.T. Struchkov, N.K. Baranetzskaya, V.N. Setkina, D.N. Kursanov), (101)209
- Methyl(dimethylaminocarbene)penta-carbonylchromium(0) and -tungsten(0) complexes, ¹³C-¹⁵N coupling constants in (F.R. Kreissl, E.W. Meineke, E.O. Fischer, J.D. Roberts), (108)C29
- Mixed crystals of metal carbonyls, Raman

- spectra in the 2000 cm^{-1} region of (D. Kariuki, S.F.A. Kettle), (105)209
- Naphthalenechromium tricarbonyl-catalyzed addition of CCl_4 to olefins at ambient temperature (O. Gandolfi, M. Cais), (125)141
- Norbornadienechromium tetracarbonyl, primary photochemical process in (D. Rietvelde, L. Wilputte-Steinert), (118)191
- N*-Olefin chelate complexes with Group VI metal(0) carbonyls, preparation and characterization of (K. Fukushima, T. Miyamoto, Y. Sasaki), (107)265
- Organochromium cations in reaction with iodine monobromide (J.H. Espenson, G.J. Samuels), (113)142
- Organocyclotriarsane, reactions with carbonylmetal and carbonylnitrosyl-metal complexes of (J. Ellermann, H. Schössner), (118)C69
- Organometallic derivatives of trithiones (A.R. Siedle), (120)369
- Organosulphur compounds in reaction with metal atoms (T. Chivers, P.L. Timms), (118)C37
- Pentacarbonylaminocarbenechromium addition to aminoacetylenes (K.H. Dötz), (118)C13
- Pentacarbonyl(carbene) complexes, reactions with dialkyl sulphides (H.G. Raubenheimer, J.C.A. Boeyens, S. Lotz), (112)145
- Pentacarbonylchromium(0) complexes with dinitrogen, diimine, hydrazine and ammonia ligands, ligand properties and reactivity of (D. Sellmann, A. Brandl, R. Endell), (111)303
- Pentacarbonylchromium complexes of diorganylmethylthioboranes and 2-diethylboryl-5-methylthiophene (H. Nöth, U. Schuchardt), (125)155
- Pentacarbonyldiethoxycarbenechromium(0) (E.O. Fischer, K. Scherzer, F.R. Kreissl), (118)C33
- Pentacarbonyl(diorganylphosphane sulphide)metal(0) ($M = \text{Cr}, \text{Mo}, \text{W}$), preparative, kinetic and spectroscopic investigations of (E. Lindner, W.P. Meier), (114)67
- Pentacarbonyl- π -olefintungsten(0) complexes prepared by the reaction of pentacarbonyl[methoxy(phenyl)carbene]-tungsten(0) with alkyl lithium (E.O. Fischer, W. Held), (112)C59
- (π -Phenylchromium tricarbonyl)benzyl *p*-toluenesulphonates and noncomplexed analogues, preparation and acetolysis of and search for σ - π delocalization in (R.S. Bly, K.-K. Tse, R.K. Bly), (117)35
- Phosphine, phosphite, arsine and stibine ligands and their $\text{LNi}(\text{CO})_3$, $\text{LCr}(\text{CO})_5$ and $\eta\text{-C}_5\text{H}_5\text{Mn}(\text{CO})_2\text{L}$ complexes, ^{13}C NMR study of (G.M. Bodner, M. Gaul), (101)63
- Phosphite addition to organometallic cations to give phosphonium adducts (G.R. John, L.A.P. Kane-Maguire), (120)C45
- Phosphonium adduct formation with tricarbonyl(tropylium) cations of chromium, molybdenum and tungsten (D.A. Sweigart, M. Gower, L.A.P. Kane-Maguire), (108)C15
- Sulphonium cations, coordination behaviour of (R.D. Adams, D.F. Chodosh), (120)C39
- mer*-Tetrafluoroboratotricarbonyltrimethylphosphinemethylcarbenechromium, preparation of (K. Richter, E.O. Fischer, C.G. Kreiter), (122)187
- π -Thiophenechromium tricarbonyl, CrS^+ ions in the mass spectrum of (Yu.S. Nekrasov, N.I. Vasyukova), (122)227
- Transition metal carbene complexes in the synthesis of α -methylene- γ -butyrolactone (C.P. Casey, W.R. Brunsvold), (102)175
- Tri-*n*-butylphosphine addition to cycloheptadienyltricarbonylmetal tetrafluoroborate, mechanism of (G.R. John, L.A.P. Kane-Maguire, D.A. Sweigart), (120)C47
- Tricarbonylchromiumphenylboric acid (G.A. Razuvaev, A.N. Artemov, A.A. Aladjin, N.I. Sirotkin), (111)131
- Tricarbonyl (tropylium) cations of Group VI metal compounds, mechanism of nucleophilic addition to (K.M. Al-Kathumi, L.A.P. Kane-Maguire), (102)C4
- Triphenylsilyloxy carbene pentacarbonylchromium and triphenylsilyldimethylaminocarbene pentacarbonylchromium complexes (E.O. Fischer, H. Hollfelder, F.R. Kreissl, W. Uedelhoven), (113)C31

Cobalt

- β -Acetal cobaloximes, hydrolysis of (R.B. Silverman, D. Dolphin), (101)C14
- Acetylene insertion into butenolide di-

- cobalt hexacarbonyls, structure determination of the reaction product by X-ray crystallography (P.A. Elder, D.J.S. Guthrie, J.A.D. Jeffreys, G.R. Knox, J. Kollmeier, P.L. Pauson, D.A. Symon, W.E. Watts), (120)C13
- Alkylated nickelocene, cobaltocene, chromocene and vanadocene, ^{13}C and ^1H NMR spectra and preparation of (F.H. Köhler), (110)235
- Alkylcobaloximes, kinetic study of the insertion reaction of molecular oxygen into the Co—C bond of (C. Bied-Charreton, A. Gaudemer), (124)299
- , photochemical electron transfer reactions in (C. Giannotti, J.R. Bolton), (110)383
- , photochemical substitution reactions with hydroperoxides of and crystal structure of cumyl peroxide(pyridine) cobaloxime (C. Giannotti, C. Fontaine, A. Chiaroni, C. Riche), (113)57
- Alkylcobalt carbonyl compounds, behaviour under "oxo" conditions of (M. Bianchi, U. Matteoli, P. Frediani, F. Piacenti), (120)97
- Alkylcobalt chelates, oxidation mechanism of (I.Ya. Levitin, A.L. Sigan, M.E. Vol'pin), (114)C53
- Alkyldynetricobalt nonacarbonyl cluster complexes, electrochemistry of (J.C. Kutz, J.V. Petersen, R.C. Reed), (120)433
- Alkyl(tetraphenylporphinato)cobalt(III) compounds prepared by alkylation of tetraphenylporphinatocobalt(I) (M. Perrée-Fauvet, A. Gaudemer, P. Boucle, J. Devynck), (120)439
- μ_2 -Alkynehexacarbonyldicobalt compounds, electronic effects and infrared spectra of (G. Váradi, I. Vecsei, A. Vizi-Orosz, G. Pályi, A.G. Massey), (114)213
- $\text{AsCo}_3(\text{CO})_9$, its cyclic trimer $\text{As}_3\text{Co}_9(\text{CO})_{24}$ and the phosphorus-containing analogue $\text{P}_3\text{Co}_9(\text{CO})_{24}$ (A. Vizi-Orosz, V. Galamb, G. Pályi, L. Markó, G. Bor, G. Natile), (107)235
- 2-Benzoyloxyethylcobalt(III)phthalocyanine, reductive fragmentation of (H. Eckert, I. Ugi), (118)C59
- Bicyclo[2.2.1]hept-2-en-5,6-dinitrosocobalt- η^5 -cyclopentadienide, crystal and molecular structure of (G. Evrard, R. Thomas, B.R. Davis, I. Bernal), (124)59
- Bis(triphenylphosphine)nickel complexes, reactivity towards carbonylmetallate anions of (P. Braunstein, J. Dehand, B. Munchenbach), (124)71
- Bromoethyldynetricobalt nonacarbonyl, base-induced reactions leading to functionally-substituted alkyldynetricobalt nonacarbonyl complexes of (D. Seyferth, C.L. Nivert), (113)C65
- Carbonylmetallate monoanions, interactions with quaternary alkyl- and arylonium ions (J.F. Ellis), (111)331
- μ_3 -{ [Chlorobis(η -cyclopentadienyl)titanoxymethylidene]cyclotris(tricarbonylcobalt)(3Co—Co), preparation and molecular structure of (G. Schmid, V. Bätzel, B. Stutte), (113)67
- Chromium and cobalt perfluoroalkyl derivatives containing sulphur donor ligands (A.L. Marchese, M. Scudder, A.M. Van den Bergen, B.O. West), (121)63
- Cobaloximes, photoinduced and thermal reactions in the presence of sulphur compounds of (C. Giannotti, G. Merle), (113)45
- Cobalt, rhodium and iridium; Annual Survey covering the year 1974 (M.E. Howden, R.D.W. Kemmitt), (115)327
- Cobalt(III) acetylacetonate, reaction with triisobutylaluminium in aromatic hydrocarbons under hydrogen, nature of the cobalt species formed (S. Tyrlik, M. Michalski), (102)93
- Cobalt(I) carbonyl cationic complexes containing secondary or tertiary phosphines, direct synthesis from cobalt(II) salts of (P. Rigo, M. Bressan, A. Morvillo), (105)263
- Cobalt(I) compounds, effect of oxygen on alkylation reactions with (M. Michman, B. Steinberger, S. Gershoni), (113)293
- Cobalt(I) nucleophilic compounds, chemical behaviour towards *N*-phenyl-*O*-[β -haloethyl]urethane and its *N*-methyl derivative (H. Eckert, I. Ugi), (118)C55
- Cobalt(0) and nickel(0) phosphine derivatives, correlations between $E_{1/2}$, ΔHNP and $\nu(\text{CO})$ in (D. de Montauzon, R. Poilblanc), (104)99
- Cobalt tetracarbonyl anion generation by phase transfer catalysis, applications to the synthesis of π -allyl and cluster complexes (H. Alper, H. Des Abbayes, D. Des Roches), (121)C31
- Cobalticinium salts, spectroscopic and polarographic properties of (N. El Murr), (112)189

- , synthesis of homo- and hetero-disubstituted derivatives (N. El Murr), (112)177
- Cobaltocene and chromocene, magnetic susceptibilities of (K.R. Gordon, K.D. Warren), (117)C27
- Cobaltocenes, anomalies in PMR spectra of (F.H. Köhler), (121)C61
- (CO)₉Co₃COCl₂N(C₂H₅)₃, crystal and molecular structure of (V. Bätzel, U. Müller, R. Allmann), (102)109
- (π -Cyclopentadienyl)(π -cyclobutadiene)-cobalt, crystal and molecular structure of (P.E. Riley, R.E. Davis), (113)157
- Cyclopentadienylmetal carbonyl reduction in hexamethylphosphoramide (J.E. Ellis, R.A. Faltynek, S.G. Hentges), (120)389
- Dialkyl(acetylacetonato)bis(tertiary phosphine)cobalt(III) and related complexes in solution, NMR studies of the dynamic behaviour of (T. Ikariya, Y. Nakamura, A. Yamamoto), (118)101
- cis*-Dialkylcobalt complexes, CoR₂(acac)(PR₃)₂, preparation and properties of (T. Ikariya, A. Yamamoto), (116)239
- Dialkylcobalt(III) complexes, mechanism of the thermal decomposition of (T. Ikariya, A. Yamamoto), (120)257
- Dicyclopentadienylcobalt, dynamic Jahn-Teller effect and average structure of, studied by gas phase electron diffraction (A. Almenningen, E. Gard, A. Haaland, J. Brunvoll), (107)273
- Dicyclopentadienyltin and bis(methylcyclopentadienyl) tin, reactions with metal carbonyl compounds of (A.B. Cornwell, P.G. Harrison, J.A. Richards), (108)47
- gem*-Dihalocyclopropane derivatives reduced by complex reducing agents NaH-t-AmONa-MX_n (M = Ni, Co, Cu) (G. Guillaumet, L. Mordeñti, P. Caubère), (102)353
- Diphenylcobalticiniummethyl carbonium ion, stability and electronic structure of (J.E. Sheats, E.J. Sabol, Jr., D.Z. Denney, N. El Murr), (121)73
- Ethyl-nickel, -iron and -cobalt complexes in reactions with molecular deuterium, H-D scrambling in the ethyl group(s) and 2,2'-bipyridine ligand of (T. Yamamoto, A. Yamamoto), (117)365
- α -[(Ethyne)dicobalt hexacarbonyl] carbonium ions, isolation, characterization and stability of (R.E. Connor, K.M. Nicholas), (125)C45
- α -Ferrocenylcarbonium ions, electron-transfer reactions of amines with (M. Cais, P. Ashkenazi, S. Dani, J. Gottlieb), (122)403
- Five-coordinate cobalt(I) complexes, structural preferences and P-P coupling constants in (R. Mason, G.R. Scollary, D.L. Dubois, D.W. Meek), (114)C30
- Germanes, exchange of metal carbonyl moieties on (R.F. Gerlach, B.W.L. Graham, K.M. Mackay), (118)C23
- Germylcobalt tetracarbonyl, electron diffraction determination of the gas phase structure of (D.W.H. Rankin, A. Robertson), (104)179
- Hydridocobalt(I) complexes of 1,1,1-tris(diphenylphosphinomethyl)ethane, preparation of (J. Ellermann, J.F. Schindler, H. Behrens, H. Schlenker), (108)239
- Iron- and nickel-substituted cyclobutadiene complexes of cobalt (K. Yasufuku, H. Yamazaki), (121)405
- Metal carbonyls prepared in aprotic media under normal pressure; carbonylation of halogenated derivatives (B. Loubinoux, B. Fixari, J.J. Brunet, P. Caubère), (105)C22
- Metallocenes of the first-row transition metal ions, MO study of ground and excited state properties of (D.R. Armstrong, R. Fortune, P.G. Perkins), (111)197
- Methylbis[1,2-bis(diphenylphosphino)ethane]cobalt(I), preparation and properties of (T. Ikariya, A. Yamamoto), (116)231
- Nitrosyltricarbonylcobalt isotopic species, analysis of IR spectra of (G. Bor, G. Battiston, G. Sbrignadello), (122)413
- Nitrosyltricarbonyliron and its reaction products with metal halides as catalysts for selective dimerisation of butadiene to 4-vinylcyclohexene (I. Tkatchenko), (124)C39
- Organobis(dimethylglyoximate)cobalt(III) complexes, cleavage by halogens of C-Co bonds in (R. Dreos, G. Tautzher, N. Marsich, G. Costa), (108)235
- Organocyclotriarsane, reactions with carbonylmetal and carbonylnitrosylmetal complexes of (J. Ellerman, H. Schössner), (118)C69
- Organometallic derivatives of trithiones (A.R. Siedle), (120)369
- Palladium(II) derivatives containing a σ -

- bonded α -diimino group with transition metals, new class of bimetallic complexes (B. Crociani, M. Nicolini, R.L. Richards), (113)C22
- Pd—Co and Pd—Mo bimetallic compounds (J. Dehand, M. Pfeffer), (104)377
- Phosphido cobalt carbonyl clusters ($P_n[Co(CO)_3]_{4-n}$; $n = 1, 2, 3$), preparation and characterization of (A. Vizi-Orosz), (111)61
- Polyfluorophenylcobalt(III) Schiff base complexes, synthesis using organothallium reagents of (M.F. Corrigan, G.B. Deacon, B.O. West, D.G. Vince), (105)119
- $[Rh_4(CO)_{11}(COOCH_3)]^-$ and $[Rh_4(CO)_{11}]^{2-}$, synthesis and characterization of (S. Martinengo, A. Fumagalli, P. Chini, V.G. Albano, G. Ciani), (116)333
- σ - and π -silylallyl transition metal complexes, chemical and physical properties of (K.H. Pannell, M.F. Lappert, K. Stanley), (112)37
- μ_3 -(Tetracarbonylcobaltosilylidine)cyclo-tris(tricarbonylcobalt)(3 Co—Co), $(CO)_9Co_3Si-Co(CO)_4$, preparation, crystal and molecular structure of (G. Schmid, V. Baetzel, G. Etzrodt), (112)345
- Tetracarbonyl(trimethylstannyl)cobalt and pentacarbonyl(trimethylstannyl)rhodium, kinetics of iodination of (J.R. Chipperfield, A.C. Hayter, D.E. Webster), (121)185
- Transition metal—acetyl complexes, boron hydride reduction of (J.A. van Doorn, C. Masters, H.C. Volger), (105)245
- Trialkyl- and triaryl-phosphine and -phosphite monosubstituted derivatives of $(\mu_2-L)_2Co_2(CO)_6$ compounds, preparation and infrared spectra of (G. Váradí, A. Vizi-Orosz, S. Vastag, G. Pályi), (108)225
- Trialkylphosphite substitution in pentakis-(aromatic isocyanide)cobalt(I) (C.A.L. Becker), (104)89
- Tricarbonylcobalt hydride as catalyst in (1,3) sigmatropic transposition in propylene (J.P. Grima, F. Choplin, G. Kaufmann), (124)315
- Triphenyllead pentacarbonylmanganese and tetracarbonylcobalt, ESR study by high energy radiation of anions derived from (O.P. Anderson, S.A. Fieldhouse, C.E. Forbes, M.C.R. Symons), (110)247
- Triple-decked sandwich metallocarboranes, substituent NMR effects in (R. Weiss, R.N. Grimes), (113)29
- Tris(triphenylphosphine)methylcobalt, reaction with diphenylacetylene of (M. Michman, L. Marcus), (122)77

Copper

- Alkylcopper(I) complexes having tertiary phosphine ligands, insertion reactions of CO_2 and CS_2 into alkyl—copper bonds of (A. Miyashita, A. Yamamoto), (113)187
- Alkylcopper reagents in insertion reactions with sulphur dioxide (G. Cahiez, D. Bernard, J.F. Normant, J. Villieras), (121)123
- Binary ethylene complexes of zerovalent copper, $(C_2H_4)_nCu$ ($n = 1, 2$ or 3), direct synthesis using copper vapour of (H. Huber, D. McIntosh, G.A. Ozin), (112)C50
- Chemical synthesis with metal atoms (J.R. Blackborow, C.R. Eady, E.A. Koerner von Gustorf, A. Scriveranti, O. Wolfbeis), (108)C32
- Copper, silver and gold; Annual Survey covering the year 1974 (E. Singleton, A. Tuinman), (119)407
- Copper-promoted deoxygenation of carbon dioxide by isocyanide (T. Tsuda, S.-I. Sanada, T. Saegusa), (116)C10
- Cyclic polyolefin copper(I) trifluoroacetate complexes, preparation and characterization of (D.L. Reger, M.D. Dukes), (113)173
- gem*-Dihalocyclopropane derivatives reduced by complex reducing agents $NaH-t-AmONa-MX_n$ ($M = Ni, Co, Cu$) (G. Guillaumet, L. Mordenti, P. Caubère), (102)353
- 7,8-Dihydrodibenzo[*f,h*][1,4]dioxecin and 7,8-dihydrodibenzo-6,9-dimethyl[*f,h*][1,4]diazecin, synthesis by intramolecular ring-closure reactions of arylcopper(I) compounds of (G. van Koten, J.G. Noltes), (104)127
- 2-(Dimethylamino)phenylcopper, complex formation with copper(I) or silver halides; synthesis and structural characterization of hexanuclear $(2-Me_2NC_6H_4)_4Cu_6-nM_nX_2$ ($M = Cu$ or Ag) cluster compounds (G. van Koten, J.G. Noltes), (102)551
- Grignard reagents in reactions with propargylic ethers with copper(I) bromide as catalyst giving allenic hydro-

- carbons (J.-L. Moreau, M. Gaudemar), (108)159
- Magnesium and lithium cuprates, influence of ligands on addition processes to (C. Jallabert, H. Rivière, P.W. Tang), (104)1
- Metallocenes and related species, Jahn—Teller effects in (C. Glidewell), (102)339
- Organometallic complexes, stereochemistry of the cleavage with copper(II) of (R.A. Budnik, J.K. Kochi), (116)C3
- Palladium(II) derivatives containing a σ -bonded α -diimino group with transition metals, new class of bimetallic complexes (B. Crociani, M. Nicolini, R.L. Richards), (113)C22
- Sulphurdiimine S,N,N' -substituted complexes of lithium, magnesium, copper(I), silver(I) and rhodium(I) (J. Kuyper, P.C. Keijzer, K. Vrieze), (116)1

Dysprosium

- Chemical synthesis with metal atoms (J.R. Blackborow, C.R. Eady, E.A. Koerner von Gustorf, A. Scrivanti, O. Wolfbeis), (108)C32

Erbium

- Chemical synthesis with metal atoms (J.R. Blackborow, C.R. Eady, E.A. Koerner von Gustorf, A. Scrivanti, O. Wolfbeis), (108)C32

Gallium

- Dialkylcyclopentadienyl derivatives of Group IIIB elements, preparation and vibrational spectral analysis of (J. Stadelhofer, J. Weidlein, P. Fischer, A. Haaland), (116)55
- Dimethyl(cyclopentadienyl)gallium, crystal structure of (K. Mertz, F. Zettler, H.D. Hausen, J. Weidlein), (122)159
- Main Group element cyclopentadienyl derivatives, ^{13}C chemical shifts and C—H coupling constants of (P. Fischer, J. Stadelhofer, J. Weidlein), (116)65
- Trimethylgallium, product-catalysed reaction with arsine of (D.J. Schlyer, M.A. Ring), (114)9
- Trimethylgallium—trimethyl-ammonium and -phosphine, gas electron diffraction

- study of the molecular structures of (L.M. Golubinskaya, A.V. Golubinskii, V.S. Mastryukov, L.V. Vilkov, V.I. Bregadze), (117)C4
- Trimethylphosphiniminopentamethyldisiloxane and bis(trimethylphosphinimino)dimethylsilane, 1/1 complexes with trimethyl-aluminium, -gallium, and -indium (W. Wolfsberger, H. Schmidbauer), (122)5

Germanium

- Aryl-substituted germyl radicals, ESR spectra of (H. Sakurai, K. Mochida, M. Kira), (124)235
- Bis(trimethylsilyl)bromomethylolithium, reactions with dimethyldihalo-silicon, -germanium and -tin derivatives of (D. Seyferth, J.L. Lefferts), (116)257
- Bromoalkyl- and bromovinyl-silanes (A.G. Brook, J.M. Duff, G.E. Legrow), (122)31
- t*-Butyl-disilanes and -digermanes, synthesis and reactivity of (K. Triplett, M.D. Curtis), (107)23
- Cycloheptatrieneiron 7-substituted tricarbonyls, fluxional behaviour of (L.K.K. Li Shink Man, J. Takats), (117)C104
- η^1 - σ -Cyclonotetraenyl derivatives of Group IVB elements and arsenic (G. Boche, F. Haidenhain), (121)C49
- Cyclopentadienylgermanium trichloride, cyclopentadienylgermanium trimethoxide and cyclopentadienylgermatrane, synthesis of and rearrangements in (V.S. Shriro, Yu.A. Strelenko, Yu.A. Ustynyuk, N.N. Zemlyansky, K.A. Kocheshkov), (117)321
- Cyclopentadienyltitanium substituted dialkylamides, ^1H and ^{13}C NMR spectra of (U. Dämmgen, H. Bürger), (101)307
- , preparation and properties of (H. Bürger, U. Dämmgen), (101)295
- Cyclopentanol and germacyclopentanol, NMR spectra of (A. Lectard, C. Vaziri, J.-C. Richer, J.-C. Florence, G. Manuel), (102)153
- Dichlorogermylene, preparation and electron diffraction study in the vapour phase of (E. Vajda, I. Hargittai, M. Kolonits, K. Ujszászy, J. Tamás, A.K. Maltsev, R.G. Mikaeljan, O.M. Nefedov), (105)33
- N*-(Diphenylmethylene)triorganoelement-

- methylamines (element = C, Si, Ge, Sn), preparation and properties of (E. Popowski, A. Hahn, H. Kelling), (110)295
- Germaethylene and fluorinated germaethylenes, CNDO/2 calculations concerning the Ge—C double bond (B.G. Gowenlock, J.A. Hunter), (111)171
- Germanes, exchange of metal carbonyl moieties on (R.F. Gerlach, B.W.L. Graham, K.M. Mackay), (118)C23
- Germanium; Annual Survey covering the year 1974 (B.C. Pant), (119)149
- Germaphospholanes, insertion reactions of heterocumulenes in the Ge—P bond of (C. Couret, J. Escudié, J. Satgé, C. Redoulès), (111)263
- α -Germylated nitriles, preparation and properties of (M. Rivière-Baudet, P. Rivière), (116)C49
- Germylcobalt tetracarbonyl, electron diffraction determination of the gas phase structure of (D.W.H. Rankin, A. Robertson), (104)179
- Germylene—phosphine complexes (J. Escudié, C. Couret, P. Rivière, J. Satgé), (124)C45
- Group IV dibenzo[*b,f*]metallepins, ESR studies of radical anions of (H.J. Sipe, Jr., J.Y. Corey), (120)195
- Group IVB metalloidal substituent effects studied by ^{13}C NMR spectroscopy (M. Bullpitt, W. Kitching, W. Adcock, D. Doddrell), (116)161
- Lithium bis(ethylenedioxyboryl)methide, reactions with carbonyl compounds, and chlorotriphenyl derivatives of germanium, tin and lead of (D.S. Matteson, P.K. Jesthi), (110)25
- Manganese and molybdenum carbene complexes containing the trichlorogermyl group, synthesis of (W.K. Dean, W.A.G. Graham), (120)73
- Metal—aryl bond cleavage with iodine monochloride and monobromide (S.N. Bhattacharya, P. Raj, R.C. Srivastava), (105)45
- Metal-centred radicals synthesized from an organometallic halide and an electron-rich olefin (M.J.S. Gynane, M.F. Lappert), (114)C4
- Metallo-methyl interactions, ^{13}C NMR study of conformational consequences of (W. Adcock, B.D. Gupta, W. Kitching, D. Doddrell), (102)297
- Methyl-, silyl- and germyl-rhenium penta-carbonyl, gas-phase molecular structure determined by electron diffraction of (D.W.H. Rankin, A. Robertson), (105)331
- Monomeric, dimeric and polymeric *N*-alkyl-alumino-*S,S*-dialkylsulphur(VI) diimides, preparation of (W. Wolfsberger, H. Försterling), (122)13
- Organogermanium compounds, intensity of Ge—H stretching modes and conjugation effects in (A.N. Egorochkin, S.Ya. Khorshev, N.S. Ostasheva, E.I. Sevastyanova, J. Satgé, P. Rivière, J. Barrau), (105)311
- Organometallic derivatives of sugars (A.F. Hussain, R.C. Poller), (118)C11
- Organosilicon and organogermanium δ -ethylenic compounds and 1-sila- and 1-germa-cyclo-2-pentenes synthesized by ene-reactions (A. Laporterie, J. Dubac, M. Lesbre), (101)187
- Pentafluorophenyl-silane, -germane and -stannane, ^{19}F NMR spectra of (J.C. Maire, Y. Limouzin), (122)21
- Phosphoramidates and phosphorimidates, reactions with Group IV halides of (C. Glidewell), (108)335
- R_3SnER_n derivatives (E = C, Si, Ge, Sn, N, O, S), ^{13}C NMR study of exchange in (M.E. Bishop, C.D. Schaeffer, Jr., J.J. Zuckerman), (101)C19
- σ - and π -silylallyl transition metal complexes, chemical and physical properties of (K.H. Pannell, M.F. Lappert, K. Stanley), (112)37
- Silylated and germylated cyclopropanones, synthesis of (G.S. Zaitseva, G.S. Bogdanova, Yu.I. Baukov, I.F. Lutsenko), (121)C21
- Stannyl- and germyl-mercuric derivatives of platinum and palladium, synthesis of (V.I. Sokolov, V.V. Bashilov, O.A. Reutov, M.N. Bochkarev, L.P. Mayorova, G.A. Razuvaev), (112)C47
- Tetraalkylgermanes and trialkylgermanyl oxides, determinations of atomic polarizations of (D. Mermillod-Blardet, J.P. Fayet, P. Mauret, G. Dousse, S. Richelme), (122)35
- Tetrahalogermanes, relation between ^{73}Ge chemical shifts and CNDO/2 charges in (P. Geerlings, C. van Alsenoy), (117)13
- Tetrakis(triarylphosphine)palladium as a catalyst in reactions of organic halides with R_3MMR_3 (M = Si, Ge, Sn) com-

- pounds (D. Azarián, S.S. Dua, C. Eaborn, D.R.M. Walton), (117)C55
- Trialkenylmetallithium compounds, in reaction with *cis*- and *trans*-crotyl chlorides and with 3-chloro-1-butene (E. Matarasso-Tchiroukhine, P. Cadiot), (121)155
- Trialkylgermyl- and bis(trialkylgermyl)-amines, organometallic derivatives with Ge—N bonds (A. Marchand, M. Rivière-Baudet, J. Satgé), (107)33
- Tricarbonylnickel(0) complexes of germyl- and stannyl-phosphines with functional groups bonded to germanium or tin atoms (H. Schumann, J. Held, H.-J. Kroth, W.-W. Du Mont, B. Wöbke), (105)393
- 1,1,1-Triethyl-2,2,2-tris(pentafluorophenyl)-digermane, reactivity of the Ge—Ge bond in (M.N. Bochkarev, N.S. Vyazankin, L.N. Bochkarev, G.A. Razuvaev), (110)149
- Trimethyl- and triphenyl-metal halides in reaction with crotylmagnesium bromide (E. Matarasso-Tchiroukhine, P. Cadiot), (121)169
- N*-Trimethylsilyl-, triethylgermyl- and -tributylstannyl-pyrazoles, vibrational spectra of (A. Marchand, M. Rivière-Baudet, R. Gassend), (118)27
- Triorgano-germanium and -tin aryl sulphides, reactions with oxidants (R.D. Taylor, J.L. Wardell), (112)135
- Triphenyl derivatives of Group IV elements, photoelectron spectroscopy of (G. Distefano, S. Pignataro, L. Szepes, J. Borossay), (104)173
- N*-Triphenylgermyl heterocyclic amines, synthesis and reactivity of (D. Quane, S.D. Roberts), (108)27
- Triphenyl(triphenylsilylperoxy)germane, rearrangement catalysed by nucleophiles of (G.S. Kalinina, T.A. Basalgina, N.S. Vyazankin, G.A. Razuvaev, V.A. Yablokov, N.V. Yablokova), (117)231
- Gold**
- Arylgold compounds, scope and limitations of the auration reaction (P.W.J. de Graaf, J. Boersma, G.J.M. van der Kerk), (105)399
- Copper, silver and gold; Annual Survey covering the year 1974 (E. Singleton, A. Tuinman), (119)407
- Dialkylgold(III) cationic complexes, synthesis of (P.L. Kuch, R.S. Tobias), (122)429
- Gold(I) ionic isocyanide complexes in reaction with alcohols and amines, carbene complexes from (G. Minghetti, L. Baratto, F. Bonati), (102)397
- Metallocenes and related species, Jahn—Teller effects in (C. Glidewell), (102)339
- Methylplatinum and methylgold compounds in reactions with phenylselenol, diphenylphosphine, diphenylarsine, *N*-bromosuccinimide and 2-nitrophenyl-sulphenyl chloride (R.J. Puddephatt, P.J. Thompson), (117)395
- Methyl(triphenylphosphine)gold(I), photolysis of (P.W.N.M. van Leeuwen, R. Kaptein, R. Huis, C.F. Roobeek), (104)C44
- Monoethylenegold(0), synthesis, IR and UV-visible spectra and molecular orbital investigations of (D. McIntosh, G.A. Ozin), (121)127
- Organogold(III) complexes prepared by oxidation of dichloro- and bis(pentafluorophenyl)- μ -bis(diphenylphosphino)-ethanegold(I) (R. Usón, A. Laguna, J. Vicente, J. Garcia), (104)401
- Silylated pyridine, thiazole and imidazole derivatives, gold(I) complexes of (P. Jutzi, H. Heusler), (114)265
- Tris(polychlorophenyl)thallium(III) compounds, preparation and reactions of (S. Numata, H. Kurosawa, R. Okawara), (102)259
- Hafnium**
- Bis(fluorenyl)dimethylzirconium, formation and photolysis of (E. Samuel, H.G. Alt, D.C. Hrnčir, M.D. Rausch), (113)331
- (C₅H₅)₂Zr(CO)₂ and (C₅H₅)₂Hf(CO)₂, first carbonyl derivatives of zirconocenes and hafnocene (J.L. Thomas, K.T. Brown), (111)297
- Dicyclopentadienyl-zirconium and -hafnium dicarbonyls, synthesis of (B. Demerseman, G. Bouquet, M. Bigorgne), (107)C19
- Dimethyl-titanocene, -zirconocene and -hafnocene, automated degradation studies on (H.G. Alt, F.P. Di Sanzo, M.D. Rausch, P.C. Uden), (107)257
- Isonitrile insertion into metal—halogen bonds (B. Crociani, M. Nicolini,

- R.L. Richards), (101)C1
 Polymer-supported organo-titanium,
 -zirconium and -hafnium compounds as
 hydrogenation catalysts
 (E.S. Chandrasekaran, R.H. Grubbs,
 C.H. Brubaker, Jr.), (120)49
 Titanium, zirconium and hafnium; Annual
 Survey covering the year 1974
 (P.C. Wailes), (103)475

Holmium

- Chemical synthesis with metal atoms
 (J.R. Blackborow, C.R. Eady,
 E.A. Koerner von Gustorf, A. Scrivanti,
 O. Wolfbeis), (108)C32

Indium

- Dialkylcyclopentadienyl derivatives of
 Group IIIB elements, preparation and
 vibrational spectral analysis of
 (J. Stadelhofer, J. Weidlein, P. Fischer,
 A. Haaland), (116)55
 Dimethylindium(III) compounds, reactions
 with dibasic organic acids of
 (J.J. Habeeb, D.G. Tuck), (101)1
 Main Group element cyclopentadienyl
 derivatives, ¹³C chemical shifts and C—H
 coupling constants of (P. Fischer,
 J. Stadelhofer, J. Weidlein), (116)65
 Nitromethanemetal derivatives, C—H
 stretching vibrations and structures of
 (L.A. Leites, A.P. Kurbakova,
 L.M. Golubinskaya, V.I. Bregadze),
 (122)1
 Trimethylphosphiniminopentamethyl-
 siloxane and bis(trimethylphosphin-
 imino)dimethylsilane, 1/1 complexes
 with trimethyl-aluminium, -gallium, and
 -indium (W. Wolfsberger, H. Schmidbaur),
 (122)5

Iridium

- Allylphosphine—iridium(I) coordination
 complexes, metallation of (S. Hietkamp,
 D.J. Stufkens, K. Vrieze), (122)419
 Amino-rhodium(I) complexes (D. Brodzki,
 G. Pannetier), (104)241
 Aryl complexes of the type *trans*-[Ir(Ar)-
 (CO)(PPh₃)₂] (L. Dahlenburg, R. Nast),
 (110)395
 Aryldiazo derivatives of transition metals,

- X-ray photo-electron spectra of (P. Brant
 R.D. Feltham), (120)C53
 Bis(η³-allylic) complexes of iridium(III)
 and iridocyclopentane derivatives,
 synthesis, properties and crystal struc-
 tures of (P. Diversi, G. Ingrassio,
 A. Immirzi, W. Porzio, M. Zocchi),
 (125)253
 Bis-ligand chlorocarbonyliridium, cata-
 lytic activity in photoactivated, homo-
 geneous hydrogenation reactions of
 (W. Strohmeier, L. Weigelt), (125)
 C40
 Bis(triphenylphosphine)chlorocarbonyl-
 iridium, catalytic activity in photoin-
 duced, homogeneous and selective
 hydrogenation of 1,3-cyclohexadiene
 of (W. Strohmeier, H. Steigerwald),
 (125)C37
 Bis(triphenylphosphine)-platinum(II) and
 -palladium(II) complexes, carbonylation
 in the presence of amines and α-amino
 acid esters of (W. Beck, B. Purucker),
 (112)361
 Bromocarbonylhydridophenylbis(triethyl-
 phosphine)iridium(III), molecular struc-
 ture of (U. Behrens, L. Dahlenburg),
 (116)103
 Chlorocyclopentadienyl-(+)-2,3-isopropyl-
 idene-2,3-dihydroxy-1,4-bis(diphenyl-
 phosphino)butane)iridium, asymmetric
 catalysis by and structure of (S. Brunie,
 J. Mazan, N. Langlois, H.B. Kagan),
 (114)225
 Cobalt, rhodium and iridium; Annual
 Survey covering the year 1974
 (M.E. Howden, R.D.W. Kemmitt),
 (115)327
 Cyclometallated compounds, chemical
 properties of (J.F. van Baar, J.M. Klerks,
 P. Overbosch, D.J. Stufkens, K. Vrieze),
 (112)95
 7-1,5-Cyclooctadiene β-diketonatoiridium(I)
 complexes, ¹³C NMR study of
 (R. Bonnaire, N. Platzer), (104)107
 Dialkylsulphurdiimine-rhodium(I),
 -iridium(I) and -platinum(II) cationic
 compounds, ¹H and ¹³C NMR studies of
 intra- and inter-molecular exchange pro-
 cesses in (J. Kuyper, L.G. Hubert-
 Pfalzgraf, P.C. Keyzer, K. Vrieze),
 (108)271
 Dibenzoyl- and diacetyl-hydrazido(2-)-
 (N,N',O,O')-bis(carbonyltriphenyl-
 phosphine)-rhodium(I) and -iridium(I),
 synthesis and reactions of

- (A.S. Kasenally, F.M. Hussein), (111)355
- β -Diketonatoiridium complexes in reaction with allene, formation and crystal structure of a new bis- η -allylic derivative of iridium(III) (P. Diversi, G. Ingrosso, A. Immirzi, M. Zocchi), (102)C49
- , formation and crystal structure of an iridocyclopentane derivative (P. Diversi, G. Ingrosso, A. Immirzi, M. Zocchi), (104)C1
- Hydridocarbonyltris(triphenylphosphine)-iridium(I), stereochemistry of Si—D addition to (J.P. Fawcett, J.F. Harrod), (113)245
- cis*-Hydridodithiomethylester osmium and iridium complexes, synthesis of low-valent thiocarbonyl complexes via 1,2-elimination of methylthiol from (T.J. Collins, W.R. Roper, K.G. Town), (121)C41
- $[\text{IrCl}\{\text{P}(\text{OC}_6\text{H}_3\text{CH}_3)_2(\text{OC}_6\text{H}_4\text{CH}_3)\}(\gamma\text{-picoline})_2]$, crystal structure of (M.J. Nolte, E. van der Stok, E. Singleton), (105)C13
- $[\text{Ir}_2(\mu\text{-H})_3\text{H}_2(\text{PPh}_3)_4]^+\text{PF}_6^-$, novel iridium complex containing a metal—metal triple bond (R.H. Crabtree, H. Felkin, G.E. Morris, T.J. King, J.A. Richards), (113)C7
- Iridium(I) complexes, oxidative addition of aryl halides to (J. Blum, M. Weitzberg, R.J. Mureinik), (122)261
- Iridium(I) compounds, reactions with oxidized derivatives of organic disulphides and thionyl chloride (S.J. Markham, Y.L. Chung, G.D. Branum, D.M. Blake), (107)121
- Iridium and platinum complexes, reactions with *N*-sulphinyl compounds (D.M. Blake, J.R. Reynolds), (113)391
- Low oxidation state transition metal complexes, activation of thiocyanogen and selenocyanogen by (F. Faraone, S. Sergi), (112)201
- Metal—metal bonded compounds with MAg^{I} pairs bridged by oxygen acid anions O_2CCF_3^- , ClO_4^- , $\text{O}_2\text{CCHC}(\text{CH}_3)_2^-$ (J. Kuyper, K. Vrieze), (107)129
- Metal—metal bonded triazenido compounds $[(\text{Ph}_3\text{P})_2(\text{CO})\text{M}-\text{Ag}(\text{R}-\text{N}-\text{N}-\text{N}-\text{R}')\text{X}]$ (M = Rh, Ir; R, R' = Me, aryl) (J. Kuyper, P.I. van Vliet, K. Vrieze), (105)379
- Nitrato(triphenylphosphine) complexes of the platinum metals; detection of triphenylphosphine oxide ligands in (P.B. Critchlow, S.D. Robinson), (114)C46
- d^8 σ -Organometallic rhodium and iridium complexes, electrochemical studies of (G. Schiavon, S. Zecchin, G. Pilloni, M. Martelli), (121)261
- Phosphine complexes of rhodium, iridium, ruthenium and platinum chemically bonded to the surface of silica as catalysts for the hydrogenation of olefins and dienes (K.G. Allum, R.D. Hancock, I.V. Howell, T.E. Lester, S. McKenzie, R.C. Pitkethly, P.J. Robinson), (107)393
- Platinum group metals, *N*-alkyl- and *N*-aryl-thioformamido complexes of (S.D. Robinson, A. Sahajpal), (111)C26
- , *N,N'*-diarylformamidinato complexes of (S.D. Robinson, A. Sahajpal), (117)C111
- Polyfluoroallyl-transition metal σ -bonded complexes, rearrangements of (H. Goldwhite, R.A. Wright), (122)63
- $[(\text{PPh}_3)_2(\text{CO})\text{IrCl}(\text{HN}=\text{NC}_6\text{H}_4\text{R-}p)(\text{C}\equiv\text{CPh})\cdot(\text{BF}_4)]$ (R = NO_2 , CN, COCH_3), novel class of aryldiazene complexes (L. Toniolo, D. Leonesi), (113)C73
- $\text{RhCl}(\text{PPh}_3)_3$ and $\text{IrClCO}(\text{PPh}_3)_2$ as catalysts in homogeneous, catalytic hydrogenation of acrylic ethyl ester (W. Strohmeier, E. Hitzel), (110)C22
- Rhodium(I) and iridium(I) carbonyl complexes with 1,3-bis(arylimino)isoindolines (W.O. Siegl), (107)C27
- Rhodium(I) and iridium(I) complexes formed by a tridentate olefinic di-tertiary phosphine, additions to metal atom and coordinated ligand in; chelate olefin complexes and σ -alkyl-rhodium(III) and -iridium(III) compounds (M.A. Bennett, R.N. Johnson, I.B. Tomkins), (118)205
- Rhodium(I) and iridium(I) complexes of 1,6-bis(diphenylphosphino)-*trans*-hex-3-ene, formed by dehydrogenation of an alkane chain (P.W. Clark), (110)C13
- Rhodium(I) and iridium(I) 4- and 5-coordinate chelate olefin complexes, intramolecular isomeric conversions caused by (*o*-vinylphenyl)diphenyl-phosphine and -arsine in (M.A. Bennett, E.J. Hann, R.N. Johnson), (124)189
- Rhodium and iridium d^8 organometallic complexes, electrochemical preparation of (S. Zecchin, G. Schiavon, G. Pilloni, M. Martelli), (110)C45
- Rhodium(I), iridium(I) and iridium(III) tri-

- dentate chelate π -bonded complexes and nickel(II), palladium(II) and platinum(II) chelate σ -bonded complexes formed by intramolecular hydrogen abstraction reactions (M.A. Bennett, P.W. Clark), (110)367
- Transition metal-acetyl complexes, boron hydride reduction of (J.A. van Doorn, C. Masters, H.C. Volger), (105)245
- Triazido compounds with metal-mercury bonds (P.I. van Vliet, J. Kuyper, K. Vrieze), (122)99
- Trihydridotris(triphenylphosphine)iridium, reaction with *p*-anisyl diazonium tetrafluoroborate of (M. Angoletta, I. Malatesta, P.L. Bellon, G. Caglio), (114)219
- Tris(triphenylphosphine)chlororhodium and bis(triphenylphosphine)carbonylchloroiridium, catalytic behaviour and turnover numbers in homogeneous hydrogenation under aerobic and anaerobic conditions (W. Strohmeier, E. Hitzel), (110)389
- ### Iron
- Acetylgosterol(tricarbonyl)iron, synthetic studies relating to (G. Evans, B.F.G. Johnson, J. Lewis), (102)507
- Acylferrocenes, ^1H and ^{13}C DNMR study of the internal rotation of acyl groups in (J. Sandström, J. Seita), (108)371
- , protonation with $\text{SbF}_5\text{-FSO}_3\text{H}$ in SO_2ClF solution (P. Rimmelin, J. Sommer, J. Sandström, J. Seita), (114)175
- Adamantylcyclopentadienyldicarbonyliron(II) compounds (S. Moorhouse, G. Wilkinson), (105)349
- Alkoxy carbonyl anionic complexes of the type $[(\text{CO})_4\text{FeCOOR}][\text{C}(\text{NMe}_2)_3]$, synthesis of (W. Petz), (105)C19
- (Alkyldiphenylphosphine)iodocyclopentadienyliron carbonyl, epimerisation of and phosphine exchange in (H. Brunner, F. Rackl), (118)C19
- μ -Allylbis(η -cyclopentadienyldicarbonyliron) cations, hindered rotation and structure in (R.C. Kerber, W.P. Giering, T. Bauch, P. Waterman, E.H. Chou), (120)C31
- η^3 -Allyliron complexes, vibrational spectra of (D.C. Andrews, G. Davidson), (124)181
- π -Allyliron octahedral complexes, electronic effects in and ^{13}C NMR spectra of (A.N. Nesmeyanov, L.A. Fedorov, N.P. Avakyan, P.V. Petrovskii, E.I. Fedin, E.V. Arshavskaya, I.I. Kritskaya), (101)121
- π -Arene- π -cyclopentadienyliron cations from some substituted naphthalenes (R.G. Sutherland, S.C. Chen, W.J. Pannekoek, C.C. Lee), (117)61
- π -Arene- π -cyclopentadienyliron mono- and di-cations, evidence from ^1H and ^{13}C NMR studies of hydrogenation of aromatic ligands during the synthesis of (R.G. Sutherland, S.C. Chen, J. Pannekoek, C.C. Lee), (101)221
- Aryldiazo derivatives of transition metals, X-ray photoelectron spectra of (P. Brant, R.D. Feltham), (120)C53
- Benzocyclobutenylidene-, naphtho[*b*]cyclobutenylidene, and η^2 -benzocyclobutadiene- η^5 -cyclopentadienyldicarbonyliron hexafluorophosphate, preparation and characterization of (A. Sanders, T. Bauch, C.V. Magatti, C. Lorenc, W.P. Giering), (107)359
- Bis(cyclopentadienyldicarbonyliron) and bis(cyclopentadienyltricarbonylmolybdenum) complexes, photolysis of metal-metal bonds in (C. Giannotti, G. Merle), (105)97
- syn*-Bis(cyclopentyl-1'',3''-ene)(1,1')(3,3')-ferrocenophane, crystal and molecular structure of (P. Batail, D. Grandjean, D. Astruc, R. Dabard), (110)91
- Bis(dicarbonyl η^5 -cyclopentadienyliron), kinetic determination of the metal-metal bond dissociation energy in (A.R. Cutler, M. Rosenblum), (120)87
- Bis(diorganotin tetracarbonyliron) complexes, formation from pentacarbonyliron and organotin derivatives (R.A. Burnham, M.A. Lyle, S.R. Stobart), (125)179
- Bis(triphenylphosphine)nickel complexes, reactivity towards carbonylmetallate anions of (P. Braunstein, J. Dehand, B. Munchenbach), (124)71
- 1,3-Butadienecarbonyliron complexes and 2 cluster compounds, electric dipole moments of (H. Lumbroso, D.M. Bertin), (108)111
- Butadienyliron tricarbonyl substituents, electronic effects of (N.S. Nametkin, S.P. Gubin, A.I. Nekhaev, V.D. Tyurin), (114)299
- Carbonyliron-containing sulphur ylid, preparation, and chemical and spectro-

- scopic properties of (L. Weber), (122)69
- Carbonylmetallate monoanions, interactions with quaternary alkyl- and arylonium ions (J.F. Ellis), (111)331
- Chelate olefin-carbamylate complexes of iron carbonyls, synthesis and structure of (A.N. Nesmeyanov, T.N. Sal'nikova, Yu.T. Struchkov, V.G. Andrianov, A.A. Pogrebnyak, L.V. Rybin, M.I. Rybinskaya), (117)C16
- Chemical synthesis with metal atoms (J.R. Blackborow, C.R. Eady, E.A. Koerner von Gustorf, A. Scrivanti, O. Wolfbeis), (108)C32
- $[\text{C}_5\text{H}_5\text{Fe}(\text{CO})_2]^-$ and $[\text{Re}(\text{CO})_5]^-$, reactions with tetrakis(trifluoromethyl)allene and X-ray study of the products (A.N. Nesmeyanov, G.G. Aleksandrov, N.G. Bokii, I.B. Zlotina, Yu.T. Struchkov, N.E. Kolobova), (111)C9
- $[(\text{C}_5\text{H}_7)\text{Fe}(\text{CO})_3]^+$, INDO calculations on (D.W. Clack, M. Monshi, L.A.P. Kane-Maguire), (107)C40
- $[(h^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})_2(h^2\text{-alkene})]^+$ complexes, direct preparation from $[(h^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})_2]_2$ of (P.F. Boyle, K.M. Nicholas), (114)307
- $h^5\text{-C}_5\text{H}_5\text{Fe}(\text{CO})_2(h^1\text{-alkyl})$ complexes, preparation from $[h^5\text{-C}_5\text{H}_5\text{Fe}(\text{CO})_2(h^2\text{-alkene})]^+\text{BF}_4^-$ of (S.M. Florio, K.M. Nicholas), (112)C17
- $[(h^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})_2]_2(\text{CH}_2)_n$ ($n = 3, 4$), crystal and molecular structure of (L. Pope, P. Sommerville, M. Leing, K.J. Hindson, J.R. Moss), (112)309
- Cyclic polyolefiniron tricarbonyl derivatives, activation by one-electron oxidation of (N.G. Connelly, R.L. Kelly), (120)C16
- Cyclobutadieneiron tricarbonyl-substituted carbonyl ions, ^{13}C NMR study of (C.S. Eschbach, D. Seyferth), (104)363
- Cycloheptadienyl-1-oneiron tricarbonyl cation, reactivity towards nucleophilic attack of (A. Eisenstadt), (113)147
- Cycloheptatrieneiron 7-substituted tricarbonyls, fluxional behaviour of (L.K.K. Li Shink Man, J. Takats), (117)C104
- Cycloheptatrienyliummolybdenum and cyclopentadienyliron, synthesis and spectra of cationic bis(*t*-phosphine) derivatives of (E.E. Isaacs, W.A.G. Graham), (120)407
- $[(h^5\text{-Cyclohexadienyl})(h^5\text{-cyclopentadienyl})\text{iron}]$ alkyl ions, hydride-transfer reactions of (M.M. Khan, W.E. Watts), (108)C11
- 3-5- η -Cyclooctatrienyl complexes of iron and ruthenium (A.D. Charles, P. Diversi, B.F.G. Johnson, J. Lewis), (116)C25
- η -Cyclopentadienyl dinuclear derivatives of iron, Mössbauer spectroscopic studies of (R. Greatrex, R.J. Haines), (114)199
- Cyclopentadienyl- and arenecarbonyl-transition metal complexes, IR study of reactions of aluminium chloride with (B.V. Lokshin, E.B. Rusach, Z.P. Valueva, A.G. Ginzburg, N.E. Kolobova), (102)535
- η^5 -Cyclopentadienyldicarbonyliron complexes derived from *cis*-3,4-dichlorocyclobutene (A. Sanders, W.P. Giering), (104)67
- Cyclopentadienyldicarbonyliron silane complexes, preparation and exchange reactions of (M. Höfler, J. Scheuren, D. Spilker), (102)205
- (η^5 -Cyclopentadienyldicarbonylmanganese)-(phenylmethylene)carbomethaneiron tricarbonyl, formation and X-ray structure of (V.G. Andrianov, Yu.T. Struchkov, N.E. Kolobova, A.B. Antonova, N.S. Obezyuk), (122)C33
- η -Cyclopentadienyliron dicarbonyl halides, constrained phosphite ester complexes of (W.E. Stancliff, D.G. Hendricker), (107)341
- Cyclopentadienylmetal carbonyl reduction in hexamethylphosphoramide (J.E. Ellis, R.A. Faltynek, S.G. Hentges), (120)389
- 1'',3''-Cyclopentylene-1,1'-ferrocenophane, crystal and molecular structure of (P. Batail, D. Grandjean, D. Astruc, R. Dabard), (102)79
- Deca-1,3,7,9-tetraenediiron hexacarbonyl, a polymorphic compound (R.W. Jotham, S.F.A. Kettle, D.B. Moll, P.J. Stamper), (118)59
- Di- and tri-bridged ferrocenophanes, formation of (M. Hisatome, N. Watanabe, T. Sakamoto, K. Yamakawa), (125)79
- (1,3-Di-*t*-butyl-2,4-dichlorodiazadiphosphetidine)heptacarbonyldiiron, preparation of (P.N. Hawker, L.S. Jenkins, G.R. Willey), (118)C44
- Dicarbonyl- η^5 -cyclopentadienyl(olefin)iron cations, addition of heteroatomic nucleophiles to (P. Lennon, M. Madhavarao, A. Rosan, M. Rosenblum), (108)93

- Dicarbonyldi- η -cyclopentadienylbis(μ -thiocarbonyl)diiron, synthesis and structure of (J.W. Dunker, J.S. Finer, J. Clardy, R.J. Angelici), (114)C49
- Dicyclopentadienyltin and bis(methylcyclopentadienyl)tin, reactions with metal carbonyl compounds of (A.B. Cornwell, P.G. Harrison, J.A. Richards), (108)47
- Dieneiron tricarbonyls, mechanism of photoinsertion of haloalkenes into Fe—C bonds of (R.C. Kerber, E.A. Koerner von Gustorf), (110)345
- Dioneiron tricarbonyl complexes, stereospecific synthesis by Friedel—Crafts acylation of (R.E. Graf, C.P. Lillya), (122)377
- Dihydrido-dinitrogeniron(II) complex and tetrahydridoiron(IV) complex, reactions with cyclohexene of (V.D. Bianco, S. Doronzo, N. Gallo), (124)C43
- Diironnonacarbonyl in reaction with naphtho[*b*]cyclopropene, synthesis and structure proof of a new ring system from (F.A. Cotton, J.M. Troup, W.E. Billups, L.P. Lin, C.V. Smith), (102)345
- Dipentadienyliron tricarbonyl cations, synthesis of cyclic hydrocarbons via intramolecular coupling of (R.S. Sapienza, P.E. Riley, R.E. Davis, R. Pettit), (121)C35
- Diphenylacetylene tricarbonyl, stepwise cyclodimerisation by cycloaddition of alkynes to complexed *cis*-azo groups to tetraphenylcyclobutadiene tricarbonyliron (A. Albini, H. Kisch), (101)231
- Diphenylfulvenediiron octacarbonyl, crystal and molecular structure of (U. Behrens), (107)103
- Diphenylvinylphosphine oxide tetracarbonyliron(0), preparation of (B.F.G. Johnson, J. Lewis, S.R. Postle), (121)C7
- 1,1'-Divinylferrocene derivative, oxidative cyclization with molecular oxygen in the presence of Lewis acids of (M. Hisatome, T. Namiki, K. Yamakawa), (117)C23
- Ethyl-nickel, -iron and -cobalt complexes in reactions with molecular deuterium, H—D scrambling in the ethyl group(s) and 2,2'-bipyridine ligand of (T. Yamamoto, A. Yamamoto), (117)365
- [*trans*-Fe(CO)₃(PR₃)₂]⁺ and [Fe(CO)₃-(Ph₂PCH₂CH₂PPh₂)]⁺, formation and reactivity of (N.G. Connelly, K.R. Somers), (113)C39
- Ferrocene; Annual Survey covering the year 1974 (B.W. Rockett, G. Marr), (106)259
- , — 1975 (G. Marr, B.W. Rockett), (123)205
- Ferrocene and alkylferrocenes, Friedel—Crafts reactions with α,β -unsaturated acid chlorides of (W. Crawford, T.D. Turbitt, W.E. Watts), (105)341
- Ferrocene and its alkylated and acylated derivatives, mechanism of ligand exchange and complexation by aluminium chloride of (D. Astruc, R. Dabard), (111)339
- Ferrocene, 1,1'-dimethylferrocene and cyclobutadieneiron tricarbonyl, FT NMR studies of (P.S. Nielsen, R.S. Hansen, H.J. Jakobsen), (114)145
- Ferrocene analogues of salicylic acid and aspirin (R. Epton, G. Marr, G.K. Rogers), (110)C42
- Ferrocene bridged derivatives, Mössbauer study of (A.G. Nagy, I. Dészi, M. Hillmann), (117)55
- Ferrocene polymers, synthesis and polymerization of *p*-ferrocenylphenylacetylene (C. Simionescu, T. Lixandru, I. Mazilu, L. Tătaru), (113)23
- , synthesis and thermal polymerization of α -chloro- β -formyl-*p*-ferrocenylstyrene (C. Simionescu, T. Lixandru, L. Tătaru, I. Mazilu, I. Cocîrlă), (102)219
- [*m*]Ferrocenophanes and 1,1'-diethylferrocene, acylation of and direct conversion of acylferrocenes to ethers and alkenes (R.G. Sutherland, J.R. Sutton, W.M. Horspool), (122)393
- [4](1,1')[4](3,3')Ferrocenophane and related compounds, synthesis of (M. Hisatome, T. Sakamoto, K. Yamakawa), (107)87
- [3]Ferrocenophanes, α,γ -disubstituted ¹H and ¹³C NMR studies of the stereochemistry of (M.L. Martin, F. Mabon, B. Gautheron, P. Dodey), (124)175
- Ferrocenophanes, formation of di- and tribridged (M. Hisatome, N. Watanabe, T. Sakamoto, K. Yamakawa), (125)79
- [1]Ferrocenophanes, silicon bridged (A.G. Osborne, R.H. Whiteley), (101)C27
- α -Ferrocenyl secondary carbocations, ¹³C NMR studies on the formation from tertiary carbinols of (C.C. Lee, S.C. Chen, W.J. Pannekoek, R.G. Sutherland), (118)C47

- Ferrocenylalkylium ions in $\text{CF}_3\text{CO}_2\text{D}$ solution, H/D exchange reactions of (W. Crawford, W.E. Watts), (110)257
- Ferrocenyl- and cymantrenyl-boranes, preparation and properties of (T. Renk, W. Ruf, W. Siebert), (120)1
- Ferrocenylcarbenium ions, rearrangements and hydrogen-deuterium exchange in (A.D. de Groot, C. de Haan, H.B. Hanekamp, A.C. Joha, E.W.B. de Leer), (122)241
- α -Ferrocenylcarbonium ions, electron-transfer reactions of amines with (M. Cais, P. Ashkenazi, S. Dani, J. Gottlieb), (122)403
- α -Ferrocenylcarbonium ion-nitrosobenzene system, formation of nitroxide radicals in (M. Cais, P. Ashkenazi, S. Dani, J. Gottlieb), (124)49
- Ferrocenylchlorosilanes, synthesis and kinetic study of racemisation of optically active (R.J.P. Corriu, F. Larcher, G. Royo), (104)293
- 1,1'-Ferrocenyldiacetic acid anhydrides and its use in preparation of heteroannularly-substituted ferrocenyl-penicillins and -cephalosporins (E.I. Edwards, R. Epton, G. Marr), (122)C49
- Ferrocenyliminium salts, direct access to and use in synthesis of (D. Mourot, H. Patin), (114)89
- Ferrocenyl-penicillins and cephalosporins, semi-synthetic antibiotics (E.I. Edwards, R. Epton, G. Marr), (107)351
- 3-Ferrocenylpropanoate ion, photo-oxidation of (E.K. Heaney, S.R. Logan), (104)C31
- α -Ferrocenylsilanes, synthesis and stereochemistry of reactions of optically active (R.J.P. Corriu, F. Larcher, G. Royo), (104)161
- Ferrocenylsilicenium ion, evidence for the generation of (P. Bickart, F. Llort, K. Mislow), (116)C1
- , generation of (J.Y. Corey, D. Gust, K. Mislow), (101)C7
- Ferrocenylvinyl intramolecular cation cyclisation to stable 9-barbaralyl and 8-hicyclo[3.2.2]nona-2,6-dienyl cations (T.S. Abram, W.E. Watts), (105)C16
- Germanes, exchange of metal carbonyl moieties on (R.F. Gerlach, B.W.L. Graham, K.M. Mackay), (118)C23
- Halocarbonyliron neutral, cationic and anionic complexes, synthesis and M. Bigorgne), (125)231
- Heterodieneiron(0) complexes containing phosphite groups (A. Vessières, P. Dixneuf), (108)C5
- Heterodieneiron tricarbonyl complexes, intramolecular ligand exchange in (D. Leibfritz, H. tom Dieck), (105)255
- , nature of the iron—ligand bond in (S. Sorriso, G. Cardaci), (101)107
- , reactions with phosphine ligands of (A. Vessières, D. Touchard, P. Dixneuf), (118)93
- Hexacarbonyl(1,1,3,3-tetramethyl-2-thiocarbonylcyclohexane)diiron(0) and pentacarbonyl(1,1,3,3-tetramethyl-2-thiocarbonylcyclohexane)chromium(0), synthesis and characterization of (U. Behrens, F. Edelmann), (118)C41
- Hydrogen—triiron complexes, photochemical synthesis of and their activity in photocatalytic hydration of olefins and dienes (I. Fischler, R. Wagner, E.A. Koerner von Gustorf), (112)155
- 4*H*-Indenediiron pentacarbonyl complexes, ^{13}C NMR spectroscopy of (D.G. Leppard, H.-J. Hansen, K. Bachmann, W. von Philipsborn), (110)359
- Iron, reactions with conjugated dienes of (J.R. Blackborow, C.R. Ready, E.A. Koerner von Gustorf, A. Scrivanti, O. Wolfbeis), (111)C3
- Iron, ruthenium and osmium; Annual Survey covering the year 1974 (J.A. McCleverty), (119)261
- Iron, molybdenum and tungsten binuclear compounds, containing bridging thiolate ligands, addition of carbon monoxide to and formation of mononuclear species (D.D. Watkins, Jr., T.A. George), (102)71
- Iron carbonyl binuclear complexes with dimethylaminoallyl ligand, synthesis of (A.N. Nesmeyanov, L.V. Rybin, A.A. Pogrebnyak, M.I. Rybinskaya), (116)327
- Iron carbonyl chalcogenides, mass spectra and DTA and TG investigations of (M.K. Chaudhuri, A. Haas, M. Rosenberg, M. Velicescu, N. Welcman), (124)37
- Iron carbonyl complexes of 2,5-dihydrothiophene-1 oxide, preparation and properties of (J.H. Eekhof, H. Hogeveen, R.M. Kellogg, E.P. Schudde), (105)C35
- Iron carbonyl complexes of pentalene and dihydropentalene (D.F. Hunt, J.W. Russell), (104)373

- behaviour of (D. Ballivet, C. Billard, I. Tkatchenko), (124)C9
- Iron cationic complexes containing the η^2 -butatriene ligands (T.E. Bauch, H. Konowitz, W.P. Giering), (114)C15
- Iron(III) chloride, reactions with substituted acetylenes of (D. Cassagne, J. Braun), (125)C18
- Iron(II) complexes containing isocyanoborate ligands, preparation and investigation of (J. Emri, B. Györi, A. Bakos, G. Czira), (112)325
- Iron mono- and bi-nuclear cationic complexes of η^2 -cyclobutadiene, preparation and characterization of (A. Sanders, W.P. Giering), (104)49
- Iron nitroxide $[(CN)_5FeN^+(Ph)OH]^{3-}$ and related radicals, electron spin resonance studies of (M.C.R. Symons, D.X. West, J.G. Wilkinson), (102)213
- Iron-olefin complexes, enthalpies of thermal decomposition of and strengths of iron-olefin bonds in (D.L.S. Brown, J.A. Connor, M.L. Leung, M.I. Paz-Andrade, H.A. Skinner), (110)79
- Iron pentacarbonyl, photochemical and thermal reactions with dimethyldiacetylene of and spectral characterization of reaction complexes (F.R. Young III, D.H. O'Brien, R.C. Petterson, R.A. Levenson, D.L. von Minden), (114)157
- Iron- and nickel-substituted cyclobutadiene complexes of cobalt (K. Yasufuku, H. Yamazaki), (121)405
- Iron-sulphur cluster compound, $[(\eta-C_5H_5)_2-Fe_2S_2(SC_2H_5)_2]$, electrochemistry of and synthesis and properties of the oxidation products (G.J. Kubas, P.J. Vergamini, M.P. Eastman, K.B. Prater), (117)71
- Iron tricarbonyl complex of *syn*-7-methoxynorbornene, preparation of (P. Laszlo, A. Stockis), (117)C41
- Iron tricarbonyl complexes of organosulphur compounds, ESCA measurements on (J.H. Eekhof, H. Hogeveen, R.M. Kellogg, G.A. Sawatzky), (111)349
- Mercury(II) halide adducts with transition metal carbonyl derivatives, stability and bond strength in (D.P. Graddon, I.K. Gregor, L.A. Siddiqi), (102)321
- Metal carbonyls, electrochemical measurements as a probe for the investigation of the structure of (C.J. Pickett, D. Pletcher), (102)327
- pressure; carbonylation of halogenated derivatives (B. Loubinoux, B. Fixari, J.J. Brunet, P. Caubère), (105)C22
- Metal carbonyl halide adducts in reactions with Lewis acids (M. Pańkowski, M. Bigorgne, Y. Chauvin), (110)331
- Metallocenes, gel permeation chromatography of (R. Epton, S.R. Holding, G. Marr, J.V. McLaren, G.J. Morgan), (112)89
- Metallocenes of the first-row transition metal ions, MO study of ground and excited state properties of (D.R. Armstrong, R. Fortune, P.G. Perkins), (111)197
- Metallocenylcarbenium ions, ^{13}C NMR spectra and stabilisation mechanisms of (N.M. Loim, P.V. Petrovskii, V.I. Robas, A.N. Parnes, D.N. Kursanov), (117)265
- Metal-metal bonded species, formation via intramolecular rearrangement of (R.J. Haines, J.C. Burckett-St. Laurent, C.R. Nolte), (104)C27
- Metal-metal stretching frequencies, perturbation by interaction of Lewis acids with bridging carbonyls of (D.F. Shriver, S. Onaka, D. Strobe), (117)277
- (Methyl benzoate)cyclopentadienyliron cation, addition of hydride to (J.F. McGreer, W.E. Watts), (110)103
- β -(2- and 3-methylecymantrenoyl)- α,α' -dimethylpropionic acids, absolute configuration of (M. Le Plouzennec, R. Dabard), (112)333
- Methylferrocenes, mechanistic and energetic investigations of the oxidation of (G. Schmitt, S. Ozman, B. Hoffmann, J. Fleischhauer), (114)179
- Methyliron complexes with tertiary phosphine ligands, preparation and properties of and their decomposition pathways through the formation of carbenoid intermediates (T. Ikariya, A. Yamamoto), (118)65
- Methylsilylcyclopentadienyliron dicarbonyl derivatives, synthesis of (J.E. Bulkowski, N.D. Miro, D. Sepelak, C.H. Van Dyke), (101)267
- Monocarbonyl η^5 -cyclopentadienyl(η^3 -allyl)iron isomeric complexes, thermal and photochemical interconversions of (R.W. Fish, W.P. Giering, D. Marten, M. Rosenblum), (105)101
- α -Naphthylferrocenyl-fluorosilane and -fluorochlorosilane, synthesis and configuration of (R.J.P. Corriu, F. Larcher, G. Rovo), (102)C25

- Nitrosyltricarbonyliron and its reaction products with metal halides as catalysts for selective dimerisation of butadiene to 4-vinylcyclohexene (I. Tkatchenko), (124)C39
- Norbomadiene complexes with Group VIII metals, vibrational spectra of (I.A. Zakharova, Ya.V. Salyn, I.A. Garbouzova, V.T. Aleksanyan, M.A. Prianchnicova), (102)227
- Organosulphur compounds in reaction with metal atoms (T. Chivers, P.L. Timms), (118)C37
- Palladium(II) complexes of [(dimethylamino)methyl]ferrocene (J.C. Gaunt, B.L. Shaw), (102)511
- Palladium(II) derivatives containing a σ -bonded α -diimino group with transition metals, new class of bimetallic complexes (B. Crociani, M. Nicolini, R.L. Richards), (113)C22
- Pentacarbonyliron, photochemical reactions with methyl acrylate/1,3-diene mixtures of (F.-W. Grevels, U. Feldhoff, J. Leitich, C. Krüger), (118)79
- , reaction with dialkylamides of tin(II) and tin(IV), formation of mono- and dicarbene complexes (W. Petz, A. Jonas), (120)423
- Ph-As as a complex ligand, the structure of $\text{Fe}_3(\text{CO})_9(\text{Ph-As})_2$ (G. Huttner, G. Mohr, A. Frank, U. Schubert), (118)C73
- Phase-transfer catalysed *ortho*-metalation (H. Alper, D. Des Roches), (117)C44
- Phenylvinylidene-iron cationic complex, preparation of (J.M. Bellerby, M.J. Mays), (117)C21
- Phosphite addition to organometallic cations to give phosphonium adducts (G.R. John, L.A.P. Kane-Maguire), (120)C45
- σ - and π -silylallyl transition metal complexes, chemical and physical properties of (K.H. Pannell, M.F. Lappert, K. Stanley), (112)37
- Sodium η^5 -cyclopentadienyldicarbonylferrate and bromomethyldimethylchlorosilane, anomalous reaction between (C. Windus, S. Sujishi, W.P. Giering), (101)279
- Sodium η^5 -cyclopentadienyldicarbonylferrate and hydrido- η^5 -cyclopentadienyldicarbonyliron, metalation of 1,4-disubstituted 2-butyne by (T.E. Bauch, W.P. Giering), (114)165
- Tetracarbonylferracyclopent-3-ene-2,5-dione complexes, synthesis by dehalogenation in photoreactions of *o*-diiodobenzene and *cis*-2,3-dibromobut-2-ene with pentacarbonyliron (F.-W. Grevels, J. Buchkremer, E.A. Koerner von Gustorf), (111)235
- Tetracarbonyl(tri-*t*-butylphosphine)iron, crystal structure of (J. Pickardt, L. Rösch, H. Schumann), (107)241
- 1,1,3,3-Tetrakis(trifluoromethyl)allene, interaction with sodium derivatives of iron and rhenium carbonyl compounds of (A.N. Nesmeyanov, N.E. Kolobova, I.B. Zlotina, B.V. Lokshin, I.F. Leshcheva, G.K. Znobina, K.N. Anisimov), (110)339
- (2,3,4,5-Tetraphenyl-1-silacyclopentadiene)-iron tricarbonyls, preparation, reactions and stereochemistry at silicon of (H. Sakurai, J. Hayashi, T. Kobayashi), (110)303
- Tin(II) halides in reaction with bis(cyclopentadienyldicarbonyliron) and bis(cyclopentadienyldicarbonylmolybdenum) (J.D. Cotton, A.-M. Trewin), (117)C7
- Transition metal-acetyl complexes, boron hydride reduction of (J.A. van Doorn, C. Masters, H.C. Volger), (105)245
- Transition metal-dithionite complex, $(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_2\text{Fe-S(O)}_2\text{S(O)}_2\text{-Fe(CO)}_2(\eta^5\text{-C}_5\text{H}_5)$, synthesis of (N.H. Tennent, S.R. Su, C.A. Poffenberger, A. Wojcicki), (102)C46
- Transition metal-ethylene π -complexes, vibrational force constants in (D.C. Andrews, G. Davidson, D.A. Duce), (101)113
- Tri-*n*-butylphosphine addition to cycloheptadienyldicarbonylmetal tetrafluoroborate, mechanism of (G.R. John, L.A.P. Kane-Maguire, D.A. Sweigart), (120)C47
- Tricarbonylcycloheptatrieneiron, polymerization of (P. McArdle, H. Sherlock), (116)C23
- Tricarbonylcyclohexadieneiron complexes, reaction with cupric chloride (D.J. Thompson), (108)381
- Tricarbonyl(dienyl)iron cations, stereochemical leakage mechanisms for (J.W. Burrill, B.R. Bonazza, D.W. Garrett, C.P. Lillya), (104)C37
- Tricarbonylferracyclopentadienetricarbonyliron, crystal structure, ^1H NMR and mass spectra of (G. Dettlaf, E. Weiss),

- Tricarbonylferrole—iron tricarbonyl derivatives, dynamics and structure of (L.J. Todd, J.P. Hickey, J.R. Wilkinson, J.C. Huffman, K. Folting), (112)167
- Tricarbonyliron-diene complexes, synthesis of (N.S. Nametkin, V.D. Tyurine, A.I. Nekhaev, V.I. Ivanov, F.S. Bayaouova), (107)377
- [(Tricarbonyltriphenylstibinephenyliron)-diphenylstibine]tetracarbonyliron, synthesis and X-ray structure of (D.J. Cane, E.J. Forbes, T.A. Hamor), (117)C101
- Triiron undecacarbonyl ion, solution spectra of (J.R. Wilkinson, L.J. Todd), (118)199
- Trimethylenemethanetricarbonyliron complexes, hindered rotation in (E.S. Magyar, C.P. Lillya), (116)99
- Trimethyltin phosphines as ligands in transition metal carbonyl complexes, tin-119m Mössbauer spectra of (H. Schumann, W.-W. Du Mont, P.J. Corvan, J.J. Zuckerman), (121)321
- Tris(trifluoromethylmercapto)amine and bis(trifluoromethyl)diselenide, photo-induced reactions with dimanganese decacarbonyl and iron pentacarbonyl (M.K. Chaudhuri, A. Haas, A. Wensky), (116)323
- Lanthanides**
- Lanthanides and actinides; Annual Survey covering the year 1975 (T.J. Marks), (119)229
- Praseodymium tricyclopentadienide cyclohexylisonitrile adduct, molecular and crystal structure of (J.H. Burns, W.H. Baldwin), (120)361
- Lead**
- Chemical synthesis with metal atoms (J.R. Blackborow, C.R. Eady, E.A. Koerner von Gustorf, A. Scrivanti, O. Wolfbeis), (108)C32
- Cyclohexyltrimethyl-stannane and -plumbane, conformational equilibria and low temperature ¹³C NMR spectra of (W. Kitching, D. Doddrell, J.B. Grutzner), (107)C5
- Dimethylmetal (Sn, Pb, Tl) compounds in strong acids, PMR spectra of (Y. Kawasaki, M. Aritomi), (104)39
- Dimethyl-thallium, -tin and -lead compounds, preparation by anion exchange with thallium(I) salts (U. Knips, F. Huber), (107)9
- Group IVB metalloidal substituent effects studied by ¹³C NMR spectroscopy (M. Bullpitt, W. Kitching, W. Adcock, D. Doddrell), (116)161
- Hexamethyldilead, assignment of Pb to C nuclear spin-spin coupling constants in (W. McFarlane), (116)315
- , preparation, thermal decomposition and methanolysis of (D.P. Arnold, P.R. Wells), (111)269
- , reactions with metal salts and organomercurials of (D.P. Arnold, P.R. Wells), (113)311
- , reactions with trimethyllead and trimethyltin chlorides (D.P. Arnold, P.R. Wells), (111)285
- Hexamethylditin, reaction with trimethyllead chloride (D.P. Arnold, P.R. Wells), (108)345
- Lead; Annual Survey covering the year 1974 (J. Wolters), (109)363
- Lead(IV) and sulphur containing heterocyclic compounds (M. Wieber, U. Baudis), (125)199
- Lithium bis(ethylenedioxyboryl)methide, reactions with carbonyl compounds, and chlorotriphenyl derivatives of germanium, tin and lead of (D.S. Matteson, P.K. Jesthi), (110)25
- Metal-aryl bond cleavage with iodine monochloride and monobromide (S.N. Bhattacharya, P. Raj, R.C. Srivastava), (105)45
- Metallocenes and related species, Jahn-Teller effects in (C. Glidewell), (102)339
- Metallo-methyl interactions, ¹³C NMR study of conformational consequences of (W. Adcock, B.D. Gupta, W. Kitching, D. Doddrell), (102)297
- Methylethyllead alkyls, direct synthesis of (K. Jaworski, L. Wilkanowicz, A. Kunicki), (102)431
- Methyllead aromatic compounds, ¹³C FT-NMR spectroscopy of (D. de Vos), (104)193
- Organometallic derivatives of sugars (A.F. Hussain, R.C. Poller), (118)C11
- Trialkenylmetallithium compounds, in reaction with *cis*- and *trans*-crotyl chlorides and with 3-chloro-1-butene (E. Matarasso-Tchiroukhine, P. Cadiot), (121)155
- Trimethyl- and triphenyl-metal halides in

- reaction with crotylmagnesium bromide (E. Matarasso-Tchiroukhine, P. Cadiot), (121)169
- Triphenyllead pentacarbonylmanganese and tetracarbonylcobalt, ESR study by high energy radiation of anions derived from (O.P. Anderson, S.A. Fieldhouse, C.E. Forbes, M.C.R. Symons), (110)247
- Triphenylsiloxytriphenyllead(IV), disordered structure of (P.G. Harrison, T.J. King, J.A. Richards, R.C. Phillips), (116)307
- ### Lithium
- Acetyldi-*t*-butyl-silane and -fluorosilane, synthesis of functionalized acylsilanes (E.M. Dexheimer, L. Spialter), (107)229
- Alkali metal iminoborates, a new type of boronate complexes (H. Hoberg, V. Götz), (118)C3
- 9-Alkyl-10-lithio-9,10-dihydroanthracenes, stereochemistry of silylation of (H. Bouas-Laurent, M. Daney, R. Lapouyade, C. Lang, N. Platzer, J.-J. Basselier), (118)233
- Allyllithium ion pair, theoretical study of (A. Bongini, G. Cainelli, G. Cardillo, P. Palmieri, A. Umani-Ronchi), (110)1
- Allyl-zinc, -magnesium and -lithium compounds, behaviour towards conjugated enynes of and influence of the structure on reactivity and regioselectivity (D. Mesnard, L. Miginiac), (117)99
- , — (G. Courtois, L. Miginiac), (117)201
- Aryl-*N*- and -*O*-trimethylsilyl substituents, reactivity towards organolithium compounds of (I. Arai, K.-H. Park, G.D. Daves, Jr.), (121)25
- Benzyl- and phenyl-lithium, intramolecular 1,3- and 1,4-proton shifts as secondary reactions in decomposition of THF by (A. Maercker, J. Troesch), (102)C1
- Bis(dimethyl ether) pentadienyllithium, effect of methyl substitution on the electronic structure of (J.F. Sebastian, B. Hsu, J.R. Grunwell), (105)1
- Bis(pentafluorophenyl)-platinum(II) and -platinum(IV) complexes, preparation and oxidative addition of (R. Usón, J. Fornies, P. Espinet), (116)353
- Bis(trimethylsilyl)bromomethylithium, reactions with dimethyldihalo-silicon, -germanium and -tin derivatives of (D. Seyferth, J.L. Lefferts), (116)257
- 1-Bromo-1-ethylenedioxyboryl-2-phenyl-ethane and 1,2-bis(ethylenedioxyboryl)-1-phenylethane, synthesis of (D.S. Matteson, P.K. Jesthi), (114)1
- Carbanions α to silicon and carbonyl compounds in the synthesis of alkenes, stereoselective conversion of RCHO into *E*-RCH=CHCH₂Cl (T.H. Chan, W. Mychajlowski, B.S. Ong, D.N. Harpp), (107)C1
- CH₂Li₂, ab initio calculations on (E.W. Nilssen, A. Skancke), (116)251
- Dichloromethaneboronic acid esters, preparation and reactions of (M.W. Rathke, E. Chao, G. Wu), (122)145
- 1,1-Dilithio derivatives of alkyl phenyl sulphones and *N,N*-dimethyl methane-sulphonamide, synthesis and reactivity of (A. Bongini, D. Savoia, A. Umani-Ronchi), (112)1
- 3,3-Dimethylbenzo[*d*]-1,3-azasilolines, 1-substituted, synthesis and reactions of (T. Aoyama, Y. Sato, H. Shirai), (118)1
- Disilacyclopropane in solution, evidence for the generation of (D. Seyferth, D.P. Duncan), (111)C21
- 1,2-Epoxyalkyllithium reagents, stereospecific preparation via generalized lithiation of α -hetero-substituted epoxides (J.J. Eisch, J.E. Galle), (121)C10
- Hydrocarbons, silylation of mono- and di-substituted monoaromatic (M. Laguerre, J. Dunoguès, R. Calas, N. Duffaut), (112)49
- Imino- and enamino-tin compounds, preparation of (B. De Jeso, J.-C. Pommier), (122)C1
- Lithiated tolunitriles, preparation and reactions of (E.M. Kaiser, J.D. Petty), (107)219
- Lithiation of haloheptenes via vinylic radicals (C. Georgoulis, J. Meyet, W. Smadja), (121)271
- Lithio analogues of Reformatsky reagents, preparation from α,α -dichloro and α,α -disubstituted mono-halo esters of (J. Villieras, P. Perriot, M. Bourgain, J.-F. Normant), (102)129
- Lithio and dilithio salts of 2,3-dimethylquinoxaline (E.M. Kaiser, J.D. Petty), (108)139
- α -Lithio-sulphoxides and α -sulphones, ¹³C NMR study of; structure of sulphur-stabilized carbanions (R. Lett, G. Chassaing, A. Marquet), (111)C17

- Lithium alkylamides and lithium dialkylamides, interaction with tetraphenylphosphonium chloride of (N.A. Nesmeyanov, O.A. Rebrova, V.V. Mikul'shina, P.V. Petrovsky, V.I. Robas, O.A. Reutov), (110)49
- Lithium bis(ethylenedioxyboryl)methide, reactions with carbonyl compounds, and chlorotriphenyl derivatives of germanium, tin and lead of (D.S. Matteson, P.K. Jesthi), (110)25
- Lithium dialkylamides, reactions with epoxides and synthesis of 2-amino- and 2-hydroxy-tetrahydrofurans from (J.-F. Le Borgne), (122)139
- , synthesis of ω -halogenated aldehydes and dialdehydes from (J.-F. Le Borgne), (122)123
- , synthesis of halovinyl aldehydes and cyclopentenones from (J.-F. Le Borgne), (122)129
- Lithium enolates of ketones (F. Gaudemar-Bardone, M. Gaudemar), (104)281
- Magnesium and lithium cuprates, influence of ligands on addition processes to (C. Jallabert, H. Rivière, P.W. Tang), (104)1
- Main Group element cyclopentadienyl derivatives, ^{13}C chemical shifts and C—H coupling constants of (P. Fischer, J. Stadelhofer, J. Weidlein), (116)65
- Metalation—silylation and kinetic studies of arylmethylacetylenes (J.Y. Becker), (118)247
- Nitromethanemetal derivatives, C—H stretching vibrations and structures of (L.A. Leites, A.P. Kurbakova, L.M. Golubinskaya, V.I. Bregadze), (122)1
- Organolithium compounds, coupling reactions of iodoalkenes to dienes in the presence of manganese(II) salts as catalysts with (G. Cahiez, D. Bernard, J.F. Normant), (113)99
- Organolithium compounds, reactions with ketones, aldehydes and esters, comparison of the reduction ratios with similar reactions of Grignard reagents (F. Huet, G. Emptoz), (101)139
- Organomagnesium compounds in reduction reactions of vinyl and aryl halides in the presence of manganous halides (G. Cahiez, D. Bernard, J.F. Normant), (113)107
- Organosilylphosphines, simplified synthesis of (R. Appel, K. Geisler), (112)61
- Palladation and lithiation of 1-dimethylaminomethylnaphthalene (M. Julia, M. Duteil, J.Y. Lallemand), (102)239
- Pentacarbonyl- π -olefintungsten(0) complexes prepared by the reaction of pentacarbonyl[methoxy(phenyl)carbene]tungsten(0) with alkyl lithium (E.O. Fischer, W. Held), (112)C59
- Phenylacetylene adducts with alkali metals (I.M. Panayotov, M.V. Bozilova), (105)281
- Phenyllithium hexachlorotungsten in arylation reactions of ethers and amines (J. Levisalles, H. Rudler, D. Villemin), (122)C15
- Polymeric organophosphorus ligands for catalyst attachment, preparation of (R.H. Grubbs, S.-C.H. Su), (122)151
- Sulphurdiimine complexes of lithium, magnesium, copper(I), silver(I) and rhodium(I), *S,N,N'*-substituted (J. Kuyper, P.C. Keijzer, K. Vrieze), (116)1
- Tetrakis(trimethylsilyl)lithiumalanate, preparation of (L. Rösch), (121)C15
- Transition metal carbene complexes in the synthesis of α -methylene- γ -butyrolactone (C.P. Casey, W.R. Brunsvold), (102)175
- Trialkenylmetallithium compounds, in reaction with *cis*- and *trans*-crotyl chlorides and with 3-chloro-1-butene (E. Matarasso-Tchiroukhine, P. Cadiot), (121)155
- Trialkylsilylaldimines, preparation of (H. Hoberg, V. Götz, A. Milchereit), (118)C6
- Tri-*t*-butylsilane, synthesis, physical properties, derivatives and reactivity towards ozonolysis, chlorination, fluorination and hydrolysis (E.M. Dexheimer, L. Spialter, L.D. Smithson), (102)21
- Tributylstannyllithium in reaction with aromatic halides (J.-P. Quintard, S. Hauvette, M. Pereyre), (112)C11
- Trimethylchlorosilane—lithium—aliphatic ketone mixture, reaction in 1,3-dimethyl-2-imidazolidinone of (H. Sakurai, F. Kondo), (117)149
- β -Triorganosilylethylammonium ylides, anionic rearrangement of organosilyl groups from carbon to carbon in (Y. Sato, Y. Ban, H. Shirai), (113)115
- Tris(polychlorophenyl)thallium(III) compounds, preparation and reactions of (S. Numata, H. Kurosawa, R. Okawara), (102)259

Magnesium

- Alkyl- and aryl-palladium complexes, preparation and properties of (G.K. Turner, H. Felkin), (121)C29
- Allylic organomagnesium halides, reaction with 1,3-benzoxathiole and 1,3-benzodioxole of (S. Cabiddu, E. Marongiu, S. Melis, F. Sotgiu), (116)275
- Allylmagnesium naphtholates prepared by cleavage reactions of allyl ethers of α - and β -naphthol (A. Maercker, H.-J. Jaroschek), (108)145
- Allyl-zinc, -magnesium and -lithium compounds, behaviour towards conjugated enynes of and influence of the structure on reactivity and regioselectivity (D. Mesnard, L. Miginiac), (117)99
- , — (G. Courtois, L. Miginiac), (117)201
- Carbon dioxide insertion into metal—nitrogen bonds formed in reactions with molecular nitrogen (P. Sobota, B. Jezowska-Trzebiatowska, Z. Janas), (118)253
- π -Cyclooctatetraenyl and π -cyclopentadienyl complexes of cerium (A. Greco, S. Cesca, G. Bertolini), (113)321
- α -Cymantrenylcarbenium ions, PMR and electronic spectra of (N.M. Loim, L.A. Malutschenko, Z.N. Parnes, D.N. Kursanov), (108)363
- Diethylmagnesium, in diethyl ethereal solution, Raman spectra and thermodynamics of the monomeric—dimeric equilibrium (J. Kress), (111)1
- , infrared and Raman spectra of (J. Kress, A. Novak), (121)7
- β -Ethylenic bromides in reactions with magnesium in ether, formation of normal and rearranged Grignard reagents (F. Gérard, P. Miginiac), (111)17
- Grignard reagents in reactions with propargylic ethers with copper(I) bromide as catalyst giving allenic hydrocarbons (J.-L. Moreau, M. Gaudemar), (108)159
- Iodo(phenyl)bis(triphenylphosphine)-palladium(II) as catalysts in the cross-coupling of aryl halides with Grignard reagents (A. Sekiya, N. Ishikawa), (118)349
- Magnesium; Annual Survey covering the year 1974 (C. Blomberg), (106)1
- Magnesium, cleavage reactions of thioethers with (A. Maercker, H.-J. Jaroschek), (116)21
- Magnesium and lithium cuprates, influence of ligands on addition processes to (C. Jallabert, H. Rivière, P.W. Tang), (104)1
- Magnesium-butadiene addition compounds; isolation, structural analysis and chemical reactivity of (K. Fujita, Y. Ohnuma, H. Yasuda, H. Tani), (113)201
- 2-Norbornylmagnesium bromide, stereochemistry of the reaction with form-aldehyde of (D.E. Bergbreiter, O.M. Reichert), (125)115
- Organolithium compounds in reactions with ketones, aldehydes and esters, comparison of the reduction ratios with similar reactions of Grignard reagents (F. Huet, G. Emptoz), (101)139
- Organomagnesium chiral aromatic halides, reduction reactions with benzylidene-malononitriles with (D. Cabaret, J. Capillon, J.P. Guette), (113)215
- Organometallic benzyl compounds, direct and retro fragmentations in; aromatisational metallation (V.A. Nikanorov, V.I. Rozenberg, R.I. Gorbacheva, Yu.G. Bundel', O.A. Reutov), (101)259
- Palladium metal-catalysed cross-coupling of aryl iodides with arylmagnesium bromides; synthesis of fluorobiphenyls (A. Sekiya, N. Ishikawa), (125)281
- Perfluoroalkynylmagnesium halides, unexpected reactions of (G. Santini, M. Le Blanc, J.G. Riess), (102)C21
- 2-Phenylallylmagnesium phenoxide, catalysis of cycloaddition to *trans*-stilbene by macrocyclic complexing agents and hexamethylphosphoramide of (G.F. Luteri, W.T. Ford), (105)139
- Schiff bases metallated by organometallic compounds, acylation by Ac_2O of (J. Thomas), (101)249
- σ - and π -silylallyl transition metal complexes, chemical and physical properties of (K.H. Pannell, M.F. Lappert, K. Stanley), (112)37
- Sulphurdiimine complexes of lithium, magnesium, copper(I), silver(I) and rhodium(I), *S,N,N'*-substituted (J. Kuyper, P.C. Keijzer, K. Vrieze), (116)1
- μ -(Tetraphenyl diphosphine)decacarbonyl-dimolybdenum, synthesis of (C.M. Bartish, C.S. Kraihanzel), (112)C31
- Trimethyl- and triphenyl-metal halides in reaction with crotylmagnesium bromide (E. Matarasso-Tchiroukhine, P. Cadiot),

Vinylorganomagnesium compounds in reaction with *N*-benzyl-*N*-ethyl-3-amino-2-methyl-1-bromo-1-propene and with *trans*-*N*-benzyl-*N*-ethyl-1-bromo-1-propene, stereochemistry of (J.C. Madelmont, P. Caubère), (116)15

Manganese

- O*-Alkylxanthocarbonyl-manganese(I) and -rhenium(I) complexes, preparation and properties of (H. Laufen, B. Meyn, K.G. Steinhäuser, D. Vogel, R. Kramolowsky), (112)C34
- Aryl isocyanide—carbonylmanganese complexes, facile halide replacement in (P.M. Treichel, H.J. Mueh), (122)229
- Bis(η^5 -cyclopentadienyl)metal complexes, Raman spectra of (V.T. Aleksanyan, B.V. Lokshin, G.K. Borisov, G.G. Devyatykh, A.S. Smirnov, R.V. Nazarova, J.A. Koningstein, B.F. Gächter), (124)293
- Bis(triphenylphosphine)nickel complexes, reactivity towards carbonylmetallate anions of (P. Braunstein, J. Dehand, B. Munchenbach), (124)71
- Bridging and semi-bridging carbonyl groups, nature of (D.A. Brown, N.J. Fitzpatrick, A.R. Manning), (102)C29
- Carbonyl fluorides of manganese (M.K. Chaudhuri, M.M. Kaschani, D. Winkler), (113)387
- Carbonylmetallate monoanions, interactions with quaternary alkyl- and arylonium ions (J.F. Ellis), (111)331
- Chemical synthesis with metal atoms (J.R. Blackborow, C.R. Eady, E.A. Koerner von Gustorf, A. Scrivanti, O. Wolfbeis), (108)C32
- (+)₅₇₉- and (-)₅₇₉-C₅H₅Mn(COC₆H₅)(NO)P-(*p*-C₆H₄Y)₃, influence of substituents on the racemisation of (H. Brunner, J.A. Aclasis), (104)347
- C₅H₅Mn(CO)₂L and C₅H₅Cr(CO)(NO)L complexes, rotation of olefinic ligands L in (L = maleic acid dimethyl ester or fumaric acid dimethyl ester) (H. Alt, M. Herberhold, C.G. Kreiter, H. Strack), (102)491
- η^5 -C₅H₅Mn(CO)₂N₂ and η^5 -C₅H₅Mn(CO)₂-NH₃, He(I) photoelectron spectra and valence electronic structure of (D.J. Lichtenberger, D. Sellmann, R.F. Fenske), (117)253
- (η^5 -Cyclopentadienyldicarbonylmanganese)-(phenylmethylene)carbomethaneiron tricarbonyl, formation and X-ray structure of (V.G. Andrianov, Yu.T. Struchkov, N.E. Kolobova, A.B. Antonova, N.S. Obezyuk), (122)C33
- Cyclopentadienylmanganese dicarbonyl olefins (M. Herberhold, G.O. Wiedersatz, C.G. Kreiter), (104)209
- Cyclopentadienylmetal carbonyl reduction in hexamethylphosphoramide (J.E. Ellis, R.A. Faltynek, S.G. Hentges), (120)389
- π -Cyclopentadienylrhenium dicarbonyl triphenylphosphine, hydrogen isotopic exchange and protonation of (N.I. Pyshnograyeva, V.N. Setkina, G.A. Panosyan, P.V. Petrovskii, Yu.V. Makarov, N.E. Kolobova, D.N. Kursanov), (108)85
- Cyclopentadienyltricarboxylmanganese, stereoselectivity of reactions of chiral ketones of (M. Le Plouzennec, F. Le Moigne, R. Dabard), (111)C38
- π -Cyclopentadienyltricarboxyl-manganese and -rhenium, and their derivatives, electrochemical oxidation of (L.I. Denisovich, N.V. Zakurin, S.P. Gubin, A.G. Ginzburg), (101)C43
- Cyclopentadienyl- and arenecarbonyl-transition metal complexes, IR study of reactions of aluminium chloride with (B.V. Lokshin, E.B. Rusach, Z.P. Valueva, A.G. Ginzburg, N.E. Kolobova), (102)535
- Cyclopentadienyltungsten carbonyl amine complexes and synthesis of W—Mn bonded compounds (S.C. Tripathi, S.C. Srivastava, D.N. Pathak), (110)73
- Cymantrene, substitution forming optically active derivatives which are chiral at manganese of (F. Le Moigne, R. Dabard, M. Le Plouzennec), (122)365
- α -Cymantrenyl carbenium ions, PMR and electronic spectra of (N.M. Loim, L.A. Malutschenko, Z.N. Parnes, D.N. Kursanov), (108)363
- Cymantrenyl carbenium ions containing one phosphine ligand, synthesis and NMR spectra of (A.G. Ginzburg, V.N. Setkina, P.V. Petrovskii, Sh.G. Kasumov, G.A. Panosyan, D.N. Kursanov), (121)381
- Decacarbonyldimanganese, ESR spectrum during photolysis of (A. Hudson, M.F. Lappert, J.J. Macquitty, B.K. Nicholson, H. Zainal, G.R. Luckhurst, C. Zannoni, S.W. Bratt, M.C.R. Symons), (110)C5

- Dicarbonyltetrakis(dimethoxyphenylphosphine)manganese(I) hexafluorophosphate, crystal and molecular structure of two isomers of (G.J. Kruger, R.O. Heckrodt, R.H. Reimann, E. Singleton), (111)225
- Dimanganese decacarbonyl, photochemistry of (J.L. Hughey, IV, C.P. Anderson, T.J. Meyer), (125)C49
- , photolysis of (A.S. Huffadine, B.M. Peake, B.H. Robinson, J. Simpson, P.A. Dawson), (121)391
- Dimanganese and dirhenium decacarbonyls, thermodynamics of (R.G. Behrens), (121)C63
- Dimethylphosphane sulphides, isomerisation on carbonylmanganese systems of (E. Lindner, H. Dreher), (104)331
- Diorganylphosphane chalcogenides, isomerization on manganese and rhenium carbonyl complexes (E. Lindner, B. Schilling), (114)C23
- (Et₄N)[Mn₂(CO)₆(μ-Cl)₃], photochemical synthesis of (J.L. Cihonski, M.L. Walker, R.A. Levenson), (102)335
- Ferrocenyl- and cymantrenyl-boranes, preparation and properties of (T. Renk, W. Ruf, W. Siebert), (120)1
- Germanes, exchange of metal carbonyl moieties on (R.F. Gerlach, B.W.L. Graham, K.M. Mackay), (118)C23
- Main Group element cyclopentadienyl derivatives, ¹³C chemical shifts and C—H coupling constants of (P. Fischer, J. Stadelhofer, J. Weidlein), (116)65
- Manganese, technetium and rhenium; Annual Survey covering the year 1974 (P.M. Treichel), (115)177
- Manganese complexes with cyclopentadienyl-sulphonium and -phosphonium ligands (A.N. Nesmeyanov, N.E. Kolobova, V.I. Zdanovitch, A.Zh. Zhakaeva), (107)319
- Manganese complexes with phenylvinylidene as a ligand (A.N. Nesmeyanov, G.G. Aleksandrov, A.B. Antonova, K.N. Anisimov, N.E. Kolobova, Yu.T. Struchkov), (110)C36
- Manganese and molybdenum carbene complexes containing the trichlorogermyl group, synthesis of (W.K. Dean, W.A.G. Graham), (120)73
- Manganese and rhenium halopentacarbonyls in reactions with 1,2-dicyanobenzene (J.G. Dunn, D.A. Edwards), (102)199
- Manganese pentacarbonyl anion in reaction with thiobenzophenones (H. Alper, H.-N. Paik), (121)225
- Metal carbonyls, electrochemical measurements as a probe for the investigation of the structure of (C.J. Pickett, D. Fletcher), (102)327
- Metal carbonyl heterocyclic six-membered compounds with phosphorus—chalcogen bonds (E. Lindner, B. Schilling), (117)C93
- Metallocenes of the first-row transition metal ions, MO study of ground and excited state properties of (D.R. Armstrong, R. Fortune, P.G. Perkins), (111)197
- Metallocenylcarbenium ions, ¹³C NMR spectra and stabilisation mechanisms of (N.M. Loim, P.V. Petrovskii, V.I. Robas, Z.N. Parnes, D.N. Kursanov), (117)265
- (π-Methyl benzoate)(triphenylphosphine)chromium dicarbonyl, crystal and molecular structure of (V.G. Andrianov, Yu.T. Struchkov, N.K. Baranetzskaya, V.N. Setkina, D.N. Kursanov), (101)209
- Methyl cymantrene, sulphonation of (C. Sergheraert, P. Marcincal, E. Cuingnet), (120)329
- Methylmanganese pentacarbonyl in reaction with chelating ditertiary phosphine and arsine ligands, steric effects (C.S. Kraihanzel, P.K. Maples), (117)159
- Mn₂(CO)₁₀ in solution, ESR spectrum of manganese species in the photolysis of (C.L. Kwan, J.K. Kochi), (101)C9
- [Mn(CO)_{5-n}(CNMe)_n]⁺ (n = 3,4) isomeric complexes, specific synthesis and electrochemistry of (P.M. Treichel, H.J. Mueh, B.E. Bursten), (119)C49
- cis-Mn(CO)₄LBr (L = PPh₃, AsPh₃, SbPh₃), C¹⁸O-substituted, vibrational spectra of (I.S. Butler, H.K. Spendjian), (101)97
- Mn₂(CO)₅(Ph₂PCH₂PPh₂)₂, kinetic characteristics of the four-electron bridging carbonyl group in (K.G. Caulton, P. Adair), (114)C11
- MnRe(CO)₁₀, kinetics of electrochemical reduction of (M. Diot, J. Bousquet, P. Lemoine, M. Gross), (112)79
- , phase transition in the solid phase of (P. Lemoine, M. Gross, M. Diot, J. Bousquet), (104)221
- Organolithium compounds in coupling reactions of iodoalkenes to dienes in the presence of manganese(II) salts as catalysts (G. Cahiez, D. Bernard, J.F. Normant), (113)99

- Organomagnesium compounds in reduction reactions of vinyl and aryl halides in the presence of manganous halides (G. Cahiez, D. Bernard, J.F. Normant), (113)107
- Pentacarbonyl-manganese(-I) and -rhenium(-I), reactions with metal carbonyl halide derivatives of (D.L. Morse, M.S. Wrighton), (125)71
- Pentacarbonylmanganese anion, reaction with diphenylcyclopropenethione, ring cleavage, alkylation and reduction in (H. Alper, H.-N. Paik), (122)C31
- Phosphine, phosphite, arsine and stibine ligands and their $\text{LNi}(\text{CO})_3$, $\text{LCr}(\text{CO})_5$ and $\eta\text{-C}_5\text{H}_5\text{Mn}(\text{CO})_2\text{L}$ complexes, ^{13}C NMR study of (G.M. Bodner, M. Gaul), (101)63
- Polyfluoroallyl-transition σ -bonded metal complexes, rearrangements of (H. Goldwhite, R.A. Wright), (122)63
- $(+)^{578}\text{-RC}_5\text{H}_4\text{Mn}(\text{NO})(\text{COC}_6\text{H}_5)\text{PR}_3$, stereochemistry of phosphine exchange in (H. Brunner, W. Steger), (120)239
- σ - and π -silylallyl transition metal complexes, chemical and physical properties of (K.H. Pannell, M.F. Lappert, K. Stanley), (112)37
- Six-membered ring system with alternating Mn-S-P bonds, preparation and properties of (E. Lindner, H. Dreher), (105)85
- Sulphonium cations, coordination behaviour of (R.D. Adams, D.F. Chodosh), (120)C39
- Thioamide-manganese, -molybdenum and -rhodium complexes, formation from organo-silicon and -tin intermediates of (E.W. Abel, I.D.H. Towle), (122)253
- Tri-*n*-butylphosphine addition to cycloheptadienyltricarbonylmetaltetrafluoroborate, mechanism of (G.R. John, L.A.P. Kane-Maguire, D.A. Sweigart), (120)C47
- Trimethyltin phosphines as ligands in transition metal carbonyl complexes, tin-119m Mössbauer spectra of (H. Schumann, W.-W. Du Mont, P.J. Corvan, J.J. Zuckerman), (121)321
- Triphenyllead pentacarbonylmanganese and tetracarbonylcobalt, ESR study by high energy radiation of anions derived from (O.P. Anderson, S.A. Fieldhouse, C.E. Forbes, M.C.R. Symons), (110)247
- Triphenylsilicon- and triphenyltin-pentacarbonylmanganese, reactions of halogens with (J.R. Chipperfield, J. Ford, D.E. Webster), (102)417
- Tris(trifluoromethylmercapto)amine and bis(trifluoromethyl)diselenide, photo-induced reactions with dimanganese decacarbonyl and iron pentacarbonyl (M.K. Chaudhuri, A. Haas, A. Wensky), (116)323

Mercury

- Arylmercury halides, reactions with Lewis bases (D.P. Graddon, J. Mondal), (107)1
- Bis(pentafluorophenyl)ytterbium, a transmetallation synthesis of a σ -bonded lanthanide organometallic compound (G.B. Deacon, D.G. Vince), (112)C1
- Bis(trimethylsilyl)mercury, structure of (P. Bleckmann, M. Soliman, K. Reuter, W.P. Neumann), (108)C18
- 1-Bromo-1-ethylenedioxyboryl-2-phenylethane and 1,2-bis(ethylenedioxyboryl)-1-phenylethane, synthesis of (D.S. Matteson, P.K. Jesthi), (114)1
- Cyclohexyl- and β -phenylethyl(trihalomethyl)mercury compounds as dihalocarbene precursors at room temperature (D. Seyferth, C.K. Haas, D. Dagani), (104)9
- Cyclopentadienylmetal η^1 -bonded compounds, Diels-Alder reactions of (A.R.L. Bursics, M. Murray, F.G.A. Stone), (111)31
- Dialkylmercury, initiation processes in homolytic cleavage of and spontaneous reaction of di-*t*-butylmercury in CCl_4 (W.A. Nugent, J.K. Kochi), (125)121
- , reductive elimination in carbon tetrachloride of (W.A. Nugent, J.K. Kochi), (124)327
- , substitution processes in the homolytic cleavage of and formation of alkylmercury(II) derivatives from (W.A. Nugent, J.K. Kochi), (124)349
- Di-*p*-anisylthallium chloride interaction with mercury in pyridine, ethylenediamine and dimethyl sulphoxide; prevailing role of homogeneous reaction (K.P. Butin, I.F. Gunkin, R. Petri, I.P. Beletskaya, O.A. Reutov), (114)239
- Di-*t*-butylmercury, spontaneous reaction in carbon tetrachloride of (W.A. Nugent, J.K. Kochi), (124)371
- Dimethyl- and diphenylmercury in reaction with dihalobis(isocyanide)-palladium(II) complexes (B. Crociani, M. Nicolini, R.L. Richards), (104)259

- Hexamethyldilead, reactions with metal salts and organomercurials of (D.P. Arnold, P.R. Wells), (113)311
- Isopropylidene carbene, generation of by the organomercury route (D. Seyferth, D. Dagani), (104)145
- Mercuration of *ortho*- and *meta*-carboranes (V.I. Bregadze, V.Ts. Kampel, N.N. Godovikov), (112)249
- ortho*-Mercuration of 2-methylazobenzene, kinetic study of (P.V. Roling, R.A. Pickering), (122)289
- Mercuration of 1-methylene-2,4-cyclohexadiene, tautomeric intermediates in reactions of organometallic benzyl compounds with acids (V.I. Rozenberg, V.A. Nikanorov, V.I. Salikova, Yu.G. Bundel', O.A. Reutov), (102)7
- ortho*-Mercuration reactions of azobenzene and *ortho*-substituted azobenzenes (P.V. Roling, D.D. Kirt, J.L. Dill, S. Hall, C. Hollstrom), (116)39
- Mercury, sulphur, selenium, tellurium, arsenic and antimony heterocyclic compounds, synthesis of (C.M. Woodard, G. Hughes, A.G. Massey), (112)9
- Mercury-sensitized photolysis of pentamethyldisilane and *sym*-tetramethyldisilane (I.N. Jung, W.P. Weber), (114)257
- Mercury(II) halide adducts with transition metal carbonyl derivatives, stability and bond strength in (D.F. Graddon, I.K. Gregor, L.A. Siddiqi), (102)321
- Metal-alkene compounds, ¹³C NMR investigation of (M.J. Albright, J.N. St. Denis, J.P. Oliver), (125)1
- Metallo-methyl interactions, ¹³C NMR study of conformational consequences of (W. Adcock, B.D. Gupta, W. Kitching, D. Doddrell), (102)297
- Nitrosyltricarboxyliron and its reaction products with metal halides as catalysts for selective dimerisation of butadiene to 4-vinylcyclohexene (I. Tkatchenko), (124)C39
- Organomercurials in reaction with zero-valent platinum complexes, synthesis of stable compounds with Pt—Hg σ -bonds (V.I. Sokolov, V.V. Bashilov, O.A. Reutov), (111)C13
- Organomercuric compound derived from isocyanides and mercuric acetate (H. Sawai, T. Takizawa, Y. Iitaka), (120)161
- Organometallic benzyl compounds, direct and retro fragmentations in; aromatisational metallation (V.A. Nikanorov, V.I. Rozenberg, R.I. Gorbacheva, Yu.G. Bundel', O.A. Reutov), (101)259
- , treated with acids, mechanism of isotope enrichment of the aromatic ring in (V.A. Nikanorov, V.I. Rozenberg, M. Abazeed, Yu.G. Bundel', O.A. Reutov), (108)325
- Organometallic complexes, stereochemistry of the cleavage with copper(II) of (R.A. Budnik, J.K. Kochi), (116)C3
- Organosilylmercurials, mass spectral study of (A.K. Hovland, T.F. Schaaf, J.P. Oliver), (120)171
- Palladium(II), platinum(II) and mercury(II) complexes of ambidentate phosphonium, arsonium, sulphonium and pyridinium ylides (E.T. Weleski, Jr., J.L. Silver, M.D. Jansson, J.L. Burmeister), (102)365
- Primary alkylboranes, electrophilic substitution of (D.E. Bergbreiter, D.P. Rainville), (121)19
- Stannyl- and germyl-mercuric derivatives of platinum and palladium, synthesis of (V.I. Sokolov, V.V. Bashilov, O.A. Reutov, M.N. Bochkarev, L.P. Mayorova, G.A. Razuvaev), (112)C47
- Triazenido compounds with metal—mercury bonds (P.I. van Vliet, J. Kuyper, K. Vrieze), (122)99

Metalloenes

- Acylferrocenes, ¹H and ¹³C DNMR study of the internal rotation of acyl groups in (J. Sandström, J. Seita), (108)371
- , protonation with SbF₅—FSO₃H in SO₂ ClF solution (P. Rimmelin, J. Sommer, J. Sandström, J. Seita), (114)175
- Alkylated nickelocene, cobaltocene, chromocene and vanadocene, ¹³C and ¹H NMR spectra and preparation of (F.H. Köhler), (110)235
- μ -Allylbis(η -cyclopentadienyldicarbonyliron) cations, hindered rotation and structure in (R.C. Kerber, W.P. Giering, T. Bauch, P. Waterman, E-H. Chou), (120)C31
- π -Arene- π -cyclopentadienyliiron cations from some substituted naphthalenes (R.G. Sutherland, S.C. Chen, W.J. Pannekoek, C.C. Lee), (117)61
- Bridged ferrocene derivatives, Mössbauer study of (A.G. Nagy, I. Dészi,

- M. Hillman), (117)55
 $[\text{C}_5\text{H}_4(\text{CH}_2)_3\text{C}_5\text{H}_4]\text{Ti}(\text{C}_5\text{H}_5)_2$, synthesis and interconversion of (A. Dormond, Ou-Khan, J. Tirouflet), (110)321
 $(\text{C}_5\text{H}_5)_2\text{Zr}(\text{CO})_2$ and $(\text{C}_5\text{H}_5)_2\text{Hf}(\text{CO})_2$, first carbonyl derivatives of zirconocene and hafnocene (J.L. Thomas, K.T. Brown), (111)297
 Cobalticinium salts, spectroscopic and polarographic properties of (N. El Murr), (112)189
 —, synthesis of homo- and hetero-disubstituted derivatives (N. El Murr), (112)177
 Cobaltocenes, anomalies in PMR spectra of (F.H. Köhler), (121)C61
 Cobaltocene and chromocene, magnetic susceptibilities of (K.R. Gordon, K.D. Warren), (117)C27
 Cycloheptatrienylcyclopentadienyl-titanium, derivatives of (H.T. Verkouw, M.E.E. Veldman, C.J. Groenenboom, H.O. van Oven, H.J. de Liefde Meijer), (102)49
 $[(h^5\text{-Cyclohexadienyl})(h^5\text{-cyclopentadienyl})\text{iron}]\text{alkylium}$ ions, hydride-transfer reactions of (M.M. Khan, W.E. Watts), (108)C11
 η^5 -Cyclopentadienide ligands in selected systems, photoexchange of (E. Vitz, C.H. Brubaker, Jr.), (104)C33
 $(\pi\text{-Cyclopentadienyl})(\pi\text{-cyclobutadiene})\text{-cobalt}$, crystal and molecular structure of (P.E. Riley, R.E. Davis), (113)157
 $1-(\eta^5\text{-Cyclopentadienyl})\text{-1-triphenylphosphine-2,3,4,5-tetrakis(pentafluorophenyl)rhodole}$, synthesis and molecular structure of (R.G. Gastinger, M.D. Rausch, D.A. Sullivan, G.J. Palenik), (117)355
 $1'',3''\text{-Cyclopentylene-1,1'}$ -ferrocenophane, crystal and molecular structure of (P. Batail, D. Grandjean, D. Astruc, R. Dabard), (102)79
 Cymantrenyl carbenium ions containing one phosphine ligand, synthesis and NMR spectra of (A.G. Ginzburg, V.N. Setkina, P.V. Petrovskii, Sh.G. Kasumov, G.A. Panosyan, D.N. Kursanov), (121)381
 Dialkyl titanocenes, photo-catalysed reaction of sulphur with (E. Samuel, C. Giannotti), (113)C17
 Dicyclopentadienylcobalt, dynamic Jahn-Teller effect and average structure of, studies by gas phase electron diffraction (A. Almenningen, E. Gard, A. Haaland, J. Brunvoll), (107)273
 Dicyclopentadienyltitanium(III) aryloxy derivatives, preparation, physical properties and reaction products with CCl_4 and $(\text{SR})_2$ of (A. Dormond, T. Kolavudh), (125)63
 Di- η^5 -cyclopentadienyltitanium dichloride, photochemical reactions of (E. Vitz, P.J. Wagner, C.H. Brubaker, Jr.), (107)301
 Di- π -cyclopentadienyl-vanadium(IV) and -titanium(IV) pentasulphides, synthesis and characterization of; influence of an unpaired electron on the molecular geometry (E.G. Muller, J.L. Petersen, L.F. Dahl), (111)91
syn-Dicyclopentyl-1'',3''-ene (1,1')(3,3')-ferrocenophane, crystal and molecular structure of (P. Batail, D. Grandjean, D. Astruc, R. Dabard), (110)91
 Dimethyl-titanocene, -zirconocene and -hafnocene, automated degradation studies on (H.G. Alt, F.P. Di Sanzo, M.D. Rausch, P.C. Uden), (107)257
 Dinuclear η^5 -cyclopentadienyl derivatives of iron, Mössbauer spectroscopic studies of (R. Greatrex, R.J. Haines), (114)199
 Diphenylcobalticiniummethyl carbonium ion, stability and electronic structure of (J.E. Sheats, E.J. Sabol, Jr., D.Z. Denney, N. El Murr), (121)73
 $1,1'$ -Divinylferrocene derivative, oxidative cyclization with molecular oxygen in the presence of Lewis acids of (M. Hisatome, T. Namiki, K. Yamakawa), (117)C23
 Ferrocene; Annual Survey covering the year 1974 (G. Marr, B.W. Rockett), (106)259
 —, — 1975 (B.W. Rockett, G. Marr), (123)205
 Ferrocene and alkylferrocenes, Friedel-Crafts reactions with α,β -unsaturated acid chlorides of (W. Crawford, T.D. Turbitt, W.E. Watts), (105)341
 Ferrocene and its alkylated and acylated derivatives, mechanism of ligand exchange and complexation by aluminium chloride of (D. Astruc, R. Dabard), (111)339
 Ferrocene, 1,1'-dimethylferrocene and -cyclobutadieneiron tricarbonyl, FT NMR studies of (P.S. Nielsen, R.S. Hansen, H.J. Jakobsen), (114)145
 Ferrocene analogues of salicylic acid and aspirin (R. Epton, G. Marr, G.K. Rogers), (110)C42
 Ferrocene bridged derivatives, Mössbauer

- study of (A.G. Nagy, I. Dészi, M. Hillman), (117)55
- Ferrocene polymers, synthesis and polymerization of *p*-ferrocenylphenylacetylene** (C. Simionescu, T. Lixandru, I. Mazilu, L. Tătaru), (113)23
- , **synthesis and thermal polymerization of α -chloro- β -formyl-*p*-ferrocenylstyrene** (C. Simionescu, T. Lixandru, L. Tătaru, I. Mazilu, I. Cocîrlă), (102)219
- [*m*] **Ferrocenophanes and 1,1'-diethylferrocene, acylation of and direct conversion of acylferrocenes to ethers and alkenes** (R.G. Sutherland, J.R. Sutton, W.M. Horspool), (122)393
- [4](1,1')[4](3,3') **Ferrocenophane and related compounds, synthesis of** (M. Hisatome, T. Sakamoto, K. Yamakawa), (107)87
- [3] **Ferrocenophanes, α,γ -disubstituted, ^1H and ^{13}C NMR studies of the stereochemistry of** (M.L. Martin, F. Mabon, B. Gautheron, P. Dodey), (124)175
- Ferrocenophanes, formation of di- and tribridged,** (M. Hisatome, N. Watanabe, T. Sakamoto, K. Yamakawa), (125)79
- [1] **Ferrocenophanes, silicon bridged** (A.G. Osborne, R.H. Whiteley), (101)C27
- α -**Ferrocenyl secondary carbocations, ^{13}C NMR studies on the formation from tertiary carbinols of** (C.C. Lee, S.C. Chen, W.J. Pannekoek, R.G. Sutherland), (118)C47
- Ferrocenylalkylium ions in $\text{CF}_3\text{CO}_2\text{D}$ solution, H/D exchange reactions of** (W. Crawford, W.E. Watts), (110)257
- Ferrocenyl- and cymantrenyl-boranes, preparation and properties of** (T. Renk, W. Ruf, W. Siebert), (120)1
- Ferrocenylcarbenium ions, rearrangements and hydrogen-deuterium exchange in** (A.D. de Groot, C. de Haan, H.B. Hanekamp, A.C. Joha, E.W.B. de Leer), (122)241
- α -**Ferrocenylcarbonium ions, electron-transfer reactions of amines with** (M. Cais, P. Ashkenazi, S. Dani, J. Gottlieb), (122)403
- α -**Ferrocenylcarbonium ion-nitrosobenzene system, formation of nitroxide radicals in** (M. Cais, P. Ashkenazi, S. Dani, J. Gottlieb), (124)49
- Ferrocenylchlorosilanes, synthesis and kinetic study of racemisation of optically active** (R.J.P. Corriu, F. Larcher, G. Royo), (104)293
- 1,1'-Ferrocenyldiacetic acid anhydrides and its use in preparation of heteroannularly-substituted ferrocenylpenicillins and -cephalosporins** (E.I. Edwards, R. Epton, G. Marr), (122)C49
- Ferrocenyliminium salts, direct access to and use in synthesis of** (D. Mourot, H. Patin), (114)89
- Ferrocenyl-penicillins and cephalosporins, semi-synthetic antibiotics** (E.I. Edwards, R. Epton, G. Marr), (107)351
- 3-Ferrocenylpropanoate ion, photo-oxidation of** (E.K. Heaney, S.R. Logan), (104)C31
- α -**Ferrocenylsilanes, synthesis and stereochemistry of reactions of optically active** (R.J.P. Corriu, F. Larcher, G. Royo), (104)161
- Ferrocenylsilicenium ion, evidence for the generation of** (P. Bickart, F. Llor, K. Mislow), (116)C1
- , **generation of** (J.Y. Corey, D. Gust, K. Mislow), (101)C7
- Ferrocenylvinyl intramolecular cation cyclisation to stable 9-barbaralyl and 8-bicyclo[3.2.2]nona-2,6-dienyl cations** (T.S. Abram, W.E. Watts), (105)C16
- $\text{M}(h^5\text{-C}_5\text{H}_5)_2(\text{SC}_6\text{H}_5)_2$, **preparation (M = V) and stereochemical characterization (M = Ti, V) of; geometrical effect of an unpaired electron on $\text{M}(h^5\text{-C}_5\text{H}_5)_2\text{L}_2$** (E.G. Muller, S.F. Watkins, L.F. Dahl), (111)73
- Metallocenes, gel permeation chromatography of** (R. Epton, S.R. Holding, G. Marr, J.V. McLaren, G.J. Morgan), (112)89
- Metallocenes and related species, Jahn-Teller effects in** (C. Glidewell), (102)339
- Metallocenes of the first-row transition metal ions, MO study of ground and excited state properties of** (D.R. Armstrong, R. Fortune, P.G. Perkins), (111)197
- Metallocenylcarbenium ions, ^{13}C NMR spectra and stabilisation mechanisms of** (N.M. Loim, P.V. Petrovskii, V.I. Robas, A.N. Parnes, D.N. Kursanov), (117)265
- (Methyl benzoate)cyclopentadienyliron cation, addition of hydride to** (J.F. McGreer, W.E. Watts), (110)103
- β -**(2- and 3-methylecymantrenoyl)- α,α' -dimethylpropionic acids, absolute configuration of** (M. Le Plouzennec, R. Dabard), (112)333

- energetic investigations of the oxidation of (G. Schmitt, S. Ozman, B. Hoffmann, J. Fleischhauer), (114)179
- α -Naphthylferrocenyl-fluorosilane and -fluorochlorosilane, synthesis and configuration of (R.J.P. Corriu, F. Larcher, G. Royo), (102)C25
- Nickelocene, reactions with allylic chlorides of, evidence for π -allylic nickel complexes as intermediates in (C. Moberg), (108)125
- , reduction—complexation reactions converting phosphine sulphides into π -C₅H₅-Ni(I)L complexes of (F. Mathey, G. Sennyey), (105)73
- , reduction—complexation reactions of thiophosphinates with (F. Mathey, D. Thavard), (117)377
- , stereospecific ring protonation in (G.K. Turner, W. Kläui, M. Scotti, H. Werner), (102)C9
- Palladium(II) complexes of [(dimethylamino)methyl]ferrocene (J.C. Gaunt, B.L. Shaw), (102)511
- Silica-supported analogues of titanocene (R. Jackson, J. Ruddlesden, D.J. Thompson, R. Whelan), (125)57
- Stannocene, reaction with haloboranes of (W. Siebert, K. Kinberger), (116)C7
- Titanocene optically active complexes, optical purity and configuration of (J.C. Leblanc, C. Moise), (120)65
- Titanocene and zirconocene dichloride derivatives with hydroxylic reagents (P.C. Bharara), (121)199
- Triple-decked sandwich metallocarboranes, substituent NMR effects in (R. Weiss, R.N. Grimes), (113)29
- Uranocene and thorocene, He-I photoelectron spectra of (J.P. Clark, J.C. Green), (112)C14
- V.V. Krivykh, V.S. Kaganovich, M.I. Rybinskaya), (102)185
- Aryldiazo derivatives of transition metals, X-ray photoelectron spectra of (P. Brant, R.D. Feltham), (120)C53
- ω -Arylolefins, kinetics of metathesis of (P. Chevalier, D. Sinou, G. Descotes, R. Mutin, J. Basset), (113)1
- (Bicyclo[6.1.0]nona-2,4,6-triene)-molybdenum tricarbonyl, stereospecific incorporation of ¹³C into (D.J. Darensbourg, A. Salzer), (117)C90
- Bis(cyclopentadienyldicarbonyliron) and bis(cyclopentadienyltricarbonylmolybdenum) complexes, photolysis of metal—metal bonds in (C. Giannotti, G. Merle), (105)97
- Bis[(η^5 -cyclopentadienyl)dicarbonylmolybdenum]- μ -pent-3-yne(Mo—Mo), unexpectedly complex structure and dynamic behaviour of (W.I. Bailey, Jr., F.A. Cotton, J.D. Jamerson, J.R. Kolb), (121)C23
- Bis(trialkylphosphine)dicarbonylmolybdenum nitriles, CT-character and solvatochromism of (F. Hohmann, H. tom Dieck), (122)197
- Carbonylcyclopentadienyldihydromolybdenum and -tungsten in reactions with yne-amines (W. Beck, H. Brix, F.H. Köhler), (121)211
- Carbonylmetallate monoanions, interactions with quaternary alkyl- and arylonium ions (J.F. Ellis), (111)331
- (η^5 -C₅H₅)Mo(CO)₂(COCH₃)E(C₆H₅)₃ (E = As, Sb), synthesis and decarbonylation of (A.C. Gingell, A. Harris, A.J. Rest, R.N. Turner), (121)205
- Chromium, molybdenum and tungsten; Annual Survey covering the year 1974 (D.J. Darensbourg, M.Y. Darensbourg), (115)221
- Chromium, molybdenum and tungsten benzo[c]cinnoline and phenanthridine pentacarbonyl complexes, synthesis, reactions and fluxional behaviour of (M. Kooti, J.F. Nixon), (105)217
- Chromium, molybdenum and tungsten cycloolefinic complexes (A. Salzer), (117)245
- Cycloheptatrienyliummolybdenum and cyclopentadienyliron, synthesis and spectra of cationic bis(t-phosphine) derivatives of (E.E. Isaacs, W.A.G. Graham), (120)407
- Cycloheptatrienylmolybdenum chemistry, tertiary phosphine, alkyl, hydrido, halo,

Molybdenum

- Alkoxy substituent exchange reactions on a cyclic ligand in coordinated molecules (C.M. Lukehart, J.V. Zeile), (105)231
- Alkylaluminium compounds, oxidation with peroxomolybdenum complexes (G. Schmitt, B. Hessner, P. Kramp, B. Olbertz), (122)295
- (η -Allyl)dicarbonyl-molybdenum and -tungsten ditertiary phosphine complexes (B.J. Brisdon), (125)225
- Arenetricarbonyl-molybdenum and -tungsten complexes (A.N. Nesmeyanov,

- and related derivatives (M.L.H. Green, R.B.A. Pardy), (117)C13
- Cyclopentadienyl and arene derivatives of Groups VI and VII transition metal carbonyls and nitrosyls, IR study of Lewis acid reactions with (B.V. Lokshin, E.B. Rusach, N.E. Kolobova, Yu.V. Makarov, N.A. Ustynyuk, V.I. Zdanovich, A.Zh. Zhakaeva, V.N. Setkina), (108)353
- Cyclopentadienyl- and arenecarbonyl-transition metal complexes, IR study of reactions of aluminium chloride with (B.V. Lokshin, E.B. Rusach, Z.P. Valueva, A.G. Ginzburg, N.E. Kolobova), (102)535
- Cyclopentadienyldicarbonyl-molybdenum and -tungsten optically active complexes with chelating ligands derived from Schiff bases of benzaldehyde (H. Brunner, J. Wachter), (107)307
- Cyclopentadienyldicarbonylmolybdenum-pyridinecarbaldehydeimine cation, stereospecific phenyl addition to (H. Brunner, J. Wachter), (113)C58
- Cyclopentadienylmetal carbonyl reduction in hexamethylphosphoramide (J.E. Ellis, R.A. Faltynek, S.G. Hentges), (120)389
- Dialkylsulphurdiiminetetra-carbonylmetal compounds, structural, spectroscopic and fluxional properties of (R. Meij, J. Kuyper, D.J. Stufkens, K. Vrieze), (110)219
- Diazenido(iminonitrosyl) (N_2H), hydrazido-(2-) (N_2H_2) and hydrazido(1-) (N_2H_3) ligands as intermediates in the reduction of ligating dinitrogen to ammonia (J. Chatt, A.J. Pearman, R.L. Richards), (101)C45
- Dicarbonyl- and tricarbonyl-molybdenum mixed complexes with maleic acid and fumaric acid esters and bidentate *N*-ligands (H. Schaper, H. Behrens), (113)377
- Dicyclopentadienylmolybdenum(VI) and diindenylmolybdenum(VI) nitrate, nitrito and nitro complexes (M.S. Bhalla, R.K. Multani), (101)93
- Dicyclopentadienyltin and bis(methylcyclopentadienyl)tin, reactions with metal carbonyl compounds of (A.B. Cornwell, P.G. Harrison, J.A. Richards), (108)47
- Dimethylsulphoxonium methylide as a ligand in metal carbonyl complexes (L. Weber), (105)C9
- Di- and mono-nitrosylmolybdenum complexes, IR spectroscopic investigation of the reaction with $C_2H_5AlCl_2$, $(C_2H_5)_3Al$, $AlCl_3$ and CO; nature of the catalytic activity of the complexes in olefin meta-thesis (R. Taube, K. Seyferth, L. Benze, L. Markó), (111)215
- N*-(Ethoxycarbonylmethyl)diazenido-molybdenum derivatives, formation of (D.C. Bussy, T.A. George), (118)C16
- Group VIA anionic carbonyl complexes with sulphur-containing ligands (G. Doyle), (101)85
- Group VIA metals, nitrosyl carbonyl derivatives of (S.C. Tripathi, S.C. Srivastava, A.K. Shrimal), (118)325
- Group VIA metal carbonyls, phase-transfer catalysed substitution of (K.-Y. Hui, B.L. Shaw), (124)262
- , reactions with tetraphosphorus hexoxide of (M.L. Walker, J.L. Mills), (120)355
- Group VIA trivalent phosphorus derivatives, IR and PMR studies of protonation of $M(CO)_{6-n}(PR_3)_n$ complexes (M.S. Arabi, R. Mathieu, R. Poilblanc), (104)323
- Halocarbonyl-molybdenum and -tungsten substituted compounds (W.A. Schenk), (117)C97
- Halogen-bridged molybdenum(0) and tungsten(0) complexes (F. Hohmann, H. tom Dieck), (118)C35
- Iminoacyl-metal π -bonded complex, intermediate in insertion rearrangements (R.D. Adams, D.F. Chodos), (122)C11
- Iodo-*N*-octylhydrazidobis[1,2-bis(diphenylphosphino)ethane]molybdenum iodide, crystal and molecular structure of the benzene solvate of (V.W. Day, T.A. George, S.D.A. Iske, S.D. Wagner), (112)C55
- Iron, molybdenum and tungsten binuclear compounds, containing bridging thiolate ligands, addition of carbon monoxide to and formation of mononuclear species (D.D. Watkins, Jr., T.A. George), (102)71
- Isonitrile insertion into metal-halogen bonds (B. Crociani, M. Nicolini, R.L. Richards), (101)C1
- Manganese and molybdenum carbene complexes containing the trichlorogermyl group, synthesis of (W.K. Dean, W.A.G. Graham), (120)73
- Mercury(II) halide adducts with transition metal carbonyl derivatives, stability and bond strength in (D.P. Graddon, I.K. Gregor, L.A. Siddiqi), (102)321

- Metal carbonyls, Raman spectra in the 2000 cm^{-1} region of mixed crystals of (D. Kariuki, S.F.A. Kettle), (105)209
- Metal carbonyl halide adducts in reactions with Lewis acids (M. Pańkowski, M. Bigorgne, Y. Chauvin), (110)331
- $\text{Mn}_2(\text{CO})_5(\text{Ph}_2\text{PCH}_2\text{PPh}_2)_2$, kinetic characteristics of the four-electron bridging carbonyl group in (K.G. Caulton, P. Adair), (114)C11
- trans*- $\text{Mo}(\text{CO})(\text{N}_2)(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2$ and related complexes, preparation and properties of (T. Tatsumi, H. Tominaga, M. Hidai, Y. Uchida), (114)C27
- Molybdenum and tungsten η^3 -allylcarbonyl complexes containing 1,2-ethanediylidenediimines as ligands (A.T.T. Hsieh, B.O. West), (112)285
- Molybdenum carbonyl derivatives in reaction with aryl- and diaryl-thioureas (S.C. Tripathi, S.C. Srivastava, R.D. Pandey, R.P. Mani), (110)67
- Nickel(0) and molybdenum(0) carbonyls in reactions with 1-vinylspiro[2.4]hepta-4,6-diene (P. Eilbracht), (120)C37
- N*-Olefin chelate complexes with Group VI metal(0) carbonyls, preparation and characterization of (K. Fukushima, T. Miyamoto, Y. Sasaki), (107)265
- Pd—Co and Pd—Mo bimetallic compounds (J. Dehand, M. Pfeffer), (104)377
- Pentacarbonyl(diorganylphosphane sulphide)metal(0) ($M = \text{Cr}, \text{Mo}, \text{W}$), preparative, kinetic and spectroscopic investigations of (E. Lindner, W.P. Meier), (114)67
- Phosphonium adduct formation with tricarbonyl(tropylium) cations of chromium, molybdenum and tungsten (D.A. Sweigart, M. Gower, L.A.P. Kane-Maguire), (108)C15
- Polystyrenetricarbonylmolybdenum as a catalyst in Friedel—Crafts reactions (C.P. Tsonis, M.F. Faroni), (114)293
- Pyramidal molybdenum complexes, optical induction of chelate ligands LL' in (H. Brunner, W.A. Herrmann, J. Wachter), (107)C11
- σ - and π -silylallyl transition metal complexes, chemical and physical properties of (K.H. Pannell, M.F. Lappert, K. Stanley), (112)37
- μ -(Tetraphenyl diphosphine)decacarbonyldimolybdenum, synthesis of (C.M. Bartish, C.S. Kraihanzel), (112)C31
- Thioamide-manganese, -molybdenum and -rhodium complexes formation from organo-silicon and -tin intermediates of (E.W. Abel, I.D.H. Towle), (122)253
- Tin(II) halides in reaction with bis(cyclopentadienyldicarbonyliron) and bis-(cyclopentadienyltricarboonyl-molybdenum) (J.D. Cotton, A.-M. Trewin), (117)C7
- Transition metal-acetyl complexes, boron hydride reduction of (J.A. van Doorn, C. Masters, H.C. Volger), (105)245
- Transition metal complexes of bidentate phosphines derived from α -amino-acid esters (P.W. Lednor, W. Beck, H.G. Fick), (113)C19
- Transition metal σ -2-oxoalkyl complexes (J. Hillis, M. Ishaq, B. Gorewit, M. Tsutsui), (116)91
- Triazenido complexes ($\eta^5\text{-C}_5\text{H}_5$)(CO) $_2$ M-(R-N-N-N-R') ($M = \text{Mo}, \text{W}$; R, R' = aryl, alkyl) (E. Pfeiffer, J. Kuyper, K. Vrieze), (105)371
- Tri-*n*-butylphosphine addition to cycloheptadienyltricarboonylmethyltetrafluoroborate, mechanism of (G.R. John, L.A.P. Kane-Maguire, D.A. Sweigart), (120)C47
- Tricarbonylmolybdenum polynuclear complexes with π -coordinated maleic acid and fumaric acid esters (H. Schaper, H. Behrens), (113)361
- Tricarbonyl (tropylium) cations of Group VI metal compounds, mechanism of nucleophilic addition to (K.M. Al-Kathumi, L.A.P. Kane-Maguire), (102)C4
- Triene-tricarbonyl complexes of molybdenum and tungsten, preparation and properties of (A. Salzer), (107)79
- Trimethyltin phosphines as ligands in transition metal carbonyl complexes, tin-119m Mössbauer spectra of (H. Schumann, W.-W. Du Mont, P.J. Corvan, J.J. Zuckerman), (121)321
- Trithiones, organometallic derivatives of (A.R. Siedle), (120)369

Nickel

- Alkylated nickelocene, cobaltocene, chromocene and vanadocene, ^{13}C and ^1H NMR spectra and preparation of (F.H. Köhler), (110)235
- (Benzonitrile)tris(triphenylphosphorane)-nickel(0), preparation and X-ray crystal structure of (I.W. Bassi, C. Benedicenti, M. Calcaterra, G. Rucci), (117)285

- "Binor-S", catalytic stereospecific dimerisation of norbornadiene to (M. Ennis, A.R. Manning), (116)C31
- Bis[1,4-bis(diphenylphosphino)butane]-carbonylnickel(0), acid-catalysed ligand substitution on (B. Corain, L. De Nardo), (110)C27
- 1,2-Bis(diphenylphosphinoethane)penta-chlorophenylnickel neutral and cationic complexes (J.M. Coronas, O. Rossell, J. Sales), (121)265
- Bis(triphenylphosphine)nickel complexes, reactivity towards carbonylmetallate anions of (P. Braunstein, J. Dehand, B. Munchenbach), (124)71
- Bis(triphenylphosphine)-*o*-tolylnickel(II) bromide, ^{31}P NMR study on ligand exchange on (Y. Nakamura, K.-I. Maruya, T. Mizoroki), (104)C5
- Catalytic systems containing nickel supported on silica gel and bonded with organic ligands and complexed by Lewis acids (W. Skupinski, S. Malinowski), (117)183
- Chemical synthesis with metal atoms (J.R. Blackborow, C.R. Eady, E.A. Koerner von Gustorf, A. Scrivanti, O. Wolfbeis), (108)C32
- Chromium and nickel atoms, reaction with styrene of (J.R. Blackborow, R. Grubbs, A. Miyashita, A. Scrivanti), (120)C49
- Cobalt(0) and nickel(0) phosphine derivatives, correlations between $E_{1/2}$, ΔHNP and $\nu(\text{CO})$ in (D. de Montauzon, R. Poilblanc), (104)99
- [Cyano(phenyl)bis(triethylphosphine)-nickel(II)], elimination of benzonitrile in the reaction with 1,2-bis(diethylphosphino)ethane of (G. Favero, A. Turco), (105)389
- Cyclopentadienylmetal carbonyl reduction in hexamethylphosphoramide (J.E. Ellis, R.A. Faltynek, S.G. Hentges), (120)389
- π -Cyclopentadienyls of nickel(II), insertion reaction of RNCS into Ni—C bonds (F. Sato, J. Noguchi, M. Sato), (118)117
- Di-1,5-cyclooctadienenickel in reactions with phosphorus ligands, calorimetric study of steric effects in (C.A. Tolman, D.W. Reutter, W.C. Seidel), (117)C30
- Di- h^3, h^3 -cyclooctatetraenedinickel, stereochemistry of (D.J. Brauer, C. Krüger), (122)265
- gem*-Dihalocyclopropane derivatives reduced by complex reducing agents $\text{NaH}-t\text{-AmONa}-\text{MX}_n$ ($M = \text{Ni, Co, Cu}$) (G. Guillaumet, L. Mordenti, P. Caubère), (Divinylcyclohexene)nickel—phosphine complexes, preparation and structure of (P.W. Jolly, C. Krüger, R. Salz, G. Wilke), (118)C25
- Ethyl-nickel, -iron and -cobalt complexes in reactions with molecular deuterium, H—D scrambling in the ethyl group(s) and 2,2'-bipyridine ligand of (T. Yamamoto, A. Yamamoto), (117)365
- Hydrosilylation of α, β -unsaturated aldehydes; regiospecific reduction of $\text{C}=\text{O}$ using nickel(0) catalysts (M.F. Lappert, T.A. Nile), (102)543
- Iron- and nickel-substituted cyclobutadiene complexes of cobalt (K. Yasufuku, H. Yamazaki), (121)405
- Metal carbonyls, prepared in aprotic media under normal pressure; carbonylation of halogenated derivatives (B. Loubinoux, B. Fixari, J.J. Brunet, P. Caubère), (105)C22
- Metal carbonyl halide adducts in reactions with Lewis acids (M. Pankowski, M. Bigorgne, Y. Chauvin), (110)331
- Metallocenes and related species, Jahn—Teller effects in (C. Glidewell), (102)339
- Metallocenes of the first-row transition metal ions, MO study of ground and excited state properties of (D.R. Armstrong, R. Fortune, P.G. Perkins), (111)197
- Nickel, palladium and platinum; Annual Survey covering the year 1973 (E. Singleton, C. Cooke, J.R. Moss), (106)337
- , — 1974 (E. Singleton), (123)303
- Nickel(0) and molybdenum(0) carbonyls in reactions with 1-vinylspiro[2.4]hepta-4,6-diene (P. Eilbracht), (120)C37
- Nickel(II) carboxylate/ethylaluminium sesquichloride/benzene-1,3-butadiene, a homogeneous catalytic system (B.T. Pennington, J.E. Howell), (113)75
- Nickel tetracarbonyl as a catalyst in reactions of diphenylcyclopropene with ketenes (A. Baba, Y. Ohshiro, T. Agawa), (110)121
- Nickel zerovalent complexes, preparative procedures, structures and properties of (F. Guerrieri, G. Salerno), (114)339
- Nickelocene, reactions with allylic chlorides of, evidence for π -allylic nickel complexes as intermediates in (C. Moberg), (108)125
- , reduction—complexation reactions converting phosphine sulphides into $\pi\text{-C}_5\text{H}_5\text{-}$

- G. Sennyey), (105)73
- , reduction-complexation reactions of thiophosphinates with (F. Mathey, D. Thavard), (117)377
- , stereospecific ring protonation in (G.K. Turner, W. Kläui, M. Scotti, H. Werner), (102)C9
- Ni(CO)[P(C₆H₅)₂(CH₂)₄P(C₆H₅)₂]₂, reactivity with (π -acidic) Lewis bases, an example of reversible coordination of carbon monoxide to nickel(0) (B. Corain, L. De Nardo, G. Favero), (125)105
- Palladium and nickel cationic hydride and related complexes with tricyclohexylphosphine or triisopropylphosphine, synthesis of (H. Imoto, H. Moriyama, T. Saito, Y. Sasaki), (120)453
- Palladium(II) derivatives containing a σ -bonded α -diimino group with transition metals, new class of bimetallic complexes (B. Crociani, M. Nicolini, R.L. Richards), (113)C22
- Phosphine-nickel(II) and -rhodium(II) chiral complex-catalysed hydrosilylation of olefins (K. Yamamoto, T. Hayashi, Y. Uramoto, R. Ito, M. Kumada), (118)331
- Phosphine, phosphite, arsine and stibine ligands and their LNi(CO)₃, LCr(CO)₅ and η -C₅H₅Mn(CO)₂L complexes, ¹³C NMR study of (G.M. Bodner, M. Gaul), (101)63
- Platinum-phosphine and nickel-sulphur-phosphine complexes, investigations of (M. Schmidt, G.G. Hoffmann), (124)C5
- Racemic bis(ethyl fumarate)(acetonitrile)-nickel(0), X-ray crystal structure of (I.W. Bassi, M. Calcaterra), (110)129
- Rhodium(I), iridium(I) and iridium(III) tridentate chelate π -bonded complexes and nickel(II), palladium(II) and platinum(II) chelate σ -bonded complexes formed by intramolecular hydrogen abstraction reactions (M.A. Bennett, P.W. Clark), (110)367
- σ - and π -silylallyl transition metal complexes, chemical and physical properties of (K.H. Pannell, M.F. Lappert, K. Stanley), (112)37
- Tetrakis(triphenylphosphine)nickel(0), oxidative addition of benzyl halides to (J.K. Stille, A.B. Cowell), (124)253
- Trialkylsilanes in reaction with aromatic aldehydes in the presence of nickel catalysts (E. Frainnet, R. Bourhis, F. Simonin, F. Moulines), (105)17
- Tricarbonylnickel(0) complexes of germyl- and stannyl-phosphines with functional groups bonded to germanium or tin atoms (H. Schumann, J. Held, H.J. Kroth, W.-W. Du Mont, B. Wöbke), (105)393
- Trimethyltin phosphines as ligands in transition metal carbonyl complexes, tin-119m Mössbauer spectra of (H. Schumann, W.-W. Du Mont, P.J. Corvan, J.J. Zuckerman), (121)321
- [Tris(2-diphenylphosphinoethyl)amine-nickelacetyl]tetraphenylborate, X-ray structure of and insertion of carbon monoxide into a Ni-C bond (L. Sacconi, P. Dapporto, P. Stoppioni), (116)C33

Niobium

- Bis(fluorenyl)dimethylzirconium, formation and photolysis of (E. Samuel, H.G. Alt, D.C. Hrnčir, M.D. Rausch), (113)331
- Chlorodicyclopentadienyloxoniobium(V), synthesis of (R. Broussier, H. Normand, B. Gautheron), (120)C28
- Cyclopentadienyl- and arenecarbonyl-transition metal complexes, IR study of reactions of aluminium chloride with (B.V. Lokshin, E.B. Rusach, Z.P. Valueva, A.G. Ginzburg, N.E. Kolobova), (102)535
- NbH₅(Me₂PCH₂CH₂PMe₂)₂ and NbHL₂(Me₂PCH₂CH₂PMe₂)₂ (L = CO, C₂H₄), preparation of (R.R. Schrock), (121)373
- Pentamethylniobium, pentamethyl-tantalum and pentabenzyltantalum, preparation and characterization of (R.R. Schrock), (122)209
- Vanadium, niobium and tantalum; Annual Survey covering the year 1975 (P.C. Wailes), (119)243

Osmium

- Alkene and alkyne derivatives of deca- and dodeca-carbonyl triosmium, protonation and hydrogen transfer processes in (E.G. Bryan, W.G. Jackson, B.F.G. Johnson, J.W. Kelland, J. Lewis, K.T. Schorpp), (108)385
- Aryldiazo derivatives of transition metals, X-ray photoelectron spectra of (P. Brant, R.D. Feltham), (120)C53
- Carbonylosmium porphodimethene, synthesis and crystal and molecular struc-

- ture of (J.W. Buchler, K.L. Lay, P.D. Smith, W.R. Scheidt, G.A. Rupprecht, J.E. Kenny), (110)109
- Cyclic transition-metal carbene complexes from ring-closing reactions on the π -bound substrates CS_2 and CSe_2 ; 1,3-dithiolan-2-ylidene and 1,3-diselenolan-2-ylidene complexes of ruthenium(II) and osmium(II) (T.J. Collins, K.R. Grundy, W.R. Roper, S.F. Wong), (107)C37
- Decacarbonyltriosmium complexes, preparation of (M. Tachikawa, J.R. Shapley), (124)C19
- Di- η^5 -cyclopentadienylmetal complexes, Raman spectra of (V.T. Aleksanyan, B.V. Lokshin, G.L. Borisov, G.G. Devyatkykh, A.S. Smirnov, R.V. Nazarova, J.A. Koningstein, B.F. Gächter), (124)293
- Dihydrodecacarbonyltriosmium, reaction products with cyclonona-1,2-diene of (E.G. Bryan, B.F.G. Johnson, J. Lewis), (122)249
- $\text{H}_2\text{M}_3(\text{CO})_9\text{S}$ (M = Ru, Os) and related compounds, ^{13}C NMR studies of (A. Forster, B.F.G. Johnson, J. Lewis, T.W. Matheson), (104)225
- cis*-Hydridodithiomethylester osmium and iridium complexes, synthesis of low-valent thiocarbonyl complexes via 1,2-elimination of methylthiol from (T.J. Collins, W.R. Roper, K.G. Town), (121)C41
- Iron, ruthenium and osmium; Annual Survey covering the year 1974 (J.A. McCleverty), (119)261
- Isonitridedecacarbonyltriosmium derivatives, preparation and pyrolysis of (M.J. Mays, P.D. Gavens), (124)C37
- Mixed carbonyl-isocyanide cation, $[\text{OsCl}(\text{CO})_2(\text{CNR})(\text{PPh}_3)_2]^+$, alkoxide attack at carbonyl and hydrosulphide attack at isocyanide in (K.R. Grundy, W.R. Roper), (113)C45
- $\text{Mn}_2(\text{CO})_5(\text{Ph}_2\text{PCH}_2\text{PPh}_2)_2$, kinetic characteristics of the four-electron bridging carbonyl group in (K.G. Caulton, P. Adair), (114)C11
- Nitrate(triphenylphosphine) complexes of the platinum metals; detection of triphenylphosphine oxide ligands in (P.B. Critchlow, S.D. Robinson), (114)C46
- Osmium hydrido polynuclear compound, addition reactions leading to associative carbonyl substitution and catalytic alkene isomerisation (A.J. Deeming, S. Hasso), (114)313
- Platinum group metals, *N*-alkyl- and *N*-arylthioformamido complexes of (S.D. Robinson, A. Sahajpal), (111)C26
- , *N,N'*-diarylformamidinato complexes of (S.D. Robinson, A. Sahajpal), (117)C111
- cis*-Tetrahalodicarbonylosmium(II), preparation by decarbonylation of unsaturated alcohols (F.H. Johannsen, W. Preetz, A. Scheffler), (102)527
- Tetranuclear osmium clusters from the reactions of $\text{H}_4\text{Os}_4(\text{CO})_{12}$ with alkenes (B.F.G. Johnson, J.W. Kelland, J. Lewis, S.K. Rehani), (113)C42
- Trihalotricarbonylosmate(II), stereoisomers of (F.H. Johannsen, W. Preetz), (104)79
- Triosmium clusters, addition of dimethylphenylphosphine at bridging vinyl, acetylene and phenylacetylidate ligands in (A.J. Deeming, S. Hasso), (112)C39

Palladium

- Alkyl- and aryl-palladium complexes, preparation and properties of (G.K. Turner, H. Feikin), (121)C29
- π -Allyl complexes of palladium(II) synthesized from pyrylium salts, structure of (L.Yu. Ukhin, V.I. Il'in, Zh.I. Orlova, N.G. Bokii, Yu.T. Struchkov), (113)167
- π -Allylpalladium complexes from acetylenes and alkenes, (S. Staicu, I.G. Dinulescu, F. Chiraleu, M. Avram), (113)C69
- Allylpalladium(II) triazenido complex, $[(1-3-\eta\text{-C}_3\text{H}_5)\text{Pd}^{\text{II}}(\text{p-CH}_3\text{C}_6\text{H}_4\text{NNN-C}_6\text{H}_4\text{CH}_3\text{-p})_2]$, molecular and crystal structure of (S.C. De Sanctis, N.V. Pavel, L. Toniolo), (108)409
- Allylphosphine-iridium(I) coordination complexes, metallation of (S. Hietkamp, D.J. Stufkens, K. Vrieze), (122)419
- 2,2'-Bipyridyldibenzylideneacetone-palladium(0), molecular structure of (C.G. Pierpont, R.M. Buchanan, H.H. Downs), (124)103
- 1,12-Bis(dimethylarsino)dodecane, *trans*-chelation to palladium(II) compounds of (W. Levason, C.A. McAuliffe, S.G. Murray), (110)C25
- Bismuth-carbon bond fission in the reaction of palladium(II) salts with tris(*o*-dimethylarsinophenyl)bismuthine (R.P. Burns, W. Levason, C.A. McAuliffe), (111)C1

- Bis(triphenylphosphine)-platinum(II) and -palladium(II) complexes, carbonylation in the presence of amines and α -amino acid esters of (W. Beck, B. Purucker), (112)361
- But-2-enylpalladium(II) 4-substituted complexes, reactions and ^1H NMR spectra of (K.A. Holder, P. Powell), (122)275
- Cyclometallated compounds, chemical properties of (J.F. van Baar, J.M. Klerks, P. Overbosch, D.J. Stufkens, K. Vrieze), (112)95
- Dialkylsulphurdiiminepalladium(II) compounds, ^1H NMR studies of intra- and inter-molecular exchange processes in (J. Kuyper, P.I. van Vliet, K. Vrieze), (108)257
- Dichlorobis(benzonitrile)palladium(II), synthesis of *ortho*-substituted diphenylacetylenes and their behaviour towards (S. Staicu, I.G. Dinulescu, F. Chiraleu, M. Avram), (117)385
- Dichloro- η^7 -norbornadiene-palladium and -platinum, phenylation of (A. Segnitz, E. Kelly, S.H. Taylor, P.M. Maitlis), (124)113
- Dimethyl- and diphenyl-mercury in reaction with dihalobis(isocyanide)-palladium(II) complexes (B. Crociani, M. Nicolini, R.L. Richards), (104)259
- Hydropalladation reaction (D.J. Mabbott, P.M. Maitlis), (102)C34
- Hydroxypalladation of cyclooctadiene, stereochemistry of (J.K. Stille, D.E. James), (108)401
- Iodo(phenyl)bis(triphenylphosphine)-palladium(II) as catalysts in the cross-coupling of aryl halides with Grignard reagents (A. Sekiya, N. Ishikawa), (118)349
- Isocyanide-palladium(I) and -platinum(I) binuclear complexes, substitution reactions of (J.R. Boehm, A.L. Balch), (112)C20
- Low oxidation state transition metal complexes, activation of thiocyanogen and selenocyanogen by (F. Faraone, S. Sergi), (112)201
- Nickel, palladium and platinum; Annual Survey covering the year 1973 (E. Singleton, C. Cooke, J.R. Moss), (106)337
- , — 1974 (E. Singleton), (123)303
- Norbornadiene complexes with Group VIII metals, vibrational spectra of (I.A. Zakharova, Ya.V. Salyn, I.A. Garbouzova, V.T. Aleksanyan, M.A. Prianichnicova), (102)227
- Organocarbonylpalladium(I) cationic complexes (R. Uson, J. Fornies, F. Martinez), (112)105
- Organometallic complexes, stereochemistry of the cleavage with copper(II) of (R.A. Budnik, J.K. Kochi), (116)C3
- Organometallic solvento complexes, synthesis of (J. Dehand, M. Pfeffer, M. Zinsius), (118)C62
- Organosulphur compounds in reaction with metal atoms (T. Chivers, P.L. Timms), (118)C37
- Palladation and lithiation of 1-dimethylaminomethylnaphthalene (M. Julia, N. Duteil, J.Y. Lallemand), (102)239
- Palladium metal-catalysed cross-coupling of aryl iodides with arylmagnesium bromides; synthesis of fluorobiphenyls (A. Sekiya, N. Ishikawa), (125)281
- Palladium and nickel cationic hydride and related complexes with tricyclohexylphosphine or trisopropylphosphine, synthesis of (H. Imoto, H. Moriyama, T. Saito, Y. Sasaki), (120)453
- Palladium(II) and platinum(II) cationic chelate ylide complexes. preparation of (M. Kato, H. Urabe, Y. Oosawa, T. Saito, Y. Sasaki), (121)81
- Palladium and platinum complexes of carbenoid and related ligands, X-ray photoelectron spectra of (P. Brant, J.H. Enemark, A.L. Balch), (114)99
- Palladium(II) and platinum(II) halide chelate ylide ligand complexes, preparation of (Y. Oosawa, H. Urabe, T. Saito, Y. Sasaki), (122)113
- Palladium(II) and platinum(II) hydridoalkynyl complexes, reactions of dimethyl acetylenedicarboxylate with (Y. Tohda, K. Sonogashira, N. Hagihara), (110)C53
- Palladium(II) arylisocyanide complexes and anilines, steric role of aromatic ring *ortho*-substituents in the mechanism of carbene formation from (B. Crociani, P. Uguagliati, U. Belluco), (117)189
- Palladium-catalysed carbonylation of organic halides, use of phase-transfer catalysis in (L. Cassar, M. Foà, A. Gardano), (121)C55
- Palladium(II) chloride complexes of silylated thiazolyl, imidazolyl and pyridyl derivatives (P. Jutzi, H. Heusler), (102)145
- Palladium(II) complexes, of [(dimethylamino)methyl]ferrocene (J.C. Gaunt,

- B.L. Shaw), (102)511
- , with keto-stabilized phosphonium, arsonium and pyridinium ylides (P. Bravo, G. Fronza, C. Ticozzi), (111)361
 - , with sulphur ylides, new complex containing methylsulphoxonium dimethylide as a chelating ligand (P. Bravo, G. Fronza, C. Ticozzi), (118)C78
- Palladium compounds containing a thio-methoxymethyl group (G. Yoshida, H. Kurosawa, R. Okawara), (113)85
- Palladium(II) derivatives containing a σ -bonded α -diimino group with transition metals, new class of bimetallic complexes (B. Crociani, M. Nicolini, R.L. Richards), (113)C22
- Palladium diene and 2-phenylazophenyl complexes, reactions with S-containing nucleophiles (M.C. Cornock, R.C. Davis, D. Leaver, T.A. Stephenson), (107)C43
- Palladium/hydrogen catalysed alcoholysis of benzylsilanes (C.G. Pitt, A.E. Friedman, D.H. Rector, M.C. Wani), (121)37
- Palladium(I) neutral and cationic complexes with isocyanides (M.F. Rettig, E.A. Kirk, P.M. Maitlis), (111)113
- Palladium phosphine and amine bis(cyanomethanide) complexes, preparation and characterisation of (G. Oehme, K.-C. Röber, H. Pracejus), (105)127
- Palladium(II), platinum(II) and mercury(II) complexes of ambidentate phosphonium, arsonium, sulphonium and pyridinium ylides (E.T. Weleski, Jr., J.L. Silver, M.D. Jansson, J.L. Burmeister), (102)365
- Palladium(II)-*t*-butyldibenzylphosphine and -benzyldi-*t*-butylphosphine complexes, internal metallation reactions of (B.L. Shaw, M.M. Truelock), (102)517
- cis*-[PdCl₂(CNR)(L)], solvent, ligand and temperature effects on the rates of reactions with secondary amines of (P. Uguagliati, B. Crociani, U. Belluco, L. Calligaro), (112)111
- Pd—Co and Pd—Mo bimetallic compounds (J. Dehand, M. Pfeffer), (104)377
- Pentafluorophenylpalladium(II) neutral and cationic complexes (R. Usón, S. Gonzalo), (104)253
- Polyfluorinated polysilanes; palladium-catalysed disilane metathesis, double silylation of acetylenes and the stereochemical course (K. Tamao, T. Hayashi, M. Kumada), (114)C19
- [(η^3 -RC₃H₄)Pd{R'NS(R'')NR'}] and related triazenido- and amidino-palladium(II) compounds (P. Hendriks, J. Kuyper, K. Vrieze), (120)285
- Rhodium(I), iridium(I) and iridium(III) tridentate chelate π -bonded complexes and nickel(II), palladium(II) and platinum(II) chelate σ -bonded complexes formed by intramolecular hydrogen abstraction reactions (M.A. Bennett, P.W. Clark), (110)367
- σ - and π -silylallyl transition metal complexes, chemical and physical properties of (K.H. Pannell, M.F. Lappert, K. Stanley), (112)37
- Stannyl- and germyl-mercuric derivatives of platinum and palladium, synthesis of (V.I. Sokolov, V.V. Bashilov, O.A. Reutov, M.N. Bochkarev, L.P. Mayorova, G.A. Razuvaev), (112)C47
- Tetrakis(methoxycarbonyl)palladiacyclopentadiene, synthesis and structure of the triphenylphosphonium cyclopentadienylium adduct of (C.G. Pierpont, H.H. Downs, K. Itoh, H. Nishiyama, Y. Ishii), (124)93
- Tetrakis(triarylphosphine)palladium as a catalyst in reactions of organic halides with R₃MMR₃ (M = Si, Ge, Sn) compounds (D. Azarian, S.S. Dua, C. Eaborn, D.R.M. Walton), (117)C55
- 1,3,5,7-Tetramethyl-2,6,9-trioxobicyclo-[3.3.1]nona-3,7-diene, isolation, characterization and resolution of (A. De Renzi, A. Panunzi, L. Paolillo, A. Vitagliano), (124)221
- Trans*-bidentate behaviour of a potentially tetradentate ligand to palladium(II) and platinum(II), (W. Levason, C.A. McAuliffe, S.G. Murray), (101)C29
- Transition metal-acetyl complexes, boron hydride reduction of (J.A. van Doorn, C. Masters, H.C. Volger), (105)245
- Transition metal complexes of bidentate phosphines derived from α -amino-acid esters (P.W. Lednor, W. Beck, H.G. Fick), (113)C19
- Transition metal σ -2-oxoalkyl complexes (J. Hillis, M. Ishaq, B. Gorewit, M. Tsutsui), (116)91
- Tris(polychlorophenyl)thallium(III) compounds, preparation and reactions of (S. Numata, H. Kurosawa, R. Okawara), (102)259

Phosphorus

- Acetatobis(triphenylphosphine)dicarbonylrhenium(I), synthesis and structural characterization of (G. La Monica, S. Cenini, V.G. Albano, E. Forni, M. Manassero), (112)297
- Acetatocarbonylbis(triphenylphosphine)rhodium(I), hydroformylation of cyclic dienes catalysed by (A. Spencer), (124)85
- Alkyl radicals bearing β -phosphorus substituents, hyperconjugation and homoconjugation in (I.G. Neil, B.P. Roberts), (102)C17
- Alkylcopper(I) complexes having tertiary phosphine ligands, insertion reactions of CO_2 and CS_2 into alkyl-copper bonds of (A. Miyashita, A. Yamamoto), (113)187
- (Alkyldiphenylphosphine)iodocyclopentadienyliron carbonyl, epimerisation of and phosphine exchange in (H. Brunner, F. Rackl), (118)C19
- η^3 -Allyl[1,2-bis(diphenylphosphino)ethane]tricarbonylvandium(0) complexes, preparation, properties and spectra of (U. Franke, E. Weiss), (121)355
- η -Allylcarbonylvandium compounds and pentacarbonyl- μ -triphenylcyclopropylvandium, preparation, properties and spectra of (M. Schneider, E. Weiss), (121)345
- (η -Allyl)dicarbonyl-molybdenum and -tungsten ditertiary phosphine complexes (B.J. Brisdon), (125)225
- Allylphosphine-iridium(I) coordination complexes, metallation of (S. Hietkamp, D.J. Stufkens, K. Vrieze), (122)419
- η -Allyltetracarbonyltriphenylphosphine-vandium, crystal and molecular structure of (M. Schneider, E. Weiss), (121)189
- Anilinetungsten pentacarbonyl, origin of irreproducibilities in the kinetic study of the reaction with triphenylphosphine (J. Nasielski, M. Vermeulen, P. Leempoel), (102)195
- Aryl complexes of the type *trans*-[Ir(Ar)(CO)(PPh₃)₂] (L. Dahlenburg, R. Nast), (110)395
- AsCo₃(CO)₉, its cyclic trimer As₃Co₉(CO)₂₄ and the phosphorus-containing analogue P₃Co₉(CO)₂₄ (A. Vizi-Orosz, V. Galamb, G. Pályi, L. Markó, G. Bor, G. Natile), (107)235
- Benzocyclobutenylidene-, naphtho[*b*]cyclobutenylidene, and η^2 -benzocyclobutadiene- η^5 -cyclopentadienyldicarbonyliron hexafluorophosphate, preparation and characterization of (A. Sanders, T. Bauch, C.V. Magatti, C. Lorenc, W.P. Giering), (107)359
- (Benzonitrile)tris(triphenylphosphorane)nickel(0), preparation and X-ray crystal structure of (I.W. Bassi, C. Benedicenti, M. Calcaterra, G. Rucci), (117)285
- Bis[1,4-bis(diphenylphosphino)butane]carbonylnickel(0), acid-catalysed ligand substitution on (B. Corain, L. De Nardo), (110)C27
- (Bicyclo[6.1.0]nona-2,4,6-triene)-molybdenum tricarbonyl, stereospecific incorporation of ¹³CO into (D.J. Darensbourg, A. Salzer), (117)C90
- 1,2-Bis(diphenylphosphinoethane)pentachlorophenylnickel neutral and cationic complexes (J.M. Coronas, O. Rossell, J. Sales), (121)265
- Bis-ligand chlorocarbonyliridium, catalytic activity in photoactivated, homogeneous hydrogenation reactions of (W. Strohmeier, L. Weigelt), (125)C40
- Bis(pentafluorophenyl)-platinum(II) and -platinum(IV) complexes, preparation and oxidative addition of (R. Usón, J. Fornies, P. Espinet), (116)353
- Bis(trialkylphosphine)dicarbonyl-molybdenum nitriles, CT-character and solvatochromism of (F. Hohmann, H. tom Dieck), (122)197
- Bis(triphenylphosphine)chlorocarbonyliridium, catalytic activity in photoinduced, homogeneous and selective hydrogenation of 1, 3-cyclohexadiene of (W. Strohmeier, H. Steigerwald), (125)C37
- Bis(triphenylphosphine)nickel complexes, reactivity towards carbonylmetallate anions of (P. Braunstein, J. Dehand, B. Munchenbach), (124)71
- Bis(triphenylphosphine)-platinum(II) and -palladium(II) complexes, carbonylation in the presence of amines and α -amino acid esters of (W. Beck, B. Purucker), (112)361
- Bis(triphenylphosphine)platinum disulphide, ligand reactivity and carbene formation in (D.H. Farrar, R.O. Harris, A. Walker), (124)125
- Bis(triphenylphosphine)-*o*-tolylnickel(II) bromide. ³¹P NMR study on ligand ex-

- change on (Y. Nakamura, K.-I. Maruya, T. Mizoroki), (104)C5
- Bromocarbonylhydridophenylbis(triethylphosphine)iridium(III), molecular structure of (U. Behrens, L. Dahlenburg), (116)103
- α -*trans*-Bromotricarbonyltrimethylphosphanetungsten-*p*-methylbenzylidenetrimethylphosphorane, preparation of (F.R. Kreissl, W. Uedelhoven, A. Ruhs), (113)C55
- Carbamato and related ruthenium(II) cationic and neutral complexes, formation from reaction of CO₂, COS and CS₂ with ruthenium hydrides in alcohol solution containing HNMe₂ of (T.V. Ashworth, M. Nolte, E. Singleton), (121)C57
- Carbonyl-isocyanide mixed cation, [OsCl(CO)₂(CNR)(PPh₃)₂]⁺, alkoxide attack at carbonyl and hydrosulphide attack at isocyanide in (K.R. Grundy, W.R. Roper), (113)C45
- Carbonylosmium porphodimethene, synthesis and crystal and molecular structure of (J.W. Buchler, K.L. Lay, P.D. Smith, W.R. Scheidt, G.A. Rupprecht, J.E. Kenny), (110)109
- Chloro(triphenylphosphine)rhodium as a catalyst in the alcoholysis of diarylsilanes (R.J.P. Corriu, J.J.E. Moreau), (114)135
- (⁺)₅₇₉- and (⁻)₅₇₉-C₅H₅Mn(COC₆H₅)(NO)-P(*p*-C₆H₄Y)₃, influence of substituents on the racemisation of (H. Brunner, J.A. Aclasis), (104)347
- Chromium atoms, trifluorophosphine and 1,4- and 1,3-cyclohexadiene, reactions of (J.R. Blackborow, R.H. Grubbs, A. Miyashita, A. Scrivanti, E.A. Koerner von Gustorf), (122)C6
- Cobalt(0) and nickel(0) phosphine derivatives, correlations between $E_{1/2}$, ΔH_{NP} and $\nu(\text{CO})$ in (D. de Montauzon, R. Poitblanc), (104)99
- Cobalt(I) five-coordinate complexes, structural preferences and P—P coupling constants in (R. Mason, G.R. Scollary, D.L. Dubois, D.W. Meek), (114)C30
- Cyanoalkyl complexes of platinum(II), alcoholysis and hydrolysis of the CN group (B. Ros, J. Renaud, R. Roulet), (104)271
- [Cyanophenyl]bis(triethylphosphine)nickel(II), elimination of benzonitrile in the reaction with 1,2-bis(diethylphosphino)ethane of (G. Favero, A. Turco), (105)389
- (2 + 2) Cyclo-addition of instable phosphazene of coordination number 3 (E. Niecke, W. Flick), (104)C23
- Cycloheptatrienylmolybdenum chemistry, tertiary phosphine, alkyl, hydrido, halo, and related derivatives (M.L.H. Green, R.B.A. Parry), (117)C13
- Cyclooctadiene-((+)-2,3-isopropylidene-2,3-dihydroxy-1,4-bis(diphenylphosphino)butane)rhodium cation, asymmetric catalysis by (D. Sinou, H.B. Kagan), (114)325
- η -Cyclopentadienyliron dicarbonyl halides, constrained phosphite ester complexes of (W.E. Stanclift, D.G. Hendricker), (107)341
- Cyclopentadienylmetal carbonyl reduction in hexamethylphosphoramide (J.E. Ellis, R.A. Faltynek, S.G. Hentges), (120)389
- π -Cyclopentadienylrhodium dicarbonyl triphenylphosphine, *cis*-*trans* isomerism of protonated forms of (G.A. Panosyan, P.V. Petrovskii, N.I. Pyshnograeva, N.E. Kolobova, V.N. Setkina, E.I. Fedin), (108)209
- , hydrogen isotopic exchange and protonation of (N.I. Pyshnograeva, V.N. Setkina, G.A. Panosyan, P.V. Petrovskii, Yu.V. Makarov, N.E. Kolobova, D.N. Kursanov), (108)85
- η^5 -Cyclopentadienyl(triphenylphosphine)silver(I), synthesis and properties of (H.K. Hofstee, J. Boersma, G.J.M. van der Kerk), (120)313
- Cymantrene, substitution of forming optically active derivatives which are chiral at manganese (F. Le Moigne, R. Dabard, M. Le Plouzennec), (122)365
- Cymantrenyl carbenium ions containing one phosphine ligand, synthesis and NMR spectra of (A.G. Ginzburg, V.N. Setkina, P.V. Petrovskii, Sh.G. Kasumov, G.A. Panosyan, D.N. Kursanov), (121)381
- Decafluoro-phosphorobenzene and -arsenobenzene platinum derivatives, crystal structure of Pt(PPh₃)₂(PC₆F₅)₂ (P.S. Elmes, M.L. Scudder, B.O. West), (122)281
- Dialkyl(acetylacetonato)bis(tertiary phosphine)cobalt(III) and related complexes in solution, NMR studies of the dynamic behaviour of (T. Ikariya, Y. Nakamura, A. Yamamoto), (118)101
- cis*-Dialkylcobalt complexes, CoR₂(acac)-

- (PR'_3)₂, preparation and properties of (T. Ikariya, A. Yamamoto), (116)239
- Dibenzoyl- and diacetyl-hydrazido(2-)-(*N,N',O,O'*)-bis(carbonyltriphenylphosphine)-rhodium(I) and -iridium(I), synthesis and reactions of (A.S. Kasenally, F.M. Hussein), (111)355
- Di-*t*-butylberyllium, vibrational spectral study of the action of trialkyl-amines and -phosphines (J. Mounier, B. Mula, A. Potier), (105)289
- Di-*t*-butylberyllium complexes with ethers, alkylamines, sulphides and phosphines, comparative study of the vibrational spectra of (J. Mounier, B. Mula, A. Potier), (107)281
- (1,3-Di-*t*-butyl-2,4-dichlorodiazadiphosphetidine)heptacarbonyldiiron, preparation of (P.N. Hawker, L.S. Jenkins, G.R. Willey), (118)C44
- Dicarbomethoxyacetylenebis(triphenylphosphine)platinum, thermally-induced *ortho*-metalation from (H.C. Clark, K.E. Hine), (105)C32
- Dicarbonyl- η -benzenephénylcarbyne-chromium tetrachloroborate, trimethylphosphine addition to (F.R. Kreissl, P. Stückler), (110)C9
- Dicarbonyl- η^5 -cyclopentadienyl(olefin)iron cations, addition of heteroatomic nucleophiles to (P. Lennon, M. Madhavarao, A. Rosan, M. Rosenblum), (108)93
- Dicarbonyltetrakis(dimethoxyphenylphosphine)manganese(I) hexafluorophosphate, crystal and molecular structure of two isomers of (G.J. Kruger, R.O. Heckrodt, R.H. Reimann, E. Singleton), (111)225
- Dichlorophenyl- and chlorodiphenyl-arsines, reduction with dimethoxymethylphosphine to form an As-As bond (K.M. Abraham, J.R. Van Wazer), (113)265
- Di-1,5-cyclooctadienenickel in reactions with phosphorus ligands, calorimetric study of steric effects in (C.A. Tolman, D.W. Reutter, W.C. Seidel), (117)C30
- Dihalo-, halohydrido- and dihydrophosphineplatinum(II) compounds, preparation of (P.G. Leviston, M.G.H. Wallbridge), (110)271
- Dihydridonitrosyltris(triphenylphosphine)-rhenium, synthesis and reactions of (D. Giusto, G. Ciani, M. Manassero), (105)91
- Dimeric aminodiiminophosphoranes with trimethylsilyl substituents (R. Appel, M. Halstenberg), (121)C47
- Dimethylphosphane sulphides, isomerisation on carbonylmanganese systems of (E. Lindner, H. Dreher), (104)331
- DIOP-rhodium cationic complexes, small-scale method for preparation of and comparison with neutral DIOP-rhodium complexes (R. Glaser, S. Geresh, J. Blumenfeld), (112)355
- DIOP-rhodium complexes, use of *Z*- α -acetamidocinnamate esters as structural probe for (R. Glaser, B. Vainas), (121)249
- Diorganotellurides, pyrolysis in the presence of tertiary phosphines of (D.H. Brown, R.J. Cross, D. Millington), (125)219
- Diorganylphosphane chalcogenides, isomerization on manganese and rhenium carbonyl complexes (E. Lindner, B. Schilling), (114)C23
- Diphenylvinylphosphine oxide tetracarbonyliron(0), preparation of (B.F.G. Johnson, J. Lewis, S.R. Postle), (121)C7
- Diphosphine and distibine ligands with backbones of varying lengths, mass spectra of (W. Levason, C.A. McAuliffe, I.E. Niven, R.V. Parish, P.D. Randall), (125)209
- (Divinylcyclohexane)nickel-phosphine complexes, preparation and structure of (P.W. Jolly, C. Krüger, R. Salz, G. Wilke), (118)C25
- 1,2-Epoxyalkyllithium reagents, stereospecific preparation via generalized lithiation of α -hetero-substituted epoxides (J.J. Eisch, J.E. Galle), (121)C10
- [*trans*-Fe(CO)₃(PR₃)₂]⁺ and [Fe(CO)₃-(Ph₂PCH₂CH₂PPh₂)]⁺, formation and reactivity of (N.G. Connelly, K.R. Somers), (113)C39
- Fluorocyclotriphosphazanes, phenyl-substituted, ¹³C NMR parameters for (C.W. Allen), (125)215
- Germaphospholanes, insertion reactions of heterocumulenes in the Ge-P bond of (C. Couret, J. Escudié, J. Satgé, G. Redoulès), (111)263
- Germylene-phosphine complexes (J. Escudié, C. Couret, P. Rivière, J. Satgé), (124)C45
- Group VIA anionic carbonyl complexes with sulphur-containing ligands

- (G. Doyle), (101)85
- Group VIA metal carbonyls, reactions with tetraphosphorus hexaoxide of (M.L. Walker, J.L. Mills), (120)355
- Group VIA trivalent phosphorus derivatives, IR and PMR studies of protonation of $M(CO)_{6-n}(PR_3)_n$ complexes (M.S. Arabi, R. Mathieu, R. Poilblanc), (104)323
- Halocarbonyliron neutral, cationic and anionic complexes, synthesis and isomerisation of (M. Pankowski, M. Bigorgne), (125)231
- Halocarbonyl-molybdenum and -tungsten substituted compounds (W.A. Schenk), (117)C97
- Hepta- μ -carbonyltetracarbonyl-tetrahydro-tetrahedrate(2-), crystal and molecular structure in its bis(triphenylphosphine)-iminium salt of (V.G. Albano, G. Ciani, A. Fumagalli, S. Martinengo, W.M. Anker), (116)343
- N- α -Heteroaromatic substituted thio-phosphinic amides, nucleophilic reactivity of (J. Bodeker, P. Köckritz, R. John-Schenk), (111)65
- Heterodieneiron(0) complexes containing phosphite groups (A. Vessières, P. Dixneuf), (108)C5
- Heterodienetricarbonyliron complexes in reactions with phosphine ligands (A. Vessières, D. Touchard, P. Dixneuf), (118)93
- HRuCl(PPh₃)₃ as catalyst in hydrogenation of 1-hexene and acrylic ethyl ester (W. Strohmeier, G. Buckow), (110)C17
- trans-Hydridobis(triphenylphosphine)(1,3-di-*p*-tolyltriazenido)platinum(II), molecular and crystal structure of (A. Immirzi, G. Bombieri, L. Toniolo), (118)355
- Hydrido(1,3-butadiene)tris(dimethylphenylphosphine)ruthenium(II) hexafluorophosphate, crystal structure of (T.V. Ashworth, E. Singleton, M. Laing), (117)C113
- Hydridocarbonyltris(triphenylphosphine)iridium(I), stereochemistry of Si-D addition to (J.P. Fawcett, J.F. Harrod), (113)245
- Hydridocobalt(I) complexes of 1,1,1-tris-(diphenylphosphinomethyl)ethane, preparation of (J. Ellermann, J.F. Schindler, H. Behrens, H. Schlenker), (108)239
- Hydropalladation reaction (D.J. Mabbott, P.M. Maitlis), (102)C34
- Hydrosilylation, catalysed by a rhodium(I) complex with chiral phosphine ligands in asymmetric reduction of ketones (I. Ojima, T. Kogure, M. Kumagai, S. Horiuchi, T. Sato), (122)83
- , of ketones catalysed by a chiral phosphine-platinum(II) complex (T. Hayashi, K. Yamamoto, M. Kumada), (112)253
- Iodo-N-octylhydrazidobis[1,2-bis(diphenylphosphino)ethane]molybdenum iodide, crystal and molecular structure of the benzene solvate of (V.W. Day, T.A. George, S.D.A. Iske, S.D. Wagner), (112)C55
- Iodo(phenyl)bis(triphenylphosphine)-palladium(II) as catalysts in the cross-coupling of aryl halides with Grignard reagents (A. Sekiya, N. Ishikawa), (118)349
- $[\text{IrCl}\{\text{P}(\text{OC}_6\text{H}_3\text{CH}_3)_2(\text{OC}_6\text{H}_4\text{CH}_3)\}_2(\gamma\text{-picoline})_2]$, crystal structure of (M.J. Nolte, E. van der Stok, E. Singleton), (105)C13
- $[\text{Ir}_2(\mu\text{-H})_3\text{H}_2(\text{PPh}_3)_4]^+\text{PF}_6^-$, novel iridium complex containing a metal-metal triple bond (R.H. Crabtree, H. Felkin, G.E. Morris, T.J. King, J.A. Richards), (113)C7
- Lewis base-tungsten tetracarbonyl intermediates, fluxionality and structure in solution of (D.J. Darensbourg, G.R. Dobson, A. Moradi-Araghi), (116)C17
- Lithium alkylamides and lithium dialkylamides, interaction with tetraphenylphosphonium chloride of (N.A. Nesmeyanov, O.A. Rebrova, V.V. Mikul'shina, P.V. Petrovsky, V.I. Robas, O.A. Reutov), (110)49
- Manganese complexes with cyclopentadienyl-sulphonium and -phosphonium ligands (A.N. Nesmeyanov, N.E. Kolobova, V.I. Zdanovitch, A.Zh. Zhakaeva), (107)319
- Me₂AsCHN₂, preparation and reactions of (P. Krommes, J. Lorberth), (110)195
- Me₃P, Me₃N and R₂NH in reactions with small *closo*-carboranes C₂B_xH_{x+2} (x = 3, 4, 5) (L. Lew, G. Haran, R. Dobbie, M. Black, T. Onak), (111)123
- cis*-Me₂Pt[P(OMe)₃]₂ formed by reductive elimination of CH₃N₃ from [Me₃PtN₃]₄ by P(OMe)₃ (B. Neruda, J. Lörberth), (111)241
- Me₃SiN₃, reaction with Me₃P=N-PMe₂ of (W. Wolfsberger, W. Hager), (118)C65
- Metal carbonyl halide adducts in reactions

- with Lewis acids (M. Pańkowski, M. Bigorgne, Y. Chauvin), (110)331
- Metal carbonyl six-membered heterocyclic compounds with phosphorus-chalcogen bonds (E. Lindner, B. Schilling), (117)C93
- Metal hydride chemistry, formation of secondary carbene complexes from imidoyl derivatives (D.F. Christian, H.C. Clark, R.F. Stepaniak), (112)227
- , isocyanide insertion into Pt—H bonds and formimidoyl ligands (D.F. Christian, H.C. Clark, R.F. Stepaniak), (112)209
- Metal—metal bonded compounds with Mg^{I} pairs bridged by oxygen acid anions O_2CCF_3^- , ClO_4^- , $\text{O}_2\text{CCH}(\text{CH}_3)_2^-$ (J. Kuyper, K. Vrieze), (107)129
- Metal—metal bonded species, formation via intramolecular rearrangement of (R.J. Haines, J.C. Burekett-St. Laurent, C.R. Nolte), (104)C27
- (π -Methyl benzoate)(triphenylphosphine)-chromium dicarbonyl, crystal and molecular structure of (V.G. Andrianov, Yu.T. Struchkov, N.K. Baranetzka, V.N. Setkina, D.N. Kursanov), (101)209
- Methylbis[1,2-bis(diphenylphosphino)ethane]cobalt(I), preparation and properties of (T. Ikariya, A. Yamamoto), (116)231
- Methyliron complexes with tertiary phosphine ligands, preparation and properties of and their decomposition pathways through the formation of carbenoid intermediates (T. Ikariya, A. Yamamoto), (118)65
- Methylmanganese pentacarbonyl in reaction with chelating ditertiary phosphine and arsine ligands, steric effects (C.S. Kraihanzel, P.K. Maples), (117)159
- Methylplatinum and methylgold compounds in reactions with phenylselenol, diphenylphosphine, diphenylarsine, *N*-bromosuccinimide and 2-nitrophenylsulphenyl chloride (R.J. Puddephatt, P.J. Thompson), (117)395
- Methyl-substituted bidentate Group VB donor ligands, mass spectral studies on (W. Levason, C.A. McAuliffe, S.G. Murray, R.D. Sedgwick), (105)195
- Methyl(triphenylphosphine)gold(I), photolysis of (P.W.N.M. van Leeuwen, R. Kaptein, R. Huis, C.F. Roobeek), (104)C44
- cis*- $\text{Mn}(\text{CO})_4\text{LBr}$ (L = PPh_3 , AsPh_3 , SbPh_3), C^{18}O -substituted, vibrational spectra of (I.S. Butler, H.K. Spendjian), (101)97
- $\text{Mn}_2(\text{CO})_5(\text{Ph}_2\text{PCH}_2\text{PPh}_2)_2$, kinetic characteristics of the four-electron bridging carbonyl group in (K.G. Caulton, P. Adair), (114)C11
- $\text{NbH}_5(\text{Me}_2\text{PCH}_2\text{CH}_2\text{Me}_2)_2$ and $\text{NbHL}_2(\text{Me}_2\text{PCH}_2\text{CH}_2\text{PMe}_2)_2$ (L = CO, C_2H_4), preparation of (R.R. Schrock), (121)373
- Nickelocene, reduction-complexation reactions converting phosphine sulphides into $\pi\text{-C}_5\text{H}_5\text{Ni(I)L}$ complexes of (F. Mathey, G. Sennyey), (105)73
- , reduction-complexation reactions of thiophosphinates with (F. Mathey, D. Thavard), (117)377
- $\text{Ni}(\text{CO})[\text{P}(\text{C}_6\text{H}_5)_2(\text{CH}_2)_4\text{P}(\text{C}_6\text{H}_5)_2]_2$, reactivity with (π -acidic) Lewis bases, an example of reversible coordination of carbon monoxide to nickel(0) (B. Corain, L. De Nardo, G. Favero), (125)105
- Nitrato(triphenylphosphine) complexes of the platinum metals; detection of triphenylphosphine oxide ligands in (P.B. Critchlow, S.D. Robinson), (114)C46
- Nitratotriphenyl(triphenylphosphine oxide)-tin(IV), synthesis and structure of (M. Nardelli, C. Pelizzi, G. Pelizzi), (112)263
- Norbornadienechromium tetracarbonyl, primary photochemical process in (D. Rietvelde, L. Wilputte-Steinert), (118)191
- cis*-Octahedral bis(β -diketenato) complexes, dynamic stereochemistry of (F. Finocchiaro, V. Librando, P. Maravigna, A. Recca), (125)185
- Organogold(III) complexes prepared by oxidation of dichloro- and bis(pentafluorophenyl)- μ -bis(diphenylphosphino)-ethanogold(I) (R. Usón, A. Laguna, J. Vicente, J. Garcia), (104)401
- Organophosphines in reactions with chalcogens and halogens (W.-W. Du Mont, H.-J. Kroth), (113)C35
- Organophosphorus polymeric ligands for catalyst attachment, preparation of (R.H. Grubbs, S.-C.H. Su), (122)151
- Organosilylphosphines, simplified synthesis of (R. Appel, K. Geisler), (112)61
- Oximes containing organotin substituents, Beckmann rearrangement of (S.Z. Abbas, R.C. Poller), (104)187
- Palladium(II) complexes with keto-stabilized phosphonium, arsonium and

- pyridinium ylides (P. Bravo, G. Fronza, C. Ticozzi), (111)361
- Palladium and nickel cationic hydride and related complexes with tricyclohexylphosphine or triisopropylphosphine, synthesis of (H. Imoto, H. Moriyama, T. Saito, Y. Sasaki), (120)453
- Palladium(II) and platinum(II) cationic chelate ylide complexes, preparation of (M. Kato, H. Urabe, Y. Oosawa, T. Saito, Y. Sasaki), (121)81
- Palladium(II) and platinum(II) halide chelate ylide ligand complexes, preparation of (Y. Oosawa, H. Urabe, T. Saito, Y. Sasaki), (122)113
- Palladium(II), platinum(II) and mercury(II) complexes of ambidentate phosphonium, arsonium, sulphonium and pyridinium ylides (E.T. Weleski, Jr., J.L. Silver, M.D. Jansson, J.L. Burmeister), (102)365
- Palladium(II)-*t*-butyldibenzylphosphine and -benzyl-di-*t*-butylphosphine complexes, internal metallation reactions of (B.L. Shaw, M.M. Truelock), (102)517
- Palladium phosphine and amine bis(cyanomethanide) complexes, preparation and characterisation of (G. Oehme, K.-C. Röber, H. Pracejus), (105)127
- Pentacarbonyl(diorganophosphane sulphide)metal(0) (M = Cr, Mo, W), preparative, kinetic and spectroscopic investigations of (E. Lindner, W.P. Meier), (114)67
- Pentacarbonyl-manganese(-I) and -rhenium(-I), reactions with metal carbonyl halide derivatives of (D.L. Morse, M.S. Wrighton), (125)71
- Pentafluorophenylpalladium(II) neutral and cationic complexes (R. Usón, J. Fornies, S. Gonzalo), (104)253
- Pentamethylcyclopentadienyl-substituted phosphorus compounds, synthesis of (P. Jutzi, H. Saleske, D. Nadler), (118)C8
- trans*-(Phenylacetylido)bis(triphenylphosphine)(*p*-fluorophenyldiazene)-platinum(II) tetrafluoroborate (U. Croatto, L. Toniolo, A. Immirzi, G. Bombieri), (102)C31
- 2-Phenylallylmagnesium phenoxide, catalysis of cycloaddition to *trans*-stilbene by macrocyclic complexing agents and hexamethylphosphoramide *trans*-bis(triethylphosphine)platinum(II)], [Pt(NCS)(PEt₃)₂]₂·*p*-C₆H₄(C≡C)₂, crystal and molecular structure of (U. Behrens, K. Hoffmann, J. Kopf, J. Moritz), (117)91
- Phenyllithium hexachlorotungsten in arylation reactions of ethers and amines (J. Levisalles, H. Rudler, D. Villemin), (122)C15
- Phosphido cobalt carbonyl clusters (P_n[Co(CO)₃]_{4-n} (n = 1, 2, 3), preparation and characterization of (A. Vizi-Orosz), (111)61
- Phosphine complexes of rhodium, iridium, ruthenium and platinum chemically bonded to the surface of silica as catalysts for the hydrogenation of olefins and dienes (K.G. Allum, R.D. Hancock, I.V. Howell, T.E. Lester, S. McKenzie, R.C. Pitkethly, P.J. Robinson), (107)393
- Phosphine, phosphite, arsine and stibine ligands and their LNi(CO)₃, LCr(CO)₅ and η-C₅H₅Mn(CO)₂L complexes, ¹³C NMR study of (G.M. Bodner, M. Gaul), (101)63
- Phosphine-nickel(II) and -rhodium(II) chiral complex-catalyzed hydrosilylation of olefins (K. Yamamoto, T. Hayashi, Y. Uramoto, R. Ito, M. Kumada), (118)331
- Phosphine-platinum(II) chiral complexes as hydrosilylation catalysts of olefins (K. Yamamoto, T. Hayashi, M. Zembayashi, M. Kumada), (118)161
- Phosphonium adduct formation with tricarbonyl(trophylium) cations of chromium, molybdenum and tungsten (D.A. Sweigart, M. Gower, L.A.P. Kane-Maguire), (108)C15
- Phosphite addition to organometallic cations to give phosphonium adducts (G.R. John, L.A.P. Kane-Maguire), (120)C45
- Platinum group metals, *N,N'*-diarylformamidinato complexes of (S.D. Robinson, A. Sahajpal), (117)C111
- Platinum(II) planar complexes with *p*-phenylene-diacetylido ions as bridging ligands (R. Nast, J. Moritz), (117)81
- Platinum-phosphine and nickel-sulphur-phosphine complexes, investigations of (M. Schmidt, G.G. Hoffmann), (124)C5

- novel class of aryldiazene complexes (L. Toniolo, D. Leonesi), (113)C73
- Pt(PPh₃)₂(CS₂), Pt-CS₂ bond strength in (C.T. Mortimer, M.P. Wilkinson, R.J. Puddephatt), (102)C43
- (+)₅₇₈-RC₅H₄Mn(NO)(COC₆H₅)PR₃, stereochemistry of phosphine exchange in (H. Brunner, W. Steger), (120)239
- RhCl(PPh₃)₃ and IrClCo(PPh₃)₂ as catalysts in homogeneous, catalytic hydrogenation of acrylic ethyl ester (W. Strohmeier, E. Hitzel), (110)C22
- RhCl(PPh₃)₃ and RhX(CO)(PPh₃)₂ as catalysts in homogeneous decarbonylation of C₆H₅COBr and C₆H₅CH₂COCl (W. Strohmeier, P. Pföhler), (108)393
- Rhodium(I) and iridium(I) complexes formed by a tridentate olefinic di-tertiary phosphine, additions to metal atom and coordinated ligand in; chelate olefin complexes and σ -alkyl-rhodium(III) and -iridium(III) compounds (M.A. Bennett, R.N. Johnson, I.B. Tomkins), (118)205
- Rhodium(I) and iridium(I) 4- and 5-coordinate chelate olefin complexes, intramolecular isomeric conversions caused by (*o*-vinylphenyl)diphenyl-phosphine and -arsine in (M.A. Bennett, E.J. Hann, R.N. Johnson), (124)189
- Rhodium(I) olefin complexes containing the ligand 3-butenyldiphenylphosphine and diphenyl-4-pentenylphosphine (P.W. Clark, G.E. Hartwell), (102)387
- Rhodium(I) planar cations, tetraphenylborate ion-promoted hydrogenation caused by a chelating olefinic tertiary phosphine or arsine of (M.A. Bennett, E.J. Hann), (124)213
- Rhodium(I) tris-olefin 5-coordinate complexes, ¹³C NMR spectra of (P.W. Clark, A.J. Jones), (122)C41
- Rhodium(I) unsaturated macrocyclic phosphine complexes, synthesis and structure of (R. Mason, G. Scollary, B. Moyle, K.L. Hardcastle, B.L. Shaw, C.J. Moulton), (113)C49
- [Ru(O₂CNMe₂)(PMe₂Ph)₄]PF₆, crystal structure of (T.V. Ashworth, M. Nolte, E. Singleton), (121)C57
- Ruthenium carbonyl compounds, reactions with thiocyanogen and iodide of (H.B. Kuhnhen), (105)357
- Ruthenium six-membered metallocyclic compound (H. Yamazaki, K. Aoki), (122)C54
- agents (N. Petragrani, R. Rodrigues, J.V. Comasseto), (114)281
- Selenophosphoranes, attempted Wittig reaction with ketones of (M. Petragrani, J.V. Comasseto, R. Rodrigues, T.J. Brocksom), (124)1
- Six-membered ring system with alternating Mn-S-P bonds, preparation and properties of (E. Lindner, H. Dreher), (109)85
- Stereochemical and thermochemical study of 1,2 alkyl shifts from a carbonyl group to a metal atom (D. Egglestone, M.C. Baird), (113)C25
- Tetraamidodiphosphine monoxide/phosphorodiamidous anhydride tautomerism (V.L. Foss, Yu.A. Veits, N.V. Lukashov, I.F. Lutsenko), (121)C27
- Tetracarbonyl(tri-*t*-butylphosphine)iron, crystal structure of (J. Pickardt, L. Rösch, H. Schumann), (107)241
- mer*-Tetrafluoroboratotricarbonyltrimethylphosphinemethylcarbenechromium, preparation of (K. Richter, E.O. Fischer, C.G. Kreiter), (122)187
- Tetrakis(methoxycarbonyl)palladiacyclopentadiene, synthesis and structure of the triphenylphosphonium cyclopentadienylidene adduct of (C.G. Pierpont, H.H. Downs, K. Itoh, H. Nishiyama, Y. Ishii), (124)93
- Tetrakis(trialkylphosphine)tetrahalodirhenium compounds, cleavage of the Re-Re quadruple bonds of (C.A. Hertzler, R.A. Walton), (124)C15
- Tetrakis(triarylphosphine)palladium as a catalyst in reactions of organic halides with R₃MMR₃ (M = Si, Ge, Sn) compounds (D. Azarian, S.S. Dua, C. Eaborn, D.R.M. Walton), (117)C55
- Tetrakis(triphenylphosphine)nickel(0), oxidative addition of benzyl halides to (J.K. Stille, A.B. Cowell), (124)253
- (2,2,7,7-Tetramethyl-3,6-dithiaoctane)tetracarbonyltungsten(0), kinetics and mechanism of ligand exchange in (L.D. Schultz, G.R. Dobson), (124)19
- μ -(Tetraphenyl diphosphine)decacarbonyldimolybdenum, synthesis of (C.M. Bartish, C.S. Kraihanzel), (112)C31
- Transition metal complexes of bidentate phosphines derived from α -amino-acid esters (P.W. Lednor, W. Beck, H.G. Fick), (113)C19

- Trialkyl- and triaryl-phosphine and -phosphite monosubstituted derivatives of $(\mu_2\text{-L})_2\text{Co}_2(\text{CO})_6$ compounds, preparation and infrared spectra of (G. Váradi, A. Vizi-Orosz, S. Vastag, G. Pályi), (108)225
- Trialkylphosphite substitution in pentakis-(aromatic isocyanide)cobalt(I) (C.A.L. Becker), (104)89
- Tri-*n*-butylphosphine addition to cycloheptadienyltricarbonylmethyltetrafluoroborate, mechanism of (G.R. John, L.A.P. Kane-Maguire, D.A. Sweigart), (120)C47
- Tricarbonyldiiodo[bis(dimethylphosphine)ethane]tungsten(II), crystal and molecular structure of (M.G.B. Drew, C.J. Rix), (102)467
- Tricarbonylnickel(0) complexes of germyl- and stannyl-phosphines with functional groups bonded to germanium or tin atoms (H. Schumann, J. Held, H.-J. Kroth, W.-W. Du Mont, B. Wöbke), (105)393
- Trihydridotris(triphenylphosphine)iridium, reaction with *p*-anisyl diazonium tetrafluoroborate of (M. Angoletta, I. Malatesta, P.L. Bellon, G. Caglio), (114)219
- Trimethylgallium—trimethylammonium and phosphine, gas electron diffraction study of the molecular structures of (L.M. Golubinskaya, A.V. Golubinskii, V.S. Mastryukov, L.V. Vilkov, V.I. Bregadze), (117)C4
- Trimethylphosphiniminopentamethyl-disiloxane and bis(trimethylphosphin-imino)dimethylsilane, 1/1 complexes with trimethyl-aluminium, -gallium, and -indium (W. Wolfsberger, H. Schmidbaur), (122)5
- Trimethylphosphitemethylrhodium cationic complexes, preparation and reactivity of (H. Neukomm, H. Werner), (108)C26
- Trimethylsilylcarbodiimides, structural isomers prepared by addition of amino-diiminophosphoranes of (R. Appel, M. Halstenberg), (116)C13
- Trimethylsilylated *N,O,O*-triphenylphosphoramidate, reversible 1,3-trimethylsilyl migration between nitrogen and oxygen in (P.K.G. Hodgson, R. Katz, G. Zon), (117)C63
- Trimethylstannylidomethane, reactions with tertiary phosphines (R.L. Keiter, E.W. Abel), (107)73
- Trimethyltin phosphines as ligands in transition metal carbonyl complexes, tin-119m Mössbauer spectra of (H. Schumann, W.-W. Du Mont, P.J. Corvan, J.J. Zuckerman), (121)321
- Triosmium clusters, addition of dimethylphenylphosphine at bridging vinyl, acetylene and phenylacetylide ligands in (A.J. Deeming, S. Hasso), (112)C39
- Triphenyl derivatives of Group V elements, photoelectron spectroscopy of (G. Distefano, S. Pignataro, L. Szepes, J. Borossay), (102)313
- Triphenylpnictogen chalcogenides, preparation and mass spectrometry of (C. Glidewell), (116)199
- [Tris(2-diphenylphosphinoethyl)amine-nickelacetyl]tetraphenylborate, X-ray structure of and insertion of carbon monoxide into a Ni—C bond (L. Sacconi, P. Dapporto, P. Stoppioni), (116)C33
- Tris(methyl-*o*-carboranyl)phosphine, synthesis of (V.I. Bragadze, N.N. Godovikov, A.N. Degtyarev, M.I. Kabachnik), (112)C25
- Tris- and tetrakis-phosphine dihaloruthenium complexes, syntheses of and rearrangements in (W.J. Sime, T.A. Stephenson), (124)C23
- Tris(polychlorophenyl)thallium(III) compounds, preparation and reactions of (S. Numata, H. Kurosawa, R. Okawara), (102)259
- Tris(trimethylphosphite)(η^3 -allyl)rhodium, synthesis of and reactions with hydrogen, silanes and donor ligands (M. Bottrill, M. Green), (111)C6
- Tris(triphenylphosphine)carbonylrhodium in homogeneous catalytic hydroformylation of 1-hexene (W. Strohmeier, A. Kühn), (110)265
- Tris(triphenylphosphine)chlororhodium and bis(triphenylphosphine)carbonylchloroiridium, catalytic behaviour and turnover numbers in homogeneous hydrogenation under aerobic and anaerobic conditions (W. Strohmeier, E. Hitzel), (110)389
- Tris(triphenylphosphine)chlororhodium as a catalyst, in hydrosilylation of α,β -unsaturated nitriles and esters (I. Ojima, M. Kumagai, Y. Nagai), (111)43
- , in selective hydration of mesityl oxide to methylisobutylketone with H_2O_2 (W. Strohmeier, E. Hitzel), (102)C37
- Tris(triphenylphosphine)methylcobalt, reaction with diphenylacetylene of

(M. Michman, L. Marcus), (122)77
 Vanadium hexacarbonyl anion and η^5 -cyclopentadienylvanadium tetracarbonyl, substitution products with di- and tertiary phosphines of (D. Rehder, L. Dahlenburg, H. Müller), (122)53

Platinum

- cis*- π -Acetylenic methylplatinum(II) complexes (H.C. Clark, K. von Werner), (101)347
- π -Allylmetal chemistry, cleavage of allyl groups from quaternary nitrogen by platinum(0) complexes (H. Kurosawa), (112)369
- Allylphosphine-iridium(I) coordination complexes, metallation of (S. Hietkamp, D.J. Stufkens, K. Vrieze), (122)419
- Aryldiazo derivatives of transition metals, X-ray photoelectron spectra of (P. Brant, R.D. Feltham), (120)C53
- Binuclear palladium(I) and platinum(I) isocyanide complexes, substitution reactions of (J.R. Boehm, A.L. Balch), (112)C20
- Bis(pentafluorophenyl)-platinum(II) and -platinum(IV) complexes, preparation and oxidative addition of (R. Usón, J. Fornies, P. Espinet), (116)353
- Bis(phenyl)(chelate)platinum(II) complexes, oxidative addition of methyl iodide to (R. Usón, J. Fornies, P. Espinet, J. Garin), (105)C25
- Bis(triphenylphosphine)-platinum(II) and -palladium(II) complexes, carbonylation in the presence of amines and α -amino acid esters of (W. Beck, B. Purucker), (112)361
- Bis(triphenylphosphine)platinum disulphide, ligand reactivity and carbene formation in (D.H. Farrar, R.O. Harris, A. Walker), (124)125
- Chloroplatinic acid in reaction with methylated cyclopropanes and olefins; diacylation and pyrylium formation (S.E. Earnest, D.B. Brown), (120)135
- Crotylplatinum(II) complexes, structures of and equilibria in (H. Kurosawa, G. Yoshida), (120)297
- Cyanoalkyl complexes of platinum(II), alcoholysis and hydrolysis of the CN group (B. Ros, J. Renaud, R. Roulet), (104)271
- , nucleophilic attack of the CN group by amines (R. Ros, J. Renaud, R. Roulet), (104)393
- Decafluoro-phosphorobenzene and -arsenobenzene platinum derivatives, crystal structure of $\text{Pt}(\text{PPh}_3)_2(\text{PC}_6\text{F}_5)_2$ (P.S. Elmes, M.L. Scudder, B.O. West), (122)281
- Dialkylsulphurdiimine-rhodium(I), -iridium(I) and -platinum(II) cationic compounds, ^1H and ^{13}C NMR studies of intra- and inter-molecular exchange processes in (J. Kuyper, L.G. Hubert-Pfalzgraf, P.C. Keyzer, K. Vrieze), (108)271
- 1,2- and 1,7-dicarba-*closo*-dodecaborane-(12)platinum(II) complexes formed through metal-carbon σ bonds; *cis*- and *trans*-monohydrido derivatives (B. Longato, F. Morandini, S. Bresadola), (121)113
- Dicarbomethoxyacetylenebis(triphenylphosphine)platinum, thermally-induced *ortho*-metallation from (H.C. Clark, K.E. Hine), (105)C32
- Dichlorodieneplatinum complexes, nucleophilic attack of imidate anions with formation of compounds with Pt-N σ -bonds on (G.C. Carturan, U. Belluco, M. Graziani, R. Ross), (112)243
- Dichloro- η^4 -norbornadiene-palladium and -platinum, phenylation of (A. Segnitz, E. Kelly, S.H. Taylor, P.M. Maitlis), (124)113
- [Diethylbis(1-pyrazolyl)borato]methyl(1-phenylpropyne)platinum(II) $[(\text{C}_2\text{H}_5)_2\text{B}(\text{N}_2\text{C}_3\text{H}_3)_2](\text{CH}_3)\text{Pt}(\text{C}_6\text{H}_5\text{C}\equiv\text{CCH}_3)$, crystal and molecular structure of (B.W. Davies, N.C. Payne), (102)245
- Dihalo-, halohydrido- and dihydrophosphineplatinum(II) compounds, preparation of (P.G. Leviston, M.G.H. Wallbridge), (110)271
- Diphenyl(2,2'-bipyridine)platinum(II), solvent effects on the rate of oxidative addition of methyl iodide to (J.K. Jawad, R.J. Puddephatt), (117)297
- trans*-Hydridobis(triphenylphosphine)(1,3-di-*p*-tolyltriazenido)platinum(II), molecular and crystal structure of (A. Immirzi, G. Bombieri, L. Toniolo), (118)355
- Hydrido cyanoalkyls of platinum(III), preparation and reactions of (R. Ros, R. Bataillard, R. Roulet), (118)C53
- Hydrosilylation of ketones catalysed by a chiral phosphine-platinum(II) complex (T. Hayashi, K. Yamamoto, M. Kumada), (112)253

- Hydroxo and aquo-dimethylplatinum(IV) complexes, preparation and reactions of (J.R. Hall, G.A. Swile), (122)C19
- Iridium and platinum complexes, reactions with *N*-sulphinyl compounds (D.M. Blake, J.R. Reynolds), (113)391
- Low oxidation state transition metal complexes, activation of thiocyanogen and selenocyanogen by (F. Faraone, S. Sergi), (112)201
- cis*-Me₂Pt[P(OMe)₃]₂ formed by reductive elimination of CH₃N₃ from [Me₃PtN₃]₄ by P(OMe)₃ (B. Neruda, J. Lörberth), (111)241
- Metal hydride chemistry, formation of secondary carbene complexes from imidoyl derivatives (D.F. Christian, H.C. Clark, R.F. Stepaniak), (112)227
- , isocyanide insertion into Pt—H bonds and formimidoyl ligands (D.F. Christian, H.C. Clark, R.F. Stepaniak), (112)209
- Methyl[hydridotris(pyrazol-1-yl)borato]-carbonylplatinum(II), crystal structure of (J.D. Oliver, P.E. Rush), (104)117
- Methylplatinum and methylgold compounds in reactions with phenylselenol, diphenylphosphine, diphenylarsine, *N*-bromosuccinimide and 2-nitrophenylsulphenyl chloride (R.J. Puddephatt, P.J. Thompson), (117)395
- Nickel, palladium and platinum; Annual Survey covering the year 1973 (E. Singleton, C. Cooke, J.R. Moss), (106)337
- , — 1974 (E. Singleton), (123)303
- Nitrato(triphenylphosphine) complexes of the platinum metals; detection of triphenylphosphine oxide ligands in (P.B. Critchlow, S.D. Robinson), (114)C46
- Norbornadiene complexes with Group VIII metals, vibrational spectra of (I.A. Zakharova, Ya.V. Salyn, I.A. Garbouzova, V.T. Aleksanyan, M.A. Prianichnicova), (102)227
- Organomercurials in reaction with zerovalent platinum complexes, synthesis of stable compounds with Pt—Hg σ -bonds (V.I. Sokolov, V.V. Bashilov, O.A. Reutov), (111)C13
- Palladium(II) and platinum(II) cationic chelate ylide complexes, preparation of (M. Kato, H. Urabe, Y. Oosawa, T. Saito, Y. Sasaki), (121)81
- Palladium and platinum complexes of carbenoid and related ligands, X-ray photoelectron spectra of (P. Brant, J.H. Enemark, A.L. Balch), (114)99
- Palladium(II) and platinum(II) halide chelate ylide ligand complexes, preparation of (Y. Oosawa, H. Urabe, T. Saito, Y. Sasaki), (122)113
- Palladium(II) and platinum(II) hydridoalkynyl complexes, reactions of dimethylacetylenedicarboxylate with (Y. Tohda, K. Sonogashira, N. Hagihara), (110)C53
- Palladium(II), platinum(II) and mercury(II) complexes of ambidentate phosphonium, arsonium, sulphonium and pyridinium ylides (E.T. Weleski, Jr., J.L. Silver, M.D. Jansson, J.L. Burmeister), (102)365
- trans*-(Phenylacetylide)bis(triphenylphosphine)(*p*-fluorophenyldiazeno)-platinum(II) tetrafluoroborate (U. Croatto, L. Toniolo, A. Immirzi, G. Bombieri), (102)C31
- p*-Phenylenebis[ethynylisothiocyanato-*trans*-bis(triethylphosphine)platinum(II)], [Pt(NCS)(PEt₃)₂]₂·*p*-C₆H₄(C≡C)₂, crystal and molecular structure of (U. Behrens, K. Hoffman, J. Kopf, J. Moritz), (117)91
- Phosphine complexes of rhodium, iridium, ruthenium and platinum chemically bonded to the surface of silica as catalysts for the hydrogenation of olefins and dienes (K.G. Allum, R.D. Hancock, I.V. Howell, T.E. Lester, S. McKenzie, R.C. Pitkethly, P.J. Robinson), (107)393
- Phosphine-platinum(II) chiral complexes as hydrosilylation catalysts of olefins (K. Yamamoto, T. Hayashi, M. Zembayashi, M. Kumada), (118)161
- Platinum(II) complexes, as catalysts in cleavage reactions of alkyl- and arylsilanes (D. Mansuy, J. Pusset, J.C. Chottard), (105)169
- , catalysis of methyl for halogen reactions in (R.J. Puddephatt, P.J. Thompson), (120)C51
- , containing a bidentate L-alaninato ligand, enantioselective coordination of styrene in and molecular orbital characteristics of the corresponding diastereoisomers (S. Shinoda, Y. Sudo, Y. Yamaguchi, T. Iwayanagi, Y. Saito), (121)93
- , with α -hydroxyacetylenes and their dehydration products (A. Furlani, P. Carusi, M.V. Russo), (116)113
- Platinum(II) planar complexes with

- p*-phenylene-diacetylide ions as bridging ligands (R. Nast, J. Moritz), (117)81
- trans*-[PtCl₂(*cis*-ethylene-1,2-*d*₂)(pyridine)], reaction with pyridine and evidence for stereospecific addition—elimination in the $\pi \rightleftharpoons \sigma$ interconversion (F. Pesa, M. Orchin), (108)135
- Pt(PPh₃)₂(CS₂), Pt—CS₂ bond strength in (C.T. Mortimer, M.P. Wilkinson, R.J. Puddephatt), (102)C43
- Rhodium(I), iridium(I) and iridium(III) tridentate chelate π -bonded complexes and nickel(II), palladium(II) and platinum(II) chelate σ -bonded complexes formed by intramolecular hydrogen abstraction reactions (M.A. Bennett, P.W. Clark), (110)367
- Stannyl- and germyl-mercuric derivatives of platinum and palladium, synthesis of (V.I. Sokolov, V.V. Bashilov, O.A. Reutov, M.N. Bochkarev, L.P. Mayorova, G.A. Razuvaev), (112)C47
- Tetrabutylammonium trichlorocarbonylplatinate(II), crystal structure of (D.R. Russell, P.A. Tucker, S. Wilson), (104)387
- Tetrakis(arylisocyanide)platinum(II) tetracyanoplatinate(II), intermolecular interactions in (H.J. Keller, R. Lorentz), (102)119
- 1,3,5,7-Tetramethyl-2,6,9-trioxobicyclo-[3.3.1]nona-3,7-diene, isolation, characterization and resolution of (A. De Renzi, A. Panunzi, L. Paolillo, A. Vitagliano), (124)221
- Trans*-bidentate behaviour of a potentially tetradentate ligand to palladium(II) and platinum(II) (W. Levason, C.A. McAuliffe, S.G. Murray), (101)C29
- Transition metal—acetyl complexes, boron hydride reduction of (J.A. van Doorn, C. Masters, H.C. Volger), (105)245
- Transition metal—ethylene π -complexes, vibrational force constants in (D.C. Andrews, G. Davidson, D.A. Duce), (101)113
- Trimethyleneplatinum(IV) complexes, mechanism of thermal decomposition in solution of (F. Iwanciw, M.A. Quyser, R.J. Puddephatt, C.F.H. Tipper), (113)91
- Tris(polychlorophenyl)thallium(III) compounds, preparation and reactions of (S. Numata, H. Kurosawa, R. Okawara), (102)259
- β,γ -Unsaturated carbonyl complexes of platinum dichloride, monoacylation and formation of (S.E. Earnest, D.B. Brown), (120)461
- Vinyl-, allyl- and 3-butene-1-yl-trimethylsilanes, cleavage reactions with [Pt₂Cl₄(C₂H₄)₂] of (D. Mansuy, J. Puset, J.C. Chottard), (110)139

Potassium

- π -Cyclooctatetraenyl and π -cyclopentadienyl complexes of cerium (A. Greco, S. Cesca, G. Bertolini), (113)321
- Heavier alkali metals; Annual Survey covering the year 1974 (E.M. Kaiser), (103)1
- Main Group element cyclopentadienyl derivatives, ¹³C chemical shifts and C—H coupling constants of (P. Fischer, J. Stadelhofer, J. Weidlein), (116)65
- Nitromethanemetal derivatives, C—H stretching vibrations and structures of (L.A. Leites, A.P. Kurbakova, L.M. Golubinskaya, V.I. Bregadze), (122)1
- Organoscandium compounds containing the η^8 -C₈H₈ ligand (A. Westerhof, H.J. de Liefde Meijer), (116)319
- Phenylacetylene adducts with alkali metals (I.M. Panayotov, M.B. Bojilova), (105)281

Praseodymium

- Praseodymium tricyclopentadienide cyclohexylisocyanide adduct, molecular and crystal structure of (J.H. Burns, W.H. Baldwin), (120)361

Rhenium

- Acetatobis(triphenylphosphine)dicarbonylrhenium(I), synthesis and structural characterization of (G. La Monica, S. Cenini, V.G. Albano, E. Forni, M. Manassero), (112)297
- O*-Alkylxanthocarbonyl-manganese(I) and -rhenium(I) complexes, preparation and properties of (H. Laufen, B. Meyn, K.G. Steinhäuser, D. Vogel, R. Kramolowsky), (112)C34
- Bridging and semi-bridging carbonyl groups, nature of (D.A. Brown, N.J. Fitzpatrick, A.R. Manning), (102)C29

- Carbonylmetallate monoanions, interactions with quaternary alkyl- and arylonium ions (J.F. Ellis), (111)331
- $[C_5H_5Fe(CO)_2]^-$ and $[Re(CO)_5]^-$, reactions with tetrakis(trifluoromethyl)allene and X-ray study of the products (A.N. Nesmeyanov, G.G. Aleksandrov, N.G. Bokii, I.B. Zlotina, Yu.T. Struchkov, N.E. Kolobova), (111)C9
- Cyclopentadienyl and arene derivatives of Groups VI and VII transition metal carbonyls and nitrosyls, IR study of Lewis acid reactions with (B.V. Lokshin, E.B. Rusach, N.E. Kolobova, Yu.V. Makarov, N.A. Ustynyuk, V.I. Zdanovich, A.Zh. Zhakaeva, V.N. Setkina), (108)353
- Cyclopentadienyl and arenecarbonyl transition metal complexes, IR study of reactions of aluminium chloride with (B.V. Lokshin, E.B. Rusach, Z.P. Vzlueva, A.G. Ginzburg, N.E. Kolobova), (102)535
- π -Cyclopentadienyldicarbonylmethylphenylcarborerhenium, preparation and characterisation of (E.O. Fischer, R.L. Clough, P. Stückler), (120)C6
- π -Cyclopentadienylrhenium dicarbonyl triphenylphosphine, *cis-trans* isomerism of protonated forms of (G.A. Panosyan, P.V. Petrovskii, N.I. Pyshnogyayeva, N.E. Kolobova, V.N. Setkina, E.I. Fedin), (108)209
- , hydrogen isotopic exchange and protonation of (N.I. Pyshnogyayeva, V.N. Setkina, G.A. Panosyan, P.V. Petrovskii, Yu.V. Makarov, N.E. Kolobova, D.N. Kursanov), (108)85
- π -Cyclopentadienyltricarbonyl-manganese and -rhenium and their derivatives, electrochemical oxidation of (L.I. Denisovich, N.V. Zakurin, S.P. Gubin, A.G. Ginzburg), (101)C43
- Decacarbonyldirhenium, reaction with cycloheptatriene (R. Davis, I.A.O. Ojo), (110)C39
- Dihydridonitrosyltris(triphenylphosphine)-rhenium, synthesis and reactions of (D. Giusto, G. Ciani, M. Manassero), (105)91
- Dimanganese and dirhenium decacarbonyls, thermodynamics of (R.G. Behrens), (121)C63
- Diorganylphosphane chalcogenides, isomerization on manganese and rhenium carbonyl complexes (E. Lindner, B. Schilling), (114)C23
- $[H_4Re_4(CO)_{13}]^{2-}$, a tetrahedral hydrido-carbonylrhenium cluster, preparation and X-ray structure of (A. Bertolucci, G. Ciani, M. Freni, P. Romiti, V.G. Albano, A. Albinati), (117)C37
- Manganese and rhenium halopentacarbonyls in reactions with 1,2-dicyanobenzene (J.G. Dunn, D.A. Edwards), (102)199
- Manganese, technetium and rhenium; Annual Survey covering the year 1974 (P.M. Treichel), (115)177
- Metal carbonyl six-membered heterocyclic compounds with phosphorus-chalcogen bonds (E. Lindner, B. Schilling), (117)C93
- Methyl-, silyl- and germyl-rhenium pentacarbonyl, gas-phase molecular structure determined by electron diffraction of (D.W.H. Rankin, A. Robertson), (105)331
- $MnRe(CO)_{10}$, kinetics of electrochemical reduction of (M. Diot, J. Bousquet, P. Lemoine, M. Gross), (112)79
- , phase transition in the solid phase of (P. Lemoine, M. Gross, M. Diot, J. Bousquet), (104)221
- Pentacarbonyl-manganese(-I) and -rhenium(-I), reactions with metal carbonyl halide derivatives of (D.L. Morse, M.S. Wrighton), (125)71
- Polyfluoroallyl-transition metal σ -bonded complexes, rearrangements of (H. Goldwhite, R.A. Wright), (122)63
- Rhenium carbonyl in reaction with picolinic acid and $[W(CO)_3(pic)]_n$ in reaction with monodentate tertiary phosphines (T.E. Dorsett, R.A. Walton), (114)127
- Rhenium cluster compound, hydrogen tautomerism in (P. Fantucci), (108)203
- Tetracarbonyl(trimethylstannyl)cobalt and pentacarbonyl(trimethylstannyl)-rhenium, kinetics of iodination of (J.R. Chipperfield, A.C. Hayter, D.E. Webster), (121)185
- Tetraethylammonium salt of tetrahydripentadecacarbonyltetrarhenate(2-), crystal (2 forms) and molecular structure of (G. Ciani, V.G. Albano, A. Immirzi), (121)237
- Tetrakis(trialkylphosphine)tetrahalodirhenium compounds, cleavage of the Re-Re quadruple bonds of (C.A. Hertzler, R.A. Walton), (124)C15

- 1,1,3,3-Tetrakis(trifluoromethyl)allene, interaction with sodium derivatives of iron and rhenium carbonyl compounds of (A.N. Nesmeyanov, N.E. Kolobova, I.B. Zlotina, B.V. Lokshin, I.F. Leshcheva, G.K. Zlobina, K.N. Anisimov), (110)339
- Trihydridodecacarbonyltrirhenate(2-) and trihydrido- μ_3 -oxoeneacarbonyltrirhenate(2-), synthesis and X-ray characterization of (A. Bertulocci, M. Freni, P. Romiti, G. Ciani, A. Sironi, V.G. Albano), (113)C61
- Trimethylsilylpentacarbonylrhenium and [tris(trimethylsilyl)silyl]pentacarbonylrhenium, crystal and molecular structures of (M.C. Couldwel, J. Simpson, W.T. Robinson), (107)323
- Trimethyltin phosphines as ligands in transition metal carbonyl complexes, tin-119m Mössbauer spectra of (H. Schumann, W.-W. Du Mont, P.J. Corvan, J.J. Zuckerman), (121)321
- ## Rhodium
- Acetatecarbonylbis(triphenylphosphine)-rhodium(I), hydroformylation of cyclic dienes catalysed by (A. Spencer), (124)85
- Acetylacetonatebis(olefin)rhodium(I) complexes, ^1H NMR spectroscopic investigations of (M. Herberhold, C.G. Kreiter, G.O. Wiedersatz), (120)103
- Allylphosphine-iridium(I) coordination complexes, metallation of (S. Hietkamp, D.J. Stufkens, K. Vrieze), (122)419
- Aminorhodium(I) complexes (D. Brodzki, G. Pannetier), (104)241
- Aryldiazo derivatives of transition metals, X-ray photoelectron spectra of (P. Brant, R.D. Feltham), (120)C53
- Chloro(triphenylphosphine)rhodium as a catalyst in the alcoholysis of diarylsilanes (R.J.P. Corriu, J.J.E. Moreau), (114)135
- $[\eta^6\text{-C}_6\text{H}_6\text{RuCl}_2]_2$ and $[\eta^5\text{-C}_5\text{Me}_5\text{RhCl}_2]_2$, reactions with S-containing nucleophiles (D.R. Robertson, T.A. Stephenson), (107)C46
- Cobalt, rhodium and iridium; Annual Survey covering the year 1974 (M.E. Howden, R.D.W. Kemmitt), (115)327
- Cyclooctadiene-(+)-2,3-isopropylidene-2,3-dihydroxy-1,4-bis(diphenylphosphino)-butane)rhodium cation, asymmetric catalysis by (D. Sinou, H.B. Kagan), (114)325
- 1-(η^5 -Cyclopentadienyl)-1-triphenylphosphine-2,3,4,5-tetrakis(pentafluorophenyl)rhodole, synthesis and molecular structure of (R.G. Gastinger, M.D. Rausch, D.A. Sullivan, G.J. Palenik), (117)355
- Dialkylsulphurdiimine-rhodium(I), -iridium(I) and -platinum(II) cationic compounds, ^1H and ^{13}C NMR studies of intra- and inter-molecular exchange processes in (J. Kuyper, I.G. Hubert-Pfalzgraf, P.C. Keyzer, K. Vrieze), (108)271
- Dibenzoyl- and diacetyl-hydrazido(2-)-(N,N' ; O,O')-bis(carbonyltriphenylphosphine)-rhodium(I) and -iridium(I), synthesis and reactions of (A.S. Kasenally, F.M. Hussein), (111)355
- Dichlorodicarbonylrhodium in reactions with dibenzosemibullvalenes isolating 4-membered rhodium(III)-containing heterocycles (B.F.G. Johnson, J. Lewis, S.W. Tam), (105)271
- DIOP-rhodium cationic complexes, small-scale method for preparation of and comparison with neutral DIOP-rhodium complexes (R. Glaser, S. Geresh, J. Blumenfeld), (112)355
- DIOP-rhodium complexes, use of Z- α -acetamidocinnamate esters as structural probe for (R. Glaser, B. Vainas), (121)249
- Fluorodicyclooctenerhodium(I), a versatile rhodium complex (H.L.M. van Gaal, F.L.A. van den Bekerom, J.P.J. Verlaan), (114)C35
- Hepta- μ -carbonyltetracarbonyl-tetrahydro-tetrarhodate(2-), crystal and molecular structure in its bis(triphenylphosphine)-iminium salt of (V.G. Albano, G. Ciani, A. Fumagalli, S. Martinengo, W.M. Anker), (116)343
- μ -Hexafluorobutynyl-bis(carbonyl- η^5 -cyclopentadienyl)rhodium, structure of (R.S. Dickson, H.P. Kirsch, D.J. Lloyd), (101)C48
- Hydrosilylation, catalysed by a rhodium(I) complex with chiral phosphine ligands in asymmetric reduction of ketones (I. Ojima, T. Kogure, M. Kumagai, S. Horiuchi, T. Sato), (122)83
- , of α,β -unsaturated aldehydes; regio-specific reduction of C=O using nickel(0) catalysts (M.F. Lappert, T.A. Nile), (102)543

- Metal-metal bonded compounds with MAg^{I} pairs bridged by oxygen acid anions O_2CCF_3^- , ClO_4^- , $\text{O}_2\text{CCHC}(\text{CH}_3)_2^-$ (J. Kuyper, K. Vrieze), (107)129
- Metal-metal bonded species, formation via intramolecular rearrangement of (R.J. Haines, J.C. Burckett-St. Laurent, C.R. Nolte), (104)C27
- Metal-metal bonded triazenido compounds $[(\text{Ph}_3\text{P})_2(\text{CO})\text{M}-\text{Ag}(\text{R}-\text{N}-\text{N}-\text{N}-\text{R}')\text{X}]$ (M = Rh, Ir; R, R' = Me, aryl) (J. Kuyper, P.I. van Vliet, K. Vrieze), (105)379
- Nitratotriphenylphosphine complexes of the platinum metals; detection of triphenylphosphine oxide ligands in (P.B. Critchlow, S.D. Robinson), (114)C46
- Norbornadiene complexes with Group VIII metals, vibrational spectra of (L.A. Zakharova, Ya. V. Salyn, I.A. Garbouzova, V.T. Aleksanyan, M.A. Prianchicova), (102)227
- d^8 σ -Organometallic rhodium and iridium complexes, electrochemical studies of (G. Schiavon, S. Zecchin, G. Pilloni, M. Martelli), (121)261
- Phosphine complexes of rhodium, iridium, ruthenium and platinum chemically bonded to the surface of silica as catalysts for the hydrogenation of olefins and dienes (K.G. Allum, R.D. Hancock, I.V. Howell, T.E. Lester, S. McKenzie, R.C. Pitkeithly, P.J. Robinson), (107)393
- Phosphine-nickel(II) and -rhodium(II) chiral complex-catalysed hydrosilylation of olefins (K. Yamamoto, T. Hayashi, Y. Uramoto, R. Ito, M. Kumada), (118)331
- Phosphine-rhodium chiral complex catalysed hydrosilylation of ketones (T. Hayashi, K. Yamamoto, K. Kasuga, H. Omizu, M. Kumada), (113)127
- Polymeric organophosphorus ligands for catalyst attachment, preparation of (R.H. Grubbs, S.-C.H. Su), (122)151
- Poly(methylalcohol)-supported rhodium hydrogenation catalysts (W.R. Cullen, D.J. Patmore, A.J. Chapman, A.D. Jenkins), (102)C12
- $\text{RhCl}(\text{PPh}_3)_3$ and $\text{IrClCo}(\text{PPh}_3)_2$ as catalysts in homogeneous, catalytic hydrogenation of acrylic ethyl ester (W. Strohmeier, E. Hitzel), (110)C22
- $\text{RhCl}(\text{PPh}_3)_3$ and $\text{RhX}(\text{CO})(\text{PPh}_3)_2$ as catalysts in homogeneous decarbonyla- (W. Strohmeier, P. Pföhler), (108)393
- $[\text{Rh}_4(\text{CO})_{11}(\text{COOCH}_3)]^-$ and $[\text{Rh}_4(\text{CO})_{11}]^{2-}$, synthesis and characterization of (S. Martinengo, A. Fumagalli, P. Chini, V.G. Albano, G. Ciani), (116)333
- Rhodium(I) cationic complexes with norbornadiene and nitrogen donors (R. Usón, L.A. Oro, J.A. Cuchi, M.A. Garralda), (116)C35
- Rhodium(I) cationic organic complexes with nitrogen donors and their carbonylation products (R. Usón, L.A. Oro, C. Claver, M.A. Garralda), (105)365
- Rhodium(I) planar cations, tetraphenylborate ion-promoted hydrogenation caused by a chelating olefinic tertiary phosphine or arsine of (M.A. Bennett, E.J. Hann), (124)213
- Rhodium complexes as catalysts in the alcoholysis of prochiral organosilicon compounds (R.J.P. Corriu, J.J.E. Moreau), (120)327
- Rhodium(I) and iridium(I) carbonyl complexes with 1,3-bis(arylimino)isoindolines (W.O. Siegl), (107)C27
- Rhodium(I) and iridium(I) complexes formed by a tridentate olefinic ditertiary phosphine, additions to metal atom and coordinated ligand in; chelate olefin complexes and σ -alkyl-rhodium(III) and -iridium(III) compounds (M.A. Bennett, R.N. Johnson, I.B. Tomkins), (118)205
- Rhodium(I) and iridium(I) complexes of 1,6-bis(diphenylphosphino)-*trans*-hex-3-ene, formed by dehydrogenation of an alkane chain (P.W. Clark), (110)C13
- Rhodium(I) and iridium(I) 4- and 5-coordinate chelate olefin complexes, intramolecular isomeric conversions caused by (*o*-vinylphenyl)diphenylphosphine and -arsine in (M.A. Bennett, E.J. Hann, R.N. Johnson), (124)189
- Rhodium and iridium d^8 organometallic complexes, electrochemical preparation of (S. Zecchin, G. Schiavon, G. Pilloni, M. Martelli), (110)C45
- Rhodium(I), iridium(I) and iridium(III) tridentate chelate π -bonded complexes and nickel(II), palladium(II) and platinum(II) chelate σ -bonded complexes formed by intramolecular hydrogen abstraction reactions (M.A. Bennett, P.W. Clark), (110)367
- Rhodium(I) olefin complexes containing the ligands 3-butenyldiphenylphosphine

- Rhodium(I) tris-olefin 5-coordinate complexes, ^{13}C NMR spectra of (P.W. Clark, A.J. Jones), (122)C41
- Rhodium(I) unsaturated macrocyclic phosphine complexes, synthesis and structure of (R. Mason, G. Scollary, B. Moyle, K.I. Hardcastle, B.L. Shaw, C.J. Moulton), (113)C49
- Rhodium—acetylene derivatives, dynamics and structure of (L.J. Todd, J.R. Wilkinson, M.D. Rausch, S.A. Gardner, R.S. Dickson), (101)133
- Stereochemical and thermochemical study of 1,2 alkyl shifts from a carbonyl group to a metal atom (D. Egglestone, M.C. Baird), (113)C25
- Sulphurdiimine *S,N,N'*-substituted complexes of lithium, magnesium, copper(I), silver(I) and rhodium(I) (J. Kuyper, P.C. Keijzer, K. Vrieze), (116)1
- 1,3,5,7-Tetramethyl-2,6,9-trioxobicyclo-[3.3.1]nona-3,7-diene, isolation, characterization and resolution of (A. De Renzi, A. Panunzi, L. Paolillo, A. Vitagliano), (124)221
- Tetraphenylcyclobutadiene complexes of rhodium (J.F. Nixon, M. Kooti), (104)231
- Thioamide-manganese, -molybdenum and -rhodium complexes, formation from organo-silicon and -tin intermediates of (E.W. Abel, I.D.H. Towle), (122)253
- Transition metal complexes of bidentate phosphines derived from α -amino-acid esters (P.W. Lednor, W. Beck, H.G. Fick), (113)C19
- Transition metal σ -2-oxoalkyl complexes (J. Hillis, M. Ishaq, B. Gorewit, M. Tsutsui), (116)91
- Triazenido compounds with metal—mercury bonds (P.I. van Vliet, J. Kuyper, K. Vrieze), (122)99
- Trimethylphosphitemethylrhodium cationic complexes, preparation and reactivity of (H. Neukomm, H. Werner), (108)C26
- Tris(trimethylphosphite)(η^3 -allyl)rhodium, synthesis of and reactions with hydrogen, silanes and donor ligands (M. Bottrill, M. Green), (111)C6
- Tris(triphenylphosphine)carbonylrhodium in homogeneous catalytic hydroformylation of 1-hexene (W. Strohmeier, A. Kühn), (110)265
- Tris(triphenylphosphine)chlororhodium and bis(triphenylphosphine)carbonyl- turnover numbers in homogeneous hydrogenation under aerobic and anaerobic conditions (W. Strohmeier, E. Hitzel), (110)389
- Tris(triphenylphosphine)chlororhodium as catalyst, in hydrosilylation of α,β -unsaturated nitriles and esters (I. Ojima, M. Kumagai, Y. Nagai), (111)43
- , in selective hydration of mesityl oxide to methylisobutylketone with H_2O_2 (W. Strohmeier, E. Hitzel), (102)C37

Ruthenium

- Aryldiazo derivatives of transition metals, X-ray photoelectron spectra of (P. Brant, R.D. Feltham), (120)C53
- Bis(dichlorotricarbonylruthenium) and related complexes, reactions of (S. Cenini, M. Pizzotti, F. Porti, G. La Monica), (125)95
- Carbamato and related ruthenium(II) cationic and neutral complexes, formation from reaction of CO_2 , COS and CS_2 with ruthenium hydrides in alcohol solution containing HNMe_2 of (T.V. Ashworth, M. Nolte, E. Singleton), (121)C57
- $[\eta^6\text{-C}_6\text{H}_6\text{RuCl}_2]_2$ and $[\eta^5\text{-C}_5\text{Me}_5\text{RhCl}_2]_2$, reactions with S-containing nucleophiles (D.R. Robertson, T.A. Stephenson), (107)C46
- Cyclic transition-metal carbene complexes from ring-closing reactions on the π -bound substrates CS_2 and CSe_2 ; 1,3-dithiolan-2-ylidene and 1,3-diselenolan-2-ylidene complexes of ruthenium(II) and osmium(II) (T.J. Collins, K.R. Grundy, W.R. Roper, S.F. Wong), (107)C37
- η^6 -Cyclooctatetraenemetal fluxional molecules, evidence for the "piano-stool" transition state of (F.A. Cotton, J.R. Kolb), (107)113
- η^4 -Cyclooctatetraeneruthenium(0) highly fluxional complexes (M.A. Bennett, T.W. Matheson, G.B. Robertson, A.K. Smith, P.A. Tucker), (121)C18
- 3-5- η -Cyclooctatrienyl complexes of iron and ruthenium (A.D. Charles, P. Diversi, B.F.G. Johnson, J. Lewis), (116)C25
- Diamine- and dipiperidine-dienedichlororuthenium complexes, crystal structure of (C. Potvin, J.M. Manoli, G. Pannetier, R. Chevalier, N. Platzer), (113)273

- X-ray structure of and preparation of pentacarbonyl(ethylvinylfulvene)diruthenium(*Ru—Ru*) (U. Behrens, D. Karnatz, E. Weiss), (117)171
- Di- η^5 -cyclopentadienylmetal complexes, Raman spectra of (V.T. Aleksanyan, B.V. Lokshin, G.L. Borisov, G.G. Devyatykh, A.S. Smirnov, R.V. Nazarova, J.A. Koningstein, B.F. Gächter), (124)293
- $H_2M_3(CO)_9S$ ($M = Ru, Os$) and related compounds, ^{13}C NMR studies of (A. Forster, B.F.G. Johnson, J. Lewis, T.W. Matheson), (104)225
- HRuCl(PPh₃)₃ as catalyst in hydrogenation of 1-hexene and acrylic ethyl ester (W. Strohmeier, G. Buckow), (110)C17
- Hydrido(1,3-butadiene)tris(dimethylphenylphosphine)ruthenium(II) hexafluorophosphate, crystal structure of (T.V. Ashworth, E. Singleton, M. Laing), (117)C113
- Iron, ruthenium and osmium; Annual Survey covering the year 1974 (J.A. McCleverty), (119)261
- Low oxidation state transition metal complexes, activation of thiocyanogen and selenocyanogen by (F. Faraone, S. Sergi), (112)201
- Metal carbonyl halide adducts in reactions with Lewis acids (M. Pańkowski, M. Bigorgne, Y. Chauvin), (110)331
- Metalloenes, gel permeation chromatography of (R. Epton, S.R. Holding, G. Marr, J.V. McLaren, G.J. Morgan), (112)89
- Nitrato(triphenylphosphine) complexes of the platinum metals; detection of triphenylphosphine oxide ligands in (P.B. Critchlow, S.D. Robinson), (114)C46
- cis-Octahedral bis(β -diketenato) complexes, dynamic stereochemistry of (F. Finocchiaro, V. Librando, P. Maravigna, A. Recca), (125)185
- Phosphine complexes of rhodium, iridium, ruthenium and platinum chemically bonded to the surface of silica as catalysts for the hydrogenation of olefins and dienes (K.G. Allum, R.D. Hancock, I.V. Howell, T.E. Lester, S. McKenzie, R.C. Pitkethly, P.J. Robinson), (107)393
- Platinum group metals, *N*-alkyl- and *N*-aryl-thioformamido complexes of (S.D. Robinson, A. Sahajpal), (111)C26
- (S.D. Robinson, A. Sahajpal), (117)C111
- [Ru(O₂CNMe₂)(PMe₂Ph)₄]PF₆, crystal structure of (T.V. Ashworth, M. Nolte, E. Singleton), (121)C57
- Ruthenium carbonyl compounds, reactions with thiocyanogen and iodide of (H.B. Kuhnhen), (105)357
- Ruthenium(II) cationic and anionic complexes containing η^6 -arene ligands (D.R. Robertson, T.A. Stephenson), (116)C29
- Ruthenium complexes in the catalytic hydrodimerization of acrylonitrile (W. Strohmeier, A. Kaiser), (114)273
- Ruthenium(II) η^1 - and η^2 -dithiomethyl-ester complexes, structure and reactions of (G.R. Clark, T.J. Collins, S.M. James, W.R. Roper), (125)C23
- d^8 -Ruthenium(0) nitrosyl complex, reactivity of (O. Gandolfi, B. Giovanniti, M. Ghedini, G. Dolcetti), (104)C41
- Ruthenium six-membered metallocyclic compound (H. Yamazaki, K. Aoki), (122)C54
- Transition metal—acetyl complexes, boron hydride reduction of (J.A. van Doorn, C. Masters, H.C. Volger), (105)245
- Tris- and tetrakis-phosphine dihalo-ruthenium complexes, synthesis of and rearrangements in (W.J. Sime, T.A. Stephenson), (124)C23

Scandium

- Chlorodicyclopentadienyl-scandium(III), -titanium(III) and -vanadium(III) compounds, improved syntheses of (L.E. Manzer), (110)291
- Organoscandium compounds containing the η^5 -C₈H₈ ligand (A. Westerhof, H.J. de Liefde Meijer), (116)319

Selenium

- Arylselenium tribromides, structure of (E.R. Clark, M.A. Al-Turaihi), (124)391
- Bis(pentafluorophenyl) disulphide and diselenide, crystal and molecular structures of (C.M. Woodard, D.S. Brown, J.D. Lee, A.G. Massey), (121)333
- Cyclic transition-metal carbene complexes from ring-closing reactions on the π -bound substrates CS₂ and CSe₂; 1,3-

- 2-ylidene complexes of ruthenium(II) and osmium(II) (T.J. Collins, K.R. Grundy, W.R. Roper, S.F. Wong), (107)C37
- Diorganoditellurides, pyrolysis in the presence of tertiary phosphines of (D.H. Brown, R.J. Cross, D. Millington), (125)219
- Heterocyclic mercury, sulphur, selenium, tellurium, arsenic and antimony compounds, synthesis of (C.M. Woodard, G. Hughes, A.G. Massey), (112)9
- Iron carbonyl chalcogenides, mass spectra and DTA and TG investigations of (M.K. Chaudhuri, A. Haas, M. Rosenberg, M. Velicescu, N. Welcman), (124)37
- $K[CH_3Se\{Al(CH_3)_3\}_3] \cdot 2C_6H_6$, preparation and structure of (J.L. Atwood, S.K. Seale), (114)107
- Low oxidation state transition metal complexes, activation of thiocyanogen and selenocyanogen by (F. Faraone, S. Sergi), (112)201
- Methylplatinum and methylgold compounds in reactions with phenylselenol, diphenylphosphine, diphenylarsine, *N*-bromosuccinimide and 2-nitrophenylsulphenyl chloride (R.J. Puddephatt, P.J. Thompson), (117)395
- 2-Phenylselenophene and 2-phenyltellurophene, photochemistry of (T.J. Barton, C.R. Tully, R.W. Roth), (108)183
- Selenenyl halides in reaction with Wittig reagents (N. Petragnani, R. Rodrigues, J.V. Comasseto), (114)281
- Selenophosphoranes, attempted Wittig reaction with ketones of (N. Petragnani, J.V. Comasseto, R. Rodrigues, T.J. Brocksom), (124)1
- Tri-*n*-butyltin radicals, bimolecular homolytic substitution reactions with dialkyl selenides and tellurides of (J.C. Scaiano, P. Schmid, K.U. Ingold), (121)C4
- Tris(trifluoromethylmercapto)amine and bis(trifluoromethyl)diselenide, photo-induced reactions with dimanganese decacarbonyl and iron pentacarbonyl (M.K. Chaudhuri, A. Haas, A. Wensky), (116)323
- Silicon**
- Acetyl-di-butyl-silane and -fluorosilane, synthesis of functionalized acylsilanes (E.M. Dexheimer, L. Spialter), (107)229
- 1-Alkenyldisilanes, photolysis of (M. Ishikawa, T. Fuchikami, M. Kumada), (117)C58
- Alkoxytrimethylsilanes, one-step conversion to alkyl benzenesulphonates of (P. Ykman, H.K. Hall, Jr.), (116)153
- Alkyldimethylfluorosilanes, reactions with fluorosulphonic acid (D.D. Hopf, D.H. O'Brien), (111)161
- 9-Alkyl-10-lithio-9,10-dihydroanthracenes, stereochemistry of silylation of (H. Bouas-Laurent, M. Daney, R. Lapouyade, C. Lang, N. Platzer, J.-J. Basselier), (118)233
- Aryl-*N*- and -*O*-trimethylsilyl substituents, reactivity towards organolithium compounds of (I. Arai, K.-H. Park, G.D. Daves, Jr.), (121)25
- 1-Benzocyclopropenyltrimethylsilane, base cleavage of and acidity of benzocyclopropene (C. Eaborn, R. Eidenschink, S.J. Harris, D.R.M. Walton), (124)C27
- Benzyl- and *m*-methoxybenzyl-trimethylsilane, cleavages by trifluoroacetic acid of (K.A. Andrianov, S.A. Igonina, V.I. Sidorov, C. Eaborn, P.M. Jackson), (110)39
- Benzyl- and trimethylsilylmethyl-titanium dialkylamides, preparation, properties and thermolysis of (H. Bürger, C. Kluess), (108)69
- Benzylloxysilanes, polar effects on the acid- and base-catalysed cleavage of (B. Bøe), (105)9
- N,N*-Bis(halomethyldimethylsilyl)-acetamides and their reactions (J. Kowalski, Z. Lasocki), (116)75
- Bis(trimethylsilyl)bromomethyl lithium, reactions with dimethyldihalo-silicon, -germanium and -tin derivatives of (D. Seyferth, J.L. Lefferts), (116)257
- Bis(trimethylsilyl)mercury, structure of (P. Bleckmann, M. Soliman, K. Reuter, W.P. Neumann), (108)C18
- Bis(triphenylsilicon) carbodiimide, crystal and molecular structure of (G.M. Sheldrick, R. Taylor), (101)19
- Boron trifluoride catalysed organosilane reductions; selectivity and mechanism (M.P. Doyle, C.T. West, S.J. Donnelly, C.C. McOsker), (117)129
- Bromoalkyl- and bromovinyl-silanes (A.G. Brook, J.M. Duff, G.E. Legrow), (122)31
- t*-Butyl-disilanes and -digermanes, synthesis and reactivity of (K. Triplett,

- M.D. Curtis), (107)23
- t*-Butyllithium in reaction with 2-*n*-naphthyl-2-methoxy-2-sila-1,3,4-trihydronaphthalene, stereochemistry of (R.J.P. Corriu, B.J.L. Henner), (105)303
- Carbanions α to silicon and carbonyl compounds in the synthesis of alkenes, stereoselective conversion of RCHO into E-RCH=CHCH₂Cl (T.H. Chan, W. Mychajlowski, B.S. Ong, D.N. Harpp), (107)C1
- Carbon-silicon and carbon-tin bonds, medium dependence of the rates of base-cleavage of (C. Eaborn, J.R. Jones, G. Seconi), (116)83
- Chloro(triphenylphosphine)rhodium as a catalyst in the alcoholysis of diarylsilanes (R.J.P. Corriu, J.J.E. Moreau), (114)135
- α -Chlorovinylsilane, generation of a vinylidene carbene from (R.F. Cunico, Y.-K. Han), (105)C29
- Cyclic esters of arsenic acid, exchange reactions of (F. Kober, W.J. Rühl), (101)57
- Cyclic siloxanes, [MeRSiO]_{*n*}, ²⁹Si NMR studies of (R.K. Harris, B.J. Kimber, M.D. Wood, A. Holt), (116)291
- Cyclic silyl functionally substituted derivatives, synthesis of (M. Laguerre, J. Dunoguès, N. Duffaut, R. Calas), (120)319
- (2 + 2) Cyclo-addition of instable phosphazene of coordination number 3 (E. Niecke, W. Flick), (104)C23
- Cycloheptatrieneiron 7-substituted tricarbonyls, fluxional behaviour of (L.K.K. Li Shink Man, J. Takats), (117)C104
- Cycloheptatrienylcyclopentadienyltitanium, derivatives of (H.T. Verkouw, M.E.E. Veldman, C.J. Groenenboom, H.O. van Oven, H.J. de Liefde Meijer), (102)49
- η^1 - σ -Cyclononatetraenyl derivatives of Group IVB elements and arsenic (G. Boche, F. Haidenhain), (121)C49
- Cyclopentadienyldicarbonyliron silane complexes, preparation and exchange reactions of (M. Höfler, J. Scheuren, D. Spilker), (102)205
- Cyclopentadienylmetal η^1 -bonded compounds, Diels-Alder reactions of (A.R.L. Bursics, M. Murray, F.G.A. Stone), (111)31
- Cyclopentadienyltitanium substituted dialkylamides, ¹H and ¹³C NMR spectra of (U. Dämmgen, H. Bürger), (101)307
- , preparation and properties of (H. Bürger, U. Dämmgen), (101)295
- Cyclopermethylopolysilanes and α,ω -dichloromethylpolysilanes, reactions with chlorine of (W. Wojnowski, C.J. Hurt, R. West), (124)271
- Di-*n*-butyl-*t*-butyltin chloride, homolytic dealkylation of (A.G. Davies, B. Muggleton, B.P. Roberts, M.-W. Tse, J.N. Winter), (118)289
- α,ω -Difluoropolymethylsiloxanes, rearrangements in (S.C. Pace, J.G. Riess), (121)307
- Dimeric aminodiiminophosphoranes with trimethylsilyl substituents (R. Appel, M. Halstenberg), (121)C47
- Dimethylaminomethylsilane, reactions with 2-hydroxypyridines and 2-hydroxypyrimidines of (M.J. Buchanan, R.H. Cragg, A. Steltner), (120)189
- 5-*p*-*N,N*-Dimethylaminophenyl-10,11-dihydro-5*H*-dibenzo[*b,f*]silepin, structure of (E.R. Corey, J.Y. Corey, M.D. Glick), (101)177
- 3,3-Dimethylbenzo[*d*]-1,3-azasilolines, 1-substituted, synthesis and reactions of (T. Aoyama, Y. Sato, H. Shirai), (118)1
- 1,2-Dimethyl-1-fluorosilacyclopentane, LiAlH₄ reduction of and extra-coordinate intermediates of (J.M. Wolcott, F.K. Cartledge), (111)C35
- 7,7-Dimethyl-7-siladispiro[2.0.2.1]heptane derivatives, the first silacyclopropanes (D. Seyferth, R.L. Lambert, Jr., D.C. Annarelli), (122)311
- Dimethylsilylene transfer from hexamethylsilane to olefins (D. Seyferth, D.C. Annarelli), (117)C51
- N*-(Diphenylmethylene)triorganoelement-methylamines (element = C, Si, Ge, Sn), preparation and properties of (E. Popowski, A. Hahn, H. Kelling), (110)295
- 1,2-Disilacyclo-butane and -but-3-ene, preparation by dimethylsilylene insertion into silacyclo-propane and -propene ring systems of (D. Seyferth, S.C. Vick), (125)C11
- Disilacyclopropane in solution, evidence for the generation of (D. Seyferth, D.P. Duncan), (111)C21
- 1,2-Epoxyalkyllithium reagents, stereospecific preparation via generalized lithiation of α -hetero-substituted epoxides

- (J.J. Eisch, J.E. Galle), (121)C10
- Ferrocenylchlorosilanes, synthesis and kinetic study of racemisation of optically active (R.J.P. Corriu, F. Larcher, G. Royo), (104)293
- α -Ferrocenylsilanes, synthesis and stereochemistry of reactions of (R.J.P. Corriu, F. Larcher, G. Royo), (104)161
- Ferrocenylsilicenium ion, evidence for the generation of (P. Bickart, F. Llort, K. Mislow), (116)C1
- , generation of (J.Y. Corey, D. Gust, K. Mislow), (101)C7
- Group IV dibenzo[*b,f*]metallepins, ESR studies of radical anions of (H.J. Sipe, Jr., J.Y. Corey), (120)195
- Group IVB metalloidal substituent effects studied by ^{13}C NMR spectroscopy (M. Bullpitt, W. Kitching, W. Adcock, D. Doddrell), (116)161
- para*-Group IV-substituted anilines, energy levels in (I.N. Jung, P.R. Jones), (101)27
- Haloalkyltriorganosilanes, cleavage of α -halosubstituted alkyl groups from silicon and general base catalysis in Si—C bond cleavage (W. Stańczyk, J. Chojnowski), (117)219
- N*- β -Haloethyl-*N,N*-bis(trimethylsilyl)-amines, preparation of (F. Piper, K. Rühlmann), (121)149
- (Halomethyl)trimethylsilanes, reactions with fluorosulphonic acid (C.M. Harbordt, D.H. O'Brien), (111)153
- Halosilacyclobutanes, solvent-induced isomerisation via ionic intermediates with expanded coordination of (B.G. McKinnie, F.K. Cartledge), (104)407
- Halosilacyclo-butanes and -pentanes, solvent-catalysed *cis-trans* isomerisation of (F.K. Cartledge, B.G. McKinnie, J.M. Wolcott), (118)7
- Hexamethyldisiloxane, electron diffraction study of the molecular structure of (B. Csákvári, Zs. Wagner, P. Gömöry, F.C. Mijlhoff, B. Rozsondai, I. Hargittai), (107)287
- Hexaphenyldisiloxane, difunctional derivatives of (L.W. Breed, J.C. Wiley, Jr.), (102)29
- Hydridocarbonyltris(triphenylphosphine)iridium(I), stereochemistry of Si—D addition to (J.P. Fawcett, J.F. Harrod), (113)245
- Hydrogen—triiron complexes, photochemical synthesis of and their activity in photocatalytic hydration of olefins and dienes (I. Fischler, R. Wagner, E.A. Koerner von Gustorf), (112)155
- Hydrosilylation, catalysed by a rhodium(I) complex with chiral phosphine ligands in asymmetric reduction of ketones (I. Ojima, T. Kogure, M. Kumagai, S. Horiuchi, T. Sato), (122)83
- , of ketones catalysed by a chiral phosphine—platinum(II) complex (T. Hayashi, K. Yamamoto, M. Kumada), (112)253
- Isopropylidene carbene, generation by the organomercury route of (D. Seyferth, D. Dagani), (104)145
- Mechanism of nucleophilic substitution at silicon; kinetic evidence on the slow formation of five-coordinate silicon intermediate (R.J.P. Corriu, B.J.L. Henner), (102)407
- Mercury-sensitized photolysis of pentamethyldisilane and *sym*-tetramethyldisilane (I.N. Jung, W.P. Weber), (114)257
- Me_3SiN_3 , reaction with $\text{Me}_3\text{P}=\text{N}-\text{PMe}_2$ of (W. Wolfsberger, W. Hager), (118)C65
- $\text{Me}_{4-n}\text{SiX}_n$ ($\text{X} = \text{NMe}_2, \text{OMe}, \text{SMe}$) compounds, ^{29}Si and ^1H NMR study of (E.V. Van den Berghe, G.P. Van der Kelen), (122)329
- Metal-centred radicals synthesized from an organometallic halide and an electron-rich olefin (M.J.S. Gynane, M.F. Lappert), (114)C4
- Metallation—silylation and kinetic studies of arylmethylacetylenes (J.Y. Becker), (118)247
- Metallo-methyl interactions, ^{13}C NMR study of conformational consequences of (W. Adcock, B.D. Gupta, W. Kitching, D. Doddrell), (102)297
- Methoxymethyldisilanes, mass spectroscopy of (Y. Nakadaira, T. Kobayashi, M. Kira, H. Sakurai, Y. Yamada, Y. Shida), (113)249
- Methylalkoxy(alkylthio)silane (D. Barndes), (105)C1
- Methyl-, silyl- and germyl-rhenium pentacarbonyl, gas-phase molecular structure determined by electron diffraction of (D.W.H. Rankin, A. Robertson), (105)331
- Methylsilylcyclopentadienyliron dicarbonyl derivatives, synthesis of (J.E. Bulkowski, N.D. Miro, D. Sepelak, C.H. Van Dyke), (101)267
- Methyltrimethoxysilane, electron diffrac-

- tion study on the molecular structure of (E. Gergő, I. Hargittai, Gy. Schultz), (112)29
- Monocyclic silyl-substituted titanium amides, preparation of (H. Bürger, K. Wiegel), (124)279
- Monomeric, dimeric and polymeric *N*-alkyl-alumino-*S,S*-dialkylsulphur(VI) diimides, preparation of (W. Wolfsberger, H. Försterling), (122)13
- Multiple bonding in carbon and silicon, theoretical study of (P.H. Blustin), (105)161
- MX_4 , MX_3^+ , MX_3^- and MX_3^- ($M = C, Si, Ti$; $X = H, Cl$) and some of their cyclopentadienyl analogues, theoretical study of (M. Chaillet, J. Arriau, D. Leclerc, T. Marey, J. Tirouflet), (117)27
- α -Naphthylferrocenyl-fluorosilane and -fluorochlorosilane, synthesis and configuration of (R.J.P. Corriu, F. Larcher, G. Royo), (102)C25
- 2- α -Naphthyl-2-phenyl-2-sila-1-oxa-cyclopentane and -cyclohexane, synthesis and reactivity towards nucleophilic agents and carbonyl derivatives of (R.J.P. Corriu, A. Kpton, J. Barrau, J. Satgé), (114)21
- Nitriles, regiospecific synthesis via organosilanes of (G. Délérís, J. Dunoguès, R. Calas), (116)C45
- (*p*-Nitrobenzyl)trimethylsilane and related nitrobenzene derivatives, ESR of photo-induced radicals of (H. Sakurai, T. Uchida, M. Kira), (107)15
- Organometallic benzyl compounds, direct and retro fragmentations in; aromatisation metallation (V.A. Nikanorov, V.I. Rozenberg, R.I. Gorbacheva, Yu.G. Bundel', O.A. Reutov), (101)259
- Organosilanes, influence of cycle tension on nucleophilic substitution of (R.J.P. Corriu, B.J.L. Henner), (101)C4
- Organosilicon compounds containing Si—O, Si—N and Si—C bonds, mechanisms of solvolysis of (*Review*) (B. Bøe), (107)139
- Organosilicon and organogermanium δ -ethylenic compounds and 1-sila- and 1-germa-cyclo-2-pentenes synthesized by ene-reactions (A. Laporterie, J. Dubac, M. Lesbre), (101)187
- Organosilylboranes, methoxide promoted protonolysis of (P.R. Jones, T.F.O. Lim), (120)27
- Organosilylmercurials, mass spectral study of (A.K. Hovland, T.F. Schaaf, J.P. Oliver), (120)171
- Organosilylphosphines, simplified synthesis of (R. Appel, K. Geisler), (112)61
- Organotin bridgehead derivatives of triptycene, synthesis and reactivity of (R.J. Hanson, R.M.G. Roberts), (107)295
- Palladium(II) chloride complexes of silylated thiazolyl, imidazolyl and pyridyl derivatives (P. Jutzi, H. Heusler), (102)145
- Palladium/hydrogen catalysed alcoholysis of benzylsilanes (C.G. Pitt, A.E. Friedman, D.H. Rector, M.C. Wani), (121)37
- Pentafluorophenyl-silane, -germane and -stannane, ^{19}F NMR spectra of (J.C. Maire, Y. Limouzin), (122)21
- Phenoxy and phenyl ring-substituted silanes, substituent effects in ^{29}Si NMR of and enhancement by the oxygen link (J. Schraml, P. Koehler, K. Licht, G. Engelhardt), (121)C1
- Phenylsilanes, substituent-chemical-shift parameters for (P.E. Rakita, J.P. Srebro, L.S. Worsham), (104)27
- γ -1-Phenylsilatrane, crystal and molecular structure of, and structural features of silatranes (L. Párkányi, J. Nagy, K. Simon), (101)11
- Phosphine—nickel(II) and —rhodium(II) chiral complex-catalysed hydrosilylation of olefins (K. Yamamoto, T. Hayashi, Y. Uramoto, R. Ito, M. Kumada), (118)331
- Phosphine—platinum(II) chiral complexes as hydrosilylation catalysts of olefins (K. Yamamoto, T. Hayashi, M. Zembayashi, M. Kumada), (118)161
- Phosphine—rhodium chiral complex-catalysed hydrosilylation of ketones (T. Hayashi, K. Yamamoto, K. Kasuga, H. Omizu, M. Kumada), (113)127
- Phosphoramidates and phosphorimidates, reactions with Group IV halides of (C. Glidewell), (108)335
- Platinum(II) complexes as catalysts in cleavage reactions of alkyl- and aryl-silanes (D. Mansuy, J. Pusset, J.C. Chottard), (105)169
- Polyfluorinated polysilanes; palladium-catalysed disilane metathesis, double silylation of acetylenes and the stereochemical course (K. Tamao, T. Hayashi, M. Kumada), (114)C19

- Pyridylsilanes, reactivity of the Si—C bonds in (P. Jutzi, O. Lorey), (104)153
- Rhodium complexes as catalysts in the alcoholysis of prochiral organosilicon compounds (R.J.P. Corriu, J.J.E. Moreau), (120)327
- $R_3SnER'_n$ derivatives (E = C, Si, Ge, Sn, N, O, S), ^{13}C NMR study of exchange in (M.E. Bishop, C.D. Schaeffer, Jr., J.J. Zuckerman), (101)C19
- Silacyclopentadiene derivatives, automatical interpretation of mass spectra of (C. Lageot), (102)C7
- 1-Sila-2-cyclopentanols, synthesis and reactivity of (G. Manuel, P. Mazerolles, J. Gril), (122)335
- Silacyclopropane and silacyclopropene rings, two atom insertions into (D. Seyferth, D.P. Duncan, S.C. Vick), (125)C5
- Silanols and silylamines, ^{29}Si NMR solvent effects on chemical shifts of (E.A. Williams, J.D. Cargioli, R.W. Laroche), (108)153
- Silaoxa- and silathia-cycloalkanes used in the preparation of organosilicon compounds (P.J. Boroni, R.J.P. Corriu, C. Guérin), (104)C17
- Silatrane as a reducing agent (M.T. Attar-Bashi, C. Eaborn, J. Vencl, D.R.M. Walton), (117)C87
- 8-Silatricyclo[3.2.1.0^{2,4}]oct-6-enes, photochemical silylene generators, preparations of (H. Sakurai, Y. Kobayashi, Y. Nakadaira), (120)C1
- Silica-supported analogues of titanocene (R. Jackson, J. Ruddle, D.J. Thompson, R. Whelan), (125)57
- Silicon — Application to organic synthesis; Annual Survey covering the year 1974 (S.S. Washburne), (123)1
- Silicon — Bonding and structure; Annual Survey covering the year 1974 (P.R. Jones), (109)113
- Silicon-bridged [1]ferrocenophanes (A.G. Osborne, R.H. Whiteley), (101)C27
- Silicon — Reaction mechanisms; Annual Survey covering the year 1974 (O.W. Steward), (109)179
- Silicon — Synthesis and reactivity; Annual Survey covering the year 1974 (R.F. Cunico), (109)1
- Silicon—phenyl bonds, reactions with HCl of (E. Hengge, D. Kovar), (125)C29
- para*-Silyl-substituted anilines, radical anions of (I.N. Jung, P.R. Jones), (101)35
- σ - and π -silylallyl transition metal complexes, chemical and physical properties of (K.H. Pannell, M.F. Lappert, K. Stanley), (112)37
- Silylamino fluorosilanes, preparation of (U. Klingebiel, D. Enterling, A. Meller), (101)45
- Silyl azide pyrolysis, generation and reactions of unsaturated Si—N intermediates ($R_2Si=NR$) (D.R. Parker, L.H. Sommer), (110)C1
- Silylated and germylated cyclopropanones, synthesis of (G.S. Zaitseva, G.S. Bogdanova, Yu.I. Baukov, I.F. Lutsenko), (121)C21
- Silylated dihydroanthracenes, structure and dehydrogenation of (R.M.G. Roberts), (110)281
- Silylated pyridine, thiazole and imidazole derivatives, gold(I) complexes of (P. Jutzi, H. Heusler), (114)265
- Silylation of mono- and di-substituted monoaromatic hydrocarbons (M. Laguerre, J. Dunoguès, R. Calas, N. Duffaut), (112)49
- Silylhexacarbonylvanadium, a volatile seven-coordinate vanadium derivative (J.S. Allinson, B.J. Aylett, H.M. Colquhoun), (112)C7
- Silylstyrenes and vinylsilanes, bromination, debromination and debromosilylation of (A.G. Brook, J.M. Duff, W.F. Reynolds), (121)293
- Small silanes, photoelectron He(I) spectra of (L. Szepes, G. Naray-Szabo, F.P. Colonna, G. Distefano), (117)141
- Sodium η^5 -cyclopentadienyldicarbonylferate and bromomethyl dimethylchlorosilane, anomalous reaction between (C. Windus, S. Sujishi, W.P. Giering), (101)279
- μ_3 -(Tetracarbonylcobaltosilylidine)cyclo-tris(tricarbonylcobalt)(3 Co—Co), $(CO)_9Co_3Si-Co(CO)_4$, preparation, crystal and molecular structure of (G. Schmid, V. Baetzel, G. Etzrodt), (112)345
- Tetrakis(triarylphosphine)palladium as a catalyst in reactions of organic halides with R_3MMR_3 (M = Si, Ge, Sn) compounds (D. Azariah, S.S. Dua, C. Eaborn, D.R.M. Walton), (117)C55
- Tetrakis(trimethylsilyl)lithiumalanate, preparation of (L. Rösch), (121)C15
- Tetramethyl-*N,N'*-diphenylcyclodisilazane,

- crystal and molecular structure of (L. Párkányi, Gy. Argay, P. Hencsei, J. Nagy), (116)299
- (2,3,4,5-Tetraphenyl-1-silacyclopentadiene)-iron tricarbonyls, preparation, reactions and stereochemistry at silicon of (H. Sakurai, J. Hayashi, T. Kobayashi), (110)303
- Thioamide-manganese, -molybdenum and -rhodium complexes, formation from organo-silicon and -tin intermediates of (E.W. Abel, I.D.H. Towle), (122)253
- Thiobenzophenone, reactions with thermally-generated 1,1-disubstituted 1-silaethenes of (L.H. Sommer, J. McLick), (101)171
- p*-Tolylpentamethyldisilane, reactions with methanol and methanol-*d*₁ of (M. Ishikawa, T. Fuchikami, M. Kumada), (118)155
- Transition metal σ -2-oxoalkyl complexes (J. Hillis, M. Ishaq, B. Gorewit, M. Tsutsui), (116)91
- Trialkenylmetallithium compounds, in reaction with *cis*- and *trans*-crotyl chlorides and with 3-chloro-1-butene (E. Matarasso-Tchiroukhine, P. Cadiot), (121)155
- Trialkylsilanes in reaction with aromatic aldehydes in the presence of nickel catalysts (E. Frainnet, R. Bourhis, F. Simonin, F. Moulines), (105)17
- Trialkylsilylaldimines, preparation of (H. Hoberg, V. Götz, A. Milchereit), (118)C6
- N*-Trialkylsilyldiphenylketeneimines, action on carbonyl derivatives of (P. Cazeau, J.-P. Llonch, F. Simonin-Dabescat, E. Frainnet), (105)145
- Tri-*t*-butylsilane, synthesis, physical properties, derivatives and reactivity towards ozonolysis, chlorination, fluorination and hydrolysis of (E.M. Dexheimer, L. Spialter, L.D. Smithson), (102)21
- Tricarbonylnickel(0) complexes of germyl- and stannyl-phosphines with functional groups bonded to germanium or tin atoms (H. Schumann, J. Held, H.-J. Kroth, W.-W. Du Mont, B. Wöbke), (105)393
- Trimethylchlorosilane-lithium-aliphatic ketone mixture, reaction in 1,3-dimethyl-2-imidazolidinone of (H. Sakurai, F. Kondo), (117)149
- Trimethyl- and triphenyl-metal halides in reaction with crotylmagnesium bromide (E. Matarasso-Tchiroukhine, P. Cadiot)
- Trimethylphosphiniminopentamethyldisiloxane and bis(trimethylphosphinimino)dimethylsilane, 1/1 complexes with trimethyl-aluminium, -gallium, and -indium (W. Wolfsberger, H. Schmidbaur), (122)5
- β -Trimethylsiloxy organoboranes, stereochemistry of β -elimination of (G.L. Larson, A. Hernández), (102)123
- Trimethylsilyl aromatic compounds, photoelectron spectra of (Y. Limouzin, J.C. Maire), (105)179
- Trimethylsilyl- and alkyl-substituted benzenes, steric effects in ²⁹Si and ¹³C NMR spectra of (J. Schraml, V. Chvalovský, M. Mägi, E. Lippmaa, R. Calas, J. Dunogues, P. Bourgeois), (120)41
- Trimethylsilyl systems, SCMO calculations of nuclear spin coupling constants in (K.D. Summerhays, D.A. Deprez), (118)19
- Trimethylsilylanilides, hindered rotation and exchange in (C.H. Yoder, A.D. Belber), (114)251
- Trimethylsilyl azide in reactions with bridged bicyclic olefins (W.R. Peterson, Jr. B. Arkles, S.S. Washburne), (121)285
- Trimethylsilylcarbodiimides, structural isomers prepared by addition of amino-diiminophosphoranes of (R. Appel, M. Halstenberg), (116)C13
- Trimethylsilyl chlorosulphonate in sulphonation reactions with substituted silicon compounds (M. Grignon-Dubois, J.-P. Pillot, J. Dunogues, N. Duffaut, R. Calas, B. Henner), (124)135
- Trimethylsilylated *N,O,O*-triphenylphosphoramidate, reversible 1,3-trimethylsilyl migration between nitrogen and oxygen in (P.K.G. Hodgson, R. Katz, G. Zon), (117)C63
- N*-Trimethylsilyldiphenylketeneimine, reaction with acid chlorides of (P. Cazeau, J.-P. Llonch, F. Simonin-Dabescat, E. Frainnet), (105)157
- Trimethylsilylpentacarbonylrhenium and [tris(trimethylsilyl)silyl]pentacarbonylrhenium, crystal and molecular structures of (M.C. Couldwel, J. Simpson, W.T. Robinson), (107)323
- N*-Trimethylsilyl-, -triethylgermyl- and -tributylstannyl-pyrazoles, vibrational spectra of (A. Marchand, M. Rivière-Baudet, R. Gassend), (118)27
- Trimethylsilyl trimethylsilylamido-

- sulphonate, a new silylating agent (B.E. Cooper, S. Westall), (118)135
- β -Triorganosilylethylammonium ylides, anionic rearrangement of organosilyl groups from carbon to carbon in (Y. Sato, Y. Ban, H. Shirai), (113)115
- Triphenyl derivatives of Group IV elements, photoelectron spectroscopy of (G. Distefano, S. Pignataro, L. Szepes, J. Borossay), (104)173
- Triphenylsilicon- and triphenyltin-pentacarbonylmanganese, reactions of halogens with (J.R. Chipperfield, J. Ford, D.E. Webster), (102)417
- Triphenylsiloxytriphenyllead(IV), disordered structure of (P.G. Harrison, T.J. King, J.A. Richards, R.C. Phillips), (116)307
- Triphenylsilylethoxycarbenepentacarbonylchromium and triphenylsilyldimethylaminocarbene-pentacarbonylchromium complexes (E.O. Fischer, H. Hollfelder, F.R. Kreissl, W. Uedelhoven), (113)C31
- trans*-Triphenylsilylstyrene, *syn*-bromination and *anti*-debromosilylation of (A.G. Brook, J.M. Duff, P. Hitchcock, R. Mason), (113)C11
- Triphenylsilylthiirane, first example of a metal-substituted thiirane (G. Barbieri), (117)157
- Triphenyl(triphenylsilylperoxy)germane, rearrangement catalysed by nucleophiles of (G.S. Kalinina, T.A. Basalgina, N.S. Vyazankin, G.A. Razuvaev, V.A. Yablokov, N.V. Yablokova), (117)231
- Triple-decked sandwich metallocarboranes, substituent NMR effects in (R. Weiss, R.N. Grimes), (113)29
- Tris(trimethylphosphite)(η^3 -allyl)rhodium, synthesis of and reactions with hydrogen, silanes and donor ligands (M. Bottrill, M. Green), (111)C6
- Tris(trimethylsilyl)methane, kinetic acidity of; stabilization of a carbanion by α -Me₃Si groups (C. Eaborn, R. Eidenschink, P.M. Jackson, D.R.M. Walton), (101)C40
- Tris(triphenylphosphine)chlororhodium as a catalyst in hydrosilylation of α,β -unsaturated nitriles and esters (I. Ojima, M. Kumagai, Y. Nagai), (111)43
- Vinyl-, allyl- and 3-butene-1-yl-trimethylsilanes, cleavage reactions with [Pt₂Cl₄(C₂H₄)₂] of (D. Mansuy, J. Puset, J.C. Chottard), (110)139

Silver

- Copper, silver and gold; Annual Survey covering the year 1974 (E. Singleton, A. Tuinman), (119)407
- η^5 -Cyclopentadienyl(triphenylphosphine)-silver(I), synthesis and properties of (H.K. Hofstee, J. Boersma, G.J.M. van der Kerk), (120)313
- 2-(Dimethylamino)phenylcopper, complex formation with copper(I) or silver halides; synthesis and structural characterization of hexanuclear (2-Me₂NC₆H₄)₄Cu_{6-n}M_nX₂ (M = Cu or Ag) cluster compounds (G. van Koten, J.G. Noltes), (102)551
- Hydrosilylation of α,β -unsaturated aldehydes; regiospecific reduction of C=O using nickel(0) catalysts (M.F. Lappert, T.A. Nile), (102)543
- Metal-metal bonded compounds with MAg⁺ pairs bridged by oxygen acid anions O₂CCF₃⁻, ClO₄⁻, O₂CCHC(CH₃)₂⁻ (J. Kuyper, K. Vrieze), (107)129
- Phenylsilver, synthesis of (J. Boersma, F.J.A. Des Tombe, F. Weijers, G.J.M. van der Kerk), (124)229
- Silver(I) trifluoromethanesulphonate π -complexes of olefins and alkynes, stability and structure of (G.S. Lewandos, D.K. Gregston, F.R. Nelson), (118)363
- Sulphurdiimine *S,N,N'*-substituted complexes of lithium, magnesium, copper(I), silver(I) and rhodium(I) (J. Kuyper, P.C. Keijzer, K. Vrieze), (116)1

Sodium

- Alkali metal iminoborates, a new type of boronate complexes (H. Hoberg, V. Götz), (118)C3
- Alkynes prepared from acid chlorides and Na₂W(CO)₅ (J. Levisalles, H. Rudler), (122)C17
- gem*-Dihalocyclopropane derivatives reduced by complex reducing agents NaH-*t*-AmONa-MX_n (M = Ni, Co, Cu) (G. Guillaumet, L. Mordenti, P. Caubère), (102)353
- Heavier alkali metals; Annual Survey covering the year 1974 (E.M. Kaiser), (103)1
- Main Group element cyclopentadienyl derivatives, ¹³C chemical shifts and C-H coupling constants of (P. Fischer,

- J. Stadelhofer, J. Weidlein), (116)65
- Nitromethanemetal derivatives, C—H stretching vibrations and structures of** (L.A. Leites, A.P. Kurbakova, L.M. Golubinskaya, V.I. Bregadze), (122)1
- Organofunctional arylstannanes, direct synthesis of** (H.G. Kuivila, K.R. Wursthorn), (105)C6
- Organoscandium compounds containing the η^8 -C₈H₈ ligand** (A. Westerhof, H.J. de Liefde Meijer), (116)319
- Phenylacetylene adducts with alkali metals** (L.M. Panayotov, M.V. Bozilova), (105)281
- Potassium derivatives of alkylbenzenes** (G. Gau), (121)1
- Sodium η^5 -cyclopentadienyldicarbonyl-ferrate and bromomethyl-dimethylchlorosilane, anomalous reaction between** (C. Windus, S. Sujishi, W.P. Giering), (101)279
- Sodium iminoaluminate, a new type of ate complexes** (H. Hoberg, J. Korff), (118)C1
- Tetrakis(trimethylstannyl)methane, synthesis by reactions of chloromethanes with trimethylstannylsodium** (H.G. Kuivila, F.V. Distefano), (122)171
- Trialkylsilylaldimines, preparation of** (H. Hoberg, V. Götz, A. Milchereit), (118)C6
- Strontium**
- Alkylido-strontium and -barium compounds, preparation and isolation of** (B.G. Gowenlock, W.E. Lindsell, B. Singh), (101)C37
- Sulphur**
- Alkoxytrimethylsilanes, one-step conversion to alkyl benzenesulphonates of** (P. Ykman, H.K. Hall, Jr.), (116)153
- Alkylcopper(I) complexes having tertiary phosphine ligands, insertion reactions of CO₂ and CS₂ into alkyl—copper bonds of** (A. Miyashita, A. Yamamoto), (113)187
- Alkylcopper reagents in insertion reactions with sulphur dioxide** (G. Cahiez, D. Bernard, J.F. Normant, J. Villieras), (121)123
- Alkyldimethylfluorosilanes, reactions with fluorosulphonic acid** (D.D. Hopf, D.H. O'Brien), (111)161
- Allylic organomagnesium halides, reaction with 1,3-benzoxathiole and 1,3-benzodioxole of** (S. Cabiddu, E. Marongiu, S. Melis, F. Sotgiu), (116)275
- Binuclear organo-iron, -molybdenum and -tungsten compounds, containing bridging thiolate ligands, addition of carbon monoxide to and formation of mononuclear species** (D.D. Watkins, Jr., T.A. George), (102)71
- Bis(pentafluorophenyl) disulphide and diselenide, crystal and molecular structures of** (C.M. Woodard, D.S. Brown, J.D. Lee, A.G. Massey), (121)333
- Bis(triphenylphosphine)platinum disulphide, ligand reactivity and carbene formation in** (D.H. Farrar, R.O. Harris, S. Walker), (124)125
- Carbamato and related cationic and neutral ruthenium(II) complexes, formation from reaction of CO₂, COS and CS₂ with ruthenium hydrides in alcohol solution containing HNMe₂ of** (T.V. Ashworth, M. Nolte, E. Singleton), (121)C57
- Carbonyliron-containing sulphur ylid, preparation, and chemical and spectroscopic properties of** (L. Weber), (122)69
- Carbonyl-isocyanide mixed cation, [OsCl(CO)₂(CNR)(PPh₃)₂]⁺, alkoxide attack at carbonyl and hydrosulphide attack at isocyanide in** (K.R. Grundy, W.R. Roper), (113)C45
- Chromium and cobalt perfluoroalkyl derivatives containing sulphur donor ligands** (A.L. Marchese, M. Scudder, A.M. Van den Bergen, B.O. West), (121)63
- [η^6 -C₆H₆RuCl₂]₂ and [η^5 -C₅Me₅RhCl₂]₂, reactions with S-containing nucleophiles** (D.R. Robertson, T.A. Stephenson), (107)C46
- Cobaloximes, photoinduced and thermal reactions in the presence of sulphur compounds of** (C. Giannotti, G. Merle), (113)45
- Cyclic transition-metal carbene complexes from ring-closing reactions on the π -bound substrates CS₂ and CSe₂; 1,3-dithiolan-2-ylidene and 1,3-diselenolan-2-ylidene complexes of ruthenium(II) and osmium(II)** (T.J. Collins, K.R. Grundy, W.R. Roper, S.F. Wong), (107)C37

- (2 + 2)Cyclo-addition of instable phosphazene of coordination number 3 (E. Niecke, W. Flick), (104)C23
- π -Cyclopentadienyls of nickel(II), insertion reaction of RNCS into Ni—C bonds (F. Sato, J. Noguchi, M. Sato), (118)117
- Dialkylsulphurdiiminepalladium(II) compounds, ¹H NMR studies of intra- and inter-molecular exchange processes in (J. Kuyper, P.I. van Vliet, K. Vrieze), (108)257
- Dialkylsulphurdiimine-rhodium(I), -iridium(I) and -platinum(II) cationic compounds, ¹H and ¹³C NMR studies of intra- and inter-molecular exchange processes in (J. Kuyper, L.G. Hubert-Pfalzgraf, P.C. Keyzer, K. Vrieze), (108)271
- Dialkylsulphurdiiminetetracarbonylmetal compounds, structural, spectroscopic and fluxional properties of (R. Meij, J. Kuyper, D.J. Stufkens, K. Vrieze), (110)219
- Dialkyl titanocenes, photo-catalysed reaction of sulphur with (E. Samuel, C. Giannotti), (113)C17
- Di-*p*-anisylthallium chloride interaction with mercury in pyridine, ethylenediamine and dimethyl sulphoxide; prevailing role of homogeneous reaction (K.P. Butin, I.F. Gunkin, R. Petri, I.P. Beletskaya, O.A. Reutov), (114)239
- Di-*t*-butylberyllium complexes with ethers, alkylamines, sulphides and phosphine, comparative study of the vibrational spectra of (J. Mounier, B. Mula, A. Potier), (107)281
- Dicarbonyldi- η -cyclopentadienylbis(μ -thiocarbonyl)diiron, synthesis and structure of (J.W. Dunker, J.S. Finer, J. Clardy, R.J. Angelici), (114)C49
- Dicyclopentadienyltitanium(III) aryloxy derivatives, preparation, physical properties and reaction products with CCl₄ and (SR)₂ of (A. Dormond, T. Kolavudh), (125)63
- Di- π -cyclopentadienyl-vanadium(IV) and -titanium(IV) pentasulphides, synthesis and characterization of; influence of an unpaired electron on the molecular geometry (E.G. Muller, J.L. Petersen, L.F. Dahl), (111)91
- Diethylthallium dihaloamides, synthesis of α -halo- β -lactams by thermal decomposition of (B. Åkermark, J. Chodowska-Palicka, I. Lagerlund), (113)C4
- 1,1-Dithio derivatives of alkyl phenyl sulphones and *N,N*-dimethyl methane-sulphonamide, synthesis and reactivity of (A. Bongini, D. Savoia, A. Umani-Ronchi), (112)1
- Dimethylphosphane sulphides, isomerisation on carbonylmanganese systems of (E. Lindner, H. Dreher), (104)331
- Dimethylsulphoxonium methylide as a ligand in metal carbonyl complexes (L. Weber), (105)C9
- Dimethylthallium methylxanthogenate, preparation, properties and structure of (W. Schwarz, G. Mann, J. Weidlein), (122)303
- Di- and tri-organotin arylsulphonates, structural study of (P.G. Harrison, R.C. Phillips, J.A. Richards), (114)47
- Diorganylphosphane chalcogenides, isomerization on manganese and rhenium carbonyl complexes (E. Lindner, B. Schilling), (114)C23
- 1,3,2-Dithiaborinans, 2-substituted, preparation and properties of (R.H. Cragg, M. Nazery), (120)35
- 1,2-Epoxyalkyllithium reagents, stereospecific preparation via generalized lithiation of α -hetero-substituted epoxides (J.J. Eisch, J.E. Galle), (121)C10
- 1,1-Ferrocenyldiacetic acid anhydrides and its use in preparation of heteroannularly-substituted ferrocenyl-penicillins and -cephalosporins (E.I. Edwards, R. Epton, G. Marr), (122)C49
- Germaphospholanes, insertion reactions of heterocumulenes in the Ge—P bond of (C. Couret, J. Escudé, J. Satgé, G. Redouls), (111)263
- Group VI transition metal anionic carbonyl complexes with sulphur-containing ligands (G. Doyle), (101)85
- (Halomethyl)trimethylsilanes, reactions with fluorosulphonic acid (C.M. Harbordt, D.H. O'Brien), (111)153
- N*- α -Heteroaromatic substituted thiophosphinic amides, nucleophilic reactivity of (J. Bödeker, P. Köckritz, R. John-Schenk), (111)65
- Heterocyclic mercury, sulphur, selenium, tellurium, arsenic and antimony compounds, synthesis of (C.M. Woodard, G. Hughes, A.G. Massey), (112)9
- 2,2,4,4,5,5-Hexamethyl-1,3-dithia-2,4,5-tristannolane, preparation and spectroscopy of (B. Mathiasch), (122)345
- H₂M₃(CO)₉S (M = Ru, Os) and related compounds, ¹³C NMR studies of

- (A. Forster, B.F.G. Johnson, J. Lewis, T.W. Matheson), (104)225
- cis*-Hydridodithiomethylester osmium and iridium complexes, synthesis of low-valent thiocarbonyl complexes via 1,2-elimination of methylthiol from (T.J. Collins, W.R. Roper, K.G. Town), (121)C41
- Iridium(I) compounds, reactions with oxidized derivatives of organic disulphides and thionyl chloride (S.J. Markham, Y.L. Chung, G.D. Branum, D.M. Blake), (107)121
- Iridium and platinum complexes, reactions with *N*-sulphinyl compounds (D.M. Blake, J.R. Reynolds), (113)391
- Iron carbonyl chalcogenides, mass spectra and DTA and TG investigations of (M.K. Chaudhuri, A. Haas, M. Rosenberg, M. Velicescu, N. Welcman), (124)37
- Iron carbonyl complexes of 2,5-dihydrothiophene-1 oxide, preparation and properties of (J.H. Eekhof, H. Hogeveen, R.M. Kellogg, E.P. Schudde), (105)C35
- Iron-sulphur cluster compound, $[(\eta\text{-C}_5\text{H}_5)_2\text{Fe}_2\text{S}_2(\text{SC}_2\text{H}_5)_2]$, electrochemistry of and synthesis and properties of the oxidation products (G.J. Kubas, P.J. Vergamini, M.P. Eastman, K.B. Prater), (117)71
- Iron tricarbonyl complexes of organo-sulphur compounds, ESCA measurements on (J.H. Eekhof, H. Hogeveen, R.M. Kellogg, G.A. Sawatzky), (111)349
- Lead(IV) and sulphur containing heterocyclic compounds (M. Wieber, U. Baudis), (125)199
- α -Lithio-sulphoxides and α -sulphones, ^{13}C NMR study of; structure of sulphur-stabilized carbanions (R. Lett, G. Chassaing, A. Marquet), (111)C17
- Low oxidation state transition metal complexes, activation of thiocyanogen and selenocyanogen by (F. Faraone, S. Sergi), (112)201
- Magnesium in cleavage reactions of thioethers (A. Maercker, H.-J. Jaroschek), (116)21
- Manganese complexes with cyclopentadienyl-sulphonium and -phosphonium ligands (A.N. Nesmeyanov, N.E. Kolobova, V.I. Zdanovitch, A.Zh. Zhakaeva), (107)319
- Manganese pentaacarbonyl anion in reaction with thiobenzophenones (H. Alper, H.-N. Paik), (121)225
- $M(\eta^5\text{-C}_5\text{H}_5)_2(\text{SC}_6\text{H}_5)_2$; preparation (*M* = V) and stereochemical characterization (*M* = Ti, V) of; geometrical effect of an unpaired electron on $M(\eta^5\text{-C}_5\text{H}_5)_2\text{L}_2$ (E.G. Muller, S.F. Watkins, L.F. Dahl), (111)73
- $\text{Me}_{4-n}\text{SiX}_n$ (*X* = NMe₂, OMe, SMe) compounds, ^{29}Si and ^1H NMR study of (E.V. Van den Berghe, G.P. Van der Kelen), (122)329
- Metal carbonyl six-membered heterocyclic compounds with phosphorus-chalcogen bonds (E. Lindner, B. Schilling), (117)C93
- Methylalkoxy(alkylthio)silane (D. Brandes), (105)C1
- Methyl cymantrene, sulphonation of (C. Sergheraert, P. Marcincal, E. Cuingnet), (120)329
- Methylplatinum and methylgold compounds in reactions with phenylselenol, diphenylphosphine, diphenylarsine, *N*-bromosuccinimide and 2-nitrophenylsulphenyl chloride (R.J. Puddephatt, P.J. Thompson), (117)395
- Molybdenum carbonyl derivatives in reaction with aryl- and diaryl-thioureas (S.C. Tripathi, S.C. Srivastava, R.D. Pandey, R.P. Mani), (110)67
- Nickelocene, reduction-complexation reactions converting phosphine sulphides into $\pi\text{-C}_5\text{H}_5\text{Ni(I)L}$ complexes of (F. Mathey, G. Sennyey), (105)73
- , reduction-complexation reactions of thiophosphinates with (F. Mathey, D. Thavard), (117)377
- Organocalcium halides, action on 1,3-benzoxathiole and 1,3-benzodioxole derivatives of (S. Cabiddu, S. Melis, E. Marongiu, P.P. Piras, G. Podda), (111)249
- Organometallic derivatives of trithiones (A.R. Siedle), (120)369
- Organosulphur compounds in reaction with metal atoms (T. Chivers, P.L. Timms), (118)C37
- Organotin(IV) mercaptoester chlorides, synthesis and IR spectra of (R.E. Hutton, J.W. Burley), (105)61
- 1,3,2-Oxothiaborolans, 2-substituted, synthesis and properties of (R.H. Cragg, J. Dudman, J.P.N. Husband), (116)281
- Palladium(II) chloride complexes of silylated thiazolyl, imidazolyl and pyridyl derivatives (P. Jutzii, H. Heuser), (102)145
- Palladium(II) complex with sulphur ylides, new complex containing methyl-

- sulphoxonium dimethylide as a chelating ligand (P. Bravo, G. Fronza, C. Ticozzi), (118)C78
- Palladium compounds containing a thio-methoxymethyl group (G. Yoshida, H. Kurosawa, R. Okawara), (113)85
- Palladium diene and 2-phenylazophenyl complexes, reactions with S-containing nucleophiles (M.C. Cornock, R.C. Davis, D. Leaver, T.A. Stephenson), (107)C43
- Palladium(II), platinum(II) and mercury(II) complexes of ambidentate phosphonium, arsonium, sulphonium and pyridinium ylides (E.T. Weleski, Jr., J.L. Silver, M.D. Jansson, J.L. Burmeister), (102)365
- Pentacarbonyl(carbene) complexes, reactions with dialkyl sulphides (H.G. Raubenheimer, J.C.A. Boeyens, S. Lotz), (112)145
- Pentacarbonyl(diorganylphosphane sulphide)metal(0) (M = Cr, Mo, W), preparative, kinetic and spectroscopic investigations of (E. Lindner, W.P. Meier), (114)67
- Pentacarbonylmanganese anion, reaction with diphenylcyclopropenethione, ring cleavage, alkylation and reduction in (H. Alper, H.-N. Paik), (122)C31
- Phenylchlorobis(diethylthiocarbamato)tin(IV), crystal and molecular structure of (P.G. Harrison, A. Mangia), (120)211
- (π -Phenylchromium tricarbonyl)benzyl *p*-toluenesulphonates and noncomplexed analogues, preparation and acetolysis of and search for σ - π delocalization in (R.S. Bly, K.-K. Tse, R.K. Bly), (117)35
- p*-Phenylenebis[ethynylisothiocyanato-*trans*-bis(triethylphosphine)platinum(II)], [Pt(NCS)(PEt₃)₂]₂-*p*-C₆H₄(C≡C)₂, crystal and molecular structure of (U. Behrens, K. Hoffman, J. Kopf, J. Moritz), (117)91
- Phenyllithium hexachlorotungsten in arylation reactions of ethers and amines (J. Levisalles, H. Rudler, D. Villemin), (122)C15
- Platinum-phosphine and nickel-sulphur-phosphine complexes, investigations of (M. Schmidt, G.G. Hoffman), (124)C5
- Pt(PPh₃)₂(CS₂), Pt-CS₂ bond strength in (C.T. Mortimer, M.P. Wilkinson, R. J. Puddephatt), (102)C43
- Ring six-membered system with alternating Mn-S-P bonds, preparation and properties of (E. Lindner, H. Dreher), (105)85
- R₃SnER_n' derivatives (E = C, Si, Ge, Sn, N, O, S), ¹³C NMR study of exchange in (M.E. Bishop, C.D. Schaeffer, Jr., J.J. Zuckerman), (101)C19
- [Ru(O₂CNMe₂)(PMe₂Ph)₄]PF₆, crystal structure of (T.V. Ashworth, M. Nolte, E. Singleton), (121)C57
- Ruthenium carbonyl compounds, reactions with thiocyanogen and iodide of (H.B. Kuhnhen), (105)357
- Ruthenium(II) η^1 - and η^2 -dithiomethylester complexes, structure and reactions of (G.R. Clark, T.J. Collins, S.M. James, W.R. Roper), (125)C23
- Siloxa- and silathia-cycloalkanes used in the preparation of organosilicon compounds (P.J. Boroni, R.J.P. Corriu, C. Guérin), (104)C17
- Silver(I) trifluoromethanesulphonate π -complexes of olefins and alkynes, stability and structure of (G.S. Lewandos, D.K. Gregston, F.R. Nelson), (118)363
- Silylated pyridine, thiazole and imidazole derivatives, gold(I) complexes of (P. Jutzi, H. Heusler), (114)265
- Sulphonium cations, coordination behaviour of (R.D. Adams, D.F. Chodosh), (120)C39
- (2,2,7,7-Tetramethyl-3,6-dithiaoctane)tetracarbonyltungsten(0), kinetics and mechanism of ligand exchange in (L.D. Schultz, G.R. Dobson), (124)19
- Thallic salts in reaction with sodium arenesulphinates (G.B. Deacon, I.K. Johnson), (112)123
- Thiobenzophenone, reactions with thermally-generated 1,1-disubstituted 1-silaethenes of (L.H. Sommer, J. McLick), (101)171
- π -Thiophenechromium tricarbonyl, CrS⁺ ions in the mass spectrum of (Yu.S. Nekrasov, N.I. Vasyukova), (122)227
- Transition metal-dithionite complex, (η^5 -C₅H₅)(CO)₂Fe-S(O)₂S(O)₂-Fe(CO)₂-(η^5 -C₅H₅), synthesis of (N.H. Tennent, S.R. Su, C.A. Pfoffenberger, A. Wojcicki), (102)C46
- Trialkyltin chlorides and isothiocyanates, thermodynamics of M-ligand bond formation in base adducts of (D.P. Graddon, B.A. Rana), (105)51
- Trimethylsilyl chlorosulphonate in sulphonation reactions with substituted silicon compounds (M. Grignon-Dubois, J.-P. Pillot, J. Dunoguès, N. Duffaut, R. Calas, B. Henner), (124)135

- Trimethylsilyl trimethylsilylamido-sulphonate**, a new silylating agent (B.E. Cooper, S. Westall), (118)135
- Trimethyltin phosphines as ligands in transition metal carbonyl complexes**, tin-119m Mössbauer spectra of (H. Schumann, W.-W. Du Mont, P.J. Corvan, J.J. Zuckerman), (121)321
- Triorgano-germanium and -tin aryl sulphides**, reactions with oxidants (R.D. Taylor, J.L. Wardell), (112)135
- Triorganotin(IV) dithiocarbamates**, preparation and characterization of (T.N. Srivastava, V. Kumar), (107)55
- Tris(dimethyl sulphoxide)nitratodiphenyltin(IV) nitrate**, structural characterization of (L. Coghi, C. Pelizzi, G. Pelizzi), (114)53
- trans-W(CO)₄(CNC₆H₁₁)(CS)**, structure of and correlation of ν (CS) frequencies with C—S bond distances in metal thio-carbonyl complexes (S.S. Woodard, R.A. Jacobsen, R.J. Angelici), (117)C75
- Tantalum**
- Pentamethylniobium, pentamethyltantalum and pentabenzyltantalum**, preparation and characterization of (R.R. Schrock), (122)209
- Tris(polychlorophenyl)thallium(III) compounds**, preparation and reactions of (S. Numata, H. Kurosawa, R. Okawara), (102)259
- Vanadium, niobium and tantalum; Annual Survey covering the year 1975** (P.C. Wailes), (119)243
- Technetium**
- Manganese, technetium and rhenium; Annual Survey covering the year 1974** (P.M. Treichel), (115)177
- Tellurium**
- Cyclo-1,4-dimethylenetetratellurium**, characterisation of (F.J. Berry, B.C. Smith, C.H.W. Jones), (110)201
- Diarylditellurides and related compounds containing tellurium to tin bonds**, chemistry of (N.S. Dance, W.R. McWhinnie, C.H.W. Jones), (125)291
- Diaryltellurium dicarboxylates**, facile and general method for the preparation of (N. Petragnani, J.V. Comasseto, N.H. Varella), (120)375
- Diorganoditellurides**, pyrolysis in the presence of tertiary phosphines of (D.H. Brown, R.J. Cross, D. Millington), (125)219
- Iron carbonyl chalcogenides**, mass spectra and DTA and TG investigations of (M.K. Chaudhuri, A. Haas, M. Rosenberg, M. Velicescu, N. Welcman), (124)37
- Mercury, sulphur, selenium, tellurium, arsenic and antimony heterocyclic compounds**, synthesis of (C.M. Woodard, G. Hughes, A.G. Massey), (112)9
- Organophosphines in reactions with chalcogens and halogens** (W.-W. Du Mont, H.-J. Kroth), (113)C35
- Organotellurium compounds**, ¹H—{¹²⁵Te} heteronuclear magnetic double resonance in (W. McFarlane, F.J. Berry, B.C. Smith), (113)139
- , rapid procedure for the determination of the tellurium content of (E.R. Clark, M.A. Al-Turaihi), (118)55
- Organotellurium derivatives of dicarboxylic acids** (N. Dance, W.R. McWhinnie), (104)317
- 2-Phenylselenophene and 2-phenyl-tellurophene**, photochemistry of (T.J. Barton, C.R. Tully, R.W. Roth), (108)183
- Tellurium; Literature Survey covering the years 1972—1974** (K.J. Irgolic), (103)91
- Tri-n-butyltin radicals**, bimolecular homolytic substitution reactions with dialkyl selenides and tellurides of (J.C. Scaiano, P. Schmid, K.U. Ingold), (121)C4
- Triphenyltelluronium cyanate · 0.5 chloroform**, solid state structure of (D.D. Titus, J.-S. Lee, R.F. Ziolo), (120)381
- Triphenyltelluronium pseudohalides**, synthesis and solid state characterization of (R.F. Ziolo, K. Pritchett), (116)211
- Thallium**
- Bis(dimethylthallium)diazomethane** ([Me₂Tl]₂CN₂), first example of the diazomethyl anion [CN₂]²⁻ (P. Krommes, J. Lorberth), (120)131
- (CH₃)₂C(OX)CH₂Tl(OAc)₂, decomposi-

- tion in aqueous solution of (C. Beaudry, M. Zador), (102)265
- Chlorodicyclopentadienyl-scandium(III), -titanium(III), and -vanadium(III) compounds, improved syntheses of (L.E. Manzer), (110)291
- Di-*p*-anisylthallium chloride interaction with mercury in pyridine, ethylenediamine and dimethyl sulphoxide; prevailing role of homogeneous reaction (K.P. Butin, I.F. Gunkin, R. Petri, I.P. Beletskaya, O.A. Reutov), (114)239
- Diethylthallium dihaloamides, synthesis of α -halo- β -lactams by thermal decomposition of (B. Åkermark, J. Chodowska-Palicka, I. Lagerlund), (113)C4
- Dimethylmetal (Sn, Pb, Tl) compounds in strong acids, PMR spectra of (Y. Kawasaki, M. Aritomi), (104)39
- Dimethylthallium(III) ion, influence of anion, solvent and concentration on the ^{205}Tl , ^{13}C and ^1H NMR parameters of (P.J. Burke, R.W. Matthews, D.G. Gillies), (118)129
- Dimethylthallium methylxanthogenate, preparation, properties and structure of (W. Schwarz, G. Mann, J. Weidlein), (122)303
- Dimethyl-thallium, -tin and -lead compounds, preparation by anion exchange with thallium(I) salts (U. Knips, F. Huber), (107)9
- Diphenylthallium(III) complexes with *o*-aminophenols and *o*-phenylenediamines, ESR investigation of (H.B. Stegmann, K.B. Ulmschneider, K. Hieke, K. Scheffler), (118)259
- Diphenylthallium(III) ion pairs with catechols, pyrogallols and 1,2-diketones, ESR investigations of (H.B. Stegmann, K.B. Ulmschneider, K. Scheffler, U. Bösenberg), (101)145
- Main Group element cyclopentadienyl derivatives, ^{13}C chemical shifts and C—H coupling constants of (P. Fischer, J. Stadelhofer, J. Weidlein), (116)65
- Monomethylthallium(III) derivatives, ^{205}Tl , ^{13}C and ^1H NMR parameter for (C.S. Hoad, R.W. Matthews, M.M. Thakur, D.G. Gillies), (124)C31
- Monomethylthallium diacetate in solution, kinetics and mechanism of the decomposition of (U. Pohl, F. Huber), (116)141
- Nitromethanemetal derivatives, C—H stretching vibrations and structures of (L.A. Leites, A.P. Kurbakova, L.M. Golubinskaya, V.I. Bregadze), (122)1
- Polyfluorophenylcobalt(III) Schiff base complexes, synthesis using organothallium reagents of (M.F. Corrigan, G.B. Deacon, B.O. West, D.G. Vince), (105)119
- Tetraphenylcyclobutadiene complexes of rhodium (J.F. Nixon, M. Kooti), (104)231
- Thallation, new aspects of (G.B. Deacon, R.N.M. Smith, D. Tunaley), (114)C1
- Thallic salts in reaction with sodium arenesulphinates (G.B. Deacon, I.K. Johnson), (112)123
- Thallium; Annual Survey covering the year 1975 (H. Kurosawa), (119)131
- ### Thorium
- Bis(fluorenyl)dimethylzirconium, formation and photolysis of (E. Samuel, H.G. Alt, D.C. Hrcir, M.D. Rausch), (113)331
- π -Cyclooctatetraenyl and π -cyclopentadienyl complexes of cerium (A. Greco, S. Cesca, G. Bertolini), (113)321
- Dicyclooctatetraeneactinide(IV) complexes, photoelectron spectroscopy of (I. Fragaà, G. Condorelli, P. Zanella, E. Tondello), (122)357
- Tricyclopentadienyl derivatives of uranium(IV) and thorium(IV), photoelectron spectra of (I. Fragaà, E. Ciliberto, R.D. Fischer, G.R. Sienel, P. Zanella), (120)C9
- Uranocene and thorocene, He-I photoelectron spectra of (J.P. Clark, J.C. Green), (112)C14
- ### Tin
- Acyclic, monocyclic and bicyclic organostannanes, ^{13}C chemical shifts and ^{119}Sn — ^{13}C spin—spin coupling constants in (H.G. Kuivila, J.L. Considine, R.H. Sarma, R.J. Mynott), (111)179
- Biorganotin chemistry: reactions of tributyltin derivatives with a cytochrome P-450 dependent monooxygenase enzyme system (R.H. Fish, E.C. Kimmel, J.E. Casida), (118)41
- Bis(diorganotin)tetra-carbonyliron) complexes, formation from pentacarbonyl-

- iron and organotin derivatives (R.A. Burnham, M.A. Lyle, S.R. Stobart), (125)179
- cis*-Bis(2,4-pentanedionato)dimethyltin(IV) in solution, evidence by spectroscopy of (R.B. Leblanc, Jr., W.H. Nelson), (113)257
- Bis(trimethylsilyl)bromomethyl lithium, reactions with dimethyldihalo-silicon, -germanium and -tin derivatives of (D. Seyferth, J.L. Lefferts), (116)257
- Bis(trimethylstannyl)acetylene, *cis*-addition of trialkylboranes at room temperature to (B. Wrackmeyer, H. Nöth), (108)C21
- Bridgehead organotin derivatives of triptycene, synthesis and reactivity of (R.J. Ranson, R.M.G. Roberts), (107)295
- n*-Butyltin trichloride, ^1H NMR of the α, α' -bipyridine and *o*-phenanthroline adducts of (G.-E. Matsubayashi, T. Tanaka), (120)347
- Carbon-silicon and carbon-tin bonds, medium dependence of the rates of base-cleavage of (C. Eaborn, J.R. Jones, G. Seconi), (116)83
- Chemical synthesis with metal atoms (J.R. Blackborow, C.R. Eady, E.A. Koerner von Gustorf, A. Scrivanti, O. Wolfbeis), (108)C32
- Cyclohexyltrimethyl-stannane and -plumbane, conformational equilibria and low temperature ^{13}C NMR spectra of (W. Kitching, D. Doddrell, J.B. Grutzner), (107)C5
- η^1 - σ -Cyclononatetraenyl derivatives of Group IVB elements and arsenic (G. Boche, F. Haidenhain), (121)C49
- Cyclopentadienyl and arene derivatives of Groups VI and VII transition metal carbonyls and nitrosyls, IR study of Lewis acid reactants with (B.V. Lokshin, E.B. Rusach, N.E. Kolobova, Yu.V. Makarov, N.A. Ustynyuk, V.I. Zdanovich, A.Zh. Zhakaeva, V.N. Setkina), (108)353
- Cyclopentadienyl(IV) compounds, vibrational spectra of (P.G. Harrison, J.A. Richards), (108)61
- Cyclopentadienylmetal η^1 -bonded compounds, Diels-Alder reactions of (A.R.L. Bursics, M. Murray, F.G.A. Stone), (111)31
- Cyclopentadienyltin(II) compounds, reactions with main group Lewis acids (P.G. Harrison, J.A. Richards), (108)35
- stoichiometric reactions of (U. Schröer, H.-J. Albert, W.P. Neumann), (102)291
- Diarylditellurides and related compounds containing tellurium to tin bonds, chemistry of (N.S. Dance, W.R. McWhinnie, C.H.W. Jones), (125)291
- Di-*n*-butyl-*t*-butyltin chloride, homolytic dealkylation of (A.G. Davies, B. Muggleton, B.P. Roberts, M.-W. Tse, J.N. Winter), (118)289
- Dicyclopentadienylnyltin and bis(methylcyclopentadienyl)tin, reactions with metal carbonyl compounds of (A.B. Cornwell, P.G. Harrison, J.A. Richards), (108)47
- C,N*-{2-[(Dimethylamino)methyl]phenyl}-diphenyltin bromide, crystal and molecular structure of (G. van Koten, J.G. Noltes, A.L. Spek), (118)183
- Dimethylmetal (Sn, Pb, Tl) compounds in strong acids, PMR spectra of (Y. Kawasaki, M. Aritomi), (104)39
- 1,1-Dimethylstannolane, ring expansion and cleavage reactions of (D. Hänssgen, E. Odenhausen), (124)143
- Dimethyl-thallium, -tin and -lead compounds, preparation by anion exchange with thallium(I) salts (U. Knips, F. Huber), (107)9
- Dimethyltin complexes, structure of (D.L. Kepert), (107)49
- Di- and tri-organotin arylsulphonates, structural study of (P.G. Harrison, R.C. Phillips, J.A. Richards), (114)47
- N*-(Diphenylmethylene)triorganoelement-methylamines (element = C, Si, Ge, Sn), preparation and properties of (E. Popowski, A. Hahn, H. Kelling), (110)295
- N,N'*-Ethylenebis(acetylideneimine)-tin(II) and -tin(IV) derivatives, structural study of (P.F.R. Ewings, P.G. Harrison, A. Mangia), (114)35
- Geminal tin-proton coupling constant (B. De Poorter, M. Gielen), (124)161
- Group IVB metalloidal substituent effects studied by ^{13}C NMR spectroscopy (M. Bullpitt, W. Kitching, W. Adcock, D. Doddrell), (116)161
- ω -Haloalkyltin compounds, synthesis and reactivity of (E.J. Bulten, H.F.M. Gruter, H.F. Martens), (117)329
- Hexamethyldilead, reactions with trimethyllead and trimethyltin chlorides (D.P. Arnold, P.R. Wells), (111)285
- 2,2,4,4,5,5-Hexamethyl-1,3-dithia-2,4,5-tristannolane, preparations and spectro-

- Hexamethylditin, reaction with trimethyllead chloride (D.P. Arnold, P.R. Wells), (108)345
- Iminetin and enaminetin derivatives, preparation and characterization of (J.-M. Brocas, B. De Jeso, J.-C. Pommier), (120)217
- Imino- and enamino-tin compounds, preparation of (B. De Jeso, J.-C. Pommier), (122)C1
- Lithium bis(ethylenedioxyboryl)methide, reactions with carbonyl compounds, and chlorotriphenyl derivatives of germanium, tin and lead of (D.S. Matteson, P.K. Jęsthi), (110)25
- Mercuriation of 1-methylene-2,4-cyclohexadiene, tautomeric intermediates in reactions of organometallic benzyl compounds with acids (V.I. Rozenberg, V.A. Nikonorov, V.I. Salikova, Yu.G. Bundel', O.A. Reutov), (102)7
- Metal-aryl bond cleavage with iodine monochloride and monobromide (S.N. Bhattacharya, P. Raj, R.C. Srivastava), (105)45
- Metal-centred radicals synthesized from an organometallic halide and an electron-rich olefin (M.J.S. Gynane, M.F. Lappert), (114)C4
- Metallocenes and related species, Jahn-Teller effects in (C. Glidewell), (102)339
- Metallo-methyl interactions, ^{13}C NMR study of conformational consequences of (W. Adcock, B.D. Gupta, W. Kitching, D. Doddrell), (102)297
- Methyl(perfluorovinyl)boranes, preparation and characterization of (E.J. Stampf, J.D. Odom), (108)1
- Monostannacycloalkanes, synthesis of (E.J. Bulten, H.A. Budding), (110)167
- Nitratotriphenyl(pyridine *N*-oxide)tin(IV), structural studies of and coordinative interactions in (C. Pelizzi, G. Pelizzi, P. Tarasconi), (124)151
- Nitratotriphenyl(triphenylarsine oxide)tin(IV), coordination interactions, Sn—O, in (M. Nardelli, C. Pelizzi, G. Pelizzi), (125)161
- Nitratotriphenyl(triphenylphosphine oxide)tin(IV), synthesis and structure of (M. Nardelli, C. Pelizzi, G. Pelizzi), (112)263
- Norbornenyltrimethyltins, tin-119 magnetic shielding in (J.D. Kennedy), (104)311
- cis*-Octahedral bis(β -diketenato) complexes, dynamic stereochemistry of (F. Finocchiaro, V. Librando, P. Maravigna, A. Recca), (125)185
- Organofunctional arylstannanes, direct synthesis of (H.G. Kuivila, K.R. Wursthorn), (105)C6
- Organometallic benzyl compounds, direct and retro fragmentations in; aromatisational metallation (V.A. Nikonorov, V.I. Rozenberg, R.I. Gorbacheva, Yu.G. Bundel', O.A. Reutov), (101)259
- Organometallic derivatives of sugars (A.F. Hussain, R.C. Poller), (118)C11
- Organotin amines, reactivity with conjugated carbonyl derivatives of (J.-M. Brocas, J.-C. Pommier), (121)45
- Organotin compounds, direct synthesis of (P. Fostein, J.C. Pommier), (114)C7
- Organotin(IV) mercaptoester chlorides, synthesis and IR spectra of (R.E. Hutton, J.W. Burley), (105)61
- Oximes containing organotin substituents, Beckmann rearrangement of (S.Z. Abbas, R.C. Poller), (104)187
- Pentacarbonyliron in reaction with dialkylamides of tin(II) and tin(IV), formation of mono- and di-carbene complexes (W. Petz, A. Jonas), (120)423
- Pentacoordinate tin compounds, intramolecular rearrangement and ^1H NMR spectra of (Z. Zschunke, A. Tzschach, K. Jurkschat), (112)273
- Pentafluorophenyl-silane, -germane and -stannane, ^{19}F NMR spectra of (J.C. Maire, Y. Limouzin), (122)21
- Phenylchlorobis(diethylthiocarbamato)tin(IV), crystal and molecular structure of (P.G. Harrison, A. Mangia), (120)211
- Phenyltin hydrides, exchange reactions with organotin halides of (A.K. Sawyer, J.E. Brown, G.S. May, A.K. Sawyer, Jr., R.E. Schofield, W.E. Sprague), (124)13
- Phosphoramidates and phosphorimidates, reactions with Group IV halides of (C. Glidewell), (108)335
- Protonolysis of allyltins, substituent, solvent isotope and temperature effects on rate of (J.A. Mangravite, J.A. Verdone, H.G. Kuivila), (104)303
- R_3SnER_n derivatives (E = C, Si, Ge, Sn, N, O, S), ^{13}C NMR study of exchange in (M.E. Bishop, C.D. Schaeffer, Jr., J.J. Zuckerman), (101)C19
- σ - and π -silylallyl transition metal complexes, chemical and physical properties of (K.H. Pannell, M.F. Lappert,

- K. Stanley), (112)37
- Stannacyclopentanes, homolytic reactivity of (A.G. Davies, G.R. Parry, B.P. Roberts, M.-W. Tse), (110)C33
- Stannic chiral amines, synthesis and properties of (M. Lequan, F. Meganem, Y. Besace), (113)C13
- Stannocene, reaction with haloboranes of (W. Siebert, K. Kinberger), (116)C7
- 3-Stannylcyclopentenes, S_H 2- γ reactions with stannyl phenyl- and *t*-butyl radicals (U. Schröer, W.P. Neumann), (105)183
- Stannyl- and germyl-mercuric derivatives of platinum and palladium, synthesis of (V.I. Sokolov, V.V. Bashilov, O.A. Reutov, M.N. Bochkarev, L.P. Mayorova, G.A. Razuvaev), (112)C47
- Tetracarbonyl(trimethylstannyl)cobalt and pentacarbonyl(trimethylstannyl)-rhenium, kinetics of iodination of (J.R. Chipperfield, A.C. Hayter, D.E. Webster), (121)185
- Tetraethyltin and tetravinyltin, flash photolysis of (M. Christianson, D. Price, R. Whitehead), (102)273
- Tetrakis(triarylphosphine)palladium as a catalyst in reactions of organic halides with R_3MMR_3 ($M = Si, Ge, Sn$) compounds (D. Azarian, S.S. Dua, C. Eaborn, D.R.M. Walton), (117)C55
- Tetrakis(trimethylstannyl)methane, synthesis by reactions of chloromethanes with trimethylstannylsodium (H.G. Kuivila, F.V. Distefano), (122)171
- Tetranuclear tin complex, crystal structure of $\{[(n-C_4H_9)_2SnOOC(OC_2H_5)_2]_2O\}_2$ and related properties in solution (R. Graziani, G. Bombieri, E. Forsellini, P. Furlan, V. Peruzzo, G. Tagliavini), (125)43
- Tetraorganotin compounds, coupling constants and chemical shifts in ^{13}C NMR of (T.N. Mitchell, G. Walter), (121)177
- Thioamide-manganese, -molybdenum and -rhodium complexes formation from organo-silicon and -tin intermediates of (E.W. Abel, L.D.H. Towle), (122)253
- Tin; Annual Survey covering the year 1974 (P.G. Harrison), (109)241
- Tin(II) halides in reaction with bis(cyclopentadienyldicarbonyliron) and bis(cyclopentadienyltricarbonyl-molybdenum) (J.D. Cotton, A.-M. Trewin), (117)C7
- Trialkenylmetallithium compounds, in reaction with *cis*- and *trans*-crotyl chlorides and with 3-chloro-1-butene (E. Matarasso-Tchiroukhine, P. Cadot), (121)155
- Trialkyltin chlorides and isothiocyanates, thermodynamics of M-ligand bond formation in base adducts of (D.P. Graddon, B.A. Rana), (105)51
- Trialkylvinyltin compounds, formation of α -adducts in hydrostannation of (E.J. Bulten, H.A. Budding), (111)C33
- Tributylchlorotin aminoacid complexes, ESCA study of the formation of (Y. Limouzin, P. Llopiz), (122)41
- Tributylstannyl ethers of carbohydrates, synthesis of (A.J. Crowe, P.J. Smith), (110)C57
- Tributylstannyl lithium in reaction with aromatic halides (J.-P. Quintard, S. Hauvette, M. Pereyre), (112)C11
- C*-Tributyltin amides, synthesis, properties and structure (A. Roubineau, J.C. Pommier), (107)63
- Tri-*n*-butyltin chloride, used in chloride for bromide substitutions on carbon (E.C. Friedrich, F.F. Vartanian, R.L. Holmstead), (102)41
- Tri-*n*-butyltin halides and alkyl halides, quaternary ammonium bromide catalysed redistribution between (E.C. Friedrich, P.F. Vartanian), (110)159
- Tri-*n*-butyltin radicals, bimolecular homolytic substitution reactions with dialkyl selenides and tellurides of (J.C. Scaiano, P. Schmid, K.U. Ingold), (121)C4
- Tricarbonylnickel(0) complexes of germyl- and stannyl-phosphines with functional groups bonded to germanium or tin atoms (H. Schumann, J. Held, H.-J. Kroth, W.-W. Du Mont, B. Wöbke), (105)393
- Triethylammonium chloride-*N*-substituted *N'*-cyano-*O*-(triphenylstannyl)isourea complexes, preparation of (E.J. Kupchik, D.K. Parikh), (121)327
- Trihalomethyltrialkyltins, addition to aldehydes of (C. Furet, C. Servens, M. Pereyre), (102)423
- Trimethyl- and triphenyl-metal halides in reaction with crotylmagnesium bromide (E. Matarasso-Tchiroukhine, P. Cadot), (121)169
- N*-Trimethylsilyl-, -triethylgermyl- and -tributylstannyl-pyrazoles, vibrational

- spectra of (A. Marchand, M. Rivière-Baudet, R. Gassend), (118)27
- Trimethylstannyl iodomethane, reactions with tertiary phosphines (R.L. Keiter, E.W. Abel), (107)73
- Trimethylstannylmethyl group, substituent effect studied by ^{13}C NMR of (M. Bullpitt, W. Kitching, W. Adcock, D. Doddrell), (116)187
- Trimethyltin phosphines as ligands in transition metal carbonyl complexes, tin-119m Mössbauer spectra of (H. Schumann, W.-W. Du Mont, P.J. Corvan, J.J. Zuckerman), (121)321
- Triorgano-germanium and -tin aryl sulphides, reactions with oxidants (R.D. Taylor, J.L. Wardell), (112)135
- Triorganotin(IV) dithiocarbamates, preparation and characterization of (T.N. Srivastava, V. Kumar), (107)55
- Triphenyl derivatives of Group IV elements, photoelectron spectroscopy of (G. Distefano, S. Pignataro, L. Szepes, J. Borossay), (104)173
- Triphenylsilicon- and triphenyltin-pentacarbonylmanganese, reactions of halogens with (J.R. Chipperfield, J. Ford, D.E. Webster), (102)417
- (+)-2-Triphenylstannylbutane, absolute configuration of (Y. Barrans, M. Pereyre, A. Rahm), (125)173
- Triphenyltin chloride in aprotic medium, electrochemical reduction of (G.-A. Mazzocchin, R. Seeber, G. Bontempelli), (121)55
- Tris(dimethyl sulphoxide)nitratodiphenyltin(IV) nitrate, structural characterization of (L. Coghi, C. Pelizzi, G. Pelizzi), (114)53
- ## Titanium
- Aryldicyclopentadienyltitanium(III) complexes, mechanism of the reduction of molecular nitrogen with (F.W. van der Weij, J.H. Teuben), (120)223
- Aryldicyclopentadienyltitanium(III) compounds, reactions of dinitrogen complexes of (F.W. van der Weij, J.H. Teuben), (105)203
- Benzyl- and trimethylsilyl methyl-titanium and dialkylamides, preparation, properties and thermolysis of (H. Bürger, C. Klüss), (108)69
- Bis(fluorenyl)dimethylzirconium, formation and photolysis of (E. Samuel, H.G. Alt, D.C. Hrnčir, M.D. Rausch), (113)331
- Bis(pentamethylcyclopentadienyl)dichlorotitanium(IV), crystal and molecular structure of (T.C. McKenzie, R.D. Sanner, J.E. Bercaw), (102)457
- Carbon dioxide insertion into metal-nitrogen bonds formed in reactions with molecular nitrogen (P. Sobota, B. Jeżowska-Trzebiatowska, Z. Janas), (118)253
- $[\text{C}_5\text{H}_4(\text{CH}_2)_3\text{C}_5\text{H}_4]\text{Ti}(\text{C}_5\text{H}_5)_2$, synthesis and interconversion of (A. Dormond, Ou-Khan, J. Tirouflet), (110)321
- Chlorodicyclopentadienyl-scandium(III), -titanium(III) and -vanadium(III) compounds, improved syntheses of (L.E. Manzer), (110)291
- μ_3 -{[Chlorodi- η -cyclopentadienyltitanoxo]-methylidene}cyclotris(tricarbonylcobalt)-(3Co—Co), preparation and molecular structure of (G. Schmid, V. Bätzel, B. Stutte), (113)67
- $(\text{C}_5\text{H}_5)_2\text{Zr}(\text{CO})_2$ and $(\text{C}_5\text{H}_5)_2\text{Hf}(\text{CO})_2$, first carbonyl derivatives of zirconocene and hafnocene (J.L. Thomas, K.T. Brown), (111)297
- Cycloheptatrienylcyclopentadienyl-titanium, derivatives of (H.T. Verkouw, M.E.E. Veldman, C.J. Groenenboom, H.O. van Oven, H.J. de Liefde Meijer), (102)49
- η^5 -Cyclopentadienide ligands in selected systems, photoexchange of (E. Vitz, C.H. Brubaker, Jr.), (104)C33
- Cyclopentadienyl and arene derivatives of Groups VI and VII transition metal carbonyls and nitrosyls, IR study of Lewis acid reactions with (B.V. Lokshin, E.B. Rusach, N.E. Kolobova, Yu.V. Makarov, N.A. Ustynyuk, V.I. Zdanovich, A.Zh. Zhakaeva, V.N. Setkina), (108)353
- Cyclopentadienyltitanium substituted dialkylamides, ^1H and ^{13}C NMR spectra of (U. Dämmgen, H. Bürger), (101)307
- , preparation and properties of (H. Bürger, U. Dämmgen), (101)295
- Dialkyl titanocenes, photo-catalysed reaction of sulphur with (E. Samuel, C. Giannotti), (113)C17
- Diaryl(dicyclopentadienyl)titanium(IV) compounds, mechanistic aspects of the thermal decomposition of (C.P. Boekel, J.H. Teuben, H.J. de Liefde Meijer), (102)161
- Dicyclooctatetraenyl-titanium and

- vanadium complexes, electronic structures and magnetic properties of (L. Hocks, R. Hubin, J. Goffart), (104)199
- Dicyclopentadienyldicarbonyltitanium and cyclopentadienylcycloheptatrienyltitanium, synthesis by reduction of titanium(IV) halides by metals (B. Demerseman, G. Bouquet, M. Bigorgne), (101)C24
- Dicyclopentadienyldimethyltitanium(IV), thermal decomposition of (G.J. Erskine, D.A. Wilson, J.D. McCowan), (114)119
- Dicyclopentadienyltitanium(III) aryloxy derivatives, preparation, physical properties and reaction products with CCl_4 and $(\text{SR})_2$ of (A. Dormond, T. Kolavudh), (125)63
- Dicyclopentadienyltitanium(IV) dibenzyl, mechanistic aspects of the thermal decomposition of (C.P. Boekel, J.H. Teuben, H.J. de Liefde Meijer), (102)317
- Di- η^5 -cyclopentadienyltitanium dichloride, photochemical reactions of (E. Vitz, P.J. Wagner, C.H. Brubaker, Jr.), (107)301
- Di- π -cyclopentadienyl-vanadium(IV) and -titanium(IV) pentasulphides, synthesis and characterization of; influence of an unpaired electron on the molecular geometry (E.G. Muller, J.L. Petersen, L.F. Dahl), (111)91
- (2,6-Dimethylphenyl)dicyclopentadienyltitanium(III), structure of (G.J. Olthof, F. van Bolhuis), (122)47
- Dimethyl-titanocene, -zirconocene and -hafnocene, automated degradation studies on (H.G. Alt, F.P. Di Sanzo, M.D. Rausch, P.C. Uden), (107)257
- Isonitrile insertion into metal-halogen bonds (B. Crociani, M. Nicolini, R.L. Richards), (101)C1
- $M(\eta^5\text{-C}_5\text{H}_5)_2(\text{SC}_6\text{H}_5)_2$, preparation ($M = \text{V}$) and stereochemical characterization ($M = \text{Ti, V}$) of; geometrical effect of an unpaired electron on $M(\eta^5\text{-C}_5\text{H}_5)_2\text{L}_2$ (E.G. Muller, S.F. Watkins, L.F. Dahl), (111)73
- Monocyclic silyl-substituted titanium amides, preparation of (H. Bürger, K. Wiegel), (124)279
- MX_4 , MX_3^+ , MX_3^- and MX_3 ($M = \text{C, Si, Ti}$; $X = \text{H, Cl}$) and some of their cyclopentadienyl analogues, theoretical study of (M. Chaillet, J. Arriau, D. Leclerc, T. Marey, J. Tirouflet), (117)27
- Organotitanium(II) and organotitanium(IV) compounds, formation from titanium trichloride of (S.I. Beilin, S.B. Golstein, B.A. Dolgoplosk), (117)237
- Polymer-supported organo-titanium, -zirconium and -hafnium compounds as hydrogenation catalysts (E.S. Chandrasekaran, R.H. Grubbs, C.H. Brubaker, Jr.), (120)49
- Polypyrazolylborate complexes of titanium and vanadium (L.E. Manzer), (102)167
- Silica-supported analogues of titanocene (R. Jackson, J. Ruddlesden, D.J. Thompson, R. Whelan), (125)57
- Titanium(IV) carbonyl complex synthesized by oxidation of dicyclopentadienyldicarbonyltitanium by tetracyanoethylene (B. Demerseman, M. Pankowski, G. Bouquet, M. Bigorgne), (117)C10
- Titanium chiral pseudo-tetrahedral complexes (A. Dormond, J. Tirouflet, F. Le Moigne), (101)71
- Titanium, zirconium and hafnium; Annual Survey covering the year 1974 (P.C. Wailes), (103)475
- Titanocene optically active complexes, optical purity and configuration of (J.C. Leblanc, C. Moise), (120)65
- Titanocene and zirconocene dichloride derivatives with hydroxylic reagents (P.C. Bharara), (121)199
- Titanyl porphyrin complexes, synthesis and properties of (P. Fournari, R. Guillard, M. Fontesse, J.-M. Latour, J.-C. Marchon), (110)205
- Transition metal alkylations of alkynols (R.A. Coleman, C.M. O'Doherty, H.E. Tweedy, T.V. Harris, D.W. Thompson), (107)C15

Transition metals — general

- Organic reactions of selected π -complexes; Annual Survey covering the year 1974 (B.W. Rockett, G. Marr), (103)197
- Structures of organo-transition metal complexes; Annual Survey covering the year 1974 (M.I. Bruce), (115)17
- Transition metal-organic chemistry. Physical methods and results of general interest; Annual Survey covering the year 1973 (P.S. Braterman), (103)307
- Transition metals in organic synthesis; Annual survey covering the year 1974 (L.S. Hegedus), (103)421
- Transition metals; physical methods and re-

sults of general interest; Annual Survey covering the year 1974 (P.S. Braterman), (123)75

Tungsten

- σ -Alkyl- π -cyclopentadienyltungsten tricarbonyl complexes, synthesis of (S.C. Tripathi, S.C. Srivastava, D.N. Pathak), (107)315
- W-Alkyltungstacyclobutanes, synthesis and decomposition of and proposed scheme for the olefin-metathetic reaction of (M. Ephritikhine, J. Levisalles, H. Rudler, D. Villemin), (124)C1
- Alkynes prepared from acid chlorides and $\text{Na}_2\text{W}(\text{CO})_5$ (J. Levisalles, H. Rudler), (122)C17
- (η -Allyl)dicarbonyl-molybdenum and -tungsten ditertiary phosphine complexes (B.J. Brisdon), (125)225
- Aminetungsten carbonyls, halogen derivatives of (S.C. Tripathi, S.C. Srivastava, R.P. Mani), (109)239
- Anilinetungsten pentacarbonyl, origin of irreproducibilities in the kinetic study of the reaction with triphenylphosphine (J. Nasielski, M. Vermeulen, P. Leempoel), (102)195
- Arenetricarbonyl-molybdenum and -tungsten complexes (A.N. Nesmeyanov, V.V. Krivykh, V.S. Kaganovich, M.I. Rybinskaya), (102)185
- ω -Arylolefins, kinetics of metathesis of (P. Chevalier, D. Sinou, G. Descotes, R. Mutin, J. Basset), (113)1
- cis*- and *trans*-Azoisopropane pentacarbonyltungsten complexes, azo ligand geometry effects on the formation and properties of (M.N. Ackermann, D.B. Shewitz, C.R. Barton), (125)C33
- Binuclear organo-iron, -molybdenum and -tungsten compounds, containing bridging thiolate ligands, addition of carbon monoxide to and formation of mononuclear species (D.D. Watkins, Jr., T.A. George), (102)71
- α -*trans*-Bromotricarbonyltrimethylphosphanetungsten-*p*-methylbenzylidene-trimethylphosphorane, preparation of (F.R. Kreissl, W. Uedelhoven, A. Ruhs), (113)C55
- Carbene and carbyne complexes, W—C bonds in and ^{183}W — ^{13}C coupling constant determinations of (F.H. Köhler, H.J. Kalder, E.O. Fischer), (113)11
- Carbonylcyclopentadienylhydrido-molybdenum and -tungsten in reactions with yne-amines (W. Beck, H. Brix, F.H. Köhler), (121)211
- Carbonylmetallate monoanions, interactions with quaternary alkyl- and arylonium ions (J.F. Ellis), (111)331
- Carbynetungsten complexes as catalysts in the polymetathesis of cycloolefins (E.O. Fischer, W.R. Wagner), (116)C21
- Chlorotungsten pentacarbonyl, spectroscopic characterisation and kinetics of (P. Krausz, F. Garnier, J.-E. Dubois), (108)197
- Chromium, molybdenum and tungsten; Annual Survey covering the year 1974 (D.J. Darensbourg, M.Y. Darensbourg), (115)221
- Chromium, molybdenum and tungsten benzo[*c*]cinnoline and phenanthridine pentacarbonyl complexes, synthesis, reactions and fluxional behaviour of (M. Kooti, J.F. Nixon), (105)217
- Chromium, molybdenum and tungsten cycloolefinic complexes (A. Salzer), (117)245
- Cyclopentadienyl and arene derivatives of Groups VI and VII transition metal carbonyls and nitrosyls, IR study of Lewis acid reactions with (B.V. Lokshin, E.B. Rusach, N.E. Kolobova, Yu.V. Makarov, N.A. Ustynyuk, V.I. Zdanovich, A.Zh. Zhakaeva, V.N. Setkina), (108)353
- π -Cyclopentadienyl(dicarbonyl)carbynetungsten complexes, preparation and spectra of (E.O. Fischer, T.L. Lindner, F.R. Kreissl), (112)C27
- Cyclopentadienyldicarbonyl-molybdenum and -tungsten optically active complexes with chelating ligands derived from Schiff bases of benzaldehyde (H. Brunner, J. Wachter), (107)307
- Cyclopentadienylmethyltricarbonylchromium and -tungsten compounds, photochemical reactions of (H.G. Alt), (124)167
- Cyclopentadienyl- and arenecarbonyl-transition metal complexes, IR study of reactions of aluminium chloride with (B.V. Lokshin, E.B. Rusach, Z.P. Valueva, A.G. Ginzburg, N.E. Kolobova), (102)535
- Cyclopentadienyltricarbonyltungsten

- hydride, reactions with dimethylacetyl-enedicarboxylate of (R.M. Laine, P.C. Ford), (124)29
- Cyclopentadienyltungsten tricarbonyl complexes, vibrational spectra of (G. Davidson, D.A. Duce), (120)229
- Dialkylsulphurdiiminetetra-carbonylmetal compounds, structural, spectroscopic and fluxional properties of (R. Meij, J. Kuyper, D.J. Stufkens, K. Vrieze), (110)219
- Diazenido(iminonitrosyl) (N_2H), hydrazido(2-) (N_2H_2) and hydrazido(1-) (N_2H_3) ligands as intermediates in the reduction of ligating dinitrogen to ammonia (J. Chatt, A.J. Pearman, R.L. Richards), (101)C45
- Diazomethane complex of tungsten (R. Ben-Shoshan, J. Chatt, W. Hussain, G.J. Leigh), (112)C9
- Dicyclopentadienyltin and bis(methylcyclopentadienyl)tin, reactions with metal carbonyl compounds of (A.B. Cornwell, P.G. Harrison, J.A. Richards), (108)47
- Dimethylsulphoxonium methylide as a ligand in metal carbonyl complexes (L. Weber), (105)CS
- Group VIA anionic carbonyl complexes with sulphur-containing ligands (G. Doyle), (101)85
- Group VI metals, nitrosyl carbonyl derivatives of (S.C. Tripathi, S.C. Srivastava, A.K. Shrimal), (118)325
- Group VIA metal carbonyls, phase-transfer catalysed substitution of (K.-Y. Hui, B.L. Shaw), (124)262
- , reactions with tetraphosphorus hexoxide of (M.L. Walker, J.L. Mills), (120)355
- Group VIA trivalent phosphorus derivatives, IR and PMR studies of protonation of $M(CO)_{6-n}(PR_3)_n$ complexes (M.S. Arabi, R. Mathieu, R. Poilblanc), (104)323
- Halocarbonyl-molybdenum and -tungsten substituted compounds (W.A. Schenk), (117)C97
- Halogen-bridged molybdenum(0) and tungsten(0) complexes (F. Hohmann, H. tom Dieck), (118)C35
- Isonitrile insertion into metal-halogen bonds (B. Crociani, M. Nicolini, R.L. Richards), (101)C1
- Lewis base-tungsten tetracarbonyl intermediates, fluxionality and structure in solution of (D.J. Darensbourg, G.R. Dobson, A. Moradi-Araghi), (116)C17
- Mercury(II) halide adducts with transition metal carbonyl derivatives, stability and bond strength in (D.P. Graddon, I.K. Gregor, L.A. Siddiqi), (102)321
- Methyldimethylaminocarbene-penta-carbonyl-chromium(0) and -tungsten(0) complexes, ^{13}C - ^{15}N coupling constants in (F.R. Kreissl, E.W. Meineke, E.O. Fischer, J.D. Roberts), (108)C29
- Mixed crystals of metal carbonyls, Raman spectra in the 2000 cm^{-1} region of (D. Kariuki, S.F.A. Kettle), (105)209
- Molybdenum and tungsten η^3 -allylcarbonyl complexes containing 1,2-ethanediyli-denediimines as ligands (A.T.T. Hsieh, B.O. West), (112)285
- N-Olefin chelate complexes with Group VI metal(0) carbonyls, preparation and characterization of (K. Fukushima, T. Miyamoto, Y. Sasaki), (107)265
- Pentacarbonyl(diorganylphosphane sulphide)metal(0) ($M = Cr, Mo, W$), preparative, kinetic and spectroscopic investigations of (E. Lindner, W.P. Meier), (114)67
- Pentacarbonyl- π -olefintungsten(0) complexes prepared by the reaction of pentacarbonyl[methoxy(phenyl)carbene]-tungsten(0) with alkyl lithium (E.O. Fischer, W. Held), (112)C59
- Phenyllithium hexachlorotungsten in arylation reactions of ethers and amines (J. Levisalles, H. Rudler, D. Villemin), (122)C15
- Phosphonium adduct formation with tricarbonyl(tropylium) cations of chromium, molybdenum and tungsten (D.A. Sweigart, M. Gower, L.A.P. Kane-Maguire), (108)C15
- Rhenium carbonyl in reaction with picolinic acid and $[W(CO)_3(pic)]_n$ in reaction with monodentate tertiary phosphines (T.E. Dorsett, R.A. Walton), (114)127
- σ - and π -silylallyl transition metal complexes, chemical and physical properties of (K.H. Pannell, M.F. Lappert, K. Stanley), (112)37
- (2,2,7,7-Tetramethyl-3,6-dithiaoctane)tetracarbonyltungsten(0), kinetics and mechanism of ligand exchange in (L.D. Schultz, G.R. Dobson), (124)19
- Transition metal σ -2-oxoalkyl complexes (J. Hillis, M. Ishaq, B. Gorewit, M. Tsutsui), (116)91
- Triazenido complexes ($\eta^5-C_5H_5$)(CO) $_2M$ -(R-N-N-N-R') ($M = Mo, W$; $R, R' =$

- aryl, alkyl) (E. Pfeiffer, J. Kuyper, K. Vrieze), (105)371
- Tri-*n*-butylphosphine addition to cycloheptadienyltricarbonylmetal tetrafluoroborate, mechanism of (G.R. John, L.A.P. Kane-Maguire, D.A. Sweigart), (120)C47
- Tricarbonyl (tropylium) cations of Group VI metal compounds, mechanism of nucleophilic addition to (K.M. Al-Kathumi, L.A.P. Kane-Maguire), (102)C4
- Tricarbonyldiiodo[bis(dimethylphosphine)ethane]tungsten(II), crystal and molecular structure of (M.G.B. Drew, C.J. Rix), (102)467
- Triene—tricarbonyl complexes of molybdenum and tungsten, preparation and properties of (A. Salzer), (107)79
- Trimethyltin phosphines as ligands in transition metal carbonyl complexes, tin-119m Mössbauer spectra of (H. Schumann, W.-W. Du Mont, P.J. Corvan, J.J. Zuckerman), (121)321
- trans*-W(CO)₄(CNC₆H₁₁)(CS), structure of and correlation of ν (CS) frequencies with C—S bond distances in metal thio-carbonyl complexes (S.S. Woodard, R.A. Jacobsen, R.J. Angelici), (117)C75
- Uranium**
- π -Cyclooctatetraenyl and π -cyclopentadienyl complexes of cerium (A. Greco, S. Cesca, G. Bertolini), (113)321
- Dicyclooctatetraeneactinide(IV) complexes, photoelectron spectroscopy of (I. Fragalà, G. Condorelli, P. Zanella, E. Tondello), (122)357
- Tetracyclopentadienyluranium(IV), crystal-field theoretical analysis of the room temperature absorption spectra of (H.-D. Amberger), (110)59
- Tricyclopentadienyl derivatives of uranium(IV) and thorium(IV), photoelectron spectra of (I. Fragalà, E. Ciliberto, R.D. Fischer, G.R. Siemel, P. Zanella), (120)C9
- Tricyclopentadienyluranium(IV) chloride interpretation of spectroscopic and magnetochemical properties of (H.-D. Amberger), (116)219
- Uranocene and thorocene, He-I photoelectron spectra of (J.P. Clark, J.C. Green), (112)C14

Vanadium

- Alkylated nickelocene, cobaltocene, chromocene and vanadocene, ¹³C and ¹H NMR spectra and preparation of (F.H. Köhler), (110)235
- Alkyldicyclopentadienylvanadium(III) compounds, synthesis and properties of (H. Bouman, J.H. Teuben), (110)327
- η^3 -Allyl[1,2-bis(diphenylphosphino)ethane]tricarbonylvanadium(0) complexes, preparation, properties and spectra of (U. Franke, E. Weiss), (121)355
- η^2 -Allylcarbonylvanadium compounds and pentacarbonyl- μ -triphenylcyclopropenylvanadium, preparation, properties and spectra of (M. Schneider, E. Weiss), (121)345
- η^2 -Allyltetracarbonyltriphenylphosphinevanadium, crystal and molecular structure of (M. Schneider, E. Weiss), (121)189
- Carbon dioxide insertion into metal—nitrogen bonds formed in reactions with molecular nitrogen (P. Sobota, B. Jeżowska-Trzebiatowska, Z. Janas), (118)253
- Carbonylmetallate monoanions, interactions with quaternary alkyl- and arylonium ions (J.F. Ellis), (111)331
- Chlorodicyclopentadienyl-scandium(III), -titanium(III) and -vanadium(III) compounds, improved syntheses of (L.E. Manzer), (110)291
- η^5 -Cyclopentadienide ligands in selected systems, photoexchange of (E. Vitz, C.H. Brubaker, Jr.), (104)C33
- Cyclopentadienylmetal carbonyl reduction in hexamethylphosphoramide (J.E. Ellis, R.A. Faltynsek, S.G. Hentges), (120)389
- Cyclopentadienyl- and arenecarbonyl-transition metal complexes, IR study of reactions of aluminium chloride with (B.V. Lokshin, E.B. Rusach, Z.P. Valueva, A.G. Ginzburg, N.E. Kolobova), (102)535
- Di- η^5 -cyclopentadienylmetal complexes, Raman spectra of (V.T. Aleksanyan, B.V. Lokshin, G.L. Borisov, G.G. Devyatykh, A.S. Smirnov, R.V. Nazarova, J.A. Koningstein, B.F. Gächter), (124)293
- Di- π -cyclopentadienylvanadium(IV) and -titanium(IV) pentasulphides, synthesis and characterization of; influence of an unpaired electron on the molecular geo-

- metry (E.G. Muller, J.L. Petersen, L.F. Dahl), (111)91
- Dicyclooctatetraenyl-titanium and -vanadium complexes, electronic structures and magnetic properties of (L. Hocks, R. Hubin, J. Goffart), (104)199
- Isonitrile insertion into metal-halogen bonds (B. Crociani, M. Nicolini, R.L. Richards), (101)C1
- $M(h^5-C_5H_5)_2(SC_6H_5)_2$, preparation ($M = V$) and stereochemical characterization ($M = Ti, V$) of; geometrical effect of an unpaired electron on $M(h^5-C_5H_5)_2L_2$ (E.G. Muller, S.F. Watkins, L.F. Dahl), (111)73
- Metal carbonyls, electrochemical measurements as a probe for the investigation of the structure of (C.J. Pickett, D. Pletcher), (102)327
- Metallocenes of the first-row transition metal ions, MO study of ground and excited state properties of (D.R. Armstrong, R. Fortune, P.G. Perkins), (111)197
- Methyl, phenyl and furanyl tetra- μ -carboxylatobis(π -cyclopentadienylvanadium(III)) complexes, magnetic properties of (K.T. McGregor, V.T. Kalinnikov, W.E. Hatfield), (101)321
- Polypyrazolylborate complexes of titanium and vanadium (L.E. Manzer), (102)167
- Silylhexacarbonylvanadium, a volatile seven-coordinate vanadium derivative (J.S. Allinson, B.J. Aylett, H.M. Colquhoun), (112)C7
- Tetrakis(tetrahydrofuran)vanadium(II)bis[hexacarbonylvanadate(-I)], crystal and molecular structure of (M. Schneider, E. Weiss), (121)365
- Tricarbonylhexaphenylbenzenevanadium, synthesis and properties of (M. Schneider, E. Weiss), (114)C43
- Vanadium hexacarbonyl anion and η^5 -cyclopentadienylvanadium tetracarbonyl, substitution products with di- and tetra-tertiary phosphines of (D. Rehder, L. Dahlenburg, H. Müller), (122)53
- Vanadium metallocycles containing the Cp_2V group (T.M. Vogelaar-van der Huizen, J.H. Teuben), (105)321
- Vanadium, niobium and tantalum; Annual Survey covering the year 1975 (P.C. Wailes), (119)243
- Ytterbium**
- Bis(pentafluorophenyl)ytterbium, a transmetallation synthesis of a σ -bonded lanthanide organometallic compound (G.B. Deacon, D.G. Vince), (112)C1
- Zinc**
- α - and α,γ -alkenylzinc compounds, reaction with terminal acetylenic halides forming *gem*-disubstituted cyclopropanes (F. Bernadou, L. Miginiac), (125)23
- Allylic zinc halides, alcohols as solvent for the generation of and reaction with aldehydes and ketones (T.A. Killinger, N.A. Boughton, T.A. Runge, J. Wolinsky), (124)131
- Allyl-zinc, -magnesium and -lithium compounds, behaviour towards conjugated enynes of and influence of the structure on reactivity and regioselectivity (D. Mesnard, L. Miginiac), (117)99
- , — (G. Courtois, L. Miginiac), (117)201
- Benzaldehyde in reaction with α -bromo-salts in the presence of zinc (M. Bellassoued, M. Gaudemar), (102)1
- Cadmium(II) and zinc(II) π -arene complexes (L.C. Damude, P.A.W. Dean), (125)C1
- Chemical synthesis with metal atoms (J.R. Blackborow, C.R. Eady, E.A. Koerner von Gustorf, A. Scrivanti, O. Wolfbeis), (108)C32
- Ethylenic organozinc compound addition to 2-vinylpyridine (P. Miginiac, G. Daviaud), (104)139
- Metal-alkene compounds, ^{13}C NMR investigation of (M.J. Albright, J.N. St. Denis, J.P. Oliver), (125)1
- Nitrosyltricarboxyliron and its reaction products with metal halides as catalysts for selective dimerisation of butadiene to 4-vinylcyclohexene (I. Tkatchenko), (124)C39
- Organometallic benzyl compounds, direct and retro fragmentations in; aromatisation metallation (V.A. Nikanorov, V.I. Rozenberg, R.I. Gorbacheva, Yu.G. Bundel', O.A. Reutov), (101)259
- Organozinc compounds derived from α -bromonitriles, condensation reactions with aldimines of (N. Goasdoue, M. Gaudemar), (125)9

- Palladium(II) derivatives containing a σ -bonded α -diimino group with transition metals, new class of bimetallic complexes (B. Crociani, M. Nicolini, R.L. Richards), (113)C22
- Phenylsilver, synthesis of (J. Boersma, F.J.A. Des Tombe, F. Weijers, G.J.M. van der Kerk), (124)229
- Schiff bases metallated by organometallic compounds, acylation by Ac_2O of (J. Thomas), (101)249
- Zinc and cadmium; Annual Survey covering the year 1974 (J. Boersma), (115)1
- Zinc derivatives of propargylic ethers, stereochemistry of addition reactions to carbonyl compounds of (F. Mercier, R. Epsztein), (108)165

Zirconium

- Bis(fluorenyl)dimethylzirconium, formation and photolysis of (E. Samuel, H.G. Alt, D.C. Hrnecir, M.D. Rausch), (113)331
- $(\text{C}_5\text{H}_5)_2\text{Zr}(\text{CO})_2$ and $(\text{C}_5\text{H}_5)_2\text{Hf}(\text{CO})_2$, first carbonyl derivatives of zirconocene and hafnocene (J.L. Thomas, K.T. Brown), (111)297
- η^5 -Cyclopentadienyltris(tropolonato)-zirconium(IV) 1:1 dichloromethane solvate, X-ray structure of (M. McPartlin, J.D. Matthews), (104)C20
- Cyclopropane ring formation via $\text{Zr}-\text{X}$ ($\text{X} = \text{Cl}, \text{Br}$) γ -elimination (W. Tam, M.F. Rettig), (108)C1
- Dialkyl titanocenes, photo-catalyzed reaction of sulphur with (E. Samuel, C. Giannotti), (113)C17
- Dicyclopentadienyl-zirconium and -hafnium dicarbonyls, synthesis of (B. Demerseman, G. Bouquet, M. Bigorgne), (107)C19
- Dimethyl-titanocene, -zirconocene and -hafnocene, automated degradation studies on (H.G. Alt, F.P. Di Sanzo, M.D. Rausch, P.C. Uden), (107)257
- Isonitrile insertion into metal-halogen bonds (B. Crociani, M. Nicolini, R.L. Richards), (101)C1
- Lithium aluminium hydride addition to olefins catalyzed by zirconium tetrachloride, convenient route to alkanes and 1-haloalkanes from 1-alkenes (F. Sato, S. Sato, M. Sato), (122)C25
- Organometallic complexes, stereochemistry of the cleavage with copper(II) of (R.A. Budnik, J.K. Kochi), (116)C3
- Organo-titanium, -zirconium and -hafnium polymer-supported compounds as hydrogenation catalysts (E.S. Chandrasekaran, R.H. Grubbs, C.H. Brubaker, Jr.), (120)49
- Titanium, zirconium and hafnium; Annual Survey covering the year 1974 (P.C. Wailes), (103)475
- Titanocene and zirconocene dichloride derivatives with hydroxylic reagents (P.C. Bharara), (121)199

Book reviews

- Advances in catalysis, Vol. 25; ed. by D.D. Eley, H. Pines and P.B. Weisz (M.S. Wrighton), (120)C53
- Advances in inorganic chemistry and radiochemistry, Vol. 18; ed. by H.J. Emeléus and A.G. Sharpe (E.P. Schram), (120)C21
- Advances in organometallic chemistry, Vol. 13; ed. by F.G.A. Stone and R. West (H.C. Clark), (104)C13
- , Vol. 14; ed. by F.G.A. Stone and R. West (C.M. Lukehart), (120)C22
- Boron hydride chemistry; ed. by E.L. Muetterties (R.W. Rudolph), (104)C36
- Catalysis: heterogeneous and homogeneous; ed. by B. Delmon and G. Jannes (R. Mason), (116)C53
- , —, —, (M.F. Lappert), (102)C52
- Catalytic reviews, Vol. 11; ed. by H. Heinemann and J.J. Carberry (G.M. Whitesides), (111)C29
- Chemical analysis of organometallic compounds, Vol. 4, elements of Group V; by T.R. Crompton (C. Eaborn), (117)C35
- Coordination polymerization — (A memorial to Karl Ziegler); ed. by J.C.W. Chien (W.P. Long), (112)C45
- Dimethyl sulphoxide; ed. by D. Martin and H.G. Hauthal (J.R. Jones), (118)C28
- Gmelin handbook of inorganic chemistry; 8th ed. Main series, System No. 14, Carbon, Part D3, Carbon-halogen compounds; ed. by D. Koschel (D. Seyferth), (122)C19
- , —, System No. 61, Silver, Part B, Section 7, Complex compounds with neutral ligands and ligands forming inner complexes; silver(I) complexes with ligands containing S, Se, Te, P, As, Sb,

- Bi, B, Si, or Ge; silver(II) and silver(III) complexes (D. Seyferth), (120)C18
- Gmelin handbook of inorganic chemistry. New suppl. series. Vol. 16. Organonickel compounds, part 1; Vol. 17. Organonickel compounds, part 2; Vol. 18. Index for parts 1 and 2; ed. by A. Slawisch (D. Seyferth), (107)C34
- , —, Vol. 22, Boron compounds, Parts 4, 5 and 6; ed. by K.-C. Buschbeck and K. Niedenzu (D. Seyferth), (110)C30
- , —, Vol. 25, Perfluorohalo-organic compounds of the elements of the first through fourth Main Groups, excluding carbon; by A. Haas and H. Marsmann, ed. by D. Koschel (D. Seyferth), (117)C34
- , —, Vol. 26, Organotin compounds, Part 1, Tetraorganotin compounds, SnR_4 ; by H. and I. Schumann, edited by H. Bitterer (D. Seyferth), (107)C49
- , —, Vol. 28, Boron compounds, Part 7, Boron oxides, Boric acids, Borates; by G. Heller; Vol. 33, Part 8, Tetrahydroborate ion and derivatives; by M.K. Das, L.M. Frenzel, G. Heller, K. Niedenzu, H. Rieger; Vol. 34, Part 9, Boron—halogen compounds (part 1); by R.H. Cragg, H. List, A. Meller), (D. Seyferth), (124)C12
- , —, Vol. 29, Organotin compounds, Part 2, Tetraorganotin compounds $\text{R}_3\text{SnR}'$; by H. Schumann and I. Schumann, edited by H. Bitterer (D. Seyferth), (118)C32
- , —, Vol. 30, Organotin compounds, Part 3, Tetraorganotin compounds, $\text{R}_2\text{SnR}_2'$, $\text{R}_2\text{SnR}'\text{R}''$, $\text{RR}'\text{SnR}''\text{R}'''$, heterocycles and spiranes; by H. Schumann and I. Schumann, edited by H. Bitterer (D. Seyferth), (118)C32
- Handbook of organosilicon compounds. Advances since 1961. Vol. 1—4; by V. Bazant et al. (D. Seyferth), (112)C43
- Handbook of spectroscopy, Vol. II; ed. by J.W. Robinson (C. Eaborn), (117)C35
- Houben—Weyl, Methoden der organischen Chemie, 4th ed., Vol. IV, Part 1b, Oxidation II; ed. by E. Müller (H. Zimmer)' (116)C38
- , —, Vol. IV/5 Photochemie, ed. by E. Müller (K. Grohmann), (122)C37
- , —, Vol. 13, Part 7, Metallorganischen Verbindungen: Pb, Ti, Zr, Hf, Nb, Ta, Cr, Mo, W; ed. by E. Müller (D. Seyferth), (117)C49
- Index of vibrational spectra of inorganic and organometallic compounds, Vol. 2; by N.N. Greenwood and E.J.F. Ross (C. Eaborn), (112)C24
- Inorganic chemistry of the transition elements, Vol. 4; reported by B.F.G. Johnson (M.H. Chisholm), (117)C116
- Inorganic reaction mechanisms, Vol. 4 (A Chemical Society specialist report) reported by A. McAuley (A. Poë), (120)C20
- Landolt—Börnstein, Numerical data and functional relationships in Science and Technology. New series (Ed. in chief K.-H. Hellwege). Group III. Crystal and solid state physics. Vol. 7. Crystal structure data of inorganic compounds, Part b1; by W. Pies and A. Weiss (C. Eaborn), (104)C14
- , —, —, —, —, —, Part e (Key elements: d^3 -, d^{10} -, d^1 - u^3 -, and f -elements; by W. Pies and A. Weiss (C. Eaborn), (112)C45
- Les composés thiophosphororganiques; by L. Amasi (I. Haiduc), (125)C54
- Mass spectrometry of metal compounds; ed. by J. Charalambous (H.J. Svec), (116)C40
- Matrix isolation. A technique for study of reactive inorganic species; by S. Cradock and A.J. Hincliffe (G.A. Ozin), (116)C39
- Mechanism of oxidation by metal ions; by D. Benson (J.K. Kochi), (114)C38
- Metal-to-metal bonded states of the main group elements; by M.J. Taylor (J.D. Corbett), (108)C8
- Methodicum chemicum. Vol. 5. C—O Verbindungen; ed. by F. Korte and J. Falbe (D. Seyferth), (112)C44
- , Vol. 7, Hauptgruppenelemente und deren Verbindungen; ed. by F. Korte, H. Zimmer and K. Niedenzu (D. Seyferth), (125)C21
- MTP, International review of sciences. Inorganic chemistry series two, Vol. 4. Organometallic derivatives of the Main Group elements; ed. by B.J. Aylett (M. Zeldin), (110)C30
- , —, —, Vol. 9, Reaction mechanisms in inorganic chemistry; ed. by M.L. Tobe (F. Basolo), (107)C50
- , —, —, Vol. 11. Chemical crystallography; edited by J.M. Robertson (J.A. Ibers), (114)C38
- New applications of organometallic reagents in organic synthesis; proceedings

- of a symposium at the American Chemical Society National Meeting; ed. by D. Seyferth (S.S. Washburne), (125)C53
- Organic phosphorus compounds, Vol. 7; ed. by G.M. Kosolapoff and L. Maier (D. Seyferth), (114)C39
- Organic reactions, Vol. 23; ed. by W.G. Dauben (D. Seyferth), (121)C45
- Organic synthesis via boranes; by H.C. Brown (D. Seyferth), (107)C36
- Organoborane chemistry; by T. Onak (D.S. Matteson), (101)C17
- Organometallic compounds. Methods of synthesis, physical constants and chemical reactions. Vol. 1: Compounds of the transition metals, first supplement; by K. Bauer and G. Haller; ed. by M. Dub (C. Eaborn), (101)C32
- Physical organic chemistry. The fundamental concepts; by C.D. Ritchie (C. Eaborn), (117)C48
- Progress in inorganic chemistry, Vol. 19; ed. by S.J. Lippard (D.W. Meek), (120)C19
- , Vol. 21; ed. by S.J. Lippard (M.Y. Darensbourg), (117)C47
- Proton transfer reactions; ed. by E.F. Caldin and V. Gold (C. Eaborn), (112)C23
- Reactive intermediates in organic chemistry; by N.S. Isaacs (C. Eaborn), (101)C32
- Reagents for organic synthesis, Vol. 5; by M. Fieser and L.F. Fieser (R.C. Larock), (111)C30
- Scandium, its occurrence, chemistry, physics, metallurgy, biology and technology; by C.T. Horovitz (Ed.), K.A. Gscheidner, Jr., G.A. Melson, D.H. Youngblood and H.H. Schock (M.F. Lappert), (102)C52
- Specialist periodical reports, electronic structure and magnetism of inorganic compounds, Vol. 4; ed. by P. Day (E.I. Solomon), (116)C53
- Spectroscopic properties of inorganic and organometallic compounds, Vol. 8. A specialist periodical report; rep. by N.N. Greenwood (D. Seyferth), (110)C48
- Structural effects on equilibria in organic chemistry; by J. Hine (C. Eaborn), (112)C24
- Structure of metallic catalysts; by J.R. Anderson (R. Mason), (117)C48
- Sulfur ylides; emerging synthetic intermediates; by B.M. Trost and L.S. Melvin, Jr. (C.R. Johnson), (108)C35
- The chemistry of cyano complexes of the transition metals; by A.G. Sharpe (J.L. Burmeister), (118)C29
- The organic chemistry of nickel. Vol. II, Organic synthesis; by P.W. Jolly and G. Wilke (L.S. Hegedus), (107)C33
- Vibrational spectra and structure. A series of advances, Vol. 4; ed. by J.R. Durig (J. Laane), (107)C31
- , —, Vol. 5; ed. by J.R. Durig (R.C. Lord), (121)C66
- Writing scientific papers in English. An ELSE-Ciba Foundation Guide for Authors; by M. O'Connor and F.P. Woodford (C. Eaborn), (104)C12