

JOURNAL OF ORGANOMETALLIC CHEMISTRY

CUMULATIVE SUBJECT INDEX · VOL 126(1977)–150(1978)

Actinides

Lanthanides and actinides, Annual survey covering the year 1976 (T J Marks), (138)157

Aluminium

Acylaluminium dichlorides, formation of (D B Carr, J Schwartz), (139)C21

Alkylsilicon and alkylsilylmetal compounds, ^{13}C NMR investigations of (H Müller, L Rösch, W. Erb, R Zeisberg), (140)C17

cis-Alkynoxy(chloro)bis(2,4-pentanedionato)titanium(IV) complexes, ethylation of alkynols via reactions with diethylaluminium chloride of (H E Tweedy, R A Coleman, D W Thompson), (129)69

Allylzinc bromide, reactions with carbonyl compounds of (F. Barbot, Ph. Miginiac), (132)445

Aluminium, Annual survey covering the year 1975 (J D Smith), (130)303

—, — 1976 (J D Smith), (146)127

Aryl-digermanes and -disilanes, reduction by LiAlH_4 of (N Duffaut, J Dunoguès, R Calas, P Rivière, J Satgé, A Cazes), (149)57

Bicyclo[3.2.1]oct-2-ene-4,8-dione, facile syntheses from cyclohexadiene(tricarbonyl)iron promoted by aluminium halide (B F G Johnson, K D Karlin, J Lewis), (145)C23

Bis(μ -*N,N'*-diethylenediamido)bis(dihydroaluminium)hydridoaluminium and a chlorinated derivative, preparation and crystal structure of (G. Pereo, G Del Piero, M Corbellini, M Bruzzone), (136)301

9-Borabicyclo[3.3.1]nonane β -allyl derivatives, preparation and unusual chemistry of (G W Kramer, H C Brown), (132)9

1,4-Butadiene-aluminium and -lithium tetrasubstituted compounds (H Hoberg, V Gotor), (149)55

Butenyl-magnesium, -zinc and -aluminium bromides, oxidation at low temperature and reduction of (S Czernecki, C Georgoulis, E Michel), (140)127

Carbyne transition metal complexes, reactivity of Lewis acids in the preparation from carbene complexes of (E O Fischer, S Walz, W R Wagner), (134)C37

Chloronitrosyldicarbonylmolybdenum(0) complexes prepared by the reaction of dichlorodinitrosyl- and trichloronitrosyl-molybdenum compounds with dichloroethylaluminium and carbon monoxide (K Seyferth, R Taube, L Bencze, L Markó), (137)275

(π - C_5H_5) $\text{Mn}(\text{CO})(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)$, interaction with aprotic acids in solution of (B V Lokshin, E B Nazarova, A G Ginzburg), (129)379

π -Cyclohexadienyliron complexes bearing exocyclic double bonds (J F Helling, W A. Hendrickson), (141)99

trans-Dialuminiumstilbene compounds, preparation of (H Hoberg, V Gotor), (127)C32

1,4-(Diethylaluminium)butatriene, an organometallic 3-cumulene (H Hoberg, V Gotor, R Mynott), (149)1

trans-1,2-(Diethylaluminium)stilbene, *ortho*-metallation of (H Hoberg, V Gotor), (148)1

Dimeric dimethylaluminium- and dimethylgallium-*N,N*'-dimethylacetamides, crystal and molecular structure of (H D Hausen, F Gerstner, W Schwarz), (145)277

Dimethylsilane hydrosilylation of functional olefins (I M Salimgareeva, V V Kaverin, V P Jurjev), (148)23

Ethylaluminium compounds, reactions with *p*-chloranil of (Z Florjanczyk, W Kuran, S Pasynkiewicz, A Krasnicka), (145)21

Formyltetracarbonylferrate(0) salts, synthesis of (S R Winter, G W Cornett, E A Thompson), (133)339

Metathesis of olefins with pentacarbonyltungsten compounds and aluminium halides, IR and ^{31}P NMR studies of (J L Bilhou, A K Smith, J M Bassett), (148)53

Methylaluminoxane etherates, addition reactions to 4-t-butylcyclohexanone of (A Sadownik, S Pasynkiewicz, A Kunicki), (141)275

μ -Methyl- μ -diphenylaminotetramethyl-

- di-aluminium, intramolecular exchange of methyl groups in and intermolecular exchange with trimethylgallium of (J.E. Rie, J.P. Oliver), (133)147
- Methylolithium and trimethylaluminium complexes with aliphatic amines, CNDO/2 MO calculations of (Z. Latajka, H. Ratajczak, K. Romanowska, Z. Tomeczak), (131)347
- Methylmethoxyaluminium chloride and iodide, ^1H NMR spectra of (A. Kunicki, W. Kośińska, M. Bolesławski, S. Pasynkiewicz), (141)283
- Mononuclear transition metal carbonyl complexes with hydride donors, reactions of (S.R. Winter, G.W. Cornett, E.A. Thompson), (133)339
- Nickel(II) carboxylates, reactions with ethylammonium chlorides of (B.T. Pennington, J.E. Howell), (136)95
- Nonconjugated diolefins, reactions with lithium aluminium hydride of (F. Sato, S. Sato, M. Sato), (131)C26
- Organoaluminium derivatives of substituted phenols, coordinative interaction in (S. Pasynkiewicz, Z.B. Starowieyski, A.S. Peregudov, D.N. Kravtsov), (132)191
- Organoaluminium phenoxides, homolytic cleavage of the Al—O bond in the presence of oxygen of (M. Skowrońska-Ptasinska, K.B. Starowieyski, S. Pasynkiewicz), (141)149
- Organozinc stable hydride, PhZn_2H_3 , preparation and characterisation of (E.C. Ashby, A.B. Goel), (139)C89
- Pentacarbonyltungsten zerovalent complexes, IR study of metathesis of olefins with (J.L. Bilhou, J.M. Basset), (132)395
- (Pentaphenyl)aluminacyclopentadiene and its complex with 1,5-cyclooctadienenickel, molecular structures of (C. Krüger, J.C. Sekutowski, H. Hoberg, R. Krause-Göing), (141)141
- Pentaphenylcyclopentadienealuminium, preparation and properties of (H. Hoberg, R. Krause-Göing), (127)C29
- Phenyllithium in reaction with lithium aluminium hydride in diethyl ether (E.C. Ashby, A.B. Goel), (135)137
- Poly(*N*-alkyliminoalanes), crystal and molecular structure of the hexamer ($\text{HAlN-}n\text{-Pr}$)₆ and the octamer ($\text{HAlN-}n\text{-Pr}$)₈ (G. Del Piero, M. Cesari, G. Perego, S. Cucinella, E. Cernia), (129)289
- , crystal and molecular structure of the hexamers ($\text{ClAlN-}1\text{-Pr}$)₆ and ($\text{MeO}_{83}\text{H}_0\text{17AlN-}1\text{-Pr}$)₆ ($\text{MeAlN-}1\text{-Pr}$)₆ (G. Del Piero, G. Perego, S. Cucinella, M. Cesari, A. Mazzei), (136)13
- , crystal and molecular structure of the tetramers ($\text{HAlN-}1\text{-Pr}$)₄ and ($\text{MeAlN-}1\text{-Pr}$)₄ (G. Del Piero, M. Cesari, G. Dozzi, A. Mazzei), (129)281
- , ^1H NMR spectra of (C. Busetto, M. Cesari, S. Cucinella, T. Salvatori), (132)339
- Poly(*N*-alkylimino-aluminium and -alkaline-earth metal) mixed derivatives, advances in the synthesis of (S. Cucinella, G. Dozzi, G. Perego, A. Mazzei), (137)257
- Silyl ketones formed from silylpropyl-aluminium compounds (G. Sonnek, K.-G. Baumgarten, H. Reinheckel), (142)23
- Tetraethylalumoxane—benzonitrile complex (A. Kunicki, J. Serwatowski, S. Pasynkiewicz, M. Bolesławski), (128)21
- Tetramethylammonium acetatotrimethylaluminate, synthesis and crystal structure of (J.L. Atwood, W.E. Hunter, K.D. Crissinger), (127)403
- [((THF)₂Mg)(HAlN-t-Bu)₃] and [((THF)₃Ca)(HAlN-t-Bu)₃] THF, crystal and molecular structures of (G. Del Piero, M. Cesari, S. Cucinella, A. Mazzei), (137)265
- Titanium tetrachloride and zirconium tetrachloride, as catalysts in the reaction of LiAlH_4 or AlH_3 with olefins (F. Sato, S. Sato, H. Kodama, M. Sato), (142)71
- Titanium tetrachloride/organoaluminium systems used in alkylations of unsaturated alcohols (A.V. Youngblood, S.A. Nichols, R.A. Coleman, D.W. Thompson), (146)221
- Titanocene dicarbonyl and titanium(III) carbonate, preparation by anhydrous CO_2 reduction catalysed by chlorotitanocene—metal systems (B. Demerseman, G. Bouquet, M. Bigorgne), (145)41
- Tricyclopentadienyluranium(IV) derivatives, interaction with trialkylaluminium of (V.K. Vasil'ev, V.N. Sokolov, G.P. Kondratenkov), (142)C7

- Trimethylaluminium, reactions with cobalt acetylacetones in the presence of 2,2'-dipyridyl of (S Pasynkiewicz, A Pietrzykowski), (142)205
- Trimethylaluminium dimethyl ether, $(\text{CH}_3)_3\text{AlO}(\text{CH}_3)_2$, molecular structure determined by gas phase electron diffraction of (A Haaland, S Samdal, O Stokkeland, J Weidlein), (134)165
- Trimethylaluminium nitric oxide complexes, preparation of (S Amirkhalil, A J Conway, J D Smith), (149)407
- Trimethylaluminium trimethylphosphane, $(\text{CH}_3)_3\text{AlP}(\text{CH}_3)_3$, molecular structure determined by gas phase electron diffraction (A Almenningen, L Fernholz, A Haaland, J Weidlein), (145)109
- Tris(3-trimethylsilylpropyl)aluminium, reactions with nitriles of (G Sonnek, K -G Baumgarten, H Reinheckel, S Pasynkiewicz, K B Starowieyski), (150)21
- Zr—H—Al bridges containing mixed-metal hydride complexes, synthesis of and relation to transition-metal-catalysed reactions with aluminium hydrides (L I Shoer, K I Gell, J Schwartz), (136)C19
- ## Antimony
- Alkyl-phosphorus, -arsenic and -antimony hydrides and halides, reactions with dibenzylmercury of, improved procedure for cyclopolyarsines (A L Rheingold, P Choudhury), (128)155
- Antimony, Annual survey covering the year 1975 (L D Freedman, G O Doak), (130)365
—, — 1976 (L D Freedman, G O Doak), (147)205
- Arsenediazoalkanes with organometallic ligands, synthesis, chemical reactivities and thermodynamics of (E Glozbach, J Lorberth), (132)359
- Cyclopentadienylcarbonylmethyliron, NMR of photochemical reactions with P, As, Sb, S and N donor ligands (C R Folkes, A J Rest), (136)355
- Group IV and V organic oxygen complexes, investigation by electronic emission spectroscopy of (G A Razuvaev, A N. Egorochkin, V A. Kuznetsov, V N Glushakova, A V Shabanov, Yu A Alexandrov, * Yu Yu Baryshnikov), (148)147
- Organometallic diazoalkanes, 1,3-dipolar cycloaddition with dimethyl acetyl-enedicarbonic acid ester of (R Grünig, J Lorberth), (129)55
- Pentamethylantimony, methyl group replacement with organophosphorus substituents on (G E Graves, J R Van Wazer), (150)233
- o*-Phenylenedimethylstibine, divalent nickel, palladium and platinum derivatives and zerovalent chromium, molybdenum and tungsten complexes, synthesis of (E Shewchuk, S B Wild), (128)115
- 2-Phenyl-4,4',4'',4'',5,5',5'-octamethyl-2,2'-spirobi(1,3,2- λ^5 -dioxastibolane), structure and NMR spectra of (M Wieber, N Baumann, H Wunderlich, H Rippstein), (133)183
- Phenyl-phosphorus, -arsenic, -antimony and -bismuth derivatives, Fourier transform ^{13}C NMR study of (L F Wuyts, D F Van de Vondel, G P Van der Kelen), (129)163
- Tetraphenylantimony mercaptides, thermal decomposition of (J L Wardell, D W Grant), (149)C13
- Triaryl-antimony and -bismuth compounds, ^{19}F NMR of transmission of electronic effects in and comparison with nitrogen- and carbon-containing analogues of (S I Pombrik, D N Kravtsov, B A Kvasov, E I Fedin), (136)185
- [Tricarbonyltriphenylstibinephenyliron]-diphenylstibine] tetracarbonyliron, Mössbauer study of (D J Cane, E J Forbers, J Silver), (129)181
- Trichloro-*cis*-diorganoantimony(V) heterocyclic compounds and corresponding tetramethylammonium tetrachlorodiorganoantimonates, preparation and properties of (H A Meinema, H F Martens, J G Noltes, N Bertazzi, R Barbieri), (136)173
- Triorgano(8-quinolinolato)antimony halides, halogen exchange reactions of (Y Kawasaki, T Takahashi, A Fujioka), (131)239
- Triphenylantimonate(V) Schiff base complexes, ^{119}Sb Mössbauer spectra of (J N R Ruddick, J R Sams), (128)C41
- Tris(dimethylamino)phosphine, reactions with organometallic diazoalkanes of (P Krommes, J Lorberth), (127) 19

Arsenic

- Aerobic methylation of arsenic by micro-organisms in the presence of 1-methioninemethyl-d₃, (W R Cullen, C L Froese, A Lui, B.C. McBride, D J Patmore, M Reimer), (139)61
- Alkyl-phosphorus, -arsenic and -antimony hydrides and halides, reactions with dibenzylmercury of; improved procedure for cyclopolyarsines (A.L. Rheingold, P. Choudhury), (128)155
- (*n*-Allyl)dicarbonylmolybdenum(II) complexes, reactions with phosphorus and arsenic donor ligands of (B J Brisdon, K E Paddick), (149)113
- a*-Aminomethyl-phosphines and -arsines, synthesis and chemical behaviour of (K Kellner, B Seidel, A. Tzschach), (149)167
- Arsenediazoalkanes with organometallic ligands, synthesis, chemical reactivities and thermodynamics of (E Glozbach, J Lorberth), (132)359
- Arsenic, Annual survey covering the year 1975 (R A Zingaro, K J Irgolic), (138)125
- Arsino carboxylic acid derivatives, synthesis and properties of (A. Tzschach, W. Voigtländer), (137)31
- (Bromotrifluoroethylene)bis(triphenylarsine)platinum(0), kinetics and mechanism of isomerisation to bromo(trifluorovinyl)bis(triphenylarsine)platinum(II) of (J Burgess, M M Hunt, R D W Kemmitt), (134)131
- Carbonylmetal compounds in deoxygenation reactions with N—O bonds containing compounds (W Beck, F Götzfried, E Schier), (150)247
- Chloronitrosyldicarbonylmolybdenum(0) complexes prepared by the reaction of dichlorodinitrosyl- and trichloronitrosyl-molybdenum compounds with dichloroethylaluminium and carbon monoxide (K Seyferth, R Taube, L Bencze L Markó), (137)275
- [Co₄(*h*⁵-C₅H₅)₄(CO)₄(μ₄-As)]⁺ BF₄⁻ ½C₆H₆, preparation and structural characterization of (C F Campana, L F Dahl), (127)209
- Cyclopentadienylidicarbonylmethyliron, NMR of photochemical reactions with P, As, Sb, S and N donor ligands (C R Folkes, A J Rest), (136)355
- Dialkylthallium(III) phosphides and arsenides, preparation and characterization of (B Walther, S Bauer), (142)177
- Dichloro-ortho-vinyldiphenylarsineplatinum(II), X-ray structure of (M K Cooper, P J Guerney, M Elder, M McPartlin), (137)C22
- [1-(*o*-Diphenylarsinephenyl)-2-methoxyethyl-As,C¹]hexafluoroacetylacetoneplatinum(II), X-ray structure of (M K Cooper, P J. Guerney, P. Donaldson, M McPartlin), (131)C11
- [Fe₃(*h*⁵-C₅H₅)₃(CO)₃As₄O₅]⁺ BF₄⁻, preparation and characterization of (C F Campana, L F Dahl), (127)223
- Germanium, phosphorus(III), arsenic(III) and sulphur heterocyclic compounds with aminoacidic and hydroxyacidic ligands (H Lavayssiere, G Dousse, J Satgé), (137)C37
- Group IV and V organic oxygen complexes, investigation by electronic emission spectroscopy of (G A Razuvaev, A N Egorochkin, V A Kuznetsov, V N Glushakova, A V Shabanov, Yu A Alexandrov, Yu Yu Baryshnikov), (148)147
- Group IVB-substituted stannacyclohexadiene derivatives, synthesis and reactivities of (P Jutzi, J Baumgärtner), (148)247
- Hydridopentacarbonylmanganese(I), mechanism of substitution of (B H Byers, T L Brown), (127)181
- Me₂XGeMe₂CH₂X Me₂ (X, X = N, P, As) as chelating ligands preparation of (J Grobe, J Hendriock), (132)77
- Nonacarbonylbis(μ₃-phenylarsinidene)-triron(2Fe—Fe), crystal and molecular structure of (M Jacob, E Weiss), (131)263
- Organometallic diazoalkanes, 1,3-dipolar cycloaddition with dimethyl acetyl-enedicarbonic acid ester of (R Grüning, J Lorberth), (129)55
- , of the Main Group elements, ¹³C{¹H} PFT spectra of (R Grüning, P Krommes, J Lorberth), (128)167
- , of the Main Group elements, ¹³C {¹H} PFT spectra of (R Grüning, P Krommes, J Lorberth), (128)167
- Palladium(II) acetylacetone and triphenylphosphine as catalyst in oligomerisation of butadiene with α-hy-

- droxycarbonic acid esters (R Klüter, M Bernd, H Singer), (137)309
- Pentacarbonyl[chloro(diorgano-phosphino)- and -arsino)-stannylene]tungsten, synthesis of (W-W Du Mont), (131)C37
- Pentacarbonyl(dimethyloxysulphonium-methylide)chromium(0), substitution reactions of (L Weber), (131)49
- Pentafluorophenylarsenic compounds, preparation, reactions and structures of (A Otero, P Royo), (149)315
- Phenacyltriphenylarsonium bromide, reaction with aromatic primary amines of (R K Bansal, S K Sharma), (149)309
- Phenyl-phosphorus, -arsenic, -antimony and -bismuth derivatives, Fourier transform ^{13}C NMR study of (L F Wuyts, D F Van de Vondel, G P Van der Kelen), (129)163
- Phosphine-substituted monomeric manganese carbonyl arsenides, preparation and Lewis basicity of (R Muller, H Vahrenkamp), (150)C11
- Rhodium(I) and iridium(I) complexes containing a *trans*-chelating bidentate ditertiary phosphine or arsine, internal oxidation of a benzylic C—H bond to iridium (M A Bennett, R N Johnson, I B Tomkins), (128)73
- Rhodium(I) and iridium(I) complexes containing the ligands 1,6-bis(diphenylphosphino)hexane, 1,6-bis(diphenylphosphino)-*trans*-3-hexene, 1,6-bis(diphenylarsino)hexane and 1,6-bis(diphenylarsino)-*trans*-3-hexene formed via dehydrogenation of 1,6-bis(diphenylphosphino)hexane (P W Clark), (137)235
- Tetrahydro-1,4-benzoarsenin-2-one and tetrahydro-1,4-benz[b]methylazarsenin-2-one, synthesis of (A Tzschach, H Biernig), (133)293
- Tetramethylarsonium dichlorodimethylgallate and tetramethylarsonium trichloromonomethylgallate, crystal structure of (H D Hausen, H J Guder, W Schwarz), (132)37
- Transition metal complexes with terminal and bridging dimethylarsenido functions, ligand exchange processes in (W. Malisch, H Rössner, K Keller, R Janta), (133)C21
- Trimethyl- and triphenyl-antimony dibromide, reactions with phosphinic acids exhibiting P—H bonds of (G E Graves, J R Van Wazer), (131)81
- Tris(dimethylamino)phosphine, reactions with organometallic diazoalkanes of (P Krommes, J Lorberth), (127)19
- Tungsten—monoolefin octahedral complexes, preparation and vibrational spectra of (U Koemm, C G Kreiter, H Strack), (148)179
- ### Barium
- Calcium, strontium and barium, Annual survey covering the years 1975 and 1976 (D Seyferth), (143)141
- ### Beryllium
- Beryllium, Annual survey covering the years 1975 and 1976 (D Seyferth), (143)129
- Cyclopentadienylberyllium chloride, structure and vibrational spectra of (K B Starowieski, J Lusztyk), (133)281
- Dimethylberyllium complexes with aliphatic amines, CNDO/2 MO calculations on (Z Latajka, H Ratajczak, K Romanowska, Z Tomczak), (139)129
- ### Bismuth
- Arsenediazoalkanes with organometallic ligands, synthesis, chemical reactivities and thermodynamics of (E Glozbach, J Lorberth), (132)359
- Bismuth, Annual survey covering the year 1975 (G O Doak, L D Freedman), (130)405
- , — 1976 (G O Doak, L D Freedman), (147)233
- Group IV and V organic oxygen complexes, investigation by electronic emission spectroscopy of (G A Razuvayev, A N Egorochkin, V A Kuznetsov, V N Glushakova, A V Shabanov, Yu A Alexandrov, Yu Yu Baryshnikov), (148)147
- Organometallic diazoalkanes, 1,3-dipolar cycloaddition with dimethyl acetylendicarbonic acid ester of (R Grüning, J Lorberth), (129)55
- , of the Main Group elements ^{13}C { ^1H } PFT spectra of (R Grüning, P. Krommes, J Lorberth), (128)167
- Phenyl-phosphorus, -arsenic, -antimony

- and -bismuth derivatives, Fourier transform ^{13}C NMR study of (L F Wuyts, D F Van de Vondel, G.P Van der Kelen), (129)163
- Triaryl-antimony and -bismuth compounds,** ^{19}F NMR of transmission of electronic effects in and comparison with nitrogen- and carbon-containing analogues of (S I Pombrik, D N. Kravtsov, B A. Kvasov, E I. Fedin), (136)185
- Boron**
- B*-Alkyl-9-borabicyclo[3.3.1]nonanes,** facile reaction with benzaldehyde of (M.M Midland, A. Tramontano, S Z Zderic), (134)C17
- N-Alkyl-N- ω -cyanoalkylamino(trimethyl)silanes,** reactions with boranes of (A Meller, W Maringgele, F.J Hirninger), (136)289
- B*-1-Alkynyldialkylboranes,** synthesis by reaction of alkynyllithium with methyl dialkylborinates of (H C Brown, J A Sinclair), (131)163
- B*-Aryl-*o*-carboranes,** synthesis and crystal structure of and electronic effects of *B*-*o*-carboranyl groups (V N Kalinin, N I Kobel'kova, A.V Astakhin, A I Gusev, L I Zakharkin), (149)9
- BCN-sequenced, valence saturated compounds,** synthesis and structure of (N E Miller), (137)131
- Bis(amino)boranes and amino(halo)-organylboranes,** reactions with AgCN leading to monomeric cyanoboranes of (A. Meller, W Maringgele, U. Sicker), (141)249
- 7-Borabicyclo[2.2.1]heptadiene system,** degenerate and nondegenerate rearrangements of, twofold [1,3] suprafacial sigmatropic migrations and anionic [1,2] carbon-boron shifts (J J. Eisch, J E Galle), (127)C9
- 9-Borabicyclo[3.3.1]nonane β -allyl derivatives,** preparation and unusual chemistry of (G.W Kramer, H C Brown), (132)9
- Borinatotoron complexes,** ring contraction and substitution reactions of (G E Herberich, K. Carsten), (144)C1
- Boron. I. Carboranes and hydroboration,** Annual Survey covering the year 1976 (D S Matteson), (147)17
- Boron. Part II, Annual Survey covering the year 1976** (K. Niedenzu), (147)63
- Boron halides,** interaction with 1,1,3,3-tetramethyl-1,3-disilacyclobutane of (W A Kriner), (134)15
- Boron-substituted monophenylboranes,** photoelectron, NMR and UV spectra of (B G Ramsay, S J O'Neill), (141)257
- C-Borylated diethylaminoethyne,** preparation and characterization of (H -O Berger, H. Nöth, B Wrackmeyer), (145)17
- 1,2-C₂B₄H₁²⁻ ligand,** MO analysis of the slip distortion in electron-rich sandwich complexes derived from (D.M.P Mingos, M I. Forsyth), (146)C37
- Dialkyldiethynylstannanes,** reactions with triorganylboranes of (L Killian, B Wrackmeyer), (132)213
- 3,3-Diaminodipropylamine boron derivatives** (L Komorowski, K Niedenzu), (149)141
- 1,3,2-Diazaboracycloalkanes,** ring expansion reactions with phenyl isocyanate and phenyl isothiocyanate of (U W. Gerwarth, K -D Müller), (145)1
- Diborane,** reactions with organic derivatives of tin and lead (F.G. Thorpe, S W Breuer, G M. Pickles, T. Spencer), (145)C26
- , reactions with organolithium, organo-sodium, organopotassium and organo-calcium derivatives of (F G Thorpe, G.M Pickles, J C Podesta), (128)305
- Dicarba-*nido*-undecaborane(13),** structure of a new isomer of (Yu T Struchkov, M Yu. Antipin, V I. Stanko, V A Brattsev, N I Kirillova, S P Knyazev), (141)133
- gem-Dichloroallyllithium,** reaction with silicon, germanium, tin and mercury halides and with triphenylborane of (D Seyferth, G J. Murphy, R A Woodruff), (141)71
- Dicyclopentadienyluranium(IV)-bis-(tetrahydroborate),** ($n^5\text{-C}_5\text{H}_5$)₂ U-(BH₄)₂, preparation and characterisation of (P Zanella, G De Paoli, G Bombieri, G Zanotti, R Rossi), (142)C21
- Diphenylmethylphosphineplatinum(II)** complex, three-membered ring formed through internal metallation in (S Bresadola, B Longato, F. Morandini), (128)C5
- Ferroceneboronic acid,** kinetics and mechanism of protodeboronation in

- moderately concentrated sulphuric acid of (B Floris, G Illuminati), (150)101
- Ferrocenium protonated tetrahaloborates, preparation and IR spectra of (W Siebert, W Ruf, K-J Schaper, T Renk), (128)219
- Formyltetracarbonylferrate(0) salts, synthesis of (S R Winter, G W Cornett, E A Thompson), (133)339
- Halaboration of n-hexyne-1 (J R Blackborow), (128)161
- Hydroboration—oxidation of isomeric trimethylsilylcyclohexenes and trimethylsilylcyclopentenes (M De Jesus, O Rosario, G L Larson), (132)301
- α*-Hydroxysilanes, synthesis from organoboranes of (O Rosario, A Oliva, G L Larson), (146)C8
- Jahn-Teller effects in molecular polyhedra (C Glidewell), (128)13
- nido*-Me₃NCB₁₀H₁₀PR derivatives, synthesis and structure of (W F Wright, J C Huffman, L J Todd), (148)7
- B-Mercurated carboranes (V I Bregadze, V T Kampel, N N Godovokov), (136)281
- Metal carbonyl monoanions, convenient preparation by trialkylborohydride cleavage of metal carbonyl dimers of, observation and reactions of a bimetallic manganese-formyl intermediate (J A Gladysz, G M Williams, W Tam, D L Johnson), (140)C1
- Methylethylboranes, synthesis and characterization of (E J Stampf, J D Odom), (131)171
- Methyl-substituted transition metal bis-muthines, redistribution processes in (P Panster, W Malisch), (134)C32
- Methylvinylchlorosilanes, regioselective hydroborations of (T F O Lim, J K Myers, G T Rogers, P R Jones), (135)249
- Monoalkylborane derivatives prepared by displacement of tetramethylethylene from thexyloborane-triethylamine by treatment with olefins (H C Brown, N M Yoon, A K Mandal), (135)C10
- Mononuclear transition metal carbonyl complexes with hydride donors, reactions of (S R Winter, G W Cornett, E A Thompson), (133)339
- Olefin carbonylation, hydrogen transfer from organic compounds during the process of (G K I Magomedov,
- L V Morzova, V N Kalinin, L I Zakharkin), (149)23
- Phenylboranes, ¹³C NMR of carbon atoms bonded directly to boron (C Brown, R H Cragg, T Miller, D O'N Smith, A Steltner), (149)C34
- Phenylborane derivatives, ¹³C NMR study on (B R Gragg, W J Layton, K Niedenzu), (132)29
- Phenyltrichlorosilane, synthesis from benzene and trichlorosilane catalysed by boron trichloride of (A Wright), (145)307
- (2-Pyridylamino)diethylborane, preparation and properties of (B R Gragg, K Niedenzu), (149)271
- Silylacetylenes, hydroboration of (A Hassner, J A Soderquist), (131)C1
- 1-Stannacyclopentadienes, preparation via organoboration of dialkynyldimethylstannanes of (L Killian, B Wrackmeyer), (148)137
- Substituted dialkylphenylthioboranes photoelectron spectra of (F Bernardi, R Danieli, G Distefano, A Modelli, A Ricci), (136)161
- cis-Tetracarbonylbis(chlorodiphenylphosphine)molybdenum(0), reactions with ammonia, methylamine, *p*-toluidine, water, methanol, *p*-cresol and ethanethiol of and subsequent reactions of the ammonolysis and hydrolysis products with chlorosilanes and boron trifluoride diethyl etherate (G M Gray, C S Krahanzel), (146)23
- Tetraphenylborate complexes of rhodium(I) (L A Oro, E Pinilla, M L Tenajas), (148)81
- Thiadiborole—tricarbonyliron complexes, preparation, structure and bonding in (W Siebert, R Full, J Edwin, K Kinberger, C Krüger), (131)1
- Thioamidoboranes, preparation of by splitting of the Si—N bond in *N*-trimethylsilylthioamides in reactions with halo-boranes and -organylboranes (W Maringgele, A Meller), (141)241
- Thiodecarborane, electrophilic alkylation of (B J Meneghelli, R W Rudolph), (133)139
- Titanocene dicarbonyl and titanium(III) carbonate, preparation by anhydrous CO₂ reduction catalysed by chlorotitanocene—metal systems (B Demerseman, G Bouquet, M Bigorgne), (145)41

Trialkylboranes, exceptionally facile homolytic displacement in the reaction with nitrogen trichloride of (H C. Brown, N.R. De Lue), (135)C57

Tri-t-butylborane, preparation and properties of (H Nöth, T Taeger), (142)281

Tricarbonylchromium complexes of benzodiazaboroles, phenyl boranes and related compounds (R. Goetze, H. Nöth), (145)151

Trimethylgallium in reactions with silicon hydrides, germane and diborane (C G. Newman, B N Diel, D P Paquin, M A. Ring), (137)281

B,B',B''-Triphenylborthun, reactions with $(\text{CH}_3\text{CN})_3\text{M}(\text{CO})_3$ ($\text{M} = \text{Cr}, \text{Mo}, \text{W}$) of (H Nöth, U Schuchardt), (134)297

Cadmium

Alkylsilicon and alkylsilylmetal compounds, ^{13}C NMR investigations of (H Müller, L Rösch, W Erb, R Zeisberg), (140)C17

$\text{Bs}(\text{tri-t-butylsilyl})$ mercury, preparation and spectroscopic investigations of (H. Müller, L Rösch), (133)1

Diarylgolazine chlorides, diphenylgold-cadmium chloride, and phenylgold-mercury chloride, synthesis and properties of (P W J de Graaf, A.J. de Koning, J. Boersma, G J.M. van der Kerk), (141)345

Dichlorophenylphosphine and chiral tertiary phosphines, condensation reactions of organocadmium compounds with (D Jore, D. Guillerm, W Chodkiewicz), (149)C7

Dicyclopentadienylvanadium, interaction with organocadmium compounds of (G A Razuvaev, V N. Latyeva, L I Vishinskaya, V K. Cherkasov, S.P. Korneva, N N Spiridonova), (129)169

Diethylcadmium cathodically produced, anodic ethylation of lead by (G. Mengoli, S Daolio), (131)409

Organocadmium neutral halides, electrochemical preparation of (J J Habeeb, D G Tuck), (146)213

Organogermylmercuryplatinum complexes and related compounds, preparation and reactions of (M N Bochkarev, G A Razuvaev, L.P. Maiorova, N.P. Makarenko, V I Sokolov, V V Bashilov,

O A. Reutov), (131)399

Zinc and cadmium, Annual Survey covering the year 1975 (J Boersma), (130)157
—, — 1976 (J. Boersma), (147)1

Calcium

Calcium, strontium and barium, Annual survey covering the years 1975 and 1976 (D Seyferth), (143)141

Diborane, reactions with organolithium, organosodium, organopotassium and organocalcium derivatives of (F G Thorpe, G M Pickles, J C Podesta), (128)305

Perfluoroalkylcalcium derivatives, reactions with ketones and aldehydes of (G Santini, M Le Blanc, J G Riess), (140)1

Poly(*N*-alkylimino-aluminum and -alkaline-earth metal) mixed derivatives, advances in the synthesis of (S Cucinella, G. Dozzi, G Perego, A. Mazzei), (137)257

[$((\text{THF})\text{Mg})(\text{HAlN-t-Bu})_3$] and [$((\text{THF})_3\text{Ca})(\text{HAlN-t-Bu})_3$] THF, crystal and molecular structures of (G. Del Piero, M Cesari, S Cucinella, A Mazzei), (137)265

Chromium

Arenechromium(0) complexes with phosphinic, carbonylic and thio-carbonylic ligands, mass spectra of (G Simonneaux, G. Jaouen, R Dabard, P Guenot), (132)231

Benchrotrene derivatives, double asymmetric induction in (C Mioskowski, A Solladié-Cavallo, G Solladié), (149)C63

Benzenechromium tricarbonyl derivatives, electronic absorption spectra of (G A Razuvaev, V A Kuznetsov, A N. Egorochkin, A A Klimov, A N Artemov, N I Sirotkin), (128)213

Benzyl cation coordinated to $\text{Cr}(\text{CO})_3$, stabilization of (D W Clack, L A.P. Kane-Maguire), (145)201

C,N-Benzyllithium, reactions with early transition metal organic derivatives (L E. Manzer), (135)C6

Bis[η^5 -cyclopentadienyldicarbonyl-chromium], reaction with acetylenes of (J S Bradley), (150)C1

- (2,4-Bis(dimethylamino)-1,3-bis(trimethylsilyl)-1,2,3,4-diazadiphosphetidine)-2,4-bis(pentacarbonyl-chromium) and -molybdenum), new diaza-diphosphetidine complexes (W Zeiss, C Feldt), (127)C5
- Bis(trimethylsilyl)aminothallium compounds, preparation and chemistry of (P Krommes, J Lorberth), (131)415
- Bromo-, iodo-, isocyanato- and isothiocyanato-(diethylamino)carbene-pentacarbonylchromium, preparation, IR and NMR spectra of (E O Fischer, W Kleine, F R Kreissl, H Fischer, P Friedrich, G Huttner), (128)C49
- Carbenechromium complexes and carbene ligands, approximate MO calculations on and ability of the carbene ligand to act as σ donors and τ acceptors (T F Block, R F Fenske), (139)235
- Carbonyl complexes of chromium, molybdenum, tungsten and cobalt with arenes, cycloheptatriene and norbornadiene, thermochemistry of (D L S Brown, J A Connor, C P Demain, M L Leung, J A Martinho-Simoes, H A Skinner, M T Z Moattar), (142)321
- Carbonylmetal compounds in deoxygenation reactions with N—O bonds containing compounds (W Beck, F Götzfried, E Schier), (150)247
- Chromium and molybdenum carbonyl complexes with dimethylsulphonium cyclopentadienylide, structure of, effect of π -coordination to the metal on the properties of the ylide ligand (V G Andrianov, Yu T Struchkov, V N Setkina, A Zh Zhakaeva, V I Zdanovitch), (140)169
- Chromium bis-aryl complexes containing the dimethyldithiocarbamate anion and other chelate ligands (A L Marchese, B O West), (141)C1
- Chromium(0), manganese(I) and rhodium(I) thiocarbonyl complexes, reactions of (I S Butler, N J Coville, D Cozak), (133)59
- Chromium, molybdenum and tungsten, Annual survey covering the year 1975 (G R Dobson), (143)385
- Chromium, molybdenum and tungsten carbonyl complexes with phthalodinitrile (W Beck, R Höfer), (133)73
- Chromium, molybdenum and tungsten carbonyl complexes with pyridine and acetonitrile, thermochemistry of (F A Adedeji, J A Connor, C P Demain, J A Martinho-Simoes, H A Skinner, M T Z Moattar), (149)333
- Chromium(0), molybdenum(0) and tungsten(0) carbonyl compounds containing sulphurdiumine ligands, preparation and properties of (R Meij, T A M Kaandorp, D J Stufkens, K Vrieze), (128)203
- Chromium, molybdenum and tungsten substituted halocarbonyl compounds, photochemically-induced loss of phosphine ligands of (W A Schenk), (139)C63
- Chromium, molybdenum and tungsten terdentate complexes of 4-cyclohexylphosphorin, preparation of (K C Naiman, C T Sears), (148)C31
- π -Complex formation at low temperature by reactions of transition metal atoms with arenes (H F Efner, D E Tevault, W B Fox, R R Smardzewski), (146)45
- Cyclopentadienylides and their Group VI metal carbonyls, ^{13}C NMR spectra of (V N Setkina, A Zh Zhakaeva, G A Panosyan, V I Zdanovitch, P V Petrovskii, D N Kursanov), (129)361
- Dimethylaminomethyloxosulphonium methylide as a ligand in transition metal complexes (L Weber), (142)309
- p-Dimethylamino--(tricarbonylchromium) benzaldehyde, π -barrier to rotation of the carbonyl group in (B P Roques), (156)33
- Dimethylthioketenepentacarbonylchromium, crystal and molecular structure of (B A Karcher, R A Jacobson), (132)387
- Dinitrogen and acetylene fixation by the system CrCl_3/Mg , isolation and properties of chromium complexes with fixed N_2 and C_2H_2 (P Sobota, B Jezowska-Trzebiatowska), (131)341
- Diorganothallium-transition metal complexes, synthesis and characterization of (B Walther, H Albert, A Kolbe), (145)285
- cis-[1,3-Dithian-2-ylidene(hydroxy)methyl(ethoxy)carbene-*C,S*]tetracarbonylchromium(0) and fac-[[1,3-dithian-2-ylidene(ethoxy)methyl(ethoxy)carbene-*C,S*]-t-butyl isocyanide]tricarbonylchromium(0),

- crystal and molecular structures of (G J Kruger, J. Coetzer, H G Raubenheimer, S Lotz), (142)249
- Early transition metal alkenyls and related compounds, preparation and cleavage and insertion reactions of (C J Cardin, D J Cardin, J.M Kelly, R J. Norton, A. Roy), (132)C23
- Formyltetracarbonylferrate(0) salts, synthesis of (S R Winter, G W Cornett, E A Thompson), (133)389
- Group VI transition metal polystyrene-supported carbonyl and nitrosyl derivatives, properties of (G Gubitosa, H H. Brintzinger), (140)187
- Group VIA metal pentacarbonyl ^{13}CO labelled derivatives, thermal route to (D J Dahrensbourg, R L Kump), (140)C29
- Hexacarbonylchromium in complexation reactions with arenotropones (M El Borai, R Guillard, P. Fournari), (148)277
- Hexacarbonyl-chromium, -molybdenum and -tungsten compounds, reactions with (*o*-lithiobenzyl)diphenylphosphines of (H-P Abicht, K Issleib), (132)327
- Hexacarbonyl-molybdenum and -chromium, reactions with formamidines of (W H. de Roode, K Vrieze, E A. Koerner von Gustorf, A Ritter), (135)183
- μ -Hydridobis(pentacarbonylchromium(0)) species, addition reactions of its salts with N-donor bidentate ligands (M D Grillone, B B. Kedzia), (140)161
- Lithium trimesitylochromate(II) and dilithium tetramesitylochromate(II), preparation and properties of (K. Schmiedeknecht), (133)187
- Manganese(II) and chromium(II) paramagnetic complexes, syntheses and structures of (L E Manzer, L J. Guggenberger), (139)C34
- Metal carbonyls, electrochemical behaviour in a mixture of room temperature molten salt and benzene (H L Chum, D. Koran, R A Osteryoung), (140)349
- , reactions with amine oxides of (U Koelle), (133)53
- Methyl-, aryl- and diethylamino-carbyne-chromium and -tungsten complexes, mass spectra of (W Kalbfus, E O. Fischer, J W Buchler), (129)79
- Methyl-substituted transition metal bis-muthines, redistribution processes in (P Panster, W. Malisch), (134)C32
- Methyl π -(tricarbonylchromium)benzoates, IR study of the CO-stretching vibrations in (F. van Meurs, J M A Baas, H van Bekkum), (129)347
- Mononuclear transition metal carbonyl complexes with hydride donors, reactions of (S R Winter, G W Cornett, E A Thompson), (133)339
- Organometallic derivatives of the transition metals in their lowest oxidation states, synthesis of (S I. Beilin, S B Golstein, B A. Dolgoplosk, I Sh Guzman, E I Tinyakova), (142)145
- Organosilyl and organogermyl isocyanide complexes of Group VIB metal carbonyls (P M Treichel, D B. Shaw), (139)21
- Pentacarbonylbis(phenylthio)carbene-chromium(0) and -tungsten(0) complexes, synthesis by trapping of a free carbene of (H G. Raubenheimer, H E Swanepoel), (141)C21
- Pentacarbonyl[bis(trimethylsilyl)amino-t-butyl]iminophosphine]chromium(0), crystal and molecular structure of (S Pohl), (142)185
- Pentacarbonyl(t-butylaminotrimethylsilyliminophosphine)chromium(0), crystal and molecular structure of (S Pohl), (142)195
- Pentacarbonylchromium-carbyne complexes, exchange reactions of the carbyne ligand into nitrile ligand by azides in (E O. Fischer, W. Kleine, U Schubert, D Neugebauer), (149)C40
- Pentacarbonylchromium methylthiocyanate, crystal and molecular structure of (B J Helland, M H. Quick, R A. Jacobson, R J Angelici), (132)95
- Pentacarbonyldiethylaminochlorocarbenechromium, structure of (G Huttner, A Frank, E O. Fischer, W Kleine), (141)C17
- Pentacarbonyl(dimethyloxysulphonium-methylide)chromium(0), substitution reactions of (L. Weber), (131)49
- Pentacarbonyl(methoxyphenylcarbene)-chromium, reactions with diphenylacetylene in n-heptane of (K H Dötz), (140)177
- Pentacarbonyltetrahydrofuranchromium(0), crystal and molecular struc-

- ture of (U Schubert, P Friedrich, O Obama), (144)175
- Pentacarbonyl-ylid-chromium(0) complexes, preparation and vibrational spectra of (L Knoll), (148)C25
- 1,2,3,4,5-Pentafluorochromarene, synthesis and chemistry of, electronic effect of a π -Cr(C₆H₆) moiety (A Agarwal, M J McGlinchey, T-S Tan), (141)85
- Phenylacetylenyl(ethoxy)carbenepentacarbonyl-chromium and -tungsten, aminolysis of (E O Fischer, H J Kalder), (131)57
- o*-Phenylenedimethylstibine, divalent nickel, palladium and platinum derivatives and zerovalent chromium, molybdenum and tungsten complexes, synthesis of (E Shewchuk, S B Wild), (128)115
- Seleno- and thio-carbonylpentacarbonylchromium, complexes, facile route to (A M English, K R Plowman, I S Butler, G Jaouen, P LeMaux, J-Y Thépot), (132)C1
- Substituted methyl π -(tricarbonylchromium)benzoates, ¹H NMR spectroscopy of (F van Meurs, H van Bekkum), (133)321
- Thioketone complexes of chromium, molybdenum, and tungsten carbonyls (R G W Gingerich, R J Angelici), (132)377
- Transition metal complexes with terminal and bridging dimethylarsenido functions, ligand exchange processes in (W Malisch, H Rössner, K Keller, R Janta), (133)C21
- Transition metal-carbyne optically-active complexes (S. Fontana, O Obama, E O Fischer, U Schubert, F R Kreissl), (149)C57
- Tricarbonyl(4-7 10-11- η -3-benzoxepin)-chromium, -molybdenum and -tungsten derivatives, preparation of (C G Kreiter, S Ozkar), (129)C14
- π -(Tricarbonylchromium)benzoic acids, thermodynamic dissociation constants, of (F van Meurs, A J Hoefnagel, B M. Wepster, H. van Bekkum), (142)299
- Tricarbonylchromium(benzoylcyclopentadienyl)manganese tricarbonyl anion and substituted derivatives, electronic effects in (N J Gogan, C K Chu, P A Narayana), (144)125
- Tricarbonylchromium complexes of benzodiazaboroles, phenyl boranes and related compounds (R Goetze, H Nöth), (145)151
- Tricarbonylchromium complexes of dimethylaminofulvene and diphenylfulvene, ¹³C NMR spectra of (G A Panosyan, P V Petrovskii, A Zh Zhakaeva, V N Setkina, V I Zdanovitch, D N Kursanov), (146)253
- Tricarbonylchromium complexes with t-butyl phenyl ketone and methyl benzoates, substituent effects in polarographic reduction of (A Ceccon, M Gentiloni, A Romanin, A Venzo), (127)315
- Tricarbonylchromium group in poly aromatic compounds, coordination site of (A Solladié-Cavallo, G Solladié, E Tsamo), (144)181
- π -(Tricarbonylchromium)toluene, molecular structure of (F van Meurs, H van Koningsveld), (131)423
- Tricarbonyl(6-dimethylaminofulvene)-chromium, crystal and molecular structure of (B Lubke, U Behrens), (149)327
- Tricarbonyl(fulvene)-chromium, -molybdenum and -tungsten complexes, synthesis of (F Edelmann, U Behrens), (134)31
- Tricarbonylmanganese tricarbonylchromium derivatives, synthesis, characterization and spectra of (N J Gogan, C-K Chu), (132)103
- Tricarbonylmetal alkenyl and cycloalkenyl compounds, extended CNDO/2 studies of (N J Fitzpatrick, J-M Savariault, J-F R Labarre), (127)325
- B,B'-Triphenylboron, reactions with (CH₃CN)₃M(CO)₃, (M = Cr, Mo, W) of (H Nöth, U Schuchardt), (134)297
- Tris(pentacarbonylcyanochromato(0))tris(tetrahydrofuran)chromium(III), synthesis and structure of (F Edelmann, U Behrens), (131)65
- (η^5 -Vinylcyclopentadienyl)dicarbonylnitrosylchromium ((η^5 -C₅H₄CH=CH₂)-Cr(CO)₂NO), preparation, polymerization and copolymerization of (E A Mintz, M D Rausch, R H Edwards, J E Sheats, T D Rounsefell, C U Pittman, Jr), (137)199

Cobalt

- Alkylcobalt dimer, formation of (L Salisbury, H W. Whitlock, Jr), (136)259
- Allyl-containing organometallic groupings as substituents in phenyl nuclei, relationship between electron effects and structure (S P Gubin, A Z. Rubezhov, L I Voronchikhina), (149)123
- Azobenzenes synthesized by conversion of nitrobenzenes by (benzene)tetracobalt nonacarbonyl or dicobalt octacarbonyl (H Alper, H -N Paik), (144)C18
- Bis(ethyl fumarate)bis(acetonitrile)- cobalt(0) (racemic) preparation and X-ray crystal structure of (G Agnes, I W. Bassi, C. Benedicenti, R Intrito, M Calcaterra, C. Santini), (129)401
- Bis(trimethylsilyl)aminothallium compounds, preparation and chemistry of (P Krommes, J Lorberth), (131)415
- Carbonyl complexes of chromium, molybdenum, tungsten and cobalt with arenes, cycloheptatriene and norbornadiene, thermochemistry of (D L S Brown, J A Connor, C.P Demain, M L Leung, J A Martinho-Simoes, H A. Skinner, M.T Z Moattar), (142)321
- ($\eta^5\text{-C}_5\text{H}_5$)₂CO₂(NO)_{2-x}(CO)_x ($x = 1, 0$), crystal and molecular structure of and a comment on the EAN rule (I Bernal, J D Korp, G.M Reissner, W A Herrmann), (139)321
- Chiral cobalt complexes with optically active P ligands, optical induction of the diastereomeric equilibrium of (H Brunner, J Doppelberger, P. Dreischl, T Möllenberg), (139)223
- Cobaloxime(I), reactions with polycyclic bromides of adamantane and norbornane leading to alkyl(pyridine)cobaloximes(III) of (H Eckert, D Lenoir, I. Ugi), (141)C23
- Cobalt carbonyl-catalyzed carbonylation of halides (H Alper, H Des Abbayes), (134)C11
- Cobalt catalysts used in hydroformylation of deuterated olefins at low pressure of carbon monoxide (M. Bianchi, F. Piacenti, P Frediani, U Matteoli), (137)361
- Cobalt-catalyzed carbonylation of benzyl halides, phase-transfer catalysis in (L Cassar, M. Foà), (134)C15
- Cobalt complexes as catalysts in hydroformylation of deuterated olefins under high pressure of carbon monoxide (M. Bianchi, F. Piacenti, P Frediani, U Matteoli), (135)387
- , theoretical study of (J P. Grima, F Choplin, G Kaufmann), (129)221
- Cobalt(III) porphyrins, reactions with diazoalkanes of (H J Callot, E Schaeffer), (145)91
- Cobalt, rhodium and iridium, Annual survey covering the year 1975 (E R Hamner, R D W Kemmitt, N S Sridhara), (138)229
- Cobalt(II), rhodium(II) and iridium(II) paramagnetic hydrido complexes, electrochemistry of (G Pilloni, G Schiavon G Zotti, S Zecchin), (134)305
- Cobalt, rhodium and iridium tetrnuclear carbonyl complexes containing trifluorophosphines (H Eshtiagh-Hosseini, J F. Nixon), (150)129
- Cobalt(0) zerovalent complex containing isocyanide ligands, preparation and chemistry of (Y. Yamamoto, H Yamazaki), (137)C31
- Cobaltacyclopentadienes, Diels-Alder type reactions with olefins of (Y Wakatsuki, H Yamazaki), (139)169
- Cobaltacyclopentadiene complexes, ring opening by addition of Si—H, S—H, N—H and C—H to the diene moiety of (Y Wakatsuki, H Yamazaki), (149)385
- , thermal and photochemical oxygenation with dioxygen of (F -W Grevels, Y. Wakatsuki, H Yamazaki), (141)331
- , thermolysis of (H Yamazaki, Y Wakatsuki), (149)377
- Cobaltacyclopentadiene complexes from acetylenes, one-step and stepwise synthesis of (H Yamazaki, Y Wakatsuki), (139)157
- Cobalt-hydrocarbyl catalysed isomerisation of allylbenzene (W E McCormack, M Orchin), (129)127
- Cobaltocene and ruthenocene, calorimetric investigation and X-ray diffraction measurements between 77 and 300 K of (C Azokpota, C. Pommier, J F. Berar, G. Calvarin), (135)125
- [Co₄($\text{h}^5\text{-C}_5\text{H}_5$)₄](CO)₄(μ_4 -As)]⁺ BF₄⁻ · $\frac{1}{2}\text{C}_6\text{H}_6$, preparation and structural characterization of (C F Campana,

- L F Dahl), (127)209
- π -Complex formation at low temperature by reactions of transition metal atoms with arenes (H F Efner, D E Tevault, W B. Fox, R R Smardzewski), (146)45
- Compounds containing transition metal to main group metal bonds, mass spectrometry and bond dissociation energy of (T R Spalding), (149)371
- (π -Cyclobutadiene)dicobalt hexacarbonyl, crystal and molecular structure at -35°C of (P E Riley, R E Davis), (137)91
- Cyclopentadienylcobalt(I) carbonyl and acetylene derivatives, reaction patterns of (W-S Lee, H H Brintzinger), (127)93
- Cyclopentadienylcobalt(III) carbonyl diiodide, reduction of (W-S Lee, H H Brintzinger), (127)87
- Cyclopentadienylcobalt(I) dicarbonyl, reactive intermediates in photolysis of (W-S Lee, H H Brintzinger), (127)87
- π -Cyclopentadienyldicarbonylcobalt, reaction with 2-thienylacetylene of (A Clearfield, R Gopal, M D Rausch, E F Tokas, F A Higbie, I Bernal), (135)229
- π -Cyclopentadienyl(ferrocenylcyclobutadiene)cobalt complexes and 1,1'-(*o*-phenylene)ferrocenes, preparations of (K Yasufuku, H Yamazaki), (127)197
- Cyclopentadienyl-iron and -cobalt carbonyl complexes, silica-gel supported derivatives of (F R W P Wild, G Gubitosa, H H Brintzinger), (148)73
- 1,3-Dienecobalt(I) complexes, preparative and NMR studies of (M Bressan, R Ettorre, P Rigo), (144)215
- Diorganothallium-transition metal complexes, synthesis and characterization of (B Walther, H Albert, A Kolbe), (145)285
- Diphenylacetylene-cobalt complex, reaction with alkyl diazoacetates of (P Hong, K Aoki, H Yamazaki), (150)279
- [Fe₃(*h*⁵-C₅H₅)₃(CO)₅As₄O₅]⁺ BF₄⁻, preparation and characterization of (C F Campana, J D Sinclair, L F Dahl), (127)223
- Ferrocenylphenylacetylene and diferrocenylacetylene, reactions with (*n*⁵-cyclopentadienyl)dicarbonylcobalt of (M D Rausch, F A Higbie, G F Westover, A Clearfield, R Gopal J M Troup, I Bernal), (149)245
- First-row transition metal hydridocarbonyl and hydridotrifluorophosphine complexes, UV electron spectra of (R A Head, J F Nixon, R J Clark), (135)209
- Halomethylidynetricobalt nonacarbonyls, action of thiols and thiolates on (D Seyferth, C N Rudie, J S Merola), (144)C26
- Hydrosilanes in reactions with cycloalkenes catalysed by octacarbonyldicobalt (Y Seki, A Hidaka, S Makino, S Murai, N Sonoda), (140)361
- Hydrosilylation of olefins in the presence of metal carbonyls (G K I Magomedov, K A Andrianov, O V Shkolnik, B A Izmailov, V N Kalinin), (149)29
- Metal carbonyl anions, reactions of carbon dioxide with (G O Evans, W F Walter, D R Mills, C A Streit), (144)C34
- Metal carbonyl complexes with *N*-phthaloyl-aminomethyl, -aminoacetyl and anions of α -amino acids as ligands (W Beck, W Petri), (127)C40
- Metal carbonyl monoanions, convenient preparation by trialkylborohydride cleavage of metal carbonyl dimers of, observation and reactions of a bimetallic manganese-formyl intermediate (J A Gladysz, G M Williams, W Tam, D L Johnson), (140)C1
- Methylcobalamin and mercuric chloride, kinetics and mechanism of the reaction between (P J Craig, S F Morton), (145)79
- π -Methylenebis(carbonyl- η^5 -cyclopentadienylrhodium)(Rh-Rh), crystal structure of (W A Herrmann, C Krüger, R Goddard, I Bernal), (140)73
- Methylidynetricobalt nonacarbonyl α,β -unsaturated complexes, preparation and protonation reactions of (D Seyferth, C S Eschbach, G H Williams, P L K Hung), (134)67
- Monocyclopentadienylcobalt complexes containing Co-Zn, Co-Cu, Co-Sn and Co-Hg bonds, preparation of (K Dey, H Werner), (137)C28
- Octacarbonyldicobalt(0), homogeneous catalysis of hydrosilylation of dienes

- by (A J. Cornish, M.F. Lappert, T A. Nile), (136)73
- Organobis(dimethylglyoximato)-cobalt(III) complexes, kinetics and mechanism of reactions with iodine in chloroform of (R D. Garlatti, G. Tauzher, G. Costa), (139)179**
- Organometallic compounds containing iminoacyl ligands, syntheses of (R D. Adams, D F. Chodosh, N.M. Golembeski), (139)C39**
- Palladium-phosphine complex and di-cobalt octacarbonyl as catalytic system in the synthesis of 2-decenedioic acid (J. Tsuji, H. Yasuda), (131)133**
- Pentafluorophenylcobalt(III) complexes with 1-(diacetylmonoximatoimino)-3-(diacetylmonoximeimino)propane (P. Royo, J. Sancho), (131)439**
- Phosphine-substituted monomeric manganese carbonyl arsenides, preparation and Lewis basicity of (R Müller, H Vahrenkamp), (150)C11**
- sym-Polymethylcobalticenium salts, synthesis of (A N Nesmeyanov, R B Materikova, I.R. Lyatifov, T Kh. Kurbanov, E V Leonova, N S Kochetkova), (136)C55**
- Tetracarbonyl-cobalt, -tin and -lead compounds, preparation of (G. Schmid, G Etzrodt), (131)477**
- Tetracarbonylcobaltatopyridine-2-C,N-N-(phenylamino)- α -methylbenzylidenumino)palladate(II), crystal and molecular structure of (G. Le Borgne, S.E. Bouaoud, D Grandjean, P Braunstein, J Dehand, M Pfeffer), (136)375**
- (S)(+)-Tetracarbonylcobaltmethyl-phenyl-1-naphthylsilane, evidence for the formation of analogues of silyl-Grignard reagents (E Colomer, R J.P. Corriu), (133)159**
- μ_3 -(Tetracarbonylcobaltogermylidyne)-cyclotris(tricarbonylcobalt)(3 Co-Co)((CO)₃Co₃Ge-Co(CO)₄), preparation and properties of (G Schmid, G Etzrodt), (137)367**
- (+)-Tetracarbonyl(methyl-1-naphthyl-phenylgermyl)cobalt, molecular and crystal structure of (F. Dahan, Y. Jeannin), (136)251**
- (meso-Tetraphenylporphinato)-cobalt(III), alkylation in DMSO of (P Boucly, J Devynck, M. Perrée-Fauvet, A Gaudemer), (149)65**
- Tricarbonylmetal alkenyl and cyclo-alkenyl compounds, extended CNDO/2 studies of (N J Fitzpatrick, J.-M. Savariault, J.-F R Labarre), (127)325**
- Trimethylaluminium in reactions with cobalt acetylacetones in the presence of 2,2'-dipyridyl (S. Pasynkiewicz, A. Pietrzykowski), (142)205**
- Vitamine B₁₂ model complexes, stabilities and enthalpies of formation of base adducts of (D P. Graddon, I A Siddiqi), (133)87**
- Copper**
- Arylcopper(I) compounds synthesized by the reaction of diarylzinc compounds with copper(I) salts (H K Hofstee, J Boersma, G J.M. van der Kerk), (144)255**
- Bromomagnesium diphenylcuprate and phenylcopper reagents, reactions with nitrosobenzene of (M T Rahmann, A R Roy, K.M. Hossain), (127)105**
- 1,2-C₂B₉H₁₁²⁻ ligand, MO analysis of the spin distortion in electron-rich sandwich complexes derived from (D M P Mingos, M I Forsyth), (146)C37**
- Copper(I) oxide-isocyanide complex, reaction with carboxamide of (Y Ito, Y Inubushi, T Sugaya, T Saegusa), (137)1**
- Copper, silver and gold, Annual survey covering the year 1975 (E Singleton), (138)405**
- 2-Copper-1-(dimethylaminomethyl)ferrocene, structure and properties of (A N Nesmeyanov, Yu T Struchkov, N N Sedova, V G Andrianov, Yu V. Volgin, V A Sazonova), (137)217**
- 2-[(Dimethylamino)methyl]phenyl-rhodium dicarbon monoxide, synthesis by reactions of Ar₂Cu₂Li₂ and Ar₂Au₂Li₂ with rhodium(I) complexes and electron-transfer induced selective formation of diaryl ketones ArC(O)Ar (G van Koten, J T B H Jastrzebski, J G Noltes), (148)317**
- Dimethylcyclooctadienylpalladium, preparation of (M Rudler-Chauvin, H Rudler), (134)115**
- α -Esters and α -phosphonates of halo-organometallic compounds, alkylation**

- by organocupper compounds of (J. Villieras, A. Reliquet, J.-F. Normant), (144)17
- Ethylmagnesium bromide and copper iodide, reactions with 1-mesityl-3-phenyl-2-propenone of (P. Four, P. Le Tri, H. Rivièvre), (133)385
- Grignard reagents, reaction with allyl sulphides and allylsulphonium salts catalysed by copper(I) salts (Y. Gendreau, J. F. Normant, J. Villieras), (142)1
- , substitution reactions with vinylic iodides catalysed by copper salts (A. Commercon, J. F. Normant, J. Villieras), (128)1
- (*o*-Lithiobenzyl)diphenylphosphine cyclometallated complexes, reactions, IR, NMR and mass spectra of (H.-P. Abicht, K. Issleib), (149)209
- α -Lithio- α -chloroalkylphosphonate mixed with alkyllithium, nucleophilic substitution of chlorine catalysed by copper(I) salts (J. Villieras, A. Reliquet, J. F. Normant), (144)263
- [M(τ -C₅H₅)₂HC(NR)₂](CO)₂] (M = Mo, W, R = aryl, alkyl) complexes, preparation and properties of (W. H. de Rood, M. L. Beekes, A. Oskam, K. Vrieze), (142)337
- Methylicopper complexes promoting C—H bond cleavage in alkenyl carboxylates, formation of six-membered acetoxy-vinylcopper chelates (M. Kubota, A. Miyashita, S. Komiya, A. Yamamoto), (139)111
- Mixed organocupper cluster compounds containing aryl and acetylidy ligands, synthesis and characterization of (R. W. M. ten Hoedt, G. van Koten, J. G. Noltes), (133)113
- Monocyclopentadienylcobalt complexes containing Co—Zn, Co—Cu, Co—Sn and Co—Hg bonds, preparation of (K. Dey, H. Werner), (137)C28
- Organocupper(I) reagents, reactivity towards vinylacetylene of (F. Scott, G. Cahiez, J. F. Normant, J. Villieras), (144)13
- Organocuprates, reactions with allyl acetates of with possible formation of allylcopper complexes (J. Levisalles, M. Rudler-Chauvin, H. Rudler), (136)103
- Organonickel(IV) trichloride adducts with *N,N'*-ethylenabis(salicylideneiminato)-nickel(II) and -copper(II), structure

- determination by Mössbauer spectroscopy of (D. Cunningham, M. Little), (142)C58
- 4-Substituted 1-ethylthio-2-butyne, addition reactions of Grignard reagents catalysed by cuprous chloride with (G. Bouet, R. Mornet, L. Gouin), (135)151
- 4-Tolylcopperlithium ("cuprate") and 4-tolygoldlithium ("aurate") stable tetranuclear compounds, properties of (G. van Koten, J. T. B. H. Jastrzebski, J. G. Noltes), (140)C23

Erbium

- Dicyclopentadienylanthanide-triphenylgermanes and -triphenylstannanes, preparation of (H. Schumann, M. Cygon), (144)C43

- Tricyclopentadienylanthanide complexes, Raman spectra of (V. T. Aleksanyan, G. K. Borisov, L. A. Garbuzova, G. G. Devyataykh), (131)251

- Tris(trimethylsilylmethyl)erbiumtris-(tetrahydrofuran), preparation of (H. Schumann, J. Müller), (146)C5

Europium

- Tertiary silanols, effect of tris(dipivalomethane)europium chelate on the ¹H NMR spectra of (A. Lyčka, D. Šnobl, J. Vencl), (149)C37

Gadolinium

- Tricyclopentadienylanthanide complexes, Raman spectra of (V. T. Aleksanyan, G. K. Borisov, L. A. Garbuzova, G. G. Devyataykh), (131)251

Gallium

- N,N'*-Bis(dimethylgallium)-*N,N'*-dimethyl-oxamide isomeric complexes, vibrational spectra of (P. Fischer, R. Gräf, J. Weidlein), (144)95

- π -Cyclopentadienyltricarbonyltungsten-dimethylgallium, crystal and molecular structure of and evidence for mixed organozinc and organogallium transition metal derivatives (J. N. St. Dennis, W. Butler, M. D. Glick, J. P. Oliver), (129)1

- Dimeric dimethylaluminium- and di-methylgallium-*N,N'*-dimethylacetamides, crystal and molecular structure of (H D Hausen, F Gerstner, W Schwarz), (145)277
- Dimethylgallium-*N*-methylidifluorohypophosphorous acid amide, investigations of (H Schrem, J Weidlein), (133)C18
- Gallium and indium, Annual survey covering the year 1975 (R Okawara, (130)345
—, 1976 (T. Tanaka), (147)183
- n*-Methyl-*a*-diphenylaminotetramethylaluminium, intramolecular exchange of methyl groups in and intermolecular exchange with trimethylgallium of (J E Rie, J.P Oliver), (133)147
- Tetramethylalarsonium dichlorodimethylgallate and tetramethylalarsonium trichloromonomethylgallate, crystal structures of (H D. Hausen, H J Guder, W. Schwarz), (132)37
- Titanocene dicarbonyl and titanium(III) carbonate, preparation by anhydrous CO₂ reduction catalysed by chlorotitanocene—metal systems (B. Demerseman, G Bouquet, M Bigorgne), (145)41
- Trimethylgallium in reactions with silicon hydrides, germane and diborane (C.G. Newman, B.N. Diel, D.P. Paquin, M A Ring), (137)281

Germanium

- Allyltin compounds, exchange and addition reactions of (M F Fiswick, M G H Wallbridge), (136)C46
- Allyl- and (trichloromethyl)-trialkylstannanes, insertion reactions with germylenes of (J Barrau, J Satgé), (148)C9
- Arsenediazoalkanes with organometallic ligands, synthesis, chemical reactivities and thermodynamics of (E. Glozbach, J Lorberth), (132)359
- Aryl-digermanes and -disilanes, reduction by LiAlH₄ of (N Duffaut, J Dunoguès, R Calas, P Rivière, J Satgé, A Cazes), (149)57
- Bis(trimethylgermyl)tetracarbonyliron, synthesis and characterization of (A Bonny, K.M MacKay) (144)389
- Charge transfer, hyperconjugation, inductive and field interactions in substituent effects of substituted methyl and silyl on benzene π vertical ioniza-

- tion energies (B G Ramsey), (135)307
- Dialkyl-germyl- and -stanny-tetraphenylporphyrins, preparation and oxidation of (C Cloutour, D Lafargue, J A. Richards, J -C Pommier), (137)157
- gem*-Dichloroallyllithium, reactions with silicon, germanium, tin and mercury halides and with triphenylborane of (D Seyferth, G J Murphy, R A Woodruff), (141)71
- Dicyclopentadienyllanthanide-triphenylgermanes and -triphenylstannanes, preparation of (H Schumann, M Cygon, (144)C43
- 2,5-Dimetalla(IVB)phospholanes and 2-metalla(IVB)-1,3-diphospholanes, synthesis of (C. Couret, J Satgé, J Escudé, J D Andriamizaka), (132)C5
- 1,2-Dimethylgermacyclopentane, synthesis and configuration of (J Dubac, P Mazerolles, M Joly, F Piau), (127)C69
- Dimethylphenylgermanium isocyanide-(pentacarbonyl)molybdenum(0), crystal and molecular structure of (P M Treichel, D B Shaw, J C Calabrese), (139)31
- Germanium-functional phosphineimines, preparation and properties of (W Wolfsberger, H H Pickel), (145)29
- Germanium, phosphorus(III), arsenic(III) and sulphur heterocyclic compounds with aminoacidic and hydroxyacidic ligands (H Lavayssiere, G Dousse, J Satgé), (137)C37
- Group IV and V organic oxygen complexes, investigation by electronic emission spectroscopy of (G A Razuvayev, A N Egorochkin, V A Kuznetsov, V N Glushakova, A V Shabanov, Yu A Alexandrov, Yu Yu Baryshnikov), (148)147
- Group IVB elements, alkynethiol derivatives of (S J Harris, D R.M Walton), (127)C1
- Group IVB metal dihalides, insertion into Fe-C σ -bonds of (J D Cotton, G A Morris), (145)245
- Group IVB-substituted stannacyclohexadiene derivatives, synthesis and reactivities of (P Jutzi, J Baumgärtner), (148)247
- Hydroxy compounds of carbon, silicon and germanium, ionization constants of (O W Steward, D R Fussaro), (129)C28

- a*-Metalated diazocarbonyl compounds, synthesis and copper-catalysed reactions of (O A Kruglaya, I B Fedot'eva, B V Fedot'ev, I D Kalikhman, E I Brodskaya, N S Vyazankin), (142)155
- Me₂XGeMe₂CH₂X Me₂ (X = N, P, As) as chelating ligands, preparation of (J Grobe, J Hendriock), (132)77
- Organogermylmercuryplatinum complexes and related compounds, preparation and reactions of (M N Bochkarev, G A Razuvaev, L P Maiorova, N P Makarenko, V I Sokolov, V V Bashilov, O A Reutov), (131)399
- Organometallic diazoalkanes of the Main Group elements, ¹³C{¹H} PFT spectra of (R. Grüning, P Krommes, J Lorberth), (128)167
- Organosilyl and organogermyl isocyanide complexes of Group VIB metal carbonyls (P M Treichel, D B Shaw), (139)21
- Organosilyl and organogermyl mercurials, ¹⁹⁹Hg, ²⁹Si, ¹³C and ¹H NMR spectra of (T N Mitchell, H C Marsmann), (150)171
- 6-Oxa-2,2-diphenyl-2-germabicyclo-[3.1.0]hexane and 1,1'-diphenyl-1-germacyclopentan-2-ol and their silicon homologues, syntheses and rearrangements of (G. Manuel, G Bertrand, P Mazerolles), (146)7
- Polyfluorophenyl-tin and -germanium compounds, decarboxylation syntheses of (G B Deacon, G J Farquharson), (135)73
- Polyfluorotetramethyl-silanes and -germanes, bis(trifluoromethyl)mercury and tetrakis(trifluoromethyl)-germane, synthesis and characterization of (E K S Liu, R J Lagow), (145)167
- Silacyclanones and germacyclanones, photoelectron spectra of (G Guimon, G Pfister-Guillouzo, A Faucher, P Mazerolles, Y Limouzin), (131)365
- 1-Sila- and 1-germa-cyclo-2-(or 3-)pentenes, ¹³C and ¹H NMR spectra of (M L Filleux-Blanchard, N-D An, G Manuel), (137)11
- 1-Sila- and 1-germa-cyclopentenes, infrared and Raman spectra of (A Marchand, A Millan, J Dunoguès, G Manuel, P Mazerolles), (135)23
- Sila- and germa-ethylenes, CNDO/2 lo-
- calised orbital study of dipole moments of (B G Gowenlock, J A Hunter), (140)265
- Silyl- and germyl-phosphines, addition to benzoyltrimethylsilanes of (C Courret, J Satgé, J-P Picard), (141)35
- (S)(+)-Tetracarbonylcobaltmethylphenyl-1-naphthylsilane, evidence for the formation of analogues of silyl-Grignard reagents (E Colomer, R J P Corriu), (133)159
- μ_3 -(Tetracarbonylcobaltogermylidyne)-cyclotris(tricarbonylcobalt)(3 Co-Co)((CO)₄Co₃Ge-Co(CO)₄), preparation and properties of (G Schmid, G Etzrodt) (137)367
- (+)-Tetracarbonyl(methyl-1-naphthyl-phenylgermyl)cobalt, molecular and crystal structure of (F Dahan, Y Jeannin), (136)251
- Tetrakis(trimethylgermyl)diphosphine, preparation of (H Schumann, L Rösch, W Schmidt-Fritzsche), (140)C21
- 1-R,1-R',2,3,4,5-Tetraphenyl-1-sila- and -germa-cyclopentadieneiron tricarbonyls, synthesis and reactions of (P Jutzi, A Karl), (128)57
- Trialkylalkoxy-, phenoxy- and *p*-chlorophenoxy-germanes and trialkylgermanyloxides, polarization measurements in various solvents of (J P Fayet, D Mermilliod-Blardet, G Doussé, S Richelme), (140)145
- Triarylgermyl radicals, synthesis, ESR studies and comparison with Si and Sn analogues of (M J S Gynane, M F Lappert, P Rivière, M Rivière-Baudet), (142)C9
- Trihalogermylphosphines, α -elimination reactions of (W-W Dumont, H Schumann), (128)99
- Trimethylgallium in reactions with silicon hydrides, germane and diborane (C G Newman, B N Diel, D P Paquin, M A Ring), (137)281
- Trimethyl- and triphenyl-methylene-metals and -metalloids, NMR study of substituent effects in (W Adcock, D P Cox, W Kitching), (133)393
- Trimethyl-silyl- and -germyl-methyl-lithium, reaction with tungsten hexachloride, initiation of cycloolefin polymerization (B A Dolgoplosk, L A Oreshkin, K L Makovetsky, E I Tinyakova, I Ya Ostrovskaya, I L Kershenbaum, G M Chernenko),

- (128)339
Tris(dimethylamino)phosphine, reactions with organometallic diazoalkanes of (P Krommes, J. Lörberth), (127)19
- Gold**
- Bis(pentachlorophenyl)thallium(III) chloride as arylating reagent (P Royo, R. Serrano), (144)33
- Copper, silver and gold, Annual survey covering the year 1975 (E Singleton), (138)405
- Diarylgoldzinc chlorides, diphenylgold-cadmium chloride, and phenylgold-mercury chloride, synthesis and properties of (P W J de Graaf, A J de Koning, J Boersma, G J M van der Kerk), (141)345
- 2-[Dimethylamino)methyl]phenylrhodium dicarbon monoxide, synthesis by reactions of $\text{Ar}_2\text{Cu}_2\text{Li}_2$ and $\text{Ar}_2\text{Au}_2\text{Li}_2$ with rhodium(I) complexes and electron-transfer induced selective formation of diaryl ketones ArC(O)Ar (G van Koten, J.T B H Jastrzebski, J G. Noltes), (148)317
- (*o*-Lithiobenzyl)diphenylphosphine cyclometallated complexes, reactions, IR, NMR and mass spectra of (H -P. Abicht, K. Issleib), (149)209
- Organogold(I) and organogold(III) anionic complexes (R. Uson, A. Laguna, J Vicente), (131)471
- 4-Tolylcopperlithium ("cuprate") and 4-tolylgoldlithium ("aurate") stable tetranuclear compounds, properties of (G van Koten, J.T B H Jastrzebski, J.G Noltes), (140)C23
- Triarylgoldzinc compounds, synthesis and characterisation of (P W J de Graaf, J Boersma, G J M van der Kerk), (127)391
- Trigold(I) cyclic complex, stepwise oxidation of (A L Balch, D J Deconan), (131)137
- Tris(*trans*-cyclooctene)gold trifluoromethanesulphonate, preparation of (S Komiya, J K Kochi), (135)65
- Hafnium**
- (τ - C_5H_5) $\text{Mn}(\text{CO})(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)$, interaction with aprotic acids in solution of (B V Lokshin, E B Nazarova, A.G Ginzburg), (129)379
- Cyclopentadienyl ring exchange method for the attachment of early transition metal metallocene dichlorides to a polymer support (J G Lee, C H Brubaker, Jr.), (135)115
- Cyclopentadienyltrichlorohafnium, synthesis of and use in the preparation of a chiral hafnium compound (P Renaut, G. Tainturier, B. Gautheron), (127)C35
- Dialkylmetallocenes of the titanium group, photolysis of (E Samuel, P Maillard, C Giannotti), (142)289
- Early transition metal alkenyls and related compounds, preparation and cleavage and insertion reactions of (C J Cardin, D J. Cardin, J.M. Kelly, R J Norton, A Roy), (132)C23
- Ferrocenyl derivatives of dicyclopentadienyl-titanium, -zirconium and -hafnium (G A Razuvaev, G A Domrachev, V V Sharutin, O N Suvorova), (141)313
- Mono- and di-alkyl-zirconocene and -hafnocene chlorides (P. Renaut, G Tainturier, B Gautheron), (148)35
- Titanium, zirconium and hafnium, Annual survey covering the year 1975 (P C Wailes), (126)361
—, — 1976 (J A. Labinger), (138)185
- Zirconium and hafnium optically active compounds (P Renaut, G Tainturier, B Gautheron), (148)43
- Zirconium-molybdenum bond formation via methane elimination (P Renaut, G Tainturier, B Gautheron), (150)C9
- Holmium**
- Tricyclopentadienyllanthanide complexes, Raman spectra of (V T Aleksanyan, G K. Borisov, L A Garbuzova, G G Devyataykh), (131)251
- Indium**
- Gallium and indium, Annual survey covering the year 1975 (R Okawara), (130)345
—, — 1976 (T Tanaka), (147)183
- Indium(III) porphyrins with metal-carbon and metal-sulphur bonds (R Guillard, P Cocohos, P. Fournari), (129)C11

Iridium

- Alkenyloxycarbonyliridium derivatives, preparation of (L Malatesta, M Angoletta, G Caglio), (129)117
- Alkylphosphines coordinated to iridium(I), metallation of (S Hietkamp, D J Stufkens, K Vrieze), (139)189
- (η^3 -Allyl)carbonylchlorobis(dimethylphenylphosphine)iridium(III) hexafluorophosphate, crystal and molecular structure of (J A Kaduk, A T Poulos, J A Ibers), (127)245
- Allylphosphines, metallation by (acac)Ir(C_2H_4)₂ of (S Hietkamp, D J Stufkens, K Vrieze), (134)95
- Bis(cyclooctadienylchloroiridium) and -rhodium) and bis(cyclonorbornadienylchlororhodium), reactions with phosphorus(III) derivatives of (B Denise, G Pannetier), (148)155
- Bis(triphenylphosphine)chlorocarbonyliridium, homogeneous catalytic hydrogenation in solution and without solvent of (W Strohmeier, M Lukács), (129)331
- , influence of the quantum flux Φ on photoactivation of as a homogeneous hydrogenation catalyst (W Strohmeier, H Steigerwald, L Weigelt), (129)243
- $[(C_8H_{12})_2Ir\{P(OC_6H_4Me)(OC_6H_4Me)_2\}-\{P(OCH_3)_3CMe\}]$, crystal structure of (M Laing, M J Nolte, E Singleton, E van der Stok), (146)77
- Cobalt, rhodium and iridium, Annual survey covering the year 1975 (E R Hamner, R D W Kemmitt, N S Sridhara), (138)229
- Cobalt(II), rhodium(II) and iridium(II) paramagnetic hydrido complexes, electrochemistry of (G Pilloni, G Schiavon, G Zotti, S Zecchin), (134)305
- Cobalt, rhodium and iridium tetranuclear carbonyl complexes containing trifluorophosphines (H Eshtiagh-Hosseini, J F Nixon), (150)129
- Cycloocta-1,5-dienyl-*t*-phosphineiridium hexafluorophosphate, dihydrido-diolefin complexes as intermediates in catalytic hydrogenation of cycloocta-1,5-diene by (R H Crabtree, H Felkin, T Khan, G E Morris), (144)C15

- Dihydridodecacarbonyl-tetrahedro-tetraridate(2 $-$), preparation and vibrational spectra of (G Ciani, M Manassero, V G Albano, F Canziani, G Giordano, S Martinengo, P Chini), (150)C17
- Group VIIIB, carbon— and metal—alkyne complexes, IR intensity measurements on (H L M van Gaal, M W H de Graef, A van der Ent), (131)453
- Hydrosilylation of olefins in the presence of metal carbonyls (G K I Magomedov, K A Andrianov, O V Shkolnik, B A Izmailov, V N Kalinin), (149)29
- IrCl(CO)L₂ as a homogeneous hydrogenation catalyst, photoactivation as a function of the ligand L and the substrate of (W Strohmeier, L Weigelt) (129)C47
- IrCl(CO)L₂ compounds as catalysts, homogeneous hydrogenation with (W Strohmeier, M Lukacs), (133)C47
- , photoactivated homogeneous hydrogenation with (W Strohmeier, L Weigelt), (133)C43
- trans*-[IrCl(CO)(PMe₂Ph)₂], addition of acetic formic anhydride to and anion, including hydrido, transfer reactions of (J A van Doorn, C Masters, C van der Woude), (141)231
- Iridium cationic diolefin complexes as alkene hydrogenation catalysts and the isolation of related complexes (R H Crabtree, H Felkin, G E Morris), (141)205
- Iridium dicationic hydride complexes, synthesis and stereochemistry of (M J Hopkinson, J F Nixon), (148)201
- Iridium(I) diolefin complexes and *trans*-influence series for the complexes [IrCl(Cod)L] (R H Crabtree, G E Morris), (135)395
- Iridium(III) five- and six-coordinated complexes containing S-, O- or O,O'-trifluoromethanesulphinato groups, preparation and characterization of (D M Blake, Y L Chung), (134)327
- Iridium(II)—thallium(II) bonded complexes, formation of (P I van Vliet, K Vrieze), (139)337
- [IrP $\{\}(OC_6H_4Me)_2(OC_6H_4Me)\}Cl(\gamma$ -picoline)₂] formed by the *o*-cyclometallation of two *o*-tolyl groups on a single tri-*o*-tolylphosphite ligand, crystal and

- molecular structure c^r (M Nolte, E Singleton, E van der Stok), (142)387
- Pentamethylcyclopentadienyl-rhodium and -iridium cationic complexes with tertiary phosphines and phosphites and their rearrangement reactions (S J. Thompson, C White, P M. Maithis), (136)87
- Pentamethylcyclopentadienyl-rhodium and -iridium complexes, η^5 -oxocyclohexadienyi and η^6 -phenol complexes (C White, S J Thompson, P M Maithis), (127)415
- Phosphine-iridium complexes, catalytic activity in homogeneous hydrogenation of unsaturated compounds (W Strohmeier, H Steigerwald, M Lukács), (144)135
- Racemization barriers and reversible hydrogen addition of a series of chiral clusters (A Agapiou, R F. Jordan, L A Zzyzyck, J R Norton), (141)C35
- Rhodium and iridium cationic complexes, synthesis and reactions of and evidence for hydrogen-transfer processes (P T Draggett, M Green, S F W. Lowrie), (135)C60
- Rhodium(I) and iridium(I) complexes containing π -bonding ligands, redox properties of (E Marlík, J Hanzlík, A Camus, G Mestromí, G Zassinovich), (142)95
- Rhodium(I) and iridium(I) complexes containing *trans*-chelating bidentate tertiary phosphine or arsine, internal oxidation of a benzylic C—H bond to iridium (M A Bennett, R N Johnson, I B Tomkins), (128)73
- Rhodium(I) and iridium(I) complexes containing the ligands 1,6-bis(di-phenylphosphino)hexane, 1,6-bis(di-phenylphosphino)-*trans*-3-hexene, 1,6-bis(diphenylarsino)hexane and 1,6-bis(diphenylarsino)-*trans*-3-hexene formed via dehydrogenation of 1,6-bis(diphenylphosphino)hexane (P W Clark), (137)235
- Rhodium(I) and iridium(I) complexes with active Schiff bases (G Zassinovich, A. Camus, G Mestromí), (133)377
- Rhodium(I) and iridium(I) complexes with 2,2'-bipyridine and similar ligands as hydrogenation catalysts (G Mestromí, G Zassinovich, A Camus), (140)63
- Rhodium(I) and iridium(I) nucleophilic complexes, facile cleavage of the P—H bond of secondary phosphine sulphides by (V. Marsala, F. Faraone, P. Pirano), (133)301
- Rhodium trichloride-promoted dimerization of a bidentate olefinic tertiary phosphine to a tridentate ditertiary phosphine and rhodium and iridium complexes derived of (M A Bennett, R N Johnson, I B Tomkins), (133)231
- Thiocarboxamido bidentate, monodentate and bridging complexes of rhodium and iridium (A W Gal, H P M M Ambrosius, A F M J van der Ploeg, W P Bosman), (149)81
- Tris(μ -difluorophosphato)bis[η^5 -pentamethylcyclopentadienyl]rhodium(III) hexafluorophosphate, η^5 -(2,4-dimethylcyclopentadienyl)iridium cation, and η^5 -(2-hydroxy-4-methylpentadienyl)(η^5 -pentamethylcyclopentadienyl)iridium cation, solvolysis of coordinated acetone solvent species to (C White, S J Thompson, P M Maithis), (134)319
- Tris(triphenylphosphine)iridium(I) internally metallated complex, reactions with carbon monoxide, hydrogen and methanol of (F Morandini, B Longato, S Bresadola), (132)291
- Tris(triphenylphosphine)trihydroiridium, catalyst in homogeneous hydrogenation of aldehydes (W Strohmeier, H Steigerwald), (129)C43
- ## Iron
- (5-exo-Acylcyclohexa-1,3-diene)tricarbonyliron derivatives, stereochemistry of (B F G Johnson, J Lewis, D G Parker, P R Raithby, G M Sheldrick), (150)115
- α -Alkyl- and σ -acyl-cyclopentadienyl-dicarbonyliron complexes derived from spiro[4 4]nonadiene and spiro-[2 4]heptadiene (P Eilbracht, U Mayser), (135)C26
- Alkylferrocene mixtures, mass spectrometric analysis of (N V Zakurin, Yu S Nekrasov, D V Zagorevskii), (144)195
- Alkyltetramethylcyclopentadienes and phenyltetramethylcyclopentadiene,

- convenient synthesis of (R S Threlkel, J E Bercaw), (136)1
- π -Allyl complexes of transition metals, metal- π -allyl and metal-halogen stretching modes in the vibrational spectra of (T B. Chenskaya, L A. Leites, V T Aleksanyan), (148)85
- N*-Allylbenzotriazole-iron complexes, preparation and spectra of (A N Nesmeyanov, G G Aleksandrov, M Yu Antipin, Yu T Struchkov, Yu A Belousov, V N Babin, N S Kochetkova), (137)207
- π -Allyl- σ -carbamoyliron tricarbonyl chelate complexes, preparation and molecular structure of (A N Nesmeyanov, M I Rybinskaya, L V Rybin, N T Gubenko, N G Bokii, A S Batsanov, Yu T Struchkov), (149)177
- (1-Arylvinyl)ferrocenes, oxidation with molecular oxygen in the presence of silica gel of (M Hisatome, S Koshikawa, K Chimura, H Hashimoto, K Yamakawa), (145)225
- Benzene-cyclopentadienyliron, interaction with halogen derivatives of (A N Nesmeyanov, N A Vol'kenau, V A Petrakova), (136)363
- Benzoylbis(diphenylphosphino)ethane-cyclopentadienyliron, structure and chemical properties of (H Felkin, B Meunier, C Pascard, T Prange), (135)361
- σ -Benzyl- π -cyclopentadienyldicarbonyl-iron, mechanism of acidic hydrogen isotopic exchange in (T Yu Orlova, V N Setkina, D N Kursanov), (136)371
- η^6 -(Bicyclo[6.1.0]nona-2,4,6-triene)-hexacarbonyldiiron ($Fe-Fe$), 1H and ^{13}C NMR investigation of the fluxional behaviour of (G Deganello, L K K Li Shing Man, J Takats), (132)265
- Bicyclo[3.2.1]oct-2-ene-4,8-dione, facile synthesis from cyclohexadiene(tricarbonyl)iron promoted by aluminium halide (B F G Johnson, K D Karlin, J Lewis), (145)C23
- Bis(cyclopentadienyldicarbonyliron), photoreactions with potential hydrogen donors of (J A Labinger, S Madhavan), (134)381
- Bis(hexamethylbenzene)iron(0), reactions with carbon monoxide and unsaturated hydrocarbons of (S R Weber, H H Bruntzinger), (127)45
- Bis(tetracarbonylironcarbamoyl)nickel complex, preparation of (W Petz), (133)C25
- Bis(trimethylgermyl)tetracarbonyliron, synthesis and characterization of (A Bonny, K M MacKay), (144)389
- Bis(trimethylsilyl)aminothallium compounds, preparation and chemistry of (P Krommes, J Lorberth), (131)415
- Borinatoiron complexes, ring contraction and substitution reactions of (G E Herberich, K Carsten), (144)C1
- 1,3-Butadieneiron tricarbonyl, structure of the proton skeleton determined from NMR spectra of (P Diehl, A C Kunwar, H Zimmerman), (135)205
- γ^2 -Butatriene-iron cationic binuclear complex, synthesis of and reactions with oxygen nucleophiles (T E Bauch, W P Giering), (144)335
- Butadieneruthenium, ^{13}C NMR spectroscopy of (S Ruh, W von Philipsborn), (127)C59
- Butatrienehexacarbonyldiiron complexes, prepared via dehydroxylation of unsaturated diols by triiron dodeca-carbonyl (R Victor), (127)C25
- Carbonyliron compound in reduction and complexation reactions with sulphides of phosphorus compounds (F Mathey, G Muller), (136)241
- Carbonyltrifluorophosphine mixed complexes of zerovalent iron, $He(I)$ photo-electron spectra of (R A Head, J F Nixon, N P C Westwood, R J Clark), (145)75
- Cationic transition metal olefin and tetrahydrofuran complexes, reactions with ylides of (D L Reger, E C Culbertson), (131)297
- ($\eta^5-C_5H_5$)₂Co₂(NO)_{2-x}(CO)_x ($x = 1, 0$), crystal and molecular structure of and a comment on the EAN rule (I Bernal, J D Korp, G M Reissner, W A Herrmann), (139)321
- ($\eta^4-C_4H_8$)Fe(CO)₃, a fluxional molecule, (B E Mann), (141)C33
- ($\eta^5-C_5H_5$)Fe(CO)₂(η^1 -acenaphthyl), mechanism of the thermal decomposition of (S M Florio, K M Nicholas), (144)321
- trans-anti*-($\eta^5-C_5H_5$)₂Fe₂(CO)₂(PhNC)₂, preparation and structural character-

- isation of (J A S Howell, M J Mays, I.D. Hunt, O S Mills), (128)C29
- (η^2 -Cinnamic)tetra carbonyl iron acids, synthesis and acidity of (G. Reichenbach, G. Cardaci, G.G Aloisi), (134)47
- π -Complex formation at low temperature by reactions of transition metal atoms with arenes (H F. Efner, D E Tevault, W B Fox, R R Smardzewski), (146)45
- Compounds containing transition metal to main group metal bonds, mass spectrometry and bond dissociation energy of (T R. Spalding), (149)371
- 2-Copper-1-(dimethylaminomethyl)-ferrocene, structure and properties of (A N. Nesmeyanov, Yu.T Struchkov, N N Sedova, V.G. Andrianov, Yu.V. Volgin, V.A. Sazonova), (137)217
- (5-exo-Cyanocyclohexa-1,3-diene)tricarbonyliron, crystal structure of (B.F.G. Johnson, J. Lewis, D G Parker, P R Raithby, G.M. Sheldrick), (150)115
- Cycloheptatrieneron tricarbonyl, stereospecificity of proton addition to (M. Brookhart, K.J. Karel, L E. Nance), (140)203
- π -Cyclohexadienyliron complexes bearing exocyclic double bonds (J.F Helling, W.A. Hendrickson), (141)99
- trans-Cyclooctenerhodium(I) optically active complexes, preparation and circular dichroism of (I. Kinoshita, Y. Terai, K. Kashiwabara, H. Kido, K. Saito), (127)237
- h^3 -Cyclopentadienyl ligand, vibrational spectra of (V T Aleksanyan, B.V. Lokshin), (131)113
- τ -Cyclopentadienyl- σ -alkyldicarbonyl-iron complexes formed by cleavage of C-C bonds in tricarbonyliron complexes of 1,1-dialkyl-substituted cyclopentadienes (P. Eilbracht, P. Dahler), (135)C23
- η^5 -Cyclopentadienyl- η^6 -areneiron(II) cations, electroreduction in aqueous media of (C Moinet, E Roman, D. Astruc), (128)C45
- Cyclopentadienyl-bis(dimethylphenylphosphine- and -dimethylphosphinoethane-bromo- and -phenyl-iron as catalysts in homocoupling reactions between phenylmagnesium bromide and benzyl chloride (H Felkin, B Meunier), (146)169
- Cyclopentadienylbis(diphenylphosphinoethane)ironmagnesium bromide, preparation and properties of (H. Felkin, P J Knowles, B Meunier), (146)151
- Cyclopentadienylchloro-tricarbonyl-molybdenum and -dicarbonyliron, reaction with lithio-N-methylthiobenzamide of (H Brunner, J Wachter), (142)133
- (η^5 -Cyclopentadienyl)dicarbonyliron, preparation and reactivity of (G Cerveau, E Colomer, R Corru, W E Douglas), (135)373
- Cyclopentadienyldicarbonyliron-metal salts, cationic assistance in reactions with epoxides of (M Nitay, M Rosenblum), (136)C23
- Cyclopentadienyldicarbonylmethyliron, NMR of photochemical reactions with P, As, Sb, S and N donor ligands (C R. Folkes, A J Rest), (136)355
- π -Cyclopentadienyl(ferrocenylcyclobutadiene)cobalt complexes and 1,1-(o-phenylene)ferrocenes, preparations of (K. Yasufuku, H Yamazaki), (127)197
- Cyclopentadienyl-iron and -cobalt carbonyl complexes, silica-gel supported derivatives of (F R.W.P. Wild, G. Gubitosa, H H Brintzinger), (148)73
- Cyclopentadienyliron dimer, photo-induced reaction with sulphur of, crystal structure of bis(cyclopentadienyliron)monocarbonyl tetrasulphide (C Giannotti, A M Ducourant, H Chanaud, A Chiaroni, C Riche), (140)289
- Diacetylcylobutadieneiron tricarbonyl and 3,6-dimethylpyridazine[4,5a]-cylobutadieneiron tricarbonyl, reactions of (I G Dinulescu, E G Georgescu, M Avram), (127)193
- Dicarbonyl(η^5 -cyclopentadienyl)ferrate and sulphur dioxide, preparation of an ambident S-sulphinate complex from (C R Jablonski), (142)C25
- Dicarbonyl(η -cyclopentadienyl)(fulveneallene)manganese and hexacarbonyl(fulveneallene)duron, synthesis and structure of (F Edelmann, U Behrens), (128)131
- Dicarbonyl(η^5 -cyclopentadienyl)(tetrahydrofuran)iron cation, preparation and reactions of (D L Reger,

- C Coleman), (131)153
- D**icarbonyl(dimethylthiocarboxamido)-dimethyldithiocarbamatoiron, $\text{Fe}(\text{CO})_2(\text{CSNMe}_2)(\text{S}_2\text{CNMe}_2)$, crystal structure of (W K Dean, D G Vanderveer), (144)65
- η^5 η^1 -Dicyclopentadienylidcarbonyliron, reactions with phosphorus donor ligands of (J A Labinger), (136)C31
- D**icyclopentadienyldiuron tetracarbonyl, reactions with *P*-phenylphospholes of, synthesis and spectrochemistry of phosphaferroenes (F Mathey), (139)77
- D**icyclopropylacetylene, reactions with iron carbonyls (R Victor, V Usieli, S Sarel), (129)387
- cis*- and *trans*-Dienoneiron carbonyl complexes and Ψ -*endo*- and Ψ -*exo*-dienoyliron carbonyl complexes, high pressure liquid chromatographic separation of (D G Gresham, C P Lillya, P C Uden, F H Walters), (142)123
- Dienyliron tricarbonyl acyclic cations, stereospecific generation and quenching of (D G Gresham, D J. Kowalski, C P Lillya), (144)71
- (Diethyl muconate)(1,4-diaza-1,3-diene)-carbonyliron complexes, synthesis, spectra and structure of (M A De Paoli, H -W Fröhlauf, F -W Grevels, E A Koerner von Gustorf, W Riemer, C Krüger), (136)219
- Diuron enneacarbonyl, reactions with pyrylium iodides of (R.P. Hughes), (141)C29
- 3,5-Dimethylaceheptylene—metal carbonyl complexes, synthesis and molecular structure of (M R Churchill, S A Julis, R B King, C A Harmon), (142)C52
- α -[*N,N'*]-Dimethylamino[3]ferrocenophanes, stereospecific lithiation of (K C Y. Sok, G. Tanturier, B. Gautheron), (132)173
- 2,2-Dimethylbis(thiopheno[*b*])ferrocene, preparation and isomeric structures of (H Volz, H Kowarsch), (136)C27
- 1,2-Dimethylcyclobutadieneiron tricarbonyl, photochemical reactions with various acetylenes of (P L Pruitt, E R Biehl, P.C. Reeves), (134)37
- Diorganothallium-transition metal complexes, synthesis and characterization of (B Walther, H Albert, A Kolbe), (145)285
- 1,4-Diphenylferrocenocyclohexenes, preparation by cyclisation of γ -ferrocenyl- γ -phenylbutanoic acid and stereochemistry of (T Kimny, C Moise, G Tanturier), (150)253
- Disodium tetracarbonylferrate(–II), reactions with alkyl bromides and allene of (A Guinot, P Cadiot, J L Roustan), (128)C35
- Dithiocarboxylate-iron, -manganese and -rhenium complexes, preparation using phosphorus and boron sulphides as sulphurizing agents of (L Busetto, A Palazzi, E F Serantoni, L Riva di Sanseverino), (129)C55
- Electroneutral naphthalenecyclopenta-dienyliron (A N Nesmeyanov, S P Solodovnikov, N A Vol'kenau, L S Kotova, N A Sinityna), (148)C5
- Enantiomeric 1-dimethylaminoethylferrocene, asymmetric induction in the course of internal palladation of (V I Sokolov, L L Troitskaya, O A. Reutov), (133)C28
- μ -Ethylthio- μ' -carbonylbis(*n*-cyclopenta-dienylcarbonyliron)(*Fe*—*Fe*) hexafluoroantimonate, crystal and molecular structure of (R B English, L R Nassimbeni, R J Haines), (135)351
- $\text{Fe}_2(\text{CO})_8(\text{Ph}_2\text{PC}\equiv\text{CBu}-t)$, synthesis and X-ray crystal structure of (A J Carty, W F Smith, N J Taylor), (146)C1
- [$\text{Fe}(\text{CO})_2(\text{S}_2\text{CNMe}_2)(\text{CNMe}_2)_2\text{S}$]— PF_6 $\frac{1}{2}\text{C}_2\text{H}_4\text{Cl}_2$, cationic dicarbene complex, crystal structure of (W K Dean, D G Vanderveer), (145)49
- $\text{Fe}_4(\text{CO})_{12}\text{S}(\text{CSNMe}_2)(\text{CNMe}_2)$, crystal structure of (W K Dean, D G Vanderveer), (146)143
- Ferricinium tetrachloroferrate, crystal and molecular structure of (E F Paulus, L Schäfer), (144)205
- Ferrocene, Annual survey covering the year 1976 (G Marr, B W Rockett), (147)273
- , electrochemical alkylation of (N V Zakurn, L I Denisovich, S P Gubin), (129)203
- , electrochemical substitution of hydrogen in (S P Gubin, L I Denisovich, N V Zakurn, M G Peterleitner), (146)267
- , stereochemistry of hydrogenation during ligand exchange reactions with 9,10-dimethylanthracene

- (R G Sutherland, W J Pannekoek, C C Lee), (129)C1
- Ferrocene compounds, enzyme-catalysed oxidation of (R Epton, M E Hobson, G. Marr), (134)C23
- Ferrocene and ruthenocene, behaviour in weakly to strongly protic media of (G Cerichelli, G. Illuminati, G Ortaggi, A.M. Giuliani), (127)357
- Ferrocene and substituted ferrocenes, oxidation in the presence of horseradish peroxidase of (R Epton, M.E Hobson, G. Marr), (149)231
- Ferroceneboronic acid, kinetics and mechanism of protodeboronation in moderately concentrated sulphuric acid of (B. Floris, G. Illuminati), (150)101
- 2,3-Ferrocene-1-indanones and 1,2-(α -oxotetramethylene)methylcymatrenes, reduction by metal hydrides or Grignard reagents of (M Le Plouzennec R Dabard), (133)359
- Ferrocenethiocarboxylic acid derivatives, preparation and spectral properties of (T Katada, M. Nishida, S Kato, M Mizuta), (129)189
- Ferrocenium protonated tetrahaloborates, preparation and IR spectra of (W. Siebert, W Ruf, K -J Schaper, T Renk), (128)219
- Ferrocenophane-7-carbocations and their rearrangement (M Hisatome, K Yamakawa), (133)C9
- [3]Ferrocenophane-1,3-dione, synthesis and reactivity of (M. Salisová, Š Toma, E Solcániová), (132)419
- [3]Ferrocenophanylbutanoate anions, photochemically induced electron transfer from (E K Heaney, S R Logan, W.E Watts), (150)309
- Ferrocenyl derivatives of dicyclopentadienyl-titanium, -zirconium and -hafnium (G A Razuvaev, G A Domrachev, V V. Sharutin, O N Suvorova), (141)313
- Ferrocenylcarbenium ions, ^{13}C NMR spectra and structure of (A A Kordze, P V Petrovskii, S P. Gubin, V I Sokolov, A I Mokhov), (136)65
- Ferrocenylcarbocations, reactions with water (C A Bunton, N Carrasco, W E Watts), (131)C21
- (Ferrocenoxy)-2-tetrahydropyran, synthesis and reactivity of (R Epton, G Marr, G K Rogers), (150)93
- Ferrocenylphenylacetylene and diferrocenylacetylene, reactions with (n^5 -cyclopentadienyl)dicarbonylcobalt of (M D Rausch, F A. Higbie, G F Westover, A Clearfield, R Gopal, J.M Troup, I Bernal), (149)245
- Ferrocenylphosphinerhodium(I) cationic complexes, asymmetric hydrogenation reactions of (W R. Cullen, E -S. Yeh), (139)C13
- [FeX(CO)₃]₂ complexes (X = SCH₃, SC₆H₅, P(CH₃)₂), photochemically induced insertion of alkynes into the metal-metal bond of (R Mathieu, R Poilblanc), (142)351
- First-row transition metal hydrido-carbonyl and hydridotrifluorophosphine complexes, UV electron spectra of (R A Head, J F. Nixon, R J Clark), (135)209
- Formyltetracarbonylferrate(0) salts, synthesis of (S R Winter, G W Cornett, E A Thompson), (133)339
- Group IVB metal dihalides, insertion into Fe—C σ -bonds of (J D Cotton, G A Morris), (145)245
- Halocyclopentadienyliron complexes of the type (n -C₅H₅)_nX_n)Fe(CO)₂(σ -C₅F₅) (W A Herrmann, M Huber), (136)C11
- Hexacoordinate iron(II) complexes with isocyanides, phosphines and halides, Mössbauer studies of (S Calogero, G Albertin, A A Orio, G Pelizzi), (133)327
- Hydridosilacyclobutanes, reactions with low-valent complexes of iron and platinum of (C S Cundy, M F Lappert), (144)317
- Iron and manganese carbonyls, reactions with cyclopentadienylphosphines and derivatives of (F Mathey, J -P Lampin), (128)297
- Iron and molybdenum carbonyls of 5,6,7,8-tetramethylenebicyclo[2.2.1]-oct-2-ene (T Boschi, P Narbel, P Vogel, R Roulet), (133)C39
- Iron—carbon σ bonds, electrophilic cleavage of and mechanism and stereochemistry at iron (T C Flood, D L Miles), (127)33
- , N-sulphinylsulphonamide and bis-(methylsulphonyl)sulphur diimide insertion into (R G Severson, A Wojciecki), (149)C66
- Iron carbonyl complexes, reactions with dimethylthiocarbamoyl chloride of

- (W K Dean), (135)195
- Iron carbonyls, reaction with 5,6-di-methylene-7-oxabicyclo[2.2.1]hept-2-ene of (T Boschi, P Vogel, R Roulet), (133)C36
- Iron complexes with dinitrogen and nitrogen-hydrogen ligands synthesis and properties of $[(\text{C}_5\text{H}_5)\text{Fe}(\text{dppe})\text{L}] \cdot \text{X}$ (D Sellmann, E Kleinschmidt), (140)211
- Iron-2-alkenyl and iron-2-alkynyl bonds, cleavage by mercury(II) chloride of (L J Dizikes, A Wojcicki), (137)79
- Manganese(I) and iron(I) carbonyls, cyanoalkyl derivatives of (T Boschi, G Campesan, R Ros, R Roulet), (136)39
- Metal carbonyl anions, reactions of carbon dioxide with (G O Evans, W F Walter, D R Mills, C A Streit), (144)C34
- Metal carbonyl monoanions, convenient preparation by trialkylborohydride cleavage of metal carbonyl dimers of, observation and reactions of a bimetallic manganese-formyl intermediate (J A Gladysz, G M Williams, W Tam, D L Johnson), (140)C1
- Metallocyclic carbenes (P Klemarczyk, T Price, W Priester, M Rosenblum), (139)C25
- Methyl-transition metal complexes, ^{13}C relaxation mechanisms in and high barriers to rotation about metal-carbon σ bonds (R F Jordan, E Tsang, J R Norton), (149)C53
- Methylferrocene, mass spectrometry of (D V Zagorevskii, Yu S Nekrasov, D A Lemenovskii), (146)279
- Mono- η^5 -cyclopentadienyliron derivatives with chelate diphosphine ligands (G Balavoine, M L H Green, J P Sauvage), (128)247
- Mono- and di-1,3-cyclopentyleneferrocenophanes and their acyl and alkyl derivatives, ^1H and ^{13}C NMR spectra of (D Astruc, P Batail, M L Martin), (133)77
- Mononuclear transition metal carbonyl complexes with hydride donors, reactions of (S R Winter, G W Cornett, E A Thompson), (133)339
- α -Naphthylferrocenylfluorosilane and α -naphthylferrocenylfluorochlorosilane, chemical and stereochemical behaviour of (C Brehere),
- R J P Corriu, G Toyo), (148)107
- Nonacarbonylbis(μ^3 -phenylarsinidene)-triron(2Fe-Fe), crystal and molecular structure of (M Jacob, E Weiss), (131)263
- sym*-Octamethylferrocene and decamethylferrocene, crystal and molecular structure of (Yu T Struchkov, V G Andrianov, T N Sal'nikova, I R Lyatifov, R B Materikova), (145)213
- Octamethylferrocene and salts of ferri-cinium and octamethylferricinium, interaction with visible light of (A N Nesmeyanov, N S Kochetkova, R B Materikova, I R Lyatifov, N V Fok, T V Burova, B M Yavorsky, V N Trembovler), (145)69
- Olefinic π -tetracarbonyliron complexes, spectroscopic study of the olefinic bond in (M Bigorgne), (127)55
- 1,2-Oligomeric ferrocenes, formation from Ullmann reactions of iodoferro-cenes of (P V Roling, M D Rausch), (141)195
- Organoiron complexes containing the η^1 -1-(1,3-alkadienyl) ligand, synthesis of (T E Bauch, H Konowitz, R C Kerber, W P Giering), (131)C7
- Organoiron complexes having chiral centers, diastereospecificity of intramolecular reactions of (P Lennon, W Priester, A Rosan, M Madhavarao, M Rosenblum), (139)C29
- Organometallic compounds containing iminoacyl ligands, syntheses of (R D Adams, D F Chodosh, N M Golembeski), (139)C39
- Organosilyl derivatives of cyclopenta-dienyldicarbonyliron, reactions with triphenyl phosphite of (G Cerveau, E Colomer, R Corriu), (136)349
- Pentacarbonyliron, kinetics and mechanism of the reaction with mercuric halides of (J E Pardue, G R Dobson), (132)121
- Pentacarbonyliron in complexation reac-tions with arenotropones (M El Borai, R Guillard, P Fournari, Y Desausoy, J Protas), (148)285
- Pentacarbonyliron photocatalysed reac-tions of trialkylsilanes with alkenes (M A Schroeder, M S Wrighton), (128)345
- Pentadienyltricarbonyliron cations, elec-trophilic substitution of methoxyben-

- zenes by (T G Bonner, K A Holder, P Powell, E Styles), (131)105
- Pentadienyltricarbonyliron unsymmetrically substituted cations, reactions with water of (R S. Bayoud, E R. Biehl, P C. Reeves), (150)75
- μ -[Phenyl(dicyclohexylphosphonio)-ethenidyl]- μ -(diphenylphosphido)-hexacarbonylduron, X-ray structure of (A J Carty, G.N Mott, N J Taylor, G Ferguson, M.A. Khan, P J Roberts), (149)345
- Phosphine-substituted monomeric manganese carbonyl arsenides, preparation and Lewis basicity of (R Müller, H. Vahrenkamp), (150)C11
- syn*-Polymethylferricinium hexafluorophosphates, synthesis, analysis and IR spectra of (A.N. Nesmeyanov, R.B Materikova, I.R. Lyatifov, T.Kh. Kurbanov, N.S. Kochetkova), (145)241
- Protonated ferrocenes, conformational and electronic behaviour of (T E Bitterwolf, A C Ling), (141)355
- Racemization barriers and reversible hydrogen addition of a series of chiral clusters (A Agapiou, R F Jordan, L A Zyzzyck, J R Norton), (141)C35
- syn*-[μ -(SCH₃)Fe(CO)₂P(CH₃)₂]₂, synthesis and crystal and molecular structure of (G Le Borgne, D Grandjean, R Mathieu, R Poilblanc), (131)429
- Six-coordinate metal carbonyl stereochemically nonrigid complexes, ¹³C NMR investigation of *cis*-M(CO)₄X₂ and M'(CO)₅X derivatives (M = Fe, Ru, Os, M' = Mn, Re, X = H, I) (L Vancea, W A.G. Graham), (134)219
- Sodium η^5 -cyclopentadienyldicarbonylferrate(0), reaction with sulphur dioxide of, synthesis of iron—sulphur dioxide complexes (P. Reich-Rohrwig, A C. Clark, R L. Downs, A. Wojciech), (145)57
- Substituted polymethylferrocenes, ¹H and ¹³C NMR and IR spectra of (R B Materikova, V N. Rabin, I.R. Lyatifov, T.Kh. Kurbanov, E.I. Fedin, P.V. Petrovskii, A.I. Lutsenko), (142)81
- Sulphur-containing tricarbonyliron complexes, synthesis and properties of (N S Nametkin, V D Tyurin, M A Kukina), (149)355
- Tetracarbonylferra-3-cyclopentene-2,5-dione, crystal and molecular structure of (K Hoffmann, E Weiss), (128)399
- Tetracarbonyl(thiocarbonyl)iron, preparation and spectra of (W. Petz), (146)C23
- Tetracyanoethylene, reaction with substituted 7-methylenecycloheptatriene complexes of tricarbonyliron of (P McArdle), (144)C31
- 1-R,1-R',2,3,4,5-Tetr phenyl-1-sila and -germa-cyclopentadieneiron tricarbonyls, synthesis and reactions of (P Jutzi, A Karl), (128)57
- Thiadiborolene-tricarbonyliron complexes, preparation, structure and bonding in (W Siebert, R Full, J Edwin, K Kinberger, C Krüger), (131)1
- Thiocarbonyl-bridged (η^5 -C₅H₅)₂Fe₂-(CO)₃(CS) and crystal structure of an S-alkylated derivative (R E Wagner, R.A. Jacobson, R J. Angelici, M H Quick), (148)C35
- Tricarbonyl[8-acetyl-2-4 6-7- η -bicyclo-[3.2.1]octadienyl]iron, novel rearrangement in the acetylation of η -C₅H₅Fe(CO)₃ (A.D. Charles, P Diversi, B F G Johnson, K D Karlin, J Lewis, A V Rivera, G M Sheldrick), (128)C31
- Tricarbonyl(cyclohexa-1,3-diene)iron, electrophilic acetylation of (B F G Johnson, J Lewis, D G Parker), (141)319
- , reactions with thallium(III) salts of (B F G Johnson, J Lewis, D.G Parker), (127)C37
- Tricarbonyl(η^4 -cyclopentadienone)iron, crystal and molecular structure of (K Hoffmann, E Weiss), (128)237
- Tricarbonyl[1,2,2,1,12a- η -5,10-dimethyl-dibenzo[a,c]cyclobuta[f]cyclooctene-3,12-dione]iron, crystal structure of (W Stallings, J. Donohue), (139)143
- Tricarbonyl (η^4 -3,4-dimethylthiophenedioxide)iron, crystal and molecular structure of (K. Hoffmann, E. Weiss), (128)389
- Tricarbonylmethyl alkenyl and cyclo-alkenyl compounds, extended CNDO/2 studies of (N J Fitzpatrick, J.-M. Savariault, J.-F R Labarre), (127)325
- Tricarbonyl(methoxycyclohexa-1,3-diene)iron, different steric environments of the 5-*exo*- and 5-*endo*-substituent for an isomeric pair of (A L Burrows, B F G Johnson,

- J Lewis, D G Parker), (127)C22
 Tricarbonyl[1,2 4-5- η -(1,1,1-tricarbonyl-1-ferra-2-thia-4-cyclopentene-3-one)]iron, preparation and structure of (K Hoffmann, E Weiss), (128)225
 Tricarbonyl[tricarbonyl(methylferracyclopentadiene)]iron, preparation and spectra of and crystal structure of tricarbonyl[tricarbonyl(methylferrathiacyclohexadiene)iron . (P Hübener, E Weiss), (129)105
 [(Tricarbonyltriphenylstibinephenyl-iron)diphenylstibine] tetracarbonyl-iron, Mössbauer study of (D J Cane, E J Forbes, J Silver), (129)181
 (8-10- η 12-Tricyclo[5.3.2^{1,7}0^{2,6}]-dodeca-2,4,6-traza-4-methyl-3,5,11-trioxa-8,9-dienyl)tricarbonyliron, crystal and molecular structure of (G D Andreotti, G Bocelli, P Sgarabotto), (150)85
 Triferoenylphosphineiron carbonyls, formation by substitution and disproportionation processes of (G P Sollott, D L Daughdrill, W R Peterson, Jr.), (133)347
 Triiron dodecacarbonyl, nucleophilic substitution in benzene by triphenylphosphine in (R Kumar), (136)235
 1,1'-Trimethylenebenzenecyclopenta-dienyliron cation, synthesis and structure of (A N Nesmeyanov, M V Tolstaya, M I Rybinskaya, G B Shul'pin, N G Bokii, A S Batsanov, Yu T Struchkov), (142)89
 Trimethylphosphinetriphenylphosphinedicarbonyliron disulphide ($\text{Fe}(\eta^2\text{-CS}_2)(\text{CO})_2(\text{PM}_{\text{E}})_2(\text{PPh}_3)$), X-ray crystal structure of (H Le Bozec, P Dixneuf, N J Taylor, A J Carty), (135)C29
 Tris(triphenylphosphine)dicarbonyl-iron and -ruthenium complexes, reactions of (F Porta, S Cenini, S Giordano, M Pizzotti), (150)261
 Troponeron tricarbonyl protonated complexes, low-temperature spectroscopic observation of (M S Brookhart, C P Lewis, A Eisenstadt), (127)C14

Lanthanides

- Lanthanides and actinides, Annual survey covering the year 1976 (T J Marks), (138)157

Lead

- Arsenediazoalkanes with organometallic ligands, synthesis, chemical reactivities and thermodynamics of (E Glozbach, J Lorberth), (132)359
 Bis(trimethylsilyl)bromomethylolithium and tris(trimethylsilyl)methylolithium, reactions leading to α -bromovinylsilanes of (D Seyerth, J L Lefferts, R L Lambert Jr), (142)39
 Diborane in reactions with organic derivatives of tin and lead (F G Thorpe, S W Breuer, G M Pickles, T Spencer), (145)C26
 Diethylcadmium cathodically produced, anodic ethylation of lead by (G Mengoli, S Daolio), (131)409
 Diethylketomalonate—Group IVB free radical adducts, ESR study of (G N Coppin, A Hudson, R A Jackson, N P C Simmons), (131)371
 Diphenylead diisothiocyanate adducts with *O*- and *N*-donor ligands, synthesis and vibrational spectra of (R Makhiya, M Onyszchuk), (135)261
 Group IVB elements, alkynethiol derivatives of (S J Harris, D R M Walton), (127)C1
 Group IV and V organic oxygen complexes, investigation by electronic emission spectroscopy of (G A Razuvaev, A N Egorochkin, V A Kuznetsov, V N Glushakova, A V Shabanov, Yu A Alexandrov, Yu Yu Baryshnikov), (148)147
 Organolead cyclic compounds, spectroscopic properties of (D C van Beelen, J Wolters, A van der Gen), (145)359
 Organometallic diazoalkanes, 1,3-dipolar cycloaddition with dimethyl acetylénedicarbonic acid ester of (R Grüning, J Lorberth), (129)55
 Organometallic diazoalkanes of the Main Group elements, $^{13}\text{C}\{\text{H}\}$ PFT spectra of (R Grüning, P Krommes, J Lorberth), (128)167
 Organo-tin and -lead compounds, oxidative addition reactions to $[\text{Pt}(\text{C}_2\text{H}_4)\text{-}(\text{PPh}_3)_2]$ of (G Butler, C Eaborn, A Pidcock), (144)C23
 Tetracarbonyl-cobalt, -tin and -lead compounds, preparation of (G Schmid, G Etzrodt), (131)477

Trimethyl- and triphenyl-methylene-metals and -metalloids, NMR study of substituent effects in (W Adcock, D.P Cox, W. Kitching), (133)393

Univalent organometallic cations and the proton, relative softness upon formation of M—O, M—S, H—O and H—S bonds of (D N Kravtsov, A S. Peregudov, E.M Rokhina), (128)C27

Lithium

Alkoxyalkylthiobenzenes, metalation of (S Cabiddu, S. Melis, P P. Piras, M Secci), (132)321

Alkyllithium compounds, solvation of, steric effects of interaction of bases with hexameric vs tetrameric alkyl-lithiums (R.P. Quirk, D E Kester), (127)111

Alkylphenylacetylenes, rates of monometallation of (J.Y. Becker), (127)1

Alkyltetramethylcyclopentadienes and phenyltetramethylcyclopentadiene, convenient synthesis of (R S Threlkel, J E. Bercaw), (136)1

B-1-Alkynyl dialkylboranes, synthesis by reaction of alkynyllithium with methyl dialkylborinates of (H C Brown, J.A. Sinclair), (131)163

Allyllithium, ab initio structures of (T. Clark, E D. Jemmis, P.v.R. Schleyer, J.S. Binkley, J A Pople), (150)1

Allylmagnesium, allyllithium, and saturated lithium compounds, behaviour towards enynes and diynes of (B. Mauzé), (134)1

Allylzinc bromide, reactions with carbonyl compounds of (F. Barbot, Ph. Miginiac), (132)445

Allyl-zinc, -magnesium and -lithium and saturated lithium compounds, reactions with conjugated enynes and diynes of (B. Mauzé), (131)321

C,N-Benzylolithium, reactions with early transition metal organic derivatives (L.E. Manzer), (135)C6

1,2-Bis[bis(trimethylsilyl)amidosulphenyl]stilbene, formation by reactions of lithium bis(trimethylsilyl)amide with thiobenzoyl chlorides (W. Walter, H-W Lüke, G Adiwidjaja), (140)11

Bis(trimethylsilyl)bromomethylolithium and tris(trimethylsilyl)methylolithium, reactions leading to α -bromovinyl-

silanes of (D Seyferth, J L Lefferts, R L Lambert Jr.), (142)39

1,4-Butadiene-aluminium and -lithium tetrasubstituted compounds (H Hoberg, V Gotor), (149)5

Butenyl-magnesium, -zinc and -aluminium bromides, oxidation at low temperature and reduction of (S Czernecki, C Georgoulis, E. Michel), (140)127
n-Butyllithium, reactions with 1,3-benzodioxole and 1,3-benzoxathiole derivatives (S Cabiddu, A Maccioni, P P Piras, M Secci), (136)139

η^4 -Cyclobutadienecobalt substituted complexes, organolithium route to (D Seyferth, S C Vick), (139)209

Cyclopentadienylchloro-tricarbonyl-molybdenum and -dicarbonyliron, reaction with lithio-N-methylthiobenzamide of (H Brunner, J Wachter), (142)133

Cyclopentadienyldicarbonyliron—metal salts, cationic assistance in reactions with epoxides of (M. Nitay, M Rosenblum), (136)C23

(\leftarrow)—Cyclopentadienyldicarbonylmen-thylmethoxycarbenemanganese, preparation and configuration of (S Fontana, U Schubert, E O Fischer), (146)39

S,S-Dialkylsulphur(VI) diimides, reactivity towards methylolithium, sodium methylate and sodium trimethylsilanolate of (W. Wolfsberger, H Försterling), (132)203

Diborane, reactions with organolithium, organosodium, organopotassium and organocalcium derivatives of (F G. Thorpe, G.M. Pickles, J C Podesta), (128)305

2,7-Dibromonaphthalene and 2,7-dibromoanthracene, halogen—metal interconversion in (G Porzi, C Concilio), (128)95

gem-Dichloroallyllithium, reaction with silicon, germanium, tin and mercury halides and with triphenylborane of (D Seyferth, G J Murphy, R A Woodruff), (141)71

Dicyclopentadienyl- η^3 -cyclononatetra-enylniobium, preparation and vibrational spectra of (A Westerhof, H J de Liefde Meijer), (149)321

Dicyclopentadienyllanthanide-triphenylgermanes and -triphenylstannanes, preparation of (H Schumann, M Cygon), (144)C43

- trans*-1,2-(Diethylaluminium)stilbene, *ortho*-metallation of (H Hoberg, V. Gotor), (148)1
- gem*-Difluoroallyllithium, generation by transmetalation reaction of (D Seyferth, K R Wursthorn), (137)C17
- 1,2-Dilithioethylene, attempted synthesis of (D Seyferth, S C Vick), (144)1
- Dilithium complex obtained by 1,2 deprotonation of acenaphthylene, $[\text{Li}(\text{CH}_3)_2\text{N}(\text{CH}_2)_2\text{N}(\text{CH}_3)_2]_2 [\text{C}_{12}\text{H}_8]$, characterization of (W E Rhine, J H Davis, G Stucky), (134)139
- (1Z,4Z)-1,5-Dilithium-1,4-pentadienes, synthesis and reactions of (P. Jutzi, J Baumgärtner, W Schraut), (132)333
- α -[*N,N*]-Dimethylamino[3]ferrocenophanes, stereospecific lithiation of (K C Y Sok, G Tainturier, B Gautheron), (132)173
- Dimethylcyclooctadienylpalladium, preparation of (M Rudler-Chauvin, H Rudler), (134)115
- 2,2-Dimethyl-3-pantanone metal derivatives, *O*- and *C*-metallated structures of (R Meyer, L Gorrion, P Maroni), (129)C7
- Diphenylallylvinylsilane, metallation reactions of (R J P Corriu, G F Lanneau, J P Masse, D Samate), (127)281
- α -Esters and α -phosphonates of halo-organometallic compounds, alkylation by organocupper compounds of (J Villieras, A Reliquet, J.-F. Normant), (144)17
- Grignard reactions of 2-,3- and 4-haloalkoxysilanes (P Fosteim, J -C Pommier), (150)187
- Group IVB-substituted stannacyclohexadiene derivatives, synthesis and reactivities of (P Jutzi, J. Baumgärtner), (148)247
- Heavier alkali metals, Annual survey covering the year 1975 (E M Kaiser), (130)133
- , — 1976, (143)99
- Hexacarbonyl-chromium, -molybdenum and -tungsten compounds, reactions with (*o*-lithiobenzyl)diphenylphosphines of (H -P Abicht, K Issleib), (132)327
- α -Hydroxysilanes, synthesis from organoboranes of (O Rosario, A Oliva, G L Larson), (146)C8
- Isopropylolithium and secondary butyl-
- lithium, association and complexing of (V M Sergutin, N G Antonov, V N Zgonnik, K K Kalminsh), (145)265
- α -Lithio- α -chloroalkylphosphonate mixed with alkyllithium, nucleophilic substitution of chlorine catalysed by copper(I) salts (J Villieras, A Reliquet, J F Normant), (144)263
- Lithium, Annual Survey covering the year 1975 (E M Kaiser), (130)1
- , — 1976, (E M Kaiser), (143)1
- Lithium esters and ketoenolyl lithium compounds, reactions with mixed carboxylic and carbonic acid anhydrides of (R Couffignal, J -L Moreau), (127)C65
- Lithium trimesitylochromate(II) and dilithium tetramesitylochromate(II), preparation and properties of (K Schmiedeknecht), (133)187
- Manganese(II) and chromium(II) paramagnetic complexes, syntheses and structures of (L E Manzer, L J Guggenberger), (139)C34
- Metal carbonyl monoanions, convenient preparation by trialkylborohydride cleavage of metal carbonyl dimers of, observation and reactions of a bimetallic manganese-formyl intermediate (J A Gladysz, G M Williams, W Tam, D L Johnson), (140)C1
- Methylolithium and trimethylaluminium complexes with aliphatic amines, CNDO/2 MO calculations of (Z Latajka, H Ratajczak, K Romanowska, Z Tomczak), (131)347
- Mono- and di-alkali metal bis(cyano-methyl)arenes, IR spectra and structure of (I N Juchnovski, V B Radomirska, I G Binev, E A Grekova), (128)139
- Organometallic delocalized compounds, ^{13}C NMR coupling constants in (S Bywater, D J Patmore, D J Worsfold), (135)145
- Organocuprates, reactions with allyl acetates of with possible formation of allylcopper complexes (J Levisalles, M Rudler-Chauvin, H Rudler), (136)103
- Organomagnesium and organolithium addition reactions with α -oxygenated nitriles (R Gauthier, G P Axiotis, M Chastrette), (140)245
- Organomagnesium and organolithium

- compounds, stereochemistry of reactions with 1,2-dimethyl-1-alkoxysilacylobutanes of (J Dubac, P Mazerolles, P Fagoaga), (139)271
- Organometallic derivatives of the transition metals in their lowest oxidation states, synthesis of (S I. Berlin, S B. Golstein, B A. Dolgoplosk, I Sh. Guzman, E I. Tinyakova), (142)145
- Pentadienyllithium, theoretical study of (R J Bushby, A S Patterson), (132)163
- 1,2,3,4,5-Pentafluorochromarene, synthesis and chemistry of; electronic effect of a π -Cr(C₆H₆) moiety (A Agarwal, M J McGlinchey, T-S Tan), (141)85
- Phenyllithium in reaction with lithium aluminium hydride in diethyl ether (E C Ashby, A B Goel), (135)137
- Propenyllithiums, phenyllithium and ethyllithium, enthalpies of protonation of (G R Brubaker, P Beak), (136)147
- 9-Propylfluorenyllithium and α,ω -bis-(9-fluorenyllithium)polymethylenes, aggregation and solvation in toluene of (U Takaki, G Collins, J Smid), (145)139
- Silacyclobutanes with bulky substituents, preparation and spectra of (P Jutzi, P Langer), (132)45
- Silicon analogues of phenothiazine (J Y. Corey, J.P. Paton, D.M. Rankin), (139)1
- Silylation of mono-aromatic compounds by the HMe₂SiCl/Li/THF system (M. Laguerre, J. Dunoguès, N Duffaut, R. Calas), (149)49
- α -Silylselenoalkyllithiums, synthesis of (D Van Ende, W Dumont, A Krief), (149)C10
- Tetrakis(trimethylgermyl)diphosphine, preparation of (H. Schumann, L Rösch, W. Schmidt-Fritsche), (140)C21
- Tin-substituted pentadiene derivatives, synthesis and reactions of (P Jutzi, J Baumgärtner), (148)257
- Titanium and silicon containing heterocyclic compounds, synthesis of (H. Sakurai, H Umino), (142)C49
- 4-Tolylcopperlithium ("cuprate") and 4-tolylgoldlithium ("aurate") stable tetranuclear compounds, properties of (G van Koten, J T B H Jastrzebski, J G Noltes), (140)C23
- Tri-*t*-butylsilane and tri-*t*-butylhalosilanes, preparation and properties of (M Weidenbruch, H Pesel, W Peter, R Steichen), (141)9
- Trimethyl-silyl- and -germyl-methyl-lithium, reaction with tungsten hexachloride, initiation of cycloolefin polymerization (B A Dolgoplosk, L A Oreshkin, K L Makovetsky, E I Tinyakova, I Ya Ostrovskaya, I L Kershenbaum, G M Chernenko), (128)339
- Tris(trimethylsilylmethyl)erbium-tris-(tetrahydrofuran), preparation of (H Schumann, J Müller), (146)C5
- ### Lutetium
- Tricyclopentadienylanthanide complexes, Raman spectra of (V T Aleksanyan, G K Borisov, L A. Garbuzova, G G Devyatikh), (131)251
- ### Magnesium
- Allyl-Grignard reagent addition to isoprene, reactivity of the products of (F Barbot, Ph Miginiac), (145)269
- Allyl magnesium, allyllithium, and saturated lithium compounds, behaviour towards enynes and diynes of (B Mauzé), (134)1
- Allylzinc bromide, reactions with carbonyl compounds of (F Barbot, Ph Miginiac), (132)445
- Allyl-zinc, -magnesium and -lithium and saturated lithium compounds, reactions with conjugated enynes and diynes of (B Mauzé), (131)321
- Butenyl-magnesium, -zinc and -aluminium bromides, oxidation at low temperature and reduction of (S Czernecki, C Georgoulis, E Michel), (140)127
- Chromium bis-aryl complexes containing the dimethylthiocarbamate anion and other chelate ligands (A L Marchese, B O. West), (141)C1
- η^5 -Cyclopentadienyl complexes of niobium and tantalum, preparation of (R J Burt, J Chatt, G J Leigh, J H. Teuben, A Westerhof), (129)C33
- η^5 -Cyclopentadienyl ligand, vibrational

- spectra of (V.T Aleksanyan, B V. Lokshin), (131)113
- Cyclopentadienyl-bis(dimethylphenylphosphine)- and -dimethylphosphinoethane-bromo- and -phenyl-iron as catalysts in homocooupling reactions between phenylmagnesium bromide and benzyl chloride (H Felkin, B Meunier), (146)169
- Cyclopentadienylbis(diphenylphosphinoethane)ironmagnesium bromide, preparation and properties of (H Felkin, P J Knowles, B Meunier), (146)151
- Cyclopentadienyldicarbonyliron—metal salts, cationic assistance in reactions with epoxides of (M Nitay, M Rosenblum), (136)C23
- Dicyclopentadienylmagnesium, vibrational spectra and structure of (V T Aleksanyan, I A. Garbuzova, V V Gravlenko, L I Zakharkin), (129)139
- Dicyclopentadienylneopentyltitanium(III), synthesis and properties of (F W van der Weij, H Scholtens, J H Teuben), (127)299
- 1,7-Dimagnesiacyclododecane, crystal and molecular structure of (A L Spek, G Schat, H C Holtkamp, C Blomberg, F. Bickelhaupt), (131)331
- 2,2-Dimethyl-3-pentanonemetal derivatives, *O*- and *C*-metallated structures of (R Meyer, L Gorrichon, P Maroni), (129)C⁷
- Dinitrogen and acetylene fixation by the system CrCl₂/Mg, isolation and properties of chromium complexes with fixed N₂ and C₂H₂ (P Sobota, B Jeżowska-Trzebiatowska), (131)341
- α -Esters and α -phosphonates of halogenometallic compounds, alkylation by organocopper compounds of (J Villieras, A. Reliquet, J -F Normant), (144)17
- α -Ethylenic organozinc compounds, addition to α -acetylenic alcohols, ethers and organomagnesium derivatives of (Y Frangin, M Gaudemar), (142)9
- Ethylmagnesium bromide and copper iodide, reactions with 1-mesityl-3-phenyl-2-propenone of (P. Four, P Le Tri, H. Rivière), (133)385
- 2,3-Ferrocene-1-indanones and 1,2(α -oxotetramethylene)methylcymantrenes, reduction by metal hydrides or Grignard reagents of (M Le Plouzennec, R Dabard), (133)359
- Grignard reagents, reaction with allyl sulphides and allylsulphonium salts catalysed by copper(I) salts of (Y Gendreau, J F. Normant, J Villieras), (142)1
- , reaction with 1,3 dioxolanes of and elaboration of the mechanism (G Westera, C Blomberg, F Bickelhaupt), (144)285
- , reaction with 1,3-dioxolanes of synthetic route to β -hydroxyalkyl enol ethers (G Westera, C Blomberg, F Bickelhaupt), (144)291
- , reaction with 2,2,4,4-tetramethyl-3-pantanethione and adamantanethione of (D Paquer, M Vazeux), (140)257
- , substitution reactions with vinylic iodides catalysed by copper salts of (A Commercon, J F Normant, J Villieras), (128)1
- Magnesium, Annual survey covering the year 1975 (C Blomberg), (138)1
- Nickel complexes, catalytic behaviour in the synthesis of olefins from allylic alcohols and Grignard reagents (C Chuit, H Felkin, C Frajerman, G Roussi, G Swierczewski), (127)371
- Organomagnesium and organolithium compounds, addition reactions with α -oxygenated nitriles (R Gauthier, G P Axiotis, M Chastrette), (140)245
- , stereochemistry of reactions with 1,2-dimethyl-1-alkoxysilacyclobutanes of (J Dubac, P Mazerolles, P Fagoaga), (139)271
- Organomagnesium compounds with an electron donor in benzene (G Westera, G Schat, C Blomberg, F Bickelhaupt), (144)273
- Organomagnesium saturated and benzylic compounds, addition reactions with conjugated enynes of (J Auger, G Courtois, L Miginiac), (140)237
- Poly(*N*-alkylimino-aluminium and -alkaline-earth metal mixed derivatives, advances in the synthesis of (S Cucinella, G Dozzi, G Perego, A Mazzei), (137)257
- Polychlorophenylnickel(II) phosphine complexes, spectra and reactions of (M Anton, J M Coronas, J Sales), (129)249
- n-Propylmagnesium bromide in hydrogenolysis of allyl alcohols catalysed by

- nickel complexes (H. Felkin, E. Jampel-Costa, G. Swierczewski), (134) 265
- Silacyclobutanes with bulky substituents, preparation and spectra of (P. Jutzi, P. Langer), (132) 45
- 4-Substituted 1-ethylthio-2-butynes, addition reactions of Grignard reagents catalysed by cuprous chloride with (G. Bouet, R. Mornet, L. Gouin), (135) 151
- $[(\text{THF})\text{Mg}(\text{HAIn-t-Bu})_3]$ and $[(\text{THF})_2\text{Ca}(\text{HAIn-t-Bu})_3]$ THF, crystal and molecular structures of (G. Del Piero, M. Cesari, S. Cucinella, A. Mazzetti), (137) 265
- Titanocene dicarbonyl and titanium(III) carbonate, preparation by anhydrous CO_2 reduction catalysed by chlorotitanocene—metal systems (B. Demersman, G. Bouquet, M. Bigorgne), (145) 41
- Trimethyl-silyl- and -germethyl-methyl-lithium, reaction with tungsten hexachloride, initiation of cycloolefin polymerization (B. A. Dolgoplosk, L. A. Oreshkin, K. L. Makovetsky, E. I. Tinyakova, I. Ya. Ostrovskaya, I. L. Kershenbaum, G. M. Chernenko), (128) 339
- ### Manganese
- τ -Allyl complexes of transition metals, metal— τ -allyl and metal—halogen stretching modes in the vibrational spectra of (T. B. Chenskaya, L. A. Leites, V. T. Aleksanyan), (148) 85
- Allyl-containing organometallic groupings as substituents in phenyl nuclei, relationship between electron effects and structure (S. P. Gubin, A. Z. Rubezhov, L. I. Voronchikhina), (149) 123
- Bis (bis (diphenylphosphino) methane)-pentacarbonyldimanganese, isocyanide addition to and formation of a four-electron doubly-bridging isocyanide (A. L. Balch, L. S. Benner), (135) 339
- Bis (trimethylsilyl) aminothallium compounds, preparation and chemistry of (P. Krommes, J. Lorberth), (181) 415
- Carbyne cationic manganese and rhenium complexes, reactions with cyanides and isocyanides of (E. O. Fischer, P. Stuckler, F. R. Kreissl), (129) 197
- Carbyne- and carbene-tungsten complexes with a cyclopentadienyl (tricarbonyl) manganese ligand (E. O. Fischer, V. N. Postnov, F. R. Kreissl), (127) C19
- (1-Chloro-2,2-dicyanovinyl)pentacarbonylmanganese, reactions with trivalent phosphorus and related ligands of (R. B. King, S. P. Diefenbach), (148) 303
- $(\pi\text{-C}_5\text{H}_5)\text{Mn}(\text{CO})(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)$, interaction with aprotic acids in solution of (B. V. Lokshin, E. B. Nazarova, A. G. Ginzburg), (129) 379
- Chromium (0), manganese(I) and rhenium(I) thiocarbonyl complexes, reactions of (L. S. Butler, N. J. Coville, D. Cozak), (133) 59
- $(\text{CO})_4\text{MnPM}_2\text{CH}_2\text{CH}_2\text{S}_2\text{X}_2$ chelate complexes, preparation and spectroscopic characterization of (J. Grobe, A. Walter), (140) 325
- Compounds containing transition metal to main group metal bonds, mass spectrometry and bond dissociation energy of (T. R. Spalding), (149) 371
- Cycloocta-1,5-diene (tetracarbonyl)-manganese(I), hydride addition and related reactions of (P. J. Harris, S. A. R. Knox, F. G. A. Stone), (148) 327
- Cycloheptadienyltricarbonylmanganese derivatives, mass spectrometric study of (R. Davis, I. A. O. Ojo), (145) 335
- Cyclopentadienyldicarbonylmanganese complexes with stannic chloride, molecular structure and reactions of (A. G. Ginzburg, N. G. Bokyi, A. I. Yanovskii, Yu. T. Struchkov, V. N. Setkina, D. N. Kursanov), (136) 45
- (-) π -Cyclopentadienyldicarbonylmenthylmethoxycarbene manganese, preparation and configuration of (S. Fontana, U. Schubert, E. O. Fischer), (146) 39
- Cyclopentadienylide complexes of Group VII metals (V. I. Zdanovitch, N. E. Kolobova, N. I. Yasyukova, Yu. S. Nekrasov, G. A. Panosyan, P. V. Petrovskii, A. Zh. Zhakaeva), (148) 63
- η^5 -Cyclopentadienylmanganese complexes with tertiary phosphines and phosphites as ligands (H. Werner, B. Juthani), (129) C39
- Cyclopentadienyl- and methylcyclopentadienyl-tricarbonylmanganese, photochemical excitation and reactions with α -enones of (M. Giffard, E. Gentric, D. Touchard, P. Dixneuf), (129) 371
- Cymantrene complexes, photochemical substitution and chirality of (M. Le Plouzenec, F. Le Moigne, R. Dabard), (132) 409
- Cymantrene derivatives containing phenyl-

- vinylidene ligands synthesis of (A B Antonova, N E Kolobova, P V Petrovsky, B V Lokshin, N S Obezuk), (137) 55
- Decacarbonyldimanganese-catalysed carbonylation of amines, mechanistic investigation of (B D Dombek, R J Angelici), (134) 203
- Dicarbonyl (η -cyclopentadienyl) (fulvenealene)manganese and hexacarbonyl-(fulveneallene)diron, synthesis and structure of (F Edelmann, U Behrens), (128) 131
- Dicarbonyl (methoxy-methyl (or -phenyl)-carbene)- and dicarbonyl (diphenylcarbene)methyl-cyclopentadienylmanganese, insertion reactions with 1-diethylamino propyne and spectra of the reaction products of (K H Dotz, I Pruskil), (132) 115
- 3,5-Dimethylaceheptylene—metal carbonyl complexes, synthesis and molecular structure of (M R Churchill, S A Julis, R B King, C A Harmon), (142) C52
- Dimethylcarbenedicarbonyl (η^5 -cyclopentadienyl)manganese, structure of (P Friedrich, G Besl, E O Fischer, G Huttner), (139) C68
- 1,1'-Dimethylmanganocene, high- and low-spin, molecular structure determined by gas-phase electron diffraction of (A. Almenningen, A. Haaland, S Samdal), (149) 219
- 3,4-Dimethylphosphacymanrene, (C_6H_5P)-Mn(CO)₃, reactions with phosphines and trimethylphosphite of (A. Breque, F Mathey), (144) C9
- Dithiocarboxylate-iron, -manganese and -rhenium complexes, preparation using phosphorus and boron sulphides as sulphurizing agents of (L Busetto, A Palazzi, E F Serantoni, L Riva di Sanseverino), (129) C55
- Ferrocene, electrochemical alkylation of (N V Zakurin, L I Denisovich, S P Gubin), (129) 203
- , electrochemical substitution of hydrogen in (S P Gubin, L I Denisovich, N V Zakurin, M G Peterleitner), (146) 267
- 2,3-Ferrocene-1-indanones and 1,2(α -oxo-tetramethylene)methylcymantrenes, reduction by metal hydrides or Grignard reagents of (M. Le Plouzennec, R. Dabard), (133) 359
- First-row transition metal hydridocarbonyl and hydridotrifluorophosphine complexes, UV electron spectra of (R A Head, J F Nixon, R J Clark), (135) 209
- Formyltetracarbonylferrate(0) salts, synthesis of (S R Winter, G W Cornett, E A Thompson), (133) 339
- Group VII B metal—metal bonded carbonyls, Redox behaviour of and substitution effects in (P Lemoine, M Gross), (133) 193
- Group VI pentacarbonylhydrido compounds, trifluorophosphine substitution of (W J Miles, Jr, R J Clark), (131) 93
- Halobenzocymantrene, complex chemistry of (W A Herrmann, B Reiter, M Huber), (139) C4
- Hydropentacarbonylmanganese(I), mechanism of substitution of (B H Byers, T L Brown), (127) 181
- Iron and manganese carbonyls, reactions with cyclopentadienylphosphines and derivatives of (F Mathey, J-P Lampin), (128) 297
- Manganese(II) and chromium(II) paramagnetic complexes, syntheses and structures of (L E Manzer, L J Guggenberger), (139) C34
- Manganese(I) and iron(I) carbonyls, cyanoalkyl derivatives of (T Boschi, G Campanese, R Ros, R Roulet), (136) 39
- Manganese(I) and rhenium(I) cationic tricarbonyl complexes, synthesis and spectral features of (D A Edwards, J Marshallsea), (131) 73
- Manganese, technetium and rhenium, Annual survey covering the year 1975 (P M Treichel), (126) 388
- , 1976 (P M Treichel), (147) 239
- Manganese-bis-aryldiazo complexes, preparation and properties of (B L Haymore), (137) C11
- Metal carbonyls, electrochemical behaviour in a mixture of room temperature molten salt and benzene (H L Chum, D Koran, R A Osteryoung), (140) 349
- , reactions with amine oxides of (U Koelle), (133) 53
- Metal carbonyl complexes with *N*-phthaloyl-aminomethyl, -aminoacetyl and anions of α -amino acids as ligands (W Beck, W Petri), (127) C40
- Metal carbonyl monoanions, convenient preparation by trialkylborohydride cleavage of metal carbonyl dimers of, observation and reactions of a bimetallic manganese-formyl intermediate (J A Gladysz, G M Williams, W Tam, D L Johnson), (140) C1
- Methylcymantrene, sulphur derivatives of (C Sergheraert, P Marcincal, E Cuignet), (139) 283

- Mononuclear transition metal carbonyl complexes with hydride donors, reactions of (S R. Winter, G W Cornett, E A. Thompson), (133) 339
- Octacarbonyldiphenylmanganese compounds, thermal homolysis of (L S Benner, A.L. Balch), (134) 121
- 3,3,3,3,6,6,6,6-Octacarbonyl-2,2,5,5-tetraphenyl-1,4-dioxa-2,5-diphospho-3,6-dimanganacyclohexane, crystal and molecular structure of (S Hoehne, E Lindner, B. Schilling), (139) 315
- Perbromocymantrene, tetrabromoiodocymantrene and 1,2,3-triodocymantrene, synthesis and physical properties of (W A. Herrmann, M Huber), (140) 55
- Phenylvinylidene ligand transferred from manganese to rhenium, novel binuclear complex $\text{Cp}_2\text{MnRe}(\mu-\text{C}=\text{CHPh})(\text{CO})_4$ (N.E. Kolobova, A.B. Antonova, O M Khitrova), (146) C17
- Phosphine-substituted monomeric manganese carbonyl arsenides, preparation and Lewis basicity of (R. Muller, H. Vahrenkamp), (150) C11
- Pyrrolyltricarbonylmanganese, structure of the acylation product of (N I Pyshnograeva, V N Setkina, V G Andrianov, Yu T Struchkov), (128) 321
- Six-coordinate metal carbonyl stereochemically nonrigid complexes, ^{13}C NMR investigation of *cis*- $\text{M}(\text{CO})_4\text{X}_2$ and $\text{M}(\text{CO})_5\text{X}$ derivatives ($\text{M} = \text{Fe}, \text{Ru}, \text{Os}, \text{M} = \text{Mn}, \text{Re}, \text{X} = \text{H}, \text{I}$) (L. Vancea, W A.G. Graham), (134) 219
- Thiobenzoylhydrazide complexes of palladium(II), platinum(II) and manganese(II) (A.S. Kasenally), (148) 207
- Tricarbonylchromium(benzoylcyclopentadienyl)manganese tricarbonyl anion and substituted derivatives, electronic effects in (N J Gogan, C K Chu, P A. Narayana), (144) 125
- Tricarbonylmanganese tricarbonylchromium derivatives, synthesis, characterization and spectra of (N J Gogan, C -K. Chu), (132) 103
- Tricarbonylmetal alkenyl and cycloalkenyl compounds, extended CNDO/2 studies of (N J Fitzpatrick, J -M Savariault, J -F R Labarre), (127) 325
- (η^5 -Vinylcyclopentadienyl)dicarbonylnitrosylchromium ($(\eta^5\text{-C}_5\text{H}_5\text{CH}=\text{CH}_2)\text{Cr}(\text{CO})_2\text{NO}$), preparation, polymerization and copolymerization of (E A. Mintz, M D Rausch, R.H. Edwards, J E. Sheats, T D Rounsefell, C.U. Pittman, Jr.), (137) 199

Mercury

- Alkylmercury(II) halides, thermodynamics of the reaction with Lewis bases of (D P. Graddon, J Mondal), (132) 1
- Alkyl-phosphorus, -arsenic and -antimony hydrides and halides, reactions with dibenzylmercury of, improved procedure for cyclopolyarsines (A.L. Rheingold, P. Choudhury), (128) 155
- Alkylsilicon and alkylsilylmetal compounds, ^{13}C NMR investigations of (H. Muller, L. Rosch, W. Erb, R. Zeisberg), (140) C17
- Allyl-containing organometallic groupings as substituents in phenyl nuclei, relationship between electron effects and structure (S P Gubin, A.Z. Rubezhov, L.I. Voronchikhina), (149) 123
- Arsenediazoalkanes with organometallic ligands, synthesis, chemical reactivities and thermodynamics of (E. Glozbach, J. Lorberth), (132) 359
- Bis(pentachlorophenyl)thallium(III) chloride as arylating reagent (P Royo, R Serrano), (144) 33
- Bis(phenylethynyl)ytterbium, a novel organolanthanide (G B Deacon, A J Koplick), (146) C43
- Bis(polyfluorophenyl)ytterbium compounds, preparation, spectra and reactions of (G B Deacon, W D Ravery, D G Vince), (135) 103
- Bis(tri-*t*-butylsilyl)mercury, preparation and spectroscopic investigations of (H. Muller, L. Rosch), (133) 1
- Bis(trifluoromethyl)mercury, molecular spectra and vibrational spectra of (D J Brauer, H. Burger, R. Eujen), (135) 281
- Carbonylruthenium complexes, reactions with tin and mercury iodides of (H B Kuhnhen), (129) 215
- ($\pi\text{-C}_5\text{H}_5$) $\text{Mn}(\text{CO})(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)$, interaction with aprotic acids in solution of (B V Lokshin, E B Nazarova, A G Ginzburg), (129) 379
- Cyclohexylmercury systems, variable temperature ^{13}C and ^{199}Hg NMR examination of (P.F. Barron, D. Doddrell, W. Kitching), (139) 361
- N*-(Cyclopentadienylmercury)hexamethyl-disilazane and cyclopentadienylmercury azide, preparation, vibrational and mass spectra of (I. Sarraje, J. Lorberth), (146) 113
- Cyclopentadienylmolybdenum carbonyl halide complexes with tertiary phosphines, stereoselective synthesis and isomer sepa-

- rations of (D L Beach, M Dattilo, K W Barnett), (140) 47
- Diarylgoldzinc chlorides, diphenylgold-cadmum chloride, and phenylgoldmercury chloride, synthesis and properties of (P W J de Graaf, A J de Koning, J Boersma, G J M van der Kerk), (141) 345
- gem-Dichloroallyllithium, reaction with silicon, germanium, tin and mercury halides and with triphenylborane of (D Seyferth, G J Murphy, R A Woodruff), (141) 71
- 1,2-Dilithioethylene, attempted synthesis of (D Seyferth, S C Vick), (144) 1
- 2 2-Dimethyl-3-pentanone metal derivatives, O- and C-metallated structures of (R Meyer, L Gorrichon, P Maroni), (129) C7
- β -Hydroxyalkylmercurials, ligand effects on the reactions of (T Iwayanagi, M Matsuo, Y Saito), (135) 1
- Iron—2-alkenyl and iron—2-alkynyl bonds, cleavage by mercury(II) chloride of (L J Dizikes, A. Wojciecki), (137) 79
- (*o*-Lithiobenzyl)diphenylphosphine cyclo-metallated complexes, reactions, IR, NMR and mass spectra of (H-P Abicht, K Isleib), (149) 209
- B-Mercurated carboranes (V I Bregadze, V T Kampel, N N Godovokov), (136) 281
- Mercury, Annual survey covering the year 1975 (D Seyferth), (130) 173
—, — 1976 (D Seyferth), (143) 153
- Mercury(II) derivatives of diethyl malonate, ethyl acetoacetate, ethyl cyanoacetate, and malononitrile (C Glidewell), (136) 7
- β -Methoxyalkylmercury(II) complexes, nuclear spin—spin coupling constants in (T Iwayanagi, T Ibusuki, Y Saito), (128) 145
- Methylcobalamin and mercuric chloride, kinetics and mechanism of the reaction between (P J Craig, S F Morton), (145) 79
- Methylidynetricobalt nonacarbonyl α , β -unsaturated complexes, preparation and protonation reactions of (D Seyferth, C S Eschbach, G H. Williams, P L K Hung), (134) 67
- Methylmercury(II) two and three coordinate complexes, ^{199}Hg NMR study of (A J Carty, A. Marker, P Barron, P C Healy), (144) 371
- Monocyclopentadienylcobalt complexes containing Co—Zn, Co—Cu, Co—Sn and Co—Hg bonds, preparation of (K. Dey H. Werner), (137) C28
- Nornornene derivatives, oxythallation and oxymercuration of (P F. Barron, D Doddrell, W Kitching), (132) 351
- Organogermylmercuryplatinum complexes and related compounds, preparation and reactions of (M N Bochkarev, G A. Razuvaev, L P Majorova, N P Makarenko, V I Sokolov, V V Bashilov, O A Reutov), (131) 399
- Organometallic diazoalkanes, 1,3-dipolar cycloaddition with dimethyl acetyl-enedicarbonic acid ester of (R Gruning, J Lorberth), (129) 55
- Organometallic diazoalkanes of the Main Group elements, $^{13}\text{C}\{^1\text{H}\}$ PFT spectra of (R Gruning, P Krommes, J Lorberth), (128) 167
- Organosilyl and organogermyl mercurials, ^{199}Hg , ^{29}Si , ^{13}C and ^1H NMR spectra of (T N Mitchell, H C Marsmann), (150) 171
- Pentacarbonyliron, kinetics and mechanism of the reaction with mercuric halides of (J E Pardue, G R Dobson), (132) 121
- Peters reaction ($\text{RSO}_2\text{HgX} \rightarrow \text{RHgX}$), stereochemistry of (L C Costa, G B Young, G M Whitesides), (134) 151
- Phenylene- and polyphenylene-mercurials, investigation of (S B Awad, D S Brown, S C Cohen, R E Humphries, A G Massey), (127) 127
- Polyfluorotetramethyl-silanes and -germanes, bis(trifluoromethyl) mercury and tetrakis(trifluoromethyl)-germane, synthesis and characterization of (E K S Liu, R J Lagow), (145) 167
- Styrenes and phenylcyclopropanes, mercuration of, effect of aromatic nitro group on reductive demercuration with sodium boro hydride (Yu S Shabarov, S S Mochalov, T S Oretskaya, V V Karpova), (150) 7
- Tri-t-butylsilane and tri-t-butylhalosilanes, preparation and properties of (M Weiden-bruch, H Pesel, W Peter, R Steichen), (141) 9
- Tris(dimethylamino)phosphine, reactions with organometallic diazoalkanes of (P Krommes, J Lorberth), (127) 19
- Univalent organometallic cations and the proton, relative softness upon formation of M—O, M—S, H—O and H—S bonds of (D N Kravtsov, A S Peregudov, E M Rokhina), (128) C27

METALLOCENES

- Alkylferrocene mixtures, mass spectrometric analysis of (N V Zakurin, Yu S Nekrasov,

- D.V. Zagorevskii), (144) 195
- (1-Arylvinyl)ferrocenes, oxidation with molecular oxygen in the presence of silica gel of (M Hisatome, S Koshikawa, K. Chimura, H. Hashimoto, K. Yamakawa), (145) 225
- Benzene(cyclopentadienyl)iron, interaction with halogen derivatives of (A N. Nesmeyanov, N A. Vol'kenau, V A. Petrakova), (136) 363
- $\eta^5\eta^5$ -Bicyclopentadienylmolybdenum alkyl, halo and thiol derivatives (M.L. H. Green, S.J. Simpson), (148) C27
- Borinatoiron complexes, ring contraction and substitution reactions of (G E. Herberich, K. Carsten), (144) C1
- 1,2-C₂B₉H₁₁²⁻, ligand, MO analysis of the slip distortion in electron-rich sandwich complexes derived from (D M.P. Mingos, M.L. Forsyth), (146) C37
- (η^5 -C₅H₅)₂Co₂(NO)_{2-x}(CO)_x ($x \approx 1, 0$), crystal and molecular structure of and a comment on the EAN rule (I. Bernal, J D Korp, G M. Reisner, W.A. Herrmann), (139) 321
- Chloroaryloxy- and diaryloxy-titanocenes, synthesis of diastereoisomers of (J. Beisançon, S. Top), (127) 139
- [{(π -C₅H₅)₂Ti(H₂O)}₂O](C10₄)₂ · 2H₂O, molecular and crystal structure of (U Thewalt, B. Kebbel), (150) 59
- Cobaltacyclopentadiene complexes, thermolysis of (H. Yamazaki, Y. Wakatsuki), (149) 377
- Cobaltocene and ruthenocene, calorimetric investigation and X-ray diffraction measurements between 77 and 300 K of (C Azokpota, C. Pommier, J.F. Berar, G. Calvarin), (135) 125
- 2-Copper-1-(dimethylaminomethyl)ferrocene, structure and properties of (A.N. Nesmeyanov, Yu.T. Struchkov, N.N. Sedova, V.G. Andrianov, Yu.V. Volgin, V.A. Sazonova), (137) 217
- π -Cyclohexadienyliron complexes bearing exocyclic double bonds (J F. Helling, W.A. Hendrickson), (141) 99
- Cyclopentadienyl ring exchange method for the attachment of early transition metal metallocene dichlorides to a polymer support (J.G. Lee, C.H. Brubaker, Jr.), (135) 115
- η^5 -Cyclopentadienyl- η^6 -areneiron(II) cations, electroreduction in aqueous media of (C Monet, E. Roman, D. Astruc), (128) C45
- π -Cyclopentadienyl- τ -cyclopropenylnickel, MO calculations on (D W Clack, K.D. Warren), (149) 401
- Cyclopentadienylidicarbonyliron—metal salts, cationic assistance in reactions with epoxides of (M. Nitay, M. Rosenblum), (136) C23
- τ -Cyclopentadienyl(ferrocenylcyclobutadiene)cobalt complexes and 1,1'-(o-phenylene) ferrocenes, preparations of (K. Yasufuku, H. Yamazaki), (127) 197
- Dialkylmetallocenes of the titanium group, photolysis of (E. Samuel, P. Maillard, C. Giannotti), (142) 289
- Diarylzirconocenes, reaction of intermediate zirconocene—aryne complexes with C—H bonds in thermolysis of (G. Erker), (134) 189
- Dichlorotitanocene derivatives with a pseudo-asymmetric metal atom (J.C. Leblanc, C. Moise), (131) 35
- Dicyclopentadienylarylvanadium compounds, thermal decomposition of (C.P. Boekel, A. Jelsma, J.J.H. Teuben, H.J. de Liefde Meijer), (136) 211
- Dicyclopentadienyl- η^3 -cyclononatetraenyl-niobium, preparation and vibrational spectra of (A. Westerhof, H.J. de Liefde Meijer), (149) 321
- Dicyclopentadienyl- η^1 -cyclooctatrienyltitanium and - η^3 -cyclooctatrienylniobium (A. Westerhof, H.J. de Liefde Meijer), (139) 71
- η^5 η^1 -Dicyclopentadienylidicarbonyliron, reactions with phosphorus donor ligands of (J.A. Labinger), (136) C31
- Dicyclopentadienyliron tetracarbonyl, reactions with *P*-phenylphospholes of, synthesis and spectrochemistry of phosphaferroenes (F. Mathey), (139) 77
- Dicyclopentadienylidiphenyltitanium(IV), thermal decomposition of (C.P. Boekel, J.H. Teuben, H.J. de Liefde Meijer), (128) 375
- Dicyclopentadienylmagnesium, vibrational spectra and structure of (V.T. Aleksanyan, I.A. Garbuzova, V.V. Gravilenko, L.I. Zakharkin), (129) 139
- Dicyclopentadienylniobium, evidence for its existence and properties of (D.A. Lemenovskii, V.P. Fedin), (132) C11

- Dicyclopentadienylniobium(III) chloride, preparation and properties of (D A Lemanovskii, T V Baukova, V P Fedin), (132) C14
- Dicyclopentadienylvanadium monochloride, crystal structure and its implications for the structures of other d^2 dicyclopentadienyl compounds of (B F Fieselmann, G D Stucky), (137) 43
- Dicyclopentadienylzirconium dichloride and related systems, photolytic cyclopentadienyl ligand exchange between (M H Peng, C H. Brubaker, Jr.), (135) 333
- α -[N,N]-Dimethylamino[3]ferrocenophanes, stereospecific lithiation of (K.C Y Sok, G Tainturier, B Gautheron), (132) 173
- 2,2-Dimethylbis(thiopheno[*b*])ferrocene, preparation and isomeric structures of (H Volz, H Kowarsch), (136) C27
- 1,1-Dimethylmanganocene, high- and low-spin, molecular structure determined by gas-phase electron diffraction of (A Almenningen, A Haaland, S Samdal), (149) 219
- 1,4-Diphenylferrocenocyclohexenes, preparation by cyclisation of γ -ferrocenyl- γ -phenylbutanoic acid and stereochemistry of (T Kimny, C Moise, G Tainturier), (150) 253
- Electroneutral naphthalenecyclopentadienyliron (A.N Nesmeyanov, S P Solodovnikov, N A. Vol'kenau, L S Kotova, N A. Sinitsyna), (148) C5
- Enantiomeric 1-dimethylaminoethylferrocene, asymmetric induction in the course of internal palladation of (V I Sokolov, L L Troitskaya, O A. Reutov), (133) C28
- Ferricinium tetrachloroferrate, crystal and molecular structure of (E F Paulus, L Schafer), (144) 205
- Ferrocene, Annual survey covering the year 1976 (G Man, B W Rockett), (147) 273
- , electrochemical alkylation of (N V Zakurin, L I Denisovich, S P Gubin), (129) 203
- , electrochemical substitution of hydrogen in (S P Gubin, L I Denisovich, N V Zakurin, M.G Peterleitner), (146) 267
- , enzyme-catalysed oxidation of (R Epton, M.E Hobson, G Marr), (134) C23
- , stereochemistry of hydrogenation during ligand exchange reactions with 9,10-dimethylanthracene (R.G Sutherland, W J Pannekoek, C C Lee), (129) C1
- Ferrocene and ruthenocene, behaviour in weakly to strongly protic media of (G Cerichelli, G Illuminati, G Ortaggi, A.M Giuliani), (127) 357
- Ferrocene and substituted ferrocenes, oxidation in the presence of horseradish peroxidase of (R Epton, M.E Hobson, G Marr), (149) 231
- Ferroceneboronic acid, kinetics and mechanism of protodeboronation in moderately concentrated sulphuric acid of (B Floris, G Illuminati), (150) 101
- 2,3-Ferrocene-1-indanones and 1,2 (α -oxotetramethylene)methylcymantrenes, reduction by metal hydrides or Grignard reagents of (M Le Plouzennec, R Dabard), (133) 359
- Ferrocenethiocarboxylic acid derivatives, preparation and spectral properties of (T Katada, M Nishida, S Kato, M Mizuta), (129) 189
- Ferrocenium protonated tetrahaloborates, preparation and IR spectra of (W Siebert, W Ruf K.-J. Schaper, T. Renk) (128) 219
- Ferrocenophane-7-carbocations and their rearrangement (M Hisatome, K. Yamakawa), (133) C9
- [3] Ferrocenophane-1,3-dione, synthesis and reactivity of (M Salisová Š Toma, E Solčániová), (132) 419
- [3] Ferrocenophanylbutanoate anions, photochemically induced electron transfer from (E K. Heaney, S R Logan, W E Watts), (150) 309
- Ferrocenyl derivatives of dicyclopentadienyl-titanium, -zirconium and -hafnium (G A Razuvaev, G A Domrachev, V V Sharutin, O N Suvorova), (141) 313
- Ferrocenylcarbenium ions, ^{13}C NMR spectra and structure of (A A. Koridze, P V Petrovskii, S P Gubin, V I Sokolov, A I Mokhov), (136) 65
- Ferrocenylcarbocations, reactions with water (C A. Bunton, N Carrasco, W E Watts), (131) C21
- (Ferrocenyoxy)-2-tetrahydropyran, synthesis and reactivity of (R Epton, G Marr, G K Rogers) (150) 93
- Ferrocenylphenylacetylene and diferrocenyl-acetylene, reactions with (η^5 -cyclopentadienyl)dicarbonylcobalt of (M D Rausch, F A. Higbie, G F Westover, A. Clearfield, R Gopal, J M Troup, I Bernal), (149) 245
- Ferrocenylphosphinerhodium(I) cationic complexes, asymmetric hydrogenation reactions of (W R Cullen E-S Yeh), (139) C13
- Group VI transition metal polystyrene-

- supported carbonyl and nitrosyl derivatives, properties of (G. Gubitosa, H.H. Brintzinger), (140) 187
- Halocyclopentadienyliron complexes of the type ($\eta^5\text{C}_5\text{H}_{5-n}X_n$) $\text{Fe}(\text{CO})_2$ ($\alpha\text{-C}_3\text{F}_7$) (W.A. Herrmann, M. Huber), (136) C11
- Iron and manganese carbonyls, reactions with cyclopentadienylphosphines and derivatives of (F. Mathey, J.-P. Lampin), (128) 297
- Methylferrocene, mass spectrometry of (D.V. Zagorevskii, Yu.S. Nekrasov, D.A. Lemenovskii), (146) 279
- [$\text{Mo}(\eta^5\text{C}_5\text{H}_5)_2\text{H}_2$], photoinduced elimination of H_2 from and generation of molybdenocene of (G.L. Geoffroy, M.G. Bradley), (134) C27
- Mono- and di-alkyl-zirconocene and hafnocene chlorides (P. Renault, G. Tainturier, B. Gautheron), (148) 35
- Monocyclopentadienylcobalt complexes containing Co-Zn, Co-Cu, Co-Sn and Co-Hg bonds, preparation of (K. Dey, H. Werner), (137) C28
- Mono- and di-1,3-cyclopentyleneferrocenes and their acyl and alkyl derivatives, ^1H and ^{13}C NMR spectra of (D. Astruc, P. Batail, M.L. Martin), (133) 77
- α -Naphthylferrocenylfluorosilane and α -naphthylferrocenylfluorochlorosilane, chemical and stereochemical behaviour of (C. Brelière, R.J.P. Corriu, G. Toyo), (148) 107
- Nickelincinium and tripledecker sandwich nickel compounds, reactivity of (H. Werner, B. Ulrich, A. Salzer), (141) 339
- sym*-Octamethylferrocene and decamethylferrocene, crystal and molecular structure of (Yu.T. Struchkov, V.G. Andrianov, T.N. Sal'nikova, I.R. Lyatifov, R.B. Materikova), (145) 213
- Octamethylferrocene and salts of ferricinium and octamethylferricinium, interaction with visible light of (A.N. Nesmeyanov, N.S. Kochetkova, R.B. Materikova, I.R. Lyatifov, N.V. Fok, T.V. Burova, B.M. Yavorsky, V.N. Trembovler), (145) 69
- 1,2-Oligomeric ferrocenes formation from Ullmann reactions of iodoferrocenes of (P.V. Roling, M.D. Rausch), (141) 195
- 1,2,3,4,5-Pentafluorochromarene, synthesis and chemistry of, electronic effect of a $\tau\text{-Cr}(\text{C}_6\text{H}_5)$ moiety (A. Agarwal, M.J. McGlinchey, T.-S. Tan), (141) 85
- sym*-Polymethylcobalticenium salts, synthesis of (A.N. Nesmeyanov, R.B. Materikova, I.R. Lyatifov, T.Kh. Kurbanov, E.V. Leonova, N.S. Kochetkova), (136) C55
- sym*-Polymethylferticinium hexafluorophosphates, synthesis, analysis and IR spectra of (A.N. Nesmeyanov, R.B. Materikova, I.R. Lyatifov, T.Kh. Kurbanov, N.S. Kochetkova), (145) 241
- Protonated ferrocenes, conformational and electronic behaviour of (T.E. Bitterwolf, A.C. Ling), (141) 355
- Substituted polymethylferrocenes, ^1H and ^{13}C NMR and IR spectra of (R.B. Materikova, V.N. Rabin, I.R. Lyatifov, T.Kh. Kurbanov, E.I. Fedin, P.V. Petrovskii, A.I. Lutsenko), (141) 81
- Thorocene and uranocene, SCF- X_α scattered-wave MO study of (N. Rosch, A. Streitwieser, Jr.), (145) 195
- Titanocene, monohapto- and pentahapto-cyclopentadienyl exchange in (Ou Khan, A. Dormong, J.P. Leroux), (132) 149
- Titanocene chloro derivative [$(\text{C}_{10}\text{H}_8)(\text{C}_5\text{H}_5)_2\text{Ti}_2\text{Cl}_2$], structure of (G.J. Olthof), (128) 367
- Titanocene derivatives with *pentahapto* ligands, stereochemical identification of (J. Besançon, J. Trouflet, S. Top, B.H. Ea), (133) 37
- Titanocene dicarbonyl and titanium(III) carbonate, preparation by anhydrous CO_2 reduction catalysed by chlorotitanocene-metal systems (B. Demerseman, G. Bouquet, M. Bigorgne), (145) 41
- Titanocene optically active complexes with chiral $\eta^5\text{C}_5\text{H}_4\text{R}$ ligands (J.C. Leblanc, G. Moise, J. Trouflet), (148) 171
- Titanocene quasitetrahedral complexes, dynamic stereochemistry of exchange reactions of (J. Besançon, S. Top, J. Trouflet, Y. Dusausoy, C. Lecomte, J. Protas), (127) 153
- Triferrocenylphosphineiron carbonyls, formation by substitution and disproportionation processes of (G.P. Sollott, D.L. Daughdrill, W.R. Peterson, Jr.), (133) 347
- 1,1,'-Trimethylenebenzenecyclopentadienyliron cation, synthesis and structure of (A.N. Nesmeyanov, M.V. Tolstaya, M.I. Rybinskaya, G.B. Shul'pin, N.G. Bokii, A.S. Batsanov, Yu.T. Struchkov), (142) 89
- ($\eta^5\text{-Vinylcyclopentadienyl}$)dicarbonylnitrosyl-chromium ($(\eta^5\text{-C}_5\text{H}_4\text{CH}=\text{CH}_2)\text{Cr}(\text{CO})_2\text{NO}$), preparation, polymerization and copolymerization of (E.A. Mintz, M.D. Rausch, R.H. Edwards, J.E. Sheats, T.D. Rounsefell, C.U. Pittman, Jr.), (137) 199

Molybdenum

- η^3 -Allyl-2,2'-bipyridylcarbonylmolybdenum cationic complexes, preparation and IR and NMR spectra of (P Powell), (129) 175
- η -Allyldicarbonylmolybdenum(II) complexes, reactions with phosphorus and arsenic donor ligands of (B J Brisdon, K.E. Paddick), (149) 113
- , solvent-induced ionisation of (B J Brisdon, M. Cartwright), (128) C15
- Allyldicarbonyl-molybdenum and -tungsten derivatives containing β -diketonate substituents (G Doyle), (150) 67
- Allyl-phosphonium and -pyridinium stable complexes of molybdenum (J A Mc Cleverty, A.J. Murray), (149) C29
- η^5 η^5 -Bicyclopentadienyl:molybdenum alkyl, halo and thiol derivatives (M.L H Green, S J Simpson), (148) C27
- Bis[$(\eta^5$ -cyclopentadienyl)dicarbonylmolybdenum]- μ -ethyne (*Mo-Mo*), molecular structure and dynamic NMR spectrum of (W I Bailey, Jr , D M Collins, F A Cotton), (135) C53
- (2,4-Bis(dimethylamino)-1,3-bis(trimethylsilyl)-1,2,3,4-diazadipnophosphetidine)-2,4-bis(pentacarbonyl-chromium) and -molybdenum), new diazadiphosphetidine complexes (W Zeiss, C Feldt), (127) C5
- Bis(trimethylsilyl)aminothallium compounds, preparation and chemistry of (P Krommes, J Lorberth), (131) 415
- Carbonyl complexes of chromium, molybdenum, tungsten and cobalt with arenes, cycloheptatriene and norbornadiene, thermochemistry of (D L S Brown, J A. Connor, C P Demain, M L Leung, J A Martinho-Simoes, H.A Skinner, M.T Z Moattar), (142) 321
- Carbonyl (η^3 allyl)-molybdenum and -tungsten anions, preparation and properties of (G Doyle), (132) 243
- Carbonylmetal compounds in deoxygenation reactions with N—O bonds containing compounds (W Beck, F Gotzfried, E Schier), (150) 247
- Chloronitrosyldicarbonylmolybdenum(0) complexes prepared by the reaction of dichlorodinitrosyl- and trichloronitrosyl-molybdenum compounds with dichloroethylaluminium and carbon monoxide (K. Seyferth, R. Taube, L. Bencze, L. Markó), (137) 275
- η^3 -C₆H₅Mo- μ -(ER)₃Mo(CO)₃ (E = S, Se), (n²-C₆H₅) (CO)Mo- μ -(TeC₆H₅)₂Mo(CO)- (n²-C₆H₅) and (n³-C₆H₅) (CO)₂Mo- μ -(OR)₃ Mo(n²-C₆H₅) complexes, preparation and characterization of (D Mohr, H. Wienand, M L Ziegler), (134) 281
- (—)_{5,7,8}-(n⁵-C₅H₅)Mo(CO)₂SC(CH₃)NR' (R' = (S)-CH(CH₃)(C₆H₅), X-ray study of (M G Reisner, I Bernal, H Brunner, J Wachter), (137) 329
- Chromium and molybdenum carbonyl complexes with dimethylsulphonium cyclopentadienylide, structure of, effect of τ -coordination to the metal on the properties of the ylide ligand (V G Andrianov, Yu T Struchkov, V N Setkina A Zh Zhakaeva, V I Zdanovitch), (140) 169
- Chromium, molybdenum and tungsten, Annual survey covering the year 1975 (G R Dobson), (143) 385
- Chromium, molybdenum and tungsten carbonyl complexes, with phthalodinitrile (W Beck, R Hofer), (133) 73
- , with pyridine and acetonitrile, thermochemistry of (F A Adedeji, J A Connor, C P Demain, J A Martinho-Simoes, H A Skinner, M T Z Moattar), (149) 333
- Chromium (0), molybdenum(0) and tungsten (0) carbonyl compounds containing sulphurdihamine ligands, preparation and properties of (R Mei, T A M Kaandorp, D J Stufkens, K Vrieze), (128) 203
- Chromium, molybdenum and tungsten substituted halocarbonyl compounds, photochemically-induced loss of phosphine ligands of (W A Schenk), (139) C63
- Chromium, molybdenum and tungsten terdentate complexes of 4-cyclohexylphosphorin, preparation of (K.C Nainan, C T Sears), (148) C31
- Cyclopentadienyl ring exchange method for the attachment of early transition metal metallocene dichlorides to a polymer support (J G Lee, C H Brubaker, Jr), (135) 115
- Cyclopentadienylchloro-tricarbonylmolybdenum and -dicarbonyliron, reaction with lithio-N-methylthiobenzamide of (H Brunner, J Wachter), (142) 133
- η -Cyclopentadienyldicarbonylmolybdenum chelate complex, crystal and molecular structure of (A.T Liu, W Beck, G Huttner, H. Lorenz), (129) 91
- Cyclopentadienylides and their Group VI metal carbonyls, ¹³C NMR spectra of (V N Setkina, A.Zh Zhakaeva, G A. Panosyan, V I Zdanovitch,

- P V. Petrovskii, D N Kursanov), (129) 361
- Cyclopentadienylmolybdenum carbonyl halide complexes with tertiary phosphines, stereoselective synthesis and isomer separations of (D.L. Beach, M. Dattilo, K.W. Barnett), (140) 47
- π -Cyclopentadienylmolybdenum tetra-nuclear oxide and related compounds (J-C. Daran, K. Prout, G J S Adam, M.L.H. Green, J Sala-Pala), (131) C40
- τ -Cyclopentadienyltricarbonyltungsten-dimethylgallium, crystal and molecular structure of and evidence for mixed organozinc and organogallium transition metal derivatives (J.N St. Denis, W Butler, M.D. Glick, J P. Oliver), (129) 1
- Cysteinemolybdenum(III) in reduction reactions with acetylenes (M Savignac, P. Cadot, M. Lamache), (146) C13
- (Diamine)molybdenum tetracarbonyl stereospecifically ^{13}CO labelled intramolecular carbonyl ligand rearrangement in (D J Dahrensborg, L J Todd, J P Hickey), (137) C1
- Dicarbonylbis(tetraphenylcyclobutadiene)-molybdenum, molecular structure and mass spectrum of (A. Efraty, J.A. Potenza, L. Zyontz, J Daily, M.H.A. Huang, B Toby), (145) 315
- Dicyclopentadienyltungsten dicarbonyl, intermediates in the formation of (L.G Bell, H.H. Brintzinger), (135) 173
- Dienediphosphinedicarbonylmolybdenum complexes, preparation and spectra of (F. Hohmann, H. tom Dieck, T. Mack, D. Leibfritz), (132) 255
- Dimethylaminoethoxylosulphonium methylide as a ligand in transition metal complexes (L. Weber), (142) 309
- Dimethylphenylgermanium isocyanide (pentacarbonyl)molybdenum(0), crystal and molecular structure of (P M. Treichel, D B Shaw, J C Calabrese), (139) 31
- Diorganothallium-transition metal complexes, synthesis and characterization of (B Walther, H. Aloert, A. Kolbe), (145) 285
- Formyltetracarbonylferrate(0) salts, synthesis of (S R. Winter, G W Cornett, E A. Thompson), (133) 339
- Group VIA metal pentacarbonyl ^{13}CO labelled derivatives, thermal route to (D J Dahrensborg, R L. Kump), (140) C29
- Group VI transition metal polystyrene-supported carbonyl and nitrosyl derivatives, properties of (G. Gubitosa, H.H. Brintzinger), (140) 187
- Hexacarbonyl-chromium, -molybdenum and -tungsten compounds, reactions with (*o*-lithiobenzyl)diphenylphosphines of (H-P. Abicht, K. Issleib), (132) 327
- Hexacarbonyl-molybdenum and -chromium, reactions with formamidines of (W H de Roode, K. Vrieze, E A. Koerner von Gustorf A. Ritter), (135) 183
- Influence of an intermediate on reaction kinetics in organometallic systems (J R Chipperfield), (137) 355
- Iron and molybdenum carbonyls of 5, 6, 7, 8 tetramethylenebicyclo [2 2 1] oct-2-ene (T Boschi, P. Narbel, P. Vogel, R. Roulet), (133) C39
- [M(π -C₅H₅) {HC(NR)₂} (CO)₂] (M = Mo, W, R = aryl, alkyl) complexes, preparation and properties of (W H de Roode, M L Beekes, A Oskam, K. Vrieze), (142) 337
- Metal carbonyls, electrochemical behaviour in a mixture of room temperature molten salt and benzene (H L Chum, D Koran, R A Osteryoung), (140) 349
- , reactions with amine oxides of (U Koelle), (133) 53
- Metal carbonyl complexes with *N*-phthaloyl-aminomethyl, -aminoacetyl and anions of α -amino acids as ligands (W Beck W Petri), (127) C40
- Metal carbonyl monoanions, convenient preparation by trialkylborohydride cleavage of metal carbonyl dimers of, observation and reactions of a bimetallic manganese-formyl intermediate (J A Gladysz, G M Williams, W Tam, D L Johnson), (140) C1
- Methyl-substituted transition metal bis-muthines, redistribution processes in (P Panster, W. Malisch), (134) C32
- Methyl-transition metal complexes, ^{13}C relaxation mechanisms in and high barriers to rotation about metal-carbon σ bonds (R.F. Jordan, E. Tsang, J R Norton), (149) C53
- [Mo(η^5 -C₅H₅)₂H], photoinduced elimination of H₂ from and generation of molybdenocene of (G L. Geoffroy, M.G. Bradley), (134) C27
- Molybdenum and tungsten hydrazido (2-) complexes, conversion into amines of (P C Bevan, J. Chatt, G J Leigh, E.G. Leelamani), (139) C59
- Molybdenum and tungsten pseudoocta-

- hedral complexes, oscillations of η^3 -allyl groups in (J W Faller, D A Hartko), (149) C19
- Molybdenum carbonyl dinuclear complexes containing Mo=Mo bonds with diazabutadienes as σ,π -bridging ligands (L H. Staal, A. Oskam, K. Vrieze), (145) C7
- Mononuclear transition metal carbonyl complexes with hydride donors, reactions of (S R. Winter, G W. Cornett, E A. Thompson), (133) 339
- Organometallic compounds containing iminoacyl ligands, syntheses of (R D Adams, D F Chodosh, N M Golembeski), (139) C39
- Organosilyl and organogermyl isocyanide complexes of Group VIB metal carbonyls (P M Treichel, D B Shaw), (139) 21
- (*o*-Phenanthroline) tetracarbonylmolybdenum(0), kinetics and mechanism of the reaction with allyl bromide of (J -C Rousche, G R Dobson), (150) 239
- o*-Phenylene(dimethylstibine), divalent nickel, palladium and platinum derivatives and zerovalent chromium, molybdenum and tungsten complexes, synthesis of (E. Shewchuk, S B Wild), (128) 115
- Phosphine-substituted tungsten dicarbonyls, preparation of (F Hohmann), (137) 315
- cis-Tetracarbonylbis(chlorodiphenylphosphine)molybdenum(0), reactions with ammonia, methylamine, *p*-toluidine, water, methanol, *p*-cresol and ethanethiol of and subsequent reactions of the ammonolysis and hydrolysis products with chlorosilanes and boron trifluoride diethyletherate (G M Gray, C S Krahanzel), (146) 23
- Thioketone complexes of chromium, molybdenum, and tungsten carbonyls (R G W Gingerich, R J Angelici), (132) 377
- Transition metal complexes with terminal and bridging dimethylarsenido functions, ligand exchange processes in (W Malsch, H. Rossner, K. Keller, R. Janta), (133) C21
- Transition-metal substituted tin hydride ($\text{HSn}[\text{Mo}(\text{CO})_3 \text{C}_5\text{H}_5]_3$), synthesis and reactions of (C D Hoff, J W Connolly), (148) 127
- Tricarbonyl (4-7 10-11- η -3-benzoxepin)-chromium, -molybdenum and -tungsten derivatives, preparation of (C G Kreiter, S Ozkar), (129) C14
- Tricarbonyl(1,2,3,4,5,2- η -ethylcyclopenta-dien-1,2'-diyl) complexes of molyb-
- denum and tungsten, ^{13}C NMR investigations of (S Braun, P Dahler, P Eilbracht), (146) 135
- Tricarbonyl(fulvene)-chromium, -molybdenum and -tungsten complexes, synthesis of (F Edelmann, U Behrens), (134) 31
- Tricarbonyl(tropylum)-tungsten(0) and -molybdenum(0) fluoroborate, reaction with iodide ion of (P Powell, L J Russell, E Styles, A J Brown, O W Howarth, P Moore), (149) C1
- μ -Trichlorotetracarbonyldimolybdenum cationic heptacoordinated complexes, synthesis of (G Bouquet, B Demerseman, M Bigorgne), (127) 175
- B,B',B''*-Triphenylboron, reactions with $(\text{CH}_3\text{CN})_3\text{M}(\text{CO})_3$, ($\text{M} = \text{Cr}, \text{Mo}, \text{W}$) of (H Noth, U Schuchardt), (134) 297
- Tungsten, molybdenum and rhenium bridged carbonyl complexes, preparation of (W Beck, B Olgemoller), (127) C45
- Zirconium-molybdenum bond formation via methane elimination (P Renaut, G Tainturier, B Gautheron), (150) C9

Nickel

- π -Allyl complexes of transition metals, metal- π -allyl and metal-halogen stretching modes in the vibrational spectra of (T B Chenskaya, L A Leites, V T Aleksanyan), (148) 85
- α,α' -Bipyridyl-5-nickela-3,3,7,7-tetramethyl-*trans*-tricyclo[4.1.0.0^{2,4}]heptane, preparation and characterisation of (P Binger, M J Doyle, J McMeeking, C Kruger, Y -H Tsay), (135) 405
- Bis(ethyl fumarate) bis(acetonitrile) cobalt-(0) (racemic), preparation and X-ray crystal structure of (G Agnes, I W Bassi, C Benedicenti, R Intrito, M Calcaterra, C Santini), (129) 401
- Bis(pentachlorophenyl)thallium(III) chloride as arylating reagent (P Royo, R Serrano), (144) 33
- Bis(tetracarbonylironcarbamoyl)nickel complex, preparation of (W Petz), (133) C25
- Bis(triphenylphosphine)phenylbromonickel-(II), insertion of unactivated acetylenes into the metal-aryl bond of (S J Tremont, R G Bergman), (140) C12
- Catalytic synthesis of non-conjugated alkenynes (M Catellani, G P. Chiusoli, G Salerno, F Dallatomasina), (146) C19

- Chlorodisilane residue from industrial synthesis of methylchlorosilane, hydrogenolysis of (R. Calas, G. Délérès, J. Dunoguès, M. Lefort, C. Simmonet), (148) 119
- π -Complex formation at low temperature by reactions of transition metal atoms with arenes (H.F. Efner, D.E. Tevault, W.B. Fox, R.R. Smardzewski), (146) 45
- [Cyano(phenyl) bis(tricyclohexylphosphine)nickel(II)], reactions of (G. Favero, M. Gaddi, A. Morillo, A. Turco), (149) 395
- Cyclopentadienylbis(diphenylphosphinoethane)ironmagnesium bromide, preparation and properties of (H. Felkin, P.J. Knowles, B. Meunier), (146) 151
- Cyclopentadienyl- τ -cyclopropenylnickel, MO calculations on (D.W. Clack, K.D. Warren), (149) 401
- N,N'*-Diarylsulphurdumine complexes of nickel(0) and platinum(0) and irreversible intramolecular rearrangement involving N-C(aryl) bond formation and N=S bond breaking in (R. Meijs, D.J. Stufkens, K. Vrieze), (144) 239
- Dimethylsilane hydrosilylation of functional olefins (I.M. Salimgareeva, V.V. Kaverin, V.P. Jurjev), (148) 23
- Ethyl(acetylacetonato)(triphenylphosphine)-nickel(II), reactions of (A.N. Nesmeyanov, L.S. Isaeva, L.N. Lorens), (129) 421
- Group VIIIIB, carbon— and metal—alkyne complexes, IR intensity measurements on (H.L.M. van Gaal, M.W.H. Graef, A. van der Ent), (131) 453
- Hydrosilylation of cyclic or linear dienes using low-valent nickel complexes and related experiments (A.J. Cornish, M.F. Lappert, T.A. Nile), (132) 133
- (o-Lithiobenzyl)diphenylphosphine cyclo-metallated complexes, reactions, IR, NMR and mass spectra of (H.-P. Abicht, K. Issleib), (149) 209
- Mean enthalpy of disruption to valency state for homoleptic transition metal carbonyls (G. Battistion, G. Sbrignadello, G. Bor, J.A. Connor), (131) 445
- Metal carbonyl anions, reactions of carbon dioxide with (G.O. Evans, W.F. Walter, D.R. Millis, C.A. Streit), (144) C34
- Neophylnickel complexes, reactions of (B. Åkermark, A. Ljungqvist), (149) 97
- Nickel(0) π -carboxo complexes, preparation of (S.D. Ittel), (137) 223
- Nickel(II) carboxylates, reactions with ethylammonium chlorides of (B.T. Pennington, J.E. Howell), (136) 95
- Nickel(II) cationic π -allylic complexes from allyloxytris(dimethylamino)-phosphonium salts, preparation of (D. Neibecker, B. Castro), (134) 105
- Nickel complexes, catalytic behaviour in the synthesis of olefins from allylic alcohols and Grignard reagents (C. Chuit, H. Felkin, C. Frajerman, G. Roussi, G. Swierczewski), (127) 371
- Nickel(0) complexes, electron transfer in the cleavage of ethers and epoxides by (J.J. Eisch, K.R. Im), (139) C45
- , hydrodesulphurisation and ring contraction of sulphur heterocycles by (J.J. Eisch, K.R. Im), (139) C51
- Nickel isocyanate and carbodumide complexes (H. Hoberg, J. Korff), (150) C20
- Nickel, palladium and platinum Annual survey covering the year 1975 (D.M. Roundhill), (126) 431
- , — 1976 (D.M. Roundhill), (147) 335
- Nickel(II), palladium(II) and platinum(II) stable cationic carbonyl and olefin complexes, synthesis of and bonding in (T. Majima, H. Kurosawa), (134) C45
- Nickellicinium and tripledecker sandwich nickel compounds, reactivity of (H. Werner, B. Ulrich, A. Salzer), (141) 339
- Organometallic compounds containing iminoacyl ligands, syntheses of (R.D. Adams, D.F. Chodosh, N.M. Golembeski), (139) C39
- Organonickel and organopalladium halides, electrochemical preparation of (J.J. Habeeb, D.G. Tuck), (139) C17
- Organotin(IV) trichloride adducts with *N,N'*-ethylenebis(salicylideneiminato)-nickel(II) and -copper(II), structure determination by Mossbauer spectroscopy of (D. Cunningham, M. Little), (142) C58
- Palladium(0) and nickel(0) complexes as catalysts in the arylation of the Reformatsky reagent (J.F. Fauvarque, A. Jutland), (132) C17
- Palladium and nickel complexes, selectivity of reactions of methylhydrazones with butadiene in the presence of (R. Baker, M.S. Nobbs, P.M. Winton), (137) C43
- Pentafluorophenylnickel(II) neutral and cationic complexes, preparation of (F. Caballero, P. Royo), (137) 229
- (Pentaphenyl)aluminacyclopentadiene and its complex with 1,5-cyclooctadiene-

- nickel, molecular structures of (C Kruger, J C Sekutowski, H Hoberg, R Krause-Going), (141) 141
- α -Phenylene(dimethylstibine), divalent nickel, palladium and platinum derivatives and zerovalent chromium, molybdenum and tungsten complexes, synthesis of (E Shewchuk, S B Wild), (128) 115
- Polychlorophenylnickel(II) phosphine complexes, spectra and reactions of (M Anton, J M Coronas, J Sales), (129) 249
- n-Propylmagnesium bromide in hydrogenolysis of allyl alcohols catalysed by nickel complexes (H Felkin, E Jampel-Costa, G Swierczewski), (134) 265
- Tetrakis[(benzonitrile) (triphenylphosphorane)nickel(0)] · 2 toluene · ~1 n-hexane · ~1 cycloocta-1,5-diene, X-ray crystal structure of (I W Bassi, C Benedicenti, M Calcaterra, R Intrito, G Rucci, C Santini), (144) 225
- Tetrakis(trimethylphosphine)nickel and tetraphosphinenickel, vibrational study of (A Loutellier, M Trabelsi, M Bigorgne), (133) 201
- Tricarbonylmethyl alkenyl and cycloalkenyl compounds, extended CNDO/2 studies of (N J Fitzpatrick, J-M Savariault, J-F R Labarre), (127) 325
- Triethylsilane, action on α -ethylenic aldehydes in the presence of nickel or palladium catalysts of (R Bourhis, E Frannet, F Moulines), (141) 157
- ### Niobium
- $\{(\eta\text{-C}_5\text{H}_5)\text{NbCl}_3, [(\text{C}_6\text{H}_5)_2\text{P}(\text{CH}_2)_2\text{P}(\text{C}_6\text{H}_5)_2], \text{C}_6\text{H}_5\text{CH}_3$, and $\{[\eta\text{-C}_5\text{H}_4\text{CH}_3]\text{NbCl}_3\text{OH}\}_2\mu\text{-O}\}$, X-ray structures of (J-C Daran, K Prout, A De Cian, M L H Green, N Siganporia), (136) C4
- η^5 -Cyclopentadienyl complexes of niobium and tantalum, preparation of (R J Burt, J Chatt, G J Leigh, J H Teuben, A Westerhof), (129) C33
- Cyclopentadienyl ring exchange method for the attachment of early transition metal metallocene dichlorides to a polymer support (J G Lee, C H Brubaker, Jr), (135) 115
- Cyclopentadienylniobium trimethylacetates, synthesis and properties of (A A Paynskii, Yu V Skripkin, V T Kalinnikov), (150) 51
- Dicyclopentadienyl- η^3 -cyclononatetraenyl-niobium, preparation and vibrational spectra of (A Westerhof, H J de Liefde Meijer), (149) 321
- Dicyclopentadienyl- η^1 -cyclooctatrienyltitanium and η^3 -cyclooctatrienylniobium (A Westerhof, H J de Liefde Meijer), (139) 71
- Dicyclopentadienyl diphenyltitanium(IV), thermal decomposition of (C P Boekel, J H Teuben, H J de Liefde Meijer), (128) 375
- Dicyclopentadienylniobium, evidence for its existence and properties of (D A Lemenovskii, V P Fedin), (132) C11
- Dicyclopentadienylniobium(III) carbonyl compounds, reactive intermediates derived from (E E H Otto, H H Brantzinger), (148) 29
- Dicyclopentadienylniobium(III) chloride, preparation and properties of (D A Lemenovskii, T V Baukova, V P Fedin), (132) C14
- Niobium(I) and niobium(III) carbonyl complexes, low-pressure route to (R J Burt, G J Leigh), (148) C19
- Vanadium, niobium and tantalum, Annual survey covering the year 1976 (J A Labinger), (138) 211
- ### Osmium
- Alkylosmium carbonyl polynuclear compounds, reactions of (J W Kelland, J R Norton), (149) 185
- η^5 -Cyclopentadienyl ligand, vibrational spectra of (V T Aleksanyan, B V Lokshin), (131) 113
- Dithiocarbonyl neutral and cationic complexes of osmium(II) (T J Collins, W R Roper), (139) C9
- Dodecacarbonyltriosmium catalysed formation of bis(4-N,N-dimethylamino-phenyl)methane from N,N-dimethylaniline (C C Yin, A J Deeming), (144) 351
- Dodecacarbonyltriosmium derivative, in-plane carbonyl scrambling in (M Tachikawa, S I Richter, J R Shapley), (128) C9
- $\text{H}_2\text{Os}_3(\text{CO})_{10}$, $\text{H}(\text{SC}_2\text{H}_5)\text{Os}_3(\text{CO})_{10}$ and $(\text{OCH}_3)_2\text{Os}_3(\text{CO})_{10}$, molecular structures of (V F Allen, R Mason, P B Hitchcock), (140) 297
- Hydrido thiocarbonyl complexes as precursors of low-valent thiocarbonyl

- complexes (T J. Collins, W R. Roper), (139) C56
- (μ^3 -Indyne)nonacarbonyltriosmium cluster compound, kinetic study on (A J. Deeming), (150) 123
- Isomeric olefin complexes of trinuclear osmium (W G. Jackson, B F G. Johnson, J. Lewis), (139) 125
- Methyl-transition metal complexes, ^{13}C relaxation mechanisms in and high barriers to rotation about metal-carbon σ bonds (R F. Jordan, E. Tsang, J. R. Norton), (149) C53
- Octadecacarbonylhexaosmium, isocyanide substitution in (C R. Eady, P D. Gavens, B F G. Johnson, J. Lewis, M C. Malatesta, M J. Mays, A G. Orpen, A V. Rivera, G M. Sheldrick), (149) C43
- Osmium-coordinated alkene and alkyne ligands derived from triethylphosphine and diethylphenylphosphine (A J. Deeming), (128) 63
- Osmium four-membered metallocycle from inter-ligand reaction between thiocarboxamido- and thiocarbonyl ligands (G R. Clark, T J. Collins, D. Hall, S M. James, W R. Roper), (141) C5
- [Os(η^2 -S₂Me)(CO)₂(PPh₃)₂]ClO₄, structure of and methylation reactions of coordinated disulphur with (G R. Clark, D R. Russel, W R. Roper, A. Walker), (136) C1
- Pentahalomonocarbonylosmium(III) compounds, preparation and characterization of (F H. Johannsen, W. Preetz), (135) 221
- Platinum(II), palladium(II), osmium(II) and ruthenium(II) isonitrile complexes, ^{13}C NMR spectra of (B. Crociani, R L. Richards), (144) 85
- Ruthenium(II) and osmium(II) five and six coordinate σ -aryl derivatives and the equilibrium RuRX(CO)₂(PPh₃)₂ = Ru[C(O)R]X(CO)(PPh₃)₂ (W R. Roper, L.J. Wright), (142) C1
- Six-coordinate metal carbonyl stereochemically nonrigid complexes, ^{13}C NMR investigation of *cis*-M(CO)₄X₂ and M'-(CO)₄X derivatives (M = Fe, Ru, Os, M' = Mn, Re, X = H, I) (L. Vancea, W A.G. Graham), (134) 219
- cis*-Tetraaminedicarbonyl- and *fac*-triaminetricarbonyl-osmium(II) halides, preparation of (H-C. Frickenschmidt, W. Preetz), (146) 285
- Tricarbonyl(cyclohexadienylum)osmium, reaction with methoxide ion of (E G. Bryan, A L. Burrows, B F G. Johnson, J. Lewis, G M. Schiavon), (129) C19
- Triosmium clusters derived from trimethylamine and *N,N*-dimethylbenzylamine, unsaturated nitrogen-containing ligands in (C C. Yin, A J. Deeming), (133) 123
- Undecacarbonyltiosmium derivatives, preparation of (B F G. Johnson, J. Lewis, D. Pippard), (145) C4
- ## Palladium
- Alkylpalladium complexes, ketovinylation of (R A. Holton, R A. Kjonaas), (133) C5
- Alkyl-platinum and -palladium compounds, photodecomposition of, a CIDNP study (P W N M van Lecuwen, C F. Roobek, R. Huis), (142) 233
- π -Allyl complexes of transition metals, metal- π -allyl and metal-halogen stretching modes in the vibrational spectra of (T B. Chenskaya, L A. Leites, V T. Aleksanyan), (148) 85
- Allyl-containing organometallic groupings as substituents in phenyl nuclei, relationship between electron effects and structure (S P. Gubin, A Z. Rubezhov, L I. Voronchikhina), (149) 123
- π -Allylchloropalladium complexes, mass spectra of (R. Huttel, B. Rau), (139) 107
- π -Allylchloropalladium complexes with heteroaromatic nitrogen-containing bases, preparation, structure and properties of (R. Huttel, B. Rau), (139) 89
- π -Allylic palladium complexes, reaction with 2-t-butyl-3,3-butadiene of (J. Kiji, Y. Miura, J. Furukawa), (140) 317
- Allylmethylsilane preparation by tetrakis-(triphenylphosphine)palladium(0)-catalyzed reactions of methylchlorodisilanes with allylic halides of (H. Matsumoto, T. Yako, S. Nagashima, T. Motegi, Y. Nagai), (148) 97
- π -Allylpalladium(II) complexes as models of key intermediates in allylic alkylation (S. Numata, H. Kurosawa), (131) 301
- Bis(η^3 -methylallyldichloropalladium)-palladium, [Pd₃(η^3 -2-Me₂C₃H₄)₂Cl₄], structure of (P. M. Bailey, E. A. Kelley, P. M. Maitlis), (144) C52
- σ -Butadienylpalladium complex derived from phenylmesitylacetylene and dichlorobis(benzonitrile)palladium (I. G. Dinulescu, S. Staicu, E. Avram, F. Chiraleu, M. Avram), (136) C15
- Carbopalladation-depalladation of homoallylic amines and sulphides

- (R A Holton, R A Kjonaas), (142) C15
- Chloro ($1-\eta$ -1,2-dimethylallyl)-*N*-(3-picoline)-palladium, X-ray structural analysis of (H.A. Graf, R Huttel, G Nagorsen, B Rau), (136) 389
- 1-Chloro-1,2-diphenyl-3-alkyl- γ -allyl-palladium complexes, reactions with carbon monoxide of (I G Dinulescu, S Staicu, F Chiraleu, M Avram), (140) 91
- Chloro[*N*, $3-5-\eta$ -(4'-methylpentenyl)-quinoline-2]palladium, synthesis of (B Rau, R. Huttel), (139) 103
- Chlorothiomethoxymethyltriphenylphosphinepalladium(II), molecular structure at -160 and 20°C of (K Miki, Y Kai, N Yasuoka, N Kasai), (135) 53
- Cyclooctadienedichloropalladium and 1,5-cyclooctadiene(phenylsulphonylmethanato)chloropalladium, determination of the structure of (L Benchekroun, P Herpin, M Julia, L Saussine), (128) 275
- Cyclopalladated benzylamine complex, conversion to a salicylaldamine complex of (B A Grigor, A.J Nielson), (129) C17
- Cyclopalladation of phosphine imides (H Alper), (127) 385
- Cyclopalladation of vinylic oximes (B A Grigor, A.J Nielson), (132) 439
- Dialkylpalladium(II) compound containing bridged thiophenoxyethyl groups, preparation and X-ray molecular structure of (K Miki, G Yoshida, Y Kai, N Yasuoka, N Kasai), (149) 195
- Diaminocarbene palladium(II) complexes as intermediates in the synthesis of heterocyclic compounds (Y Ito, T. Hirao, T Saegusa), (131) 121
- Di- μ -chlorobis(η^3 -4-phenyl-1,2,3,4-tetra-*p*-tolyleclobutenyl)palladium, reaction with 2-butyne of (S H Taylor, B E Mann, P M Maithis), (145) 255
- Dimethylcyclooctadienylpalladium, preparation of (M Rudler-Chauvin, H Rudler), (134) 115
- Enantiomeric 1-dimethylaminoethylferrocene, asymmetric induction in the course of internal palladation of (V I Sokoliv, L L Troitskaya, O A Reutov), (133) C28
- o*-Ethynylphenylethynebis(ethynylisothiocyanato-*trans*-bis(triethylphosphine)palladium(II), crystal and molecular structure of (U Behrens, K. Hoffmann), (129) 273
- Hydrosilylation of isocyanides promoted by palladium and rhodium catalysts (I Ojima, S-I Inabe), (140) 97
- (*o*-Lithiobenzyl)diphenylphosphine cyclometallated complexes, reactions, IR, NMR and mass spectra of (H-P Abicht, K Issleib), (149) 209
- Mono- and bi-nuclear perhalophenylpalladium(II) complexes, synthesis of (R Uson, J Fornies, F Martinez), (132) 429
- Nickel, palladium and platinum, Annual Survey covering the year 1975 (D M Roundhill), (126) 431
- , — 1976 (D M Roundhill), (147) 335
- Nickel(II), palladium(II) and platinum(II) stable cationic carbonyl and olefin complexes, synthesis of and bonding in (T Majima, H Kurosawa), (134) C45
- Organogermylmercuryplatinum complexes and related compounds, preparation and reactions of (M N Bochkarev, G A Razuvaev, L P Maiorova, N P Makarenko, V I Sokolov, V V Bashilov, O A Reutov), (131) 399
- Organonickel and organopalladium halides, electrochemical preparation of (J J Habeeb, D G Tuck), (139) C17
- Palladium(II) acetate as a catalyst in arylation with anilines via C—N bond cleavage (F Akiyama, S Teranishi, Y Fujiwara, H Taniguchi), (140) C7
- Palladium(II) acetylacetone and triphenylphosphine as catalyst in oligomerisation of butadiene with α -hydroxycarbonic acid esters (R Kiuter, M Bernd, H Singer), (137) 309
- Palladium and nickel complexes, selectivity of reactions of methylhydrazones with butadiene in the presence of (R Baker, M.S Nobbs, P M Winton), (137) C43
- Palladium(0) and nickel(0) complexes as catalysts in the arylation of the Reformatsky reagent (J F Fauvarque, A. Jutland), (132) C17
- Palladium(II) and platinum(II) complexes with organotellurium compounds as ligands (L-Y Chia, W R McWhinnie), (148) 165
- Palladium(II) and rhodium(I) di-*t*-butyl-dimine complexes, synthesis and characterisation of (H. van der Poel, G van Koten, K. Vrieze), (135) C63
- Palladium atoms, mechanistic investigation of the oxidative addition of alkyl halides to (K.J Klabunde, J S Roberts), (137) 113
- Palladium(II) binuclear halo-bridged isocyanide complexes, mechanism of the

- reaction with aromatic amines of (L. Caligaro, P. Uguagliati, B. Crociani, U. Bellucco), (142) 105
- Palladium(II) bis-isocyanide complexes, mechanism of nucleophilic attack by aromatic amines on (E. Rotondo, M. Cusumano, B. Crociani, P. Uguagliati, U. Bellucco), (134) 249
- Palladium-catalysed 1,4-addition of fluorodisilanes to conjugated diene and enone systems (K. Tamao, S. Okazaki, M. Kumada), (146) 87
- Palladium-catalysed phenylation of allylic 1-perfluoroalkyl alcohols (K. von Werner), (136) 385
- Palladium(I) dimeric complexes containing the bridging cyclopentadienyl group (H. Felkin, G. K. Turner), (129) 429
- Palladium-phosphine complex and dicobalt octacarbonyl as catalytic system in the synthesis of 2-decenedioic acid (J. Tsuji, H. Yasuda), (131) 133
- Palladium(II) planar complexes with α -ethynylphenylacetylides ions as ligands preparation and characterisation of (R. Nast, V. Pank), (129) 265
- Palladium-promoted formation of cyclohexenonitriles from 1-hexene and acrylonitrile (B. Åkermark, A. Ljungqvist, C. Moberg), (142) 397
- Palladium(II) salts in oxidative coupling reactions of isobutene with vinylidene chloride (D. Holland, D. J. Milner, H. W. B. Reed), (136) 111
- α -Phenylenedimethylstibine, divalent nickel, palladium and platinum derivatives and zerovalent chromium, molybdenum and tungsten complexes, synthesis of (E. Shewchuk, S. B. Wild), (128) 115
- Phosphine-palladium complex, catalyst in regiospecific hydrosilylation of isoprene, stereochemistry of (I. Ojima), (134) C1
- Phosphonium salt type ylide palladium complexes containing cyclic diolefin ligands, preparation of (K. Itoh, M. Fukui, Y. Ishii), (129) 259
- Platinum and palladium carbenoids, intramolecular rearrangements of (P. W. N. M. van Leeuwen, C. F. Roobek, R. Huis), (142) 243
- Platinum and palladium cationic complexes with *p*-tolyl isocyanide (K. R. Nagasundara, N. M. N. Gowda, G. K. N. Reddy), (129) 121
- Platinum(II), palladium(II), osmium(II) and ruthenium(II) isonitrile complexes, ^{13}C NMR spectra of (B. Crociani, R. L. Richards), (144) 85
- Silacyclopropane and silacyclop propane rings, mechanistic considerations of two-atom insertions into (D. Seyferth, S. C. Vick, M. L. Shannon, T. F. O. Lim, D. P. Duncan), (135) C37
- Tetracarbonylcobaltatopyridine-2-C,N-(*N*-(phenylamino)- α -methylbenzylidenimino) palladate(II), crystal and molecular structure of (G. Le Borgne, S. E. Bouaoud, D. Grandjean, P. Braunstein, J. Dehand, M. Pfeffer), (136) 375
- Tetrakis(triphenylphosphine)palladium(0), reactions of hexamethyldisilane with nitrohalobenzenes catalysed by (H. Matsumoto, K. Yoshihiro, S. Nagashima, H. Watanabe, Y. Nagai), (128) 409
- Tetramethyldisilacyclopentane, Si—Si/Si—Si metathesis reaction catalysed by palladium complexes of (H. Sakurai, Y. Kamiyama, Y. Nakadaira), (131) 147
- Thiobenzoylhydrazide complexes of palladium(II), platinum(II) and manganese(II), (A. S. Kasenally), (148) 207
- Transition metal amides, β -elimination from (S. E. Diamond, F. Mares), (142) C55
- Triethylsilane, action on α -ethylenic aldehydes in the presence of nickel or palladium catalysts of (R. Bourhis, E. Frainnet, F. Moulines), (141) 157
- Triphenylcyanoborate complexes of rhodium(III), ruthenium(II) and palladium(II), synthesis and characterisation of (M. C. Cornock, D. R. Robertson, T. A. Stephenson, C. L. Jones, G. H. W. Milburn, L. Sawyer), (135) C50
- Triphenylphosphine, influence in asymmetric hydrocarboxylation catalyzed by [(-)-DIOP]PdCl₂ of olefins of (G. Consiglio), (132) C26
- Vinylpalladium and methylpalladium complexes, reactions of allene and acetylenes with (H. C. Clark, C. R. C. Milne, C. S. Wong), (136) 265
- Phosphorus**
- Alkenyloxycarbonyliridium derivatives, preparation of (L. Malatesta, M. Angioletta, G. Caglio), (129) 117
- Alkylphosphines coordinated to iridium(I), metallation of (S. Hietkamp, D. J. Stufkens, K. Vrieze), (139) 189
- Alkyl-phosphorus, -arsenic and -antimony hydrides and halides, reactions with dibenzylmercury of, improved procedure

- for cyclopolyarsines (A L Rheingold, P Choudhury), (128) 155
- Alkylsilicon and alkylsilylmetal compounds, ¹³C NMR investigations of (H. Muller, L. Rosch, W Erb, R. Zeisberg), (140) C17
- (η^3 -Allyl)carbonylchlorobis(dimethylphenylphosphine)iridium(III) hexafluorophosphate, crystal and molecular structure of (J A. Kaduk, A T Poulos, J A. Ibers), (127) 245
- trans*-(η^1 -Allyl)chlorobis(triphenylphosphine) platinum(II), preparation and structure of (J A. Kaduk, J A. Ibers), (139) 199
- (η -Allyl)dicarbonylmolybdenum(II) complexes, reactions with phosphorus and arsenic donor ligands of (B J Brisdon, K E Paddock), (149) 113
- Allylphosphines, metallation by (acac)-Ir(C₂H₄)₂ of (S Hietkamp, D J Stufkens, K Vrieze), (134) 95
- Allyl-phosphonium and -pyridinium stable complexes of molybdenum (J A. McCleverty, A J Murray), (149) C29
- η^3 -Allyltricarbonylethylenebis(diphenylphosphino)vanadium(0), crystal and molecular structure of (U Franke, E Weiss), (139) 305
- α -Aminomethyl-phosphines and -arsines, synthesis and chemical behaviour of (K. Kellner, B. Seidel, A Tzschach), (149) 167
- Arenechromium(0) complexes with phosphinic, carbonylic and thiocarbonylic ligands, mass spectra of (G Simonneaux, G Jaouen, R Dabard, P Guenot), (132) 231
- Asymmetric hydrogenation of α -amino acid precursors with a chiral diphosphine derived from 1,6-D-anhydro-glucose (G Descotes D Lafont, D Sinou), (150) C14
- Benzof[c]cinnoline complexes of rhodium, synthesis and stereochemistry of (J F Nixon, M Kooti), (149) 71
- Benzoylbis(diphenylphosphino)ethanecyclopentadienyliron, structure and chemical properties of (H Felkin, B Meunier, C Pascard, T Prange), (135) 361
- Bis(bis(diphenylphosphino)methane) pentacarbonyldimanganese, isocyanide addition to and formation of a four-electron doubly-bridging isocyanide (A L Balch, L S Benner), (135) 339
- Bis[bis(trimethylphosphine)tricarbonylrhenium]selenide, [(Me₃P)₂(CO)₃Re]₂Se, preparation and crystal structure of (E Rottinger, V Kullmer, H Vahrenkamp), (150) C6
- Bis(cyclooctadienylchloro-iridium) and -rhodium) and bis(cyclonorbornadienyl-chlororhodium), reactions with phosphorus(III) derivatives of (B Denise, G Pannetier), (148) 155
- (2,4-Bis(dimethylamino)-1,3-bis(trimethylsilyl)-1,2,3,4-diazadiphosphetidine) -2,4-bis(pentacarbonyl-chromium) and -molybdenum), new diazadiphosphetidine complexes (W Zeiss, C Feldt), (127) C5
- Bis(phenyldimethylphosphine) bis(diphenylsilyl) platinum(II), reaction with acetylenes of (C Eaborn, T N Metham, A Pidcock), (131) 377
- Bis(tricyclohexylphosphine) chlororhodium, coordination of heterocumulenes and other unsaturated molecules to (H L M van Gaal, J P J Verlaan), (133) 93
- Bis(tricyclohexylphosphine)halorhodium compounds (RhX[P(C₆H₁₁)₃]₂, reactions with N₂ and O₂, *trans*-influence in RhX[P(C₆H₁₁)₃]₂L (H L M van Gaal F L A van den Bekerom), (134) 237
- Bis(triphenylphosphine)chlorocarbonyl-iridium, homogeneous catalytic hydrogenation in solution and without solvent of (W Strohmeier M Lukács), (129) 331
- , influence of the quantum flux Φ on the photoactivation as a homogeneous hydrogenation catalyst (W Strohmeier, H Steigerwald, L Weigelt), (129) 243
- Bis(triphenylphosphine)dichlorod carbonyl-ruthenium, as catalyst in homogeneous hydration of aldehydes with turnover numbers up to 95 000 (W Strohmeier, L Weigelt), (145) 189
- Bis(triphenylphosphine)phenylbromonickel(II), insertion of unactivated acetylenes into the metal-aryl bond of (S J Tremont, R G Bergman), (140) C12
- Bis(triphenylphosphine)(vinyltrimethylsilane)platinum(0), preparation and reactions of (J W Fitch, J A Froelich), (128) C1
- Butenyl-magnesium, -zinc and -aluminium bromides, oxidation at low temperature and reduction of (S Czernecki, C Georgoulis, E Michel), (140) 127
- Carbonyliron compound in reduction and complexation reactions with sulphides of phosphorus compounds (F Mathey,

- G. Muller), (136) 241
- Carbonylruthenium complexes, reactions with tin and mercury iodides of (H.B Kuhnhen), (129) 215
- Carbonyl trifluorophosphine mixed complexes of zerovalent iron, He(I) photo-electron spectra of (R A Head, J F Nixon, N P C Westwood, R J Clark), (145) 75
- Catalytic synthesis of non-conjugated alkenynes (M. Catellani, C P. Chuson, G Salerno, F Dallatomasina), (146) C19
- Cationic transition metal olefin and tetrahydrofuran complexes, reactions with ylides of (D.L. Reger, E C Culbertson), (131) 297
- Chiral cobalt complexes with optically active P ligands, optical induction of the diastereomeric equilibrium of (H. Brunner, J Doppelberger, P. Dreischl, T Mollenberg), (139) 223
- $[(C_8H_{12})_2\text{Ir}\{\text{P}(\text{OC}_6\text{H}_3\text{Me})(\text{OC}_6\text{H}_4\text{Me})_2\} - \{\text{P}(\text{OCH}_3)_3\text{CMe}\}]$, crystal structure of (M Laing, M J Nolte, E Singleton, E. van der Stok), (146) 77
- (1-Chloro-2,2-dicyanovinyl)pentacarbonyl-manganese, reactions with trivalent phosphorus and related ligands of (R B. King S P. Diefenbach), (148) 303
- Chloronitrosyldicarbonylmolybdenum(0) complexes prepared by the reaction of dichlorodinitrosyl- and trichloronitrosyl-molybdenum compounds with dichloroethylaluminium and carbon monoxide (K Seyferth, R Taube, L Bencze, L. Markó), (137) 275
- Chlorothiomethoxymethyltriphenylphosphine palladium(II), molecular structure at -160 and 20°C of (K Miki, Y Kai, N. Yasuoka, N Kasai), (135) 53
- $(\tau\text{-C}_5\text{H}_5)\text{Mn}(\text{CO})(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)$, interaction with aprotic acids in solution of (B V Lokshin, E B Nazarova, A.G Ginzburg), (129) 379
- $\{(\eta\text{-C}_5\text{H}_5)\text{NbCl}_3[(\text{C}_6\text{H}_5)_2\text{P}(\text{CH}_2)_2\text{P}(\text{C}_6\text{H}_5)_2]\}$, $\text{C}_6\text{H}_5\text{CH}_3$ and $\{[\eta\text{-C}_5\text{H}_4\text{CH}_3]\text{NbCl}_3\text{OH}\}_{2\mu-\text{O}}$, X-ray structures of (J-C Daran, K. Prout, A De Cian, M L H Green, N Siganporia), (136) C4
- Chromium, molybdenum and tungsten substituted halocarbonyl compounds, photochemically-induced loss of phosphaine ligands of (W A Schenk), (139) C63
- Chromium, molybdenum and tungsten terdentate complexes of 4-cyclohexyl-phosphorin, preparation of (K.C Nainan, C T. Sears), (148) C31
- Cis*- and *trans*-influence of ligands in platinum(II) complexes, crystal and molecular structure of *cis*-[PtCl₂(PEt₃)₂(CO)] (L Manojlović-Muir, K W Muir, T Solomun), (142) 265
- Cobalt(II), rhodium(II) and iridium(II) paramagnetic hydrido complexes, electrochemistry of (G Pilloni, G Schiavon, G. Zotti, S Zecchin), (134) 305
- Cobalt, rhodium and iridium tetrานuclear carbonyl complexes containing trifluorophosphines (H Eshtiagh-Hosseini, J F Nixon), (150) 129
- Cobaltacyclopentadienes, Diels-Alder type reactions with olefins of (Y Wakatsuki, H Yamazaki), (139) 169
- Cobaltacyclopentadiene complexes from acetylenes, one-step and stepwise synthesis of (H Yamazaki, Y Wakatsuki), (139) 157
- $(\text{CO})_4\text{MnPM}_2\text{CH}_2\text{CH}_2\text{SiX}_2$ chelate complexes, preparation and spectroscopic characterization of (J Grobe, A Walter), (140) 325
- [Cyano(phenyl)bis(tricyclohexylphosphine)nickel(II)], reactions of (G Favero, M Gaddi, A Morvillo, A Turco), (149) 395
- Cyclodiphosph(III)azane selenides and tellurides, exchange effects on the ^1H and ^{31}P NMR spectra of (R Keat, D G Thompson), (141) C13
- π^5 -Cyclohexadienyl complexes of ruthenium, preparation of (D R Robertson, T A Stephenson) (142) C31
- π -Cyclohexadienyliron complexes bearing exocyclic double bonds (J F Helling, W A Hendrickson), (141) 99
- Cycloocta-1,5-diene(tetracarbonyl)manganese(I), hydride addition and related reactions of (P J Harris, S A R Knox, F G A Stone), (148) 327
- Cyclooctadienyl(dimethylphenylphosphine) chloroplatinum tetrafluoroborate, reactions with aryltrimethyltin compounds of (C Eaborn, K.J Odell, A. Pidcock), (146) 17
- Cycloocta-1,5-dienyl di-t-phosphine iridium hexafluorophosphate, dihydrido-diolefin complexes as intermediates in catalytic hydrogenation of cycloocta-1,5-diene by (R H. Crabtree, H Felkin, T Khan, G E. Morris), (144) C15
- Cyclopalladation of phosphine imides (H Alper), (127) 385
- Cyclopentadienyl-bis(dimethylphenyl-

- phosphine)- and -dimethylphosphinoethane-bromo- and -phenyl-iron as catalysts in homocoupling reactions between phenylmagnesium bromide and benzyl chloride (H Felkin, B Meunier), (146) 169
- Cyclopentadienylbis(diphenylphosphinoethane)ironmagnesium bromide, preparation and properties of (H Felkin, P J Knowles, B Meunier), (146) 151
- Cyclopentadienyldicarbonylmanganese complexes with stannic chloride, molecular structure and reactions of (A G Ginzburg, N G Boky, A I Yanovski, Yu T Struchkov, V N Setkina, D N Kursanov), (136) 45
- Cyclopentadienyldicarbonylmethyliron, NMR of photochemical reactions with P, As, Sb, S and N donor ligands (C R Folkes, A J Rest), (136) 355
- Cyclopentadienyldicarbonylrhodium, reaction with diphenylphosphine of (P Piraino, F Faraone, S Sergi), (133) 107
- Cyclopentadienylde complexes of Group VII metals (V I Zdanovitch, N E Kolobova, N I Yasyukova, Yu S Nekrasov, G A Panosyan, P V Petrovskii, A Zh Zhakaeva), (148) 63
- η^5 -Cyclopentadienylmanganese complexes with tertiary phosphines and phosphites as ligands (H Werner, B Juthani), (129) C39
- Cyclopentadienylmolybdenum carbonyl halide complexes with tertiary phosphines, stereoselective synthesis and isomer separations of (D L Beach, M Dattilo, K W Barnett), (140) 47
- Cymantrene complexes, photochemical substitution and chirality of (M Le Plouzennec, F Le Moigne, R Dabard), (132) 409
- Cymantrene derivatives containing phenyl-vinylidene ligands, synthesis of (A B Antonova, N E Kolobova, P V Petrovsky, B V Lokshin, N S Obezyuk), (137) 55
- Dialkylthallium(III) phosphides and arsenides, preparation and characterization of (B Walther, S Bauer), (142) 177
- N,N'*-Diarylsulphurdumine complexes of nickel(0) and platinum(0) and irreversible intramolecular rearrangement involving N—C(aryl) bond formation and N=S bond breaking in (R Mei, D J Stufkens, K Vrieze), (144) 239
- Diazopropane complex of tungsten, [WBr(N=N=CMe₂)(Ph₂PCH₂CH₂PPh₂)₂]Br structure of (J Chatt, R A Head, P B Hitchcock, W Hussain, G J Leigh), (133) Cl
- Di- μ -(n-butyrate) bis[dicarbonyl (tri-t-butylphosphine)ruthenium(I)] (*Ru*—*Ru*), preparation, properties and crystal structure of (H Schumann, J Opitz, J Pickardt), (128) 253
- Dichlorocarbonylselencarbonylbis(tri-phenylphosphine)ruthenium(II), RuCl₂(CO)(CSe)(PPh₃)₂, crystal and molecular structure of (G R Clark, S M James), (134) 229
- Dichlorophenylphosphine and chiral tertiary phosphines, condensation reactions of organocadmium compounds with (D Jore, D Guillerm, W Chodkiewicz), (149) C7
- η^5 η^1 -Dicyclopentadienyldicarbonyliron, reactions with phosphorus donor ligands of (J A Labinger), (136) C31
- Dicyclopentadienylduron tetracarbonyl, reactions with *P*-phenylphospholes of, synthesis and spectrochemistry of phosphaferrocenes (F Mathey), (139) 77
- Dienediphosphinedicarbonylmolybdenum complexes, preparation and spectra of (F Hohmann, H Tom Dieck, T Mack, D Leibfritz), (132) 255
- gem*-Difluoroallyllithium, generation by transmetalation reaction of (D Seyerth, K R Wursthorn), (137) C17
- cis*-Diiodobis(trimethylphosphine) platinum(II), crystal and molecular structure of (P B Hitchcock, B Jacobson, A Pidcock), (133) 273
- Dusopropyl-phosphite, -phosphorothioate, -phosphorodithioate, and -phosphoroselenoate, reactions with chlorophenylphosphines of (C Glidewell), (142) 171
- 2,5-Dimetalla(IVB) phospholanes and 2-metalla(IVB)-1,3-diphospholanes, synthesis of (C Couret, J Satgé, J Escudé, J D Andriamizaka), (132) C5
- Dimethylgallium-*N*-methyldifluorohypophosphorous acid amide, investigations of (H Schrem, J Weidlein), (133) C13
- Dimethylpentafluorophenylphosphineplatinum complexes, molecular structure and NMR spectra of (L Manojlović-Mur, K W Mur, T Solomun, D W Meek, J L Peterson), (146) C26
- 3,4-Dimethylphosphacymantrene, (C₆H₅P)Mn(CO)₃, reactions with phos-

- phines and trimethylphosphite of
(A. Breque, F. Mathey), (144) C9
- Dimethylplatinum(II) complex of 1,1,1-tris-(diphenylphosphinomethyl)ethane,
crystal and molecular structure of
(R.M. Kirchner, R.G. Little, K.D. Tau,
D W Meek), (149) C15
- Dimethylsilane hydrosilylation of functional
olefins (I M. Salimgareeva, V V Kaverin,
V P. Jurjev), (148) 23
- Diorganothallium-transition metal complexes,
synthesis and characterization of
(B Walther, H Albert, A Kolbe), (145)
285
- 1,2-Diphenyl-1,2-diphospholane 1,2-disulphide, P—P bond lengths in (J D Lee),
(137) 193
- Diphenylmethylphosphineplatinum(II) complex, three-membered ring formed
through internal metallation in
(S Bresadola, B Longato, F Morandini),
(128) C5
- o*-(Diphenylphosphino)phenyl-*cis*-1,2-di-carbomethoxyethenyltriphenylphosphineplatinum, crystal structure of
(N C Rice, J D Oliver), (145) 121
- α -Esters and α -phosphonates of haloorganometallic compounds, alkylation by
organocopper compounds of (J Villieras,
A. Reliquet, J.-F. Normant), (144) 1⁷
- Ethyl (acetylacetono) (triphenylphosphine)nickel(II), reactions of
(A N Nesmeyanov, L S Isaeva,
L N Lorens), (129) 421
- Ethylene-bis(triphenylphosphine)platinum,
photochemistry of (S. Sostero, O Traverso,
M. Lenarda, M Graziani), (134) 259
- o*-Ethynylphenylethyneylisothiocyanato-
trans-bis(triethylphosphine)palladium(II),
crystal and molecular structure of
(U Behrens, K. Hoffmann), (129) 273
- Fe₂(CO)₉(Ph₂PC≡CBu-t), synthesis and
X-ray crystal structure of (A J Carty,
W F Smith, N J Taylor), (146) C1
- Ferrocenylphosphinerhodium(I) cationic complexes, asymmetric hydrogenation reactions of (W R Cullen, E-S Yeh),
(139) C13
- [FeX(CO)₅]_n complexes (X = SCH₃,
SC₆H₅, P(CH₃)₂), photochemically induced insertion of alkynes into the metal–metal bond of (R Mathieu,
R Poilblanc), (142) 351
- Germanium-functional phosphineimines,
preparation and properties of
(W Wolfsberger, H H. Pickel), (145) 29
- Germanium, phosphorus(III), arsenic(III)
- and sulphur heterocyclic compounds with aminoacidic and hydroxyacidic ligands (H Lavayssiere, G Dousse,
J Satgé), (137) C37
- Group IV and V organic oxygen complexes,
investigation by electronic emission spectroscopy of (G A Razuvaev,
A N Egorochkin, V A Kuznetsov,
V N Glushakova, A.V Shabanov,
Yu A. Alexandrov, Yu Yu Baryshnikov),
(148) 147
- Group VII pentacarbonylhydrido compounds, trifluorophosphine substitution of (W J Miles, Jr , R J Clark), (131) 93
- Hexacarbonyl-chromium, -molybdenum and -tungsten compounds, reactions with (*o*-lithiobenzyl)diphenylphosphines of (H-P. Abicht, K. Issleib), (132) 327
- Hexacoordinate iron(II) complexes with isocyanides, phosphines and halides,
Mossbauer studies of (S Calogero,
G Albertin, A.A. Orio, G Pelizzetti),
(133) 327
- Hexafluoroacetoneazinebis(triphenylphosphine)platinum, structure of (J D Oliver, R E Davis), (137) 373
- trans*-Hydridocyanooalkylplatinum(II) complexes, reactions with isocyanides of (R Ros, R A. Michelin, G Carturan,
U Belluco), (133) 213
- Hydridopentacarbonylmanganese(I), mechanism of substitution of (B H Byers, T L Brown), (127) 181
- Hydridoplatinum(II) complexes stabilized with tribenzylphosphines, preparation of and empirical approach to the mutual influence of ligands in (T Miyamoto),
(134) 335
- Hydridothiocarbonyl complexes as precursors of low-valent thiocarbonyl complexes (T J Collins, W R Roper),
(139) C56
- IrCl(CO)L₂ as a homogeneous hydrogenation catalyst, photoactivation as a function of the ligand L and the substrate of (W Strohmeier, L Weigelt),
(129) C47
- IrCl(CO)L₂ compounds as catalysts, homogeneous hydrogenation with (W Strohmeier, M Lukacs) (133) C47
- , photoactivated homogeneous hydrogenation with (W Strohmeier,
L Weigelt), (133) C43
- trans*-[IrCl(CO)(PMe₂Ph)₂]_n, addition of acetic formic anhydride to and anion, including hydrido, transfer reactions of (J A van Doorn, C Masters, C van der

- Woude), (141) 231
- Iridium dicationic hydride complexes, synthesis and stereochemistry of (M J Hopkinson, J F Nixon), (148) 201
- Iron complexes with dinitrogen and nitrogen-hydrogen ligands, synthesis and properties of $[(C_5H_5)Fe\cdot(dppe)L]X$ (D Sellmann, E Kleinschmidt), (140) 211
- $[IrP\{(\text{OC}_6\text{H}_5\text{Me})_2(\text{OC}_6\text{H}_4\text{Me})\}\text{Cl}(\gamma\text{-picoline})_2]$ formed by the σ -cyclometallation of two σ -tolyl groups on a single tri- σ -tolylphosphite ligand, crystal and molecular structure of (M Nolte, E Singleton, E van der Stok), (142) 387
- (σ -Lithiobenzyl)diphenylphosphine cyclo-metallated complexes, reactions, IR, NMR and mass spectra of (H -P Abicht, K Issleib), (149) 209
- α -Lithio- α -chloroalkylphosphonate mixed with alkyllithium, nucleophilic substitution of chlorine catalysed by copper(I) salts (J Villeras, A Reliquet, J F Normant), (144) 263
- Manganese-bis-aryldiazo complexes, preparation and properties of (B L Haymore), (137) C11
- nido*-Me₂NCB₁₀H₁₀PR derivatives, synthesis and structure of (W F Wright, J C Huffman, L J Todd), (148) 7
- Metal carbonyls, reactions with amine oxides of (U Koelle), (133) 53
- Metathesis of olefins with pentacarbonyl-tungsten compounds and aluminium halides, IR and ³¹P NMR studies of (J L Bilhou, A K Smith, J M Bassett), (148) 53
- Methylcopper complexes promoting C—H bond cleavage in alkenyl carboxylates, formation of six-membered acetoxyvinyl-copper chelates (M Kubota, A Miyashita, S Komiya, A Yamamoto), (139) 111
- Me₂XGeMe₂CH₂X'Me₂ (X, X' = N, P, As) as chelating ligands, preparation of (J Grobe, J Hendriock), (132) 77
- Molybdenum and tungsten pseudo-octahedral complexes, oscillations of η^3 -allyl groups in (J W Faller, D A Haitko), (149) C19
- Nickel(II) cationic π -allylic complexes from allyloxytris(dimethylamino)phosphonium salts, preparation of (D Neibecker, B Castro), (134) 105
- Nickel isocyanate and carbodimide complexes (H Hoberg, J Korff), (150) C20
- Nickel(II), palladium(II) and platinum(II) stable cationic carbonyl and olefin com-
- plexes, synthesis of and bonding in (T Majima, H Kurosawa), (134) C45
- Octacarbonyldiphosphinedimanganese compounds, thermal homolysis of (L S Benner, A L Balch), (134) 121
- 3,3,3,3,6,6,6,6-Octacarbonyl-2,2,5,5-tetraphenyl-1,4-dioxa-2,5-diphospho-3,6-dimanganacyclohexane, crystal and molecular structure of (S Hoehne, E Lindner, B Schilling), (139) 315
- Organosilyl derivatives of cyclopenta-dienyldicarbonyliron, reactions with triphenyl phosphite of (G Cerveau, E Colomer, R Corriu), (136) 349
- Organostannylphosphines, exchange reactions of (H Schumann, W -W Du Mont, B Wobke, P J Corvan, J J Zuckerman), (128) 187
- Osmium-coordinated alkene and alkyne ligands derived from triethylphosphine and diethylphenylphosphine (A J Deeming), (128) 63
- Osmium four-membered metallocycle from inter-ligand reaction between thiocarboxamido- and thiocarbonyl ligands (G R Clark, T J Collins, D Hall, S M James, W R Roper), (141) C5
- $[\text{Os}(\eta^2\text{-S}_2\text{Me})(\text{CO})_2(\text{PPh}_3)_2]\text{ClO}_4$, structure of and methylation reactions of coordinated disulphur with (G R Clark, D R Russel, W R Roper, A Walker), (136) C1
- β -Oxophosphonium salts spectral study of (N A Nesmeyanov, S T Berman, P V Petrovsky, A I Lutsenko, O A Reutov), (129) 41
- Palladium(II) acetylacetone and tri-phenylphosphine as catalyst in oligomerisation of butadiene with α -hydroxy-carbonic acid esters (R Kluter, M Bernd, H Singer), (137) 309
- Palladium(II) planar complexes with σ -ethynylphenylacetylide ions as ligands preparation and characterisation of (R Nast, V Pank), (129) 265
- Pentacarbonyl[bis(trimethylsilyl)amino-t-butylaminophosphine]chromium(0), crystal and molecular structure of (S Pohl), (142) 185
- Pentacarbonyl(t-butylaminotrimethylsilyliminophosphine)chromium(0), crystal and molecular structure of (S Pohl), (142) 195
- Pentacarbonyl[chloro(diorgano-phosphino)-and -arsino)-stannylene]tungsten(0), synthesis of (W -W Du Mont), (131) C37

- Pentacarbonyl(dimethyloxosulphonium-methylide)chromium(0), substitution reactions of (L. Weber), (131) 49
- Pentacarbonyltungsten zerovalent complexes, IR study of metathesis of olefins with (J L Bilhou, J M Basset), (132) 395
- Pentacarbonyl-ylid-chromium(0) complexes, preparation and vibrational spectra of (L Knoll), (148) C25
- Pentachlorophenylplatinum(II) triethylphosphine complexes, preparation and characterization of (J M Coronas, C. Peruyero, J Sales), (128) 291
- Pentafluorophenylnickel(II) neutral and cationic complexes, preparation of (F Caballero, P Royo), (137) 229
- Pentamethylantimony, methyl group replacement with organophosphorus substituents on (G E Graves, J R Van Wazer), (150) 233
- Pentamethylcyclopentadienyl-rhodium and -iridium cationic complexes with tertiary phosphines and phosphites and their rearrangement reactions (S J Thompson, C White, P M Maitlis), (136) 87
- μ -[Phenyl (dicyclohexylphosphonio)ethenylidyl]- μ -(diphenylphosphido)hexacarbonyldiron, X-ray structure of (A J Carty, G N Mott, N J Taylor, G Ferguson, M A Khan, P J Roberts), (149) 345
- Phenyl-phosphorus, -arsenic, -antimony and -bismuth derivatives, Fourier transform ^{13}C NMR study of (L F Wuyts, D F Van de Vondel, G P Van der Kelen), (129) 163
- Phosphine-containing terpene derivatives as optically active ligands in homogeneous catalysis (W Beck, H Menzel), (133) 307
- Phosphine-iridium complexes, catalytic activity in homogeneous hydrogenation of unsaturated compounds (W Strohmeier, H Steigerwald, M Lukács), (144) 135
- Phosphine-palladium complex, catalyst in regiospecific hydrosilylation of isoprene, stereochemistry of (I Ojima), (134) C1
- Phosphine-substituted monomeric manganese carbonyl arsenides, preparation and Lewis basicity of (R Müller, H Vahrenkamp), (150) C11
- Phosphine-substituted tungsten dicarbonyls, preparation of (F Hohmann), (137) 315
- Phosphinecarbonyl-technetium(I) and -technetium(III) complexes, reactions and stereochemistry of (U Mazzi, A Bismundo, N Kotsev, D A Clemente), (135) 177
- Phosphonium salt type ylide palladium complexes containing cyclic diolefin ligands, preparation of (K Itoh, M Fukui, Y Ishii), (129) 259
- Photo-induced introduction of $\text{PhP}(\text{CH}_2\text{CH}_2\text{PPh}_2)_2$ into $[\text{Et}_4\text{N}][\text{V}(\text{CO})_6]$ and $[\eta^5\text{-CpV}(\text{CO})_4]$ (I Muller, D Rehder), (139) 293
- Platinum-carbon bond complexes, synthesis by reaction of *cis*-bis(triethylphosphine) dichloroplatinum with silver(I) oxide (M A. Cairns, K R Dixon, M A. R Smith), (135) C33
- Platinum(II) fluxional five-coordinate complexes containing chelating triphosphine ligands (K D Tau, D W Meek), (139) C83
- Polychlorophenylnickel(II) phosphine complexes, spectra and reactions of (M Anton, J M Coronas, J Sales), (129) 249
- sym*-Polymethylferricinium hexafluorophosphates, synthesis, analysis and IR spectra of (A N Nesmeyanov, R B Materikova, I R Lyatifov, T Kh Kurbanov, N S Kochetkova), (145) 241
- n-Propylmagnesium bromide in hydrogenolysis of allyl alcohols catalysed by nickel complexes (H Felkin, E Jampel-Costa, G Swierczewski), (134) 265
- trans*-[Pt(PPh₃)₂H(*p*-CH₃C₆H₄N=N=NC₆H₄CH₃-*p*)], reductive elimination of 1,3-di-*p*-tolyltriazene, reactions with CO, 2,6-Me₂C₆H₄NC, PPh₃, and PhC≡CPh of (L Toniolo, G Biscontini, M Nicolini, R Cipollini), (139) 339
- [RhCl(CO)(PMe₂Ph)(Me)(Br)]₂, crystal structure of and oxidative addition reactions of alkyl and acyl halides to μ -halogen-bridged rhodium(I) complexes ([RhX(CO)(PR₃)₂]₂) (M J Doyle, A. Mayanza, J-J Bonnet, P Kalck, R Poilblanc), (146) 293
- RhCl(CO){PPh₂[(CH₂)_nCH=CH₂]}, and RhCl(CO)[PPh₂(CH₂CH₂CH=CHCH₃)]₂, hydrogenation in methanol solution of (P W Clark, G E Hartwell), (139) 385
- RhCl₂(PMe₂Ph)₂(C₃Ph₃), preparation of by an unusual oxidative addition-ligand elimination reaction and structure of (P D Frisch, G P Khare), (142) C61
- Rhodium(I) and iridium(I) complexes containing *trans*-chelating bidentate di-tertiary phosphine or arsine, internal

- oxidation of a benzylic C—H bond to iridium (M A Bennett, R N Johnson, L B Tomkins), (128) 73
- Rhodium(I) and iridium(I) complexes containing the ligands 1,6-bis(diphenylphosphino)hexane, 1,6-bis(diphenylphosphino)-*trans*-3-hexene, 1,6-bis(diphenylarsino)hexane and 1,6-bis(diphenylarsino)-*trans*-3-hexene formed via dehydrogenation of 1,6-bis(diphenylphosphino)hexane (P W Clark), (137) 235
- Rhodium(I) and iridium(I) nucleophilic complexes, facile cleavage of the P—H bond of secondary phosphine sulphides by (V Marsala, F Faraone, P Piraino), (133) 301
- Rhodium(I) carbonyl dithiolate, reactivity of and formation of acyl and hydride species (C -H Cheng, D E Hendriksen, R Eisenberg), (142) C65
- Rhodium-catalysed reactions of bicyclic hydrocarbons, products, mechanism, and the nature of the catalyst (D L Beach, D L Garin, I A Kaempfe, K W Barnett), (142) 211
- , substituent, stereochemical and ring-size effects (D L Beach, K W Barnett), (142) 225
- Rhodium(I) complexes in solutions with chelating diphosphines, olefin hydrogenation catalysis by (D A Slack, M C Baird), (142) C69
- Rhodium elution from polymer-bonded hydroformylation catalysts (W H Lang, A T Jurewicz, W O Haag, D D Whitehurst, L D Rollmann), (134) 85
- Rhodium-phosphine complexes as catalysts in homogeneous hydrohalogenation of organic halides by molecular hydrogen (P Kvintovics, B Heil, J Palágyi, L Markó), (148) 311
- Rhodium(I)-phosphine complexes containing bidentate unsaturated thio ligands, synthesis and characterization of (A W Gal, J W Gosselink, F A Vollenbroek), (142) 357
- Rhodium(I)-phosphine complexes containing unsaturated thio ligands, reaction with O₂ and H₂ of (A W Gal, F H A Bolder), (142) 375
- Rhodium triphenylphosphine complexes as catalysts in stereoselective addition of phenyldimethylsilane to phenylacetylene (H Watanabe, T Kitahara, T Motegi, Y Nagai), (139) 215
- fac*-[RuH(1,5-C₆H₄)(NH₂NMe₂)₃][PF₆]₂, X-ray structure of and stabilization of coordinated substituted hydrazines by hydrogen bonding (T V Ashworth, M J Nolte, E Singleton), (139) C73
- RuI₂[CHN(CH₃)(*p*-CH₃C₆H₄)](CO)-(CN-*p*-CH₃C₆H₄)(P(C₆H₅)₃), crystal structure of (G R Clark), (134) 54
- RuI(CO)(PPh₃)₂(CS₂Me), isonitrile complexes derived from nucleophilic attack of primary amines on (R O Harris, P Yaneff), (134) C40
- Ruthenium(II) and osmium(II) five and six coordinate σ -aryl derivatives and the equilibrium RuRX(CO)₂(PPh₃)₂ = Ru[C(O)R]X(CO)(PPh₃)₂ (W R Roper, L J Wright), (142) C1
- Ruthenium(II)—phosphine complexes as catalysts in H/Cl exchange between organosilicon hydrides and polychloroalkanes (H Kono, H Matsumoto, Y Nagai), (148) 267
- syn*-[μ -(SCH₃)Fe(CO)₂P(CH₃)₃]₂, synthesis and crystal and molecular structure of (G Le Borgne, D Grandjean, R Mathieu, R Poilblanc), (131) 429
- Silyl- and germyl-phosphines, addition to benzoyltrimethylsilanes of (G Couret, J Satgé, J-P Picard), (141) 35
- Silylruthenium hydridophosphine complexes, preparation and characterization of (H Kono, N Wakao, K. Ito, Y, Nagai), (132) 53
- Tertiary phosphine-organotin halide adducts, thermodynamics of metal-ligand bond formation in (M J Gallagher, D P Graddon, A R Sheikh), (128) 199
- cis*-Tetracarbonylbis(chlorodiphenylphosphine)molybdenum(0), reactions with ammonia, methylamine, *p*-toluidine, water, methanol, *p*-cresol and ethanethiol of and subsequent reactions of the ammonolysis and hydrolysis products with chlorosilanes and boron trifluoride diethyletherate (G M Gray, C S Krahanzel), (146) 23
- Tetracarbonyl-cobalt-, -tin and -lead compounds, preparation of (G Schmid, G Etzrodt), (131) 477
- cis*-Tetrachlorobis(triethylphosphine)platinum(IV), crystal and molecular structure of (P B Hitchcock, B Jacobson, A Pidcock), (136) 397
- Tetraethyl diphosphite and 1,1,3,3-tetraethoxy-2-ethyldiphosphazane and related compounds, contrasting coordination behaviour of (A L Du Preez, I L Marais, R J Haines, A Pidcock, M. Safari), (141) C10

- Tetrakis[(benzonitrile)(triphenylphosphorane)nickel(0)]·2 toluene·1 n-hexane·1 cycloocta-1,5-diene, X-ray crystal structure of (I W Bassi, C Benedicenti, M Calcaterra, R Intrito, G Rucci, C Santini), (144) 225
- Tetrakis(trimethylgermyl)diphosphine, preparation of (H. Schumann, L. Rosch, W Schmidt-Fritzsche), (140) C21
- Tetrakis(trimethylphosphine)nickel and tetraphosphinenickel, vibrational study of (A. Loutellier, M. Trabelsi, M. Bigorgne), (133) 201
- Tetrakis(triphenoxypyrophosphine)-octa-carbonyltetrarhodium and -dodecacarbonylhexarhodium, synthesis and X-ray characterisation of (G. Ciani, L. Garlaschelli, M. Manassero, U. Sartorelli, V.G. Albano), (129) C54
- Tetrakis(triphenylphosphine)palladium(0), reactions of hexamethyldisilane with nitrohalobenzenes catalysed by (H. Matsumoto, K. Yoshihiro, S. Nagashima, H. Watanabe, Y. Nagai), (128) 409
- Tetraruthenium dodecacarbonyl tetrahydride and some phosphine-substituted derivatives as hydrogenation catalysts (P. Frediani, U. Matteoli, M. Bianchi, F. Piacenti, G. Menchi), (150) 273
- Thiocarbonylrhodium(I) cationic complexes, synthesis of (R.W. Matthews, L. Parkhill, M.J. Mays), (139) C77
- Thiocarboxamido bidentate, monodentate and bridging complexes of rhodium and iridium (A.W. Gal, H.P.M.M. Ambrosius, A.F.M.J. van der Ploeg, W.P. Bosman), (149) 81
- Transition metal amides, β -elimination from (S.E. Diamond, F. Mares), (142) C55
- Transition metal complexes with terminal and bridging dimethylarsenido functions, ligand exchange processes in (W. Malisch, H. Rössner, K. Keller, R. Janta), (133) C21
- μ -Trichlorotetracarbonyldimolybdenum cationic heptacoordinated complexes, synthesis of (G. Bouquet, B. Dermersman, M. Bigorgne), (127) 175
- Triethylsilane, reaction with benzylidene aniline in the presence of tris(triphenylphosphine)rhodium chloride of (K.A. Andrianov, M.E. Filimonova, V.I. Sidorov), (144) 27
- Triferrocenylphosphineiron carbonyls, formation by substitution and disproportionation processes of (G.P. Sollott, D.L. Daughdrill, W.R. Peterson, Jr.), (133) 347
- Trihalogermylphosphines, α -elimination reactions of (W.-W. Dumont, H. Schumann), (128) 99
- Truron dodecacarbonyl, nucleophilic substitution in benzene by triphenylphosphine in (R. Kumar), (136) 235
- Trimethylaluminium trimethylphosphane, $(CH_3)_3AlP(CH_3)_3$, molecular structure determined by gas phase electron diffraction (A. Almenningen, L. Fernholz, A. Haaland, J. Weidlein), (145) 109
- Trimethyl- and triphenyl-antimony dibromide, reactions with phosphinic acids exhibiting P—H bonds of (G.E. Graves, J.R. Van Wazer), (131) 31
- Trimethylphosphinetriphenylphosphinedicarbonyliron disulphide ($Fe(\eta^2-CS_2)_2(CO)_2(PMe_3)_2(PPh_3)_2$), X-ray crystal structure of (H. Le Bozec, P. Dixneuf, N.J. Taylor, A.J. Carty), (135) C29
- Trimethyl-silyl and -stannyl radicals, reactions with tetraphenyldiphosphines, phosphorus esters and peresters of (G. Avar, W.P. Neumann), (131) 207
- Trimethylstannyl radicals, reactions with $P=S$ or $P-S$ groups of organophosphorus compounds of (G. Avar, W.P. Neumann), (131) 215
- Triphenylphosphine, influence in asymmetric hydrocarboxylation catalyzed by $[(-)-DIOP]PdCl_2$ of olefins of (G. Consiglio), (132) C26
- Tris(μ -difluorophosphato)bis[η^5 -pentamethylcyclopentadienylrhodium(III)] hexafluorophosphate, η^5 -(2,4-dimethyl-1-oxapenta-1,3-dienyl) (pentamethylcyclopentadienyl)iridium cation, and η^5 -(2-hydroxy-4-methylpentadienyl) (η^5 -pentamethylcyclopentadienyl)iridium cation, solvolysis of coordinated acetone solvent species to (C. White, S.J. Thompson, P.M. Maitlis), (134) 319
- Tris(dimethylamino)phosphine, reactions with organometallic diazoalkanes of (P. Krommes, J. Lorberth), (127) 19
- Tris(methylvinyl ketone)tungsten, interaction of methylenetriphenylphosphorane with (W.C. Kaska, R.F. Reichelderfer, L. Prizant), (129) 97
- Tris(triphenylphosphine)chlororhodium, catalyst in regioselective hydrosilylation of isoprene (I. Ojima, M. Kumagai), (134) C6
- Tris(triphenylphosphine)dicarbonyl-iron and ruthenium complexes, reactions of (F. Porta, S. Cenini, S. Giordano, M. Pizzotti), (150) 261

- Tris(triphenylphosphine)iridium(I) internally metallated complex, reactions with carbon monoxide, hydrogen and methanol of (F Morandini, B Longato, S Bresadola), (132) 291
- Tris(triphenylphosphine)trihydroiridium, catalyst in homogeneous hydrogenation of aldehydes (W Strohmeier, H Steigerwald), (129) C43
- Tungsten—monoolefin octahedral complexes, preparation and vibrational spectra of (U Koemm, C G Kreiter, H Strack), (148) 179
- Vanadaphospha-alkanes and -cycloalkanes, preparation by photoreaction of carbonyl-vanadium compounds with tetraphenyl-diphosphines (D Rehder), (137) C25

Platinum

- Alkyl-platinum and -palladium compounds, photodecomposition of, A CIDNP study (P W N M van Leeuwen, C F Roobek, R Hus), (142) 233
- π -Allyl complexes of transition metals, metal— π -allyl and metal—halogen stretching modes in the vibrational spectra of (T B Chenskaya, L A Leites, V T Aleksanyan), (148) 85
- trans*-(η^1 -Allyl)chlorobis(triphenylphosphine)platinum(II), preparation and structure of (J A. Kaduk, J A. Ibers), (139) 199
- Allylplatinum complexes, synthesis from di-1,5-cyclooctadieneplatinum and dynamic behaviour in solution of (N M. Boag, M. Green, J L. Spencer, F G A. Stone), (127) C51
- Bis(phenyldimethylphosphine)bis(diphenylsilyl)platinum(II), reaction with acetylenes of (C Eaborn, T N Metham, A Pidcock), (131) 377
- Bis(triphenylphosphine) (vinyltrimethylsilane)platinum(0), preparation and reactions of (J W Fitch, J A. Froelich), (128) C1
- (Bromotrifluoroethylene)bis(triphenylarsine)platinum(0), kinetics and mechanism of isomerisation to bromo-(trifluorovinyl)bis(triphenylarsine)-platinum(II) of (J Burgess, M M Hunt, R D W. Kemmitt), (134) 131
- 1,2-C₂B₉H₁₁²⁺ ligand, MO analysis of the slip distortion in electron-rich sandwich complexes derived from (D M P Mingos, M I Forsyth), (146) C37

- Chloropentafluorophenolato-*o*-vinyl-*N,N*-dimethylanilineplatinum(II) and chloropentafluorothiophenolato-*o*-vinyl-*N,N*-dimethylanilineplatinum(II), platinum(II)—Group VI donor ligand bonds in (M K. Cooper, N J Hair, D W Yanuk), (150) 157
- Cis*- and *trans*-influence of ligands in platinum(II) complexes, crystal and molecular structure of *cis*-[PtCl₂(PET₃)(CO)] (L Manojlović-Muir, K W Muir, T Solomun), (142) 265
- Cyclooctadienyl (dimethylphenylphosphine) chloroplatinum tetrafluoroborate, reactions with aryltrimethyltin compounds of (C Eaborn, K J Odell, A Pidcock), (146) 17
- trans*-Cyclooctenerhodium(I) optically active complexes, preparation and circular dichroism of (I Kinoshita, Y Terai, K Kashiwabara, H Kido, K Saito), (127) 237
- Cyclopropylplatinum to π -allylplatinum rearrangement (R L Phillips, R J Puddephatt), (136) C52
- cis*- and *trans*-Dialkynylplatinum(II) complexes, synthesis and properties of (K Sonogashira, Y Fujikura, T Yatake, N Toyoshima, S Takahashi, N Hagihara), (145) 101
- N,N*-Diarylsulphurdumine complexes of nickel(0) and platinum(0) and irreversible intramolecular rearrangement involving N—C (aryl) bond formation and N=S bond breaking in (R Meij, D J Stufkens, K Vrieze), (144) 239
- Dichloroamineplatinum(II) complexes, preparation from bridged dimers of (P Courtot, R Rumin, A Peron, J P Girault), (145) 343
- Dichloroolefamineplatinum complexes, configuration and photochemical behaviour of (P Courtot, R Rumin, A Peron), (144) 357
- Dichloro-*ortho*-vinyldephenylarsineplatinum(II), X-ray structure of (M K. Cooper, P J Guerney, M Elder, M McPartlin), (137) C22
- cis*-Duodobis(trimethylphosphine)platinum(II), crystal and molecular structure of (P B Hitchcock, B Jacobson, A Pidcock), (133) 273
- Dimethylpentafluorophenylphosphine-platinum complexes, molecular structure and NMR spectra of (L Manojlović-Muir, K W Muir, T Solomun, D W Meek, J L. Peterson), (146) C26

- Dimethylplatinum(II) complex of 1,1,1-tris-(diphenylphosphinomethyl)ethane, crystal and molecular structure of (R M Kirchner, R G Little, K D Tau, D W Meek), (149) C15
- Dimethylplatinum compounds, preparation of $[\text{Pt}(\text{CH}_3)_2\text{Br}(\text{H}_2\text{O})_3]^+$ and its reactions with neutral and uninegative ligands (J R Hall, G A Swile), (139) 403
- [1-(*o*-Diphenylarsinephenyl)-2-methoxyethyl-As, C¹]hexafluoroacetylacetoneplatinum(II), X-ray structure of (M K Cooper, P J Guerney, P Donaldson, M McPartlin), (131) C11
- Diphenylmethylphosphineplatinum(II) complex, three-membered ring formed through internal metallation in (S Bresadola, B Longato, F Morandini), (128) C5
- o*-(Diphenylphosphino)phenyl-*cis*-1,2-dicarbomethoxyethenyltriphenylphosphineplatinum, crystal structure of (N C Rice, J D Oliver), (145) 121
- Ethylene-bis(triphenylphosphine)platinum, photochemistry of (S Sostero, O Travesso, M Lenarda, M Graziani), (134) 259
- Group VIIIB, carbon— and metal—alkyne complexes, IR intensity measurements on (H L M van Gaal, M W H Graef, A van der Ent), (131) 453
- Hexafluoroacetoneazinebis(triphenylphosphine)platinum, structure of (J D Oliver, R E Davis), (137) 373
- trans*-Hydridocyanooalkylplatinum(II) complexes, reactions with isocyanides of (R Ros, R A Michelin, G Carturan, U Belluco), (133) 213
- Hydridocyanomethylplatinum(II) complexes, preparation and spectroscopic properties of (R Ros, R Bataillard, R Roulet), (139) 355
- Hydridoplatinum(II) complexes stabilized with tribenzylphosphines, preparation of and empirical approach to the mutual influence of ligands in (T Miyamoto), (134) 335
- Hydridosilacyclobutanes, reactions with low-valent complexes of iron and platinum of (C S Cundy, M F Lappert), (144) 317
- (*c*-Lithiobenzyl)diphenylphosphine cyclo-metallated complexes, reactions, IR, NMR and mass spectra of (H-P. Abicht, K Issleib), (149) 209
- Nickel, palladium and platinum, Annual survey covering the year 1975 (D M Roundhill), (126) 431
- , — 1976 (D M Roundhill), (147) 335
- Nickel(III), palladium(II) and platinum(II) stable cationic carbonyl and olefin complexes, synthesis of and bonding in (T Majima, H Kurosawa), (134) C45
- Noble metal carbonyl halides in reaction with acetylenes, chemical and structural studies of σ -alkenyl complexes of platinum(II) (F Canziani, A Albinati, L Garlaschelli, M C Malatesta), (146) 197
- , insertions into the chloro-platinum bond (F Canziani, L Garlaschelli, M C Malatesta), (146) 179
- Organogermylmercuryplatinum complexes and related compounds, preparation and reactions of (M N Bochkarev, G A Razuvayev, L P Maiorova, N P Makarenko, V I Sokolov, V V Bashilov, O A Reutov), (131) 399
- Organoplatinum cluster compound, $[\text{Me}_3\text{PtClO}_4]_n$, preparative and structural aspects of (B Neruda, E Glozbach, J Lorberth), (131) 317
- Organo-tin and -lead compounds, oxidative addition reactions to $[\text{Pt}(\text{C}_2\text{H}_4)(\text{PPh}_3)_2]$ of (G Butler, C Eaborn, A Pidcock), (144) C23
- Palladium(II) and platinum(II) complexes with organotellurium compounds as ligands (L-Y Chia, W R McWhinnie), (148) 165
- Pentachlorophenylplatinum(II) triethylphosphine complexes, preparation and characterization of (J M Coronas, C Peruyero, J Sales), (128) 291
- Pentamethylcyclopentadienylplatinum(IV) complexes (S H Taylor, P M Matlis), (139) 121
- o*-Phenylenedimethylstibine, divalent nickel, palladium and platinum derivatives and zerovalent chromium, molybdenum and tungsten complexes, synthesis of (E Shewchuk, S B Wild), (128) 115
- Platinaspiroalkanes, synthesis, IR and NMR spectra of (D B Brown, V A Viens), (142) i17
- Platinum and palladium carbenoids, intramolecular rearrangements of (P W N M van Leeuwen, C F Roobek, R Huis), (142) 243
- Platinum and palladium cationic complexes with *p*-tolyl isocyanide (K R Nagasundara, N M N Gowda, G K N Reddy), (129) 121
- Platinum—carbon bond complexes, synthesis by reaction of *cis*-bis(triethylphosphine)-

- dichloroplatinum with silver(I) oxide (M A Cairns, K R Dixon, M A R Smith), (135) C33
- Platinum(II) catalyzed alkoxide exchange and isomerization of vinyl ethers (P Busse, F Pesa, M Orchin), (140) 229
- Platinum compounds containing a thiomethoxymethyl group, preparation, properties and reactivities of (G Yoshida, H Kurosawa, R Okawara), (131) 309
- Platinum(II) five-coordinate complex cation, X-ray structure of (M K Cooper, D W Yaniuk), (131) C33
- Platinum(II) fluxional five-coordinate complexes containing cheating triphosphine ligands (K D Tau, D W Meek), (139) C83
- Platinum(0) fumarate, maleate and maleic anhydride complexes, preparation of (M T Chicote, M Green, J L Spencer, F G A Stone, J Vicente), (137) C8
- Platinum(II) hydrides in ring opening reactions of methylenecyclopropane derivatives (T G Attig), (145) C13
- Platinum(II) ionic binuclear hydrides, preparation of (G Minghetti, G Banditelli, A L Bandini), (139) C80
- Platinum(II), palladium(II), osmium(II) and ruthenium(II) isonitrile complexes, ^{13}C NMR spectra of (B Crociani, R L Richards), (144) 85
- [Pt(CN)₄]²⁻, ^{13}C and ^{195}Pt NMR study of oxidative addition reactions of (C Brown, B T Heaton, J Sabounchei), (142) 413
- trans*-[Pt(PPh₃)₂H(*p*-CH₃C₆H₄N—NC₆H₄-CH₃-*p*)], reductive elimination of 1,3-di-*p*-tolyltriazene, reactions with CO, 2,6-Me₂C₆H₃NC, PPh₃ and PhC≡CPh of (L Toniolo, G Biscontin, M Nicolini, R Cipollini), (139) 339
- cis*-Tetrachlorobis(triethylphosphine)-platinum(IV), crystal and molecular structure of (P B Hitchcock, B Jacobson, A Pidcock), (136) 397
- Tetraethyl diphosphite and 1,1,3,3-tetraethoxy-2-ethyldiphosphazane and related compounds, contrasting coordination behaviour of (A L Du Preez, LL Marais, R J Haines, A Pidcock, M Safari), (141) C10
- Thiobenzoylhydrazide complexes of palladium(II), platinum(II) and manganese(II) (A S Kasenally), (148) 207
- Trichloro(π -allul ammonium)platinum(II), trichloro(π -but-3-enyl ammonium)-platinum(II) and trichloro(π -hex-5-enyl ammonium)platinum(II) com-
- plexes, crystal and molecular structures of (P Mura, R Spagna, L Zambonelli), (142) 403
- Trimethyleneplatinum(IV) complexes, photodecomposition in solution of (G Phillips, R J Puddephatt, C F H Tipper), (131) 467
- , reactions and properties of (R J Al-Essa, R J Puddephatt, M A Quyser, C F H Tipper), (150) 295
- Trimethylplatinum(IV) complexes with dithiocarbamates, xanthates and *cis*-maleonitriledithiolate (B W Brown, K Kite, A J Nettle, A F Psaila), (139) C1
- Trimethylplatinum(IV) halide mono- and di-nuclear complexes with bidentate thioethers, NMR evidence for single-site and synchronous double-site inversion at pyramidal sulphur atoms in (E W Abel, A R Khan, K Kite, K G Orrell, V Šík), (145) C18
- Vinylpalladium and methylpalladium complexes, reactions of allene and acetylenes with (H C Clark, C R C Milne, C S Wong), (136) 265
- Zeise's dimer ($[\text{PtCl}_2\text{C}_2\text{H}_4]_2$) and its analogs, synthesis of (P Busse, M Orchin), (128) 85
- ## Potassium
- Cyclooctatetraene dianion prepared by matrix reactions with alkali metals, IR spectra of (G M Kuzyants, A O Baranetsky, T M Chernyshova, Z V Todres), (142) 139
- Cyclopentadienyldicarbonyliron—metal salts, cationic assistance in reactions with epoxides of (M Nitay, M Rosenblum), (136) C23
- Diborane, reactions with organosodium, organopotassium and organocalcium derivatives of (F G Thorpe, G M Pickles, J C Podesta), (128) 305
- 2,2-Dimethyl-3-pantanone metal derivatives, *O*- and *C*-metallated structures of (R Meyer, L Gorrivon, P Maroni), (129) C7
- Heavier alkali metals, Annual survey covering the year 1975 (E M Kaiser), (130) 133
- , — 1976 (E M Kaiser), (143) 99
- [M(π -C₅H₅)₂HC(NR)₂] (CO)₂ (M = Mo, W, R = aryl, alkyl) complexes, preparation and properties of (W H de Roode,

- M L Beekes, A. Oskam, K Vrieze), (142) 337
- Metal carbonyl monoanions, convenient preparation by trialkylborohydride cleavage of metal carbonyl dimers of, observation and reactions of a bimetallic manganese-formyl intermediate (J A. Gladysz, G.M Williams, W Tam, D L. Johnson), (140) C1
- Mono- and di-alkali metal bis(cyanomethyl)-arenes, IR spectra and structure of (I N Juchnowski, V B. Radomirska, I G Binev, E A Grekova), (128) 139
- Praseodymium**
- Tricyclopentadienyllanthanide complexes, Raman spectra of (V T Aleksanyan, G K. Borisov, L A. Garbuza, G G Devyataykh), (131) 251
- Rhenium**
- Bis[bis(trimethylphosphine)tricarbonyl-rhenium] selenide, $[(\text{Me}_3\text{P})_2(\text{CO})_3\text{Re}]_2\text{Se}$, preparation and crystal structure of (E Rottinger, V Küllmer, H. Vahrenkamp), (150) C6
- Bis(trimethylsilyl)aminothallium compounds, preparation and chemistry of (P Krommes, J Lorberth), (131) 415
- Carbyne cationic manganese and rhenium complexes, reactions with cyanides and isocyanides of (E O. Fischer, P. Stuckler, F R. Kreissl), (129) 197
- (1-Chloro-2,2-dicyanovinyl)pentacarbonyl-manganese, reactions with trivalent phosphorus and related ligands of (R B King, S P Diefenbach), (148) 303
- Chromium(0), manganese(I) and rhenium(I) thiocarbonyl complexes, reactions of (I S Butler, N J. Coville, D. Cozak), (133) 59
- Cycloocta-1,5-diene(tetracarbonyl)manganese(I), hydride addition and related reactions of (P J. Harris, S A.R. Knox, F G A. Stone), (148) 327
- Cyclopentadienylidene complexes of Group VII metals (V.I. Zdanovich, N E. Kolobova, N L. Yasyukova, Yu S. Nekrasov, G A. Panosyan, P V. Petrovskii, A. Zh. Zhakaeva), (148) 63
- Cyclopentadienyltricarbonylrhenium derivatives with phenylvinylidene ligands, crystal and molecular structure of $\text{Cp}(\text{CO})_2\text{Re}[\text{C}=\text{C}(\text{Ph})\text{C}(\text{Ph})=\text{CH}_2]\text{Re}$ ($\text{CO})_2\text{Cp}$ (N E Kolobova, A.B. Antonova, O M. Khitrova, M Yu Antipin, Yu.T. Struchkov), (137) 69
- Dithiocarboxylate-iron, -manganese and -rhenium complexes, preparation using phosphorus and boron sulphides as sulfurizing agents of (L Busetto, A. Palazzi, E F Serantoni, L. Riva di Sanseverino), (129) C55
- Group VIIIB metal—metal bonded carbonyls, Redox behaviour of and substitution effects in (P Lemoine, M Gross), (133) 193
- Group VII pentacarbonylhydrido compounds, trifluorophosphine substitution of (W.J. Miles, Jr., R J Clark), (131) 93
- Hexa- μ_2 -hydridododecacarbonyl-tetrahedro-tetrarhenate(2-), crystal and molecular structure of (G Ciani, A. Sironi, V G Albano), (136) 339
- Hydridocaroonylrhenium clusters, synthesis and characterization of (M Freni, P Romiti, G D'Alfonzo), (140) 195
- Manganese(I) and rhenium(I) cationic tricarbonyl complexes, synthesis and spectral features of (D A Edwards, J Marshallsea), (131) 73
- Manganese, technetium and rhenium, Annual Survey covering the year 1975 (P M Treichel), (126) 383
- , — 1976 (P M. Treichel), (147) 239
- Manganese—bis-aryldiazo complexes, preparation and properties of (B L Haymore), (137) C11
- Metal carbonyls, electrochemical behaviour in a mixture of room temperature molten salt and benzene (H L Chum, D Koran, R A Osteryoung), (140) 349
- Phenylvinylidene ligand transferred from manganese to rhenium, novel binuclear complex $\text{Cp}_2\text{MnRe}(\mu-\text{C}=\text{CHPh})(\text{CO})_4$ (N E Kolobova, A B Antonova, O M Khitrova), (146) C17
- Polynuclear isocyanide complexes of rhenium (P Romiti, M. Freni, G. D'Alfonso), (135) 345
- Rhenium(I) isocyanide complexes (P.M. Treichel, J.P. Williams), (135) 39
- Rhenium tetracarbonyl metallo-acetylacetone complex, reactions with hydrazine, methylhydrazine and phenylhydrazine of (C M. Lukehart, J V. Zeile), (140) 309
- Six-coordinate metal carbonyl stereochemically nonrigid complexes, ^{13}C NMR investigation of *cis*- $\text{M}(\text{CO})_4\text{X}_2$ and $\text{M}'(\text{CO})_5\text{X}$ derivatives ($\text{M} = \text{Fe}, \text{Ru}, \text{Os}, \text{M}' = \text{Mn}, \text{Re}, \text{X} = \text{H}, \text{I}$) (L Vancea, W A.G

- Graham), (134) 219
- Tetra- μ -hydridododecacarbonyl-*triangulo*-trirhenate(1-) synthesis and X-ray structure of (G Ciani, G D'Alfonso, M Freni, P Romiti, A Sironi, A. Albinati), (136) C49
- Tetramethylammonium-*cis*-acetylphenyl-tetracarbonylrhenate(I), a stable acyclic alkylacylmetal complex (C P Casey, D M Scheck), (142) C12
- Transition metal—carbyne optically-active complexes (S Fontana, O Orama, E.O Fischer, U Schubert, F R Kreissl), (149) C57
- Tungsten, molybdenum and rhenium bridged carbonyl complexes, preparation of (W Beck, B Clgemoller), (127) C45
- Rhodium**
- Acetylacetonato(ethylene) (hexafluorobut-2-yne)rhodium(I) and acetylacetonato-(cyclooctene) (hexafluorobut-2-yne)-rhodium(I), crystal structures of (J H. Barlow, G R Clark, M G Curl, M.E Howden, R D W Kemmitt, D R Russell), (144) C47
- Acyl- and formyl-rhodium complexes, relative stabilities of (D A Slack, D L Egglestone, M C Baird), (146) 71
- π -Allyl complexes of transition metals, metal— π -allyl and metal—halogen stretching modes in the vibrational spectra of (T B Chenskaya, L A Leites, V T Aleksanyan), (148) 85
- Allylphosphines, metallation by (acac)-Ir(C₂H₄)₂ of (S Hietkamp, D J Stuifkens, K. Vrieze), (134) 95
- η^3 -Allylrhodium cationic complexes (P Powell, L J Russell), (129) 415
- Allyltin compounds, facile preparation of allyl ketones from (M Kosugi, Y Shimizu, T Migita), (129) C36
- Asymmetric hydrogenation of α -amino acid precursors with a chiral diphosphine derived from 1,6-D-anhydroglucose (G Descotes, D Lafont, D Sinou), (150) C14
- Benzoc[*c*]cinnoline complexes of rhodium, synthesis and stereochemistry of (J F Nixon, M. Kooti), (149) 71
- Bis(cyclooctadienylchloro-iridium) and -rhodium and bis(cyclonorbornadienylchlororhodium), reactions with phosphorus(III) derivatives of (B Denise, G Pannetier), (148) 155
- Bis(pentachlorophenyl)thallium(III) chloride as arylating reagent (P Royo, R. Serrano), (144) 33
- Bis(tricyclohexylphosphine)chlororhodium, coordination of heterocumulenes and other unsaturated molecules to (H L M van Gaal, J P J Verlaan), (133) 93
- Bis(tricyclohexylphosphine)halorhodium compounds (RhX[P(C₆H₁₁)₃]₂, reactions with N₂ and O₂, *trans*-influence in RhX[P(C₆H₁₁)₃]₂L (H L M van Gaal, F L A. van den Bekerom), (134) 237
- Chlorotris(2,6-xylyl isocyanide)rhodium, preparation and reactions of (Y Yamamoto, H Yamazaki), (140) C36
- Cobalt, rhodium and iridium, Annual survey covering the year 1975 (E R Hamner, R D W Kemmitt, N S Sridhara), (138) 229
- Cobalt(II), rhodium(II) and iridium(II) paramagnetic hydride complexes, electrochemistry of (G Pilloni, G Schiavon, G Zotti, S Zecchin), (134) 305
- Cobalt, rhodium and iridium tetranuclear carbonyl complexes containing trifluorophosphines (H Eshtiagh-Hosseini, J F Nixon), (150) 129
- Cyclopentadienyldicarbonylrhodium, reaction with diphenylphosphine of (P Piraino, F Faraone, S Sergi), (133) 107
- (β -Diketonato)dicarbonylrhodium compounds, reactions with allene of (A Borrini, G Ingrosso), (132) 275
- 2-[(Dimethylamino)methyl]phenylrhodium dicarbon monoxide, synthesis by reactions of Ar₄Cu₂Li₂ and Ar₄Au₂Li₂ with rhodium(I) complexes and electron-transfer induced selective formation of diaryl ketones ArC(O)Ar (G van Koten, J T B H Jastrzebski, J G Noltes), (148) 317
- Ferrocenylphosphinerhodium(I) cationic complexes, asymmetric hydrogenation reaction of (W R Cullen, E.-S Yeh), (139) C13
- Group VIIIB, carbon— and metal—alkyne complexes, IR intensity measurements on (H L M van Gaal, M W H. Graef, A van der Ent), (131) 453
- Hydrosilylation of isocyanides promoted by palladium and rhodium catalysts (I Ojima S-I Inabe), (140) 97
- Hydrosilylation of olefins in the presence of metal carbonyls (G K I Magomedov,

- K A Andrianov, O V Shkolnik,
B A Izmailov, V N Kalinin), (149) 29
- Iridium(II)-thallium(II) bonded complexes,
formation of (P I van Vliet, K. Vrieze),
(139) 337
- Isothiocyanate, isonitrile-dithiocarbonimidate
 π -bound complexes and isonitrile-dioxygen
complexes of rhodium, formation of
(R.O. Harris, J. Powell, A. Walker,
P.V. Yaneff), (141) 217
- (+) *p*-Menth-1,8-diene-2-onerhodium(I)-
 η^5 -cyclopentadienide, molecular structure
and absolute configuration of (W Winter,
B Koppenhofer, V Schuring), (150) 145
- μ -Methylenebis(carbonyl- η^5 -cyclopenta-
diencyrhodium)(Rh-Rh), crystal struc-
ture of (W A. Herrmann, C Krüger,
R. Goddard, I. Bernal), (140) 73
- Nitrosylrhodium cationic complexes,
catalysis of alkene isomerisation, oligo-
merisation and polymerisation by
(N G Connelly, P.T. Draggett,
M. Green), (140) C10
- Palladium(II) and rhodium(I) di-*t*-butyldi-
imine complexes, synthesis and charac-
terisation of (H. van der Poel, G van
Koten, K. Vrieze), (135) C63
- Pentamethylcyclopentadienyl-rhodium and
-iridium cationic complexes with ter-
tiary phosphines and phosphites and
their rearrangement reactions
(S J Thompson, C White, P M. Maitlis),
(136) 87
- Pentamethylcyclopentadienyl-rhodium
and -iridium complexes, η^5 -oxocyclo-
hexadienyl and η^6 -phenol complexes
(C. White, S J. Thompson, P M. Maitlis),
(127) 415
- Phosphine-containing terpene derivatives
as optically active ligands in homogene-
ous catalysis (W Beck, H Menzel),
(133) 307
- [RhCl(CO)(PMe₂Ph)(Me)(Br)]₂, crystal
structure of and oxidative addition re-
actions of alkyl and acyl halides to μ -
halogen-bridged rhodium(I) complexes
([RhX(CO)(PR₃)]₂) (M J Doyle,
A. Mayanza, J-J Bonnet, P Kalck,
R. Poilblanc), (146) 293
- RhCl(CO){PPh₂[(CH₂)_nCH=CH₂]}, and
RhCl(CO)[PPh₂(CH₂CH₂CH=CHCH₃)]₂,
hydrogenation in methanol solution of
(P.W. Clark, G E. Hartwell), (139) 385
- RhCl₂(PMe₂Ph)₂(C₃Ph₃), preparation of
by an unusual oxidative addition-ligand
elimination reaction and structure of
(P D Frisch, G P Khare), (142) C61
- Rhodium and iridium cationic complexes,
synthesis and reactions of and evidence
for hydrogen-transfer processes
(P T Draggett, M Green, S F W Low-
rie), (135) C60
- Rhodium(I) and iridium(I) complexes
containing π -bonding ligands, redox
properties of (E Marlik, J Hanzlik,
A. Camus, G Mestroni, G. Zassinovich),
(142) 95
- Rhodium(I) and iridium(I) complexes con-
taining *trans*-chelating bidentate di-
tertiary phosphine or arsine, internal
oxidation of a benzylic C—H bond to
iridium (M A. Bennett, R N Johnson,
I B Tomkins), (128) 73
- Rhodium(I) and iridium(I) complexes con-
taining the ligands 1,6-bis(diphenyl-
phosphino)hexane, 1,6-bis(diphenyl-
phosphino)-*trans*-3-hexene, 1,6-bis(di-
phenylarsino)hexane and 1,6-bis(di-
phenylarsino)-*trans*-3-hexene formed via
dehydrogenation of 1,6-bis(diphenyl-
phosphino)hexane (P W Clark), (137) 235
- Rhodium(I) and iridium(I) complexes with
active Schiff bases (G Zassinovich,
A Camus, G Mestroni), (133) 377
- Rhodium(I) and iridium(I) complexes with
2,2'-bipyridine and similar ligands as
hydrogenation catalysts (G Mestroni,
G Zassinovich, A Camus), (140) 63
- Rhodium(I) and iridium(I) nucleophilic
complexes, facile cleavage of the P—H
bond of secondary phosphine sulphides
by (V Marsala, F Faraone, P Pirano),
(133) 301
- Rhodium carbene complexes as hydro-
silylation catalysts (J E. Hill, T A Nile),
(137) 293
- Rhodium(I) carbonyl dithiolate, reactivity
of and formation of acyl and hydride
species (C-H. Cheng, D.E. Hendriksen,
R Eisenberg), (142) C65
- Rhodium-catalysed reactions of bicyclic
hydrocarbons, products, mechanism,
and the nature of the catalyst
(D L Beach, D L Garin, L A Kaempfe,
K W Barnett), (142) 211
- , substituent, stereochemical and ring-size
effects (D L Beach, K W Barnett),
(142) 225
- Rhodium catalysis of cycloprop[*a*]acenaph-
thylenes isomerizations (L A Paquette,
R Grée), (146) 319
- Rhodium complexes as catalysts for the
hydrogenation of ketones (M Gargano,
P. Giannoccaro, M Rossi), (129) 239

- Rhodium complexes as catalysts in the formation of polyfunctional organosilanes (R J P Corriu, J J E Moreau), (127) 7
- Rhodium(I) complexes in solutions with chelating diphosphines, olefin hydrogenation catalysis by (D A Slack, M C Baird), (142) C69
- Rhodium(II) dimers, preparation and structure of $[(p\text{-CH}_2\text{C}_6\text{H}_4\text{NC})_3\text{Rh}_2\text{L}_2][\text{PF}_6]_2$ (M M Olmstead, A L Balch), (148) C15
- Rhodium(I) diolefins complexes, preparation and catalytic properties of (R H Crabtree, A Gautier, G Giordano, T Khan), (141) 113
- Rhodium-(+)-DIOP complexes, synthesis and catalytic properties of (Y Chauvin, D Commereuc, R Stern), (146) 311
- Rhodium elution from polymer-bonded hydroformylation catalysts (W H Lang, A T Jurewicz, W O Haag, D D Whitehurst, L D Rollmann), (134) 85
- Rhodium(I)- β -ketoenolate rings and related systems, 1,4-addition reaction of hexafluoro-2-butyne to (A C Jarvis, R D W Kemmitt), (136) 121
- Rhodium—olefin complexes containing asymmetric picolinolimine ligands, preparation and stereochemistry of (M-A Haga, H Yukawa, T Tanaka), (128) 265
- Rhodium—phosphine complexes as catalysts in homogeneous hydrohalogenation of organic halides by molecular hydrogen (P Kvintovics, B Heil, J Palágyi, L Markó), (148) 311
- Rhodium(I)—phosphine complexes containing bidentate unsaturated thio ligands, synthesis and characterization of (A W Gal, J W Gosselink, F A Vollenbroek), (142) 357
- Rhodium(I)—phosphine complexes containing unsaturated thio ligands, reaction with O_2 and H_2 of (A W Gal, F H A Bolder), (142) 375
- Rhodium trichloride-promoted dimerization of a bidentate olefinic tertiary phosphine to a tridentate ditertiary phosphine and rhodium and iridium complexes derived of (M A Bennett, R N Johnson, I B Tomkins), (133) 231
- Rhodium triphenylphosphine complexes as catalysts in stereoselective addition of phenyldimethylsilane to phenylacetylene (W Watanabe, T Kitahara, T Motegi, Y Nagai), (139) 215
- fac*-[$\text{RuH}(1,5\text{-C}_3\text{H}_3)(\text{NH}_2\text{NMe}_2)_3][\text{PF}_6]$, X-ray structure of and stabilization of coordinated substituted hydrazines by hydrogen bonding (T V Ashworth, M J Nolte, E Singleton), (139) C73
- Tetrakis(triphenoxypyrophosphine)-octa-carbonyltetrarhodium and -dodeca-carbonylhexarhodium, synthesis and X-ray characterisation of (G Ciani, L Garlaschelli, M Manassero, U Sartorelli, V G Albano), (129) C25
- Tetraphenylborate complexes of rhodium(I) (L A Oro, E Pinilla, M L Tenajas), (148) 81
- Thiocarbonylrhodium(I) cationic complexes, synthesis of (R W Matthews, L Parkhill, M J Mays), (139) C77
- Thiocarboxamido bidentate, monodentate and bridging complexes of rhodium and iridium (A W Gal, H P M M Ambrosius, A F M J van der Ploeg, W P Bosman), (149) 81
- Transition metal amides, β -elimination from (S E Diamond, F Mares), (142) C55
- Triphenylcyanoboraborate complexes of rhodium(III), ruthenium(II) and palladium(II), synthesis and characterisation of (M C Cornock, D R Robertson, T A Stephenson, C L Jones, C H W Milburn, L Sawyer), (135) C50
- Tris(μ -difluorophosphato)bis[η^5 -pentamethylcyclopentadienylrhodium(III)] hexafluorophosphate, η^5 -(2,4-dimethyl-1-oxa-penta-1,3-dienyl) (pentamethylcyclopentadienyl)iridium cation, and η^5 -(2-hydroxy-4-methylpentadienyl) (η^5 -pentamethylcyclopentadienyl)iridium cation, solvolysis of coordinated acetone solvent species to (C White, S J Thompson, P M Maitlis), (134) 319
- Tris(triphenylphosphine)chlororhodium, catalyst in regioselective hydrosilylation of isoprene (I Ojima, M Kumagai), (134) C6
- ## Ruthenium
- Arene—ruthenium complexes containing nitrogen donor ligands (R H Crabtree, A J Pearman), (141) 325
- Bis(triphenylphosphine)dichlorodicarbonylruthenium, as catalyst in homogeneous hydration of aldehydes with turnover numbers up to 95 000 (W Strohmeier, L Weigelt), (145) 189
- Butadieneruthenium, ^{13}C NMR spectroscopy of (S Ruh, W von Philipsborn), (127) C59

- Carbonylruthenium complexes, reactions with tin and mercury iodides of (H B Kuhnhen), (129) 215**
- (+)₅₇₈₋ and (-)₅₇₈₋(η -C₆H₆)RuX(Me) [Ph₂-PNHCH(Me)(Ph)] (X = Cl, SnCl₃), preparation and stereochemistry of (H. Brunner, R.G. Gastinger), (145) 365
- Cobaltocene and ruthenocene, calorimetric investigation and X-ray diffraction measurements between 77 and 300 K of (C Azokpota, C. Pommier, J F Berar, G Calvarin), (135) 125**
- η^5 -Cyclohexadienyl complexes of ruthenium, preparation of (D R. Robertson, T.A. Stephenson), (142) C31
- η^6 -Cyclohexatrienylruthenium chiral complexes (D F. Dersnah, M C Baird), (127) C55
- (η^4 -Cycloocta-1,5-diene) (η^6 -cycloocta-1,3,5-triene)ruthenium(0), mechanistic study on carbonylation and synthesis of (η^4 -cycloheptatriene) tricarbonylruthenium (G. Deganello, A. Mantovani, P L Sandrini, P Pertici, G Vitulsi), (135) 215
- η^5 -Cyclopentadienyl ligand, vibrational spectra of (V.T Aleksanyan, B V Loksaini), (131) 113
- Di- μ -(n-butyrate)bis[dicarbonyl(tri-t-butylphosphine)ruthenium(I)]($Ru-Ru$), preparation, properties and crystal structure of (H. Schumann, J. Opitz, J. Pickardt), (128) 253
- Dichlorocarbonylselenocarbonylbis(triphenylphosphine)ruthenium(II), RuCl₂(CO) (CSe) (PPh₃)₂, crystal and molecular structure of (G R. Clark, S.M James), (134) 229
- Dodecacarbonyltriruthenium, cleavage reactions of the N=N bond in diazurines by (P Mastropasqua, A. Riemer, H. Kisch), (148) C40
- Ferrocene and ruthenocene, behaviour in weakly to strongly protic media of (G Cerichelli, G. Illuminati, G Ortaggi, A.M. Giuliani), (127) 357
- Isothiocyanate, isonitrile-dithiocarbonimidate π -bound complexes and isonitriledioxygen complexes of rhodium, formation of (R.O. Harris, J Powell, A. Walker, P.V. Yanef), (141) 217
- Nitrosylruthenium(II) six-coordinate complexes, preparation and characterisation of (B. Giovannitti, O Gandolfi, M. Ghedini, G Dolcetti), (129) 207
- [Os(η^2 -S₂Me) (CO)₂(PPh₃)₂]ClO₄, structure of and methylation reactions of coor-
- dinated disulphur with (G R. Clark, D R. Russel, W R. Roper, A. Walker), (136) C1
- Platinum(II), palladium(II), osmium(II) and ruthenium(II) isonitrile complexes, ¹³C NMR spectra of (B Crociani, R L Richards), (144) 85
- Racemization barriers and reversible hydrogen addition of a series of chiral clusters (A. Agapiou, R F Jordan, L.A. Zzyzyck, J R. Norton), (141) C35
- [RuClH(COD) (piperidine)₂], crystal structure of (C Potvin, J M. Maroli, G Panettier, R Chevalier), (146) 57
- RuI₂[CHN(CH₃) (*p*-CH₃C₆H₄)](CO)-(CN-*p*-CH₃C₆H₄)(P(C₆H₅)₃), crystal structure of (C R. Clark), (134) 54
- RuI(CO) (PPh₃)₂(CS₂Me), isonitrile complexes derived from nucleophilic attack of primary amines on (R O Harris, P Yanef), (134) C40
- Ruthenium(II) and osmium(II) five and six coordinate σ -aryl derivatives and the equilibrium RuRX(CO)₂(PPh₃)₂ = Ru[C(O)R]X(CO)(PPh₃)₂ (W R Roper, L.J. Wright), (142) C1
- Ruthenium chiral complexes, regioselectivity and asymmetric induction in catalytic hydrogenation of α,β -unsaturated dicarboxylic acids by (M. Bianchi, F. Piacenti, P. Frediani, U Matteoli, C Botteghi, S. Gladiali, E. Benedetti), (141) 107
- Ruthenium complexes containing the ligand (-)-DIOP, catalysis of enantioselective hydrogenation of α,β -unsaturated carboxylic acids by (C Botteghi, S Gladiali, M. Bianchi, U Matteoli, P. Frediani, P.G. Vergamini, E. Benedetti), (140) 221
- Ruthenium(II)-phosphine complexes as catalysts in H/Cl exchange between organosilicon hydrides and polychloroalkanes (H. Kono, H. Matsumoto, Y Nagai), (148) 267
- Silylruthenium hydridophosphine complexes, preparation and characterization of (H. Kono, N. Wakao, K. Ito, Y Nagai), (132) 53
- Six-coordinate metal carbonyl stereochemically nonrigid complexes, ¹³C NMR investigation of *cis*-M(CO)₄X₂ and M'(CO)₅X derivatives (M = Fe, Ru, Os, M' = Mn, Re; X = H, I) (L Vancea, W A.G. Graham), (134) 219
- Tetraruthenium dodecacarbonyl tetrahydride and some phosphine-sussti-

- tuted derivatives as hydrogenation catalysts (P Frediani, U Matteoli, M. Bianchi, F. Piacenti, G Menchi), (150) 273
- Transition metal amides, β -elimination from (S E Diamond, F Mares), (142) C55
- Triphenylcyanoborate complexes of rhodium(III), ruthenium(II) and palladium(II), synthesis and characterisation of (M C Cornock, D R Robertson, T A. Stephenson, C L Jones, G H W Milburn, L Sawyer), (135) C50
- Tris(triphenylphosphine) dicarbonyl-iron and -ruthenium complexes, reactions of (F Porta, S Cenini, S Giordano, M Pizzotti), (150) 261
- ### Scandium
- C,N*-Benzyllithium, reactions with early transition metal organic derivatives (L E Manzer), (135) C6
- Organoscandium compounds, X-ray electron spectroscopy of (A Westerhof, H J de Liefde Meijer), (144) 61
- ### Selenium
- Arylphenyl selenides, synthesis of by the $S_{RN}1$ mechanism (A B Pierini, R A Rossi), (144) C12
- Bis[bis(trimethylphosphine)tricarbonyl-rhenium] selenide, $[(Me_3P)_2(CO)_3Re]_2Se$, preparation and crystal structure of (E Rottinger, V Kullmer, H Vahrenkamp), (150) C6
- η^7 -C₇H₇Mo- μ -(ER)₃Mo(CO)₃ (E = S, Se), $(\eta^7$ -C₇H₇)(CO)Mo- μ -(TeC₆H₅)₂Mo(CO) (η^7 -C₇H₇) and $(\eta^7$ -C₇H₇)(CO)₂Mo- μ -(OR)₃Mo(η^7 -C₇H₇) complexes preparation and characterization of (D Mohr, H Wienand, M L Ziegler), (134) 281
- Cyclodiphosph(III)azane selenides and tellurides, exchange effects on the ¹H and ³¹P NMR spectra of (R Keat, D G Thompson), (141) C13
- Diaryl diselenides and related compounds, dipole moment study of the conformational properties of (G C Pappalardo, K J Irgolic, R A Grigsby), (133) 311
- Dichlorocarbonylselenocarbonylbis(triphenylphosphine)ruthenium(II), RuCl₂(CO)(CSe)(PPh₃)₂, crystal and molecular structure of (G R Clark, S M James), (134) 229
- Diisopropyl-phosphite, -phosphorothioate, -phosphorodithioate, and -phosphoro-selenoate, reactions with chlorophenyl-phosphines of (C Glidewell), (142) 171
- Dimethyl selenide and telluride, NMR studies in the nematic phase of a liquid crystal of (P Diehl, A C Kunwar, H Bosiger), (145) 303
- Diphenyldichalcogenides, ¹³C NMR studies of (A Forchioni, V Galasso, K J Irgolic, G C Pappalardo), (135) 327
- o*-Nitro- and *p*-nitro-phenyl selenocyanates, reactions with arylthiols of (E R Clark, M A S Al-Turaihi), (134) 181
- 2,2,3,3,5,5,6,6-Octamethyl-1,4-diseleno-2,3,5,6-tetraстаннинане, preparation and vibrational spectra of (B Mathiasch), (141) 189
- Phenoxyachalcogenins, conformation, UV-absorption spectra and photo-electron spectra of (F P Colonna, G Distefano, V Galasso, K J Irgolic, C E King, G C Pappalardo), (146) 235
- Seleno- and thio-carbonylpentacarbonyl-chromium complexes, facile route to (A M English, K R Plowman, I S Butler, G Jaouen, P LeMaux, J-Y Thépot), (132) C1
- α -Siylselenoalkylolithiums, synthesis of (D Van Ende, W Dumont, A Krief), (149) C10
- Triphenylselenonium isothiocyanate, crystal structure of (P Ash, J-S Lee, D D Titus, K B Mertes, R F Ziolo), (135) 91
- ### Silicon
- N*-Alkyl-*N*- ω -cyanoalkylamino(trimethyl)-silanes, reactions with boranes of (A Meller, W Maringgele, F J Hirninger), (136) 289
- Alkylphenylacetylenes, rates of mono-metallation of (J Y Becker), (127) 1
- Alkylsilicon and alkylsilylmetal compounds, ¹³C NMR investigations of (H Muller, L Rosch, W Erb, R Zeisberg), (140) C17
- Allylmethysilane, preparation by tetrakis-(triphenylphosphine)palladium(0)-catalyzed reactions of methylchlorodisilanes with allylic halides of (H Matsumoto, T Yako, S Nagashima,

- T. Motegi, Y. Nagai), (148) 97
 Allyltin compounds, exchange and addition reactions of (M F. Fishwick, M G.H. Wallbridge), (136) C46
 Aminofluorosilanes, cyclo-addition reactions of (U. Klingebiel, D Bentmann, A. Meller), (144) 381
 α -Aminomethyl-phosphines and -arsines, synthesis and chemical behaviour of (K Kellner, B Seidel, A Tzschach), (149) 167
 Arsenediazoalkanes with organometallic ligands, synthesis, chemical reactivities and thermodynamics of (E Glozbach, J Lorberth), (132) 359
 Arsino carboxylic acid derivatives, synthesis and properties of (A. Tzschach, W Voigtländer), (137) 31
 Aryl-substituted disilanes, photolysis in the presence of DMSO of (H. Okinoshima, W P Weber), (149) 279
 Aryl-digermanes and -disilanes, reduction by LiAlH₄ of (N. Duffaut, J Dunoguès, R Calas, P. Rivière, J. Satgé, A. Cazes), (149) 57
 Arylpentamethyldisilanes, photolysis in the presence of carbonyl compounds of (M. Ishikawa, T. Fuchikami, M Kumada), (133) 19
 Aryltrimethylsilanes, calculated energies for proton abstraction from substituted benzenes and their significance for base cleavage of (C. Eaborn, J.G. Stamper, G Seconi), (150) C23
(1-Arylvinyl)ferrocenes, oxidation with molecular oxygen in the presence of silica gel of (M. Hisatome, S Koshikawa, K. Chumura, H Hashimoto, K Yama-kawa), (145) 225
Asymmetric disilacyclopentanes, attempted preparation of (R.J P. Corriu, G.F. Lanneau, D Leclercq, D Samate), (144) 155
Benzyltitanium derivatives of cyclic silylamides, crystal and molecular structure of (benzyl)₂Ti[N(SiMe₂NMe)₂-SiMe₂]₂ (D J Brauer, H Bürger, K Wiegel), (150) 215
1,2-Bis[bis(trimethylsilyl)amidosulphenyl]-stilbene, formation by reactions of lithium bis(trimethylsilyl)amide with thiobenzoyl chlorides (W. Walter, H-W. Luke, G Adiwidjaja), (140) 11
(2,4-Bis(dimethylamino)-1,3-bis(trimethylsilyl)-1,2,3,4-diazadiphosphetidine)-2,4-bis(pentacarbonyl-chromium) and -molybdenum), new diazadiphosphhe-tidine complexes (W. Zeiss, C Feldt), (127) C5
N,N-Bis(halomethyldimethylsilyl)acetamides, mechanisms of solvolysis of (J Kowalski, Z Lasocki, G Eaborn, D R M Walton), (146) 121
Bis(phenyldimethylphosphine)bis(diphenylsilyl)platinum(II), reaction with acetylenes of (C Eaborn, T N Metham, A. Pidcock), (131) 377
Bis(tri-*t*-butylsilyl)mercury, preparation and spectroscopic investigations of H. Müller, L Rosch), (133) 1
Bis(trimethylsilyl)aminothallium compounds, preparation and chemistry of (P. Krommes, J Lorberth), (131) 415
Bis(trimethylsilyl)bromomethylolithium and tris(trimethylsilyl)methylolithium reactions leading to α -bromovinyl-silanes of (D Seyerth, J L Lefferts, R L Lambert Jr.), (142) 39
1,8-Bis(trimethylsilyl)- and -stannyl-naphthalenes, synthesis of and related steric effects of C, Si and Sn in (D Seyerth, S C. Vick), (144) 173
1,3-Bis(trimethylsilyl)propyne, preparation of (M Laguerre, J Dunoguès, R Calas), (145) C34
Bis(triphenylphosphine)(vinyltrimethylsilane)platinum(0), preparation and reactions of (J W Fitch, J A Froelich), (128) C1
Boron halides, interaction with 1,1,3,3-tetramethyl-1,3-disilacyclobutane of (W A. Kriner), (134) 15
Catalyzed silylation in heterogeneous systems of alcohols and carbonyl compounds (J Boyer, R J P. Corriu, R Perz, C Reye), (148) C1
Charge transfer, hyperconjugation, inductive and field interactions in substituent effects of substituted methyl and silyl on benzene π vertical ionization energies (B G Ramsey), (135) 307
Chlorodisilane residue from industrial synthesis of methylchlorosilane, hydrolysis of (R Calas, G Délérés, J Dunoguès, M Lefort, C Simmonet), (148) 119
1-Chloro-1-silabicyclo[2.2.2]octane, synthesis and monochlorination of (R F Cunico, F Drone), (150) 179
Chlorosilane hydrolysis catalysed by nucleophiles, kinetic study of the mechanism of (R J P Corriu, G Dabosi, M Martineau), (150) 27

- Cobaltacyclopentadiene complexes, ring opening by addition of Si—H, S—H, N—H and C—H to the diene moiety of (Y Wakatsuki, H Yamazaki), (149) 385
- (CO)₄MnPMe₂CH₂CH₂SiX₂ chelate complexes, preparation and spectroscopic characterization of (J Grobe, A Walter), (140) 325
- Compounds containing transition metal to main group metal bonds, mass spectrometry and bond dissociation energy of (T R Spalding), (149) 371
- η^4 -Cyclobutadiene cobalt substituted complexes, organolithium route to (D Seyferth, S C Vick), (139) 209
- (η^5 -Cyclopentadienyl)dicarbonyl iron, preparation and reactivity of (G Cerveau, E Colomer, R Corriu, W E Douglas), (135) 373
- Cyclopentadienyl-iron and -cobalt carbonyl complexes, silica-gel supported derivatives of (F R W P Wild, G Gubitsosa, H H Brintzinger), (148) 73
- N-(Cyclopentadienylmercury)hexamethyl-disilazane and cyclopentadienylmercury azide, preparation, vibrational and mass spectra of (I Sarraje, J Lorberth), (146) 113
- Cyclotri- and cyclotetra-silazanes, reactions with silicon fluorides of (U Klingebiel, D Enterling, L Skoda, A Meller), (135) 167
- S S-Dialkylsulphur(VI) diimides, reactivity, towards methylolithium, sodium methylate and sodium trimethylsilanolate of (W Wolfsberger, H Forsterling), (132) 203
- α, ω -Dibromopermethyldopolysilanes, preparation and characterization of and characterization of related chloropermethyldopolysilanes by mass spectrometry (C H Middlecamp, W Wojnowski, R West), (140) 133
- gem*-Dichloroallyllithium, reaction with silicon, germanium, tin and mercury halides and with triphenylborane of (D Seyferth, G J Murphy, R A Woodruff), (141) 71
- Dicyclopentadienylneopentyltinum(III), synthesis and properties of (F W van der Weij, H Scholtens, J H Teuben), (127) 299
- 1,4-(Diethylaluminium)butatriene, an organometallic 3-cumulene (H Hoberg, V Gotor, R Mynott), (149) 1
- Diethylketomalonate—Group IVB free radical adducts, ESR study of (G N Coppin, A Hudson, R A Jackson, N P C Simmons), (131) 371
- gem*-Difluoroallyllithium, generation by transmetalation reaction of (D Seyferth, K R Wursthorn), (137) C17
- 1,2-Dilithioethylene, attempted synthesis of (D Seyferth, S C Vick), (144) 1
- (1Z,4Z)-1,5-Dilithium-1,4-pentadienes, synthesis and reactions of (P Jutz, J Baumgartner, W Schraut), (132) 333
- 2,5-Dimetalla(IVB)phospholanes and 2-metalla(IVB)-1,3-diphospholanes, synthesis of (C Couret, J Satgé, J Escudié, J D Andriamizaka), (132) C5
- 1,2-Dimethyl-1-alkoxysilacyclopentanes, synthesis of and stereoisomerism in (J Dubac, P Mazerolles, M Joly), (128) C21
- 2,2-Dimethyl-3-pantanone metal derivatives, O- and C-metallated structures of (R Meyer, L Gorrichon, P Maroni), (129) C7
- 1,2-Dimethyl-1-phenylsilacyclopentane, stereochemistry of the cleavage of the Si—aryl bond by bromine in (J Dubac, P Mazerolles, M Joly), (128) C18
- Dimethylsilane hydrosilylation of functional olefins (I M Salimgareeva, V V Kaverin, V P Jurjev), (148) 23
- Dimethylsilanone, [(CH₃)₂Si=O], new route by deoxygenation of dimethyl sulphoxide by dimethylsilylene to (H S D Soysa, H Okinoshima, W P Weber), (133) C17
- 5,5-Dimethyl-5,6,11,12-tetrahydro-5H-dibenzo[*b f*]silocin, pulsed NMR study of molecular motion in (D W Larsen, J Y Corey, T A Smentkowski, F E Stary), (135) 161
- , structure of (E R Corey, J Y Corey, M D Glick), (146) 95
- Dimethyltetramethoxydisilane, preparation of (H Watanabe, M Kobayashi, Y Koike, S Nagashima, H Matsumoto, Y Nagai) (128) 173
- Diphenylallylvinylsilane, metallation reactions of (R J P Corriu, G F Lanneau, J P Masse, D Samate), (127) 281
- 1,4-Disilacyclohexa-2,5-dienes, thermal production of (M Ishikawa, T Fukukami, M Kumada), (142) C45
- Disilylacetamides, structure of (J Kowalski, Z Lasocki), (128) 37
- 4,4-Disubstituted 4-silacyclohexyl tosylates, acetolysis and effect of remote

- silicon substitution on organic reactivity of (S S Washburne, R R Chawla), (133) 7
- Germanium-functional phosphineimines, preparation and properties of (W Wolfsberger, H H. Pickel), (145) 29
- Grignard reactions of 2-, 3- and 4-haloalkoxysilanes (P. Fostein, J -C Pommier), (150) 187
- Group IV and V organic oxygen complexes, investigation by electronic emission spectroscopy of (G.A. Razuvayev, A.N. Egorochkin, V A Kuznetsov, V.N. Glushakova, A.V. Shabanov, Yu A. Alexandrov, Yu.Yu Baryshnikov), (148) 147
- Group IVB elements, alkynethiol derivatives of (S J Harris, D R M. Walton), (127) C1
- Group IVB-substituted stannacyclohexadiene derivatives, synthesis and reactivities of (P Jutzi, J Baumgartner), (148) 247
- Group IVB 1,3-thiolanes and corresponding open-chain compounds, UV PES and theoretical study of electronic and conformational properties of (F Bernardi, G Distefano, A Modelli, D. Pietropaolo, A Ricci), (128) 331
- Heterogeneous gas/solid phase reactions, alkoxide induced 1,2-hydride shift from silicon to carbon in (S P. Hopper, M J. Tremelling, R J Ginsberg, P C Mendelowitz), (134) 173
- Hexamethyldisiloxane, photolysis at λ 185 nm in the liquid phase of (H -P. Schuchmann, A Ritter, C von Sonntag), (148) 213
- Hydridosilacyclobutanes, reactions with low-valent complexes of iron and platinum of (C S Cundy, M F Lappert), (144) 317
- Hydroboration—oxidation of isomeric trimethylsilylcyclohexenes and trimethylsilylcyclopentenes (M De Jesus, O. Rosario, G L Larson), (132) 301
- Hydrosilanes in reactions with cycloalkenes catalysed by octacarbonyldicobalt (Y. Seki, A. Hidaka, S Makino, S Murai, N. Sonoda), (140) 361
- Hydrosilylation of alcohols in molten dodecylammonium propionate (J. Boyer, R J P Corriu, R Perz, C. Reye), (145) C31
- Hydrosilylation of cyclic or linear dienes using low-valent nickel complexes and related experiments (A J Cornish, M. F Lappert, T A Nile), (132) 133
- Hydrosilylation of isocyanides promoted by palladium and rhodium catalysts (I. Ojima, S.-I. Inabe), (140) 97
- Hydrosilylation of olefins in the presence of metal carbonyls (G K I Magomedov, K A. Andrianov, O.V. Shkolnik, B A Izmailov, V N Kalinin), (149) 29
- Hydroxy compounds of carbon, silicon and germanium, ionization constants of (O W Steward, D R Fussaro), (129) C28
- α -Hydroxysilanes, synthesis from organoboranes of (O Rosario, A. Oliva, G L Larson), (146) C8
- Mechanism of hydride transfer from silicon to a carbenium ion in weakly nucleophilic medium (J Chojnowski, L. Wilczek, W Fortuniak), (135) 13
- α -Metalated diazocarbonyl compounds, synthesis and copper-catalysed reactions of (O A Kruglaya, I B Fedot'eva, B V. Fedot'ev, I D Kahikhman, E L Brodskaya, N S Vyazankin), (142) 155
- Methylchlorocycloolanes, preparation of (E Hengge, W. Peter), (148) C22
- Methylidynetricobalt nonacarbonyl α,β -unsaturated complexes, preparation and protonation reactions of (D Seyferth, C S Eschbach, G H Williams, P L K Hung), (134) 67
- 5-Methyl-5-phenyl-5*H*-dibenzo[*b,f*]silepin and its saturated analog, structures of (E R Corey, J Y. Corey, M D Glick), (129) 17
- Methylphenylsilylene insertion into cyclic siloxanes, effect of ring size on siloxane reactivity (H Okinoshima, W P Weber), (150) C25
- 1-Methyl-1-silaadamantane, synthesis of (C A Kapfer, P Boudjouk), (144) C6
- Methylsilyl phenyl ketones, pyrolysis of (W Ando, A Sekiguchi), (133) 219
- Methylvinylchlorosilanes, regioselective hydroborations of (T F O Lum, J K Myers, G T Rogers, P R Jones), (135) 249
- α -Naphthylferrocenylfluorosilane, and α -naphthylferrocenylfluorochlorosilane, chemical and stereochemical behaviour of (C Brelière, R J P Corriu, G Toyo), (148) 107
- α -Naphthylphenylfluorosilane, chemical behaviour of (R J P Corriu, F Larcher, G Royo), (129) 299
- Nitrodesilylation by nitric acid in acetic anhydride and preparation of *p*-nitro-

- phenyltrimethylsilane (C Eaborn), (144) 271
- Nucleophilic substitution at silicon, evidence for electronic factors as driving force of the stereochemistry (R J P Corriu, C Guerin), (144) 165
- Octacarbonyldicobalt(0), homogeneous catalysis of hydrosilylation of dienes by (A J. Cornish), M F Lappert, T A Nile), (136) 73
- Organomagnesium and organolithium compounds, stereochemistry of reactions with 1,2-dimethyl-1-alkoxysilacyclobutanes of (J. Dubac, P Mazerolles, P Fagoaga), (139) 271
- Organometallic derivatives of the transition metals in their lowest oxidation states, synthesis of (S I Beilin, S B Golstein, B A Dolgoplosk, I Sh Guzman, E I Tinyakova), (142) 145
- Organometallic diazocalkanes of the Main Group elements, $^{13}\text{C}\{^1\text{H}\}$ PFT spectra of (R Gruning, P Krommes, J Lorberth), (128) 167
- Organopolysilanes, photolysis leading to formation of silacyclop propane derivatives and reactions of (M Ishikawa, K I Nakagawa, M Kumada), (131) C15
- Organosilicon acetates, Lewis acidity of (D P Graddon, B A Rana), (136) 315
- Organosilicon chlorides, Lewis acidity of (D P. Graddon, B A. Rana), (140) 21
- Organosilicon hydrides, reactions with dichloro carbene generated from sodium trichloroacetate (H. Watanabe, N Ohsawa, T Sudo, K Hirakata, Y Nagai), (128) 27
- , kinetic investigation of the role of solvent in the alkali-catalysed hydrolysis of (O W. Steward, A G Lutkus, J B Greenshields), (144) 147
- Organosilicon isocyanates and isothiocyanates, Lewis acidity of (D P. Graddon, B A. Rana), (148) 17
- Organosilyl and organogermyl isocyanide complexes of Group VIB metal carbonyls (P M Treichel, D B Shaw), (139) 21
- Organosilyl and organogermyl mercurials, ^{199}Hg , ^{29}Si , ^{13}C and ^1H NMR spectra of (T N Mitchell, H C Marsmann), (150) 171
- Organosilyl derivatives of cyclopentadienyl-dicarbonyliron, reactions with triphenyl phosphite of (G Cerveau, E Colomer, R. Corriu), (136) 349
- Organostannylylphosphines, exchange reactions of (H Schumann, W -W Du Mont, B Wobke, P J Corvan, J J Zuckerman), (128) 187
- Organylthio(alkoxy)silanes and organylthio(diethylamino)silanes, physical and chemical properties of (D Brandes), (136) 25
- 6-Oxa-2,2-diphenyl-2-germabicyclo [3.1.0]-hexane and 1,1'-diphenyl-1-germacyclopentan-2-ol and their silicon homologues, syntheses and rearrangements of (G Manuel, G Bertrand, P Mazerolles), (146) 7
- Palladium-catalysed 1,4-addition of fluorodisilanes to conjugated diene and enone systems (K Tamao, S Okazaki, M Kumada), (146) 87
- Pentacarbonyl[bis(trimethylsilyl)amino-t-butylaminophosphine]chromium(0), crystal and molecular structure of (S Pohl), (142) 185
- Pentacarbonyl(t-butylaminotrimethylsilyliminophosphine)chromium(0), crystal and molecular structure of (S Pohl), (142) 195
- Pentacarbonyl[chloro(diorganophosphino)-and -arsino)-stannylene]tungsten(0), synthesis of (W -W Du Mont), (131) C37
- Pentacarbonyliron photocatalysed reactions of trialkylsilanes with alkenes (M A Schroeder, M S Wrighton), (128) 345
- 3-Phenylallyl—silicon and —tin bonds, mechanism of cleavage by methanolic sodium methoxide of (C Eaborn, I D Jenkins, G Seconi), (131) 387
- Phenyl- and *p*-tolyl-pentamethyldisilanes, reaction with alkynes and formation of photochemically generated Si—C double-bonded intermediates (M Ishikawa, T Fuchikami, M Kumada), (127) 261
- Phenylsilanes, ^{13}C NMR study of silicon—phenyl bonding in (P E Rakita, L S Worsham), (137) 145
- Phenyltrichlorosilane, synthesis from benzene and trichlorosilane catalysed by boron trichloride of (A Wright), (145) 307
- Phenyl(trimethylsilyl)ketene, reactions with diazomethane of (W T Brady, T C Cheng), (137) 287
- Phosphine—palladium complex, catalyst in regiospecific hydrosilylation of isoprene, stereochemistry of (I Ojima), (134) C1

- Phosphonium salt type ylide palladium complexes containing cyclic diolefin ligands, preparation of (K Itoh, M Fukui, Y. Ishii), (129) 259
- Polyfluorotetramethyl-silanes and -germanes, bis(trifluoromethyl)mercury and tetrakis(trifluoromethyl)germane, synthesis and characterization of (E K S Liu, R J Lagow), (145) 167
- Pyridyl-, quinolyl-, picolyl- and quinolyl-methyl-trimethylsilanes, rates of base-catalysed cleavage of (A. Fischer, M W Morgan, C. Eaborn), (136) 323
- Rhodium carbene complexes as hydro-silylation catalysts (J E Hill, T A Nile), (137) 293
- Rhodium complexes as catalysts in the formation of polyfunctional organo-silanes (R J P. Cornu, J J E. Moreau), (127) 7
- Rhodium triphenylphosphine complexes as catalysts in stereoselective addition of phenyldimethylsilane to phenyl-acetylene (H. Watanabe, T. Kitahara, T. Motegi, Y. Nagai), (139) 215
- Ruthenium(II)-phosphine complexes as catalysts in H/Cl exchange between organosilicon hydrides and polychloro-alkanes (H. Kono, H. Matsumoto, Y. Nagai), (148) 267
- Silacyclanones and germacyclanones, photoelectron spectra of (C Guimon, G Pfister-Guillouzo, A Faucher, P Mazerolles, Y Limouzin), (131) 365
- Silacyclanones with 9–13 membered rings, mass spectra of (F Duboudin, G Bourgeois, A. Faucher, P Mazerolles), (133) 29
- Silacyclobutanes with bulky substituents, preparation and spectra of (P Jutzi, P. Langer), (132) 45
- 1-Sila- and 1-germa-cyclo-2-(or 3-)pentenes, ^{13}C and ^1H NMR spectra of (M L Filleux-Blanchard), N.-D. An, G. Manuel), (137) 11
- Silacyclopent-2- and -3-enes, electronic structure of (C. Guimon, G. Pfister-Guillouzo, G. Manuel, P. Mazerolles), (149) 149
- 1-Sila- and 1-germa-cyclopentenes, infrared and Raman spectra of (A. Marchand, A. Millan, J. Dunoguès, G. Manuel, P. Mazerolles), (135) 23
- Silacyclopropane and silacyclop propane rings, mechanistic considerations of two-atom insertions into (D. Seyerth, S. C. Vick, M. L. Shannon, T. F. O. Lum, D. P. Duncan), (135) C37
- 1-Sila- and 2-sila-6,6-dichlorobicyclo[3.1.0]hexanes, synthesis and thermal rearrangements of (G Bertrand, G. Manuel, P. Mazerolles), (144) 303
- Silaethene photochemically generated via Si=C intermediates from 1-alkenyldisilanes (M. Ishikawa, T. Fuchikami, M. Kumada), (149) 37
- Sila- and germa-ethylenes, CNDO/2 localised orbital study of dipole moments of (B. G. Gowenlock, J. A. Hunter), (140) 265
- Silicon analogues of phenothiazine (J. Y. Corey, J. P. Paton, D. M. Rankin), (139) 1
- Silyl ketones formed from silylpropyl-aluminium compounds (G. Sonnek, K.-G. Baumgarten, H. Reinheckel), (142) 23
- Silylacetylenes, hydroboration of (A. Hassner, J. A. Soderquist), (131) C1
- Silylalkylbenzenes in gas phase and in solution, one-electron oxidation of (H. Bock, W. Kaim, H. E. Rohwer), (135) C14
- N-Silylamides and N-silylurethanes, ^{29}Si and ^{13}C NMR investigations of (H. Jancke, G. Engelhardt, S. Wagner, W. Dirlens, G. Herzog, E. Thieme, K. Ruhlmann), (134) 21
- Silylation of mono-aromatic compounds by the $\text{HMe}_2\text{SiCl}/\text{Li}/\text{THF}$ system (M. Laguerre, J. Dunoguès, N. Duffaut, R. Calas), (149) 49
- C-Silylation of saturated and unsaturated nitriles (A. Ekouya, J. Dunoguès, N. Duffaut, R. Calas), (148) 225
- Silyl- and germyl-phosphines, addition to benzoyltrimethylsilanes of (C. Courret, J. Satgé, J.-P. Picard), (144) 35
- Silylruthenium hydridophosphine complexes, preparation and characterization of (H. Kono, N. Wakao, K. Ito, Y. Nagai), (132) 53
- α -Silselenoalkyllithiums, synthesis of (D. Van Ende, W. Dumont, A. Krief), (149) C10
- N-Sodiohexamethydisilazane ($\text{Na}[\text{N}\{\text{Si}(\text{CH}_3)_3\}_2]$), crystal structure of (R. Gruning, J. L. Atwood), (137) 101
- Spirocyclic vanadium(IV) silylamides, preparation and characterization of (K. Wiegel, H. Burger), (129) 309
- 1-Stannacyclopentadienes, preparation via organoboration of dialkynyldimethylstannanes of (L. Killian, B. Wrackmeyer), (148) 137
- Sulphonation of allenic silicon compounds, synthesis of unsaturated sulphonate

- acid derivatives (P Bourgeois, R Calas, G Merault), (141) 23
- Tertiary silanols, effect of tris(dipivalomethane)europium chelate on the ^1H NMR spectra of (A. Lyčka, D Šnobl, J Vencl), (149) C37
- 1,2,3,4-Tetra-*t*-butyltetramethylcyclotetrasilane, geometrical isomers and electronic properties of (M Biernbaum, R West), (131) 179
- , and related *t*-butylsilicon compounds. photoelectron spectra of and bonding in (T F Block, M Biernbaum, R West), (131) 199
- , stereospecific chlorodemethylation of (M Biernbaum, R West), (131) 189
- cis*-Tetracarbonylbis(chlorodiphenylphosphine)molybdenum(0), reactions with ammonia, methylamine, *p*-toluidine, water, methanol, *p*-cresol and ethanethiol of and subsequent reactions of the ammonolysis and hydrolysis products with chlorosilanes and boron trifluoride diethyletherate (G M Gray, C S Krahanzel), (146) 23
- (*S*)(+)-Tetracarbonylcobaltmethylphenyl-1-naphthylsilane, evidence for the formation of analogues of silyl-Grignard reagents (E Colomer, R J P Corriu), (133) 159
- Tetrakis(triphenylphosphine)palladium(0), reactions of hexamethyldisilane with nitrohalobenzenes catalysed by (H Matsumoto, K Yoshihiro, S Nagashima, H Watanabe, Y. Nagai), (128) 409
- 1,1,2,2-Tetramethyl-1,2-disila-4-cyclohexene, ring cleavage reactions with bromine of (L Burkofer, V Foremny, G Schmidtberg), (142) C37
- Tetramethyldisilacyclopentane, Si—Si/Si—Si metathesis reaction catalysed by palladium complexes of (H Sakurai, Y Kamiyama, Y Nakadaira), (131) 147
- 1-*R*,1-*R'*,2,3,4,5-Tetraphenyl-1-sila and -germa-cyclopentadieneiron tricarbonyls, synthesis and reactions of (P Jutzi, A Karl), (128) 57
- Thioamidoboranes, preparation of by splitting of the Si—N bond in *N*-trimethylsilylthioamides in reactions with halo-boranes and -organylboranes (W Maringgele, A. Meller), (141) 241
- Tin-substitute pentadiene derivatives, synthesis and reactions of (P Jutzi, J Baumgartner), (148) 257
- Titanium and silicon containing hetero-
- cyclic compounds, synthesis of (H. Sakurai, H Umino), (142) C49
- Trialkoxysilane—solvent interactions, vibrational spectroscopic study of (B Marciniak, H Gulińska), (146) 1
- Trialkyl- and aryl-hydrosilanes, catalytic reaction with benzylidene aniline of (K A Andrianov, M I Filimonova, V I Sidorov), (142) 31
- , reactions with trifluoroacetic acid of (K A Andrianov, S A Igonina, V I Sidorov), (128) 43
- Trialkylsiloxy and trialkylsilyl radicals in reaction with dialkyl sulphides, ESR study of (W B Gara, B P Roberts), (135) C20
- Triaryl(4-fluorophenyl)silanes, ^{19}F NMR investigation of the transmission of electronic effects in (S I Pombrik, D N Kravtsov, A S Peregudov, E I Fedin, A N Nesmeyanov), (131) 355
- Triarylgermyl radicals, synthesis, ESR studies and comparison with Si and Sn analogues of (M J S Gynane, M F Lappert P Rivière, M Rivière-Baudet), (142) C9
- Tri-*t*-butylsilane and tri-*t*-butylhalosilanes, preparation and properties of (M Weidenbruch, H Pesel, W Peter, R Steichen), (141) 9
- Triethylsilane, action on α -ethylenic aldehydes in the presence of nickel or palladium catalysts of (R Bourhis, E Fraïnnet, F Moulines), (141) 157
- , reaction with benzylidene aniline in the presence of tris(triphenylphosphine) rhodium chloride of (K A Andrianov, M I Filimonova, V I Sidorov), (144) 27
- Trihalogermylphosphines, α -elimination reactions of (W-W Dumont, H Schuhmann), (128) 99
- Trimethylgallium in reactions with silicon hydrides, germane and diborane (C G Newman, B N Diel, D P Paquin, M A Ring), (137) 281
- Trimethyl- and triphenyl-methylene-metals and -metalloids, NMR study of substituent effects in (W Adcock, D P Cox, W. Kitching), (133) 393
- Trimethyl-silyl and -stannyl radicals, reactions with tetraphenyldiphosphines, phosphorus esters and peresters of (G Avar, W P Neumann), (131) 207
- 1-Trimethylsilylcyclobutene-3,4-dicarboxylic acid anhydride and 1,2-bis(trimethylsilyl)cyclobutene-3,4-dicarboxylic acid anhydride, preparation of (L

- Burkofer, D. Eichstadt), (145) C29
 Trimethylsilylmethanol, direct synthesis by C-silylation of formaldehyde (A. Ekouya, J. Dunoguès, N. Duffaut, R. Calas), (142) C35
 Trimethyl-silyl- and -germyl-methyl-lithium, reaction with tungsten hexachloride, initiation of cycloolefin polymerization (B.A. Dolgoplosk, L.A. Oreshkin, K.L. Makovetsky, E.I. Tinyakova, I.Ya. Ostrovskaya, I.L. Kershenbaum, G.M. Chernenko), (128) 339
 Trimethylsilylphenylsilylene, reactions with carbonyl compounds of (M. Ishikawa, K.-I. Nakagawa, M. Kumada), (135) C45
 1,1,2-Trimethyl-1,2,2-trichlorodisilane and 1,1,2,2-tetramethyl-1,2-dichlorodisilane, convenient and large scale synthesis of (H. Matsumoto, T. Motegi, M. Hasagawa, Y. Nagai), (142) 149
 Tris(alkylaminosilyl)amines, condensation reactions leading to cyclodisilazanes and cyclotrisilazanes of (H. Bürger, R. Mellies, K. Wiegel), (142) 55
 Tris(dimethylamino)phosphine, reactions with organometallic diazoalkanes of (P. Krommes, J. Lorberth), (127) 19
 Tris(trimethylsilylmethyl)erbium-tris(tetrahydrofuran), preparation of (H. Schumann, J. Müller), (146) C5
 Tris(3-trimethylsilylpropyl)aluminium, reactions with nitriles of (G. Sonnek, K.-G. Baumgarten, H. Reinheckel, S. Pasynkiewicz, K.B. Starowieyski), (150) 121
 Tris(triphenylphosphine)chlororhodium, a catalyst in regioselective hydrosilylation of isoprene (I. Ojima, M. Kumagai), (134) C6
 1,1,2-Trisubstituted 1-silacyclobutanes, synthesis and spectroscopic data of (P. Jutzi, P. Langer), (139) 11
 α,β -Unsaturated acyltrimethylsilanes, preparation of (N. Minami, T. Abe, I. Kuwajima), (145) C1
 Vinyl- and allyl-silanes, ^{13}C NMR studies of (P.M. Rakita, L.S. Worsham), (139) 135
- Silver**
- Bis(amino)boranes and amino(halo)organylboranes, reactions with AgCN leading to monomeric cyanoboranes of (A. Meller, W. Maringgele, U. Sicker), (141) 249

- Copper, silver and gold, Annual survey covering the year 1975 (E. Singleton), (138) 405
 $[\text{M}(\pi\text{-C}_6\text{H}_5)\{\text{HC}(\text{NR})_2\}(\text{CO})_2]$ ($\text{M} = \text{Mo, W; R} = \text{aryl, alkyl}$) complexes, preparation and properties of (W.H. de Roode, M. L. Beekes, A. Oskam, K. Vrieze), (192) 337
 Pentafluorophenylarsenic compounds, preparation, reactions and structures of (A. Otero, P. Royo), (149) 315
 Platinum—carbon bond complexes, synthesis by reaction of *cis*-bis(triethylphosphine)dichloroplatinum with silver(I) oxide (M.A. Cairns, K.R. Dixon, M.A.R. Smith), (135) C33
 Silver—arene complexes formation in liquid anhydrous hydrogen fluoride of (R. Gut, J. Rueede), (128) 89
- Sodium**
- Cyclooctatetraene dianion prepared by matrix reactions with alkali metals, IR spectra of (G.M. Kuzyants, A.O. Baronetsky, T.M. Chernyshova, Z.V. Todres), (142) 139
 Cyclopentadienylidicarbonyliron—metal salts, cationic assistance in reactions with epoxides of (M. Nitay, M. Rosenblum), (136) C23
 S,S-Dialkylsulphur(VI) dimerides, reactivity towards methylolithium, sodium methylate and sodium trimethylsilanolate of (W. Wolfsberger, H. Forsterling), (132) 203
 α,β -Diarylacrylonitriles, IR spectra and structure of dimeric dianions derived from (L.G. Binev, I.N. Juchnovski), (141) 123
 Diborane, reactions with organolithium, organosodium, organopotassium and organocalcium derivatives of (F.G. Thorpe, G.M. Pickles, J.C. Podesta), (128) 305
 Dicyclopentadienylneopentyltitanium(III), synthesis and properties of (F.W. van der Weij, H. Scholtens, J.H. Teuben), (127) 299
 Heavier alkali metals, Annual survey covering the year 1975 (E.M. Kaiser), (130) 133
 —, 1976 (E.M. Kaiser), (143) 99
 Mono- and di-alkali metal bis(cyanomethyl)-arennes, IR spectra and structure of (L.N. Juchnovski, V.B. Radomirska, I.G. Binev, E.A. Grekova), (128) 139

- Organic-alkali metal delocalized compounds, ^{13}C NMR coupling constants in (S Bywater, D J Patmore, D J Worsfold), (135) 145
- Potassium amide and methylamide in reactions with hydrocarbon acids in THF (E Buncel, B Menon), (141) 1
- N*-Sodiohexamethyldisilazane ($\text{Na}[\text{N}(\text{Si}(\text{CH}_3)_3)_2]$), crystal structure of (R Gruning, J L Atwood), (137) 101
- Sodium η^5 -cyclopentadienylidicarbonylferrate(0), reaction with sulphur dioxide of, synthesis of iron—sulphur dioxide complexes (P Reich-Rohrwig, A C Clark, R L Downs, A Wojcicki), (145) 57
- Styrenes and phenylcyclopropanes, mercuration of, effect of aromatic nitro group on reductive demercuration with sodium borohydride (Yu S Shabarov, S S Mochalov, T S Oretskaya, V V Karpova), (150) 7
- Trimethylstannylsodium, reactions with aryl bromides yielding substituted aryltrimethylstannanes (K R Wursthorn, H G Kuivila), (140) 29
- ### Strontium
- Calcium, strontium and barium, Annual survey covering the years 1975 and 1976 (D Seyferth), (143) 141
- ### Sulphur
- Alkoxyalkylthiobenzenes, metalation of (S Cabiddu, S Melis, P P Piras, M Secci), (132) 321
- Arenechromium complexes with phosphinic, carbonylic and thiocarbonylic ligands, mass spectra of (G Simonneaux, G Jaouen, R Dabard, P Guenot), (132) 231
- Aryl-substituted disilanes, photolysis in the presence of DMSO of (H Okinoshima, W P Weber), (149) 279
- Benzo[*c*]cinnoline complexes of rhodium, synthesis and stereochemistry of (J F Nixon, M Kooti), (149) 71
- η^5 η^5 -Bicyclopentadienylmolybdenum alkyl, halo and thiol derivatives (M L H Green, S J Simpson), (148) C27
- 1,2-Bis[bis(trimethylsilyl)aminosulphenyl] stilbene, formation by reactions of lithium bis(trimethylsilyl)amide with thiobenzoyl chlorides (W Walter, H -W Luke, G Adiwidjaja), (140) 11
- Bis(isothiocyanatodiphenyltellurium(IV)), oxide, molecular characterization of (C S. Mancinelli, D D Titus, R F Ziolo), (140) 113
- Bromo-, iodo-, isocyanato- and isothiocyanato-(diethylamino)carbenepenta-carbonylchromium, preparation, IR and NMR spectra of (E O Fischer, W Kleine, F R Kreissl, H Fischer, P Friedrich, G. Huttner), (128) C49
- n-Butyllithium, reactions with 1,3-benzodioxole and 1,3-benzoxathiole, derivatives (S Cabiddu, A Maccioni, P P Piras, M Secci), (136) 139
- Butyltin compounds containing N, O and S ligands, ^{13}C NMR spectroscopy of (G Domazetis, R J Magee, B D James), (148) 339
- Carbonyliron compound in reduction and complexation reactions with sulphides of phosphorus compounds (F Mathey, G Muller) (136) 241
- Chlorothiomethoxymethyltriphenylphosphinepalladium(II), molecular structure at -160 and 20°C of (K Miki, Y Kai, N Yasuoka, N Kasai), (135) 53
- $\gamma^7\text{-C}_6\text{H}_5\text{Mo}-\mu-(\text{ER})_3\text{Mo}(\text{CO})_3$ ($\text{E} = \text{S}, \text{Se}$), $(\eta^7\text{-C}_6\text{H}_5)(\text{CO})\text{Mo}-\mu-(\text{TeC}_6\text{H}_5)_2\text{Mo}(\text{CO})-\eta^7\text{-C}_6\text{H}_5$ and $(\eta^3\text{-C}_6\text{H}_5)(\text{CO})_2\text{Mo}-\mu-(\text{OR})_3\text{-Mo}(\eta^7\text{-C}_6\text{H}_5)$ complexes, preparation and characterization of (D Mohr, H Wienand, M L Ziegler), (134) 281
- Chromium and molybdenum carbonyl complexes with dimethylsulphonium cyclopentadienylide, structure of; effect of π -coordination to the metal on the properties of the ylide ligand (V G Andrianov, Yu T Struchkov, V N Setkina, A Zh Zhakaeva, V I Zdanovitch), (140) 169
- Chromium bis-aryl complexes containing the dimethylthiocarbamate anion and other chelate ligands (A L Marchese, B O West), (141) C1
- Chromium(0), manganese(I) and rhenium(I) thiocarbonyl complexes, reactions of (I S Butler, N J Coville, D Cozak), (133) 59
- Chromium(0), molybdenum(0) and tungsten(0) carbonyl compounds, containing sulphurdumine ligands, preparation and properties of (R Mei, T A M Kaandorp, D J Stufkens, K Vrieze), (128) 203

- Cobaltacyclopentadiene complexes, ring opening by addition of Si—H, S—H, N—H and C—H to the diene moiety of (Y Wakatsuki, H Yamazaki), (149) 385
- Cyclooctadienedichloropalladium and 1,5-cyclooctadiene(phenylsulphonylmethanato)chloropalladium, determination of the structure of (L Bencheboun, P. Herpin, M Julia, L Saussine), (128) 273
- Cyclopentadienylchloro-tricarbonyl-molybdenum and -dicarbonyliron, reaction with lithio-N-methylthiobenzamide of (H Brunner, J Wachter), (142) 133
- Cyclopentadienyldicarbonylmethyliron, NMR of photochemical reactions with P, As, Sb, S and N donor ligands (C R Folkes, A J Rest), (136) 355
- Cyclopentadienylide complexes of Group VII metals (V I Zdanovitch, N E Kolobova, N I Yasyokova, Yu S Nekrasov, G.A. Paposyan, P V Petrovskii, A.Zh. Zhakaeva), (148) 63
- Cyclopentadienyliron dimer, photoinduced reaction with sulphur of, crystal structure of bis(cyclopentadienyliron)-monocarbonyl tetrasulphide (C Giannotti, A M. Ducourant, H Chanaud, A Chiaroni, C Riche), (140) 289
- η -Cyclopentadienylmolybdenum tetrานuclear oxide and related compounds (J-C Daran, K Prcut, G J S Adam, M L H Green, J Sala-Pala), (131) C40
- Dialkylpalladium(II) compound containing bridged thiophenoxy methyl groups, preparation and X-ray molecular structure of (K Miki, G Yoshida, Y Kai, N Yasouka, N Kasai), (149) 195
- S,S-Dialkylsulphur(VI) diimides, reactivity towards methylolithium, sodium methylate and sodium trimethylsilanolate of (W Wolfsberger, H Forsterling), (132) 203
- N,N'-Darylssulphurdiimine complexes of nickel(0) and platinum(0) and irreversible intramolecular rearrangement involving N—C(aryl) bond formation and N=S bond breaking in (R Meij, D J Stufkens, K Vrieze), (144) 239
- 1,3,2-Diazaboracycloalkanes, ring expansion reactions with phenyl isocyanate and phenyl isothiocyanate of (U W. Gerwarth, K-D Müller), (145) 1
- Dicarbonyl(η^6 -cyclopentadienyl)ferrate and sulphur dioxide, preparation of an ambident S-sulphinate complex from (C R Jablonski), (142) C25
- Dicarbonyl(dimethylthiocarboxamido)dimethylthiocarbamatoiron, Fe(CO)₂-(CSNMe₂)(S₂CNMe₂), crystal structure of (W K Dean, D G Vanderveer), (144) 65
- Dinisopropyl-phosphite, -phosphorothioate, -phosphorodithioate, and -phosphoro-selenoate, reactions with chlorophenyl-phosphines of (C Glidewell), (142) 171
- Dimethylaminomethyloxosulphenium methylide as a ligand in transition metal complexes (L. Weber), (142) 309
- 2,2-Dimethylbis(thiopheno[*b*])ferrocene, preparation and isomeric structures of (H Volz, H Kowarsch), (136) C27
- Dimethylsilanone, [(CH₃)₂Si=O], new route by deoxygenation of dimethyl sulphoxide by dimethylsilylene to (H S D Soysa, H Okinoshima, W P Weber), (133) C17
- Dimethylthallium(III) derivatives, X-ray and thallium-205-carbon and —proton coupling constants of (P J Burke, L A Gray, P J C Hayward, R W Matthews, M McPartlin, D G Gillies), (136) C7
- Dimethylthioketenepentacarbonylchromium, crystal and molecular structure of (B A Karcher, R A Jacobson), (132) 387
- Diorganotellurium dисocyanates (F H Musa, W R McWhinnie, A W Downs), (134) C43
- Diphenyldichalcogenides, ¹³C NMR studies of (A Forchion, V Galaso, K J Irgolic, G C Pappalardo), (135) 327
- 1,2-Diphenyl-1,2-diphospholane 1,2-disulphide, P—P bond lengths in (J D Lee), (137) 193
- Diphenylead diisothiocyanate adducts with O- and N-donor ligands, synthesis and vibrational spectra of (R Makhiya, M Onyszchuk), (135) 261
- cis-[1,3-Dithian-2-ylidene(hydroxy)methyl(ethoxy)carbene-*C,S*]tetracarbonylchromium(0) and fac-{{[1,3-dithian-2-ylidene(ethoxy)methyl(ethoxy)carbene-*C,S*]-t-butyl isocyanide}tricarbonylchromium(0), crystal and molecular structures of (G J Kruger, J Coetzer, H G Raubenheimer, S Lotz), (142) 249
- Dithiocarbonyl neutral and cationic complexes of osmium(II) (T J Collins, W R Roper), (139) C9

- Dithiocarboxylate-iron, -manganese and -rhenium complexes, preparation using phosphorus and boron sulphides as sulphurizing agents of (L Busetto, A Palazzi, E F Serantoni, L Riva di Sanseverino), (129) C55
- μ -Ethylthio- μ' -carbonylbis(η -cyclopentadienylcarbonyliron)(Fe-Fe) hexa-fluoroantimonate, crystal and molecular structure of (R B English, L R Nassimbeni, R J Haines), (135) 351
- $\text{Fe}_4(\text{CO})_{12}S(\text{CSNMe}_2)(\text{CNMe}_2)$, crystal structure of (W K Dean, D G Vanderveer), (146) 143
- $[\text{Fe}(\text{CO})_2(\text{S}_2\text{CNMe}_2)(\text{CNMe}_2)_2\text{S}] \text{PF}_6$, $\frac{1}{2}$ $\text{C}_2\text{H}_4\text{Cl}_2$, cationic dicarbene complex, crystal structure of (W K Dean, D G Vanderveer), (145) 49
- Ferrocenethiocarboxylic acid derivatives, preparation and spectral properties of (T Katada, M Nishida, S Kato, M Mizuta), (129) 189
- $[\text{FeX}(\text{CO})_3]_2$ complexes ($X = \text{SCH}_3$, SC_6H_5 , $\text{P}(\text{CH}_3)_2$), photochemically induced insertion of alkynes into the metal-metal bond of (R Mathieu, R Poublanc), (142) 351
- Germanium, phosphorus(III), arsenic(III) and sulphur heterocyclic compounds with aminoacidic and hydroxyacidic ligands (H Lavayssiere, G Dousse, J Satgé), (137) C37
- Grignard reagents in reaction with allyl sulphides and allylsulphonium salts catalysed by copper(I) salts (Y Gendreau, J F Normant, J Villieras), (142) 1
- Grignard reagents in reaction with 2,2,4,4-tetramethyl-3-pantanethione and adamantanethione (D. Paquer, M Vazeux), (140) 257
- Group IVB 1,3-thiolanes and corresponding open-chain compounds, UV PES and theoretical study of electronic and conformational properties of (F Bernard, G Distefano, A. Modelli, D Pietropaolo, A Ricci), (128) 331
- Halomethylidyne tricobalt nonacarbonyls, action of thiols and thiolates on (D Seyferth, C N. Rudie, J S Merola), (144) C26
- Hexamethylcyclotristannathianes, crystal structure of (H-J Jacobsen, B Krebs), (136) 333
- Hexaorganodistannanes, reactions with sulphur dioxide of (U Kunze, L Steinmann), (150) 39
- $\text{H}_2\text{Os}_3(\text{CO})_{10}$, $\text{H}(\text{SC}_2\text{H}_5)\text{Os}_3(\text{CO})_{10}$ and $(\text{OCH}_3)_2\text{Os}_3(\text{CO})_{10}$, molecular structures of (V F Allen, R Mason, P B Hitchcock), (140) 297
- Hydridoethiocarbonyl complexes as precursors of low-valent thiocarbonyl complexes (T J Collins, W R Roper), (139) C56
- Indium(III) porphyrins with metal-carbon and metal-sulphur bonds (R Guillard, P Cocolios, P Fournari), (129) C11
- Iridium(III) five- and six-coordinated complexes containing S -, O - or O,O' -trifluoromethanesulphinato groups, preparation and characterization of (D M Blake, Y L Chung), (134) 327
- Iron and manganese carbonyls, reactions with cyclopentadienylphosphines and derivatives of (F Mathey, J-P Lampin), (128) 297
- Iron-carbon σ bonds, N -sulphinylsulphonamide and bis(methylsulphonyl)sulphur diimide insertion into (R G Severson, A Wojciecki), (149) C66
- Iron carbonyl complexes, reactions with dimethylthiocarbamoyl chloride of (W K Dean), (135) 195
- Isothiocyanate, isonitrile-dithiocarbonimidate π -bound complexes and isonitrile-dioxygen complexes of rhodium, formation of (R O Harris, J Powell, A Walker, P V Yanoff), (141) 217
- Methylcymantrene, sulphur derivatives of (C Sergheraert, P Marcincal, E Cuignet), (139) 283
- Nickel(0) complexes, hydrodesulphurisation and ring contraction of sulphur heterocycles by (J J Eisch, K R Im), (139) C51
- α -Nitro- and p -nitro-phenyl selenocyanates, reactions with arylthiols of (E R Clark, M A S Al-Turah), (134) 181
- Organosilicon isocyanates and isothiocyanates, Lewis acidity of (D P Graddon, B A Rana), (148) 17
- Organylthio(alkoxy)silanes and organylthio(diethylamino)silanes, physical and chemical properties of (D Brandes), (136) 25
- Osmium four-membered metallocycle from inter-ligand reaction between thiocarboxamido- and thiocarbonyl ligands (G R Clark, T J Collins, D. Hall, S M James, W R Roper), (141) C5
- $[\text{Os}(\eta^2-\text{S}_2\text{Me})(\text{CO})_2(\text{PPh}_3)_2]\text{ClO}_4$, structure of and methylation reactions of coordinated disulphur with (G R Clark,

- D R Russel, W.R. Roper, A. Walker), (136) C1
- Pentacarbonylbis(phenylthio)carbene-chromium(0) and -tungsten(0) complexes, synthesis by trapping of a free carbene of (H.G. Raubenheimer, H.E. Swanepoel), (144) C21
- Pentacarbonylchromium methylthiocyanate, crystal and molecular structure of (B J Helland, M H. Quick, R A Jacobson, R.J. Angelici), (132) 95
- Pentacarbonyl(dimethyloxy)sulphonium-methyl.de)chromium(0), substitution reactions of (L Weber), (131) 49
- Peters reaction ($\text{RSO}_2\text{HgX} \rightarrow \text{RHgX}$), stereochemistry of (L C Costa, G B Young, G.M Whitesides), (134) 151
- Phenoxachalcogenins, conformation, UV-absorption spectra and photoelectron spectra of (F.F. Tolonna, G Distefano, V. Galasso, K.J. Lalic, C E. King, G C Pappalardo), (146) 235
- Phosphine-substituted monomeric manganese carbonyl arsenides, preparation and Lewis basicity of (R Muller, H. Vahrenkamp), (150) C11
- Platinum compounds containing a thiomethoxymethyl group, preparation, properties and reactivities of (G. Yoshida, H. Kurosawa, R. Okawara), (131) 309
- Rhodium(I) and iridium(I) nucleophilic complexes, facile cleavage of the P—H bond of secondary phosphine sulphides by (V Marsala, F. Faraone, P Piraino), (133) 301
- Rhodium(I) carbonyl dithiolate, reactivity of and formation of acyl and hydride species (C.-H Cheng, D E. Hendriksen, R. Eisenberg), (142) C65
- Rhodium(I)—phosphine complexes containing bidentate unsaturated thio ligands, synthesis and characterization of (A.W Gal, J W Gosselink, F A Vollenbroek), (142) 357
- Rhodium(I)—phosphine complexes containing unsaturated thio ligands, reaction with O_2 and H_2 of (A.W Gal, F.H.A. Bolder), (142) 375
- $\text{RuI}(\text{CO})(\text{PPh}_3)_2(\text{CS}_2\text{Me})$, isonitrile complexes derived from nucleophilic attack of primary amines on (R O. Harris, P Yaneff), (134) C40
- $\text{syn}-[\mu-(\text{SCH}_3)\text{Fe}(\text{CO})_2\text{P}(\text{CH}_3)_3]_2$, synthesis and crystal and molecular structure of (G. Le Borgne, D. Grandjean, R. Mathieu, R. Poilblanc), (131) 429
- Seleno- and thio-carbonylpentacarbonylchromium complexes, facile route to (A.M. English, K R. Plowman, I.S. Butler, G. Jaouen, P LeMaux, J-Y. Thépot), (132) C1
- Silicon analogues of phenothiazine (J Y Corey, J P. Paton, D M Rankin), (139) 1
- Sodium η^5 -cyclopentadienylidicarbonylferrate(0), reaction with sulphur dioxide of, synthesis of iron—sulphur dioxide complexes (P. Reich-Rohrwig, A.C. Clark, R L. Downs, A. Wojcicki), (145) 57
- Substituted dialkylphenylthioboranes, photoelectron spectra of (F Bernardi, R Danieli, G Distefano, A Modelli, A. Ricci), (136) 161
- 4-Substituted 1-ethylthio-2-butynes, addition reactions of Grignard reagents catalysed by cuprous chloride with (G Bouet, R Mornet, L Gouin), (135) 151
- Sulphonation of allenic silicon compounds, synthesis of unsaturated sulphonic acid derivatives (P Bourgeois, R Calas, G Merault), (144) 23
- Sulphur-containing tricarbonyliron complexes, synthesis and properties of (N S Nametkin, V D Tyurin, M A Kukina), (149) 355
- cis-Tetracarbonylbis(chlorodiphenylphosphine)molybdenum(0), reactions with ammonia, methylamine, *p*-toluidine, water, methanol, *p*-cresol and ethanethiol of and subsequent reactions of the ammonolysis and hydrolysis products with chlorosilanes and boron trifluoride diethyl etherate (G.M. Gray, C S Krahanzel), (146) 23
- Tetracarbonyl(thiocarboxonyl)iron, preparation and spectra of (W Petz), (146) C23
- Tetraethylammonium μ -pentachlorothiophenolatobis(pentacarbonyltungsten(0)), X-ray structure of (M K. Cooper, M Saporta, M McPartlin), (133) C33
- (2,2,8,8-Tetramethyl-3,7-dithianonane) tetracarbonyltungsten(0), kinetics and mechanism of ligand exchange in (G R Dobson, L.D. Schultz), (131) 285
- Tetraphenylantimony mercaptides, thermal decomposition of (J L. Wardell, D W. Grant), (149) C13
- (*meso*-Tetraphenylporphinato)cobalt(III), alkylation in DMSO of (P Boucly, J Devynck, M. Perrée-Fauvet, A Gaudemmer), (149) 65
- Thiadiborolene—tricarbonyliron com-

- plexes, preparation, structure and bonding in (W. Siebert, R. Full, J. Edwin, K. Kimberger, C. Kruger), (131) 1
- Thioamidoboranes, preparation of by splitting of the Si—N bond in *N*-trimethylsilylthioamides in reactions with halo-boranes and -organylboranes (W. Maringgele, A. Meller), (141) 241
- Thiobenzoylhydrazide complexes of palladium(II), platinum(II) and manganese(II) (A. S. Kasenally), (148) 207
- Thiocarbonyl-bridged ($\eta^5\text{-C}_5\text{H}_5$)₂Fe₂(CO)₃-(CS) and crystal structure of an S-alkylated derivative (R. E. Wagner, R. A. Jacobson, R. J. Angelici, M. H. Quick), (148) C35
- Thiocarbonylrhodium(I) cationic complexes, synthesis of (R. W. Matthews, L. Parkhill, M. J. Mays), (139) C77
- Thiocarboxamido bidentate, monodentate and bridging complexes of rhodium and iridium (A. W. Gal, H. P. M. M. Ambrosius, A. F. M. J. van der Ploeg, W. P. Bosman), (149) 81
- Thiodecaborane, electrophilic alkylation of (B. J. Meneghelli, R. W. Rudolph), (133) 139
- Thioketone complexes of chromium, molybdenum, and tungsten carbonyls (R. G. W. Gingerich, R. J. Angelici), (132) 377
- Trialkylsiloxy and trialkylsilyl radicals in reaction with dialkyl sulphides, ESR study of (W. B. Gara, B. P. Roberts), (135) C20
- Tricarbonyl(η^4 -3,4-dimethylthiophenedioxide)iron, crystal and molecular structure of (K. Hoffmann, E. Weiss), (128) 389
- Tricarbonyl[1,2,4-5- η -(1,1,1-tricarbonyl-1-ferra-2-thia-4-cyclopentene-3-one)]-iron, preparation and structure of (K. Hoffmann, E. Weiss), (128) 225
- Tricarbonyl[tricarbonyl(methylferracyclopentadiene)]iron, preparation and spectra of and crystal structure of tricarbonyl[tricarbonyl(methylferrathiacyclohexadiene)]iron (P. Hubener, E. Weiss), (129) 105
- Trimethyl(methylthio)- and trialkyl(arylthio)-stannanes, reactions with alkyl halides of (S. Kozuka, S. Ohya), (149) 161
- Trimethylphosphine-triphenylphosphinedicarbonyliron disulphide (Fe($\eta^2\text{-CS}_2$), (CO)₂(PMe₃)(PPh₃)), X-ray crystal structure of (H. Le Bozec, P. Dixneuf, N. J. Taylor, A. J. Carty), (135) C29
- Trimethylplatinum(IV) complexes with dithiocarbamates, xanthates and *cis*-maleonitriledithiolate (B. W. Brown, K. Kite, A. J. Nettle, A. F. Psaila), (139) C1
- Trimethylplatinum(IV) halide mono- and di-nuclear complexes with bidentate thioethers, NMR evidence for single-site and synchronous double-site inversion at pyramidal sulphur atoms in (E. W. Abel, A. R. Khan, K. Kite, K. G. Orrell, V. Sik), (145) C18
- Trimethylstannyl radicals, reactions with P=S or p—S groups of organophosphorus compounds of (G. Avar, W. P. Neumann), (131) 215
- Trimethyltin hydroxide and trialkyltin ethoxides, reactions with benzothiazolines of (B. S. Saraswat, G. Srivastava, R. C. Mehrotra), (137) 301
- B,B'',B'''-Triphenylborthin, reactions with (CH₃CN)₃M(CO)₃ (M = Cr, Mo, W) of (H. Noth, U. Schuchardt), (134) 297
- Triphenylselenonium isothiocyanate, crystal structure of (P. Ash, J.-S. Lee, D. D. Titus, K. B. Mertes, R. F. Ziolo), (135) 91
- Triphenyltin(IV) dithiocarbamate compounds, synthesis and structure of (G. Domazetis, R. J. Magee, B. D. James), (141) 57
- Tris(*trans*-cyclooctene)gold trifluoromethanesulphonate, preparation of (S. Komiya, J. K. Kochi), (135) 65
- Univalent organometallic cations and the proton, relative softness upon formation of M—O, M—S, H—O and H—S bonds of (D. N. Kravtsov, A. S. Peregudov, E. M. Rokhlin), (128) C27
- ## Tantalum
- $\left\{(\eta\text{-C}_5\text{H}_5)\text{NbCl}_3[(\text{C}_6\text{H}_5)_2\text{P}(\text{CH}_2)_2\text{P}(\text{C}_6\text{H}_5)_2]\right\}$, C₆H₅CH₃ and $\left\{[\eta\text{-C}_5\text{H}_4\text{CH}_3]\text{NbCl}_3\text{OH}\right\}_{2^-}\mu\text{-O}\right\}$ X-ray structures of (J. C. Daran, K. Prout, A. De Cian, M. L. H. Green, N. Siganporia), (136) C4
- η^5 -Cyclopentadienyl complexes of niobium and tantalum, preparation of (R. J. Burt, J. Chatt, G. J. Leigh, J. H. Teuben, A. Westerhof), (129) C33
- Cyclopentadienyl ring exchange method

for the attachment of early transition metal metallocene dichlorides to a polymer support (J.G. Lee, C.H. Brubaker, Jr.), (135) 115

Vanadium, niobium and tantalum, Annual survey covering the year 1976 (J.A. Labinger), (138) 211

Technetium

Bis(trimethylsilyl)aminothallium compounds, preparation and chemistry of (P. Krommes, J. Lorberth), (131) 415

Manganese, technetium and rhenium, Annual survey covering the year 1975 (P.M. Treichel), (126) 383

—, — 1976 (P.M. Treichel), (147) 239

Phosphinecarbonyl-technetium(I) and -technetium(III) complexes, reactions and stereochemistry of (U. Mazzi, A. Bismondo, N. Kotsev, D.A. Clemente), (135) 177

Tellurium

Bis(isothiocyanatodiphenyltellurium(IV)) oxide, molecular characterization of (C.S. Mancinelli, D.D. Titus, R.F. Ziolo), (140) 113

$\eta^7\text{-C}_6\text{H}_5\text{Mo}-\mu-(\text{ER})_2\text{Mo}(\text{CO})_3$ ($\text{E} = \text{S}, \text{Se}$), $(\eta^7\text{-C}_6\text{H}_5)_2(\text{CO})\text{Mo}-\mu-(\text{TeC}_6\text{H}_5)_2\text{Mo}(\text{CO})$ — $(\eta^7\text{-C}_6\text{H}_5)$ and $(\eta^3\text{-C}_6\text{H}_5)(\text{CO})_2\text{Mo}-\mu-(\text{OR})_3\text{Mo}(\eta^7\text{-C}_6\text{H}_5)$ complexes, preparation and characterization of (D. Mohr, H. Wienand, M.L. Ziegler), (134) 281

Cyclodiphosph(III)azane selenides and tellurides, exchange effects on the ^1H and ^{31}P NMR spectra of (R. Keat, D.G. Thompson), (141) C13

Diaryl diselenides and related compounds, dipole moment study of the conformational properties of (G.C. Pappalardo, K.J. Irgolic, R.A. Grigsby), (133) 311

α - and β -1,1-Diodo-3,4-benzo-1-telluracyclopentane ($\text{C}_8\text{H}_8\text{TeI}_2$), synthesis and characterization of (R.F. Ziolo, W.H.H. Günther), (146) 245

Dimethyl selenide and telluride, NMR studies in the nematic phase of a liquid crystal of (P. Diehl, A.C. Kunwar, H. Bösiger), (145) 303

Diorganodialkoxytellurium(IV) compounds, preparation, ^1H NMR and mass spectra of (M. Wieber, E. Kaunzinger), (129) 339

Diorganotellurium dioxocyanates (F.H. Musa, W.R. McWhinnie, A.W. Downs), (134) C43

Diphenyldichalcogenides, ^{13}C NMR studies of (A. Forchioni, V. Galasso, K.J. Irgolic, G.C. Pappalardo), (135) 327

Organotellurium compounds, Mössbauer spectroscopic interpretation of (F.J. Berry, J. Silver), (129) 437

Palladium(II) and platinum(II) complexes with organotellurium compounds as ligands (L.-Y. Chia, W.R. McWhinnie), (148) 165

Phenoxyachalcogenins, conformation, UV-absorption spectra and photoelectron spectra of (F.P. Colonna, G. Distefano, V. Galasso, K.J. Irgolic, C.E. King, G.C. Pappalardo), (146) 235

Tellurium, Annual survey covering the year 1975 (K.J. Irgolic), (130) 411

Terbium

Tricyclopentadienyllanthanide complexes, Raman spectra of (V.T. Aleksanyan, G.K. Borisov, L.A. Garbuzova, G.G. Devyatikh), (131) 251

Thallium

Bis(pentachlorophenyl)thallium(III) chloride as arylating reagent (P. Royo, R. Serrano), (144) 33

Bis(pentachlorophenyl)thallium(III) compounds, preparation of (P. Royo, R. Serrano), (136) 309

Bis(trimethylsilyl)aminothallium compounds, preparation and chemistry of (P. Krommes, J. Lorberth), (131) 415

Dialkylthallium(III) phosphides and arsenides, preparation and characterization of (B. Walther, S. Bauer), (142) 177

Dimethylthallium(III) derivatives, X-ray and thallium-205-carbon and —proton coupling constants of (P.J. Burke, L.A. Gray, P.J.C. Hayward, R.W. Matthews, M. McPartlin, D.G. Gillies), (136) C7

Diorganothallium-transition metal complexes, synthesis and characterization of (B. Walther, H. Albert, A. Kolbe), (145) 285

Dithallation of monocyclic aromatic compounds (G.B. Deacon, D. Tunaley, R.N.M. Smith), (144) 111

- Iridium(II)-thallium(II) bonded complexes, formation of (P I van Vliet, K Vreeze), (139) 337
 Monomethylthallium diacetate, kinetics of mechanism of the reaction with pyridine of (U Pohl, F Huber), (135) 301
 Norbornene derivatives, oxythallation and oxymercuration of (P F Barron, D Doddrell, W Kitching), (132) 351
 Organothallium(III) anionic complexes, preparation of (R Uson, A Laguna, J Vicente, J A Abad), (131) C5
 Thallium, Annual Survey covering the year 1976 (H Kurosawa), (147) 193

Thorium

- Thorocene and uranocene, SCF-X_c scattered-wave MO study of (N Rosch, A Streitwieser, Jr.), (145) 195
 Tricarbonyl(cyclo-1,3-hexadiene)iron, reactions with thallium(III) salts of (B F G Johnson, J Lewis, D G Parker), (127) C37

Tin

- Alkyltinstannanes, ¹³C and ¹¹⁹Sn NMR investigations of (B Wrackmeyer), (145) 183
 Alkytin derivatives, study of the electronic structure by UV photoelectron spectroscopy of (C Cauletti, C Furlani, M N Piancastelli), (149) 289
 Allylic and homoallylic tin-proton and tin-fluorine coupling constants, relative magnitudes of (J M Angelelli, M A Delmas, J C Maire), (131) 225
 Allyltin compounds, exchange and addition reactions of (M F Fishwick, M G H Wallbridge), (136) C46
 —, facile preparation of allyl ketones from (M Kosugi, Y Shimizu, T Migita), (129) C36
 Allyl- and (trichloromethyl)-trialkylstannanes, insertion reactions with germynes of (J Barrau, J Satgé), (148) C9
 Arsenediazoalkanes with organometallic ligands, synthesis, chemical reactivities and thermodynamics of (E Glozbach, J Lorberth), (132) 359
 (Arylazo)benzoic acid—organotin derivatives, preparation, spectrophotometric titrations and IR spectra of (B Majee, S Banerjee), (139) 39

- Azole organotin compounds, synthesis and structure of (R Gassend, J C Maire, J C Pommier), (132) 69
 Bis(trimethylsilyl)bromomethylolithium and tris(trimethylsilyl)methylolithium reactions leading to α -bromovinylsilanes of (D Seyferth, J L Lefferts, R L Lambert Jr.), (142) 39
 1,8-Bis(trimethylsilyl)- and -stannylnaphthalenes, synthesis of and related steric effects of C, S, and Sn in (D Seyferth, S C Vick), (141) 173
 Bis(trimethylstannyl)diazomethane, study of the electronic structure by vibrational spectroscopy of (A Fadini, E Glozbach, P Krommes, J Lorberth), (149) 297
 Butyltin compounds containing N, O and S ligands, ¹³C NMR spectroscopy of (G Domazetis, R J Magee, B D James), (148) 339
 Carbonylruthenium complexes, reactions with tin and mercury iodides of (H B Kuhnhen), (129) 215
 Charge transfer, hyperconjugation, inductive and field interactions in substituent effects of substituted methyl and silyl on benzene π vertical ionization energies (B G Ramsey), (135) 307
 (τ -C₅H₅)Mn(CO)(Ph₂PCH₂CH₂PPh₂), interaction with aprotic acids in solution of (B V Lokshin, E B Nazarova, A G Ginzburg), (129) 379
 (+)₅₋₆₋ and (-)_{5,8-}(η -C₆H₆)RuX(Me)-[Ph₂PNHCH(Me)(Ph)] (X = Cl, SnCl₃), preparation and stereochemistry of (H Brunner, R G Gastinger), (145) 365
 Compounds containing transition metal to main group metal bonds, mass spectrometry and bond dissociation energy of (T R Spalding), (149) 371
 η^4 -Cyclobutadienecobalt substituted complexes, organolithium route to (D Seyferth, S C Vick), (139) 209
 Cyclooctadienyl(dimethylphenylphosphine)chloroplatinum tetrafluoroborate, reactions with aryltrimethyltin compounds of (C Eaborn, K J Odell, A Pidcock), (146) 17
 η^6 -Cyclopentadienyl complexes of niobium and tantalum, preparation of (R J Burt, J. Chatt, G J Leigh, J H Teuben, A Westerhof), (129) C33
 Cyclopentadienyldicarbonylmanganese complexes with stannic chloride, molecular structure and reactions of

- (A.G. Ginzburg, N.G. Bokyi, A.I. Yanovski, Yu.T. Struchkov, V.N. Setkina, D.N. Kursanov), (136) 45
- Decaorganyltetratin branched compounds, preparation and characterization of (T.N. Mitchell, M. El-Behairy), (141) 43
- Dialkyldiethynylstannanes, reactions with triorganylboranes of (L. Killian, N. Wrackmeyer), (132) 213
- Dialkyl-germethyl- and -stannyly-tetraphenylporphyrins, preparation and oxidation of (C. Cloutour, D. Lafargue, J.A. Richards, J.-C. Pommier), (137) 157
- Dialkylthallium(III) phosphides and arsenides, preparation and characterization of (B. Walther, S. Bauer), (142) 177
- Diborane in reactions with organic derivatives of tin and lead (F.G. Thorpe, S.W. Breuer, G.M. Pickles, T. Spencer), (145) C26
- gem*-Dichloroallyllithium, reaction with silicon, germanium, tin and mercury halides and with triphenylborane of (D. Seyferth, G.J. Murphy, R.A. Woodruff), (141) 71
- Dicyclopentadienyllanthanide-triphenylgermanes and -triphenylstannanes, preparation of (H. Schumann, M. Cygona), (144) C43
- Diethylketomalonate—Group IVB free radical adducts, ESR study of (G.N. Coppin, A. Hudson, R.A. Jackson, N.P.C. Simmons), (131) 371
- gem*-Difluoroallyllithium, generation by transmetalation reaction of (D. Seyferth, K.R. Wursthorn), (137) C17
- 1,2-Dilithioethylene, attempted synthesis of (D. Seyferth, S.C. Vick), (144) 1
- 1,1-Dimethyl-1-stannacyclopentane, catalytic polymerization of (E.J. Bulten, H.A. Budding), (137) 165
- Dimethylstannylene formation from 1,1-dimethyl-2,3,4,5-tetraphenyl-1-stannacyclopentadiene and acetylenes (K. Kunô, K. Kobayashi, M. Kawanisi, S. Kozima, T. Hitomi), (137) 349
- Di-2,4-pentanedionatotin(II), reactions with organic halides of (M. Devaud), (141) 371
- Diphenyltin- and dimethyltin-acetylacetone, kinetics and mechanisms of intermolecular ligand exchange reactions with acetylacetone (T.F. Ignacz, N. Serpone), (127) 289
- Disubstituted distannoxanes, Mossbauer study of (S. Calogero, P. Furlan, V. Peruzzo, G. Tagliavini), (128) 177
- Fluorophenylalkyltin compounds, qualitative aspects of electronic interactions in (J.M. Angelelli, M.A. Delmas, J.C. Maire, J.P. Zahra), (128) 313
- Geminal tin—proton coupling constant, influence of substituents and of the Sn—C—H angle (B. De Poorter), (128) 361
- Group IV and V organic oxygen complexes, investigation by electronic emission spectroscopy of (G.A. Razuvaev, A.N. Egorochkin, V.A. Kuznetsov, V.N. Glushakova, A.V. Shabanov, Yu.A. Alexandrov, Yu.Yu. Baryshnikov), (148) 147
- Group IVB elements, alkynethiol derivatives of (S.J. Harris, D.R.M. Walton), (127) C1
- Group IVB metal dihalides, insertion into Fe—C σ -bonds of (J.D. Cotton, G.A. Morris), (145) 245
- Group IVB-substituted stannacyclohexadiene derivatives, synthesis and reactivities of (P. Jutzi, J. Baumgartner), (148) 247
- Group IVB, 1,3-thiolanes and corresponding open-chain compounds, UV PES and theoretical study of electronic and conformational properties of (F. Bernardi, G. Distefano, A. Modelli, D. Pietropaolo, A. Ricci), (128) 331
- Hexamethylcyclotrastannathianes, crystal structure of (H.-J. Jacobsen, B. Krebs), (136) 333
- Hexaorganodistannanes, reactions with sulphur dioxide of (U. Kunze, L. Steinmann), (150) 39
- Hydroxycyclohexyltriphenyltin compounds, regio specific and stereoselective syntheses of (R.H. Fish, B.M. Broline), (136) C41
- Influence of an intermediate on reaction kinetics in organometallic systems (J.R. Chipperfield), (137) 355
- Metal carbonyl monoanions, convenient preparation by trialkylborohydride cleavage of metal carbonyl dimers of, observation and reactions of a bimetallic manganese-formyl intermediate (J.A. Gladysz, G.M. Williams, W. Tam, D.L. Johnson), (140) C1
- α -Metalated diazocarbonyl compounds, synthesis and copper-catalysed reactions of (O.A. Kruglaya, I.B. Fedot'eva, B.V. Fedot'ev, I.D. Kalikhman, E.I.

- Brodskaya, N.S Vyazankin), (142) 155
- Methoxy(β -diketonato)tin dimeric dihalides, stereochemistry and lability of (P Finocchiaro), (146) 229
- Methylethyl- and n-propyl-n-butyl-tin dichlorides, behaviour of 2,2'-bipyridyl in nitrobenzene towards (K L Jaura, K Lal), (136) 169
- (+)-(3-Methylindenyl)trimethyltin, synthesis of (A N Kashin, V A Khutoryanski, V N Bakunin, I P Beletskaya, O A Reutov), (128) 359
- Monocyclopentadienylcobalt complexes containing Co-Zn, Co-Cu, Co-Sn and Co-Hg bonds, preparation of (K Dey, H Werner), (137) C28
- 2,2,3,3,5,5,6,6-Octamethyl-1,4-diseleno-2,3,5,6-tetrastanninanane, preparation and vibrational spectra of (B Mathiasch), (141) 189
- Optically active halotin derivatives with anisochronous diastereotopic groups, NMR spectra of (M Lequan, Y Besace, J P Ballaguet), (144) C39
- Organogermylmercuryplatinum complexes and related compounds, preparation and reactions of (M N Bochkarev, G A Razuvaev, L P Majorova, N P Makarenko, V I Sokolov, V V Bashilov, O A Reutov), (131) 399
- Organometallic diazoalkanes, 1,3-dipolar cycloaddition with dimethyl acetylene dicarbonic acid ester of (R Gruning, J Lorberth), (129) 55
- Organometallic diazoalkanes of the Main Group elements, ^{13}C [^1H]PFT spectra of (R Gruning, P Krommes, J Lorberth), (128) 167
- Organostannanes, semi-empirical approach to the study of ($d-p$) π contribution to bonds in (G Barbieri, R Benassi, F Taddei), (129) 27
- Organostannylphosphines, exchange reactions of (H Schumann, W-W Du Mont, B Wobke, P J Corvan, J J Zuckerman), (128) 187
- Organotin amines of pyrazole, imidazole, 1,2,4-triazole and benzotriazole, reactivity towards alkyl halides of (R Gassend, J.C. Maire, J -C Pommier), (133) 169
- Organo-tin and -lead compounds, oxidative addition reactions to $[\text{Pt}(\text{C}_2\text{H}_4)(\text{PPN}_3)_2]$ of (G. Butler, C. Eaborn, A. Pidcock), (144) C23
- Organotin carboxylates and isocyanates, Lewis acidity of (D P Graddon, B A Rana), (136) 19
- Organotin complexes of N-substituted benzohydroxamic acids (B Pradhan, A.K Ghosh), (131) 23
- Organotin compounds containing cyclopentane, synthesis of (H G Kuivila, P P Patnode), (129) 145
- Organotin derivatives of arylazobenzoic acids, absorption spectra and structure of (B Majee, S Banerjee), (140) 151
- Organotin derivatives of pyrazole, imidazole and benzotriazole, reactivity towards ketones and aldehydes of (R Gassend, J C Maire, J C. Pommier, J Elguero), (141) 49
- Organotin(IV) derivatives of tetracyanoethylene, 7,7,8,8-tetracyanoquadrinomethane and 2,3,5,6-tetrachlorobenzonitrone, isolation of stable organotin-substituted radicals (A B Cornwell, P G Harrison, J A Richards), (140) 273
- Organotin halides, hexamethyl- and hexaphenyl-ditin compounds, electrochemical preparation of (J J Habeeb, D G Tuck), (134) 363
- Organotin imines and enamines, NMR, IR and Raman spectra of (B De Jeso, A Marchand, J -C Pommier), (133) 177
- , protolysis and reactions towards acrylonitrile of (B De Jeso, J.-C Pommier), (137) 23
- Organotin pyrazole, imidazole, 1,2,4-triazole and benzotriazole derivatives, nucleophilic substitution reactions with acetyl or benzoyl chloride and α - or β -halogenated ketones of (R Gassend, J C Maire, J C Pommier), (137) 185
- Organotin γ -substituted alcohols, gas phase 1,3-deoxystannylation reactions utilizing chemical ionization mass spectrometry of (R H Fish, R L Holmstead, H G Kuivila), (137) 175
- Pentacoordinated tin compounds, intramolecular mobility of (K. Jurkschat, C Mugge, A Tschach, Z Zschunke, M F. Larin, V.A. Pestunovich, M G Voronkov), (139) 279
- 3-Phenylallyl-silicon and —tin bonds, mechanism of cleavage by methanolic sodium methoxide of (C. Eaborn, I D Jenkins, G. Seconi), (131) 387
- Polyfluorophenyl-tin and -germanium compounds, decarboxylation synthesis

- of (G.B. Deacon, G J. Farquharson), (135) 73
- Propenyllithiums, phenyllithium and ethyl-lithium, enthalpies of protonation of (G R Brubaker, P. Beak), (136) 147
- 1-Stannacyclopentadienes, preparation via organoboration of dialkynylidimethyl-stannanes of (L Killian, B Wrackmeyer), (148) 137
- Stannyll acetylenes, ^{13}C and ^{119}Sn NMR spectra of (T N Mitchell), (141) 289
- Stannyll modification of the Hilbert-Johnson method for the synthesis of pyrimidine nucleosides (T Ogawa, M Matsui), (145) C37
- Tertiary phosphine-organotin halide adducts, thermodynamics of metal-ligand bond formation in (M J. Gallagher, D P Graddon, A R. Sheikh), (128) 199
- Tetracarbonyl-cobalt, -tin and -lead compounds, preparation of (G Schmid, G Etzrodt), (131) 477
- Tetramethylditin group-containing compounds, coupling constants in (B Mathiasch), (141) 295
- Tin(IV) octahedral complexes, influence of ligands on and nature of chemical bonds in (I.A. Aslanov, V.M. Ionov, W M Attia, A B Permin, V S Petrosyan), (144) 39
- Tin-substituted pentadiene derivatives, synthesis and reactions of (P Jutzl, J Baumgärtner), (148) 257
- Transition-metal substituted tin hydride ($\text{HSn}[\text{Mo}(\text{CO})_3\text{C}_5\text{H}_5]_3$), synthesis and reactions of (C D Hoff, J W Connolly), (148) 127
- Trialkylfluorophenyltin, quantitative aspects of electronic interactions in (J M. Angeletti, M.A. Delmas, J.C. Maire, J P. Zahra), (128) 325
- Trialkylstannylamides, preparation and structure of (C H. Yoder, R B Pepinsky, S Nittolo), (129) 319
- Trialkylstannylamidoximes, preparation and characterization of (A.B. Goel, V Gupta), (144) 49
- 2-(Trialkylstannyl)-4,5-bis(alkoxycarbonyl)-1,2,3-triazoles, structural studies by ^{13}C NMR spectroscopy of (T Hitomi, S Kozima), (127) 273
- Trialkyltin(IV) chlorides and alkoxides, reactions with *N*-substituted salicylideneimines of (B S Saraswat, G Srivastava, R C. Mehrotra), (129) 155
- Triarylgermyl radicals, synthesis, ESR studies and comparison with Si and Sn analogues of (M J S Gynane, M F. Lappert, P Rivière, M Rivière-Baudet), (142) C9
- Tributyltin alkoxides, reactions with amides of (K K Sharma, S K Mehrotra, R C. Mehrotra), (142) 165
- Tributyltin derivatives of β -hydroxyesters, retrocondensation reactions and their products of (P. Didier, J-C Pommier), (150) 203
- Tri-n-butylin radical, polarity of (G L Grady, T J Danyliw, P Rabideux), (142) 67
- Trimethyl- and triphenyl-methylene-metals and -metalloids, NMR study and substituent effects in (W Adcock, D.P Cox, W. Kitching), (133) 393
- Trimethyl(methylthio)- and trialkyl(arylthio)-stannanes, reactions with alkyl halides of (S Kozuka, S Ohya), (149) 161
- Trimethyl-silyl and -stannyl radicals, reactions with tetraphenyldiphosphines, phosphorus esters and peresters of (G Avar, W P Neumann), (131) 207
- Trimethylstannyl radicals, reactions with $\text{P}=\text{S}$ or $\text{P}-\text{S}$ groups of organophosphorus compounds of (G Avar, W.P Neumann), (131) 215
- Trimethylstannylsodium, reactions with aryl bromides yielding substituted aryl-trimethylstannanes (K R Wursthorn, H.G Kurvila), (140) 29
- Trimethyltin benzoate prepared by reaction of benzoyl peroxide with trimethyl-phenyltin (S Kozuka, J-I Nakagami), (135) C1
- Trimethyltin hydroxide and trialkyltin ethoxides, reactions with benzothiazolines of (B S. Saraswat, G. Srivastava, R C Mehrotra), (137) 301
- p*-(Triorganostannyl) benzoic acids, preparation and separation into their diastereomeric salts of (M. Lequan, F Meganem, Y Besace), (131) 231
- Triorganostannyl-2-butanes, synthesis and ^{13}C and ^{119}Sn NMR studies of (A Rahm, M Pereyre, M Petraud, B Barbe), (139) 49
- Triorganotin cations stabilized by intramolecular Sn—N coordination; synthesis and characterization of $[\text{C},\text{N},\text{N}'-2,6\text{-bis}[(\text{dimethylamino})\text{methyl}]\text{phenyl}]\text{-diorganotin bromides}$ (G van Koten, J T B H Jastrzebski, J G Noltes, A L Spek, J.C. Schoone), (148) 233
- Triorganotin chiral hydrides, synthesis

- and optical stability of (M Gielen, Y Tondeur), (127) C75
- Triorganotin halides, mechanism explaining the configurational stability of (M Gielen, H Mokhtar-Jamai), (129) 325
- Triorganotin optically-active compounds, stereoselective transformations in tetra-organotin optically-active compounds (M Gielen, Y Tondeur), (128) C25
- Triphenylantimonate(V) Schiff base complexes, ^{113}Sb Mossbauer spectra of (J N R Ruddick, J R Sams), (128) C41
- Triphenyltin(IV) dithiocarbamate compounds, synthesis and structure of (G Domazetis, R J Magee, B D James), (141) 57
- Univalent organometallic cations and the proton, relative softness upon formation of M—O, M—S, H—O and H—S bonds of (D N Kravtsov, A S Peregudov, E M Rokhлина), (128) C27
- ## Titanium
- Alkyldicyclopentadienyltitanium(III) compounds, synthesis and properties of (G W M Visser, J H Teuben), (144) 81
- Alkyltetramethylcyclopentadienes and phenyltetramethylcyclopentadiene, convenient synthesis of (R S Threlkel, J E Bercaw), (136) 1
- c,s-Alkynoxy(chloro)bis(2,4-pentanedionato)titanium(IV) complexes, ethylation of alkynols via reactions with diethylaluminium chloride of (H E Tweedy, R A Coleman, D W Thompson), (129) 69
- Allyl-Grignard reagent addition to isoprene, reactivity of the products of (F Barbot, Ph Miginiac), (145) 269
- C,N-Benzyllithium, reactions with early transition metal organic derivatives (L E Manzer), (135) C6
- Benzyltitanium derivatives of cyclic silylamides, crystal and molecular structure of (benzyl)₂Ti[N(SiMe₂NMe)₂]₂SiMe₂]₂ (D J Brauer, H Burger, K Wiegel), (150) 215
- Chloroaryloxy- and diaryloxy-titanocenes, synthesis of diastereoisomers of (J Besançon, S. Top), (127) 139
- ($\pi\text{-C}_5\text{H}_5$)₂Mn(CO)(Ph₂PCH₂CH₂PPh₂), interaction with aprotic acids in solution of (B V. Lokshin, E B Nazarova, A G Ginzburg), (129) 379
- [{($\pi\text{-C}_5\text{H}_5$)₂Ti(H₂O)}₂O](ClO₄)₂ 2H₂O, molecular and crystal structure of (U Thewalt, B Kebbel), (150) 59
- Cyclopentadienyl ring exchange method for the attachment of early transition metal metallocene dichlorides to a polymer support (J G Lee, C H Brubaker, Jr), (135) 115
- Cyclopentadienylmethyldialkoxytitanium, preparation and properties of (C Blandy, R Guerreiro, D Gervais), (128) 415
- Dialkylmetallocenes of the titanium group, photolysis of (E Samuel, P Maillard, C Giannotti), (142) 289
- Dicarbonyldicyclopentadienyltitanium(II), crystal structure of (J L Atwood, K E Stone, H G Alt, D C Hrcíř, M D Rausch), (132) 367
- Dichlorotitanocene derivatives with a pseudoasymmetric metal atom (J C Leblanc, C Moise), (131) 35
- Dicyclopentadienylarylvaniadium compounds, thermal decomposition of (C P Boekel, A Jelsma, J J H Teuben, H J de Liefde Meijer), (136) 211
- Dicyclopentadienyl- η^1 -cyclooctatrienyltitanium and - η^3 -cyclooctatrienyl-mniobium (A Westerhof, H J de Liefde Meijer), (139) 71
- Dicyclopentadienyldicarbonyl-zirconium and -titanium complexes, reactivity and IR spectra of (B Demersman, G Bouquet, M Bigorgne), (132) 223
- Di- η^5 -cyclopentadienyldimethyltitanium and deuterated analogs, photochemical investigations of (M D Rausch, W H Boon, H G Alt), (141) 299
- Dicyclopentadienylneopentyltitanium(III), synthesis and properties of (F W van der Weij, H Scholtens, J H Teuben), (127) 299
- Dicyclopentadienyltitanium(III) complexes, reactions with organic cyanide of (E J M de Boer, J H Teuben), (140) 41
- Early transition metal alkenyls and related compounds, preparation and cleavage and insertion reactions of (C J Cardin, D J Cardin, J M Kelly, R J Norton, A Roy), (132) C23
- Ferrocenyl derivatives of dicyclopentadienyl-titanium, -zirconium and -hafnium (G A Razuvayev, G A Domrachev, V V Sharutin, O N Suvorova), (141) 313
- Methyl-, phenyl- and *p*-tolyl-trichlorotitanium, reactions with mono- and

- bi-dentate ligands of (G.W.A. Fowles, D.A. Rice, T.G. Sheehan), (135) 321
- Nonconjugated diolefins, reactions with lithium aluminium hydride of (F. Sato, S. Sato, M. Sato), (131) C26
- Organometallic derivatives of the transition metals in their lowest oxidation states, synthesis of (S I. Beilin, S B. Golstein, B A. Dolgoplosk, L Sh. Guzman, E I. Tinyakova), (142) 145
- μ -Oxobis(π -cyclopentadienyldichlorotitanium), crystal and molecular structure of (U. Thewalt, D. Schomburg), (127) 169
- Tetrachlorotitanium *p*-ethylanisate adduct, X-ray crystal structure of (I.W. Bassi, M. Calcaterra, R. Intrito), (127) 305
- Titanocene derivatives with pentahapto ligands, stereochemical identification of (J. Besançon, J. Trouflet, S. Top, B.H. Ea), (133) 37
- Titanocene optically active complexes with chiral η^5 -C₅H₄R ligands (J.C. Leblanc, G. Moise, J. Trouflet), (148) 171
- Titanium and silicon containing heterocyclic compounds, synthesis of (H. Sakurai, H. Umino), (142) C49
- Titanium(IV) organometallic compounds, molecular orbitals and photoelectron spectra of (M. Basso-Bert, P. Cassoux, F. Crasnier, D. Gervais, J.-F. Labarre, P. De Loth), (136) 201
- Titanium tetrachloride and zirconium tetrachloride, as catalysts in the reaction of LiAlH₄ or AlH₃ with olefins (F. Sato, S. Sato, H. Kodama, M. Sato), (142) 71
- Titanium tetrachloride/organoaluminium systems used in alkylations of unsaturated alcohols (A.V. Youngblood, S.A. Nichols, R.A. Coleman, D.W. Thompson), (146) 221
- Titanium, zirconium and hafnium, Annual survey covering the year 1975 (P.C. Wailes), (126) 361
- , — 1976 (J.A. Labinger), (138) 185
- Titanocene, *monohapto*- and *pentahapto*-cyclopentadienyl exchange in (Ou Khan, A. Dormond, J.F. Leroux), (132) 149
- Titanocene chloro derivative [(C₁₀H₈)₂Ti₂Cl₂], structure of (G.J. Olthof), (128) 367
- Titanocene dicarbonyl and titanium(III) carbonate, preparation by anhydrous CO₂ reduction catalysed by chlorotitanocene—metal systems (B. Demerseman, G. Bouquet, M. Bigorgne), (145) 41

- Titanocene quasitetrahedral complexes, dynamic stereochemistry of exchange reactions of (J. Besançon, S. Top, J. Trouflet, Y. Dusausoy, C. Lecomte, J. Protas), (127) 153
- Trimethyl-silyl- and -germyl-methyl-lithium, reaction with tungsten hexachloride; initiation of cycloolefin polymerization (B.A. Dolgoplosk, L.A. Oreshkin, K.L. Makovetsky, E.I. Tinyakova, I.Ya. Ostrovskaya, I.L. Kershenbaum, G.M. Chernenko), (128) 339

Transition metals. General

- Organic reactions of selected π -complexes, Annual survey covering the year 1975 (G. Marr, B.W. Rockett), (126) 227
- Structures of organo-transition metals, Annual survey covering the year 1975 (M.I. Bruce), (126) 1
- Transition metal derivatives in organic synthesis, Annual survey covering the year 1975 (L.S. Hegedus), (126) 151
- , — 1976 (L.S. Hegedus), (143) 309

Tungsten

- Allyldicarbonyl-molybdenum and tungsten derivatives containing β -diketonate substituents (G. Doyle), (150) 67
- Bis(trimethylsilyl)aminothallium compounds, preparation and chemistry of (P. Krommes, J. Lorberth), (131) 415
- Carbonyl complexes of chromium, molybdenum, tungsten and cobalt with arenes, cycloheptatriene and norbornadiene, thermochemistry of (D.L.S. Brown, J.A. Connor, C.P. Demain, M.L. Leung, J.A. Martinho-Simoes, H.A. Skinner, M.T.Z. Moattar), (142) 321
- Carbonyl(η^3 -allyl)-molybdenum and tungsten anions, preparation and properties of (G. Doyle), (132) 243
- Carbonylmetal compounds in deoxygenation reactions with N—O bonds containing compounds (W. Beck, F. Gotzfried, E. Schier), (150) 247
- Carbyne transition metal complexes, reactivity of Lewis acids in the preparation from carbene complexes of (E.O. Fischer, S. Waiz, W.R. Wagner), (134) C37
- Carbyne- and carbene-tungsten complexes

- with a cycloper-adienyl(tricarbonyl)-manganese ligand (E O Fischer, V N Postnov, F R Kreissl), (127) C19
- Chromium, molybdenum and tungsten, Annual survey covering the year 1975 (G R Dobson), (143) 385
- Chromium, molybdenum and tungsten carbonyl complexes with phthalodinitrile (W Beck, R Höfer), (133) 73
- , with pyridine and acetonitrile, thermochemistry of (F A Adedej, J A Connor, C P Demain, J A Martinho-Simoes, H A Skinner, M T Z Moattar), (149) 333
- Chromium(0), molybdenum(0) and tungsten(0) carbonyl compounds containing sulphurdiumine ligands, preparation and properties of (R Meijs, T A M Kaandorp, D J Stukens, K Vrieze), (128) 203
- Chromium, molybdenum and tungsten substituted halocarbonyl compounds, photochemically-induced loss of phosphine ligands of (W A Schenk), (139) C63
- Chromium, molybdenum and tungsten terdentate complexes of 4-cyclohexylphosphorin, preparation of (K C Nanan, C T Sears), (148) C31
- Cyclopentadienyl ring exchange method for the attachment of early transition metal metallocene dichlorides to a polymer support (J G Lee, C H Brubaker, Jr.), (135) 115
- Cyclopentadienylcarbonylacetylenemethyltungsten, starting material for tungsten-acetylene complexes (H G Alt), (127) 349
- Cyclopentadienylides and their Group VI metal carbonyls, ^{13}C NMR spectra of (V N Setkina, Z Zh Zhakaeva, G A Panosyan, V I Zdanovitch, P V Petrovskii, D N Kursanov) (129) 361
- η -Cyclopentadienylmolybdenum tetra-nuclear oxide and related compounds (J-C Daran, K Prout, G J S Adam, M L H Green, J Sala-Pala), (131) C40
- π -Cyclopentadienyltricarbonyltungsten-dimethylgallium, crystal and molecular structure of and evidence for mixed organozinc and organogallium transition metal derivatives (J St Denis, W Butler, M D Glick, J P. Oliver), (129) 1
- Diazopropane complex of tungsten, $[\text{WBr}(\text{N}-\text{N}=\text{CMe}_2)(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2]-\text{Br}$, structure of (J Chatt, R A Head, P B Hitchcock, W Hussain, G J Leigh), (133) C1
- Dicyclopentadienyldicarbonyltungsten, containing a bent η^3 -cyclopentadienyl ligand, structure of (G Huttner, H H Brintzinger, L G Bell, W Friedrich, V Bejenke, D Neugebauer), (145) 329
- Dicyclopentadienyltungsten dicarbonyl, intermediates in the formation of (L G Bell, H H Brintzinger), (135) 173
- Dimethylaminomethyloxosulphonium methylide as a ligand in transition metal complexes (L Weber), (142) 309
- Diorganothallium-transition metal complexes, synthesis and characterization of (B Walther, H Albert, A Kolbe), (145) 285
- Formyltetracarbonylferrate(0) salts, synthesis of (S R Winter, G W Cornett, E A Thompson), (133) 339
- Group VIA metal pentacarbonyl ^{13}CO labelled derivatives, thermal route to (D J Dahrensbourg, R L Kump), (140) C29
- Group VI transition metal polystyrene-supported carbonyl and nitrosyl derivatives, properties of (G Gubitosa, H H Brintzinger), (140) 187
- Hexacarbonyl-chromium, -molybdenum and -tungsten compounds, reactions with (*o*-lithiobenzyl)diphenylphosphines of (H-P Abicht, K Issleib), (132) 327
- Hexacarbonyl-molybdenum and -chromium, reactions with formamidines of (W H de Roode, K Vrieze, E A Koerner von Gustorf, A Ritter), (135) 183
- Hexacarbonyltungsten/tetrachloromethane as catalyst in photochemical metathesis of olefins (P Krausz, F Garnier, J-E Dubois), (146) 125
- $[\text{M}(\pi\text{-C}_5\text{H}_5)\{\text{HC}(\text{NR})_2\}(\text{CO})_2]$ ($\text{M} = \text{Mo}$, W , $\text{R} = \text{aryl, alkyl}$) complexes, preparation and properties of (W H de Roode, M L Beekes, A Oskam, K Vrieze), (142) 337
- Metal carbonyls, electrochemical behaviour in a mixture of room temperature molten salt and benzene (H L Chum, D Koran, R A Osteryoung), (140) 349
- , reactions with amine oxides of (U Koelle), (133) 53
- Metal carbonyl complexes with *N*-phthaloyl-aminomethyl, -aminoacetyl and anions of α -amino acids as ligands (W Beck, W Petri), (127) C40
- Metathesis of olefins with pentacarbonyltungsten compounds and aluminium halides, IR and ^{31}P NMR studies of (J L Bilhou, A K Smith, J M Bassett),

- (148) 53
- Methyl-substituted transition metal bismuthines, redistribution processes in (P Panster, W. Malisch), (134) C32
- Methyl-, aryl- and diethylamino-carbyne-chromium and -tungsten complexes, mass spectra of (W. Kalbfus, E O Fischer, J.W. Buchler), (129) 79
- Molybdenum and tungsten hydrazido(2-) complexes, conversion into amines of (P C. Bevan, J. Chatt, G J Leigh, E.G Leelamani), (139) C59
- Molybdenum and tungsten pseudooctahedral complexes oscillations of γ^3 -allyl groups in (J W Faller, D A. Haitko), (149) C19
- Mononuclear transition metal carbonyl complexes with hydride donors, reactions of (S R Winter, G.W. Cornett, E A Thompson), (133) 339
- Organometallic compounds containing iminoacyl ligands, syntheses of (R D Adams, D F Chodosh, N M Golembeskı), (139) C39
- Organosilyl and organogermyl isocyanide complexes of Group VIB metal carbonyls (P.M Treichel, D.B Shaw), (139) 21
- Pentacarbonylbis(phenylthio)carbene-chromium(0) and -tungsten(0) complexes, synthesis by trapping of a free carbene of (H G. Raubenheimer, H E Swanepoel), (144) C21
- Pentacarbonyl[chloro(diorganophosphino)- and -arsino)-stannylene] tungsten synthesis of (W.W Du Mont), (131) C37
- Pentacarbonyltungsten zerovalent complexes, IR study of metathesis of olefins with (J L Bilhou, J M Basset), (132) 395
- Phenylacetylenyl(ethoxy)carbenepenta-carbonyl-chromium and -tungsten, aminolysis of (E O Fischer, H J Kalder), (131) 57
- o*-Phenylenedimethylstibine, divalent nickel, palladium and platinum derivatives and zerovalent chromium, molybdenum and tungsten complexes synthesis of (E. Shewchuk, S B Wild), (128) 115
- Phosphine-substituted monomeric manganese carbonyl arsenides, preparation and Lewis basicity of (R. Muller, H. Vahrenkamp), (150) C11
- Phosphine-substituted tungsten dicarbonyls, preparation of (F. Hohmann), (137) 315
- cis*-Tetracarbonylbis(*trans*-4-styrylpyridine) tungsten(0), photochemistry of and intraligand photoisomerisation from upper excited states (L Pdungsap, M S Wrighton), (127) 337
- Tetraethylammonium μ -pentachlorothiophenolatobis(pentacarbonyltungsten(0)), X-ray structure of (M K Cooper, M Saporta, M McPartlin), (133) C33
- (2,2,8,8-Tetramethyl-3,7-dithianonane) tetracarbonyltungsten(0), kinetics and mechanism of ligand exchange in (G R Dobson, L D Schultz) (131) 285
- Thioketone complexes of chromium, molybdenum, and tungsten carbonyls (R G.W. Gingerich, R J Angelici), (132) 377
- Transition metal complexes with terminal and bridging dimethylarsenido functions, ligand exchange processes in (W Malisch, H Rossner, K. Keller, R Janta), (133) C21
- Transition metal-carbyne optically-active complexes (S Fontana, O Orama, E O Fischer, U Schubert, F R Kreissl), (149) C57
- Tricarbonyl(4-7 10-11-*n*-3-benzoxepin)-chromium, -molybdenum and -tungsten derivatives, preparation of (C G Kreiter, S Ozkar), (129) C14
- Tricarbonyl(1,2,3,4,5,2-*n*-ethylcyclopentadien-1,2'-diyl) complexes of molybdenum and tungsten, ^{13}C NMR investigations of (S Braun, P Dahler, P Eilbracht), (146) 135
- Tricarbonyl(fulvene)-chromium, -molybdenum and -tungsten complexes, synthesis of (F Edelmann, U Behrens), (134) 31
- Tricarbonyl(tropylium)-tungsten(0) and -molybdenum(0) fluoroborate, reaction with iodide ion of (P Powell, L J Russell, E Styles, A J Brown, O W Howarth, P Moore), (149) C1
- Trimethyl-silyl- and -germyl-methylolithium, reaction with tungsten hexachloride, initiation of cycloolefin polymerization (B A Dolgoplosk, L A Oreshkin, K L Makovetsky, E I Tinyakova, I Ya Ostrovskaya, I L Kershenbaum, G M Chernenko), (128) 339
- B,B',B'*-Triphenylborthiin, reactions with $(\text{CH}_3\text{CN})_3\text{M}(\text{CO})_3$, ($\text{M} = \text{Cr}, \text{Mo}, \text{W}$) of (H Noth, U Schuchardt), (134) 297
- Tris(methylvinyl ketone)tungsten, interaction of methylenetriphenylphosphorane with (W C Kaska, R F. Reichelderfer,

- L Prizant), (129) 97
- Tungstadiphenylcarbene pentacarbonyl, treatment with cyclic enol ethers of (J Levisalles, H Rudler, D Villemain), (146) 259
- Tungsten(0) carbonyls, ring-opening reactions of spiro[2 4]hepta-4,6-diene and spiro[4 4]nona-1,3-diene induced by (P Eil-bracht, P Dahler), (127) C48
- Tungsten, molybdenum and rhenium bridged carbonyl complexes, preparation of (W Beck, B Olgemoller), (127) C45
- Tungsten-monoolefin octahedral complexes, preparation and vibrational spectra of (U Koemm, C G Kreiter, H Strack), (148) 179
- [W₂(μ-CO)₂{μ-HC(N-3,5-xylyl)₂}₂{HC(N-3,5-xylyl)₂}]{(N-3,5-xylyl)CH(N-3,5-xylyl)CH₂}], synthesis and structure of (W H de Roode, K Vrieze), (145) 207
- ### Uranium
- Dicyclopentadienyluranium(IV)-bis(tetrahydroborate), (η^5 -C₅H₅)₂U(BH₄)₂, preparation and characterisation of (P Zanella, G de Paoli, G Bombieri, G Zanotti, R Rossi), (142) C21
- Thorocene and uranocene, SCF-X_α scattered-wave MO study of (N Rosch, A Streitwieser, Jr.), (145) 195
- Titanocene dicarbonyl and titanium(III) carbonate, preparation by anhydrous CO₂ reduction catalysed by chlorotitanocene—metal systems (B Demerseman, G Bouquet, M Bigorgne), (145) 41
- Tricyclopentadienylchlorouranium(IV), ¹H NMR study of reduction reactions of (H Marquet-Elliott, G Folcher), (131) 257
- Tricyclopentadienyluranium(IV) derivatives, interaction with trialkylaluminium of (V K Vasil'ev, V N Sokolov, G.P. Kondratenkov), (142) C7
- ### Vanadium
- η^3 -Allyltricarbonylethylenebis(diphenylphosphino)vanadium(0), crystal and molecular structure of (U Franke, E Weiss), (139) 305
- C,N-Benzyllithium, reactions with early transition metal organic derivatives (L E Manzer), (135) C6
- (π -C₅H₅)Mn(CO)(Ph₂PCH₂CH₂PPh₂), interaction with aprotic acids in solution of (B V Lokshin, E B Nazarova, A G Ginzburg), (129) 379
- Cyclopentadienyl ring exchange method for the attachment of early transition metal metallocene dichlorides to a polymer support (J G Lee, C H Brubaker, Jr.), (135) 115
- Dialkoxydialkylvanadium compounds, synthesis and properties of (G A Razuvaev, V N Latyaeva, V.V Drobotenko, A N Linyova, L I Vishinskaya, V K Cherkasov), (131) 43
- Dicyclopentadienylarylvanadium compounds, thermal decomposition of (C P Boekel, A Jelsma, J J H Teuben, H J de Liefde Meijer), (136) 211
- Dicyclopentadienylvanadium, interaction with organocadmium compounds of (G A Razuvaev, V N Latyeva, L I Vishinskaya, V K Cherkasov, S P Korneva, N N Spiridonova), (129) 169
- Dicyclopentadienylvanadium monochloride, crystal structure and its implications for the structures of other d² dicyclopentadienyl compounds of (B F Fieselmann, G D Stucky), (137) 43
- Nonconjugated diolefins, reactions with lithium aluminium hydride of (F Sato, S Sato, M Sato), (131) C26
- Photo-induced introduction of PhP(CH₂CH₂PPh₂)₂ into [Et₄N][V(CO)₆] and [η^5 -CpV(CO)₄] (I Muller, D Rehder), (139) 293
- Tetracarbonyl(cyclopentadienyl)vanadium complexes, preparation from hexacarbonylvanadium and pentafulvenes (K Hoffmann, E Weiss), (131) 273
- Vanadaphospha-alkanes and -cycloalkanes, preparation by photoreaction of carbonyl vanadium compounds with tetraphenyl-diphosphines (D Rehder), (137) C25
- Vanadium, niobium and tantalum, Annual survey covering the year 1976 (J A Labinger), (138) 211
- Vanadium tetrachloride, interaction with α-olefins of (D R Burfield), (150) 321
- ### Ytterbium
- Bis(phenylethylynyl)ytterbium, a novel organolanthanide (G B Deacon, A J Koplick), (146) C43

- Bis(polyfluorophenyl)ytterbium compounds, preparation, spectra and reactions of (G B. Deacon, W.D. Raverty, D G Vince), (135) 103
- Dicyclopentadienyllanthanide-triphenylgermanes and -triphenylstannanes, preparation of (H. Schumann, M. Cygon), (144) C43
- Tricyclopentadienyllanthanide complexes, Raman spectra of (V.T. Aleksanyan, G.K. Borisov, L.A. Garbuzova, G C Devyatikh), (131) 251

Zinc

- Alkylsilicon and alkylsilylmetal compounds, ^{13}C NMR investigations of (H Muller, L Rosch, W Erb, R Zeisberg), (140) C17
- Allyl-zinc, -magnesium and -lithium and saturated lithium compounds, reactions with conjugated enynes and diynes of (B. Mauzé), (131) 321
- Allylzinc bromide, reactions with carbonyl compounds of (F Barbot, Ph. Miginac), (132) 445
- Arylcopper(I) compounds synthesized by the reaction of diarylzinc compounds with copper(I) salts (H.K. Hofstee, J Boersma, G J M van der Kerk), (144) 255
- Bis-allyl-zinc compounds, structure, thermal stability and decomposition of R. Benn, E G. Hoffmann, H Lehmkuhl, H. Nehl), (146) 103
- Butenyl-magnesium, -zinc and -aluminum bromides, oxidation at low temperature and reduction of (S Czernecki, C Georgoulis, E Michel), (140) 127
- Cyclopentadienylmethylzinc, crystal and molecular structure of (T. Aoyagi, H M M. Shearer, K Wade, G Whitehead), (146) C29
- π -Cyclopentadienyltricarbonyltungsten-dimethylgallium, crystal and molecular structure of and evidence for mixed organozinc and organogallium transition metal derivatives (J.N St Denis, W Butler, M D Glick, J P Oliver), (129) 1
- Diarylgoldzinc chlorides, diphenylgold-cadmium chloride, and phenylgold-mercury chloride, synthesis and properties of (P W J de Graaf, A J de Koning, J Boersma, G J M van der Kerk), (141) 345

- Di-t-butylzinc addition to conjugated enynes (J. Auger, G Courtois, L Miginac), (133) 285
- 2,2-Dimethyl-3-pentanometal derivatives, *O*- and *C*-metallated structures of (R. Meyer, L. Gorrichon, P Maroni), (129) C7
- α -Ethylenic organozinc compounds, addition to α -acetylenic alcohols, ethers and organomagnesium derivatives of (Y Frangin, M Gaudemar), (142) 9
- Monocyclopentadienylcobalt complexes containing Co-Zn, Co-Cu, Co-Sn and Co-Hg bonds, preparation of (K. Dey, H. Werner), (137) C28
- Organogermylmercuryplatinum complexes and related compounds, preparation and reactions of (M N Bochkarev, G A. Razuvayev, L P Maiorova, N P Makarenko, V I Sokolov, V V Bashilov, O A Reutov), (131) 399
- Organozinc stable hydride, PhZn_2H_3 , preparation and characterization of (E C Ashby, A B Goel), (139) C89
- Palladium(0) and nickel(0) complexes as catalysts in the arylation of the Reformatsky reagent (J F Fauvarque, A. Jutand), (132) C17
- Titanocene dicarbonyl and titanium(III) carbonate, preparation by anhydrous CO_2 reduction catalysed by chlorotitanocene-metal systems (B Demerseman, G Bouquet, M Bigorgne), (145) 41
- Triarylgoldzinc compounds, synthesis and characterisation of (P W J de Graaf, J Boersma, G J M van der Kerk), (127) 391
- Zinc and cadmium, Annual survey covering the year 1976 (J. Boersma), (147) 1
- Zinc and cadmium, Literature survey covering the year 1975 (J Boersma), (130) 157

Zirconium

- Acylaluminium dichlorides, formation of D B Carr, J Schwartz), (139) C21
- Alkyltetramethylcyclopentadienes and phenyltetramethylcyclopentadiene, convenient synthesis of (R S Threlkel, J E Bercaw), (136) 1
- (π -C₅H₅)Mn(CO)(Ph₂PCH₂CH₂PPh₂), interaction with aprotic acids in solution of (B V Lokshin, E B Nazarova, A G Ginzburg), (129) 379

- Cyclopentadienyl ring exchange method for the attachment of early transition metal metallocene dichlorides to a polymer support (J G Lee, C H Brubaker, Jr.), (135) 115
- Dialkylmetallocenes of the titanium group, photolysis of (E Samuel, P Maillard, C Giannotti), (142) 289
- Diarylzirconocenes, reaction of intermediate zirconocene—aryne complexes with C—H bonds in thermolysis of (G Erker), (134) 189
- Dicyclopentadienyldicarbonyl-zirconium and -titanium complexes, reactivity and IR spectra of (B Demerseman, G Bouquet, M Bigorgne), (132) 223
- Dicyclopentadienylzirconium dichloride and related systems, photolytic cyclopentadienyl ligand exchange between (M H Peng, C H Brubaker, Jr.), (135) 333
- Early transition metal alkenyls and related compounds, preparation and cleavage and insertion reactions of (C J Cardin, D J Cardin, J M Kelly, R J Norton, A Roy), (132) C23
- Ferrocenyl derivatives of dicyclopentadienyl-titanium, zirconium and hafnium (G A Razuvayev, G A Domrachev, V V Sharutin, O N Suvorova), (141) 313
- Methyl-transition metal complexes, ^{13}C relaxation mechanisms in and high barriers to rotation about metal—carbon σ bonds (R F Jordan, E Tsang, J R Norton), (149) C53
- Mono- and di-alkyl-zirconocene and -hafnocene chlorides (P Renaut, G Tainturier, B Gautheron), (148) 35
- Nonconjugated diolefins, reactions with lithium aluminium hydride of (F. Sato, S Sato, M Sato), (131) C26
- Titanium, zirconium and hafnium, Annual survey covering the year 1975 (P C Waines), (126) 361
- , — 1976 (J.A. Labinger), (138) 185
- Titanium tetrachloride and zirconium tetrachloride, as catalysts in the reaction of LiAlH_4 or AlH_3 , with olefins (F Sato, S Sato, H Kodama, M Sato), (142) 71
- Titanocene dicarbonyl and titanium(III) carbonate, preparation by anhydrous CO_2 reduction catalysed by chlorotitanocene—metal systems (B Demerseman, G Bouquet, M Bigorgne), (145) 41
- Zirconium and hafnium optically active compounds (P. Renaut, G Tainturier, B Gautheron), (148) 43
- Zirconium—molybdenum bond formation via methane elimination (P Renaut, G Tainturier, B Gautheron), (150) C9
- $\text{Zr}-\text{H}-\text{Al}$ bridges containing mixed-metal hydride complexes, synthesis of and relation to transition-metal-catalysed reactions with aluminium hydrides (L I Shoer, K L Gell, J Schwartz), (136) C19

Book reviews

- Advances in organometallic chemistry, Vol 15, ed by F G A Stone and R West (M D Curtis), (149) C26
- Contact catalysis, ed by Z G Szabó (R Mason), (137) C16
- Cryochemistry, ed by M Moskovits and G A Ozin (J L Margrave), (131) C29
- Diazoalkane, by M Regitz (in German) (D Seyferth), (146) C11
- Fluorine chemistry reviews, Vol 8, edited by P. Tarrant (D Seyferth), (145) C21
- Fourier transform NMR spectroscopy, by D Shaw (A. Pidcock), (137) C35
- Gmelin handbook of inorganic chemistry, 8th ed , Main series, Tellurium (System No 11), Suppl vol B, sect 1 Compounds with hydrogen, oxygen and nitrogen, ed by G Handtke (D Seyferth), (129) C23
- Gmelin handbook of inorganic chemistry, 8th ed , Main Series, System No 14, Carbon, Part D4, Carbon—Sulfur Compounds, ed by D Koschel New Suppl Series, Vol 32, Sulfur—Nitrogen Compounds Part I Compounds with Sulfur in Oxidation Number VI, by E Fluck and W Haubold, ed by M Becke and H Bitterer Main Series, System No 56 Manganese, Part C6, Compounds with Sulfur, Selenium and Tellurium, ed by H Katscher (134) C20
- Gmelin handbook of inorganic chemistry, 8th ed New suppl series, Vol 35, Organotin compounds, part 4, Organotin hydrides, by H and I Schumann, ed by H Bitterer (D Seyferth), (128) C8
- Gmelin handbook of inorganic chemistry, 8th ed New supplement series, Vol 36, Organoiron compounds, Part B, Section 1, Mononuclear compounds 1, ed by U. Krueger and A Slawisch (D Seyferth), (132) C17

- Gmelin handbook of inorganic chemistry,** 8th ed., New suppl. series, Vol. 37, 42-44; Boron compounds, Parts 10-13; edited by K. Niedenzu and K.C. Buschbeck (D. Seyferth), (140) C36
- Gmelin handbook of inorganic chemistry,** 8th ed., New suppl. series, Vol. 40, Organotitanium compounds, part 1, by U. Thewalt, ed. by A. Slawisch. Vol. 41, Organoiron compounds, Part A, Ferrocene 6, binuclear and polynuclear ferrocenes, by H. Köttelwesch and U. Krüerke, ed. by U. Krüerke and A. Slawisch (D. Seyferth), (142) C42
- Gmelin handbook of inorganic chemistry,** 8th ed., New suppl. series, Vol. 45, Boron compounds; Part 14, Boron hydrogen compounds 1, by K. Beeker et al., Vol. 46, Boron compounds; Part 15, Amine-boranes and related compounds, by K. Beeker et al. Vol. 48, Boron compounds; Part 16, Boron oxygen compounds 2; by L. Barton et al., ed. by K. Niedenzu and K.-C. Buschbeck (D. Seyferth), (149) C75
- Gmelin handbook of inorganic chemistry,** 8th ed., New suppl. series, Vol. 47, Organobismuth compounds; by M. Wieber, ed. by H. Bitterer (D. Seyferth), (149) C73
- Homogeneous catalysis in organic and inorganic chemistry**, Vol. 1, Homogeneous hydrogenation in organic chemistry, by F.J. McQuillin (A. Pidcock), (137) C34
- Houben-Weyl Methoden der organischen Chemie**, 4th ed., Vol. V/2a Alkine, Di- und Folyne, Allene und Kumulene; by V. Jäger, M. Murray, U. Niedballa, and H.G. Viehe, ed. by E. Müller (D. Seyferth), (149) C24
- Index of vibrational spectra of inorganic and organometallic compounds**, Vol. 3, by N.N. Greenwood and E.F.J. Ross (C. Eaborn), (142) C19
- Inorganic aspects of biological and organic chemistry**, by R.P. Hanzlik (E.I. Solomon). (135) C67
- Inorganic syntheses**, Vol. XVI, ed. by F. Basolo (D. Seyferth), (135) C35
- Landolt-Börnstein. Numerical data and functional relationships in science and technology**, New series, Group II, Atomic and molecular physics. Vol. 9 (Suppl. and ext. to Vol. 1), Magnetic properties of free radicals. Part a, Atoms, inorganic radicals, and radicals in metal complexes; by C. Daul, H.
- Fischer, J.R. Morton, K.F. Preston and A.v. Zelewsky (C. Eaborn)**, (149) C47
- Metal ions in biological systems**. Vol. 6, Biological action of metal ions, ed. by H. Sigal (J. Postgate), (127) C63
- Organic reactions**, Vol. 24, ed. by W.G. Dauben (D. Seyferth), (131) C29
- Organic reactions**, Vol. 25, ed. by W.G. Dauben (D. Seyferth), (149) C71
- Organic synthesis by means of transition metal complexes**, A systematic approach, by J. Tsuji (A. Pidcock), (137) C48
- Organometallic chemistry reviews**, Annual surveys: Silicon-Tin-Lead, ed. by D. Seyferth and R.B. King (Journal of Organometallic Chemistry Library 4) (M.F. Lappert), (144) C21
- Organophosphorus stereochemistry**. Part I: Origins and P(III and IV) compounds, Part II P(V) Compounds, ed. by W.E. McEwen and K.D. Berlin (P. Haake), (127) C78
- Organotin compounds**, New chemistry and applications; ed. by J.J. Zuckerman (Advances in Chemistry Series No 157) (D. Seyferth), (128) C39
- Polymer syntheses**, Vol. II, by S.R. Sandler, and W. Karo (R.W. Lenz), (145) C40
- Principles of ultraviolet photoelectron spectroscopy**, by J.W. Rabalais (T.P. Fehlner), (132) C9
- Progress in inorganic chemistry**, Vol. 22, ed. by S.J. Lippard (R.H. Holm), (133) C66
- Rodd's chemistry of carbon compounds** Vol. IV, Heterocyclic compounds Part E, Six-membered monoheterocyclic compounds containing oxygen, sulphur, selenium, tellurium, silicon, germanium, tin, lead, or iodine as the heteroatom, ed. by S. Coffey (C. Eaborn), (142) C19
- Rodd's chemistry of carbon compounds**. Vol. IV. Heterocyclic compounds, Part G, ed. by S. Coffey (C. Eaborn), (149) C47
- Solute-solvent interactions**, Vol. 2, edited by J.F. Coetzee and C.D. Ritchie (C. Eaborn), (137) C36
- Survey of organic syntheses**, Vol. 2, by C.A. Buehler and D.E. Pearson (W.H. Rastetter), (149) C49
- Sussax-N.P.L. computer analysed thermochemical data** organic and organometallic compounds, by J.B. Pedley and J. Rylance (J.A. Connor), (144) C58
- The chemical physics of surfaces**, by S.R.

- Morrison (R Mason), (139) C87
The chemistry of mercury, ed by C A McAuliffe (R A Jackson), (149) C48
The chemistry of organic fluorine compounds, by M Hudlický (D Seyferth), (127) C62
The chemistry of phosphorus, by J Emsley and D Hall (D Seyferth), (129) C59
The molecular geometries of coordination compounds in the vapour phase, by M and I Hargittai (M F Lappert), (142) C73
The stereo rubbers, ed by W M. Saltman (J Worsfold), (144) C57
Topics in phosphorus chemistry, edited by E J Griffiths and M Grayson (D Seyferth), (136) C38
Topics in sulfur chemistry, edited by G Senning Vol 2 Carbon sulfides and their inorganic and complex chemistry, by G. Gattow and W Behrendt (R J Angelici), (136) C37
Transition metal organometallics in organic synthesis, Vol 1, ed by H Alper (L S Hegedus), (128) C54
Vibrational spectra of organometallic compounds, by E Maslowsky, Jr , (L Schafer), (134) C50
Vibrational spectroscopy — Modern trends, ed by A J Barnes and W J Orville-Thomas) (L Schafer), (146) C46