

JOURNAL OF ORGANOMETALLIC CHEMISTRY

CUMULATIVE SUBJECT INDEX: VOL. 151(1978)—175(1979)

Actinides

Lanthanides and actinides; Annual survey covering the year 1977 (T.J. Marks), (158)325.

Aluminium

Alkoxyaluminium dichloride, reactions with methylaluminium dichloride of (W. Kosińska, K. Zardecka, A. Kunicki, M. Bolesławski, S. Pasynkiewicz), (153)281

Alkynylsilanes, regioselective and stereoselective carbometallation by Ziegler—Natta alkylating agents of (J.J. Eisch, J. Manfre, D.A. Komar), (159)C13

Allyl(dialkyl)boranes and diallyl(alkyl)-boranes, synthesis of (B.M. Mikhailov, Yu.N. Bubnov, A.V. Tsyban'), (154)113

Allyl vinyl thioethers, stereoselective synthesis as reagents for the thio-Claisen reaction of (A.P. Kozikowski, A. Ames, H. Wetter), (164)C33

Aluminium; Annual survey covering the year 1977 (J.D. Smith), (163)97

Aluminium trihalide interactions with polyolefin tricarbonyliron compounds (B.F.G. Johnson, K.D. Karlin, J. Lewis), (174)C29

— (K.D. Karlin, B.F.G. Johnson, J. Lewis), (160)C21

Bis(dimethylmetal)-*N,N',N'',N'''*-tetra-methyloxamidines of aluminium, gallium and indium, syntheses, spectra and X-ray structures of (F. Gerstner, W. Schwarz, H.D. Hausen, J. Weidlein), (175)38

Bis(dimethylpropynylmetal) compounds of aluminium, gallium and indium, preparation and vibrational spectra of (W. Fries, W. Schwarz, H.-D. Hausen, J. Weidlein), (159)373

Cyclobutadiene σ -complexes with aluminium trichlorides and tribromides, reactions of (P.B.J. Driessens, H. Hogeweegen), (156)265

Dialkylbis(2,2'-bipyridine)cobalt(III) tetraalkylaluminate and related complexes, preparation, properties and structure of (S. Komiya, M. Bundo, T. Yamamoto, A. Yamamoto), (174)343

Dialkylboranes and derivatives, synthesis via transformations of dialkyl(diethylamino)boranes of (S.K. Gupta), (156)95

1,4-Dialuminacyclohexadiene obtained by photochemical reaction of *trans*-1,2-(diethylaluminium)stilbene (H. Hoberg, F. Aznar), (164)C13

Dicyclopentadienylniobium trihydride, mechanism of formation from reaction of dicyclopentadienylniobium dichloride with hydridoaluminate reducing agents (J.A. Labinger, K.S. Wong), (170)373

Dimethylaluminium phenoxide, mass spectra investigation of the association of (K.B. Starowieyski, M. Skowrońska-Ptasińska, J. Muszyński), (157)379

Dimethylisobutyl- and dimethylpropynyl-aluminums, reactions with primary and secondary amines of (K. Haage, K.B. Starowieyski, A. Chwojnowski), (174)149

Di- μ -1-propynylbis(dimethylaluminium), molecular structure determined by gas phase electron diffraction of (A. Almenningen, L. Fernholz, A. Haaland), (155)245

Ferrocene ligand exchange reactions with phenanthrene and 9,10-dimethylphenanthrene in the presence of aluminium chloride and aluminium (C.C. Lee, K.J. Demchuk, W.J. Pannekoek, R.G. Sutherland), (162)253

[HAINCH(CH₃)C₆H₅]₆ \cdot 1/3 C₆H₁₄, crystal and molecular structure of (G. Del Piero, S. Cucinella, M. Cesari), (174)263

Hexaorgano-substituted triatomics, R₃XYZR₃, a rationalisation using the second-order Jahn-Teller effect (C. Glidewell), (159)23

Hydroalumination of olefins catalysed by copper(I) chloride (F. Sato, H. Kodama, M. Sato), (157)C30

Hydrogenation catalysts from aluminium hydride derivatives and transition metal compounds (G. Dozzi, S. Cuccinella, A. Mazzei), (164)1

Isopropyliminoalane, reaction with ϵ -caprolactam and triethylaluminium in aromatic hydrocarbons of (O. Kříž, B. Čášenský), (161)273

- K[Al₂(CH₃)₆SCN], crystal and molecular structure of (R. Shakir, M.J. Zaworotko, J.L. Atwood), (171)9
- M[Al₂(CH₃)₆NO₃] (M = K, Rb, Cs, NR₄), synthesis of and crystal structures of K[Al₂(CH₃)₆NO₃] and K[Al(CH₃)₆NO₃]₂·C₆H₆ (J.L. Atwood, K.D. Crissinger, R.D. Rogers), (155)1
- Metalla- β -diketone molecules and complexes with aluminium and boron, spectroscopic study of the structure and bonding in (K.P. Darst, C.M. Lukehart), (161)1
- Methoxyaluminium compounds, reactions with organoaluminium compounds of (W. Kosińska, A. Kunicki, M. Bolesławski, S. Pasynkiewicz), (161)289
- Nickel-catalysed amination of butadiene (B. Åkermark, C. Moberg, C. Björklund, K. Siirala-Hansén), (164)97
- Organoauminium chemistry and its application to the initiation of carbenium ion polymerization (S. Sivaram), (156)55
- Organoauminium compounds, new oxidation procedure for (G.W. Kabalka, R.J. Newton), (156)65
- , reactions with hindered phenols of (M. Skowrońska-Ptasińska, K.B. Starowieyski, S. Pasynkiewicz, M. Carewska), (160)403
- Organometallic compounds derived from α -allenic bromides, preparation of and their reactivity towards halogen derivatives (J. Pernet, B. Randrianoelina, L. Miginiac), (174)1
- , reactivity towards carbonyl derivatives (J. Pernet, B. Randrianoelina, L. Miginiac), (174)15
- Phenylaluminium tetrahydroborates, synthesis, stability and properties of (M.G. Cole, M.G.H. Wallbridge), (154)C43
- Tetraalkylalumininoxane complexes with nitrogen containing Lewis bases (M. Bolesławski, J. Serwatowski, S. Pasynkiewicz), (161)279
- Tetraethylalumininoxane-benzonitrile complex, basic properties of the oxygen atom in (A. Piotrowski, R. Kunicki, S. Pasynkiewicz), (153)123
- Tetramethylalumininoxane-N,N,N',N'-tetramethyleneethylenediamine, Lewis acidity and complexing ability of (A. Sadownik, S. Pasynkiewicz, M. Bolesławski, H. Szachnowska), (152)C49
- Titanium(III) cationic complexes with hexamethylbenzene (S. Dzierzgowski, R. Gieżyński, M. Jarosz, S. Pasynkiewicz), (152)281
- Trialkylboranes, reaction with lithium tri-t-butoxyaluminohydride in tetrahydrofuran of (H.C. Brown, S. Krishnamurthy, J.L. Hubbard, R.C. Coleman), (166)281
- , reactions with lithium trimethoxyaluminohydride to form lithium trialkylborohydrides of (H.C. Brown, S. Krishnamurthy, J.L. Hubbard), (166)271
- Trimeric N-dimethylhydroxyaminodimethylaluminium, [(CH₃)₂AlON(CH₃)₂]₃, crystal and molecular structure of (H.D. Hausen, G. Schmöger, W. Schwarz), (153)271
- Trimethylalane-titanocene dichloride, addition reactions with acetylenes of (D.E. Van Horn, L.F. Valente, M.J. Idacavage, E.-I. Negishi), (156)C20
- Trimethylaluminium and potassium in reaction with 1,3-cyclooctadiene, molecular structure of the product of (A. McPherson, G. Stucky, H. Lehmkühl), (152)367
- Trimethylsilylmethyl and bis(trimethylsilyl)methyl derivatives of boron, aluminium, cadmium and mercury (S. Al-Hashimi, J.D. Smith), (153)253
- α -Unsaturated organoauminium compounds, reactions with acetals and ketals of (F. Barbot, P. Miginiac), (170)1
- Antimony**
- Alkyltriiodolead compounds, preparation of (G. Chobert, M. Devaud), (153)C23
- Antimony; Annual survey covering the year 1977 (L.D. Freedman, G.O. Doak), (163)151
- π -Arene-cadmium(II) and -zinc(II) complexes (L.C. Damude, P.A.W. Dean), (168)123
- Bis(tetramethylstibonium) tetracyclo-pentadienylstannate, synthesis of (K.D. Bos, E.J. Bulten, H.A. Meinema, J.G. Noltes), (168)159
- trans-Bromo(tetracarbonyl)phenylcarbynetungsten, kinetics of reactions with tertiary aryl-phosphanes, -arsanes and stibanes of (H. Fischer, A. Ruhs), (170)181

- Carbonyl derivatives of Main Groups
IV—VI elements with boron—element bonds, synthesis of (V.I. Bregadze, V.Ts. Kampel, N.N. Godovikov), (157)C1
- Cyclopentadienes with Group IVB and VB element substituents, synthesis, structure and dynamic behaviour of (P. Jutzi, M. Kuhn), (174)57
- trans*-Dichloro- β -diketonato-*cis*-diorganotimony(V) heterocyclic compounds, preparation and properties of (H.A. Meinema, J.G. Noltes), (160)435
- Dicyclopentadienyl- and dinorbornadienyl-rhodium chlorates, reactions with ligands containing hetero-atoms of Group V elements of (R. Denise, G. Pannetier), (161)171
- Dimethyltriethylstiborane and trimethyl-dipropynestiborane, preparation and spectra of (N. Tempel, W. Schwarz, J. Weidlein), (154)21
- Formamidine complexes with triphenyl-arsine, -stibine and -phosphine and with trimethoxy- and triphenoxy-phosphines, synthesis and spectroscopic investigation of (W.H. de Roode, J. Berke, A. Oskam, K. Vrieze), (155) 307
- Group IVB and Group VB cyclopentadiene derivatives, comparison of the reactivity with Group VB halides and titanium tetrachloride of (P. Jutzi, M. Kuhn), (174)221
- p*-Nitrophenol organometallic derivatives, vibrational spectra of (L.M. Epstein, V.I. Beloborodov, L.D. Ashkinadze, L.S. Golovchenko, V.M. Pachevskaya, D.N. Kravtsov, L.A. Kazitsyna), (162)C5
- p*-Nitrothiophenol organometallic derivatives, vibrational spectra of (L.M. Epstein, V.I. Beloborodov, L.D. Ashkinadze, E.M. Rokhlin, S.I. Pombrik, D.N. Kravtsov, L.A. Kazitsyna), (162)C1
- Organoantimony(V) fluorine bridged mixed halide, crystal structure of Ph₄Sb₂Br₅F (M.J. Begley, S.P. Bone, D.B. Sowerby), (165)C47
- Pentachlorophenyl-arsenic, -antimony and -bismuth compounds (A. Otero, P. Royo), (171)333
- Pentafluorophenylantimony compounds (A. Otero, P. Royo), (154)13
- Phosphorus, arsenic and antimony metallacyclic compounds as com-
- plexing ligands (G. Huttner, G. Mohr, P. Friedrich, H.G. Schmid), (160)59
- 1-Telluracyclopentane diiodide, synthesis of anionic complexes of (T.N. Srivastava, R.C. Srivastava, M. Singh), (157)405
- Triphenylantimony diester preparation (J. Havránek, J. Mleziva, A. Lyčka), (157)163
- Tris(triphenylphosphine)chlororhodium as catalyst in dimerisation reactions of monosubstituted α -hydroxyacetylenes (H.J. Schmitt, H. Singer), (153)165
- Arsenic**
- η^3 -Allyltricarbonylvanadium(0) complexes with bidentate arsine and phosphine ligands, preparation, properties and spectra of (U. Franke, E. Weiss), (153)39
- π -Arene-cadmium(II) and -zinc(II) complexes (L.C. Damude, P.A.W. Dean), (168)123
- η^2 -Arsenobenzenetetracarbonyliron, (η^2 -C₆H₅As₂C₆H₅)Fe(CO)₄, preparation and structure of (M. Jacob, E. Weiss), (153)31
- 1*H*- and 3*H*-1,3-Benzazarsoles, synthesis and aromatic character of (J. Heinicke, A. Tzsachach), (154)1
- trans*-Bromo(tetracarbonyl)phenylcarbyne-tungsten, kinetics of reactions with tertiary aryl-phosphanes, -arsanes and -stibanes of (H. Fischer, A. Ruhs), (170)181
- (Carbonato)bis(triphenylphosphine)- and (carbonato)bis(triphenylarsine)-platinum compounds, reactions of electrophilic olefins with (M.F. Zuckerman, H. Ulrich), (172)193
- Carbonyl derivatives of Main Groups IV—VI elements with boron—element bonds, synthesis of (V.I. Bregadze, V.Ts. Kampel, N.N. Godovikov), (157)C1
- Carbonylhydridophosphinevanadium complexes, preparation by ion exchange on silica gel from tetraethylammonium tetracarbonyl vanadates (-1) (U. Puttfarcken, D. Rehder), (157)321
- Chromium, molybdenum and tungsten carbonyl complexes with organo-cyclotriarsanes, preparation and structure of (J. Ellermann, H.A. Lindner, H. Gäbellein), (172)39

- Cyclopentadienes with Group IVB and VB element substituents, synthesis, structure and dynamic behaviour of (P. Jutzi, M. Kuhn), (174)57
- Dicyclopentadienyl- and dinorbornadienyl-rhodium chlorates, reactions with ligands containing hetero-atoms of Group V elements of (R. Denise, G. Pannetier), (161)171
- 2,2'-Dilithio-1-phenylpyrrole, preparation and reactivity of (G.W.H. Cheeseman, S.G. Greenberg), (166)139
- Dinuclear carbonyl-manganese, -rhenium and -cobalt dimetal complexes, formation of (G. Beysel, J. Grobe, W. Mohr), (170)319
- Fe—Fe, Fe—Co, and Mn—Co bonds in catalytically-active dinuclear arsenic bridged carbonyl complexes, reactivity of (H.J. Langenbach, E. Keller, H. Vahrenkamp), (171)259
- Formamidine complexes with triphenylarsine, -stibine and -phosphine and with trimethoxy- and triphenoxy-phosphines, synthesis and spectroscopic investigation of (W.H. de Roode, J. Berke, A. Oskam, K. Vrieze), (155)307
- Functionally substituted stannylenes and their stannio complexes with chromium, molybdenum and tungsten carbonyl acceptors, ^{119}Sn Mössbauer spectra of (W.-W. Du Mont, J.L. Lefferts, J.J. Zuckerman), (166)347
- Group IVB and Group VB cyclopentadiene derivatives, comparison of the reactivity with Group VB halides and titanium tetrachloride of (P. Jutzi, M. Kuhn), (173)221
- Heteronuclear cluster compounds: $(\text{PhP})\text{FeCo}_2(\text{CO})_8$, $(\text{PhP})\text{MoCo}_2\text{Cp}(\text{CO})_6$, $(\mu\text{-AsMe}_2)$ and $(\text{PhP})\text{FeMoCoCp}(\text{CO})_8$, preparation of (F. Richter, H. Beurich, H. Vahrenkamp), (166)C5
- Heteronuclear complexes with Cr—Fe, Mo—Fe and W—Fe bonds, synthesis of (A. Trenkle, H. Vahrenkamp), (155)C51
- (+)- and (-)-2,3-O-Isopropylidene-2,3-dihydroxy-1,4-bis(diphenylarsino)-butane, synthesis and use in asymmetric catalysis of (A.D. Calhoun, W.J. Kobos, T.A. Nile, C.A. Smith), (170)175
- Monomeric carbonylcobalt-dimethylarsenide complexes (R. Müller, H. Vahrenkamp), (170)C25
- Mononuclear $\text{R}_n\text{EM}(\text{CO})_5$ complexes, reactions of (J. Grobe, R. Rau), (157)281
- 1,3-Oxarsolan-5-ones and 1,3-oxarsenan-6-ones, synthesis and properties of (A. Tzschach, W. Voigtländer), (155)195
- Pentachlorophenyl-arsenic, -antimony and -bismuth compounds (A. Otero, P. Royo), (171)333
- Phenacyl- and benzyl-triphenylarsonium bromides, reactions with diazonium salts of (R.K. Bansal, S.K. Sharma), (155)293
- Phenyl- and phenylalkyl-arsines, selective cleavage of the arsenic—phenyl bonds by hydrogen bromide in (J. Ellermann, H. Schössner), (166)31
- Phenyl[2,2-dimethyl-1-(*N*-phenyltrimethylsilylamino)propylidene]arsine, preparation and spectra of (J. Heinicke, A. Tzschach), (166)175
- o*-Phenylenabis(dimethylarsine)tetracarbonyl-molybdenum and -tungsten arenediazo derivatives, preparation and spectra of (N.G. Connelly, C. Gardner), (159)179
- Phosphonium, arsonium, sulphonium and pyridinium keto-stabilized salts and ylides and their palladium(II) complexes, ^{13}C NMR studies of (G. Fronza, P. Bravo, C. Ticoczi), (157)299
- Phosphorus, arsenic and antimony metallacyclic compounds as complexing ligands (G. Huttner, G. Mohr, P. Friedrich, H.G. Schmid), (160)59
- 1-Telluracyclopentane diiodide, synthesis of anionic complexes of (T.N. Srivastava, R.C. Srivastava, M. Singh), (157)405
- Tetracarbonylhydridovanadium compounds, reactions with isoprene of (U. Franke, E. Weiss), (152)C19
- Tricarbonyl(η^3 -3-methylallyl)[*o*-phenylenebis(dimethylarsine)]vanadium, crystal and molecular structure of (U. Franke, E. Weiss), (168)311
- [η^2 -(*C, O*)-Triphenylcyclopropylcarbonyl]-tricarbonylvanadium complexes with coordinated acyl ligands, crystal and molecular structure of ($\eta^2\text{-COC}_3\text{Ph}_3\text{H}_2$)- $\text{V}(\text{CO})_3(\text{Ph}_2\text{AsCH}_2\text{CH}_2\text{PPh}_2)$ (U. Franke, E. Weiss), (165)329
- Tris(triphenylphosphine)chlororhodium as catalyst in dimerisation reactions of monosubstituted α -hydroxyacetylenes (H.J. Schmitt, H. Singer), (153)165
- Barium
- Tris(polyfluorophenyl)thallium(III) compounds, desulphination pathway to (G.B. Deacon, R.J. Phillips), (171)C1

Beryllium

- Beryllium hydride preparation by an improved pyrolysis technique (R.W. Baker, G.J. Brendel, B.R. Lowrance, J.R. Mangham, E.M. Marlett, L.H. Shepherd, Jr.), (159)123
- Beryllocene, He(I) photoelectron spectrum and ab initio molecular orbital calculations of (R. Gleiter, M.C. Böhm, A. Haaland, R. Johansen, J. Lusztyk), (170)285
- , molecular structure investigated by gas phase electron diffraction of (A. Almenningen, A. Haaland, J. Lusztyk), (170)271
- Bis(*N*-isopropylsalicylaldiminato)-beryllium(II), dynamic stereochemistry of (F.A. Bottino, A. Recca, P. Finocchiaro), (160)373
- Cyclic beryllium silylamides, preparation and properties of; crystal and molecular structure of a dimeric diazadisilaberyllacyclohexane (D.J. Brauer, H. Bürger, H.H. Moretto, U. Wannagat, K. Wiegel), (170)161
- Cyclooctatetraeneberyllium, theoretical study of (A. Streitwieser, Jr., J.E. Williams, Jr.), (156)33
- Dicyclopentadienylberyllium, Raman spectrum and structure of (J. Lusztyk, K.B. Starowieyski), (170)293

Bismuth

- Bismuth; Annual survey covering the year 1977 (G.O. Doak, L.D. Freedman), (163)141
- Diphenylbismuth(III) derivatives, preparation and vibrational spectra of complexes of (T. Allman, R.G. Goel, H.S. Prasad), (166)365
- Pentachlorophenyl-arsenic, -antimony and -bismuth compounds (A. Otero, P. Royo), (171)333
- Pentafluorophenylgermylbismuth compounds (M.N. Bochkarev, N.I. Gur'ev, G.A. Razuvaev), (162)283

Boron

- 1-Alkene-1,1-diboronic esters and 1,1-bis(chloromercuri)-1-alkenes, preparation and reactions of (A. Mendoza, D.S. Matteson), (152)1

- cis*-Alkenylboranes, improved synthesis of (J.B. Campbell, Jr., G.A. Molander), (156)71
- Alkenylsilanes in aqueous THF, oxymercuration-demercuration of (J.A. Soderquist, K.L. Thompson), (159)237
- B-Alkyl-9-borabicyclo[3.3.1]nonanes with aldehydes and ketones, facile elimination of the alkyl group of (M.M. Midland, A. Tramontano, S.A. Zderic), (156)203
- Alkylboron and Grignard compounds, oxidation with peroxomolybdenum complexes of (G. Schmitt, B. Olbertz), (152)271
- Alkylcopper/boron trifluoride in alkylation reactions with allylic alcohols (Y. Yamamoto, K. Maruyama), (156)C9
- Alkyldiphenylboranes, synthesis of and application to the conjugate addition reactions of organoboranes (P. Jacob, III), (156)101
- Allylboration of carbonyl compounds with allyl(alkyl) boranes (B.M. Mikhailov, Yu.N. Bubnov, A.V. Tsyban', M.Sh. Grigoryan), (154)131
- Allyl(dialkyl)boranes and diallyl(alkyl)boranes, synthesis of (B.M. Mikhailov, Yu.N. Bubnov, A.V. Tsyban'), (154)113
- 2- and 4-Aryl-*m*-carboranes, synthesis of and electronic effects of the 4-*m*-carboranyl group in (V.N. Kalinin, N.I. Kobel'kova, L.I. Zakharkin), (172)391
- Benzo-1,2,3,6-diazadiborine as ligands in $d^6(CO)_3M$ complexes (H. Schmidt, W. Siebert), (155)157
- 2,2'-Bipyridine(ethyl)nickelimino borates, preparation and structure of (H. Hoberg, V. Götz, C. Krüger), (169)219
- Bis(borinato)cobaltate anions, reactions with electrophiles and thermal decomposition of (G.E. Herberich, W. Koch, H. Lueken), (160)17
- Borabenzenecobalt complexes, cyclic voltammetry of (U. Koelle), (152)225
- 9-Borabicyclo[3.3.1]nonane and its *B*-substituted derivatives, substitution and exchange reactions of (H.C. Brown, S.U. Kulkarni), (168)281
- (Borinato)cyclopentadienyliron and bis(borinato)-iron, -chromium and -vanadium complexes, cyclic voltammetry of (U. Koelle), (157)327

- Boron, II; Annual survey covering the year 1977 (K. Niedenzu), (163)59
- Boron, I. Carboranes and hydroboration; Annual survey covering the year 1977 (D.S. Matteson), (173)17
- Boron trifluoride and monoalkylboranes, molecular addition compounds of *N,N,N',N'-tetramethylmethylenediamine* with (B. Singaram, J.R. Schwier), (156)C1
- η^5 -Borylcyclopentadienyltitanium(IV) complexes (P. Jutzi, A. Seufert), (169)373
- B*-Bromo-9-borabicyclo[3.3.1]nonane, convenient and selective reagent for ether cleavage (M.V. Bhatt), (156)221
- Carbonyl derivatives of Main Groups IV—VI elements with boron—element bonds, synthesis of (V.I. Bregadze, V.Ts. Kampel, N.N. Godovikov), (157)C1
- Carboranes, cyanoethylation of (V.N. Kalinin, O.M. Zurlova, L.I. Zakharkin), (166)C39
- Carboranes with B—Tl bonds, rearrangement reactions and analogues of (V.I. Bregadze, V.Ts. Kampel, A.Ya. Usiatinskii, N.N. Godovikov), (154)C1
- Chromium, molybdenum, tungsten and manganese complexes of 1-phenyl-4,5-dihydroborepin (U. Koelle, W.-D.H. Beiersdorf, G.E. Herberich), (152)7
- Cyanohydro(pyrrolyl-1)borates and chiral boron-containing amine-cyano(pyrrolyl-1)borane complexes, preparation and properties of (B. Györi, J. Emri, L. Szilágyi), (152)13
- Cyclopentadienylboranes, synthesis, structure and dynamic behaviour of (P. Jutzi, Á. Seufert), (169)327
- Dialkylbis(2,2'-bipyridine)cobalt(III) tetraalkylaluminate and related complexes, preparation, properties and structure of (S. Komiya, M. Bundo, T. Yamamoto, A. Yamamoto), (174)343
- Dialkylboranes, reactions with organolithium reagents of (J.L. Hubbard, G.W. Kramer), (156)81
- Dialkylboranes and derivatives, synthesis via transformations of dialkyl(diethylamino)boranes of (S.K. Gupta), (156)95
- Dialkyldi-1-propinylstannanes, reactions with trialkylboranes of (L. Killian, B. Wrackmeyer), (153)153
- 1,4-Dibora-2,5-cyclohexadienes, synthesis of (G.E. Herberich, B. Hessner), (161)C36
- 1,4-Diborylcyclopentadiene, synthesis and structure of (P. Jutzi, A. Seufert), (169)357
- (Dimethylamino)diethylborane, reaction with 3,3'-diaminodipropylamine of (D.P. Emerick, L. Komorowski, K. Niedenzu), (154)147
- gem*- and *vic*-Diorganoboranes, dihydroboration—chromium trioxide oxidation of (V.V.R. Rao, S.K. Agarwal, I. Mehrotra, D. Devaprabhakara), (166)9
- Heterocyclic organoboranes obtained from interaction of an organic isocyanide and heterocyclic aminoboranes (R.H. Cragg, T.J. Miller), (154)C3
- (Hexafluoroisopropylidenimino)boranes, synthesis and structure of (D.P. Emerick, B.R. Gragg, K. Niedenzu), (153)9
- Hydroboration, an ab initio study of the reaction of BH_3 with ethylene (T. Clark, P. v. R. Schleyer), (156)191
- , of 3-but enyl derivatives with 9-borabicyclo[3.3.1]nonane (J.C.-S. Chen), (156)213
- , of olefins with the 1/1 adduct of (+)- α -pinene and $\text{BH}_3 \cdot \text{THF}$ (A.K. Mandal, N.M. Yoon), (156)183
- , of vinyltrimethylsilane, regioselectivity of dialkylboranes in (J.A. Soderquist, A. Hassner), (156)C12
- Hydroxycarbeneoid and formylrhenium(I) halide complexes, unexpected route to the preparation of (K.P. Darst, C.M. Lukehart), (171)65
- Iodomethaneboronic esters and amino-methaneboronic esters, preparation of (D.S. Matteson, D. Majumdar), (170)259
- Lithium dicyclohexyl(*trans*-1-alkenyl)(1-alkynyl)borates, synthesis of 1,4-disubstituted (*E,Z*)-1,3-dienes from (G. Zweifel, S.J. Backlund), (156)159
- Lithium triethylborohydride, rapid reduction of alkyl tosylates with (S. Krishnamurthy), (156)171
- Metalla- β -diketone molecules and complexes with aluminium and boron, spectroscopic study of the structure and bonding in (K.P. Darst, C.M. Lukehart), (161)1
- Metallocarborane complexes, direct synthesis via metal atom or organometallic reagents of (G.J. Zimmerman, R. Wilczynski, L.G. Sneddon), (154)C29
- α -Methoxyvinyllithium, reactions with trialkylboranes of (A.B. Levy, S.J. Schwartz, N. Wilson, B. Christie), (156)123

- B-Methylated 1-alkene-1,1-diboronic esters, oxidative rearrangement to methyl ketones of (R.J. Moody, D.S. Matteson), (152)265
- Organoboranes, containing primary alkyl groups, oxidation with pyridinium chlorochromate of (C.G. Rao, S.U. Kulkarni, H.C. Brown), (172)C20
- , derived from myrcene, carbonylation of (R. Murphy, R.H. Prager), (156)133
- , in conversion reactions of ethynyl-alkanol acetates into allenes (M.M. Midland, D.C. McDowell), (156)C5
- , oxidation with pyridinium chlorochromate of, synthesis of ketones from alkenes (V.V.R. Rao, D. Devaprabhakara, S. Chandrasekaran), (162)C9
- Organoboron compounds, redistribution equilibria between NMe₂ groups and Cl, SME, OMe and F substituents of (J.P. Costes, G. Cros, J.P. Laurent), (175)257
- Organoboron dihalides, dehalogenation in the search for borenes of (J.J. Eisch, H.P. Becker), (171)141
- Pentadienyliron tricarbonyl cations, reaction with hydride donors of (R.S. Bayoud, E.R. Biehl, P.C. Reeves), (174)297
- 1-Pentamethylcyclopentadienyl-2,3,4,5,6-pentamethyl-2,3,4,5,6-pentacarba-*nido*-hexaborane cation, synthesis and dynamic behaviour of (P. Jutzi, A. Seufert), (161)C5
- Phenylaluminium tetrahydroborates, synthesis, stability and properties of (M.G. Cole, M.G.H. Wallbridge), (154)C43
- Phenylboranes and boron-substituted aromatic heterocycles, ¹³C NMR studies of (J.D. Odom, T.F. Moore, R. Goetze, H. Nöth, B. Wrackmeyer), (173)15
- α -(Phenylthio)alkylboranes, cleavage with *N*-chlorosuccinimide (A. Mendoza, D.S. Matteson), (156)149
- Potassium trialkylborohydrides, steric effects observed by ¹¹B NMR spectroscopy in symmetrical exchange reactions with trialkylboranes of (C.A. Brown), (156)C17
- Rhodium(I) derivatives of diethylbis-pyrazolylborate (H.C. Clark, S. Goel), (165)838
- Tetrahalodiborane(4), molecular addition to dienes of (W. Haubold, K. Stanzl), (174)141
- Thallium borinates, preparation and spectral data of (G.E. Herberich, H.J. Becker, C. Engelke), (153)265
- Trialkylboranes, reaction with lithium tri-*t*-butoxyaluminohydride in tetrahydrofuran of (H.C. Brown, S. Krishnamurthy, J.L. Hubbard, R.C. Coleman), (166)281
- , reactions with lithium trimethoxyaluminohydride to form lithium trialkylborohydrides of (H.C. Brown, S. Krishnamurthy, J.L. Hubbard), (166)271
- , reaction with potassium hydride, synthesis of simple and hindered potassium trialkylborohydrides under mild conditions (C.A. Brown, S. Krishnamurthy), (156)111
- Trimethylsilylmethyl and bis(trimethylsilyl)methyl derivatives of boron, aluminium, cadmium and mercury (S. Al-Hashimi, J.D. Smith), (153)253
- ## Cadmium
- π -Arene-cadmium(II) and -zinc(II) complexes (L.C. Damude, P.A.W. Dean), (168)123
- Bis(trifluoromethyl)zinc and methyl-(trifluoromethyl)zinc, NMR evidence for (E.K.S. Liu, L.B. Asprey), (169)249
- (Chlorofluoromethylene)tris(dimethylamino)phosphorane, stabilized complexes of (M.J. Van Hamme, D.J. Burton), (169)123
- Organodihalocadmiate(II) anionic complexes, direct electrochemical synthesis of (A. Osman, D.G. Tuck), (169)255
- Phenyl-zinc and -cadmium compounds, Lewis acidity of (D.P. Graddon, M.T. Maung), (171)1
- Sodium hydride containing complex reducing agents, activation of (J.J. Brunet, R. Vanderesse, P. Caubère), (157)125
- Trimethylsilylmethyl and bis(trimethylsilyl)methyl derivatives of boron, aluminium, cadmium and mercury (S. Al-Hashimi, J.D. Smith), (153)253
- Zinc and cadmium; literature survey covering the year 1977 (J. Boersma), (167)1

Caesium

- Allyl-alkali metal substituted compounds, charge distribution in (S. Bywater, D.J. Worsfold), (159)229
 Heavier alkali metals, Annual survey covering the year 1977 (E.M. Kaiser), (163)1
 $M[Al_2(CH_3)_6NO_3]$ ($M = K, Rb, Cs, NR_4$), synthesis of and crystal structures of $K[Al_2(CH_3)_6NO_3]$ and $K[Al(CH_3)_3NO_3] \cdot C_6H_6$ (J.L. Atwood, K.D. Crissinger, R.D. Rogers), (155)1

Chromium

- Alkenylarenedicarbonyl-chromium, -molybdenum and -tungsten chelate complexes, synthesis and spectral study of (A.N. Nesmeyanov, V.V. Krivykh, P.V. Petrovskii, V.S. Kaganovich, M.I. Rybinskaya), (162)323
 Alkyl-transition metal compounds, bond angles and non-bonded distances in (C. Glidewell), (169)C31
 Antiferromagnetic dimer with a Cr—Cr bond, synthesis and molecular structure of (A.A. Pasynskii, I.L. Eremenko, Yu.V. Rakitin, V.M. Novotortsev, V.T. Kalinnikov, G.C. Aleksandrov, Yu.T. Struchkov), (165)57
 Arenebis-phosphite-carbonylchromium chelate complexes, formation, reactions and structures of (A.N. Nesmeyanov, V.V. Krivykh, M.I. Rybinskaya), (164)159
 Arenedisfluorophosphitechromium mono-, di- and tri-cyclic complexes, formation and structures of (A.N. Nesmeyanov, V.V. Krivykh, G.A. Panosyan, P.V. Petrovskii, M.I. Rybinskaya), (164)167
 π -Arenetricarbonylchromium(0) complexes (benzotropenes), ring current in (E. Langer, H. Lehner), (173)47
 Arenetricarbonylchromium complexes, experimental study of (H. Lumbroso, C. Liégeois, D.A. Brown, N.J. Fitzpatrick), (165)341
 π , oxidation with nitrosyl chloride of (M. Herberhold, L. Haumaier), (160)101
 Arylmethoxycarbene-chromium, -molybdenum and -tungsten complexes, electrochemical reduction of (C.P. Casey, L.D. Albin, M.C. Saeman, D.H. Evans), (155)C37

- Benzo-1,2,3,6-diazadiborine as ligands in $d^6-(CO)_3M$ complexes (H. Schmidt, W. Siebert), (155)157
 Benzophenonetricarbonylchromium substituted complexes, ^{13}C NMR and SCCC MO studies on (N.J. Fitzpatrick, N.J. Cogan, I.J. King), (166)45
 Bis- η -arenechromium(0)/bis- η -arene-chromium(I) system, ESR and 1H NMR investigation of electron exchange in (C. Elschenbroich, U. Zenneck), (160)125
 Bis(cyclopentadienyldicarbonylchromium) ($Cr=Cr$), crystal and molecular structure of (M.D. Curtis, W.M. Butler), (155)131
 (Borinato)cyclopentadienyliron and bis(borinato)-iron, -chromium and -vanadium complexes, cyclic voltammetry of (U. Koelle), (157)327
 Carbamoyl formamidino complexes, $[M(\pi-C_5K_5)\{HC(NR^1)N(CO)R^2\}(CO)_2]$, preparation and properties of (W.H. de Roode, K. Vrieze), (153)345
 Carbonyl—carbene complexes as bifunctional reagents, formation of cyclobutenones from alkynes with (K.H. Dötz, R. Dietz), (157)C55
 $trans$ -Chloro- and $trans$ -bromo-phenylcarbynetetracarbonylchromium complexes (A. Frank, E.O. Fischer, G. Huttner), (161)C27
 Chloroacetyl-transition metal derivatives, preparation and decomposition of (M. Dilgassa, M.D. Curtis), (172)177
 Chromarenes, substituent effects and the stability of (N. Hao, M.J. McGlinchey), (161)381
 Chromium(0) and tungsten(0) tetra-carbonyl(carbene-thio) complexes, preparation of (H.G. Raubenheimer, S. Lotz, H.W. Viljoen, A.A. Chalmers), (152)73
 Chromium chelate complex with hexadentate $1,3,5-(F_2POCH_2CH_2)_3C_6H_3$ ligand, molecular structure of (A.N. Nesmeyanov, Yu.T. Struchkov, V.G. Andrianov, V.V. Krivykh, M.I. Rybinskaya), (166)211
 Chromium hexacarbonyl photocatalysed hydrogenation of norbornadiene at elevated pressure (M.J. Mirbach, D. Steinmetz, A. Saus), (168)C13
 Chromium, molybdenum and tungsten carbonyl complexes with organocyclotriarsanes, preparation and structure of (J. Ellermann, H.A. Lindner, H. Gäbelein), (172)39

- Chromium, molybdenum, tungsten and manganese complexes of 1-phenyl-4,5-dihydroborepin (U. Koelle, W.-D.H. Beiersdorf, G.E. Herberich), (152)7
- Chromium pentacarbonyl complexes of dihydro- and tetrahydro-thiophene derivatives (J.H. Eekhof, H. Hogeveen, R.M. Kellogg), (161)361
- Chromium tricarbonyl chiral complexes of diarylimines, asymmetric induction in reactions with Grignard reagents (A. Solladie-Cavallo, E. Tsamo), (172)165
- Cyclopentadienone dimers and related compounds with Group VI metal carbonyls, thermolysis of (T.-Y. Luh), (174)169
- π -Cyclopentadienyl- π -benzene-chromium and -manganese complexes, MO calculations on (D.W. Clack, K.D. Warren), (157)421
- η -Cyclopentadienylmethyltricarbonyl-chromium, -molybdenum and -tungsten derivatives, photochemically induced electron and methyl transfer in (E. Samuel, M.D. Rausch, T.E. Gismondi, E.A. Mintz, C. Giannotti), (172)309
- Cyclopentadienylnitrosylchromium complexes, low- and high-resolution mass spectra of (J. Müller, F. Lüdemann, S. Schmitt), (169)25
- [η^5 -Cyclopentadien-1-yl- η^4 -tetraphenylcyclobutadienecobalt]diphenylmethylium hexafluorophosphate, a metal-stabilized carbonium ion salt (D. Seyferth, J.S. Merola), (160)275
- Cyclopentadienyl(trimethylphosphine) cobalt carbon disulphide, synthesis, reactions and crystal structure of (H. Werner, K. Leonhard, C. Burschka), (160)291
- Dibenzenechromocenophanes, synthesis from α , ω -diphenylalkanes and chromium vapour (A.N. Nesmeyanov, L.P. Yur'eva, N.N. Zaitseva, G.A. Domrachev, V.D. Zinov'ev), (153)181
- [5]Dibenzenechromocenophane-2-carboethoxy-3-one, synthesis by Dieckman condensation of bis(ethyl- β -phenylpropionate)chromium of (A.N. Nesmeyanov, L.P. Yur'eva, N.N. Zaitseva, N.I. Vasyukova), (153)341
- Dicarbenestannylenes complexes with pentacarbonyl-chromium, -molybdenum and -tungsten, preparation and vibrational spectra of (W. Petz), (165)199
- Dicarbonylcyclopentadienylnitrosylchromium and dicarbonylfluorenlynitrosylchromium, preparation and crystal structures of (J.L. Atwood, R. Shakir, J.T. Malito, M. Herberhold, W. Kremlitz, W.P.E. Bernhagen, H.G. Alt), (165)65
- Dicyclopentadienyldinitrosyl-di- μ -nitrosyl-dichromium, reactions with carbanions of (J. Müller, S. Schmitt), (160)109
- Dicyclopentadienyl-titanium, -vanadium and -chromium, synthesis and characterization of mixed cyanothiocyanate and cyanoselenocyanate complexes of (M. Morán, V. Fernández), (165)215
- η -Diene-chromium(0) and -molybdenum(0) complexes, dynamic behaviour of (C.G. Kreiter, S. Özkar), (152)C13
- (3,5-Dimethylbenzyl)diphenylphosphitodicarbonylchromium, molecular structure of (A.N. Nesmeyanov, Yu.T. Struchkov, V.G. Andrianov, V.V. Krivykh, M.I. Rybinskaya), (164)51
- gem*- and *vic*-Diorganoboranes, dihydroboration—chromium trioxide oxidation of (V.V.R. Rao, S.K. Agarwal, I. Mehrotra, D. Devaprabhakara), (166)9
- α -Ethynylmetal carbonyl derivatives, synthesis of (A.N. Nesmeyanov, L.G. Makarova, V.N. Vinogradova, V.N. Korneva, N.A. Ustynyuk), (166)217
- Formally d^7 transition metal sandwich complexes, electronic structure of (D.W. Clack, J.D. Warren), (152)C60
- Formamidino Group VIA metal carbonyl anionic complexes $[\text{M}(\text{CO})_n \{\text{HC}(\text{N-aryl}), \text{or } t\text{-butyl}\}_2]^-$ (W.H. de Roode, D.G. Prins, A. Oskam, K. Vrieze), (154)273
- Functionally substituted stannylenes and their stannio complexes with chromium, molybdenum and tungsten carbonyl acceptors, ^{119}Sn Mössbauer spectra of (W.-W. Du Mont, J.L. Lefferts, J.J. Zuckerman), (166)347
- Group VIB and VIIIB transition metal chalcocarbonyl complexes, ^{13}C NMR spectra of (D. Cozak, I.S. Butler, I.M. Baibich), (169)381
- Group VIB carbonyl complexes of pyrazino[2,3-*f*]quinoxaline and 1,4,5,8-tetraazaphenanthrene, synthesis of (D. Maetens, J. Nasielski, R. Nasielski-Hinkens), (168)177
- Group VIB pentacarbonyl complexes of *cis*- and *trans*-1,2-diisopropyl diazene and 1,2-diisopropylhydrazine (M.N. Ackermann, R.M. Willett, M.H. Englert, C.R. Barton, D.B. Shewitz), (175)205

- Group VI transition metal—mercury compounds, ^{199}Hg NMR study of (M.J. Albright, J.P. Oliver), (172)99
- Heterometallic carbene-thio chelate, reactions with primary and secondary amines and 1,1-dimethylhydrazine of (H.G. Raubenheimer, S. Lotz, G. Kruger, G. Gafner), (173)C1
- Heteronuclear complexes with Cr—Fe, Mo—Fe and W—Fe bonds, synthesis of (A. Trenkle, H. Vahrenkamp), (155)C51
- Indenyl- and fluorenyl-Group VIA metal complexes, synthesis, structures and reactions of (A.N. Nesmeyanov, N.A. Ustyuyuk, L.G. Makarova, S. Andre, Yu.A. Ustyuyuk, L.N. Novikova, Yu.N. Luzikov), (154)45
- Metal carbonyl complexes of bicyclo[4.2.1.]nonatrienone and its derivatives, stereospecific preparation and reactivity of (A. Salzer, W. von Philipsborn), (170)63
- Metal-carbonyl compounds containing one-electron ligands, ^{13}C NMR study of (L.J. Todd, J.R. Wilkinson, J.P. Hickey, D.L. Beach, K.W. Barnett), (154)151
- Metal complexes, obtained from additions of coordinated phosphines to acetylenes, molecular structures of (P.M. Treichel, W.K. Wong, J.C. Calabrese), (159)C20
- , of chelating diphosphine ligands, preparation via base-induced additions of coordinated phosphines to acetylene (P.M. Treichel, W.K. Wong), (157)C5
- Metallocenes of some first row transition metals, reactivity in thermal decomposition reactions of (L.M. Dyagileva, V.P. Mar'in, E.I. Tsyganova, G.A. Ruzavaev), (175)63
- Methyl benzoato dicarbonylselenocarbonylchromium, vibrational spectra of (P. Caillet, G. Jaouen), (164)329
- exo*- and *endo*-2-Methyl-1-indanolchromium tricarbonyl, crystal and molecular structures of (E. Gentric, G. Le Borgne, D. Grandjean), (155)207
- Mononuclear $\text{R}_n\text{EM}(\text{CO})_5$ complexes, reactions of (J. Grobe, R. Rau), (157)281
- μ -Octatetraenylbis(π -cyclopentadienylchromium), structure of and electron deformation density in (W. Geibel, G. Wilke, R. Goddard, C. Krüger, R. Mynott), (160)139
- Organoboranes containing primary alkyl groups, oxidation with pyridinium chlorochromate (C.G. Rao, S.U. Kulkarni, H.C. Brown), (172)C20
- Organometallic complexes containing crown ether groups (K.J. Odell, E.M. Hyde, B.L. Shaw, I. Shepherd), (168)103
- Pentacarbonyl-chromium and -tungsten sulphide complexes, kinetics and mechanism of inversion at sulphur and ligand exchange in (J.H. Eekhof, H. Hogenveen, R.M. Kellogg, E. Klei), (161)183
- Pentacarbonylchromium complexes with nitrilic ligands, peripheric reactions of (L. Knoll), (155)C63
- 1,2,3,4,5-Pentafluoro- and 1,2,4,5-tetrafluoro-chromarenes, chemistry of organic derivatives of (N. Hao, M.J. McGlinchey), (165)225
- Pentamethylcyclopentadienyl derivatives of transition metals, high pressure IR study of carbonylation of metal—metal triple bonds in (R.B. King, M.Z. Iqbal, A.D. King, Jr.), (171)53
- (n° -Phenyllithium)tricarbonylchromium. formation and some reactions of (M.D. Rausch, R.E. Gloth), (153)59
- Phosphaacetylenehexacarbonylcobalt complexes, preparation and reactions of (D. Seyerth, R.S. Henderson), (162)C35
- Phosphorus, arsenic and antimony metalla-cyclic compounds as complexing ligands (G. Huttner, G. Mohr, P. Friedrich, H.G. Schmid), (160)59
- Phosphorus ylide complexes of σ -phenyl- and σ -phenylacetylidydechromium compounds, isolation and reactions of (E. Kurras, U. Rosenthal), (160)35
- cis*-Piperidine-chromium and -tungsten tetracarbonyl(^{13}CO) derivatives, mass spectral study of intramolecular rearrangements in (R. Davis, D.J. Daresbourg), (161)C11
- Polyene—M(CO)_x complexes, correlation of nucleophilic substitution with frontier orbital indices of (D.A. Brown, J.P. Chester, N.J. Fitzpatrick), (155)C21
- (η -RC₅H₄)₂M₂(CO)₆ complexes (M = Cr, Mo, W), simple and effective preparation of (R. Birdwhistell, P. Hackett, A.R. Manning), (157)239
- Sandwich, mixed sandwich and related tricarbonyl complexes, ^1H NMR shifts in (D.W. Clack, K.D. Warren), (162)83
- Sodium hydride containing complex reducing agents, activation of (J.J. Brunet, R. Vanderesse, P. Caubère), (157)125

- Tetracarbonylmetal derivatives of tertiary diphosphines, vibrational spectral investigations of (H. Gäbelein, J. Ellermann), (156)389
- Tetraneopentylchromium and trimesitylchromium tetrahydrofuranate, applications to catalysis of photo-induced degradations of (E.A. Mintz, M.D. Rausch), (171)345
- Transition metal-ammonia complexes, treatment with ketones of (D. Sellmann, E. Thallmair), (164)337
- Transition metal-carbene and -carbyne complexes with trialkylsilyl moieties, ²⁹Si NMR investigations of (F.H. Köhler, H. Hollfelder, E.O. Fischer), (168)53
- Transition metal carbonyls, mild decarbonylation by rhodium(I) complexes of (Yu.S. Varshavsky, E.P. Shestakova, N.V. Kiseleva, T.G. Cherkasova, N.A. Buzina, L.S. Bresler, V.A. Kormer), (170)81
- Tricarbonylchromium, effect on thermodynamic stability of stable carbocations of (A. Ceccon, A. Gobbo, A. Venzo), (162)311
- Tricarbonyl-*n*-1,3,5-cycloheptatriene-chromium(0), photochemical addition of conjugated dienes to (S. Özkar, H. Kurz, D. Neugebauer, C.G. Kreiter), (160)115
- Tricarbonyl(1-6-*n*-3-*endo*-ethyl-7-phenyl-1,3,5-cycloheptatriene)chromium, molecular and crystal structure of (M. Louër, G. Simonneaux, G. Jaouen), (164)235
- Tricarbonylphenanthrenechromium 1,3,5-trinitrobenzene, formation and crystal and molecular structure of (R.L. De, J. von Seyerl, L. Zsolnai, G. Huttner), (175)185
- Tricarbonyl(4,6,8-trimethylazulene)chromium, X-ray and ¹³C NMR investigations of (O. Koch, F. Edelmann, U. Behrens), (168)167
- Trimethylphosphane derivatives of methyltricarbonyl-cyclopentadienyl- and -indenyl-metal complexes ($\text{CpM}(\text{CO})_3\text{CH}_3$, and $\text{IndM}(\text{CO})_3\text{CH}_3$, M = Cr, Mo, W) (H.G. Alt, J.A. Schwärze), (162)45
- Tris(acetonitrile)tricarbonylchromium, reduction of nitro- and nitroso-benzenes to azobenzenes promoted by (A.C. Knipe, S.J. McGuinness, W.E. Watts), (172)463
- Tris(amino)phosphine, stabilisation through complex formation with pentacarbonylmetal compounds of (H. Nöth, H. Reith, V. Thorn), (159)165
- 1,1,1-Tris(hydroxymethyl)propaneephosphite derivatives of Group VI metal carbonyls (S.C. Tripathi, S.C. Srivastava, D.P. Pandey, R.P. Chaturvedi), (164)177
- ## Cobalt
- Acetylene-, arsenic- and phosphorus-bridged dimeric $\text{X}_2\text{Co}_2(\text{CO})_6$ and $\text{R}_x\text{R}'_{6-x}\text{C}_6\text{Co}_2(\text{CO})_6$ radical anions, electronic structure and reactivity of (R.S. Dickson, B.M. Peake, P.H. Rieger, B.H. Robinson, J. Simpson), (172)C63
- Alkoxyalkylidinetricobalt nonacarbonyl cluster compounds, synthesis and properties of (G. Mignani, H. Patin, R. Dabard), (169)C19
- Alkylcobalt(III) complexes, ESR and spin-trapping study of protolysis in aprotic solvents of (P. Maillard, J.C. Massot, C. Giannotti), (159)219
- Alkylidynetricobalt nonacarbonyl complexes, thermolysis of (D. Seyferth, C.N. Rudie, J.S. Merola), (162)89
- Arylcobalt-corrin, synthesis and characterization of (K.L. Brown, R.J. Bacquet), (172)C23
- n*⁵-Benzocyclobutadiene-*n*⁵-cyclopenta-dienylcobalt, new "aromatic" sandwich complex (R.I. Duclos, Jr., K.P.C. Vollhardt, L.S. Yee), (174)109
- Benzoylmethylidynetricobalt nonacarbonyl, $\text{C}_6\text{H}_5\text{C}(\text{O})\text{Co}_2(\text{CO})_6$, molecular structure of (D.C. Miller, R.C. Gearhart, T.B. Brill), (169)395
- Bis(borinato)cobaltate anions, reactions with electrophiles and thermal decomposition of (G.E. Herberich, W. Koch, H. Lueken), (160)17
- Bis(cyclopentadienyldicarbonylmolybdenum)(Mo-Mo), chemistry of (M.D. Curtis, R.J. Klingler), (161)23
- Bis(pentamethylcyclopentadienyl)dicarbonylcobalt, crystal and molecular structure of (W.I. Bailey, Jr., D.M. Collins, F.A. Cotton, J.C. Baldwin, W.C. Kaska), (165)373
- Bis(*n*⁵-pentamethylcyclopentadienyl)tetra-carbonyl(μ -³-ethylidene)triangulotri-cobalt mixed compound, formation and structural characterization of (W.I. Bailey, Jr., F.A. Cotton, J.D. Jamerson), (173)317

- Borabenzenecobalt complexes, cyclic voltammetry of (U. Koelle), (152)225
- Carbonylcyclopentadienylbis(trimethylphosphine)cobalt(III) cation, preparation and reactions with nucleophiles of (A. Spencer, H. Werner), (171)209
- Carboxycobaltocenium hexafluorophosphate, crystal structure at -35°C of (P.E. Riley, R.E. Davis), (152)209
- Cobaloxime templates in the synthesis of isotopically labeled amino acids (G.L. Blackmer, C.-W. Tsai), (155)C17
- Cobalt-catalysts in dimerisation of norbornadiene (C₇H₁₂) to Binor-S (M. Ennis, R.M. Foley, A.R. Manning), (166)C18
- , in hydroformylation reactions of phenyl-substituted olefins (C. Botteghi, M. Branca, M. Marchetti, A. Saba), (161)197
- Cobalt(I) cationic carbonyl compounds containing complexed cyclobutadienes (C.E. Chidsey, W.A. Donaldson, R.P. Hughes), (169)C12
- Cobalt, rhodium and iridium; Annual survey covering the year 1976 (E.R. Hamner, R.D.W. Kemmitt, N.S. Sridhara), (167)135
- Cobaltocenes, paramagnetic π -complexes (F.H. Köhler), (160)299
- Cyanomethylcyclopentadienylcobalt complexes, reactions of (P. Royo, J. Sancho), (152)221
- Cyclopentadienecyclooctadienecobalt tetrafluoroborate, addition of triphenylphosphine to (L.A.P. Kane-Maguire, P.D. Mouncher, A. Salzer), (168)C42
- η^5 -Cyclopentadienylbis(triphenylphosphine)cobalt(I), reaction with alkadiynes of (L.P. McDonnell Bushnell, E.R. Evitt, R.G. Bergman), (157)445
- Cyclopentadienylcarbonyl(trimethylphosphine)cobalt(I), interconversion of alkyl- and acyl-cobalt(III) complexes derived from (A. Spencer, H. Werner), (171)219
- η^5 -Cyclopentadienyldicarbonylcobalt, reactions with phenyl-1- and -2-naphthylacetylenes and X-ray structure of (η^5 -cyclopentadienyl)(η^4 -1,3-di-1-naphthyl-2,4-diphenylcyclobutadiene)-cobalt (M.D. Rausch, E.F. Tokas, E.A. Mintz, A. Clearfield, M. Mangion, I. Bernal), (172)109
- Cyclopentadienyldicarbonylcobalt substituted derivatives, ESR and IR spectroscopy and relationship to electronic structure of the dinuclear reduction products of (N.E. Schore), (173)301
- η^5 -Cyclopentadienyl-rhodium and -cobalt polymer-supported dicarbonyls, preparation and catalytic activity of (B.-H. Chang, R.H. Grubbs, C.H. Brubaker, Jr.), (172)81
- [η^5 -Cyclopentadienyl-1-yl- η^3 -tetraphenylcyclobutadienecobalt]diphenylmethylium hexafluorophosphate, a metal-stabilized carbonium ion salt (D. Seyferth, J.S. Merola), (160)275
- Cyclopentadienyl(trimethylphosphine)-cobalt carbon disulphide, synthesis, reactions and crystal structure of (H. Werner, K. Leonhard, C. Burschka), (160)291
- Dialkylbis(2,2'-bipyridine)cobalt(III) tetraalkylaluminate and related complexes, preparation, properties and structure of (S. Komiya, M. Bundo, T. Yamamoto, A. Yamamoto), (174)343
- 4,4-Dimethylbuta-1,3-dienone-transition metal carbonyls, preparation and characterisation of (P. Binger, B. Çetinkaya, C. Krüger), (159)63
- Dinuclear carbonyl-manganese, -rhenium and -cobalt dimetal complexes, formation of (G. Beysel, J. Grobe, W. Mohr), (170)319
- Dinuclear cobalt(0) complex, (PhC≡CPh)Co₂(CO)₆(triphos), synthesis and X-ray structure of (C. Bianchini, R. Dapporto, A. Meli), (174)205
- Dithioalkyne complexes of molybdenum, tungsten, iron, ruthenium and cobalt carbonyls (J.A. Connor, G.A. Hudson), (160)159
- Dodecacarbonyltetracobalt and octacarbonyldicobalt, hydroformylation and hydroesterification catalysed by (A.M. Lenneritz, J. Laege, M.J. Mirbach, A. Saus), (171)203
- μ -Ethoxycarbonylmethylenebis[carbonyl-(η^5 -cyclopentadienyl)cobalt](Co-Co), molecular structure and preparation of (W.A. Herrmann, I. Schweizer, M. Creswick, I. Bernal), (165)C17
- Fe—Fe, Fe—Co, and Mn—Co bonds in catalytically-active dinuclear arsenic bridged carbonyl complexes, reactivity of (H.J. Langenbach, E. Keller, H. Vahrenkamp), (171)259

- Five-coordinate organocobalt(III) derivatives, preparation and characterization of (M.E. Kastner, W.R. Scheidt), (157)109
- Formally d^7 transition metal sandwich complexes, electronic structure of (D.W. Clack, K.D. Warren), (152)C60
- μ -Germanediyl- and μ_3 -germanetriyl-cobalt carbonyls, preparation and structure of (G. Etzrodt, G. Schmid), (169)259
- Heteronuclear cluster compounds: $(\text{PhP})\text{FeCo}_2(\text{CO})_9$, $(\text{PhP})\text{MoCo}_2\text{Cp}(\text{CO})_9$ (μ -AsMe₂) and $(\text{PhP})\text{FeMoCoCp}(\text{CO})_9$, preparation of (F. Richter, H. Beurich, H. Vahrenkamp), (166)C5
- Hydridotetracarbonylcobalt, reaction with formaldehyde of (J.A. Roth, M. Orchin), (172)C27
- Hydrogenation catalysts from aluminium hydride derivatives and transition metal compounds (G. Dozzi, S. Cuccinella, A. Mazzei), (164)1
- Hydroxy-cobalticinium and -rhodicinium salts, effects of substituents on acidities of (J.E. Sheats, G. Hlatky, R.S. Dickson), (173)107
- η^1 -Iminoacylcobalt carbonyl complexes, synthetic approaches to (H. Alper, M. Tanaka), (169)C5
- Manganese metal oxidation by dimeric metal carbonyls in THF, ESR spectra of the resulting manganese(II) species (B.K. Nicholson), (169)185
- Metal–carbon bond formation via insertion reactions in gaseous negative ion/molecule reactions (E. Baumgartner, T.C. Rhyne, J.G. Dillard), (171)387
- Metal carbonyl anions in reactions with imidoyl halides (R.D. Adams, D.F. Chodosh, N.M. Golembeski, E.C. Weissman), (172)251
- Metal carbonyl silanes, ²⁹Si NMR spectra by the selective population transfer method (S. Li, D.L. Johnson, J.A. Gladysz, K.L. Servis), (166)317
- Metal carbonylate anions prepared by hydride reduction (K. Inkrott, R. Goetze, S.G. Shore), (154)337
- Metallocarborane complexes, direct synthesis via metal atom or organometallic reagents of (G.J. Zimmerman, R. Wilczynski, L.G. Sneddon), (154)C29
- Metallocenes of some first row transition metals, reactivity in thermal decomposition reactions of (L.M. Dyagileva, V.P. Mar'in, E.I. Tsyganova, G.A. Ruzavaev), (175)63
- Methylcobaloxime, interaction of disulphides with (K.L. Brown, D. Jinkerson), (164)203
- Monomeric carbonylcobalt-dimethylarsenide complexes (R. Müller, H. Vahrenkamp), (170)C25
- Organotransition metal complexes containing crown ether groups (K.J. Odell, E.M. Hyde, B.L. Shaw, I. Shepherd), (168)103
- Phosphaacetylenehexacarbonylcobalt complexes, preparation and reactions of (D. Seyferth, R.S. Henderson), (162)C35
- Polyene–M(CO)_n complexes correlation of nucleophilic substitution with frontier orbital indices of (D.A. Brown, J.P. Chester, N.J. Fitzpatrick), (155)C21
- Sandwich, mixed sandwich and related tricarbonyl complexes, ¹H NMR shifts in (D.W. Clack, K.D. Warren), (162)83
- Sodium hydride containing complex reducing agents, activation of (J.J. Brunet, R. Vanderesse, P. Caubère), (157)125
- Tetracarbonylcobaltate(-I), reactions with chlorosilanes in ether solvents (B.K. Nicholson, J. Simpson), (155)237
- Tetracobalt dodecacarbonyl, kinetics and mechanism of the reaction with carbon monoxide under pressure of (G. Bor, U.K. Dietler, P. Pino, A. Poë), (154)301
- η^1 -2,3,5,6-Tetramethyl-1,4-benzoquinone-(η^2 -pentamethylcyclopentadienyl)cobalt, protonation and methylation of (G. Fairhurst, C. White), (160)C17
- Tetranuclear cobalt carbonyl clusters, ligand substitution processes in (D.J. Daresbourg, M.J. Incorvia), (171)89
- Transition metal carbonyls, mild decarbonylation by rhodium(I) complexes of (Yu.S. Varshavsky, E.P. Shestakova, N.V. Kiseleva, T.G. Cherkasova, N.A. Buzina, L.S. Bresler, V.A. Kormer), (170)81
- Tricarbonylcobalt hydride, evidence in stoichiometric hydroformylation reactions by matrix isolation for (P. Wermer, B.S. Ault, M. Orchin), (162)189
- (η^5 -Trimethylsilylcyclopentadienyl)(η^4 -tetraphenylcyclobutadiene)cobalt, crystal and molecular structure of (M. Calligaris, K. Venkatasubramanian), (175)95
- μ_3 -Tris(η -cyclopentadienyl)uranoxymethylidyneyclotris(tricarbonylcobalt)-($3\text{Co}-\text{Co}$), preparation and properties of (B. Stutte, G. Schmid), (155)203

- Tris(μ_2 -dimethylphosphido)hexacarbonyl-triangulo-tricobalt, synthesis and structure of (E. Keller, H. Vahrenkamp), (155)C41
 Vinyl- and ethynyl-trimethylsilanes, oligomerization of (V.P. Yur'ev, G.A. Gailyunas, F.G. Yusupova, G.V. Nurtdinova, E.S. Monakhova, G.A. Tolstikov) (169)19

Copper

- Acylsilanes, synthesis of (N. Duffaut, J. Dunoguès, C. Biran, R. Calas, J. Gerval), (161)C23
 Alkylcopper/boron trifluoride in alkylation reactions with allylic alcohols (Y. Yamamoto, K. Maruyama), (156)C9
 α -Anisylcopper(I), an octameric copper(I) cluster compound, crystal structure of (A. Camus, N. Marsich, G. Nardin, L. Randaccio), (174)121
 α -Anisylcopper and *p*-tolylcopper, electrochemical reactions of, influence of pyridine and lithium perchlorate (G. Costa, A. Puxeddu, A. Camus, N. Marsich), (160)353
 1-Benzenesulphonyl-2-bromo- and -2-fluoroethenes, stereochemistry of the reaction with dialkyl and diphenyl cuprates of (V. Fiandanese, G. Marchese, F. Naso), (160)C13
 (Chlorofluoromethylene)tris(dimethylamino)phosphorane, stabilized complexes of (M.J. Van Hamme, D.J. Burton), (169)123
 Copper, silver and gold; Annual survey covering the year 1976 (E. Singleton), (158)413
 Copper chelates of β -dicarbonyl compounds, spectral evidence for a photo-activated metallotropy (P. Markov, I. Petkov, C. Ivanov), (173)211
 Copper(I) complexes with α -semi-quinolate ligands, ESR investigations of (G.A. Razuvayev, V.K. Cherkasov, G.A. Abakumov), (160)361
 Cuprous chloride as catalyst in addition reactions of α -chloroesters to olefins and dienes (M. Julia, L. Saussine, G. Le Thuillier), (174)359
 Cuprous cyanide complexes of diastereoisomeric phosphinites, preparation and separation of isomers of (W. Chodkiewicz, D. Jore, A. Pierrat, W. Wodski), (174)C21

- Ethylenic complexes of platinum(II). copper(I) and iron(0) (M. Bigorgne), (160)345
 Grignard reagents. reactivity towards α -acetylenic alcohols in the presence of copper halides of (J.G. Duboudin, B. Jousseau, A. Saux), (168)1
 Hydroalumination of olefins catalysed by copper(I) chloride (F. Sato, H. Kodama, M. Sato), (157)C30
 Lithium cuprate addition to allenic sulphones and sulphoxides (J. Berlan, K. Koosha), (153)107
 Lithium dimethylcuprate, addition to allenic phosphine oxide and carbonyl compounds of (J. Berlan, K. Kosha), (153)99
 —, in reaction with heteroaromatic halides, synthetic and mechanistic aspects of (F. Babudri, L. Di Nunno, S. Florio, G. Marchese, F. Naso), (166)265
 —, reaction with α -allenic carbonyl compounds (J. Berlan, J.-P. Battioni, K. Koosha), (152)359
 Metal–carbon bond formation via insertion reactions in gaseous negative ion/molecule reactions (E. Baumgartner, T.C. Rhyne, J.G. Dillard), (171)387
 Organocupper-copper halide polynuclear compound containing vinyl groups, synthesis and characterization of (R.W.M. ten Hoedt, G. van Koten, J.G. Noltes), (161)C13
 Organocuprates, mechanistic aspects of reduction of allylic ethers and acetates with (A. Claesson, C. Sahlberg), (170)355
 Polynuclear arylcopper complex forming compounds, C_{alk} –P bond cleavage in Diphos by (2-Me₂NCH₂C₆H₄)₂Cu₄ (G. van Koten, J.G. Noltes, A.L. Spek), (159)441
 Polynuclear aryl-copper, -silver and -gold derivatives, intramolecular dynamics of 3c–2e bonded aryl groups in (G. van Koten, J.G. Noltes), (171)C39
 Polynuclear arylcopperlithium compounds, Ar₄Cu₂Li₂ (arylcuprates), synthetic and structural aspects of and interaggregate exchange phenomena in Ar₄Cu₂/Ar₄Li₂/Ar₄Cu₂Li₂ systems (G. van Koten, J.G. Noltes), (174)367
 2-Silver(dimethylaminomethyl)ferrocene, structure and properties of (A.N. Nesmeyanov, N.N. Sedova, Yu.T. Struchkov, V.G. Andrianov, E.N. Stakheeva, V.A. Sazonova), (153)115

Sodium hydride containing complex reducing agents, activation of (J.J. Brunet, R. Vanderesse, P. Caubère), (157)125
 Vinylic γ -functionally-substituted Grignard reagents, addition reactions with α -acetylenic and α -allenic alcohols of (J.G. Duboudin, B. Joussemaume, A. Saux), (168)233
 —, iodination, alkylation and arylation of (J.G. Duboudin, B. Joussemaume, A. Bonakdar, A. Saux), (168)227

Erbium

Alkylidene-erbium and -lutetium neutral and anionic complexes (H. Schumann, J. Müller), (169)C1

Gallium

Arylgallium halides, $(C_6H_5)_nGaX_{3-n}$, spectroscopic analysis in the solid state of (S.B. Miller, T.B. Brill), (166)293

Bis(dimethylmetal)-N,N',N'',N'''-tetramethyloxamidines of aluminium, gallium and indium, syntheses, spectra and X-ray structures of (F. Gerstner, W. Schwarz, H.-D. Hausen, J. Weidlein), (175)33

Bis(dimethylpropynylmetal) compounds of aluminium, gallium and indium, preparation and vibrational spectra of (W. Fries, W. Schwarz, H.-D. Hausen, J. Weidlein), (159)373

Gallium and indium; Annual survey covering the year 1977 (T. Tanaka), (158)211

Methylgallium diacetate, preparation, properties and crystal structure of (H.D. Hausen, K. Sille, J. Weidlein, W. Schwarz), (160)411

Triaryl-gallium and -indium compounds, synthesis and mass spectra of (S.B. Miller, B.L. Jelus, J.H. Smith, B. Munson, T.B. Brill), (170)9

Germanium

Alkyneilsilanes, NMR investigations of (B. Wrackmeyer), (166)353

1,8-Bis(trimethylgermyl)naphthalene, synthesis of (F. Cozzi, U. Sjöstrand, K. Mislow), (174)C1

Bis(triphenylphosphine)iminium pentacarbonylmanganese(-I), reactions with Group IV halides of (D.N. Duffy, B.K. Nicholson), (164)227

Chloroethyl-silicon, -germanium and -tin groups, electronegativity of (J. Marrot, J.-C. Maire), (157)7

Cycloheptatrienyltricarbonyliron substituted anion, $[(C_6H_5)_3GeC_6H_5]Fe(CO)_3^-$, preparation and reactivity of (J.G.A. Revers, J. Takats), (175)C13

1,1-Dialkyl-1-stannacycloalkanes, synthesis of metal-functionally-substituted stanna-cycloalkanes by *trans*-alkylation reactions of (E.J. Bulten, H.A. Budding), (153)305

Dichloro-stannyll- and germyl-porphyrins, mechanistic studies of the reactions of (C. Cloutour, D. Lafargue, J.C. Pommier), (161)327

Diethylgermanone, Et₂Ge=S, formation and characterisation of (H. Lavayssiere, G. Dcusse, J. Barrau, J. Satgé, M. Bouchat), (161)C59

2,2'-Dilithio-1-phenylpyrrole, preparation and reactivity of (G.W.H. Cheeseman, S.G. Greenberg), (166)139

Dimethylaminotrimethyl-silicon, -germanium and -tin, structures and spectra of (A. Marchand, M.-T. Forel, M. Rivière-Baudet), (156)341

1,2-Dimethylgermacyclopentanes, preparation and stereochemistry of (J. Dubac, P. Mazerolles, M. Joly, J. Cavezzan), (165)163, 175

Disubstituted manganese carbonyl anion, $[Mn(CO)_3L_2]^-$ ($L = P(OPh)_3, PPh_3$), reactions with R₃MX (M = C, Si, Ge, Sn; R = Me, Et, Ph, Cl; X = Cl, Br) of (S. Onaka, Y. Yoshikawa, H. Yamatera), (157)187

Disubstituted monogermanes, intensity of Ge—H stretching modes in the IR spectra of (A.N. Egorochkin, S.Ya. Khorshev, E.I. Sevastyanova, S.Kh. Ratushnaya, J. Satgé, P. Rivière, J. Barrau, S. Richelme), (155)175

[3]Ferrocenophanes, preparation and spectral studies of (A. Davison, J.C. Smart), (174)321

μ_2 -Germanediyl- and μ_3 -germanetriyl-cobalt carbonyls, preparation and structure of (G. Etzrodt, G. Schmid), (169)259

Germanone preparation from heterocyclic germanium compounds (H. Lavayssiere, J. Barrau, G. Dousse, J. Satgé, M. Bouchaut), (154)C9

Germaphosphoranimines, intermediate compounds with π -bonded germanium (C. Couret, J. Satgé, J.D. Andriamizaka, J. Escudié), (157)C35

- Germylenes in reaction with phenyl-nitrenes, intermediates and products of (P. Rivière, A. Cazes, A. Castel, M. Rivière-Baudet, J. Satgé), (155)C58
- Group IVB and Group VB cyclopenta-diene derivatives, comparison of the reactivity with Group VB halides and titanium tetrachloride of (P. Jutzi, M. Kuhn), (173)221
- Group IVB organometallic compounds, bond dissociation energies of (R.A. Jackson), (166)17
- Group IV peroxides, reactions with olefins of (Yu.A. Alexandrov, V.V. Gorbatov, N.V. Yablokova, V.G. Tsvetkov), (157)267
- Group IVB radical adducts with aromatic ketones, ESR study of (A. Alberti, A. Hudson), (164)219
- Hexaorgano-substituted triatomics, R_3XYZR_3 , a rationalisation using the second-order Jahn-Teller effect (C. Glidewell), (159)23
- N*-Methyl-2,2-diphenyl-2-germethyl azetidine, preparation and reactions of (M. Rivière-Baudet, P. Rivière, J. Satgé), (154)C23
- Organogermanium chlorides, Lewis acidity of (D.P. Graddon, B.A. Rana), (165)157
- Organopolygermanes, vibrational spectra of (A. Marchand, P. Gerval, P. Rivière, J. Satgé), (162)365
- Organozinc and other organometallic compounds derived from *N,N*-diethylbromoacetamide (R.C. Polier, D. Silver), (157)247
- Oxobis[tribenzylgermanium(IV)], crystal and molecular structure of (C. Glidewell, D.C. Liles), (174)275
- Pentafluorophenylgermylbismuth compounds (M.N. Bochkarev, N.I. Gur'ev, G.A. Razuvaeve), (162)289
- Phenyl- and phenylchloro-germanes, addition reactions with imines of; formation of *N*- and *C*-germylamines and germaaziridines (P. Rivière, M. Rivière-Baudet, S. Richelme, A. Castel, J. Satgé), (168)43
- Silicon-(or germanium-)phosphorus bonds containing stereochemical systems, synthesis of (J. Dubac, J. Cavezzan, P. Mazerolles, J. Escudié, C. Couret, J. Satgé), (174)263
- Silyl- and germyl-substituted methyl radicals, ESR of (H. Sakurai, K. Mochida), (154)353

Triphenyl(triphenylsilylperoxy)germane, mechanism of the catalytic rearrangement of (V.A. Yablokov, G.S. Kalinina, N.V. Yablokova, T.A. Basalgina, N.S. Vyazankin, G.A. Razuvaeve), (153)25

Trisubstituted germanes (R_3GeH), integrated intensity of Ge—H stretching modes and $d_{\pi}-p_{\pi}$ interaction in (A.N. Egorochkin, E.I. Sevast'yanova, S.Ya. Khorshev, S.Kh. Ratushnaya, J. Satgé, P. Rivière, J. Barrau, S. Richelme), (162)25

Gold

Copper, silver and gold; Annual survey covering the year 1976 (E. Singleton), (158)413

Gold chloride complexes with olefins and bases in solution, molecular weight and electric conductivity measurements of (H. Coutelle, R. Hüttel), (153)359

Pentahalophenyl *p*-tolylisocyanide complexes of gold(I), preparation and reactions with amines, ammonia and alcohols of (R. Usón, A. Laguna, J. Vicente, J. García, B. Bergareche), (173)349

Polynuclear aryl-copper, -silver and -gold derivatives, intramolecular dynamics of 3c—2e bonded aryl groups in (G. van Koten, J.G. Noltes), (171)C39

Tris- μ -[(ethoxy)(*N*-*p*-tolylimino)methyl-*N,C*]trigold(I), crystal and molecular structure of (A. Tiripicchio, M. Tiripicchio Camellini, G. Minghetti), (171)399

Hafnium

η^3 -Allyl-transition metal compounds, CIDNP-evidence for radicals during photolysis of (R. Benn, G. Wilke), (174)C38

Substituted dimethyl-zirconocenes and -hafnocenes and the corresponding dihydrides, synthesis and reactions of (S. Couturier, B. Gautheron), (157)C61

Titanium, zirconium and hafnium; Annual survey covering the year 1977 (J.A. Labinger), (167)19

Indium

- Alkyl(aryl)-sulphinato- and -sulphonato-indium(III) porphyrins (R. Guillard, P. Cocolios, P. Fournari, C. Lecomte, J. Protas), (168)C49
- Bis(dimethylmetal)-N,N',N'',N'''-tetramethyloxamidines of aluminium, gallium and indium, syntheses, spectra and X-ray structures of (F. Gerstner, W. Schwarz, H.-D. Hausen, J. Weidlein), (175)33
- Bis(dimethylpropynylmetal) compounds of aluminium, gallium and indium, preparation and vibrational spectra of (W. Fries, W. Schwarz, H.-D. Hausen, J. Weidlein), (159)373
- Gallium and indium; Annual survey covering the year 1977 (T. Tanaka), (158)211
- Triaryl-gallium and -indium compounds, synthesis and mass spectra of (S.B. Miller, B.L. Jelus, J.H. Smith, B. Munson, T.B. Brill), (170)9

Iridium

- Acyliron compounds, decarbonylation reactions with Group VIII metal complexes of (E.J. Kuhlman, J.J. Alexander), (174)81
- Allylmercury compounds, convenient reagents for synthesis of π -allyl derivatives of transition metals (A.N. Nesmeyanov, A.Z. Rubezhov), (164)259
- Benzyl- and *meta*-fluorobenzyl-phosphines, mechanism of metallation reactions with rhodium(I), iridium(I), palladium(II) and platinum(II) compounds of (S. Hietkamp, D.J. Stufkens, K. Vrieze), (168)351
- Bidentate amines as bridges between chlorodicarbonyl-rhodium or -iridium units (A.L. Balch, R.D. Cooper), (169)97
- Chloroacetyl-transition metal derivatives, preparation and decomposition of (M. Dilgassa, M.D. Curtis), (172)177
- Chloro-1,6-bis(diphenylphosphino)-*trans*-hex-3-ene-iridium(I) and chloro-1,6-bis(diphenylphosphino)-*trans*-hex-3-enedihydrido-iridium(III), preparations, spectra and X-ray structures of (G.R. Clark, M.A. Mazid, D.R. Russell, P.W. Clark, A.J. Jones), (166)109
- Cobalt, rhodium and iridium; Annual survey covering the year 1976 (E.R. Hamner, R.D.W. Kemmitt, N.S. Sridhara), (167)135

Cyclooctadienylchloro(cyclohexadienyl-phenylphosphine)iridium, influence of the substituents on the catalytic activity of (R. Bonnaire, L. Horner, F. Schumacher), (161)C41

η^5 -Cyclopentadienyl- η^5 -*syn*-1-methylpentadienyl-rhodium and -iridium cations, preparation and reactions with nucleophiles of (P. Powell), (165)C43

Dihydrido-iridium diolefin complexes as intermediates in homogeneous hydrogenation (R.H. Crabtree, H. Felkin, T. Filebeen-Khan, G.E. Morris), (168)183

Dithioalkyne complexes of molybdenum, tungsten, iron, ruthenium and cobalt carbonyls (J.A. Connor, G.A. Hudson), (160)159

Hexafluoro-2-butyne oxidative addition to dinuclear dihydrido-iridium(II) complexes (A. Maisonnat, R. Poilblanc), (160)307

Hydridoiodobis(triphenylphosphine)-*p*-methoxyphenyl diazene-C²,N'-iridium/chloroform, 1/1, crystal and molecular structure of (P.L. Bellon, F. Demartin, M. Manassero, M. Sansoni, G. Caglio), (157)209

Hydrido-1,3-(1,1,3,3-tetramethyl-disiloxane-diyil)carbonylbis(triphenylphosphine)-iridium(III), Me₂SiOSiMe₂Ir(H)(CO)-(PPh₃)₂EtOH, crystal and molecular structure of (M.D. Curtis, J. Greene, W.M. Butler), (164)371

Iridium(I) and rhodium(I) compounds in partial hydrogenation of tricyclohexylphosphine forming a metal-olefin complex and a five-coordinated metal dihydride (S. Hietkamp, D.J. Stufkens, K. Vrieze), (152)347

Iridium and rhodium olefinic complexes with Schiff's bases derived from salicylic aldehydes, synthesis and NMR study of (N. Platzer, N. Goasdoue, R. Bonnaire), (160)455

Iridium complexes of octaethylporphyrin, syntheses and reactions of (H. Ogoshi, J.-I. Setsune, Z.-I. Yoshida), (159)317

Iridium(III) coordinatively unsaturated *o*-quinone complexes and their role in isomerisation of octahedral complexes (L.R. Smith, D.M. Blake, D. Jackson), (159)409

cis, *trans*-Isomerisation of iridium complexes with 2,6-dialkyl-substituted aryl ligands (F. Mirzaei, L. Dahlenburg), (173)325

- Nitrosylcatecholatoiridium complexes as catalysts in homogeneous hydrogenation of cyclic olefins (B. Giovannitti, M. Ghedini, G. Doicetti, G. Denti), (157)457**
- Organoiridium compounds, catalytic properties in homogeneous hydrogenation reactions of (W. De Aquino, R. Bonnaire, C. Potvin), (154)159**
- Platinum(II) and iridium(II) phosphine complexes, cyclometallation at carbon adjacent to oxygen in (B.D. Dombek), (169)315**
- N-Sulphinylaniline-rhodium(I) and -iridium(I) complexes of the type [MCl(PR₃)₂L]; crystal and molecular structure of [RhCl(P-i-Pr₃)₂(4-MeC₆H₄N=S=O)] (R. Meij, D.J. Stuifkens, K. Vrieze, W. van Gerresheim, C.H. Stam), (164)353**
- Tetrahedral cluster compounds of iridium, synthesis and X-ray structure of (P. Chini, G. Ciani, L. Garlaschelli, M. Manassero, S. Martinengo, A. Sironi, F. Canziani), (152)C35**
- Transition metal carbonyls, mild decarbonylation by rhodium(I) complexes of (Yu.S. Varshavsky, E.P. Shestakova, N.V. Kiseleva, T.G. Cherkasova, N.A. Buzina, L.S. Bresler, V.A. Kormer) (170)81**
- Trichloro-1,6-bis(diphenylphosphino)-trans-hex-3-eneiridium(III), crystal and molecular structure of (G.R. Clark, P.W. Clark, K. Marsden), (173)231**
- Trinuclear iridium cluster, tricoordinate ligand in (D.F. Chodosh, R.H. Crabtree, H. Felkin, G.E. Morris), (161)C67**
- Tri-t-phosphineiridium(I) planar complexes, preparation and crystal structure of (H. Schumann, G. Cielusek, J. Pickardt, N. Bruncks), (172)359**

Iron

- Acyliron compounds, decarbonylation reactions with Group VIII metal complexes of (E.J. Kuhlman, J.J. Alexander), (174)81**
- η^1 -Alkyl- γ -allenic iron complexes, cyclisation reactions leading to η^3 -allylcyclopentenones (J.L. Roustan, J.Y. Merour, C. Charrier, J. Benaïm, P. Cadot), (168)61**
- Alkyl- η^5 -cyclopentadienyldicarbonyliron, chemical and electrochemical oxidative cleavage reactions of (W. Rogers, J.A. Page, M.C. Baird), (156)C37**

- Alkylsulphito, bisulphito and sulphito complexes of η^5 -cyclopentadienyldicarbonyliron(II) (C.A. Poffenberger, A. Wojciecki), (165)C5**
- π -Allyliron carbonyl complex derived from a fluorocarbon containing ligand by loss of fluorine, synthesis and crystal structure of (W.R. Cullen, M. Williams, F.W.B. Einstein, A.C. Willis), (155)259**
- η^1 -Allyliron tricarbonyl halides, rearrangement mechanism of (J.W. Faller, M.A. Adams), (170)71**
- η^1 -Allyltricarbonyliodoiron, tricarbonyl(η^1 -cyclooctatetraene)iron and tetracarbonyldiiodoiron, thermochemistry of; enthalpy contributions of allyl-iron and cyclooctatetraene-iron bonds (J.A. Connor, C.P. Demain, H.A. Skinner, M.T. Zafarini-Moattar), (170)117**
- Aluminium trihalide interactions with polyolefin tricarbonyliron compounds (B.F.G. Johnson, K.D. Karlin, J. Lewis), (174)C29**
- , (K.D. Karlin, B.F.G. Johnson, J. Lewis), (160)C21**
- η^6 -Arene- η^5 -cyclopentadienyliiron(II) complexes bearing NH₂, OH or SH substituents, synthesis and deprotonation of (J.F. Helling, W.A. Hendrickson), (168)87**
- Areneiron complexes, preparation from metal atom evaporation (S.D. Ittel, C.A. Tolman), (172)C47**
- Arene-olefin complexes of iron(0) and ruthenium(0), synthesis of (M.A. Bennett, T.W. Matheson), (153)C25**
- η^2 -Arsenobenzene-tetracarbonyliron, (η^2 -C₆H₅As₂C₆H₅)Fe(CO)₄, preparation and structure of (M. Jacob, E. Weiss), (153)31**
- (1,3-Benzodioxole-2-carbena)tetracarbonyliron, synthesis and structure of (R. Pfiz, J. Daub), (152)C32**
- Benzylideneacetoneiron tricarbonyl, reaction with dienes of; measurement of relative reactivities using competition experiments (M. Brookhart, G.O. Nelson), (164)193**
- Bis(cyclopentadienyldicarbonylmolybdenum)(Mo≡Mo), chemistry of (M.D. Curtis, R.J. Klingler), (161)23**
- η^1 -[trans-2,3-Bis(methoxycarbonyl)acryloyl]tricarbonylferrate, X-ray molecular structure of (N. Nakatsu, Y. Inai, T. Mitsudo, Y. Watanabe, H. Nakanishi, Y. Takegami), (159)111**
- 1,1'-Bis(1-methyl-1-ethylium)ferrocene dication, ¹³C and ¹H NMR spectra of (C.R. Jablonski), (174)C3**

- Bis(tricarbonyliron)heptalene, crystal structure and conformation of (J. Stegemann, H.J. Lindner), (166)223
- Bis(trifluoroacetato)iron derivatives, preparation via carbon disulphide iron complexes of (H. Le Bozec, A. Gorgues, P. Dixneuf), (174)C24
- (Borinato)cyclopentadienyliron and bis-(borinato)-iron, -chromium and -vanadium complexes, cyclic voltammetry of (U. Koelle), (157)327
- Bridged ferrocenes, Mössbauer spectra interpretation of (M. Hillman, B. Gordon, A.J. Weiss, A.P. Guzikowski), (155)77
- Cationic $\eta^3\text{-R}_2,3\text{-}\eta^2\text{-5,6-2R-bicyclo[2.2.1]hepta-2,5-diene-R-yl}$ ($\text{R} = \text{CH}_3, \text{CHCH}_3$) complexes of rhodium and iron (I.T. Chizhevsky, A.A. Koridze), (153)C28
- $\text{C}_n\text{H}_5\text{Fe}(\text{CO})[(\text{C}_n\text{H}_5)_2\text{PN}(\text{R})\text{CH}(\text{C}_n\text{H}_5)]$, unusual route to and rearrangement of (H. Brunner, G.O. Nelson), (173)389
- $[(\text{C}_n\text{H}_5\text{X})\text{Fe}(\text{C}_n\text{H}_5)]^+$ ($\text{X} = \text{H}, \text{Me}, \text{OMe}, \text{COOMe}$), INDO molecular orbital calculations on (D.W. Clack, L.A.P. Kane-Maguire), (174)199
- Chloroacetyl-transition metal derivatives, preparation and decomposition of (M. Dilgassa, M.D. Curtis), (172)177
- Coordinated cyclooctatetraene, dimerisation via silver(I) oxidation and X-ray crystal structure of the product (N.G. Connelly, M.D. Kitchen, R.F.D. Stansfield, S.M. Whiting, P. Woodward), (155)C34
- Cyclobutadienes and trimethylenemethane, electronic structures of (S.D. Worley, T.R. Webb, D.H. Gibson, T.-S. Ong), (168)C16
- Cycloheptatrienyltricarbonyliron substituted anion, $[(\text{C}_n\text{H}_5)_3\text{GeC}_6\text{H}_5\text{-Fe}(\text{CO})_3]^-$, preparation and reactivity of (J.G.A. Reuvers, J. Takats), (175)C13
- 1,3-Cyclohexadienedicarbonyl(ethylisocyanide)iron(0), crystal and molecular structure of (H. Behrens, G. Thiele, A. Pürzer, P. Würstl, M. Moll), (160)255
- (Cyclohexa-1,3-diene- and (4-ferrocenylbuta-1,3-diene-iron tricarbonyl) carboxylic acid nitriles (N.S. Nametkin, V.D. Tyurin, M. Slupchin'sky, M.N. Al-Laddaui), (154)289
- Cyclooctatriene- and cyclononatriene-iron carbonyl complexes, synthesis and thermal behaviour of (A. Salzer, W. von Philipsborn), (161)39
- ($\eta^5\text{-Cyclopentadienyl(acyl)(carbonyl)-(tertiary phosphine)iron complexes}$, reaction with trifluoromethane—sulphonic acid of (B.E. Boland, S.A. Fam, R.P. Hughes), (172)C29
- Cyclopentadienylcarbonylalkynyliron compounds, cycloaddition reactions with tetracyanoethylene and hexafluoroacetone of (A. Davison, J.P. Solar), (166)C13
- Cyclopentadienylcarbonyliron acetylides, reactivity with electrophiles of (A. Davison, J.P. Solar), (155)C8
- $\eta^3\text{-Cyclopentadienyl-carbonyltriphenylphosphineiron}$ and -dicarbonyliron tetrafluoroborate complexes with unsaturated ligands, synthesis of and reduction of the $\eta^2\text{-acetylene complexes}$ (D.L. Regger, C.J. Coleman, P.J. McElligott), (171)73
- $\eta^5\text{-Cyclopentadienyldicarbonylacetylene-iron tetrafluoroborate complexes}$, synthesis and reactions of (S.-B. Samuels, S.R. Berryhill, M. Rosenblum), (166)C9
- Cyclopentadienyldicarbonyl-2-phosphoranylidenacyliron complexes, preparation and vibrational spectra of (L. Knoll), (152)311
- $\pi\text{-Cyclopentadienyldicarbonyltrimethylsilyliron(II)}$, photochemical reaction with cyclohexyl isocyanide of (T.-M. Chan, J.W. Connolly, C.D. Hoff, F. Millich), (152)287
- Cyclopentadienyliron(II) dinuclear complexes with tritertiary phosphines as bridging ligands, synthesis and structural characterization of (J.P. Barbier, P. Dapporto, L. Sacconi, P. Stoppioni), (171)185
- Cyclopentadienylmethanethiolato-iron and -ruthenium compounds, reactions with fluorinated acetylenes of (F.Y. Petillon, F. Le Floch-Perennou, J.E. Guerchais, D.W.A. Sharp), (174)89
- [$\eta^5\text{-Cyclopentadien-1-yl-}\eta^3\text{-tetraphenylcyclobutadienecobalt}]\text{diphenylmethylium hexafluorophosphate}$, a metal-stabilized carbonium ion salt (D. Seyferth, J.S. Merola), (160)275
- Decamethylferrocene, molecular structure determined by gas phase electron diffraction of (A. Almenningen, A. Haaland, S. Samdal, J. Brunvoll, J.L. Robbins, J.C. Smart), (173)293
- Diaminocarbenetetracarbonyliron unsubstituted complexes, preparation and spectroscopic investigations of (W. Petz), (172)415

- cis*-Diazenenonacarbonyltrimetal clusters, synthesis and dynamic properties of (P. Mastropasqua, P. Lahuerta, K. Hildenbrand, H. Kischi), (172)57
- 1,4-Dibora-2,5-cyclohexadienes, synthesis of (G.E. Herberich, B. Hessner), (161)C36
- Dicarbenestannylene complexes with pentacarbonyl-chromium-molybdenum and -tungsten, preparation and vibrational spectra of (W. Petz), (165)199
- Dicarbonylnitrosyl(cyclobutadiene)iron cation and tricarbonyl(cyclohepta-triene)manganese cation, kinetics of nucleophilic addition of tertiary phosphine to (D.M. Birney, A.M. Crane, D.A. Sweigart), (152)187
- Dicyclooctatetraeneiron, substitution reactions of and formation of iron-organophosphorus compounds (H. Felkin, P.W. Lednor, J.-M. Normant, R.A.J. Smith), (157)C64
- Dicyclopentadienylbis(*t*-butylisocyano)-diiron dicarbonyl, ($\eta^5\text{-C}_5\text{H}_5$)₂Fe₂(CO)₄(CN-*t*-Bu)₂, preparation and fluxional behaviour of; bridge-opening selectivity in the Adams-Cotton mechanism (J.A.S. Howell, P. Mathur), (174)835
- Di- η^5 -cyclopentadienyltricarbonyltriphenyl-phosphinediiron, reactions of; improved synthesis of the cyclopentadienyl-carbonyliron tetramer (A.J. White), (168)197
- threo*-1,2-Dideuterophenethyl-iron, -manganese and -tungsten, stereochemistry of SO₂ and CO insertion reactions of (D. Dong, D.A. Slack, M.C. Baird), (153)219
- Diene-exchange at five-coordinate iron, kinetic study of (J.A.S. Howell, P.M. Burkinshaw), (152)C5
- Dienetricarbonyliron compounds, reactivity in Friedel-Crafts acylation of (R.E. Graf, C.P. Lillya), (166)53
- , syntheses and reactions of (C.-W. Yip, P. Au, T.-Y. Luh, S.W. Tam), (175)221
- μ -(η^5 , η^5 -4,5-Dihydro-*as*-indecyl)bis(η^5 -cyclopentadienyliron), synthesis of (A. Davison, A.W. Rudie), (169)69
- 4,4-Dimethylbuta-1,3-dienone-transition metal carbonyls, preparation and characterisation of (P. Binger, B. Çetinkaya, C. Krüger), (159)63
- Dimethyl-3,4-phosphaferrocene, synthesis of (F. Mathey), (154)C13
- 1,1-Dimethyl-1-stannacyclopentane, ring-expansion reactions of (E.J. Bulten, H.A. Budding), (166)339
- Di- and tri-nuclear iron complexes from the reaction of nonacarbonyldiiron with RN=S=NR; crystal and molecular structure of [Fe₂(CO)₆{RNC(O)S}], [Fe₃(CO)₉(RNS)S] and [Fe₃(CO)₉(RN)S] (R. Meij, D.J. Stufkens, K. Vrieze, A.M.F. Brouwers, J.D. Schagen, J.J. Zwinselman, A.R. Overbeek, C.H. Stam), (170)337
- Diphospho-1,1'-ferrocenes, synthesis of (G. De Lauzon, F. Mathey, M. Simalty), (156)C33
- (η^5 -1,2-Disilacyclopentadiene)iron tricarbonyls, novel ring contraction reaction of (Y. Nakadaira, T. Kobayashi, H. Sakurai), (165)399
- Disodium tetracarbonylferrate, cyclisation reactions with ethylenic and allenic halides of (J.Y. Merour, J.L. Roustan, C. Charrier, J. Benaim, J. Collin, P. Cadiot), (168)337
- , reactions with alkyl bromides and allene of (A. Quinot, P. Cadiot, J.L. Roustan), (166)379
- μ , μ' -(1,3-Dithiolatocyclohepta-4,6 diene)-hexacarbonyldiiron(I), structure and variable temperature ¹³C NMR spectra of (A. Shaver, P.J. Fitzpatrick, K. Steliou, I.S. Butler), (172)C59
- η^2 -Dithiomethyliron(II) ionic complexes, evidence for dependence on the nature of *trans*-phosphorus ligands bonded to iron in (D. Touchard, H. Le Bozec, P. Dixneuf), (170)C34
- Dodecacarbonyltriiron, reaction with chloroformiminium chlorides of (J. Altman, N. Welzman), (165)353
- Ethylenic complexes of platinum(II), copper(I) and iron(0) (M. Bigorgne), (160)345
- Fe—Fe, Fe—Co, and Mn—Co bonds in catalytically-active dinuclear arsenic bridged carbonyl complexes, reactivity of (H.J. Langenbach, E. Keller, H. Vahrenkamp), (171)259
- Ferrocene; Annual survey covering the year 1977 (B.W. Rockett, G. Marr), (167)53
- , in ligand exchange reactions leading to π -coronene- π -cyclopentadienyliron cations (G. Schmitt, W. Keim, J. Fleischhauer, U. Walbergs), (152)315
- , ligand exchange reactions with phenanthrene and 9,10-dimethylphenanthrene in the presence of aluminium chloride and aluminium of (C.C. Lee, K.J. Demchuk, W.J. Pannekoek, R.G. Sutherland), (162)253

- , metallation with n-butylpotassium of (A.G. Osborne, R.H. Whiteley), (162)79
- , metallation with n-pentylsodium in the presence and absence of *N,N,N',N'*-tetramethylethylenediamine (E.W. Post, T.F. Crimmins), (161)C17
- [3]Ferrocenophanes, preparation and spectral studies of (A. Davison, J.C. Smart), (174)321
- Ferrocenyl and cymantrenyl derivatives of chalcones, mass spectrometry of (A.N. Nesmeyanov, D.V. Zagorevskii, Yu.S. Nekrasov, V.F. Sizoi, V.M. Postnov, A.M. Baran, E.I. Klimova), (169)77
- Ferrocenyldiarylmethylium ions, fragmentation in aqueous acidic acetonitrile of (N. Cully, W.D. Quail, W.E. Watts), (152)C9
- Ferrocenyl-substituted unsaturated carboxylic acids, photo-oxidation of (E.K. Heaney, S.R. Logan, W.E. Watts), (153)229
- Ferrotetraphenylporphyrine complexes with chlorocarbenes having an electron-withdrawing group, synthesis, structure and spectra of (D. Mansuy, P. Guerin, J.C. Chottard), (171)195
- Formally *d*⁷ transition metal sandwich complexes, electronic structure of (D.W. Clack, K.D. Warren), (152)C60
- Group IVB metal dihalides, reactions with η^1 -allyl complexes of η^5 -cyclopenta-dienyldicarbonyliron (J.D. Cotton), (159)465
- Heterodinuclear manganese and molybdenum carbonyl-iron complexes with carbon disulphide bridges (U. Oehmichen, T.G. Southern, H. Le Bozec, P. Dixneuf), (156)C29
- Heteronuclear cluster compounds: (PhP)*FeCo₂(CO)₉*, (PhP)*MoCo₂Cp(CO)₆*, (μ -AsMe₂) and (PhP)*FeMoCoCp(CO)₈*, preparation of (F. Richter, H. Beurich, H. Vahrenkamp), (166)C5
- Heteronuclear complexes with Cr—Fe, Mo—Fe and W—Fe bonds, synthesis of (A. Trenkle, H. Vahrenkamp), (155)C51
- Hexacoordinate mixed-ligand iron(II) complexes with isocyanides and phosphines, influence of phosphine ligands on the stoichiometry of (G. Albertin, E. Bordignon, S. Calogero, A.A. Orio, G. Pelizzi), (157)51
- Homonuclear ferrocene anhydrides, synthesis, reactions and use in the preparation of ferrocenyl-penicillins and -cephalosporins of (E.I. Edwards, R. Epton, G. Marr), (168)259
- Hydrogenation catalysts from aluminium hydride derivatives and transition metal compounds (G. Dozzi, S. Cuccinella, A. Mazzei), (164)1
- Iron, manganese and molybdenum allyl complexes, synthesis by phase transfer catalysis (D.H. Gibson, W.-L. Hsu, S.-S. Lin), (172)C7
- Iron and ruthenium carbonyls of 6,7-dimethylene-*exo*-3-oxatricyclo[3.2.1.0^{2,4}]octane, crystal structures of (C₉H₁₀O)-Fe(CO)₃ and (C₁₀H₁₄O₂)-Fe(CO)₃ (J. Wenger, N.H. Thuy, T. Boschi, R. Roulet, A. Chollet, P. Vogel, A.A. Pinkerton, D. Schwarzenbach), (174)89
- Iron and tungsten dinuclear complex, structure of (η -C₅H₅)(CO)₂W{ η ³-C₅H₅-[(η -C₅H₅)₂Fe]} (H. Brunner, R. Lukas, A. Woditsch), (161)C49
- Iron carbonyl complexes with organic π -donors, substituent effects in the ¹³C NMR spectra of (D.H. Gibson, T.-S. Ong), (155)221
- Iron carbonyl promoted prototropic rearrangements of unsaturated hydrocarbons (D.H. Gibson, T.-S. Ong, F.G. Khouri), (157)81
- Iron containing multiple alkylmetal groups, decomposition of derivatives of (P.A. Wegner, G.P. Sterling), (162)C31
- Iron-diaminocarbene complexes, structural and rotational isomerism in (B.V. Johnson, D.P. Sturtzel, J.E. Shade), (154)89
- Iron pentacarbonyl, mono-substitution catalyzed by polynuclear iron carbonyl anions of (S.B. Butts, D.F. Shriver), (169)191
- Iron, ruthenium and osmium; Annual survey covering the year 1975 (J. McCleverty), (151)1
- Metal carbonyl anions in reactions with imidoyl halides (R.D. Adams, D.F. Chodosh, N.M. Golembeski, E.C. Weissman), (172)251
- Metal carbonyl clusters, indirect location of hydride ligands in (A.G. Orpen), (159)C1
- Metal carbonyl complexes of bicyclo-[4.2.1]nonatrienone and its derivatives, stereospecific preparation and reactivity of (A. Salzer, W. von Philipsborn), (170)63
- Metal-carbonyl compounds containing one-electron ligands, ¹³C NMR study of (L.J. Todd, J.R. Wilkinson, J.P. Hickey, D.L. Beach, K.W. Barnett), (154)151

- Metal carbonyl silanes, ^{29}Si NMR spectra by the selective population transfer method (S. Li, D.L. Johnson, J.A. Gladysz, K.L. Servis), (166)317
- Metal carbonylate anions prepared by hydride reduction (K. Inkrott, R. Goetze, S.G. Shore), (154)337
- Metal complexes of chelating diphosphine ligands, preparation via base-induced additions of coordinated phosphines to acetylene (P.M. Treichel, W.K. Wong), (157)C5
- Metal-induced vinylcyclopropane-cyclopentene rearrangement in the 4,5-homotropilidene series (R. Aumann, H. Averbeck, C. Krüger), (160)241
- Metallocenes of some first row transition metals, reactivity in thermal decomposition reactions of (L.M. Dyagileva, V.P. Mar'in, E.I. Tysganova, G.A. Ruzavaev), (175)63
- Metalloimmunoassay, iron—metallohaptens from estrogen steroids (M. Cais, E. Slovin, L. Sharkey), (160)223
- Methoxymercuration and ring-mercuration competing reactions of alkylvinyl-substituted ferrocenes (B. Floris, G. Illuminati), (168)203
- Nonacarbonyldiiron and pentacarbonyliron, bond energies of the bridging and terminal carbonyl groups in (C.E. Housecroft, K. Wade, B.C. Smith), (170)C1
- Organic xanthate complexation by carbonyliron identification of dinuclear derivatives (H. Patin, G. Mignani, R. Dabard, A. Benoit), (168)C21
- Organoiron complexes, regiospecific C—C bond formation by oxidative coupling of η^1 -allyl or η^1 -propargyl ligands of (P.S. Waterman, W.P. Giering), (155)C47
- Pentacarbonyliron-mediated photolysis of 3-halo- and 3,4-dihalo-2,5-dimethylthiophene 1,1-dioxides (V. Usieli, S. Gronowitz, I. Andersson), (165)357
- Pentadienyliron tricarbonyl cations, reaction with hydride donors of (R.S. Bayoud, E.R. Biehl, P.C. Reeves), (174)297
- 1,1',2,2',3,3',4,5,4',5'-Pentakis(trimethylene)-ferrocene, crystal and molecular structure of (L.D. Spaulding, M. Hillman, G.J.B. Williams), (155)109
- Phenalene, neutral and cationic iron and manganese complexes of (J.B. Woell, P. Boudjouk), (172)C43
- Phosphorus, arsenic and antimony metalacyclic compounds as complexing ligands (G. Huttner, G. Mohr, P. Friedrich, H.G. Schmid), (160)59
- Platinum(II) chlorides, unusual methylations and arylations by organotin compounds of and ^{13}C NMR spectra of bis-aryl(η -cycloocta-1,5-diene)platinum(II) complexes (Z. Dawoodi, C. Eahorn, A. Pidecock), (170)95
- Polyene-M(CO)₃ complexes, correlation of nucleophilic substitution with frontier orbital indices of (D.A. Brown, J.P. Chester, N.J. Fitzpatrick), (155)C21
- Porphyriniron(II), reversible dioxygen binding to, compounds covalently linked to polystyrene (H. Ledon, V. Brigandat), (165)C25
- μ -(1,3-Propanedithiolato(2-)(S,S':S,S'))-bis(tricarbonyliron)(Fe—Fe), preparation and characterization of (A.R. Koray, M.L. Ziegler), (169)C34
- Sandwich, mixed sandwich and related tricarbonyl complexes, ^1H NMR shifts in (D.W. Clack, K.D. Warren), (162)S3
- Seventeen-electron complexes of iron (P.M. Treichel, D.C. Molzahn, K.P. Wagner), (174)191
- 2-Silver(dimethylaminomethyl)ferrocene, structure and properties of (A.N. Nesmeyanov, N.N. Sedova, Yu.T. Struchkov, V.G. Andrianov, E.N. Stakheeva, V.A. Sazonova), (153)115
- Sodium hydride containing complex reducing agents, activation of (J.J. Brunet, R. Vanderesse, P. Caubère), (157)125
- Substituted metal carbonyl complexes, rate—structure studies of carbonylation and decarbonylation of (J.N. Cawse, R.A. Fiato, R.L. Pruett), (172)405
- 4-Substituted 1-silacyclohexa-2,4-dieneiron tricarbonyls, synthesis and reactions of (G. Märkl, C. Soper, P. Hofmeister, H. Baier), (174)305
- Symmetrically substituted methyl-ferrocenes, fragmentation under electron impact of (E.I. Mysov, I.R. Lyatifov, R.B. Materikova, N.S. Kochetkova), (169)301
- 2,2,2-Tetracarbonyl-1,1-dichloro-1-sila-2-ferracyclopentane, crystal and molecular structure of (U. Schubert, A. Rengstl), (166)323

- Tetracarbonyl(diphenylcyclopropene-thione)iron, $[C_5(C_6H_5)_2S]Fe(CO)_4$, synthesis and structure of (G. Dettlaf, U. Behrens, E. Weiss), (152)95
- Tetraethylammonium undecacarbonylhydridotriferrate, selective reduction of nitroarenes and α,β -unsaturated carbonyl compounds and reductive dehalogenation of organic halides by (G.P. Boldrini, A. Umani-Ronchi, M. Panunzio), (171)85
- 1,1',2,2',3,4,4',5'-Tetrakis(trimethylene)-ferrocene, crystal and molecular structure of (M. Hillman, E. Fujita), (155)99
- Thio- and phosphido-bridged binuclear iron complexes, electrochemical behaviour and chemical oxidation of (R. Mathieu, R. Poilblanc, P. Lemoine, M. Gross), (165)243
- Thiocarbonyl-bridged dicyclopentadienyl-tricarbonylthiocarbonyldiiron, synthesis and cleavage reactions of (M.H. Quick, R.J. Angelici), (160)231
- Transition metal-ammonia complexes, treatment with ketones of (D. Sellmann, E. Thallmair), (164)337
- Transition metal-carbene and -carbyne complexes with trialkylsilyl moieties, ^{29}Si NMR investigations of (F.H. Köhler, H. Hollfelder, E.O. Fischer), (168)53
- Transition metal carbonyls, mild decarbonylation by rhodium(I) complexes of (Yu.S. Varshavsky, E.P. Shestakova, N.V. Kiseleva, T.G. Cherkasova, N.A. Buzina, L.S. Bresler, V.A. Kormer), (170)81
- Tricarbonylbis(tri-t-butylphosphine)-iron(0) and -ruthenium(0) (H. Schumann, J. Opitz), (166)233
- Tricarbonylchromium, effect on thermodynamic stability of stable carbocations of (A. Cecon, A. Gobbo, A. Venzo), (162)311
- Tricarbonyl[(3,4,5,6- η)-1,3,5-cyclohepta-1-carboxaldehyde]iron, Wittig reaction of (Z. Goldschmidt, Y. Bakal), (168)215
- 1-(Tricarbonylferra)-2-oxa-3-methyl-4-acetyl-6,7-diphenylbicyclo[3.3.0^{1,5}]octatriene-2,4,6-one-8, preparation and structure of (G. Dettlaf, U. Behrens, T. Eicher, E. Weiss), (152)197
- Tricarbonyl(5-exo-fluorocyclohexa-1,3-diene)iron, preparation of (B.F.G. Johnson, K.D. Karlin, J. Lewis, D.G. Parker), (157)C67
- Tricarbonyl-2,6-8- η^4 -[1-tricarbonylferra-3-oxa-4-amino-5-cyano-7,8-dimethylbicyclo[3.3.0^{1,6}]octa-2,4,7-triene]iron(Fe-Fe), preparation and structure of (G. Dettlaf, U. Behrens, T. Eicher, E. Weiss), (152)203
- Tricarbonyltriphenylphosphineethoxy-(pentafluorophenyl)carbeneiron(0), alkoxy carbene-ketone rearrangement in cleavage reactions of carbene ligands from (E.O. Fischer, U. Schubert), (170)C13
- Trichlorosilyltetracarbonyliron hydride, reaction with conjugated dienes of (J.W. Connolly, C.D. Hoff), (160)467
- 1-Triphenylphosphonium-2-phenylvinyl- η^5 -cyclopentadienyldicarbonyliron tetrafluoroborate, crystal structure of (N.Ye. Kolobova, V.V. Skripkin, G.G. Alexandrov, Yu.T. Struchkov), (169)293
- Tris(trimethoxyphosphine)(n^4 -diene)iron complexes, intramolecular exchange in (F.A. Van-Catledge, S.D. Ittel, J.P. Jesson), (168)C25
- 1,1',2,2',4,4'-Tris(trimethylene)ferrocene, crystal and molecular structure of (M. Hillman, E. Fujita), (155)87
- Vinyl-cyclohexatrieneiron tricarbonyl complexes of the diene type via olefin isomerization of allyl aromatics (P. Boudjouk, S. Lin), (155)C13
- ## Lanthanides
- η^3 -Allyliron tricarbonyl halides, rearrangement mechanism of (J.W. Faller, M.A. Adams), (170)71
- Lanthanides and actinides; Annual survey covering the year 1977 (T.J. Marks), (158)325
- ## Lead
- Alkyltriiodolead compounds, preparation of (G. Chobert, M. Devaud), (153)C23
- Alkynylsilanes, NMR investigations of (B. Wrackmeyer), (166)353
- $Ar_nPb(OAc)_{4-n}$ compounds, 1H and ^{13}C NMR spectroscopy of (D. de Vos, D.C. van Beelen, J. Wolters), (172)303
- gem-Chloro(trimethylsilyl)allyllithium, an ambident nucleophile (D. Seyferth, R.E. Mammarella), (156)279

- Group 1VB organometallic compounds, bond dissociation energies of (R.A. Jackson), (166)17
- Hexaaryldilead compounds, kinetics of cleavage by hydrogen chloride of (V.G. Kumar Das, N.S. Weng, L.H. Gan), (157)219
- Methyllead compounds, removal from aqueous solution by reaction with zinc (M.H. Hitchen, A.K. Holliday, R.J. Puddephatt), (172)427
- p*-Nitrophenol organometallic derivatives, vibrational spectra of (L.M. Epstein, V.I. Beloborodov, L.D. Ashkinadze, L.S. Golovchenko, V.M. Pachevskaya, D.N. Kravtsov, L.A. Kazitsyna), (162)C5
- p*-Nitrothiophenol organometallic derivatives, vibrational spectra of (L.M. Epstein, V.I. Beloborodov, L.D. Ashkinadze, E.M. Rokhлина, S.I. Pombrik, D.N. Kravtsov, L.A. Kazitsyna), (162)C1
- Tetracyclopropyllead, vibrational spectra and normal coordinate analysis of (L. Czuchajowski, J. Habdas, S.A. Kucharski, K. Rogosz), (155)185

Lithium

- Acylsilanes, preparation from α -siloxyallylsilanes by transition metal catalysed isomerisation of double bonds (A. Hosomi, H. Hashimoto, H. Sakurai), (175)C1
- , synthesis of (N. Duffaut, J. Dunoguès, C. Biran, R. Calas, J. Gerval), (161)C23
- Aldoximes-dilithium derivatives, preparation and reactions with electrophiles of (M. Bellassoued, F. Dardoize, Y. Frangin, M. Gaudemar), (165)1
- cis*-Alkenylboranes, improved synthesis of (J.B. Campbell, Jr., G.A. Molander), (156)71
- Alkylidene-erbium and -lutetium neutral and anionic complexes (H. Schumann, J. Müller), (169)C1
- Alkyllithium reactions with titanium tetrachloride, formation of free radicals in (G.A. Russell, D.W. Lamson), (156)17
- Allyl-alkali metal substituted compounds, charge distribution in (S. Bywater, D.J. Worsfold), (159)229
- Aminofluorosilanes, acyclic isomers and intramolecular cyclisation of (U. Klingebiel), (152)33

- Asymmetric fluoroalkoxysilanes, synthesis, chemical behaviour and reactions of (C. Brelière, R.J.P. Corriu, A. De Saxe, F. Larcher, G. Royo), (164)19
- μ -Bi- η : η -cyclopentadienyldimolybdenum, lithio, alkyl, halo, hydrido and alkyl-thiolate derivatives of (M.L.H. Green, S.J. Simpson), (173)287
- Bis(tetraphenylcyclobutadiene)nickel, preparation of (H. Hoborg, C. Fröhlich), (168)C52
- 1,8-Bis(trimethylgermyl)naphthalene, synthesis of (F. Cozzi, U. Sjöstrand, K. Mislow), (174)C1
- Bromo- and thiophenyl-silanes, stereochemistry of nucleophilic substitution at silicon of (R.J.P. Corriu, J.M. Fernandez, C. Guerin), (152)25
- n-Butyllithium in metallation reactions of arylmethanes, spectrophotometric study of ion pairing (B. Menon, E. Buncel), (159)357
- n- and s-Butyllithium complexes with electron donors, IR spectra of (V.M. Sergutin, V.N. Zgonnik, K.K. Kalninsh), (170)151
- gem*-Chloromethylallyllithium, reaction with aldehydes and ketones of, formation of tri- and tetra-substituted α -ethylenic epoxides (B. Mauze), (170)265
- gem*-Chloro(trimethylsilyl)allyllithium, an ambident nucleophile (D. Seyferth, R.E. Mammarella), (156)279
- Cyanogen reactions with organometallic compounds (R. Gauthier, M. Chastrette), (165)139
- Cyclopentadienylboranes, synthesis, structure and dynamic behaviour of (P. Jutzi, A. Seufert), (169)327
- Dialkylboranes, reactions with organolithium reagents of (J.L. Hubbard, G.W. Kramer), (156)81
- Diarylpropenyllithium compounds, regio- and stereo-specific synthesis from dimethylamino- and dimethylamino-methyl-substituted diarylacetylenes via transmetallation involving diarylpropenyl-magnesium and -tin compounds of (R.W.M. ten Hoedt, G. van Koten, J.G. Noltes), (170)131
- 3,3-Dichloroallyltrimethylsilane, reaction with n-butyllithium of (D. Seyferth, R.E. Mammarella), (156)299
- Dicyclopentadienyldinitrosyl-di- μ -nitrosyl-dichromium, reactions with carbanions of (J. Müller, S. Schmitt), (160)109

- Dilithiomethane dimers, structure and bonding of (E.D. Jemmis, P.v.R. Schleyer), (154)327
- 1,8-Dilithionaphthalene in reaction with trimethylchlorosilane (R.J. Wroczynski, M.W. Baum, D. Kost, K. Mislow, S.C. Vick, D. Seyerth), (170)C29
- 2,2'-Dilithio-1-phenylpyrrole, preparation and reactivity of (G.W.H. Cheeseman, S.G. Greenberg), (166)139
- (*N,N*-Dimethylaminomethyl)cymantrene, substitution of hydrogen atoms at the cyclopentadienyl ring by deuterium (N.M. Loīm, N.A. Abramova, Z.N. Parnes, D.N. Kursanov), (168)C33
- 1,1-Dimethyl-*trans*-2,3-bis(2',2'-dimethylcyclopropylidene)-1-silacyclopropane, extraordinary reactivity of the ring Si—C bonds in (D. Seyerth, C.K. Haas, R.L. Lambert, Jr., D.C. Annarelli), (152)131
- Dinitrogen ligands reduced to diazene ligands by consecutive nucleophilic and electrophilic attack (D. Sellmann, W. Weiss), (160)183
- Diphospho-1,1'-ferrocenes, synthesis of (G. De Lauzon, F. Mathey, M. Simalty), (156)C33
- 1,1-Di-*p*-tolylethane, steric effects in metalation reactions of (S. Bank, J.S. Sturges), (156)5
- α -Ethylenic- γ -acetylenic organometallic compounds, reactivity towards aldehydes and ketones of (F. Gérard, P. Miginiac), (155)271
- α -Halo- β , β -dimethylvinyltrimethylsilanes, *geminal* dehalosilylation of and generation of isopropylidene carbene (R.F. Cunico, Y.-K. Han), (162)1
- Hydroxycarbonoid and formylrhenium(I) halide complexes, unexpected route to the preparation of (K.P. Darst, C.M. Lukehart), (171)65
- 9-Isopropyl-10-lithio-9,10-dihydroanthracene, electrophilicity and stereochemistry of (M. Daney, R. Lapouyade), (172)385
- Ketones substituted with an alkali metal, isolation and properties of (L. Lochmann, R.L. De, J. Trekoval), (156)307
- Lithiation and iodination of ruthenocenes (L. Bednarik, E. Neuse), (168)C8
- N*-Lithiohexamethyldisilazane, $[\text{LiN}(\text{SiMe}_3)_2]_3$, crystal structure of (R.D. Rogers, J.L. Atwood, R. Grüning), (157)229
- 1-Lithiomethyl-3-methylisoquinoline and its 6,7-dimethoxy derivative, preparation and condensation of (E.M. Kaiser, J.R. McClure), (175)11
- 2-Lithio-2-phenyl-1,3-dithianes, rotation and inversion barriers in (L.F. Kuypers, E.L. Eliel), (156)245
- Lithium; Annual survey covering the year 1977 (E.M. Kaiser), (158)1
- Lithium cuprate addition to allenic sulphones and sulphoxides (J. Berlan, K. Koosha), (153)107
- Lithium diarylargentate formation from arylsilver compounds and the corresponding aryllithium compounds (J. Blenkins, H.K. Hofstee, J. Boersma, G.J.M. van der Kerk), (168)251
- Lithium dicyclohexyl(*trans*-1-alkenyl)-(1-alkynyl)borates, synthesis of 1,4-disubstituted (*E,Z*)-1,3-dienes from (G. Zweifel, S.J. Backlund), (156)159
- Lithium dimethylcuprate, addition to allenic phosphine oxide and carbonyl compounds of (J. Berlan, K. Koosha), (153)99
- , in reaction with heteroaromatic halides, synthetic and mechanistic aspects of (F. Babudri, L. Di Nunno, S. Florio, G. Marchese, F. Naso), (166)265
- , reaction with α -allenic carbonyl compounds (J. Berlan, J.-P. Battioni, K. Koosha), (152)359
- Lithium triethylborohydride, rapid reduction of alkyl tosylates with (S. Krishnamurthy), (156)171
- Metal complexes of chelating diphosphine ligands, preparation via base-induced additions of coordinated phosphines to acetylene (P.M. Treichel, W.K. Wong), (157)C5
- Metallated *N,N*-dimethylbenzylamines, direct observation by FT NMR spectroscopy of (F.T. Oakes, J.F. Sebastian), (159)363
- Metallation of low acidity acetylenic hydrocarbons by the UV method, kinetic studies on (J.Y. Becker, J. Klein), (157)1
- (α -Methoxyphenyl)dimethylphosphine, convenient synthesis of (W. Levason, K.G. Smith), (169)283
- α -Methoxyvinyllithium, reactions with trialkylboranes of (A.B. Levy, S.J. Schwartz, N. Wilson, B. Christie), (156)123

- B*-Methylated 1-alkene-1-diboronic esters, oxidative rearrangement to methyl ketones of (R.J. Moody, D.S. Matteson), (152)265
- Methylolithium ionic fragments, structure and formation of (W. McLean, J.A. Schultz, L.G. Pedersen, R.C. Jarnagin), (175)1
- Methylolithium *cis*-trimer, a non-classical system (A. Streitwieser, Jr.), (156)1
- 2-Nickelalhydridanes, preparation and isomerization reactions of (R.H. Grubbs, A. Miyashita), (161)371
- Organoboranes in conversion reactions of ethynylalkanol acetates into allenes (M.M. Midland, D.C. McDowell), (156)C5
- Organolithium reagents, reactions with α -chlorovinyltrimethylsilanes of (R.F. Cunico, Y.-K. Han), (174)247
- Organosilanes and organolithiums, coupling reactions taking place with retention between (R.J.P. Corriu, J.M. Fernandez, C. Guerin), (152)21
- 1,2,3,4,5-Pentafluoro- and 1,2,4,5-tetrafluoro-chromarenes, chemistry of organic derivatives of (N. Hoa, M.J. McGlinchey), (165)225
- η^5 -Pentamethyleclopentadienylnickel complexes, synthesis and reactions of (T. Mise, H. Yamazaki), (164)391
- Pentamethyleclopentadienyltin compounds, synthesis and reactions of (P. Jutzi, F. Kohl), (164)141
- (η^6 -Phenyllithium)tricarbonylchromium, formation and some reactions of (M.D. Rausch, R.E. Gloth), (153)59
- Phenylmagnesium bromide and phenyllithium, cyclisation reactions with nitriles of (G.P. Axiotis, R. Gauthier, M. Chastrette), (166)87
- Phenylmercuric chloride, phenyllithium and phenyldi-n-butyltin chloride, macroreticular copolymer bound analogues of (J.M. Burlitch, R.C. Winterton), (159)299
- Phosphorus ylide complexes of σ -phenyl- and σ -phenylacetylidynechromium compounds, isolation and reactions of (E. Kurras, U. Rosenthal), (160)35
- Polynuclear aryl-copper, -silver and -gold derivatives, intramolecular dynamics of 3c—2e bonded aryl groups in (G. van Koten, J.G. Noltes), (171)C39
- Polynuclear arylcopperlithium compounds, $\text{Ar}_3\text{Cu}_2\text{Li}_2$ (arylcuprates), synthetic and structural aspects of and interaggregate exchange phenomena in $\text{Ar}_3\text{Cu}_2/\text{Ar}_3\text{Li}_2$ systems (G. van Koten, J.G. Noltes), (174)367
- Regioselective metallation of fluoroquinolines (F. Marsais, E. Bouley, G. Queguiner), (171)273
- Regioselective transformation of ketones into primary and secondary α -ketols (T. Cuvigny, G. Valette, M. Larchevéque, H. Normant), (155)147
- Silicon unsaturated compounds, reactions with methylolithium and methyl-magnesium bromide of (M. Ishikawa, T. Fuchikami, M. Kumada), (173)117
- Silipramine and related derivatives (J.Y. Corey, R.L. Farrell), (153)15
- Sterically hindered silene, attempted generation of (T.J. Barton, C.R. Tully), (172)11
- 4-Substituted silacyclohexa-2,5-dienes and silacyclohexa-2,4-dienes, synthesis and chemistry of (G. Märkl, H. Baier, P. Hofmeister, F. Kees, C. Soper), (173)125
- Tetrakis(methylolithium)bis(N,N,N',N' -tetramethylmethylethylenediamine), preparation and crystal structure of (H. Köster, D. Thoenes, E. Weiss), (160)1
- Tetramesitylmolybdenum compounds, synthesis of (W. Seidel, I. Bürger), (171)C45
- 2-Thienylsilanes, Si—C cleavage by secondary amines in (R. Tacke, E. Zimonyi-Hegedüs, U. Wannagat), (172)21
- Trialkylboranes, reaction with lithium tri-*t*-butoxyaluminohydride in tetrahydrofuran of (H.C. Brown, S. Krishnamurthy, J.L. Hubbard, R.C. Coleman), (166)281
- , reactions with lithium trimethoxyaluminohydride to form lithium trialkylborohydrides of (H.C. Brown, S. Krishnamurthy, J.L. Hubbard), (166)271
- Tributylstannyllithium in metalation reactions of aryl halides in THF solution (J.-P. Quintard, S. Hauvette-Frey, M. Pereyre), (159)147
- o*-, *m*- and *p*-Trifluoromethylphenyl-lithium compounds, carbonation of (E.J. Soloski, C. Tamborski), (157)373
- (Trimethylsilyl)-, (phenyldimethylsilyl)- and (diphenylmethylsilyl)-dichloromethyl-lithium, formation and alkylation of; preparation of α,α -dichloroalkylsilanes and (*Z*)-1-chloro-1-alkenylsilanes (G.L. Larson, O. Rosario), (168)13

- 9-Trimethylsilyl-9,10-dihydroanthracene, structure and reactivity of and preparation of 9,9-bis(trimethylsilyl)- and 9-trimethylsilyl-9-alkyl-9,10-dihydroanthracenes (M. Daney, B. Labrande, R. Lapouyade, H. Bouas-Laurent), (159)385
- α,β -Unsaturated organosilanes, electronic transfer reactions of (J.J. Eisch, G. Gupta), (168)139
- Unsubstituted and 2-aryl ketones, conversion to (1-aryllallyl)silanes of (W.E. Fristad, Y.-K. Han, L.A. Paquette), (174)27
- Vinylalkoxysilanes in reaction with organolithium reagents (P.R. Jones, T.F.O. Lim, M.L. McBee, R.A. Pierce), (159)99

Lutetium

- Alkylidene-erbium and -lutetium neutral and anionic complexes (H. Schumann, J. Müller), (169)C1

Magnesium

- Alkylboron and Grignard compounds. oxidation with peroxomolybdenum complexes of (G. Schmitt, B. Olbertz), (152)271
- Allyl(dialkyl)boranes and diallyl(alkyl)-boranes, synthesis of (B.M. Mikhailov, Yu.N. Bubnov, A.V. Tsyan'), (154)113
- Allylic Grignard reagents, reactions with benzene and cyclohexyne of (J.G. Duboudin, B. Jousseau, M. Pinet-Vallier), (172)1
- Asymmetric fluoroalkoxysilanes, synthesis, chemical behaviour and reactions of (C. Brelière, R.J.P. Corriu, A. De Saxce, F. Larcher, G. Royo), (164)19
- Bis(triphenylphosphine)nickel dichloride as catalyst in reactions of organomagnesium compounds with acetylene compounds (J.G. Duboudin, B. Jousseau, A. Saux), (162)209
- Bromo- and thiophenyl-silanes, stereochemistry of nucleophilic substitution at silicon of (R.J.P. Corriu, J.M. Fernandez, C. Guerin), (152)25
- Chromium tricarbonyl chiral complexes of diarylimines, asymmetric induction in reactions with Grignard reagents (A. Solladie-Cavallo, E. Tsamo), (172)165

- Cyanogen reactions with organometallic compounds (R. Gauthier, M. Chastrette), (165)139
- Diarylpropenyllithium compounds, regio- and stereo-specific synthesis from dimethylamino- and dimethylamino-methyl-substituted diarylacetylenes via transmetallation involving diarylpropenylmagnesium and -tin compounds of (R.W.M. ten Hoedt, G. van Koten, J.G. Noltes), (170)131
- Dichloro-stannyl- and germyl-porphyrins. mechanistic studies of the reactions of (C. Cloutour, D. Lafargue, J.C. Pommier), (161)327
- 1,2-Dimethylgermacyclopentanes, preparation and stereochemistry of (J. Dubac, P. Mazerolles, M. Joly, J. Cavezzani), (165)163, 175
- α -Ethylenic- γ -acetylenic organometallic compounds, reactivity towards aldehydes and ketones of (F. Gérard, P. Miginiac), (155)271
- Ethylmagnesium bromide and diethylmagnesium bromide chemical shifts as a qualitative measure of the basicity of electron-donating solvents (G. Westera, C. Blomberg, F. Bickelhaupt), (155)C55
- Fluoroalkoxysilane chiral compounds, reactions with saturated aromatic and vinylic organomagnesium compounds of (C. Brelière, R.J.P. Corriu, A. De Saxce, G. Royo), (166)153
- Grignard reagent, from 5-chloro-3-methyl-1-hexene, cyclization of (E.A. Hill, M.M. Myers), (173)1
- γ -reactivity towards α -acetylenic alcohols in the presence of copper halides of (J.G. Duboudin, B. Jousseau, A. Saux), (168)1
- Group IV metalloidal halides, coupling reactions with magnesium in tetrahydrofuran of (J.A. Soderquist, A. Hassner), (156)227
- Magnesium; Annual survey covering the year 1976 (E.A. Hill), (158)93
- Neophylmagnesium chloride, reaction with carbon tetrachloride and 1,2-dibromoethane in THF solution of (A. Ljungqvist), (159)1
- Organocuprates, mechanistic aspects of reduction of allylic ethers and acetates with (A. Claesson, C. Sahlberg), (170)355
- Organomagnesium and organoalkali metal compounds, determination of basicity of (C. Chevrot, K. Kham, J. Périchon, J.F. Fauvarque), (161)139

- Organometallic compounds derived from α -allenic bromides, preparation of and their reactivity towards halogen derivatives (J. Pernet, B. Randrianoelina, L. Miginiac), (174)1
- , reactivity towards carbonyl derivatives (J. Pernet, B. Randrianoelina, L. Miginiac), (174)15
- Phenylmagnesium bromide and phenyllithium, cyclisation reactions with nitriles of (G.P. Axiotis, R. Gauthier, M. Chastrette), (166)87
- Silicon analogs of thioxanthenes (J.Y. Corey, M.J. Dye, R.L. Farrell, M.V. Mitchell), (153)127
- Silicon unsaturated compounds, reactions with methylolithium and methylmagnesium bromide of (M. Ishikawa, T. Fuchikami, M. Kumada), (173)117
- Titanium-catalysed hydromagnesiation of alkenols forming lactones (J.J. Eisch, J.E. Galle), (160)C8
- (Triphenylphosphine)(ethylene)penta-methylcyclopentadienylrhodium(I), formation by reaction of diiodo(triphenylphosphine)pentamethylcyclopentadienylrhodium(III) with butane-1,4-bis(magnesium bromide) (P. Diversi, G. Ingrosso, A. Lucherini, P. Martinelli, M. Benetti, S. Pucci), (165)253
- Vinylic γ -functionally-substituted Grignard reagents, addition reactions with α -acetylenic and α -allenic alcohols of (J.G. Duboudin, B. Jousseau, A. Saux), (168)233
- , iodination, alkylation and arylation of (J.G. Duboudin, B. Jousseau, A. Bonakdar, A. Saux), (168)227
- :
- Manganese**
- η^3 -Allylmanganese tetracarbonyl compounds, structural implications of the ^{13}C NMR spectra of (A. Oudeman, T.S. Sorensen), (156)259
- Amineoxide induced ligand substitution in transition metal compounds (U. Koelle), (155)53
- Azidobenzene- and azidotoluene-tricarbonyl-manganese cations, ring contraction and other reactions of (G.A.M. Munro, P.L. Pauson), (160)177.
- Bis(cyclopentadienyldicarbonylmolybdenum)($\text{Mo}=\text{Mo}$), chemistry of (M.D. Curtis, R.J. Klingler), (161)23
- Bis(μ -phenyldiazenido)octacarbonyldimanganese, synthesis and properties of (E.W. Abel, C.A. Burton), (170)229
- Bis(triphenylphosphine)iminium penta-carbonylmanganate(-I), reactions with Group IV halides of (D.N. Duffy, B.K. Nicholson), (164)227
- ($\eta^5\text{C}_5\text{H}_5\text{CH}_3$) $\text{Mn}(\text{NO})(\text{PPh}_3)$ and ($\eta^5\text{C}_5\text{H}_5$) $\text{Mo}(\text{CO})(\text{PPh}_3)$ complexes, preparation of (D.L. Reger, D.J. Fauth, M.D. Dukes), (170)217
- (μ - p -CH₃C₆H₄NC) $\text{Mn}_2(\text{Ph}_2\text{PCH}_2\text{PPh}_2)_2(\text{CO})$, structural characterization of a four-electron donating doubly-bridging isocyanide in (L.S. Benner, M.M. Olmstead, A.L. Balch), (159)289
- Chloroacetyl-transition metal derivatives, preparation and decomposition of (M. Dilgassa, M.D. Curtis), (172)177
- Chromium, molybdenum, tungsten and manganese complexes of 1-phenyl-4,5-dihydroborepin (U. Koelle, W.-D.H. Beiersdorf, G.E. Herberich), (152)7
- σ -Crotymanganese pentacarbonyl, σ - π rearrangement with retention of geometric configuration of the allylic ligand of (N.N. Druz, V.I. Klepikova, M.I. Lobach, V.A. Kormer), (162)343
- π -Cyclopentadienyl- π -benzene-chromium and -manganese complexes. MO calculations on (D.W. Clack, K.D. Warren), (157)421
- η^5 -Cyclopentadienylcarbonylnitrosyl-carbamoylmanganese(+I) in ammonia solution, X-ray structure of (D. Messer, G. Landgraf, H. Behrens), (172)349
- Cyclopentadienyldicarbonyl(diphenylcarbene)manganese, photochemistry of (R.E. Wright, A. Vogler), (160)197
- π -Cyclopentadienyltricarbonylmanganese, photochemical rearrangement with diphenylsilacyclobutane and disilanes of (U. Schubert, A. Rengstl), (170)C37
- Cyclopentadienyl(trimethylphosphine)-cobalt carbon disulphide, synthesis, reactions and crystal structure of (H. Werner, K. Leonhard, C. Burschka), (160)291
- Cymantrenylcarbenium ions containing two phosphine ligands, synthesis and spectra of (A.G. Ginzburg, G.A. Panosyan, V.N. Setkina, Sh.G. Kasumov, P.V. Petrovskii, D.N. Kursanov), (164)59
- Decacarbonyldimanganese, photoinduced reaction with perchlorocyclopentadiene with (M.K. Chaudhuri), (171)365

- Decacarbonyldimanganese and 1,2-dicarbonyl compounds, radical adducts in the photoreaction between (A. Alberti, C.M. Camaggi), (161)C63
- 1,3-Diaryltriazenido-trimethylsilicons and -trimethyltins, interaction with carbonyl-manganese, -molybdenum and -rhodium halides of (E.W. Abel, I.D.H. Towle), (155)299
- 1,4-Diazabutadienehalotricarbonyl-manganese and -rhenium complexes, synthesis and coordination properties of (L.H. Staal, A. Oskam, K. Vrieze), (170)235
- Dicarbonylcyclopentadienylphenylcarbenylmanganese tetrachloroborate, nucleophilic addition of t-butyl isocyanide to the carbenyl C atom (E.O. Fischer, W. Schambeck, F.R. Kreissl), (169)C27
- Dicarbonylnitrosyl(cyclobutadiene)iron cation and tricarbonyl(cycloheptatriene)-manganese cation, kinetics of nucleophilic addition of tertiary phosphine to (D.M. Birney, A.M. Crane, D.A. Sweigart), (152)187
- threo*-1,2-Dideuterophenethyl-iron, -manganese and -tungsten, stereochemistry of SO₂ and CO insertion reactions of (D. Dong, D.A. Slack, M.C. Baird), (153)219
- (N,N-Dimethylaminomethyl)cymantrene, substitution of hydrogen atoms at the cyclopentadienyl ring by deuterium (N.M. Loīm, N.A. Abramova, Z.N. Parnes, D.N. Kursanov), (168)C33
- 4,4-Dimethylbuta-1,3-dienone-transition metal carbonyls, preparation and characterisation of (P. Binger, B. Četinkaya, C. Krüger), (159)63
- Dinitrogen ligands reduced to diazene ligands by consecutive nucleophilic and electrophilic attack (D. Sellmann, W. Weiss), (160)183
- Dinuclear carbonyl-manganese, -rhenium and -cobalt dimetal complexes, formation of (G. Beysel, J. Grobe, W. Mohr), (170)319
- Diphenyl(2-ethylcyclopentadienyl)phosphine, as chelating ligand for transition metals—cyclopentadienylphosphorus(III) compounds (C. Charrier, F. Matthey), (170)C41
- Disubstituted manganese carbonyl anion, [Mn(CO)₃L₂] (L = P(OPh)₃, PPh₃), reactions with R₃MX (M = C, Si, Ge, Sn; R = Me, Et, Ph, Cl; X = Cl, Br) of (S. Onaka, Y. Yoshikawa, H. Yamatera), (157)187
- Fe—Fe, Fe—Co, and Mn—Co bonds in catalytically-active dinuclear arsenic bridged carbonyl complexes, reactivity of (H.J. Langenbach, E. Keller, H. Vahrenkamp), (171)259
- Ferrocenyl and cymantrenyl derivatives of chalcones, mass spectrometry of (A.N. Nesmeyanov, D.V. Zagorevskii, Yu.S. Nekrasov, V.F. Sizoi, V.M. Postnov, A.M. Baran, E.I. Klimova), (169)77
- Formally d⁷ transition metal sandwich complexes, electronic structure of (D.W. Clack, K.D. Warren), (152)C60
- Group VIB and VIIB transition metal chalcocarbonyl complexes, ¹³C NMR spectra of (D. Cozak, I.S. Butler, I.M. Baibich), (169)381
- Heterodinuclear manganese and molybdenum carbonyl–iron complexes with carbon disulphide bridges (U. Oehmichen, T.G. Southern, H. Le Bozec, P. Dixneuf), (156)C29
- Hydroxycarbenoid and formylrhenium(I) halide complexes, unexpected route to the preparation of (K.P. Darst, C.M. Lukehart), (171)65
- σ-Hydroxyl-manganese and -molybdenum, intramolecular reactions leading to η³-bonded α-methylene-γ- or -δ-lactone complexes of (J. Benaim, F. Giulieri), (165)C28
- Iron, manganese and molybdenum allyl complexes, synthesis by phase transfer catalysis (D.H. Gibson, W.-L. Hsu, S.-S. Lin), (172)C7
- Manganese, molybdenum and tungsten carbonyl complexes, reactions with trimethylamine N-oxide of (D.J. Blumer, K.W. Barnett, T.L. Brown), (173)71
- Manganese and rhenium carbonyl cationic compounds, preparation of carbamoyl-carbonyl complexes from (H. Behrens, R.-J. Lampe, P. Merbach, M. Moll), (159)201
- Manganese and rhenium vinylidene complexes, mass spectrometry of (V.F. Sizoi, Yu.S. Nekrasov, Yu.N. Sukharev, N.E. Kolobova, O.M. Khitrova, N.S. Obezuk, A.B. Antonova), (162)171
- Manganese(I) isocyanide derivatives, stereospecific synthesis of (P.M. Treichel, D.W. Firsich), (172)223

- Manganese metal oxidation by dimeric metal carbonyls in THF, ESR spectra of the resulting manganese(II) species (B.K. Nicholson), (169)185
- Manganese pentacarbonyl halides, kinetics of reactions with cyanide of (M.J. Blandamer, J. Burgess, A.J. Duffield), (175)293
- Metal carbonyl clusters, indirect location of hydride ligands in (A.G. Orpen), (159)C1
- Metal carbonyl silanes, ^{29}Si NMR spectra by the selective population transfer method (S. Li, D.L. Johnson, J.A. Gladysz, K.L. Servis), (166)317
- Metal carbonylate anions prepared by hydride reduction (K. Inkrott, R. Goetze, S.G. Shore), (154)337
- Metal complexes of chelating diphosphine ligands, preparation via base-induced additions of coordinated phosphines to acetylene (P.M. Treichel, W.K. Wong), (157)C5
- Metalla- β -diketone molecules and complexes with aluminium and boron, spectroscopic study of the structure and bonding in (K.P. Darst, C.M. Lukehart), (161)1
- Metallocenes of some first row transition metals, reactivity in thermal decomposition reactions of (L.M. Dyagileva, V.P. Mar'in, E.I. Tsyganova, G.A. Ruzavaev), (175)63
- π -Methylcyclopentadienylmethylaminobis-(difluorophosphine)methylmethoxy-carbenemanganese (E.O. Fischer, G. Besl), (157)C33
- μ -Methylenebis[dicarbonyl(η^5 -methylcyclopentadienyl)manganese](Mn-Mn), structure of (M. Creswick, I. Bernal, W.A. Herrmann), (172)C39
- [*fac*-Mn(CO)₃(NH₃)₃][Mn(CO)₅], photochemical synthesis from decacarbonyldimanganese, crystal and molecular structure of (M. Herberhold, F. Wehrmann, D. Neugebauer, G. Huttner), (152)329
- Mononuclear R_nEM(CO)₅ complexes, reactions of (J. Grobe, R. Rau), (157) 281
- (Organostannyl)pentacarbonyl-manganese and -rhenium derivatives, reactions with liquid sulphur dioxide of (U. Kunze, S.B. Sastrawan), (154)223
- Pentacarbonylmanganese tricarbonyl-1,4-diazabutadiene-manganese and -rhenium dinuclear complexes, synthesis and coordination properties of (L.H. Staal, G. van Koten, K. Vrieze), (175)73
- Pentamethylcyclopentadienyl derivatives of transition metals, high pressure IR study of carbonylation of metal-metal triple bonds in (R.B. King, M.Z. Iqbal, A.D. King, Jr.), (171)53
- cis*-(*threo*-PhCHDCHD)Mn(CO)₄PtEt₂, halogen cleavage reactions of (D. Dong, M.C. Baird), (172)467
- Phenalene, neutral and cationic iron and manganese complexes of (J.B. Woell, P. Boudjouk), (172)C43
- Phosphacymanthrenes, acylation reactions of (A. Breque, F. Mathey, C. Santini), (165)129
- Phosphorus, arsenic and antimony metalla-cyclic compounds as complexing ligands (G. Huttner, G. Mohr, P. Friedrich, H.G. Schmid), (160)59
- Polyene-M(CO)₄ complexes, correlation of nucleophilic substitution with frontier orbital indices of (D.A. Brown, J.P. Chester, N.J. Fitzpatrick), (155)C21
- σ -Propargylic complexes of molybdenum, tungsten and manganese, alkoxy carbonylation by alcohols, water and thiols of (C. Charrier, J. Collin, J.Y. Merour, J.L. Roustan), (162)57
- π -Pyrrolyltricarbonylmanganese, a two-electron ligand (N.I. Pyshnograeva, V.N. Setkina, V.G. Andrianov, Yu.T. Struchkov, D.N. Kursanov), (157)431
- Regioselective transformation of ketones into primary and secondary α -ketols (T. Cuvigny, G. Valette, M. Larcheveque, H. Normant), (155)147
- Sandwich, mixed sandwich and related tricarbonyl complexes, ^1H NMR shifts in (D.W. Clack, K.D. Warren), (162)83
- 2-Silver(dimethylaminomethyl)ferrocene, structure and properties of (A.N. Nesmeyanov, N.N. Sedova, Yu.T. Struchkov, V.G. Andrianov, E.N. Stakheeva, V.A. Sazonova), (153)115
- Sodium hydride containing complex reducing agents, activation of (J.J. Brunet, R. Vanderesse, P. Caubère), (157)125
- Sodium pentacarbonylmanganate, reactions with acetic [^{13}C]formic anhydride of (R.A. Fiato, J.L. Vidal, R.L. Pruett), (172)C4
- Substituted metal carbonyl complexes, rate-structure studies of carbonylation and decarbonylation of (J.N. Cawse, R.A. Fiato, R.L. Pruett), (172)405

- Transition metal—ammonia complexes, treatment with ketones of (D. Sellmann, E. Thallmair), (164)337
- Transition metal-carbene and -carbyne complexes with trialkylsilyl moieties, ^{29}Si NMR investigations of (F.H. Köhler, H. Hollfelder, E.O. Fischer), (168)53
- Tricyclopentadienides of lanthanoid elements, spectroscopic study of the interaction with metal carbonyl derivatives of (S. Onaka, N. Furuichi), (173)77
- Tri- μ -halohexacarbonyldimetallate(I) anions of manganese and rhenium, preparation and characterization of (B.J. Brisdon, D.A. Edwards, J.W. White), (161)233

Mercury

- Acetoxymethylation and acetoxymercuration of *endo*- and *exo*-dicyclopentadienes and bicyclo[3.2.1]octa-2,6-diene (S. Uemura, H. Miyoshi, M. Okano, I. Morishima, T. Inubushi), (171)131
- 1-Alkene-1,1-diboronic esters and 1,1-bis(chloromercuri)-1-alkenes, preparation and reactions of (A. Mendoza, D.S. Matteson), (152)1
- β -Alkoxyalkylmercury(II) acetates, symmetrisation of (A.J. Bloodworth, R.A. Savva), (152)C29
- Allyl-alkali metal substituted compounds, charge distribution in (S. Bywater, D.J. Worsfold), (159)229
- Allylmercury compounds, convenient reagents for synthesis of π -allyl derivatives of transition metals (A.N. Nesmeyanov, A.Z. Rubezhov), (164)259
- Benzyl derivatives of mercury, σ , π -conjugation and ^{199}Hg shielding constants in (Yu.A. Strelenko, Yu.G. Bundel', F.H. Kasumov, V.I. Rozenberg, O.A. Reutov, Yu.A. Ustynyuk), (159)131
- Bis(cyclopentadienyldicarbonylmolybdenum)(Mo=Mo), chemistry of (M.D. Curtis, R.J. Klingler), (161)23
- Bis(trifluoromethyl)zinc and methyl-(trifluoromethyl)zinc, NMR evidence for (E.K.S. Liu, L.B. Asprey), (169)249
- Butylmercury nitrate, reaction with Lewis bases of (D.P. Graddon, J. Mondal), (160)377
- Carboranes with B-Tl bonds, rearrangement reactions and analogues of (V.I. Bregadze, V.Ts. Kampel, A.Ya. Usatinskii, N.N. Godovikov), (154)C1

- Carboranyl derivatives of Main Groups IV-VI elements with boron—element bonds, synthesis of (V.I. Bregadze, V.Ts. Kampel, N.N. Godovikov), (157)C1
- (Chlorofluoromethylene)tris(dimethylamino)phosphorane, stabilized complexes of (M.J. Van Hamme, D.J. Burton), (169)123
- [η^5 -Cyclopentadien-1-yl- η^3 -tetraphenylcyclobutadienecobalt]diphenylmethyllium hexafluorophosphate, a metal-stabilized carbonium ion salt (D. Seyferth, J.S. Merola), (160)275
- 1,1-Dialkyl-1-stannacycloalkanes, synthesis of metal-functionally-substituted stannacycloalkanes by *trans*-alkylation reactions of (E.J. Bulten, H.A. Budding), (153)305
- 1,1-Diarylethylenes, electrophilic vinyl mercuration of (V.I. Sokolov, V.V. Bashilov, O.A. Reutov), (162)271
- Dialytriazenes and phenylmercury derivatives, PMR studies of exchange reactions of (A.N. Nesmeyanov, E.I. Fedin, A.S. Peregudov, L.A. Fedorov, D.N. Kravtsov, E.V. Borisov, F.Yu. Kiryazev), (169)1
- Diethylmercury, ESR studies of radicals formed by radiolysis of (M.C.R. Symons, M.M. Aly), (166)101
- 2,2'-Dilithio-1-phenylpyrrole, preparation and reactivity of (G.W.H. Cheeseman, S.G. Greenberg), (166)139
- Group VI transition metal—mercury compounds, ^{199}Hg NMR study of (M.J. Albright, J.P. Oliver), (172)99
- Main group metal—transition metal bonded compounds; structure of $\eta^5\text{-C}_5\text{H}_5(\text{CO})_3\text{-MoHgCl}$ (M.J. Albright, M.D. Glick, J.P. Oliver), (161)221
- 1-Menthyl esters of α -mercurated phenylacetic acids, reactions with tris(triphenylphosphine)platinum of and mechanism of the platinum carbenoid insertion into the C-Hg bond (O.A. Reutov, V.I. Sokolov, G.Z. Suleimanov, V.V. Bashilov), (160)7
- Mercury(II) cyanide, base adducts of (D.P. Graddon, J. Mondal), (159)9
- Methoxymercuration and ring-mercuration competing reactions of alkylvinyl-substituted ferrocenes (B. Floris, G. Illuminati), (168)203
- Methylmercury(II) compounds, force constants of (J. Mink, P.L. Goggin), (156)317

- Methylmercury-selenourea complexes, synthesis, spectroscopic and X-ray structural studies of (A.J. Carty, S.F. Malone, N.J. Taylor), (172)201
- p*-Nitrophenol organometallic derivatives, vibrational spectra of (L.M. Epstein, V.I. Beloborodov, L.D. Ashkinadze, L.S. Golovchenko, V.M. Pachevskaya, D.N. Kravtsov, L.A. Kazitsyna), (162)C5
- p*-Nitrothiophenol organometallic derivatives, vibrational spectra of (L.M. Epstein, V.I. Beloborodov, L.D. Ashkinadze, E.M. Rokhлина, S.I. Pombrik, D.N. Kravtsov, L.A. Kazitsyna), (162)C1
- Organoboron dihalides, dehalogenation in the search for borenes of (J.J. Eischt, H.P. Becker), (171)141
- Organomercurial systems, σ, π -conjugation in (A.N. Nesmeyanov, V.T. Aleksanyan, L.I. Denisovich, Yu.S. Nekrasov, E.I. Fedin, V.I. Khvostenko, I.I. Kritskaya), (172)133
- Organomercurials in acetonitrile, electrochemical disk generation and ring identification of carbanions from (K.P. Butin, M.T. Ismail, O.A. Reutov), (175)157
- Organotellurium—mercury(II) complexes, spectroscopic investigation of (N.S. Dance, C.H.W. Jones), (152)175
- Oxymercuration—demercuration, Markovnikov hydration of vinylcyclopropanes by (S. Nishida, T. Fujioka, N. Shimizu), (156)37
- (η^6 -Phenyllithium)tricarbonylchromium, formation and some reactions of (M.D. Rausch, R.E. Gloth), (153)59
- Phenylmercuric chloride, phenyllithium and phenyldi-n-butyltin chloride, macroreticular copolymer bound analogues of (J.M. Burlitch, R.C. Winterton), (159)299
- Phenyl(trihalomethyl)mercury compounds, reaction with *N*-unsubstituted sulfoximines of (J. Iqbal, W. Rahman), (169)141
- Polyfluoroarylmercurials, facile syntheses by mercuration reactions of (G.B. Deacon, D. Tunaley), (156)403
- Tetraalkyltin—mercury(II) halide reactions, initial state and transition state solvent effects of methanol, acetonitrile and DMSO on (M.H. Abraham, J. Andonian-Haftvan, M.R. Sedaghat-Herati), (172)31
- Tetrakis(cyanomercuri)methane hydrate, crystal and molecular structure of (D. Grdenić, M. Sikirica, B. Korpar-Colig), (153)1
- Trifluoromethyl-azidomercury and -carbamoylmercury, molecular structure and vibrational spectra of (D.J. Brauer, H. Bürger, G. Pawelke, K.H. Flegler, A. Haas), (160)389
- Trimethylsilylmethyl and bis(trimethylsilyl)methyl derivatives of boron, aluminium, cadmium and mercury (S. Al-Hashimi, J.D. Smith), (153)253
- Vinylmercurials, synthesis of 1,4-dienes via allylation of (R.C. Larock, J.C. Bernhardt, R.J. Driggs), (156)45
- ## Metallocenes
- Alkylzirconocene hydrides, carbonylation of (K.I. Gell, J. Schwartz), (162)C11
- Antiferromagnetic dimer with a Cr—Cr bond, synthesis and molecular structure of (A.A. Pasynskii, I.L. Eremenko, Yu.V. Rakitin, V.M. Novotortsev, V.T. Kalinnikov, G.C. Aleksandrov, Yu.T. Struchkov), (165)57
- η^6 -Arene- η^5 -cyclopentadienyliron(II) complexes bearing NH₂, OH or SH substituents, synthesis and deprotonation of (J.F. Helling, W.A. Hendrickson), (168)87
- Arene—olefin complexes of iron(0) and ruthenium(0), synthesis of (M.A. Bennett, T.W. Matheson), (153)C25
- η^5 -Benzocyclobutadiene- η^5 -cyclopenta-dienylcobalt, new “aromatic” sandwich complex (R.I. Duclos, Jr., K.P.C. Vollhardt, L.S. Yee), (174)109
- Beryllocene, He(I) photoelectron spectrum and ab initio molecular orbital calculations of (R. Gleiter, M.C. Böhm, A. Haaland, R. Johansen, J. Lusztyk), (170)285
- , molecular structure investigated by gas phase electron diffraction of (A. Almenningen, A. Haaland, J. Lusztyk), (170)271
- Bis(borinato)cobaltate anions, reactions with electrophiles and thermal decomposition of (G.E. Herberich, W. Koch, H. Lueken), (160)17
- 1,1'-Bis(1-methyl-1-ethylium)ferrocene dication, ¹³C and ¹H NMR spectra of (C.R. Jablonski), (174)C3

- Bis(tetraphenylcyclobutadiene)nickel, preparation of (H. Hoberg, C. Fröhlich), (168)C52
- (Borinato)cyclopentadienyliron and bis(borinato)-iron, -chromium and -vanadium complexes, cyclic voltammetry of (U. Koelle), (157)327
- Bridged ferrocenes, Mössbauer spectra interpretation of (M. Hillman, B. Gordon, A.J. Weiss, A.P. Guzikowski), (155)77
- Carboxycobaltocenium hexafluorophosphate, crystal structure at -35°C of (P.E. Riley, R.E. Davis), (152)209
- $[(\text{C}_6\text{H}_5\text{X})\text{Fe}(\text{C}_5\text{H}_5)]^+$ ($\text{X} = \text{H}, \text{Me}, \text{OMe}, \text{COOMe}$), INDO molecular orbital calculations on (D.W. Clack, L.A.P. Kane-Maguire), (174)199
- Cobaltocenes, paramagnetic π -complexes (F.H. Köhler), (160)299
- (Cyclohexa-1,3-diene- and (4-ferrocenylbuta-1,3-diene-iron tricarbonyl) carboxylic acid nitriles (N.S. Nametkin, V.D. Tyurin, M. Slupchin'sky, M.N. Al-Laddaui), (154)289
- Cymantrenylcarbenium ions containing two phosphine ligands, synthesis and spectra of (A.G. Ginzburg, G.A. Panosyan, V.N. Setkina, Sh.G. Kasumov, P.V. Petrovskii, D.N. Kursanov), (164)59
- Decamethylferrocene, molecular structure determined by gas phase electron diffraction of (A. Almenningen, A. Haaland, S. Samdal, J. Brunvoll, J.L. Robbins, J.C. Smart), (173)293
- Dibenzenechromocenophanes, synthesis from α, ω -diphenylalkanes and chromium vapour (A.N. Nesmeyanov, L.P. Yur'eva, N.N. Zaitseva, G.A. Domrachev, V.D. Zinov'ev), (153)181
- [5]Dibenzenechromocenophane-2-carboethoxy-3-one, synthesis by Dieckman condensation of bis(ethyl- β -phenyl-propionate)chromium of (A.N. Nesmeyanov, L.P. Yur'eva, N.N. Zaitseva, N.I. Vasyukova), (153)341
- Dichlorodicylopentadienyltitanium, trichlorocyclopentadienyltitanium and their aryloxy σ -substituted derivatives, polarography and cyclic voltammetry of (E. Laviron, J. Besançon, F. Huq), (159)279
- Di- η^5 -cyclopentadienylaryltitanium(III), dimerization of organic cyanides ligated to (E.J.M. de Boer, J.H. Teuben), (153)53
- Dicyclopentadienylberyllium, Raman spectrum and structure of (J. Lusztyk, K.B. Starowieyski), (170)293
- Di- η^5 -cyclopentadienylaryltitanium compounds, photochemical investigations of (M.D. Rausch, W.H. Boon, E.A. Mintz), (160)81
- Dicyclopentadienyldimethyltitanium(IV), hydrogen exchange during thermal decomposition of (G.J. Erskine, J. Hartgerink, E.L. Weinberg, J.D. McCowan), (170)51
- Dicyclopentadienylniobium(III) carbonyl derivatives, ligand exchange and ligand migration reactions of (E.E.H. Otto, H.H. Brintzinger), (170)209
- Dicyclopentadienylniobium trihydride, mechanism of formation from reaction of dicyclopentadienylniobium dichloride with hydridoaluminate reducing agents (J.A. Labinger, K.S. Wong), (170)373
- Di- η^5 -cyclopentadienylpentacarbonyldivanadium, prototypal example of semi-bridging carbonyl groups (F.A. Cotton, L. Kruczynski, B.A. Frenz), (160)93
- Di- η^5 -cyclopentadienyltitanium(III) compounds, reactions with isocyanides of (E.J.M. de Boer, J.H. Teuben), (166)193
- Dicyclopentadienyl-titanium and -zirconium compounds, hydrogen migration and exchange reactions upon thermal decomposition in (G.A. Razuvayev, V.P. Mar'in, Yu.A. Andrianov), (174)67
- Di- η^5 -cyclopentadienyltitanium pentasulphide, inversion barrier of the TiS_5 ring in (E.W. Abel, M. Booth, K.G. Orell), (160)75
- $\mu-(\eta^5, \eta^5\text{-}4,5\text{-Dihydro-}as\text{-indecyl})\text{bis}(\eta^5\text{-cyclopentadienyliron)}$, synthesis of (A. Davison, A.W. Rudie), (169)69
- Dimethyl-3,4-phosphaferroocene, synthesis of (F. Mathey), (154)C13
- Diphenylzinc interaction with titanocene and its derivatives (G.A. Razuvayev, V.N. Latyaeva, L.I. Vishinskaya, T.P. Samarina), (164)41
- Diphospho-1,1'-ferrocenes, synthesis of (G. De Lauzon, F. Mathey, M. Simalty), (156)C33
- Ferrocene, Annual survey covering the year 1977 (B.W. Rockett, G. Marr), (167)53
- , ligand exchange reactions leading to π -coronene- π -cyclopentadienyliron cations (G. Schmitt, W. Keim, J. Fleischhauer, U. Walbergs), (152)315

- , ligand exchange reactions with phenanthrene and 9,10-dimethylphenanthrene in the presence of aluminium chloride and aluminium (C.C. Lee, K.J. Demchuk, W.J. Pannekoek, R.G. Sutherland), (162)253
- , metallation with n-butyliopotassium (A.G. Osborne, R.H. Whiteley), (162)79
- , metallation with n-pentylsodium in the presence and absence of *N,N,N',N'*-tetramethylethylenediamine (E.W. Post, T.F. Crimmins), (161)C17
- [3]Ferrocenophanes, preparation and spectral studies of (A. Davison, J.C. Smart), (174)321
- Ferrocenyl and cymantrenyl derivatives of chalcones, mass spectrometry of (A.N. Nesmeyanov, D.V. Zagorevskii, Yu.S. Nekrasov, V.F. Sizoi, V.M. Postnov, A.M. Baran, E.I. Klimova), (169)77
- Ferrocenyl-substituted unsaturated carboxylic acids, photooxidation of (E.K. Heaney, S.R. Logan, W.E. Watts), (153)229
- Ferrocenyldiarylmethylium ions, fragmentation in aqueous acidic acetonitrile of (N. Cully, W.D. Quail, W.E. Watts), (152)C9
- Formally *d*⁷ transition metal sandwich complexes, electronic structure of (D.W. Clack, K.D. Warren), (152)C60
- Homonuclear ferrocene anhydrides, synthesis, reactions and use in the preparation of ferrocenyl-penicillins and -cephalosporins of (E.I. Edwards, R. Epton, G. Marr), (168)259
- Lithiation and iodination of ruthenocenes (L. Bednarik, E. Neuse), (168)C8
- d*⁶-Metallocene-tetracyanoethylene charge transfer complexes, photochemical synthesis and reactions of (S. Sostera, A. Duatti, P. Zanella, O. Traverso), (157)437
- Metalloimmunoassay, iron-metallocaptens from estrogen steroids (M. Cais, E. Slovin, L. Snarsky), (160)223
- Methoxymercuration and ring-mercuration competing reactions of alkylvinyl-substituted ferrocenes (B. Floris, G. Illuminati), (168)203
- Methylene- and ethylene-bridged dicyclopentadienyltitanium compounds, molecular structure and PMR spectra of (J.A. Smith, J. von Seyerl, G. Huttner, H.H. Brintzinger), (173)175
- Niobocene(tricarbonyl)(π -cyclopentadienyl)moietybdenum with metal-metal bond and unusual coordination of carbonyl groups, synthesis and molecular structure of (A.A. Pasynskii, Yu.V. Skripkin, I.L. Eremenko, V.T. Kalinnikov, G.C. Aleksandrov, V.G. Adrianov, Yu.T. Struchkov), (165)49
- Niobocene trimethylacetate and its π -complex with diphenylacetylene, synthesis and molecular structure of (A.A. Pasynskii, Yu.V. Skripkin, I.L. Eremenko, V.T. Kalinnikov, G.C. Aleksandrov, Yu.T. Struchkov) (165)39
- μ -Octatetraenylbis(π -cyclopentadienyl-chromium), structure of and electron deformation density in (W. Geibel, G. Wilke, R. Goddard, C. Krüger, R. Mynott), (160)139
- 1,1',2,2',3,3',4,5,4',5'-Pentakis(trimethylene)ferrocene, crystal and molecular structure of (L.D. Spaulding, M. Hillman, G.J.B. Williams), (155)109
- Pentamethylcyclopentadienyltin compounds, synthesis and reactions of (P. Jutzi, F. Kohl), (164)141
- Platinum(II) chlorides, unusual methylations and arylations by organotin compounds of and ¹³C NMR spectra of bis-aryl(η -cycloocta-1,5-diene)platinum(II) complexes (Z. Dawoodi, C. Eaborn, A. Pidcock), (170)95
- Sandwich, mixed sandwich and related tricarbonyl complexes, ¹H NMR shifts in (D.W. Clack, K.D. Warren), (162)83
- 2-Silver(dimethylaminomethyl)ferrocene, structure and properties of (A.N. Nesmeyanov, N.N. Sedova, Yu.T. Struchkov, V.G. Andrianov, E.N. Stakheeva, V.A. Sazonova), (153)115
- Substituted dimethyl-zirconocenes and -hafnocenes and the corresponding dihydrides, synthesis and reactions of (S. Couturier, B. Gautheron), (157)C61
- Symmetrically substituted methylferrocenes, fragmentation under electron impact of (E.I. Mysov, I.R. Lyatifov, R.B. Materikova, N.S. Kochetkova), (169)301
- 1,1',2,2',3,3',4,4',5'-Tetrakis(trimethylene)-ferrocene, crystal and molecular structure of (M. Hillman, E. Iujita), (155)99
- Titanocene compounds, stereochemistry at titanium in the sulphur dioxide insertion reaction of (A. Dormond, C. Moïse, A. Dahchour, J. Tirouflet), (168)C53

- Titanocene dichloride, photolysis of (Z.-T. Tsai, C.H. Brubaker, Jr.), (166)199
- Titanium-catalysed hydromagnesiation of alkenols forming lactones (J.J. Eisch, J.E. Galle), (160)C8
- Tricarbonylchromium, effect on thermodynamic stability of stable carbocations of (A. Ceccon, A. Gobbo, A. Venzo), (162)311
- Tricyclopentadienylchlorouranium(IV), reaction with dipotassium cyclooctatetraenide of (G.R. Sienel, A.W. Spiegl, R.D. Fischer), (160)67
- Trimethylalane-titanocene dichloride, addition reactions with acetylenes of (D.E. Van Horn, L.F. Valente, M.J. Idacavage, E.-I. Negishi), (156)C20
- 1,1',2,2',4,4'-Tris(trimethylene)ferrocene, crystal and molecular structure of (M. Hillman, E. Fujita), (155)87
- Zirconocene alkyl and hydride derivatives, molecular orbital analysis of a direct hydrogen transfer reaction mode in (H.H. Brintzinger), (171)337
- Molybdenum**
- Alkenylarenedicarbonyl-chromium, -molybdenum and -tungsten chelate complexes, synthesis and spectral study of (A.N. Nesmeyanov, V.V. Krivykh, P.V. Petrovskii, V.S. Kaganovich, M.I. Rybinskaya), (162)323
- Alkylboron and Grignard compounds, oxidation with peroxomolybdenum complexes of (G. Schmitt, B. Olbertz), (152)271
- Alkylcyclopentadienyltricarbonylmolybdenum, reaction with carbon disulphide of (N.J. Coville, M.O. Albers), (172)C1
- Alkyl-transition metal compounds, bond angles and non-bonded distances in (C. Glidewell), (169)C31
- η^3 -Allylcyclopentenone-molybdenum and -tungsten complexes, conformational equilibria in (J.L. Roustan, J.Y. Merour, C. Charrier, J. Benaim, P. Cadiot), (169)39
- η^3 -Allylcyclopentenonemolybdenum complexes coordinated by phosphine or phosphite (J. Collin, J.L. Roustan, P. Cadiot), (169)53
- Allylmolybdenum complexes, solution equilibria studies on (B.J. Brisdon, M. Cartwright), (164)83
- η^3 -Allylmolybdenum phosphine and phosphite complexes, identification by NMR spectroscopy of diastereoisomers and conformers of (J. Colin, C. Charrier, M.J. Pouet, P. Cadiot, J.L. Roustan), (168)321
- η^3 -Allyl-transition metal compounds, CIDNP-evidence for radicals during photolysis of (R. Benn, G. Wilke), (174)C38
- Arylmethoxycarbene-chromium, -molybdenum and -tungsten complexes, electrochemical reduction of (C.P. Casey, L.D. Albin, M.C. Saeman, D.H. Evans), (155)C37
- Benzol-1,2,3,6-diazadiborine as ligands in d^6 -(CO)₃M complexes (H. Schmidt, W. Siebert), (155)157
- μ -Bi- η : η -cyclopentadienydimolybdenum, lithio, alkyl, halo, hydrido and alkyl-thiolato derivatives of (M.L.H. Green, S.J. Simpson), (173)287
- Bis-acetylene-molybdenum 16-electron complexes, interdependent site exchange process of (J.W. Faller, H.H. Murray), (172)171
- Bis(arenediazo)-molybdenum and -tungsten complexes, synthesis of (W.E. Carroll, D. Condon, M.E. Deane, F.J. Lalor), (157)C58
- Bis(cyclopentadienylcarbonylchromium)-(Cr≡Cr), crystal and molecular structure of (M.D. Curtis, W.M. Butler), (155)131
- Bis(cyclopentadienylcarbonylmolybdenum)-(Mo≡Mo), chemistry of (M.D. Curtis, R.J. Klingler), (161)23
- Bis(η -cyclopentadienyltricarbonyl-molybdenum) and -tungsten, halogenation via bridged intermediates and formation of monocyclopentadienyl derivatives of molybdenum(IV) (J.C.T.R. Burckett-St. Laurent, J.S. Field, R.J. Haines, M. McMahon), (153)C19
- 1,2-Bis(difluorophosphino)ethane-nickel(0) and -molybdenum(0) (D.L. Gallup, J.G. Morse), (159)477
- Carbamoyl formamidino complexes, [M(π -C₅H₅)₂{HC(NR¹)N(CO)R²}](CO)₂, preparation and properties of (W.H. de Roode, K. Vrieze), (153)345
- (η^5 -C₅H₄CH₃)Mn(NO)(PPh₃) and (η^7 -C₇H₇)-Mo(CO)(PPh₃) complexes, preparation of (D.L. Reger, D.J. Fauth, M.D. Dukes), (170)217
- Chloroacetyl-transition metal derivatives, preparation and decomposition of (M. Dilgassa, M.D. Curtis), (172)177

- (\cdots)₁₃₆(+)(η^5 -C₅H₅)Mo(CO)₂[(C₅H₅N)-C(=S)NR^{*}] (H₂NR^{*} = (S)-(—)- α -phenyl-ethylamine), X-ray study of (G.M. Reisner, I. Bernal), (173)53
- Chromium, molybdenum and tungsten carbonyl complexes with organocyclo-triarsanes, preparation and structure of (J. Ellermann, H.A. Lindner, H. Gäbelein), (172)39
- Chromium, molybdenum, tungsten and manganese complexes of 1-phenyl-4,5-dihydroborepin (U. Koelle, W.-D.H. Beiersdorf, G.E. Herberich), (152)7
- Cyclopentadiene dimers and related compounds with Group VI metal carbonyls, thermolysis of (T.-Y. Luh), (174)169
- Cyclopentadienylidicarbonylmolybdenum chelate complexes with two imidoyl fragments (H. Brunner, J. Wachter), (155)C29
- Cyclopentadienylidicarbonylmolybdenum derivatives with N-alkyl-N-iminoacyl dithiocarbamates as ligands (H. Brunner, J. Wachter), (175)293
- (+)₄₃₆- and (-)₄₃₆-cyclopentadienylidicarbonylmolybdenum derivatives of pyridine-2- and -3-carboxylic acid thio-amides, preparation and epimerisation of (H. Brunner, G. Spettel), (160)149
- η -Cyclopentadienylmethyltricarbonyl-chromium, -molybdenum and -tungsten derivatives, photochemically induced electron and methyl transfer in (E. Samuel, M.D. Rausch, T.E. Gismondi, E.A. Mintz, C. Giannotti), (172)309
- Cyclopentadienylmolybdenum complexes of the type [Mo(η^5 -C₅H₅)L₂(L-L')], fluxionality of the piano-stool configuration of (E. Pfeiffer, K. Vrieze, J.A. McCleverty), (174)188
- 1,3-Diaryltriazenido-trimethylsilicons and -trimethyltins, interaction with carbonyl-manganese, -molybdenum and -rhodium halides of (E.W. Abel, I.D.H. Towle), (155)299
- Dicarbenestannylenes complexes with pentacarbonyl-chromium, -molybdenum and -tungsten, preparation and vibrational spectra of (W. Petz), (165)199
- cis-[Dicarbonylbis(1,2-bis(dimethylphosphino)ethane)metal]-chromium and -molybdenum compounds with organic electron acceptors (J.A. Connor, P.I. Riley), (174)173
- Dicyclopentadienyl-dihydro-, -dimethyl- and -dichloro-molybdenum and -tungsten complexes, bond-enthalpy contributions in (J.C.G. Calado, A.R. Dias, J.A. Martinho Simoes, M.A.V. Ribeiro da Silva), (174)77
- Dicyclopentadienyl-dihydridomolybdenum in the selective reduction of organic halides and α -diketones (A. Nakamura), (164)183
- Dicyclopentadienylhexacarbonyldimolybdenum in selective π -complexation reactions of diene thiones (H. Alper, N.D. Silavwe), (161)C8
- Di- η^5 -cyclopentadienyl-molybdenum and -tungsten, photosubstitution reactions on (S.M.B. Costa, A.R. Dias, F.J.S. Pina), (175)193
- Dicyclopentadienylmolybdenum dihydride, mechanism of carbonylation of (M.A. Adams, K. Folting, J.C. Huffman, K.G. Caulton), (164)C29
- η -Diene-chromium(0) and -molybdenum(0) complexes, dynamic behaviour of (C.G. Kreiter, S. Özkar), (152)C13
- 4,4-Dimethylbuta-1,3-dienone-transition metal carbonyls, preparation and characterisation of (P. Binger, B. Çetinkaya, C. Krüger), (159)63
- Dithioalkyne complexes of molybdenum, tungsten, iron, ruthenium and cobalt carbonyls (J.A. Connor, G.A. Hudson), (160)159
- Early transition metal hydride complexes, hydridic character of (J.A. Labinger, K.H. Komadina), (155)C25
- σ -Ethynylmetal carbonyl derivatives, synthesis of (A.N. Nesmeyanov, L.G. Makarova, V.N. Vinogradova, V.N. Korneva, N.A. Ustynyuk), (166)217
- Formamidine complexes with triphenyl-arsine, -stibine and -phosphine and with trimethoxy- and triphenoxy-phosphines, synthesis and spectroscopic investigation of (W.H. de Roode, J. Berke, A. Oskam, K. Vrieze), (155)307
- Formamidino Group VIA metal carbonyl anionic complexes [M(CO)₄{HC(N-aryl or -t-butyl)}]⁻ (W.H. de Roode, D.G. Prins, A. Oskam, K. Vrieze), (154)273
- Functionally substituted stannylenes and their stannio complexes with chromium, molybdenum and tungsten carbonyl acceptors, ^{119m}Sn Mössbauer spectra of (W.-W. Du Mont, J.L. Lefferts, J.J. Zuckerman), (166)347

- Group VIB carbonyl complexes of pyrazino[2,3-*f*]quinoxaline and 1,4,5,8-tetraazaphenanthrene, synthesis of (D. Maetens, J. Nasielski, R. Nasielski-Hinkens), (168)177
- Group VIB pentacarbonyl complexes of *cis*- and *trans*-1,2-diisopropylidiazene and 1,2-diisopropylhydrazine (M.N. Ackermann, R.M. Willett, M.H. Englert, C.R. Barton, D.B. Shewitz), (175)205
- Group VI transition metal-mercury compounds, ^{199}Hg NMR study of (M.J. Albright, J.P. Oliver), (172)99
- Heterodinuclear manganese and molybdenum carbonyl-iron complexes with carbon disulphide bridges (U. Oehmichen, T.G. Southern, H. Le Bozec, P. Dixneuf), (156)C29
- Heteronuclear cluster compounds: $(\text{PhP})\text{FeCo}_2(\text{CO})_n$, $(\text{PhP})\text{MoCo}_2\text{Cp}(\text{CO})_n$, (μ -AsMe₂) and $(\text{PhP})\text{FeMoCoCp}(\text{CO})_n$, preparation of (F. Richter, H. Beurich, H. Vahrenkamp), (166)C5
- Heteronuclear complexes with Cr-Fe, Mo-Fe and W-Fe bonds, synthesis of (A. Trenkle, H. Vahrenkamp), (155)C51
- Heterotetrametallic platinum-molybdenum and platinum-tungsten cluster compounds and crystal structure determination of $\text{Pt}_2\text{Mo}_2(\eta^5\text{-C}_5\text{H}_5)_2(\text{CO})_n[\text{P}(\text{C}_2\text{H}_5)_3]_2$ (R. Bender, P. Braunstein, Y. Dusausoy, J. Protas), (172)C51
- Hydrazido(2-) complexes of molybdenum and tungsten, influence of ligand environment on protonation reactions of; X-ray structures of $[\text{M}(8\text{-quin})(\text{NNH}_2)_2(\text{PMe}_2\text{Ph})_3]$ ($\text{M} = \text{Mo, W}$; 8-quin = quinolin-8-olate) (J. Chatt, M.E. Fakley, R.L. Richards, I.R. Hanson, D.L. Hughes), (170)C6
- α -Hydroxyalkynyl-manganese and -molybdenum, intramolecular reactions leading to η^3 -bonded α -methylene- γ - or δ -lactone complexes of (J. Benaim, F. Giulieri), (165)C28
- Imine-phosphine chelating agents and their molybdenum(0) derivatives (T.B. Rauchfuss), (162)C19
- Indenyl- and fluorenyl-Group VIA metal complexes, synthesis, structures and reactions of (A.N. Nesmeyanov, N.A. Ustyryuk, L.N. Novikova, Yu.N. Luzikov), (154)45
- Iron, manganese and molybdenum allyl complexes, synthesis by phase transfer catalysis (D.H. Gibson, W.-L. Hsu, S.-S. Lin), (172)C7
- Main group metal-transition metal bonded compounds; structure of $\eta^5\text{-C}_5\text{H}_5(\text{CO})_3\text{MoHgCl}$ (M.J. Albright, M.D. Glick, J.P. Oliver), (161)221
- Manganese, molybdenum and tungsten carbonyl complexes, reactions with trimethylamine N-oxide of (D.J. Blumer, K.W. Barnett, T.L. Brown), (173)71
- Metal carbonyl clusters, indirect location of hydride ligands in (A.G. Orpen), (159)C1
- Metal carbonyl complexes of bicyclo[4.2.1]-nonatrienone and its derivatives, stereospecific preparation and reactivity of (A. Salzer, W. von Philipsborn), (170)63
- Metal-carbonyl compounds containing one-electron ligands, ^{13}C NMR study of (L.J. Todd, J.R. Wilkinson, J.P. Hickey, D.L. Beach, K.W. Barnett), (154)151
- Metal carbonylate anions prepared by hydride reduction (K. Inkrott, R. Goetze, S.G. Shore), (154)337
- Metal complexes of chelating diphosphine ligands, preparation via base-induced additions of coordinated phosphines to acetylene (P.M. Treichel, W.K. Wong), (157)C5
- $\text{MoCl}(\text{N}_2\text{COPh})(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2$, molecular structure of (M. Sato, T. Kodama, M. Hidai, Y. Uchida), (152)239
- Molybdenum and tungsten anionic tricarbonyl derivatives, reactions with allyl halides (B.J. Brisdon, D.A. Edwards, J.W. White), (156)427
- Molybdenum and tungsten metallocyclic ylid complexes (H.G. Alt, J.A. Schwärzle, F.R. Kreissl), (152)C57
- Molybdenum and tungsten xanthate and thioxanthate carbonyl complexes, synthesis and reactions of (W.K. Dean, B.L. Heyl), (159)171
- Molybdenum(0) complexes of α,β -unsaturated nitriles and the structure of $\text{Mo}_2(\text{CO})_6(\text{PBu}_3)_4(\mu\text{-CH}_2=\text{CHCN})_2$ (F. Hohmann, H. tom Dieck, C. Krüger, Y.-H. Tsay), (171)353
- Molybdenum perfluorocarbene complexes, evidence shown by NMR spectroscopy of (D.L. Reger, M.D. Dukes), (153)67
- Monoalkylamido, hydrazido(I-) and mixed alkoxy stable monomeric compounds of molybdenum and tungsten nitrosyls (J.A. McCleverly, A.E. Rae, I. Wofochowicz, N.A. Bailey, J.M.A. Smith), (168)C1

- Mononuclear $R_nEM(CO)_5$ complexes. reactions of (J. Grobe, R. Rau), (157)281
- Niobocene(tricarbonyl)(π -cyclopentadienyl)molybdenum with metal–metal bond and unusual coordination of carbonyl groups, synthesis and molecular structure of (A.A. Pasynskii, Yu.V. Skripkin, I.L. Eremenko, V.T. Kalinnikov, G.C. Aleksandrov, V.G. Andrianov, Yu.T. Struchkov), (165)19
- Pentamethylecyclopentadienyl derivatives of transition metals, high pressure IR study of carbonylation of metal–metal triple bonds in (R.B. King, M.Z. Iqbal, A.D. King, Jr.), (171)53
- α -Phenylenebis(dimethylarsine)tetracarbonyl-molybdenum and -tungsten arenediazo derivatives, preparation and spectra of (N.G. Connelly, C. Gardner), (159)179
- α -Propargylic complexes of molybdenum, tungsten and manganese, alkoxy carbonylation by alcohols, water and thiols of (C. Charrier, J. Collin, J.Y. Merour, J.L. Roustan), (162)57
- α -Propargylic molybdenum phosphine coordinated complexes, alkoxy carbonylation by alcohols and thiols of (J. Collin, J.L. Roustan, P. Cadot), (162)67
- (η - $RC_5H_4)_2M_2(CO)_6$ complexes ($M = Cr$, Mo, W), simple and effective preparation of (R. Birdwhistell, P. Hackett, A.R. Manning), (157)239
- Sodium hydride containing complex reducing agents, activation of (J.J. Brunet, R. Vanderesse, P. Caubère), (157)125
- Tetracarbonylmetal derivatives of tertiary diphosphines, vibrational spectral investigations of (H. Gäbelein, J. Ellermann), (156)389
- Tetramesitylmolybdenum compounds, synthesis of (W. Seidel, I. Bürger), (171)C45
- Thioketone-ditungsten di- and tri-anion reactions (H. Alper, H.-N. Paik), (155)47
- Thioketonemolybdenum carbonyl complexes, synthesis of and geometric isomerism in (H. Alper, R. Sachdeva), (169)63
- Transition metal–ammonia complexes, treatment with ketones of (D. Sellmann, E. Thallmair), (164)337
- Transition metal–carbene and–carbyne complexes with trialkylsilyl moieties, ^{29}Si NMR investigations of (F.H. Köhler, H. Hollfelder, E.O. Fischer), (168)53
- Transition metal carbonyls, mild decarbonylation by rhodium(I) complexes of (Yu.S. Varshavsky, E.P. Shestakova, N.V. Kiseleva, T.G. Cherkasova, N.A. Buzina, L.S. Bresler, V.A. Kormer), (170)S1
- Trimetallic carbene complex with Mo–Pt–Mo bonds, preparation and structure of $trans$ -Pt($C_6H_{11}NC$) $(C_6H_{11}NHCOC_2H_5)$ [$Mo(CO)_3\eta^3-C_6H_5$] $_2$ (P. Braunstein, E. Keller, H. Vahrenkamp), (165)233
- Trimethylphosphane derivatives of methyltricarbonyl-cyclopentadienyl- and -indenyl-metal complexes ($CpM(CO)_3CH_3$ and $IndM(CO)_3CH_3$, $M = Cr, Mo, W$) (H.G. Alt, J.A. Schwärzle), (162)45
- Tris(amino)phosphine, stabilisation through complex formation with pentacarbonylmetal compounds of (H. Nöth, H. Reith, V. Thorn), (159)165
- 1,1,1-Tris(hydroxymethyl)propanephosphate derivatives of Group VI metal carbonyls (S.C. Tripathi, S.C. Srivastava, D.P. Pandey, R.P. Chaturvedi), (164)177
- Tungsten and molybdenum polyhydrido complexes, X-ray photoelectron spectra of (Yu.M. Shul'ga, A.P. Pivovarov, V.D. Nakhayev, A.P. Borisov), (164)47
- ## Nickel
- Acetylenes, catalytic system for polymerisation of (S. Ceriotti, C. Longoni, P. Chini), (174)C27
- Alkoxy carbene complexes of nickel(II) (K. Oguro, M. Wada, R. Okawara), (159)417
- Alkylnickel(II) thermally stable imides, preparation and use in the synthesis of amines of (T. Kohara, T. Yamamoto, A. Yamamoto), (154)C37
- Benzophenoneiminonickel(0) complexes, preparation, and properties of, and bond relation in (H. Hoburg, V. Götz, C. Krüger, Y.-H. Tsay), (169)209
- Benzoyl(acetylacetonato)nickel(II) complexes containing tertiary phosphine ligands, synthesis, dynamic behaviour in solution and decarbonylation of (K. Maruyama, T. Ito, A. Yamamoto), (157)463
- 2,2'-Bipyridine(ethyl)nickelimino borates, preparation and structure of (H. Hoburg, V. Götz, C. Krüger), (169)219

- 2.2 -Bipyridinenickel(0) complexes with heteroolefins and polar olefins, UV/vis spectra and thermodynamic and thermo-chromic data (E. Dinjus, H. Langbein, D. Walther), (152)229
- α, α' -Bipyridyl-5-nickela-3,3,7,7-tetra-methyl-*trans*-tricyclo[4.1.0.0^{2,4}]heptane, reactions of (P. Binger, M.J. Doyle), (162)195
- Bis(acetylacetonyl)nickel as catalyst in the cyanation of acetylacetone by cyanogen (B. Corain), (157)C19
- 1,2-Bis(difluorophosphino)ethane-nickel(0) and -molybdenum(0) (D.L. Gallup, J.G. Morse), (159)477
- [Bis(2-diphenylphosphinoethyl)phenyl-phosphinenickel(0)methylsulphinato] tetraphenylborate, X-ray structure of (C. Mealli, P. Stoppioni), (175)C19
- Bis(tetraphenylcyclobutadiene)nickel, preparation of (H. Hoberg, C. Fröhlich), (168)C52
- Bis(*tri-n*⁵-cyclopentadienyluranium(IV)) tetracyano-nickolate(II) and -platinate(II), structures of (R.D. Fischer, G.R. Sienel), (156)383
- Bis(triphenylphosphine)nickel dichloride as catalyst in reactions of organomagnesium compounds with acetylene compounds (J.G. Duboudin, B. Jousseau, A. Saux), (162)209
- Carbonylation of aromatic tellurium compounds in the presence of tetracarbonylnickel (J. Bergman, L. Engman), (175) 233
- [Cyano(phenyl)bis(triethylphosphine)-nickel(II)], general mechanism of reactions with triethylphosphite of (G. Favero, A. Morvillo, A. Turco), (162)99
- Di-*n*-allylnickel in the synthesis of zero-valent nickel complexes (A.N. Nesmeyanov, L.S. Isaeva, T.A. Peganova, P.V. Petrovskii, A.I. Lutsenko, N.I. Vasyukova), (172)185
- Diarylpropenyllithium compounds, regio- and stereo-specific synthesis from di-methylamino- and dimethylamino-methyl-substituted diarylacetylenes via transmetallation involving diarylpropenyl-magnesium and -tin compounds of (R.W.M. ten Hoedt, G. van Koten, J.G. Noltes), (170)131
- 1,4-Dibora-2,5-cyclohexadienes, synthesis of (G.E. Herberich, B. Hessner), (161)C36
- Di- π -cyclobutadienenickel, electronic structure of (D.W. Clack, K.D. Warren), (161)C55
- Diorganonickel(II) complexes, reactions with *N*-bromosuccinimide of (K. Oguro, M. Wada, N. Sonoda), (165)C13
- Diphenylketenenickel complexes, preparation and properties of (H. Hoberg, J. Korff), (152)255
- [(5,5,7,12,12,14-Hexamethyl-1,4,8,11-tetraazacyclotetradecane)nickel(II)], electrochemical reduction of and insertion reactions into a Ni-C bond with olefins of (K.P. Healy, D. Pletcher), (161)109
- Hydrosilylation of bicyclo[2.2.1]heptene derivatives by trichlorosilane with the use of nickel catalysts, stereochemistry of the process (V.P. Yuryev, I.M. Salimgareyeva, V.V. Kaverin, K.M. Khaililov, A.A. Panasenko), (171)167
- Metal atom cocondensation procedures, photolysis and thermolysis effects in (K.J. Klabunde, T. Groshens, H.F. Esner, M. Kramer), (157)91
- Metal -carbon bond formation via insertion reactions in gaseous negative ion/molecule reactions (E. Baumgartner, T.C. Rhyne, J.G. Dillard), (171)387
- Metal carbonyl anions in reactions with imidoyl halides (R.D. Adams, D.F. Chodosh, N.M. Golembeski, E.C. Weissman), (172)251
- Metallocenes of some first row transition metals, reactivity in thermal decomposition reactions of (L.M. Dyagileva, V.P. Mar'in, E.I. Tsyganova, H.A. Ruzavaev), (175)63
- (*o*-Methoxyphenyl)dimethylphosphine, convenient synthesis of (W. Levason, K.G. Smith), (169)283
- Mono- and bis-(pentachlorophenyl)-nickel and -palladium complexes (R. Ceder, J. Granell, G. Müller, O. Rossell, J. Sales), (174)115
- Nickel(0) complexes in dimerization reactions of diphenylketene (H. Hoberg, J. Korff), (152)C39
- Nickel, palladium and platinum; Annual survey covering the year 1977 (D.M. Roundhill), (167)265
- Nickel-catalysed amination of butadiene (B. Åkermark, G. Åkermark, C. Moberg, C. Björklund, K. Siirala-Hansén), (164)97

- Nickel-catalysed cyanation of aryl halides, phase-transfer catalysis in (L. Cassar, M. Foà, F. Montanari, G.P. Marinelli), (173)335
- Nickel-catalysed cyclodimerisation of allene, structure of a model intermediate for (P.W. Jolly, C. Krüger, R. Salz, J.C. Sekutowski), (165)C39
- Nickel *o*-semiquinonolate complexes, synthesis and reactivity of (G.A. Razuvayev, I.A. Teplova, K.G. Shalnova, G.A. Abakumov), (157)353
- 2-Nickelahydridanes, preparation and isomerization reactions of (R.H. Grubbs, A. Miyashita), (161)371
- Norbornadiene, cyclodimerization via nickelacyclopentane intermediates of (R.J. Blackborow, U. Feldhoff, F.-W. Grevels, R.H. Grubbs, A. Miyashita), (173)253
- Organonickel(III) complexes, preparation of (K. Oguro, M. Wada, N. Sonoda), (165)C10
- Organo-transition metal complexes containing crown ether groups (K.J. Odell, E.M. Hyde, B.L. Shaw, I. Shepherd), (168)103
- η^5 -Pentamethylcyclopentadienylnickel complexes, synthesis and reactions of (T. Mise, H. Yamazaki), (164)391
- Phenyl(acetylacetonato)nickel(II) complexes with tertiary phosphine ligands, preparation and reactions with organic halogen compounds and olefins of (K. Maruyama, T. Ito, A. Yamamoto), (155)359
- Phosphine-nickel(0) complexes of ethyl methacrylate, NMR studies of (T. Yamamoto, J. Ishizu, S. Komiya, Y. Nakamura, A. Yamamoto), (171)103
- [$(\text{Ph}_3\text{P})_2\text{N}$] $[\text{Ni}_2(\text{CO})_6\text{H}]$, synthesis and crystal structure of (G. Longoni, M. Manassero, M. Sansoni), (174)C41
- Polyene-M(CO)_n complexes correlation of nucleophilic substitution with frontier orbital indices of (D.A. Brown, J.P. Chester, N.J. Fitzpatrick), (155)C21
- Size exclusion chromatograph applied to organometallic compounds (P.E. Antle, C.A. Tolman), (159)C5
- Sodium hydride containing complex reducing agents, activation of (J.J. Brunet, R. Vanderesse, P. Caubère), (157)125

- Transition metal carbonyls, mild decarbonylation by rhodium(I) complexes of (Yu.S. Varshavsky, E.P. Shestakova, N.V. Kiseleva, T.G. Cherkasova, N.A. Buzina L.S. Bresler, V.A. Kormer), (170)81
- α -Triphenylstannylnickel(II) cationic five-coordinate complexes with poly(tertiary phosphines), synthesis, properties and X-ray structural determination of (S. Midollini, A. Orlandini, L. Sacconi), (162)109
- Vinyl- and ethynyl-trimethylsilanes, oligomerization of (V.P. Yur'ev, G.A. Gailyunas, F.G. Yusupova, G.V. Nurtdinova, E.S. Monakhova, G.A. Tolstikov), (169)19
- Vinylic γ -functionally-substituted Grignard reagents, iodination, alkylation and arylation of (J.G. Duboudin, B. Jousseau, A. Bonakdar, A. Saux), (168)227
- ## Niobium
- Alkyl-transition metal compounds, bond angles and non-bonded distances in (C. Glidewell), (169)C31
- Chlorodialkylcyclopentadienyloxoniobium(V), synthesis and reactivity of (R. Broussier, H. Normand, B. Gautheron), (155)347
- Dichlorodialkylcyclopentadienylniobium(IV) and methylated derivatives, synthesis and characterisation of (R. Broussier, H. Normand, B. Gautheron), (155)337
- Dicyclopentadienylniobium(III) carbonyl derivatives, ligand exchange and ligand migration reactions of (E.E.H. Otto, H.H. Brintzinger), (170)209
- Di- η^5 -cyclopentadienylniobium compounds, reactions with sulphur and sulphur-containing compounds of (J. Amaudrut, J.E. Guerchais, J. Salapala), (157)C10
- Dicyclopentadienylniobium trihydride, mechanism of formation from reaction of dicyclopentadienylniobium dichloride with hydridoaluminate reducing agents (J.A. Labinger, K.S. Wong), (170)373
- Early transition metal hydride complexes, hydridic character of (J.A. Labinger, K.H. Komadina), (155)C25

- Niobocene-(tricarbonyl)(π -cyclopenta-dienyl)molybdenum with metal—metal bond and unusual coordination of carbonyl groups, synthesis and molecular structure of (A.A. Pasynskii, Yu.V. Skripkin, I.L. Eremenko, V.T. Kalinnikov, G.C. Aleksandrov, V.G. Adrianov, Yu.T. Struchkov), (165)49
- Niobocene trimethylacetate and its π -complex with diphenylacetylene, synthesis and molecular structure of (A.A. Pasynskii, Yu.V. Skripkin, I.L. Eremenko, V.T. Kalinnikov, G.C. Aleksandrov, Yu.T. Struchkov), (165)39
- Organoniobium compounds containing cyclooctatetraene as a ligand (C.P. Verkade, A. Westerhof, H.J. de Liefde Meijer), (154)317
- Vanadium, niobium and tantalum; Annual survey covering the year 1977 (J.A. Labinger), (167)39
- ## Osmium
- Allylmercury compounds, convenient reagents for synthesis of π -allyl derivatives of transition metals (A.N. Nesmeyanov, A.Z. Rubezhov), (164)259
- σ -Arylthiocarbonyl complexes, rearrangement to η^2 -thioacyl complexes of and structure of $Os[\eta^2\text{-C(S)R}](\eta^1\text{-O}_2\text{CCF}_3)\text{-}(\text{CO})(\text{PPh}_3)_2$ (G.R. Clark, T.J. Collins, K. Marsden, W.R. Roper), (157)C23
- Binary osmium carbonyls, reactions with base of (G.R. John, B.F.G. Johnson, J. Lewis), (169)C9
- Cyclopentadienylvinylidene-ruthenium and -osmium substituted complexes, reactions of (M.I. Bruce, A.G. Swincer, R.C. Wallis), (171)C5
- Decacarbonyldihydrotriosmium, reactions with aryl isocyanates and isothiocyanates of (R.D. Adams, N.M. Golembeski), (171)C21
- Dihalo-deca- and -dodeca-carbonyltriosmium complexes, negative ion mass spectra of (G.A. Vaglio), (169)83
- Haloamminedicarbonylosmium(II) complexes, preparation and properties of (H.-C. Frickenschmidt, W. Preetz), (152)111
- , complexes, vibrational and UV spectra of (H.-C. Frickenschmidt, W. Preetz), (155)229
- Halopyridinedicarbonylosmium(II) complexes, preparation and properties of (W. Preetz, H.-G. Greulich, F.H. Johansen), (165)365
- $H_3(\mu\text{-}\eta^2\text{-C}_6\text{H}_4)(\mu\text{-}\eta^2\text{-HC=NC}_6\text{H}_5)\text{Os}_3(\text{CO})_6$, synthesis, crystal and molecular structure of (R.D. Adams, N.M. Golembeski), (172)239
- Iron, ruthenium and osmium; Annual survey covering the year 1975 (J. McCleverty), (151)1
- Metal carbonyl clusters, indirect location of hydride ligands in (A.G. Orpen), (159)C1
- d^n -Metallocene-tetracyanoethane charge transfer complexes, photochemical synthesis and reactions of (S. Sostera, A. Duatti, P. Zanella, O. Traverso), (157)437
- Octadecacarbonylhexaosmium, kinetics of iodide attack by (G.R. John, B.F.G. Johnson, J. Lewis, A.L. Man), (171)C9
- Osmium and ruthenium carbonyl cluster anions containing $\mu_2\text{-CO}_2$ linkages (G.R. John, B.F.G. Johnson, J. Lewis, K.C. Wong), (169)C23
- $[\text{Os}(\eta^2\text{-S}_2\text{CH}_3)(\text{CO})_2\text{(P(C}_6\text{H}_5)_3)_2]\text{ClO}_4\text{-}\frac{1}{2}\text{C}_6\text{H}_6$, crystal structure of (G.R. Clark, D.R. Russell), (173)377
- Pentadecacarbonyldihydropentaosmium, reactions with nucleophilic reagents of (G.R. John, B.F.G. Johnson, J. Lewis, W.J. Nelson, M. McPartlin), (171)C14
- Platinum metals hydride complexes, coordination and fragmentation of p -tolylisocyanate by (S.D. Robinson, A. Sahajpal), (164)C9
- Ruthenium(II) and osmium(II) triple halide-bridged arene complexes, synthetic route to (T. Arthur, T.A. Stephenson), (168)C39
- Thiosformyl, thioformaldehyde, methylthioato, secondary carbene, formyl and iminoformyl complexes of osmium, stepwise reduction of the thiocarbonyl ligand and hydride transfer to CS in (T.J. Collins, W.R. Roper), (159)73
- Transition metal carbonylosmium clusters, activation of (B.F.G. Johnson, J. Lewis, D. Pippard), (160)263

Trinuclear osmium complexes containing an *O*-alkylated carbonyl group, preparation and ^{13}C NMR spectra of (P.D. Gavens, M.J. Mays), (162)389

Triosmium dodecacarbonyl, reduction by sodium borohydride of; preparation and X-ray structure of the cluster anion $[\text{H}_2\text{Os}_3(\text{CO})_{12}]^{2-}$ (B.F.G. Johnson, J. Lewis, P.R. Raithby, G.M. Sheldrick, G. Süss), (162)179

Triosmium-induced dehydrogenation of triethylamine, crystal structure of $\text{HOs}_3(\text{CO})_{10}(\text{CHCH}=\text{NET}_2)$ (J.R. Shapley, M. Tachikawa, M.R. Churchill, R.A. Lashewycz), (162)C39

Palladium

Acetylene insertion into palladium hydrides (H.C. Clark, C.R. Milne), (161)51

Acylsilanes, preparation from α -siloxy-allylsilanes by transition metal catalysed isomerisation of double bonds (A. Hosomi, H. Hashimoto, H. Sakurai), (175)C1

Alkoxy carbonylpalladium complexes and their role in alcohol carbonylation (F. Rivetti, U. Romano), (154)323

σ -Allyl chelate palladium(II) complex, synthesis and structure of (I. Cynkier, N.G. Furmanova, Yu.T. Struchkov, L.Yu. Uhkin, A.I. Pyshchev), (172)421

Allylmercury compounds, convenient reagents for synthesis of π -allyl derivatives of transition metals (A.N. Nesmeyanov, A.Z. Rubezhov), (164)259

π -Allylpalladium complexes, reactions with an olefin metathesis catalyst of (H.A. Bockmeulen, A.W. Parkins), (174)227

Allylpalladium(II) derivatives in selective catalytic hydrogenation of allene to propene (G. Carturan, G. Strukul), (157)475

η^3 -Allyl(pentachlorophenyl)palladium(II) complex, uncatalysed *cis-trans* isomerisation of (H. Kurosawa, S. Numata), (175)143

Benzyl- and *meta*-fluorobenzyl-phosphines, mechanism of metallation reactions with rhodium(I), iridium(I), palladium(II) and platinum(II) compounds of (S. Hietkamp, D.J. Stufkens, K. Vrieze), (168)351

1,2-Bis(diphenylphosphino)ethane($3a,4,7,7a$ -tetrahydro-*exo*-6-methoxy-*endo*-4,7-methaneindene-*endo*- 5σ , 2π)-palladium(II) and -platinum(II) cations, reactions with acids of (R. Pietropaolo, F. Cusmano), (168)363

1,12-Bis(phenylthio)dodecane, *trans*-chelation to planar palladium(II) of (C.A. McAuliffe, H.E. Souter, W. Levason, F.R. Hartley, S.G. Murray), (159)C25

1,3-Chloropalladation of alkylmethylenecyclopropanes (R.P. Hughes, D.E. Hunton, K. Schumann), (169)C37

Chlorothiomethoxymethylbis(triphenylphosphine)palladium(II) methylenechloride, molecular structure as a solvate at 160 C of (K. Miki, Y. Kai, N. Yasuoka, N. Kasai), (165)79

Cyclopalladated biacetylmonoxime arylhydrazones, syntheses of (M. Monoyama), (154)169

Cyclopalladated carbene complexes, synthesis and characterization of (K. Hiraki, M. Onishi, K. Sugino), (171)C50

Desulphurization of thioanilides via palladium complexes (H. Alper, J.K. Currie), (168)369

Diarylpropenyllithium compounds, regio- and stereo-specific synthesis from dimethylamino- and dimethylamino-methyl-substituted diarylacetylenes via transmetallation involving diarylpropenyl-magnesium and -tin compounds of (R.W.M. ten Hoedt, G. van Koten, J.G. Noltes), (170)131

1,4-Diaza-3-methylbutadien-2-ylpalladium(II) complexes, preparation and coordination properties of (B. Crociani, R.L. Richards), (154)65

cis-Dichloro(tri-n-butylphosphine)(bis(*N,N*-dimethylamino)cyclopropenylidene)-palladium(II), synthesis and structure of (R.D. Wilson, J.A. Ibers, Y. Kamitori, H. Ogoshi, Z.-I. Yoshida), (173)199

o-*N,N*-Dimethylaminotoluene, reactivity with palladium(II) compounds of and cyclometallation and demethylation of the nitrogen atom (C. Mutet, M. Pfeffer), (171)C34

μ_2 -Germanediyl- and μ_3 -germanetriyl-cobalt carbonyls, preparation and structure of (G. Etzrodt, G. Schmid), (169)259

Hydroxypalladation, stereochemistry in the Wacker process of (J.K. Stille, R. Divakaruni), (169)239

- Metal atom cocondensation procedures, photolysis and thermolysis effects in (K.J. Klabunde, T. Groshens, H.F. Efner, M. Kramer), (157)91
- Mono- and bis-(pentachlorophenyl)-nickel and -palladium complexes (R. Ceder, J. Granell, G. Müller, O. Rossell, J. Sales), (174)115
- Nickel, palladium and platinum; Annual survey covering the year 1977 (D.M. Roundhill), (167)265
- Organic-transition metal complexes containing crown ether groups (K.J. Odell, E.M. Hyde, B.L. Shaw, I. Shepherd), (168)103
- Palladium(II) and platinum(II) central carbon-bonded acetylacetone complexes, reactions with β -dicarbonyl compounds of (T. Ito, A. Yamamoto), (174)237
- Palladium(0) and platinum(0) complexes of *p,p'*-diisopropylbenzylideneacetone and their NMR spectra (A. Keasey, B.E. Mann, A. Yates, P.M. Maitlis), (152)117
- Palladium(II) and platinum(II) dienyl complexes, preparation and reactions of (R. Pietropaolo, F. Cusmano, E. Rotondo, A. Spadaro), (155)117
- Palladium(0) catalysts, use of polymer matrices for activation of and reduction of catalyst agglomeration (C.U. Pittman, Jr., Q. Ng), (153)85
- Palladium(II) cationic η^3 -allyl ylide and η^5 -cyclopentadienyl ylide complexes, preparation of (M.-F. Hirai, M. Miyasaka, K. Itoh, Y. Ishii), (165)391
- Palladium(0) complexes coordinated with substituted olefins and tertiary phosphine ligands (F. Ozawa, T. Ito, Y. Nakamura, A. Yamamoto), (168)375
- Palladium complexes promoting the reaction of carbon monoxide and phenols (J.E. Hallgren, R.O. Matthews), (175)135
- Palladium(II) complexes, effects of ligands, carbon monoxide and added bases pressure on alcohol carbonylation with (F. Rivetti, U. Romano), (174)221
- Palladium(0) coordinatively, unsaturated, polymer-bound complex, synthesis and catalytic activities of (M. Terasawa, K. Kaneda, T. Imanaka, S. Teranishi), (162)403
- Palladium-DIOP used as catalyst in asymmetric catalytic allylation of α -diketones and β -ketoesters with allylic ethers (J.C. Fiaud, A.H. De Gournay, M. Larchevêque, H.B. Kagan), (154)175
- Palladium-palladium bonds, reversible insertion of sulphur dioxide into, preparation and structure of $Pd_2(\mu-SO_2)-(Ph_3PCH_2PPh_3)_2Cl_2$ (L.S. Benner, M.M. Olmstead, H. Hope, A.L. Balch), (153)C31
- Palladium(II)-promoted 1,4-diamination of 1,3-dienes; stereochemistry of aminaton of a π -allylpalladium complex (B. Åkermark, J.-E. Bäckvall, A. Löwenberg, K. Zetterberg), (166)C33
- Palladium(II)-sulphonium- η^1 -allylide complexes, preparation of (H. Nishiyama), (165)407
- Phosphine-palladium and -rhodium complexes as catalysts in regioselective hydrosilylation of 1,3-dienes (I. Ojima, M. Kumagai), (157)359
- Phosphonium, arsonium, sulphonium and pyridinium keto-stabilized salts and ylides and their palladium(II) complexes, ^{13}C NMR studies of (G. Fronza, P. Bravo, C. Ticozzi), (157)299
- Phosphonium salt type palladium(II) η^3 -allyl ylide complexes, preparation and structure of (M.-F. Hirai, M. Miyasaka, K. Itoh, Y. Ishii), (160)25
- Platinum(II) and iridium(II) phosphine complexes, cyclometallation at carbon adjacent to oxygen in (B.D. Dombeck), (169)315
- Poly-yne polymer containing mixed metals in the main chain, [*trans,trans*- $Pt(PBu_3)_2-C\equiv C-C\equiv C-Pd(PBu_3)_2-C\equiv C-C\equiv Cl]_{n/2}$, synthesis and characterization of (K. Sonogashira, S. Kataoka, S. Takahashi, N. Hagihara), (160)319
- Sodium hydride containing complex reducing agents, activation of (J.J. Brunet, R. Vanderesse, P. Caubère), (157)125
- Tetrakis(triphenylphosphine)palladium(0), oxidative addition of imidoxy chlorides to (M. Tanaka, H. Alper), (168)97
- Tri-t-butylphosphine-palladium(II) hydride complexes, easy intramolecular metallation of (H. Clark, A.B. Goel, S. Goel), (166)C29
- Vinylmercurials, synthesis of 1,4-dienes via allylation of (R.C. Larock, J.C. Bernhardt, R.J. Driggs), (156)45

Phosphorus

- Alkylidenetantalum complexes, preparation by alkylidene transfer from phosphoranes of (P.R. Sharp, R.R. Schrock), (171)43

- Alkylidenetriphenylphosphoranes, hexaphenylcarbodiphosphorane, phosphacumulene ylides and triphenylphosphazine (II). Lumbroso, J. Curé, H.-J. Bestmann), (161)347
- η^3 -Allylcarbonylvanadium complexes with bis(diphenylphosphine)alkane ligands (U. Franke, E. Weiss), (172)341
- η^3 -Allylchlorophosphineplatinum complexes, influence of the phosphine ligands on the ^1H and ^{31}P NMR behaviour of (G. Carturan, A. Scrivanti, B. Longato, F. Morandini), (172)91
- η^3 -Allylcyclopentenonemolybdenum complexes coordinated by phosphine or phosphite (J. Collin, J.L. Roustan, P. Cadiot), (169)53
- π -Allyliron carbonyl complex derived from a fluorocarbon containing ligand by loss of fluorine, synthesis and crystal structure of (W.R. Cullen, M. Williams, F.W.B. Einstein, A.C. Willis), (155)259
- η^3 -Allylmolybdenum phosphine and phosphite complexes, identification by NMR spectroscopy of diastereoisomers and conformers of (J. Colin, C. Charrier, M.J. Pouet, P. Cadiot, J.L. Roustan), (168)321
- η^3 -Allyltricarbonylvanadium(0) complexes with bidentate arsine and phosphine ligands, preparation, properties and spectra of (U. Franke, E. Weiss), (153)39
- Amineoxide induced ligand substitution in transition metal compounds (U. Koelle), (155)58
- Arenebis-phosphite-carbonylchromium chelate complexes, formation, reactions and structures of (A.N. Nesmeyanov, V.V. Krivykh, M.I. Rybinskaya), (164)159
- Arenedifluorophosphitechromium mono-, di- and tri-cyclic complexes, formation and structures of (A.N. Nesmeyanov, V.V. Krivykh, G.A. Panosyan, P.V. Petrovskii, M.I. Rybinskaya), (164)167
- α -Arylthiocarbonyl complexes, rearrangement to η^2 -thioacyl complexes of and structure of Os[η^2 -C(S)R](η^1 -O₂CCF₃)-(CO)(PPh₃)₂ (G.R. Clark, T.J. Collins, K. Marsden, W.R. Roper), (157)C23
- Benzoyl(acetylacetonato)nickel(II) complexes containing tertiary phosphine ligands, synthesis, dynamic behaviour in solution and decarbonylation of (K. Maruyama, T. Ito, A. Yamamoto), (157)463
- Benzyl- and *meta*-fluorobenzyl-phosphines. mechanism of metallation reactions with rhodium(I), iridium(I), palladium(II) and platinum(II) compounds of (S. Hietkamp, D.J. Stuskens, K. Vrieze), (168)351
- Bidentate amines as bridges between chlorocarbonyl-rhodium or -iridium units (A.L. Balch, R.D. Cooper), (169)97
- Bis- μ -[bis(diphenylphosphino)methane]-diplatinum complexes, ^{31}P NMR spectra of and metal-metal bond strength in (M.P. Brown, J.R. Fisher, S.J. Franklin, R.J. Puddephatt, K.R. Seddon), (161)C46
- 1,2-Bis(disfluorophosphino)ethane-nickel(0) and -molybdenum(0) (D.L. Gallup, J.G. Morse), (159)477
- 1,2-Bis(diphenylphosphino)ethane($3a,4,7,7a$ -tetrahydro-*exo*-6-methoxy-*endo*-1,7-methaneindene-*endo*-5 σ ,2 π)-palladium(II) and -platinum(II) cations, reactions with acids of (R. Pietropaolo, F. Cusmano), (168)363
- [Bis(2-diphenylphosphinoethyl)phenylphosphinenickel(0)methylsulphinato] tetraphenylborate, X-ray structure of (C. Mealli, P. Stoppioni), (175)C19
- Bis(μ -phenyldiazenido)octacarbonyldimanganese, synthesis and properties of (E.W. Abel, C.A. Burton), (170)229
- Bis(tri-t-butylphosphine)platinum(II) hydrides, preparation and facile intramolecular metallation reactions of (H.C. Clark, A.B. Goel, R.G. Goel, W.O. Ogini), (157)C16
- Bis(trifluoroacetato)iron derivatives, preparation via carbon disulphide iron complexes of (H. Le Bozec, A. Gorgues, P. Dixneuf), (174)C24
- Bis(triphenylphosphine)iminium pentacarbonylmanganate(-I), reactions with Group IV halides of (D.N. Duffy, B.K. Nicholson), (164)227
- Bis(triphenylphosphine)nickel dichloride as catalyst in reactions of organomagnesium compounds with acetylene compounds (J.G. Duboudin, B. Jousseau), (162)209
- Bis(triphenylphosphine)platinum acetylides from functionally substituted acetylenes, synthesis of (M.V. Russo, A. Furlani), (165)101
- N-Bromodimethylsilyl- and *N*-iododimethylsilyl-triorganophosphinimines (W. Wolfsberger), (173)277

- trans*-Bromo(tetracarbonyl)phenylcarbyne-tungsten, kinetics of reactions with tertiary aryl-phosphanes, -arsanes and -stibanes of (H. Fischer, A. Ruhs), (170)181
- (Carbonato)bis(triphenylphosphine)- and (carbonato)bis(triphenylarsine)-platinum compounds, reactions of electrophilic olefins with (M.F. Zuckerman, H. Ulrich), (172)193
- Carbonylcyclopentadienylbis(trimethylphosphine)c₀balt(III) cation, preparation and reactions with nucleophiles of (A. Spencer, H. Werner), (171)209
- Carbonylhydridophosphinevanadium complexes, preparation by ion exchange on silica gel from tetraethylammonium tetracarbonyl vanadates(-1) (U. Puttfarcken, D. Rehder), (157)321
- Carbonyl(phosphonium-bis-methylide)-rhodium(I) complexes, variable temperature NMR studies of (R.L. Lapinski, H. Yue, R.A. Grey), (174)213
- Carboxycobaltocenium hexafluorophosphate, crystal structure at -35°C of (P.E. Riley, R.E. Davis), (152)209
- (η⁵-C₅H₅CH₃)Mn(NO)(PPh₃) and (η⁵-C₅H₅)Mo(CO)(PPh₃) complexes, preparation of (D.L. Reger, D.J. Fauth, M.D. Dukes), (170)217
- C₅H₅Fe(CO)[(C₆H₅)₂PN(R)CH(C₆H₅)], unusual route to and rearrangement of (H. Brunner, G.O. Nelson), (173)389
- Chiral rhodium(I) carboxylate and non-chiral phosphines, asymmetric hydrogen hydrogenation of an olefin with catalysts formed from (Z. Nagy-Magos, S. Vastag, B. Heil, K. Markó), (171)97
- Chloro-1,6-bis(diphenylphosphino)-*trans*-hex-3-eneiridium(I) and chloro-1,6-bis(diphenylphosphino)-*trans*-hex-3-enedihydridoiridium(III), preparations, spectra and X-ray structures of (G.R. Clark, M.A. Mazid, D.R. Russell, P.W. Clark, A.J. Jones), (166)109
- Chlorocarbonyl *N*-isopropenyl-*N'*-isopropylformamidinatobis(triphenylphosphine)ruthenium(II), synthesis and X-ray structure of (A.D. Harris, S.D. Robinson, A. Sahajpal), (174)C11
- (Chlorofluoromethylene)tris(dimethylamino)phosphorane, stabilized complexes of (M.J. Van Hamme, D.J. Burton), (169)123
- Chlorosilanes, stereochemistry of nucleophilic substitution reactions of (R.J.P. Corriu, G. Dabosi, M. Martineau), (154)33
- Chlorothiomethoxymethylbis(triphenylphosphine)palladium(II) methylenechloride, molecular structure as a solvate at -160°C of (K. Miki, Y. Kai, N. Yasuoka, N. Kasai), (165)79
- Chlorotris(triphenylphosphine)rhodium(I) catalysis of the reaction between 1-hexyne and triethylsilane (H.M. Dickers, R.N. Haszeldine, A.P. Mather, R.V. Parish), (161)91
- Chromium chelate complex with hexadentate 1,3,5-(F₃POCH₂CH₂)₃C₆H₅ ligand, molecular structure of (A.N. Nesmeyanov, Yu.T. Struchkov, V.G. Andrianov, V.V. Krivykh, M.I. Rybinskaya), (166)211
- Computer graphics determination and display of stereoisomers in coordination compounds (F. Choplin, R. Dorschner, G. Kaufmann, W.T. Wipke), (152)101
- Coordinated cyclooctatetraene, dimerisation via silver(I) oxidation and X-ray crystal structure of the product (N.G. Connelly, M.D. Kitchen, R.F.D. Stansfield, S.M. Whiting, P. Woodward), (155)C34
- Copper(I) complexes with *o*-semiquinolate ligands, ESR investigations of (G.A. Razuvaev, V.K. Cherkasov, G.A. Abakumov), (160)361
- Cuprous cyanide complexes of diastereoisomeric phosphinites, preparation and separation of isomers of (W. Chodkiewicz, D. Jore, A. Pierrat, W. Wodski), (174)C21
- trans*-Cyanomethylhydridobis(triphenylphosphine)platinum, protonolysis of the Pt-C bond in (P. Uguagliati, R.A. Michelin, U. Belluco, R. Ros), (169)115
- [Cyano(phenyl)bis(triethylphosphine)-nickel(II)], general mechanism of (G. Favero, A. Morville, A. Turco), (162)99
- Cyclooctadienylchloro(cyclohexadienylphenylphosphine)iridium, influence of the substituents on the catalytic activity of (R. Bonnaire, L. Horner, F. Schumacher), (161)C41
- Cyclopentadienecyclooctadienecobalt tetrafluoroborate, addition of triphenylphosphine to (L.A.P. Kane-Maguire, P.D. Mouncher, A. Salzer), (168)C42
- (η⁵-Cyclopentadienyl)(acyl)(carbonyl)-(tertiary phosphine)iron complexes, reaction with trifluoromethane-sulphonic acid of (B.E. Boland, S.A. Fam, R.P. Hughes), (172)C29

- Cyclopentadienylcarbonyl(trimethylphosphine)cobalt(I), interconversion of alkyl- and acyl-cobalt(III) complexes derived from (A. Spencer, H. Werner), (171)219
- η^5 -Cyclopentadienyl-carbonyltriphenylphosphineiron and -dicarbonyliron tetrafluoroborate complexes with unsaturated ligands, synthesis of and reduction of the η^2 -acetylene complexes (D.L. Reger, C.J. Coleman, P.J. McElligott), (171)73
- Cyclopentadienylcarbonyltungsten acetylacetyles, addition reactions with trimethyl phosphite and trimethylphosphane of (H.G. Alt, J.A. Schwärzle), (155)C65
- Cyclopentadienyldicarbonyl-2-phosphorylideneacyliron complexes, preparation and vibrational spectra of (L. Knoll), (152)311
- Cyclopentadienyliron(II) dinuclear complexes with tritertiary phosphines as bridging ligands, synthesis and structural characterization of (J.P. Barbier, P. Dapporto, L. Sacco, P. Stoppioni), (171)185
- Cyclopentadienyltitanium complexes with aryl diazenido and phosphiniminato ligands (J.R. Dilworth, H.J. de Liefde Meijer, J.H. Teuben), (159)47
- Cyclopentadienyl(trimethylphosphine)-cobalt carbon disulphide, synthesis, reactions and crystal structure of (H. Werner, K. Leonhard, C. Burschka), (160)291
- Cymantrenylcarbenium ions containing two phosphine ligands, synthesis and spectra of (A.G. Ginzburg, G.A. Panosyan, V.N. Setkina, Sh.G. Kasumov, P.V. Petrovskii, D.N. Kursanov), (164)59
- cis*-Diarylbis(triethylphosphine)platinum(II) complexes, voltammetric behaviour of (R. Seeber, G.A. Mazzocchin, D. Minniti, R. Romeo, P. Uguagliati, U. Belluco), (157)69
- Dicarbonylnitrosyl(cyclobutadiene)iron cation and tricarbonyl(cycloheptatriene)-manganese cation, kinetics of nucleophilic addition of tertiary phosphine to (D.M. Birney, A.M. Crane, D.A. Sweigart), (152)187
- Di- μ -chlorodipropionylbis(dimethylphenylphosphine)diplatinum, crystal and molecular structure and ^{31}P NMR characteristics of (G.K. Anderson, R.J. Cross, L. Manojlović-Muir, K.W. Muir, T. Solomun), (170)385
- α, ω -Dichloropermethylosilanes, preparation of heterocyclic phenylphosphaphermethylsilanes, $(\text{PhP})_m(\text{SiMe}_2)_n$ (R.T. Stanislawski, R. West), (157)389
- cis*-Dichloro(tri-n-butylphosphine)bis(N,N-dimethylamino)cyclopropenylidene)palladium(II), synthesis and structure of (R.D. Wilson, J.A. Ibers, Y. Kamitori, H. Ogoshi, Z.-I. Yoshida), (173)199
- Dicyclooctatetraeniron, substitution reactions of and formation of iron-organophosphorus compounds (H. Felkin, P.W. Lednor, J.-M. Normant, R.A.J. Smith), (157)C64
- Di- η^5 -cyclopentadienyl-molybdenum and -tungsten, photosubstitution reactions on (S.M.B. Costa, A.R. Dias, F.J.S. Pina), (175)193
- Di- η^5 -cyclopentadienyltricarbonyltriphenylphosphinediiron, reactions of; improved synthesis of the cyclopentadienyl-carbonyliron tetramer (A.J. White), (168)197
- Dihydroplatinum(II) complexes with bulky phosphine ligands, general and convenient method of synthesis of (H.C. Clark, A.B. Goel, C.S. Wong), (152)C45
- 2,2'-Dilithio-1-phenylpyrrole, preparation and reactivity of (G.W.H. Cheeseman, S.G. Greenberg), (166)139
- 2- η -1-*exo*-Dimethoxyphosphorylcyclohexadienyl(η^5 -ethyltetramethylcyclopentadienyl)rhodium(III) hexafluorophosphate, attack of trimethylphosphite upon an η^6 -benzene ligand leading to (G. Fairhurst, C. White), (166)C23
- (3,5-Dimethylbenzyl)diphenylphosphito-dicarbonylchromium, molecular structure of (A.N. Nesmeyanov, Yu.T. Struchkov, V.G. Andrianov, V.V. Krivykh, M.I. Rybinskaya), (164)51
- Dimethyl-3,4-phosphaferroocene, synthesis of (F. Mathey), (154)C13
- Dinuclear carbonyl-manganese, -rhenium and -cobalt dimetal complexes, formation of (G. Beysel, J. Grobe, W. Mohr), (170)319
- Dioxotetrachloro-*N,N'*-ethylenebis(salicylideneiminato)bis(triphenylphosphine)-dirhenium(V) dichloromethane solvate, preparation and crystal structure of (G. Bombieri, U. Mazzi, G. Gilli, F. Hernandez-Cano), (159)53
- 1,2-Diphenyl-1,2-diphospholane-1,2-disulphide, crystal and molecular structure of (J.D. Lee, A.H. Boloorizadeh), (152)305

- Diphenyl(2-ethylcyclopentadienyl)phosphine, as chelating ligand for transition metals-cyclopentadienylphosphorus(III) compounds (C. Charrier, F. Matthey), (170)C11
- Diphenylketenenickel complexes, preparation and properties of (H. Hoberg, J. Korff), (152)255
- Diphenylphosphino- and phenylthio-bridged dinuclear platinum(II) complexes, preparation by use of trimethyl(diphenylphosphino)- and trimethyl(phenylthio)silane (C. Eaborn, K.J. Odell, A. Pidcock), (170)105
- cis, trans*-1,4-Diphosphabutene and 1,4-diphosphabutyne in carbonyl-vanadium compounds, coordination properties of (H.-C. Bechthold, D. Rehder), (172)331
- Diphospho-1,1'-ferrocenes, synthesis of (G. De Lauzon, F. Matthey, M. Simalty), (156)C33
- Diphosphiniterhodium—chiral sugar complexes used in asymmetric hydrogenation (R. Jackson, D.J. Thompson), (159)C29
- Disubstituted manganese carbonyl anion, $[\text{Mn}(\text{CO})_3\text{L}_2]^-$ ($\text{L} = \text{P}(\text{OPh})_3, \text{PPh}_3$), reactions with R_3MX ($\text{M} = \text{C}, \text{Si}, \text{Ge}, \text{Sn}; \text{R} = \text{Me}, \text{Et}, \text{Ph}, \text{Cl}; \text{X} = \text{Cl}, \text{Br}$) of (S. Onaka, Y. Yoshikawa, H. Yamatera), (157)187
- Ethylenehydrido- and ethylenemethylruthenium(II) cations, reactivity towards trimethylphosphane of (H. Werner, R. Werner), (174)C63
- Fe—Fe, Fe—Co, and Mn—Co bonds in catalytically-active dinuclear arsenic bridged carbonyl complexes, reactivity of (H.J. Langenbach, E. Keller, H. Vahrenkamp), (171)259
- Formamidine complexes with triphenylarsine, -stibine and -phosphine and with trimethoxy- and triphenoxy-phosphines, synthesis and spectroscopic investigation of (W.H. de Roode, J. Berke, A. Oskam, K. Vrieze), (155)307
- Functionally substituted stannylenes and their stannio complexes with chromium, molybdenum and tungsten carbonyl acceptors, $^{119}\text{m}\text{Sn}$ Mössbauer spectra of (W.-W. Du Mont, J.L. Lefferts, J.J. Zuckerman), (166)347
- Germaphosphinimines, intermediate compounds with π -bonded germanium (C. Couret, J. Satgé, J.D. Andriamizaka, J. Escudié), (157)C35
- Halocarbonylrhodium(I) complexes containing phosphinoalkylorganosilicon ligands, preparation and catalytic hydroformylation activity of (M.O. Farrell, C.H. Van Dyke, L.J. Boucher, S.J. Metlin), (169)199
- Heterodinuclear manganese and molybdenum carbonyl-iron complexes with carbon disulphide bridges (U. Oehmichen, T.G. Southern, H. Le Bozec, P. Dixneuf), (156)C29
- Heteronuclear cluster compounds; $(\text{PhP})\text{FeCo}_2(\text{CO})_6$, $(\text{PhP})\text{MoCo}_2\text{Cp}(\text{CO})_6$, $(\mu\text{-AsMe}_3)$ and $(\text{PhP})\text{FeMoCoCp}(\text{CO})_6$, preparation of (F. Richter, H. Beurich, H. Vahrenkamp), (166)C5
- Hexacoordinate mixed-ligand iron(II) complexes with isocyanides and phosphines, influence of phosphine ligands on the stoichiometry of (G. Albertin, E. Bordignon, S. Calogero, A.A. Orio, G. Pelizzi), (157)51
- Hexadecacarbonylhexarhodium and its bidentate phosphorus ligand substitution products, carbonyl exchange with ^{13}CO of (K. Nomiya, H. Suzuki), (168)115
- Hexamethylphenyl(trimethylphosphine)-carbonylruthenium complexes, synthesis and reactivity of (H. Werner, R. Werner), (174)C67
- Hexamethylsilirane, reactions with primary and secondary phosphines and chlorophosphines of (W. Hölderich, D. Seyferth), (153)299
- Hexaorgano-substituted triatomies, R_3XYZR_3 , a rationalisation using the second-order Jahn-Teller effect (C. Glidewell), (159)23
- Hydrazido(2-) complexes of molybdenum and tungsten, influence of ligand environment on protonation reactions of; X-ray structures of $[\text{M}(8\text{-quin})(\text{NNH}_2)(\text{PMMe}_2\text{Ph})_3]$ ($\text{M} = \text{Mo, W}; 8\text{-quin} = \text{quinolin-8-olate}$) (J. Chatt, M.E. Fakley, R.L. Richards, I.R. Hanson, D.L. Hughes), (170)C6
- trans*-Hydrido(1,1-dimethylallene)bis(tricyclohexylphosphine)platinum(II) hexafluorophosphate, spectroscopic and structural characterization of (H.C. Clark, M.J. Dymarski, N.C. Payne), (165)117
- Hydridoiodobis(triphenylphosphine)-*p*-methoxyphenyldiazene- C^2, N^1 -iridium/chloroform, 1/1, crystal and molecular structure of (P.L. Bellon, F. Demartin, M. Manassero, M. Sansoni, G. Caglio), (157)209

- Hydridorhodium complexes, acetylene insertion and double insertion reactions of (H. Eshtiagh-Hosseini, J.F. Nixon, J.S. Poland), (164)107**
- mer-Hydrido(tetrahydroborato)tris-(methyldiphenylphosphine)ruthenium(II) and related complexes, preparation, properties and catalytic reactions of (R.H. Crabtree, A.J. Pearman), (157)355**
- Hydrido-1,3-(1,1,3,3-tetramethyldisiloxane-diyl)carbonylbis(triphenylphosphine)-iridium(III), $\text{Me}_2\text{SiOSiMe}_2\text{Ir}(\text{H})(\text{CO})(\text{PPh}_3)_2 \cdot \text{EtOH}$, crystal and molecular structure of (M.D. Curtis, J. Greene, W.M. Butler), (164)371**
- Hydroxy- and methoxy-alkylplatinum(II) compounds, isocyanide insertion into Pt—O bonds of (R.A. Michelin, R. Ros), (169)C42**
- Imine-phosphine chelating agents and their molybdenum(0) derivatives (T.B. Rauchfuss), (162)C19**
- η^2 -Iminoacylruthenium(II) derivative, synthesis and structure of $\text{Ru}[\eta^2\text{-C}(\text{NR})\text{R}]\text{Cl}^+(\text{CO})(\text{PPh}_3)_2$ (W.R. Roper, G.E. Taylor, J.M. Waters, L.J. Wright), (157)C27**
- Iridium(I) species, isolation of intermediates in the oxidative addition of hydrogen halides to (R.H. Crabtree, J.M. Quirk, T. Khan-Fillebeen, G.E. Morris), (157)C13**
- Iron pentacarbonyl, mono-substitution catalysed by polynuclear iron carbonyl anions of (S.B. Butts, D.F. Shriver), (169)191**
- cis,trans-Isomerisation of iridium complexes with 2,6-dialkyl-substituted aryl ligands (F. Mirzaei, L. Dahlenburg), (173)325**
- Lithium dimethylcuprate, addition to allenic phosphine oxide and carbonyl compounds of (J. Berlan, K. Koosha), (153)99**
- Manganese and rhenium carbonyl cationic compounds, preparation of carbamoyl-carbonyl complexes from (H. Behrens, R.-J. Lampe, P. Merbach, M. Moll), (159)201**
- Manganese and rhenium vinylidene complexes, mass spectrometry of (V.F. Sizoi, Yu.S. Nekrasov, Yu.N. Sukharev, N.E. Kolobova, O.M. Khitrova, N.S. Obezyuk, A.B. Artonova), (162)171**
- 1-Menthyl esters of α -mercurated phenyl-acetic acids, reactions with tris(tri-phenylphosphine)platinum of and mechanism of the platinum carbenoid insertion into the C—Hg bond (O.A. Reutov, V.I. Sokolov, G.Z. Suleimanov, V.V. Bashilov), (160)7**
- Menthylchloro(phenyl)phosphonate hydrolysis, analogies between dynamic stereochemistry at silicon and phosphorus (R.J.P. Corriu, F.G. Lanneau, D. Leclercq), (153)C1**
- Metal carbonyl derivatives, ^{18}O isotope shifts on the ^{13}C NMR of (D.J. Darenbourg), (174)C70**
- Metal complexes of chelating diphosphine ligands, preparation via base-induced additions of coordinated phosphines to acetylene (P.M. Treichel, W.K. Wong), (157)C5**
- Metal complexes obtained from additions of coordinated phosphines to acetylenes, molecular structures of (P.M. Treichel, W.K. Wong, J.C. Calabrese), (159)C20**
- (o-Methoxyphenyl)dimethylphosphine, convenient synthesis of (W. Levason, K.G. Smith), (169)283**
- Methylchlorobis(dimethylphenylphosphine)-platinum and chlorobis(triphenylphosphine)platinum, thermochemistry of addition of tetracyanoethylene to (C.T. Mortimer, M.P. Wilkinson, R.J. Puddephatt), (165)269**
- π -Methylcyclopentadienylmethylamino-bis(disfluorophosphine)methylmethoxy-carbenemanganese (E.O. Fischer, G. Besl), (157)C33**
- trans-Methylphenylbis(triethylphosphine)-platinum complexes, mechanism of electrophilic cleavage of the Pt—C(alkyl) bond in (P. Romeo, D. Minniti, S. Lanza), (165)C36**
- $\text{MoCl}(\text{N}_2\text{COPh})(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2$, molecular structure of (M. Sato, T. Kodama, M. Hidai, Y. Uchida), (152)239**
- Molybdenum and tungsten metallocyclic ylide complexes (H.G. Alt, J.A. Schwärzle, F.R. Kreissl), (152)C57**
- Molybdenum(0) complexes of α,β -unsaturated nitriles and the structure of $\text{Mo}_2(\text{CO})_4(\text{PBu}_3)_4(\mu-\text{CH}_2=\text{CHCN})_2$ (F. Hohmann, H. tom Dieck, C. Krüger, Y.-H. Tsay), (171)353**
- Mono-alkyldichlorosilanes, selective synthesis via the reaction of olefins with dichlorosilane catalysed by Group VIII metal phosphine complexes (H. Watanabe, M. Aoki, N. Sakurai, K.-i. Watanabe, Y. Nagai), (160)C1**

- Mono- and bis-(pentachlorophenyl)-nickel and -palladium complexes (R. Ceder, J. Granell, G. Müller, O. Rossell, J. Sales), (174)115
- Mono- and di-phosphines derived from sugars, synthesis and use as ligands in asymmetric catalysis of (D. Lafont, D. Sinou, G. Descotes), (169)87
- Monomeric carbonylcobalt-dimethyl-arsenide complexes (R. Müller, H. Vahrenkamp), (170)C25
- Mononuclear R_nEM(CO)_m complexes, reactions of (J. Grobe, R. Rau), (157)281
- Nickel-catalysed amination of butadiene (B. Åkermark, G. Åkermark, C. Moberg, C. Björklund, K. Siirala-Hansén), (164)97
- Nickel-catalysed cyclodimerisation of allene, structure of a model intermediate for (P.W. Jolly, C. Krüger, R. Salz, J.G. Sekutowski), (165)C39
- Nucleophile-induced substitution of silicon halides, intermediates in (J. Chojnowski, M. Cypryk, J. Michalski), (161)C31
- Organoiridium compounds, catalytic properties in homogeneous hydrogenation reactions of (W. De Aquino, R. Bonnaire, C. Potvin), (154)159
- Organomagnesium and organoalkali metal compounds, determination of basicity of (C. Chevrot, K. Kham, J. Périchon, J.F. Fauvarque), (161)139
- Organometallic ytterbium complexes with direct Yb-P bonds, influence of ligands on spectra of (G. Bielang, R.D. Fischer), (161)335
- Palladium(0) catalysts, use of polymer matrices for activation of and reduction of catalyst agglomeration (C.U. Pittman, Jr., Q. Ng), (153)85
- Palladium(II) cationic η^3 -allyl ylide and η^5 -cyclopentadienyl ylide complexes, preparation of (M.F. Hirai, M. Miyasaka, K. Itoh, Y. Ishii), (165)391
- Palladium(0) complexes coordinated with substituted olefins and tertiary phosphine ligands (F. Ozawa, T. Ito, Y. Nakamura, A. Yamamoto), (168)373
- Pentacarbonyl(arylmethoxycarbene)-tungsten, tributylphosphane addition to (H. Fischer), (170)309
- Pentacarbonylchromium complexes with nitrilic ligands, peripheric reactions of (L. Knoll), (155)C63
- Pentacarbonyl(tri-*t*-butylphosphane-dichlorostannio)tungsten(0), synthesis of (W.-W. Du Mont), (153)C11
- Pentadecacarbonylidihdropentaosmium, reactions with nucleophilic reagents of (G.R. John, B.F.G. Johnson, J. Lewis, W.J. Nelson, M. McPartlin), (171)C14
- η^5 -Pentamethylcyclopentadienylnickel complexes, synthesis and reactions of (T. Mise, H. Yamazaki), (164)391
- cis*-(*threo*-PhCHDCHD)Mn(CO)₄PtCl₂, halogen cleavage reactions of (D. Dong, M.C. Baird), (172)467
- Phenyl(acetylacetonato)nickel(II) complexes with tertiary phosphine ligands, preparation and reactions with organic halogen compounds and olefins of (K. Maruyama, T. Ito, A. Yamamoto), (155)359
- (η^6 -Phenyllithium)tricarbonylchromium, formation and some reactions of (M.D. Rausch, R.E. Gloth), (153)59
- Phosphaacetylenehexacarbonyldicobalt complexes, preparation and reactions of (D. Seyferth, R.S. Henderson), (162)C35
- Phosphaamidines derived from bis-silylated phosphines and imide chlorides, reactions and NMR spectra of (K. Issleib, H. Schmidt, H. Meyer), (160)47
- Phosphacymantrenes, acylation reactions of (A. Breque, F. Mathey, C. Santini), (165)129
- Phosphine-nickel(0) complexes of ethyl methacrylate, NMR studies of (T. Yamamoto, J. Ishizu, S. Komiya, Y. Nakamura, A. Yamamoto), (171)103
- Phosphinerhodium catalysts modified with triethylamine, homogeneous hydrogenation of ketones with (B. Heil, Törös, J. Bakos, L. Markó), (175)229
- Phosphinerhodium complexes as homogeneous catalysts; enantioselective hydrogenation of ketones: evidence for several mechanisms with catalysts containing DIOP (S. Törös, B. Heil, L. Markó), (159)401
- Phosphonium, arsonium, sulphonium and pyridinium keto-stabilized salts and ylides and their palladium(II) complexes, ¹³C NMR studies of (G. Fronza, P. Bravo, C. Ticoczi), (157)299
- Phosphonium salt type palladium(II) η^3 -allyl ylide complexes, preparation and structure of (M.-F. Hirai, M. Miyasaka, K. Itoh, Y. Ishii), (160)25

- Phosphonyl radicals and related species.
ESR spectra of (B.P. Roberts, K. Singh), (159)131
- Phosphorus, arsenic and antimony metalla-cyclic compounds as complexing ligands (G. Huttner, G. Mohr, P. Friedrich, H.G. Schmid), (160)59
- Phosphorus-nitrogen chelate ring system, insertion reactions with the benzonitrile ligands of $\text{Cl}_2\text{Pt}(\text{NCC}_6\text{H}_5)_2$ of (O.J. Scherer, A. Nahrstedt), (166)C1
- Phosphorus ylide complexes of α -phenyl- and α -phenylacetylidochromium compounds, isolation and reactions of (E. Kurras, U. Rosenthal), (160)35
- Phosphorus ylides in reaction with rhodium(I) compounds (H. Schmidbaur, G. Blaschke, H.J. Füller, H.P. Scherm), (160)41
- $\{\text{Ph}_3\text{P}(\text{CH}_2)_n\text{Ph}_2\}\text{Pt}(\text{CH}_3)_2$, ring size effects on ^{13}C , ^{31}P and ^{195}Pt NMR parameters in (S. Hietkamp, D.J. Stufkens, K. Vrieze), (169)107
- $[(\text{Ph}_3\text{P})_2\text{N}][\text{Ni}_2(\text{CO})_6\text{H}]$, synthesis and crystal structure of (G. Longoni, M. Manassero, M. Sansoni), (174)C41
- cis-Piperidine-chromium and -tungsten tetracarbonyl(^{13}CO) derivatives, mass spectral study of intramolecular rearrangements in (R. Davis, D.J. Dahrenbourg), (161)C11
- Platinum(II) and iridium(II) phosphine complexes cyclometallation at carbon adjacent to oxygen in (B.D. Dombek), (169)315
- Platinum-carbon bond strength in $\text{Pt}(\text{PPh}_3)_2(\text{CH}_3)\text{I}$ (C.T. Mortimer, M.P. Wilkinson, R.J. Puddephatt), (165)265
- Platinum(0) insertion into the NS bond of 2,1,3-benzothiadiazole with concomitant P-C bond rupture, crystal and molecular structure of the reaction product (R. Meij, D.J. Stufkens, K. Vrieze, A.M.F. Brouwers, A.R. Overbeek), (155)123
- Platinum metals hydride complexes, coordination and fragmentation of *p*-tolyl-isocyanate by (S.D. Robinson, A. Sahajpal), (164)C9
- Platinum-olefin bond strength in (η -3-phenylcyclobutene-1,2-dionyl)bis(tri-phenylphosphine)platinum (C.T. Mortimer, M.P. Wilkinson, J. Burgess, R.D.W. Kemmitt, N. Morton), (171)369
- Platinum; $\{\text{P}\}$ phosphine sterically-crowded cations (H.C. Clark, M.J. Dymarski, J.D. Oliver), (154)C40
- Polynuclear arylcopper complex forming compounds, C_{alk}-P bond cleavage in Diphos by (2-Me₂NCH₂C₆H₅)₂Cu (G. van Koten, J.G. Noltes, A.L. Spek), (159)441
- Poly-yne polymer containing mixed metals in the main chain, [*trans,trans*-Pt(PBu₃)₂-C≡C-C≡C-Pd(PBu₃)₂-C≡C-C≡C]n, synthesis and characterization of (K. Sonogashira, S. Kataoka, S. Takahashi, N. Hagihara), (160)319
- α -Propargylic molybdenum phosphine coordinated complexes, alkoxycarbonylation by alcohols and thiols of (J. Collin, J.L. Roustan, P. Cadiot), (162)67
- [PtCl₂PBu₃]₂(t-BuN=CHCH=NBU-t) and PtCl₂(styrene)(t-BuN=CHCH=NBU-t), molecular geometries of (H. van der Poel, G. van Koten, K. Vrieze, M. Kokkes, C.H. Stam), (175)C21
- trans*-PtH(NO₂)(PET₃)₂ as catalyst for hydrogenation of olefins (H.C. Clark, C. Billard, C.S. Wong), (173)341
- Rhodium(I) catalysed decomposition of formic acid (S.H. Strauss, K.H. Whitmire, D.F. Shriver), (174)C59
- Rhodium(I) complexes of phosphinated polymethylsiloxanes, preparation and properties of (M.O. Farrell, C.H. van Dyke, L.J. Boucher, S.J. Metlin), (172)367
- Rhodium(I)-hetero-allylic compounds, reactions with hetero-allenes (D.H.M.W. Thewissen, H.L.M. van Gaal), (172)69
- Rhodium(I) thiocarbonyl cationic complexes with triphenylphosphine and N-donor ligands (R. Uson, P. Lahuerta, D. Carmona, L.A. Oro, K. Hildenbrand), (157)63
- [RuHCl(PPh₃)₂(C₃H₅NCHCHNC₃H₅)]_n, preparation and disproportionation of (B. Chaudert, R. Poilblanc), (174)C51
- Ruthenium complexes containing phosphorus donor ligands, synthesis and rearrangement reactions of [RuCl₂L₃ or ₄] (W.J. Sime, T.A. Stephenson), (161)245
- Ruthenium(II) complexes containing tri-phenylphosphine, tri-*p*-tolylphosphine or ethyldiphenylphosphine ligands (P.W. Armit, W.J. Sime, T.A. Stephenson, L. Scott), (161)391
- Ruthenium(0) fluorophosphine complexes, synthesis from ruthenium(II) hydride precursors (A.-R. Al-Ohalay, R.A. Head, J.F. Nixon), (156)C43

- Selenophosphonates, reactions with carbonyl compounds of (J.V. Comasseto, N. Petragnani), (152)295
- Silacyclopropanes, reactions with 1,2-dipolar reagents: diazomethane and methylenetrifluoromethylphosphorane (D. Seyerth, D.P. Duncan, H. Schmidbaur, P. Holl), (159)137
- Silicon-(or germanium-)phosphorus bonds containing stereochemical systems. synthesis of (J. Dubac, J. Cavezzan, P. Mazerolles, J. Escudie, C. Couret, J. Satge), (174)263
- Silicon—nitrogen—phosphorus halides stabilized by the t-butylidimethylsilyl group (R.H. Neilson, W.A. Kusterbeck), (166)309
- N-Sulphinylaniline and sulphurdiimine complexes of platinum(0), crystal and molecular structures of and determination of ^{31}P - ^{15}N and ^{195}Pt - ^{15}N coupling constants in (R. Meij, D.J. Stufkens, K. Vrieze, E. Roosendaal, H. Schenk), (155)323
- N-Sulphinylaniline-rhodium(I) and -iridium(I) complexes of the type $[\text{MCl}(\text{PR}_3)_2\text{L}]$; crystal and molecular structure of $[\text{RhCl}(\text{P-i-Pr})_2(\text{t-MeC}_6\text{H}_4\text{N=S=O})]$ (R. Meij, D.J. Stufkens, K. Vrieze, W. van Gerresheim, C.H. Stam), (164)353
- Sulphur-containing spirocyclic phosphoranes, synthesis of (A.C. Sau, R.R. Holmes), (156)253
- 1-Telluracyclopentane diiodide, synthesis of anionic complexes of (T.N. Srivastava, R.C. Srivastava, M. Singh), (157)405
- Tetracarbonylhydridovanadium compounds, reactions with isoprene of (U. Franke, E. Weiss), (152)C19
- Tetracarbonylmethyl derivatives of tertiary diphosphines, vibrational spectral investigations of (H. Gäbelein, J. Ellermann), (156)389
- Tetrahedral cluster compounds of iridium, synthesis and X-ray structure of (P. Chini, G. Ciani, L. Garlaschelli, M. Manassero, S. Martinengo, A. Sironi, F. Canziani), (152)C35
- Tetrakis(triphenylphosphine)palladium(0), oxidative addition of imidoyl chlorides to (M. Tanaka, H. Alper), (168)97
- Tetranuclear cobalt carbonyl clusters, ligand substitution processes in (D.J. Dahrenbourg, M.J. Incorvia), (171)89
- Thio- and phosphido-bridged binuclear iron complexes, electrochemical behaviour and chemical oxidation of (R. Mathieu, R. Poilblanc, P. Lemoine, M. Gross), (165)243
- Titanium(III) carbonyl unstable compound. $\text{TiCl}_3(\text{CO})(\text{PEt}_3)_2$, detection by high pressure IR spectroscopy of (T.A. Ballantine, G.D. Schmulbach), (164)381
- Transition metal—ammonia complexes, treatment with ketones of (D. Sellmann, E. Thallmair), (164)337
- Trialkylsilyl halides, synthetic and mechanistic aspects of reactions with thio and seleno esters of phosphorus of (B. Borecka, J. Chojnowski, M. Cyprik, J. Michalski, J. Zielinska), (171)17
- Triarylphosphines, ^{19}F NMR study of transmission of electronic effects in (S.I. Pombrik, V.F. Ivanov, A.S. Peregovodov, D.N. Kravtsov, A.A. Federov, E.I. Fedin), (153)319
- Tri-t-butylphosphine—palladium(II) hydride complexes, easy intramolecular metallation of (H. Clark, A.B. Goel), S. Goel), (166)C29
- Tri-t-butylphosphine—rhodium complexes, reactions of (H. Schumann, M. Heister), (153)327
- Tricarbonylbis(tri-t-butylphosphine)-iron(0) and -ruthenium(0) (H. Schumann, J. Opitz), (166)233
- Tricarbonyltriphenylphosphineethoxy-(pentafluorophenyl)carbeneiron(0), alkoxy carbene—ketone rearrangement in cleavage reactions of carbene ligands from (E.O. Fischer, U. Schubert), (170)C13
- Trichloro-1,6-bis(diphenylphosphino)-trans-hex-3-ene-iridium(III), crystal and molecular structure of (G.R. Clark, P.W. Clark, K. Marsden), (173)231
- Trimethylphosphane derivatives of methyl-tricarbonylcyclopentadienyl- and -indenyl-metal complexes ($\text{CpM}(\text{CO})_3\text{CH}_3$ and $\text{IndM}(\text{CO})_3\text{CH}_3$, M = Cr, Mo, W) (H.G. Alt, J.A. Schwärzle), (162)45
- Triorganotin dialkylthiophosphates, synthesis and reactions of (B.P. Singh, G. Srivastava, R.C. Mehrotra), (171)35
- $[\eta^2-(\text{C},\text{O})\text{-Triphenylcyclopropylcarbonyl}]$ -tricarbonylvanadium complexes with coordinated acyl ligands, crystal and molecular structure of $(\eta^2-\text{COC}_3\text{Ph}_3\text{H}_2)\text{V}(\text{CO})_3(\text{Ph}_2\text{AsCH}_2\text{CH}_2\text{PPh}_2)$ (U. Franke, E. Weiss), (165)329

- (Triphenylphosphine)(ethylene)penta-methylcyclopentadienylrhodium(I), formation by reaction of diiodo(tri-phenylphosphine)pentamethylcyclo-pentadienylrhodium(III) with butane-1,4-bis(magnesium bromide) (P. Diversi, G. Ingrosso, A. Lucherini, P. Martinelli, M. Benetti, S. Pucci), (165)253
- Triphenylphosphine-rhodium complexes, homogeneous catalytic hydrogenation of ketones without solvent by (W. Strohmeier, L. Weigelt), (171)121
- 1-Triphenylphosphonium-2-phenylvinyl- η^5 -cyclopentadienyldicarbonyliron tetrafluoroborate, crystal structure of (N.Ye. Kolobova, V.V. Skripkin, G.G. Alexandrov, Yu.T. Struchkov), (169)293
- α -Triphenylstannylnickel(II) cationic five-coordinate complexes with poly-(tertiary phosphines), synthesis, properties and X-ray structural determination of (S. Midollini, A. Orlandini, L. Sacconi), (162)109
- Tri- t -phosphineiridium(I) planar complexes, preparation and crystal structure of (H. Schumann, G. Cielusek, J. Pickardt, N. Bruncks), (172)359
- Tris(amino)phosphine, stabilisation through complex formation with pentacarbonyl-metal compounds of (H. Nöth, H. Reith, V. Thorn), (159)165
- Tris(μ_2 -dimethylphosphido)hexacarbonyl-trianguulo-tricobalt, synthesis and structure of (E. Keller, H. Vahrenkamp), (155)C41
- 1,1,1-Tris(hydroxymethyl)propanephosphate derivatives of Group VI metal carbonyls (S.G. Tripathi, S.C. Srivastava, D.P. Pandey, R.P. Chaturvedi), (164)177
- Tris(trimethoxyphosphine)(η^5 -diene)iron complexes, intramolecular exchange in (F.A. Van-Catledge, S.D. Ittel, J.P. Jesson), (168)C25
- Tris(triphenylphosphine)chlororhodium as catalyst in dimerisation reactions of monosubstituted α -hydroxyacetylenes (H.J. Schmitt, H. Singer), (153)165

Platinum

- Acyliron compounds, decarbonylation reactions with Group VIII metal complexes of (E.J. Kuhlman, J.J. Alexander), (174)81

- Acyplatiniun complexes derived from salicylaldehyde (H. Motsch, P.S. Pregosin), (171)C37
- Alkoxo- and hydroxo-platinum(II) complexes, insertion reactions into Pt—O bonds and condensations with compounds containing active hydrogen atoms (R.A. Michelin, M. Napoli, R. Ros), (175)239
- Alkoxycarbene-platinum(II) complexes. X-ray crystal structure of (Yu.T. Struchkov, G.G. Aleksandrov, V.B. Pukhnarevich, S.P. Suschinskaya, M.G. Voronkov), (172)269
- Alkyl- and aryl-platinum(II) complexes from $K_2[PtCl_4]$ and tetraorganotin compounds in dimethyl sulphoxide: preparation and reaetions of $[PtR_2(DMSO)_2]$ and $[PtR(C)(DMSO)_2]$ complexes (C. Eaborn, K. Kundu, A. Pidcock), (170)C18
- Alkyl-transition metal compounds, bond angles and non-bonded distances in (C. Glidewell), (169)C31
- Alkyne-platinum(0) cyclic complexes, oxidative addition and insertion reaetions of (T.G. Appleton, M.A. Bennett, A. Singh, T. Yoshida), (154)369
- η^1 -Allylchlorophosphineplatinum complexes, influence of the phosphine ligands on the 1H and ^{31}P NMR behaviour of (G. Carturan, A. Scrivanti, B. Longato, F. Morandini), (172)91
- Allylmercury compounds, convenient reagents for synthesis of π -allyl derivatives of transition metals (A.N. Nesmeyanov, A.Z. Rubezhov), (164)259
- trans*- and *cis*-aminodichloroethylene-platinum complexes, influence of the solvent on the photochemical behaviour of (R. Rumin, P. Courtot), (169)225
- Benzyl- and *meta*-fluorobenzyl-phosphines, mechanism of metallation reactions with rhodium(I), iridium(I), palladium(II) and platinum(II) compounds of (S. Hietkamp, D.J. Stufkens, K. Vrieze), (168)351
- Bis(acetylacetonato)platinum(II) reactions with Lewis bases; preparation and characterization of $[Pt(C_5H_8O_2)_2L_2]$ complexes (T. Ito, A. Yamamoto), (161)61
- Bis- μ -[bis(diphenylphosphino)methane]-diplatinum complexes, ^{31}P NMR spectra of and metal—metal bond strength in (M.P. Brown, J.R. Fisher, S.J. Franklin, R.J. Puddephatt, K.R. Seddon), (161)C46

- Bis(cyclopentadienylcarbonylmolybdenum)(*Mo*. *Mo*), chemistry of (M.D. Curtis, R.J. Klingler), (161)23
- 1,2-Bis(diphenylphosphino)ethane(*3a,4,7,7a*-tetrahydro-*cis*-6-methoxy-*endo*-4,7-methanoindene-*endo*-5*σ*,2*π*)-palladium(II) and -platinum(II) cations, reactions with acids of (R. Pietropaolo, F. Cusmano), (168)363
- Bis(methoxy-2-cyclooctene-5-yl)diododiplatinum, study and NMR characterisation of the isomers formed upon cleavage of the dimeric structure of (J. Soulié, J.-C. Chottard, D. Mansuy), (171)113
- Bis(salicylaldehydato)dimethylplatinum complexes (J.R. Hall, G.A. Swile), (161)121
- Bis(tri-*t*-butylphosphine)platinum(II) hydrides, preparation and facile intramolecular metalation reactions of (H.C. Clark, A.B. Goel, R.G. Goel, W.O. Ogini), (157)C16
- Bis(tri- η^5 -cyclopentadienyluranium(IV))-tetracyano-nickelolate(II) and -platinate(II), structures of (R.D. Fischer, G.R. Sienel), (156)383
- Bis(triphenylphosphine)platinum acetylides from functionally substituted acetylenes, synthesis of (M.V. Russo, A. Furlani), (165)101
- (Carbonato)bis(triphenylphosphine)- and (carbonato)bis(triphenylarsine)-platinum compounds, reactions of electrophilic olefins with (M.F. Zuckerman, H. Ulrich), (172)193
- Chloroacetyl-transition metal derivatives, preparation and decomposition of (M. Dilgassa, M.D. Curtis), (172)177
- Chloroplatinic acid catalysed additions of silanes to isoprene (R.A. Benkeser, F.M. Merritt II, R.T. Roche), (156)235
- trans*-Cyanomethylhydridobis(triphenylphosphine)platinum, protonolysis of the Pt—C bond in (P. Uguagliati, R.A. Michelin, U. Belluco, R. Ros), (169)115
- cis*-Diaryl bis(triethylphosphine)platinum(II) complexes, voltammetric behaviour of (R. Seeber, G.A. Mazzocchin, D. Minniti, R. Romeo, P. Uguagliati, U. Belluco), (157)69
- Dihydroplatinum(II) complexes with bulky phosphine ligands, general and convenient method of synthesis of (H.C. Clark, A.B. Goel, C.S. Wong), (152)C45
- Diphenylphosphido- and phenylthio-bridged dinuclear platinum(II) complexes, preparation by use of trimethyl(diphenylphosphino)- and trimethyl(phenylthio)silane (C. Eaborn, K.J. Odell, A. Pidcock), (170)105
- Ethylenic complexes of platinum(II), copper(I) and iron(0) (M. Bigorgne), (160)345
- Group VIII metal species as catalysts in the conversion of acrylonitrile into 1,4-dicyanobuta-1,3-diene and propionitrile (D.J. Milner, R. Whelan), (152)193
- Heterotetrametallic platinum—molybdenum and platinum—tungsten cluster compounds and crystal structure determination of $\text{Pt}_2\text{Mo}_2(\eta^5\text{-C}_5\text{H}_5)_2(\text{CO})_6^-$ [$\text{P}(\text{C}_2\text{H}_5)_3$]₂ (R. Bender, P. Braunstein, Y. Dusausoy, J. Protas), (172)C51
- Hexamethylplatinate(IV) ion, simplified synthesis of (C.S. Creaser, J.A. Creighton), (157)243
- trans*-Hydrido(1,1-dimethylallene)bis-(tricyclohexylphosphine)platinum(II) hexafluorophosphate, spectroscopic and structural characterization of (H.C. Clark, M.J. Dymarski, N.C. Payne), (165)117
- Hydroxy- and methoxy-alkylplatinum(II) compounds, isocyanide insertion into Pt—O bonds of (R.A. Michelin, R. Ros), (169)C42
- Ketone—platinum(0) complexes, alloxan and diethyl oxomalonate complexes, and reactions of platinum(0) complexes with isatin and benzoyl cyanide (D.A. Clarke, M.M. Hunt, R.D.W. Kemmitt), (175)303
- 1-Menthyl esters of α -mercurated phenylacetic acids, reactions with tris(triphenylphosphine)platinum of and mechanism of the platinum carbenoid insertion into the C—Hg bond (O.A. Reutov, V.I. Sokolov, G.Z. Suleimanov, V.V. Bashilov), (160)7
- Methylchlorobis(dimethylphenylphosphine)platinum and chlorobis(triphenylphosphine)platinum, thermochemistry of addition of tetracyanoethylene to (C.T. Mortimer, M.P. Wilkinson, R.J. Puddephatt), (165)269
- 2-Methyl-2-nitrosopropane and nitroso-benzene as nitrogen-bonded platinum(II) ligands; molecular structure of $[\text{PtCl}_2[(\text{CH}_3)_3\text{C}(\text{NO})]_2]$ (D. Mansuy, M. Drême, J.C. Chottard, J. Guilhem), (161)207

- trans*-Methylphenylbis(triethylphosphine-platinum) complexes, mechanism of electrophilic cleavage of the Pt-C(alkyl) bond in (P. Romeo, D. Minniti, S. Lanza), (165)C36
- Methylplatinum(IV) compounds, photolysis of (D.C.L. Perkins, R.J. Puddephatt, C.F.H. Tipper), (166)261
- Nickel, palladium and platinum. Annual survey covering the year 1977 (D.M. Roundhill), (167)265
- Olefin-platinum complexes containing phenolato and thiophenolato ligands, ^1H NMR study of bonding in (M.K. Cooper, D.W. Yaniuk), (164)211
- Organoplatinum compounds, signs of nuclear spin-spin coupling constants in (J.D. Kennedy, I.J. Colquhoun, W. McFarlane, R.J. Puddephatt), (172)479
- Organo-transition metal complexes containing crown ether groups (K.J. Odell, E.M. Hyde, B.L. Shaw, I. Shepherd), (168)103
- Palladium(0) and platinum(0) complexes of *p,p'*-diisopropylbenzylideneacetone and their NMR spectra (A. Keasey, B.E. Mann, A. Yates, P.M. Maitlis), (152)117
- Palladium(II) and platinum(II) dienyl complexes, preparation and reactions of (R. Pietropaolo, F. Cusmano, E. Rotondo, A. Spadaro), (155)117
- Phosphorus-nitrogen chelate ring system, insertion reactions with benzonitrile ligands of $\text{Cl}_2\text{Pt}(\text{NCC}_6\text{H}_5)_2$ of (O.J. Scherer, A. Nahrstedt), (166)C1
- Platinacycloalkanes in solution, photolysis of (D.C.L. Perkins, R.J. Puddephatt, C.F.H. Tipper), (154)C16
- Platinacyclobutanes, direct isomerisation to an olefin complex of (B.M. Cushman, D.B. Brown), (152)C42
- , isomerisation in the chemistry of complexes from (R.J. Al-Essa, R.J. Puddephatt, C.F.H. Tipper, P.J. Thompson), (157)C40
- , preparation via reactions of platinum complexes with alkyl-substituted cyclopropanes (B.M. Cushman, S.E. Ernest, D.B. Brown), (159)431
- Platinum(II) and iridium(II) phosphine complexes, cyclometallation at carbon adjacent to oxygen in (B.D. Dombek), (169)315
- Platinum(II) and palladium(II) central carbon-bonded acetylacetonato complexes, reactions with β -dicarbonyl compounds of (T. Ito, A. Yamamoto), (171)237
- Platinum(II) and platinum(IV) complexes, methyl transfer and methyl for hydride exchange reactions between (R.J. Puddephatt, P.J. Thompson), (166)251
- Platinum-carbon bond strength in $\text{Pt}(\text{PPh}_3)_2(\text{CH}_3)\text{I}$ (C.T. Mortimer, M.P. Wilkinson, R.J. Puddephatt), (165)265
- Platinum(II) chlorides, unusual methylation and arylations by organotin compounds of and ^{13}C NMR spectra of bis-aryl(η -cycloocta-1,5-diene)platinum(II) complexes (Z. Dawoodi, C. Eaborn, A. Pidcock), (170)95
- Platinum(II) five-coordinate cationic complex, bipyridinechloro(*o*-isopropenyl-*N,N*-dimethylaniline)-platinum(II) perchlorate, synthesis, characterization and X-ray structure of (M.K. Cooper, D.W. Yaniuk, M. McPartlin), (166)241
- Platinum(II)-hydridoacyanoalkyl complexes, insertion of olefins into the Pt-H bonds of (R. Ros, R.A. Michelin, R. Bataillard, R. Roulet), (165)107
- Platinum(II) hydrido- and hydroxo-cyanoalkyl complexes, reactivity of the Pt-H and Pt-OH bonds towards nucleophiles and electrophiles (R. Ros, R.A. Michelin, R. Bataillard, R. Roulet), (161)7.
- Platinum(0) insertion into the NS bond of 2,1,3-benzothiadiazole with concomitant P-C bond rupture, crystal and molecular structure of the reaction product (R. Meij, D.J. Stufkens, K. Vrieze, A.M.F. Brouwers, A.R. Overbeek), (155)123
- Platinum-olefin bond strength in (η -3-phenylcyclobutene-1,2-dionyl)-bis(triphenylphosphine)platinum (C.T. Mortimer, M.P. Wilkinson, J. Burgess, R.D.W. Kemmitt, N. Morton), (171)369
- Platinum(II)phosphine sterically-crowded cations (H.C. Clark, M.J. Dymarski, J.D. Oliver), (154)C40
- Platinum-promoted cyclization of 4-amino-pentene and related compounds (J. Ambuehl, P.S. Pregosin, L.M. Venanzi, G. Ughetto, L. Zambonelli) (160)329

- Platinum(II) vinyl ether complexes, ^{13}C NMR investigation of (R. Lazzaroni, B.E. Mann), (164)79
- Platinum zero-valent complexes with diacetylenes, reactions of (J.B.B. Heyns, F.G.A. Stone), (160)337
- Poly-yne polymer containing mixed metals in the main chain, [*trans, trans*-Pt(PBu₃)₂—C≡C—C≡C—Pd(PBu₃)₂—C≡C—C≡C]n, synthesis and characterization of (K. Sonogashira, S. Kataoka, S. Takahashi, N. Hagihara), (160)319
- [PtCl₂(PBu₃)₂(t-BuN=CHCH=NBu-t) and PtCl₂(styrene)(t-BuN=CHCH=NBu-t), molecular geometries of (H. van der Poel, G. van Koten, K. Vrieze, M. Kokkes, C.H. Stam), (175)C21
- trans*-PtH(NO₃)(PEt₃)₂ as catalyst for hydrogenation of olefins (H.C. Clark, C. Billard, C.S. Wong), (173)341
- N-Sulphinylaniline and sulphurdiimine complexes of platinum(0), crystal and molecular structures of and determination of ^{31}P — ^{15}N and ^{199}Pt — ^{15}N coupling constants in (R. Meij, D.J. Stufkens, K. Vrieze, E. Roosendaal, H. Schenk), (155)323
- Tetrakis(trimethylthiomethoxyplatinum(IV)), [Pt(CH₃)₃SCH₃]₄, synthesis, IR, Raman and PMR spectra of (J.R. Hall, D.A. Hiron, G.A. Swile), (174)355
- Trifluoromethylthio- and trifluorovinyl-platinum(II) complexes, measurements of *cis*- and *trans*-influence by ^{31}P and ^{19}F NMR spectroscopy (M.A. Cairns, K.R. Dixon, G.A. Rivett), (171)373
- Trimetallic carbene complex with Mo—Pt—Mo bonds, preparation and structure of *trans*-Pt(C₆H₅NC)—(C₆H₅NHCOC₂H₅)[Mo(CO)₃— η^5 -C₅H₅]₂ (P. Braunstein, E. Keller, H. Vahrenkamp), (165)233
- 2-Vinylpyridine, unusual oxidation/metallation reaction of (B.T. Heaton, K.J. Timmins), (152)125
- Vinylsilaneplatinum(0) complexes, preparation and stabilities of (J.W. Fitch, K.C. Chan, J.A. Froelich), (160)477
- ## Potassium
- Allyl-alkali metal substituted compounds, charge distribution in (S. Bywater, D.J. Worsfold), (159)229
- Heavier alkali metals; Annual survey covering the year 1977 (E.M. Kaiser), (163)1
- Ketones substituted with an alkali metal, isolation and properties of (L. Lochmann, R.L. De, J. Trekoval), (156)307
- M[Al₂(CH₃)₆NO₃] (M = K, Rb, Cs, NR₄), synthesis of and crystal structures of K[Al₂(CH₃)₆NO₃] and K[Al(CH₃)₆NO₃]_n·C₆H₆ (J.L. Atwood, K.D. Crissinger, R.D. Rogers), (155)1
- Metal carbonylate anions prepared by hydride reduction (K. Inkrott, R. Goetze, S.G. Shore), (154)337
- Metallated *N,N*-dimethylbenzylamines, direct observation by FT NMR spectroscopy of (F.T. Oakes, J.F. Sebastian), (159)363
- Trialkylboranes in reaction with potassium hydride, synthesis of simple and hindered potassium trialkylborohydrides under mild conditions (C.A. Brown, S. Krishnamurthy), (156)111
- Tricyclopentadienylchlorouranium(IV), reaction with dipotassium cyclooctatetraenide of (G.R. Sienel, A.W. Spiegler, R.D. Fischer), (160)67
- Trimethylchlorosilane, dimethylchlorosilane and chloromethyldimethylchlorosilane, reactions with potassium t-butoxide and sodium methoxide (S.P. Hopper, M.J. Tremelling, E.W. Goldman), (156)331
- ## Rhenium
- η^1 -Allylrhenium pentacarbonyl and η^3 -allylrhenium tetracarbonyl, preparation, ^1H NMR, mass and vibrational spectra of (B.J. Brisdon, D.A. Edwards, J.W. White), (175)113
- Amineoxide induced ligand substitution in transition metal compounds (U. Koelle), (155)53
- Bis(tetraethylammonium) μ -hydrido-dodecacarbonyl-triangulo-trirhenate(2-), crystal and molecular structure of (G. Ciani, G. D'Alfonso, M. Freni, P. Romiti, A. Sironi), (157)199
- Carbon monoxide, formyl and hydroxymethyl ligands, reduction of; models for Fischer-Tropsch related reactions (J.R. Sweet, W.A.G. Graham), (173)C9
- Carbyne-rhenium(V) complex, preparation by protonation at nitrogen of an isonitrile-rhenium(I) complex of (A.J.L. Pompeiro, R.L. Richards), (175)C17

- Chloroacetyl-transition metal derivatives, preparation and decomposition of (M. Dilgassa, M.D. Curtis), (172)177
- 1,4-Diazabutadienehalotricarbonyl-manganese and -rhenium complexes, synthesis and coordination properties (L.H. Staal, A. Oskam, K. Vrieze), (170)235
- Dibromohexacarbonylbis(tetrahydrofuranyl)dirhenium, and substituted tricarbonylrhenium(I) derivatives, crystal and molecular structure of (F. Calderazzo, I.P. Mavani, D. Vitali, I. Bernal, J.D. Korp, J.L. Atwood), (160)207
- Dinuclear carbonyl-manganese, -rhenium and -cobalt dimetal complexes, formation of (G. Beysel, J. Grobe, W. Mohr), (170)319
- Dioxotetrachloro-N,N'-ethylenebis(salicylideneiminato)bis(triphenylphosphine)-dirhenium(V) dichloromethane solvate, preparation and crystal structure of (G. Bombieri, U. Mazzi, C. Gilli, F. Hernandez-Cano), (159)53
- Early transition metal hydride complexes, hydridic character of (J.A. Labinger, K.H. Komadina), (155)C25
- Group VIB and VIIB transition metal chalcocarbonyl complexes, ^{13}C NMR spectra of (D. Cozak, I.S. Butler, I.M. Baibich), (169)381
- Hydroxycarbonoid and formylrhenium(I) halide complexes, unexpected route to the preparation of (K.P. Darst, C.M. Lukehart), (171)65
- Manganese and rhenium carbonyl cationic compounds, preparation of carbamoylcarbonyl complexes from (H. Behrens, R.-J. Lampe, P. Merbach, M. Moll), (159)201
- Manganese and rhenium vinylidene complexes, mass spectrometry of (V.F. Sizoi, Yu.S. Nekrasov, Yu.N. Sukharev, N.E. Kolobova, O.M. Khitrova, N.S. Obezuk, A.B. Antonova), (162)171
- Metalla- β -diketone molecules and complexes with aluminium and boron, spectroscopic study of the structure and bonding in (K.P. Darst, C.M. Lukehart), (161)1
- Mononuclear $R_n\text{EM}(\text{CO})_5$ complexes, reactions of (J. Grobe, R. Rau), (157)281
- (Organostannyl)pentacarbonyl-manganese and -rhenium derivatives, reactions with liquid sulphur dioxide of (U. Kunze, S.B. Sastrawan), (154)223
- Pentacarbonylmanganese tricarbonyl-1,4-diazabutadiene-manganese and -rhenium dinuclear complexes, synthesis and coordination properties of (L.H. Staal, G. van Koten, K. Vrieze), (175)73
- Pentamethylcyclopentadienyl derivatives of transition metals, high pressure IR study of carbonylation of metal-metal triple bonds in (R.B. King, M.Z. Iqbal, A.D. King, Jr.), (171)53
- π -Pyrrolyltricarbonylmanganese, a two-electron ligand (N.I. Pyshnograeva, V.N. Setkina, V.G. Andrianov, Yu.T. Struchkov, D.N. Kursanov), (157)431
- Rhenium(I) carbonyl complexes derived from tris(3,5-dimethylpyrazolyl)borate ion (J.A. McCleverty, I. Wołochowicz), (169)289
- Rhenium isocyanate seven-coordinate complex, synthesis and molecular structure of (P.M. Treichel, J.P. Williams, W.A. Freeman, J.I. Gelder), (170)247
- Tetraethylammonium dihydridotetracarbonylrhenate, isolation, reactions and X-ray structure of (G. Ciani, G. D'Alfonso, M. Freni, P. Romiti, A. Sironi), (152)85
- Tetra- μ -hydridoiodopentadecacarbonyl tetrarhenate(1-), synthesis and characterization of (G. Ciani, G. D'Alfonso, M. Freni, P. Romiti, A. Sironi), (170)C15
- Tri- μ -halohexacarbonyldimetallate(I) anions of manganese and rhenium, preparation and characterization of (B.J. Brisdon, D.A. Edwards, J.M. White), (161)223

Rhodium

- Acyliron compounds, decarbonylation reactions with Group VIII metal complexes of (E.J. Kuhlman, J.J. Alexander), (174)81
- Acylsilanes, preparation from α -siloxyallylsilanes by transition metal catalysed isomerisation of double bonds (A. Hosomi, H. Hashimoto, H. Sakurai), (175)C1

- Allylmercury compounds, convenient reagents for synthesis of π -allyl derivatives of transition metals (A.N. Nesmeyanov, A.Z. Rubezhov), (164)259
- Benzyl- and *meta*-fluorobenzyl-phosphines, mechanism of metallation reactions with rhodium(I), iridium(I), palladium(II) and platinum(II) compounds of (S. Hietkamp, D.J. Stufkens, K. Vrieze), (168)351
- Bidentate amines as bridges between chlorodicarbonyl-rhodium or -iridium units (A.L. Balch, R.D. Cooper), (169)97
- 2,2'-Bipyridine-rhodium(I) complexes, selective hydrogenation of unsaturated ketones by (G. Mestroni, R. Spogliarich, A. Camus, F. Martinelli, G. Zassinovich), (157)345
- Carbonyl(phosphonium-bis-methylide)-rhodium(I) complexes, variable temperature NMR studies of (R.L. Lapinski, H. Yue, R.A. Grey), (174)213
- Carbonylrhodium(I) complexes with heterocyclic nitrogen complexes, preparation and spectra of (F. Pruchnik, K. Wajda), (164)71
- Cationic η^3 -R,2,3- η^2 -5,6-2R-bicyclo[2.2.1]-hepta-2,5-diene-R-yl ($R = \text{CH}_2, \text{CHCH}_3$) complexes of rhodium and iron (I.T. Chizhevsky, A.A. Koridze), (153)C28
- Chiral rhodium(I) carboxylate and non-chiral phosphines, asymmetric hydrogenation of an olefin with catalysts formed from (Z. Nagy-Magos, S. Vastag, B. Heil, L. Markó), (171)97
- Chlorotris(triphenylphosphine)rhodium(I) catalysis of the reaction between 1-hexyne and triethylsilane (H.M. Dickers, R.N. Haszeldine, A.P. Mather, R.V. Parish), (161)91
- Cobalt, rhodium and iridium; Annual survey covering the year 1976 (E.R. Hamner, R.D.W. Kemmitt, N.S. Sridhara), (167)135
- Cycloocta-1,5-diene resistance to liquid-phase metal-centred autoxidation (J. Farrar, D. Holland, D.J. Milner), (153)239
- η^5 -Cyclopentadienyl- η^5 -syn-1-methylpentadienyl-rhodium and -iridium cations, preparation and reactions with nucleophiles of (P. Powell), (165)C43
- Cyclopentadienyl- and pentamethylcyclopentadienyl-rhodium(III) complexes containing isocyanide ligands (F. Faraone, V. Marsala, G. Tresoldi), (152)337
- η^5 -Cyclopentadienyl-rhodium and -cobalt polymer-supported dicarbonyls, preparation and catalytic activity of (B.H. Chang, R.H. Grubbs, C.H. Brubaker, Jr.), (172)81
- 1,3-Diaryltriazenido-trimethylsilicons and -trimethyltins, interaction with carbonyl-manganese, -molybdenum and -rhodium halides of (E.W. Abel, I.D.H. Towle), (155)299
- Di- μ -carbonylbis(pentamethylcyclopentadienylrhodium), synthesis and properties of (A. Nutton, P.M. Maitlis), (166)C21
- Dichlorotetracarbonyldirhodium, reaction with t-butyl isocyanide of (A.J. Deeming), (175)105
- Dicyclopentadienyl- and dinorbornadienyl-rhodium chlorates, reactions with ligands containing heteroatoms of Group V elements of (R. Denise, G. Pannetier), (161)171
- 2-6- η -1-*exo*-Dimethoxyphosphorylcyclohexadienyl(η^5 -ethyltetramethylcyclopentadienyl)rhodium(III) hexafluorophosphate, attack of trimethylphosphite upon an η^6 -benzene ligand leading to (G. Fairhurst, C. White), (166)C23
- Diphosphiniterhodium—chiral sugar complexes used in asymmetric hydrogenation (R. Jackson, D.J. Thompson), (159)C29
- Dipivaloylmethanatodicarbonylrhodium, X-ray crystal structure of the complex formed on reaction with hexafluorobut-2-yne of (A.C. Jarvis, R.D.W. Kemmitt, D.R. Russell, P.A. Tucker), (159)341
- Halocarbonylrhodium(I) complexes containing phosphinoalkylorganosilicon ligands, preparation and catalytic hydroformylation activity of (M.O. Farrell, C.H. Van Dyke, L.J. Boucher, S.J. Metlin), (169)199
- Heptarhodium hexadecacarbonyl trianion, $^{13}\text{C}\{\text{¹⁰³Rh}\}$ NMR spectra of (C. Brown, B.T. Heaton, L. Longhetti, D.O. Smith, P. Chini, S. Martinengo), (169)309
- Hexadecacarbonylhexarhodium and its bidentate phosphorus ligand substitution products, carbonyl exchange with ^{13}CO of (K. Nomiya, H. Suzuki), (168)115

- Hexadecacarbonylhexarhodium cluster compound, $\text{Rh}_n(\text{CO})_{16}$, chemisorption, decomposition and reactivity supported on silica of (J.L. Bilhou, V. Bilhou-Bougnol, W.F. Graydon, J.M. Bassett, A.K. Smith, G.M. Zanderighi, R. Ugo), (153)73
- Hydridorhodium complexes, acetylene insertion and double insertion reactions of (H. Eshtiagh-Hosseini, J.F. Nixon, J.S. Poland), (164)107
- Hydrosilylation of organic substrates using tris(pentanedionato)rhodium(III) and tetrakis(μ -acetato)dirhodium(II) as catalysts (A.J. Cornish, M.F. Lappert, G.L. Filatov, T.A. Nile), (172)153
- Hydroxy-cobalticinium and -rhodinicinium salts, effects of substituents on acidities of (J.E. Sheats, G. Hlatky, R.S. Dickson), (173)107
- Iridium(I) and rhodium(I) compounds in partial hydrogenation of tricyclohexylphosphine forming a metal—olefin complex and a five-coordinated metal dihydride (S. Hietkamp, D.J. Stufkens, K. Vrieze), (152)347
- Iridium and rhodium olefinic complexes with Schiff's bases derived from salicylic aldehydes, synthesis and NMR study of (N. Platzer, N. Goasdoue, R. Bonnaire), (160)455
- (+)- and (-)-2,3-O-Isopropylidene-2,3-dihydroxy-1,4-bis(diphenylarsino)-butane, synthesis and use in asymmetric catalysis of (A.D. Calhoun, W.J. Kobos, T.A. Nile, C.A. Smith), (170)175
- Mono-alkyldichlorosilanes, selective synthesis via the reaction of olefins with dichlorosilane catalysed by Group VIII métal phosphine complexes (H. Watanabe, M. Aoki, N. Sakurai, K.-i. Watanabe, Y. Nagai), (160)C1
- Mono- and di-phosphines derived from sugars, synthesis and use as ligands in asymmetric catalysis of (D. Lafont, D. Sinou, G. Descotes), (169)87
- Octano-bridged 3-oxaquadracyclane and a free and rhodium-complexed 7-oxa-norbornadiene, dynamic processes in (H. Hogeveen, B.J. Nusse), (171)237
- Phosphine-palladium and -rhodium complexes as catalysts in regioselective hydrosilylation of 1,3-dienes (I. Ojima, M. Kumagai), (157)359
- Phosphinerhodium catalysts modified with triethylamine, homogeneous hydrogenation of ketones with (B. Heil, S. Törös, J. Bakos, L. Markó), (175)229

- Phosphinerhodium complexes as homogeneous catalysts: enantioselective hydrogenation of ketones: evidence for several mechanisms with catalysts containing DIOP (S. Törös, B. Heil, L. Markó), (159)401
- Phosphorus ylides in reaction with rhodium(I) compounds (H. Schmidbaur, G. Blaschke, H.J. Füller, H.P. Scherm), (160)41
- $\{\text{Ph}_2\text{P}(\text{CH}_3)_n\text{Ph}_2\}\text{Pt}(\text{CH}_3)_2$, ring size effects on ^{13}C , ^{31}P and ^{195}Pt NMR parameters in (S. Hietkamp, D.J. Stufkens, K. Vrieze), (169)107
- Polynuclear alkyne-rhodium complexes, structures and dynamic behaviour of (R.S. Dickson, C. Mok, G. Pain), (166)385
- [$\text{Rh}(4,7\text{-Me}_2\text{Phen})_2\text{Cl}_2\text{Cl} \cdot 2\text{H}_2\text{O}$] as a catalyst in hydrogen transfer reactions (G. Zassinovich, G. Mestroni, A. Camus), (168)C37
- Rhodium(I) and rhodium(II) carbonyl complexes with 2,2'-biquinoline (B.R. Ramesh, G.K.N. Reddy), (165)93
- Rhodium(I) and rhodium(III) complexes containing Schiff-base ligands (J.T. Mague, M.O. Nutt), (166)63
- Rhodium carbonyl complexes, ^{13}C NMR spectra of (L.S. Bresler, N.A. Buzina, Yu.S. Varshavsky, N.V. Kiseleva, T.G. Cherkasova), (171)229
- Rhodium(I) catalysed decomposition of formic acid (S.H. Strauss, K.H. Whitmire, D.F. Shriver), (174)C59
- Rhodium(I) complexes of phosphinated polymethylsiloxanes, preparation and properties of (M.O. Farrell, C.H. van Dyke, L.J. Boucher, S.J. Metlin), (172)367
- Rhodium(II) containing mixed catalyst complexes, selective oxidation of cyclohexene by (A.F. Noels, A.J. Hubert, P. Teyssie), (166)79
- Rhodium(I) derivatives of diethylbis-pyrazoylborate (H.C. Clark, S. Goel), (165)383
- Rhodium(I)-hetero-allylic compounds, reactions with hetero-allenes (D.H.M.W. Thewissen, H.L.M. van Gaal), (172)69
- Rhodium polymer supported complexes, catalytic activity in hydrogenation of propene by (F. Pinna, C. Candilera, G. Strukul, M. Bonivent, M. Graziani), (159)91
- Rhodium(III) porphyrin, reactions with vinyl ether and acetylenes of (I. Ogoshi, J.-I. Setsune, Y. Nanbo, Z.-I. Yoshida), (159)329

Rhodium(I) thiocarbonyl cationic complexes with triphenylphosphine and N-donor ligands (R. Uson, P. Lahuerta, D. Carmona, L.A. Oro, K. Hildenbrand), (157)63

N-Sulphinylaniline-rhodium(I) and -iridium(I) complexes of the type [MCl(PR₃)₂L]; crystal and molecular structure of [RhCl(P-i-Pr₃)₂(4-MeC₆H₄-N=S=O)] (R. Meij, D.J. Stolkens, K. Vrieze, W. van Gerresheim, C.H. Stam), (164)353

Transition metal carbonyls, mild decarbonylation by rhodium(I) complexes of (Yu.S. Varshavsky, E.P. Shestakova, N.V. Kiseleva, T.G. Cherkasova, N.A. Buzina, L.S. Bresler, V.A. Kormer), (170)81

Tri-t-butylphosphine-rhodium complexes, reactions of (H. Schumann, M. Heisler), (153)327

Trichloro-1,6-bis(diphenylphosphino)-trans-hex-3-ene-iridium(III), crystal and molecular structure of (G.R. Clark, P.W. Clark, K. Marsden), (173)231

(Triphenylphosphine)(ethylene)pentamethylcyclopentadienylrhodium(I), formation by reaction of diiodo(triphenylphosphine)pentamethylcyclopentadienylrhodium(III) with butane-1,4-bis(magnesium bromide) (P. Diversi, G. Ingrosso, A. Lucherini, P. Martinelli, M. Benetti, S. Pucci), (165)253

Tris(triphenylphosphine)chlororhodium as catalyst in dimerisation reactions of monosubstituted α -hydroxyacetylenes (H.J. Schmitt, H. Singer), (153)165

Rubidium

Allyl-alkali metal substituted compounds, charge distribution in (S. Bywater, D.J. Worsfold), (159)229

M[Al₂(CH₃)₆NO₃] (M = K, Rb, Cs, NR₃), synthesis of and crystal structures of K[Al₂(CH₃)₆NO₃] and K[Al(CH₃)₃NO₃]·C₆H₆ (J.L. Atwood, K.D. Crissinger, R.D. Rogers), (155)1

Ruthenium

Acyliron compounds, decarbonylation reactions with Group VIII metal complexes of (E.J. Kuhlman, J.J. Alexander), (174)81

Allylmercury compounds, convenient reagents for synthesis of π -allyl derivatives of transition metals (A.N. Nesmeyanov, A.Z. Rubezhov), (164)259

Arene-olefin complexes of iron(0) and ruthenium(0), synthesis of (M.A. Bennett, T.W. Matheson), (153)C25

(Benzene)(1,3-cyclohexadiene)ruthenium(0) in the cyclotrimerization of acetylenic compounds and preparation of bis-arene derivatives of ruthenium having different arene ligands (A. Lucherini, L. Porri), (155)C45

Bis-arene-ruthenium cationic complexes, preparation of (M.A. Bennett, T.W. Matheson), (175)87

Bis(ethyltetramethylcyclopentadienylidcarbonylruthenium(I)), preparation and structure of (N.A. Bailey, S.L. Radford, J.A. Sanderson, K. Tabatabaian, C. White, J.M. Worthington), (154)343

Chlorocarbonyl N-isopropenyl-N'-isopropyl-formamidinatobis(triphenylphosphine)-ruthenium(II), synthesis and X-ray structure of (A.D. Harris, S.D. Robinson, A. Sahajpal), (174)C11

[(η -C₆H₆)Ru(OH)₂Ru(η -C₆H₆)]⁺ cation, reactions of (D.R. Robertson, T.A. Stephenson), (157)C47

Computer graphics determination and display of stereoisomers in coordination compounds (F. Choplin, R. Dorschner, G. Kaufmann, W.T. Wipke), (152)101

Cyclopentadienylmethanethiolato-iron and -ruthenium compounds, reactions with fluorinated acetylenes of (F.Y. Petillon, F. Le Floch-Perennou, J.E. Guerchais, D.W.A. Sharp), (173)89

cis-Diazabenonacarbonyltrimetal clusters, synthesis and dynamic properties of (P. Mastropasqua, P. Lahuerta, K. Hildenbrand, H. Kisch), (172)57

Diruthenium triple-bridged compounds, electrochemical studies on (G.A. Heath, G. Hefter, D.R. Robertson, W.J. Sime, T.A. Stephenson), (152)C1

Dithioalkyne complexes of molybdenum, tungsten, iron, ruthenium and cobalt carbonyls (J.A. Connor, G.A. Hudson), (160)159

- Dodecacarbonyltriruthenium solutions, activity as catalysts for the Fischer-Tropsch reaction of (M.J. Doyle, A.P. Kouwenhoven, C.A. Schaap, B. van Oort), (174)C55
- Ethylenehydrido- and ethylenemethylruthenium(II) cations, reactivity towards trimethylphosphane of (H. Werner, R. Werner), (174)C63
- Group VIII metal species as catalysts in the conversion of acrylonitrile into 1,4-dicyanobuta-1,3-diene and propionitrile (D.J. Milner, R. Whelan), (152)193
- Hexamethyl(trimethylphosphine)carbonylruthenium complexes, synthesis and reactivity of (H. Werner, R. Werner), (174)C67
- $\text{HRu}_3(\text{CO})_{10}(\text{COCH}_3)$, cluster with an oxygen-containing μ_2 -carbyne ligand, preparation, structure and fluxionality of (B.F.G. Johnson, J. Lewis, A.G. Orpen, P.R. Raithby, G. Süss), (173)187
- mer*-Hydrido(tetrahydroborato)tris(methyl-diphenylphosphine)ruthenium(II) and related complexes, preparation, properties and catalytic reactions of (R.H. Crabtree, A.J. Pearman), (157)335
- Imidoruthenium hydride complex, preparation of (T. Ikariya, S. Takizawa, M. Shirado, S. Yoshikawa), (171)C47
- η^2 -Iminoacylruthenium(II) derivative, synthesis and structure of $\text{Ru}[\eta^2\text{-C}(\text{NR})\text{R}] \text{Cl}(\text{CO})(\text{PPh}_3)_2$ (W.R. Roper, G.E. Taylor, J.M. Waters, L.J. Wright), (157)C27
- Iron and ruthenium carbonyls of 6,7-dimethylene-*exo*-3-oxatricyclo[3.2.1.0^{2,4}]octane, crystal structures of ($\text{C}_9\text{H}_{10}\text{O}$)- $\text{Fe}(\text{CO})_3$ and ($\text{C}_{10}\text{H}_{11}\text{O}_2$)- $\text{Fe}(\text{CO})_3$ (J. Wenger, N.H. Thuy, T. Boschi, R. Roulet, A. Chollet, P. Vogel, A.A. Pinkerton, D. Schwarzenbach), (174)89
- Iron, ruthenium and osmium; Annual survey covering the year 1975 (J. McCleverty), (151)1
- Isonitriletricarbonyldicyclopentadienyl-diruthenium complexes, synthesis and fluxional behaviour of (J.A.S. Howell, A.J. Rowan), (165)C33
- Lithiation and iodination of ruthenocenes (L. Bednarik, E. Neuse), (168)C8
- Metal carbonyl clusters, indirect location of hydride ligands in (A.G. Orpen), (159)C1
- d^n -Metallocene-tetracyanoethylene charge transfer complexes, photochemical synthesis and reactions of (S. Sostera, A. Duatti, P. Zanella, O. Traverso), (157)437
- Osmium and ruthenium carbonyl cluster anions containing $\mu_2\text{-CO}_2$ linkages (G.R. John, B.F.G. Johnson, J. Lewis, K.C. Wong), (169)C23
- Pentamethylecyclopentadienyl derivatives of transition metals, high pressure IR study of carbonylation of metal-metal triple bonds in (R.B. King, M.Z. Iqbal, A.D. King, Jr.), (171)53
- Platinum metals hydride complexes, co-ordination and fragmentation of p -tolylisocyanate by (S.D. Robinson, A. Sahajpal), (164)C9
- [$\text{RuHCl}(\text{PPh}_3)_2(\text{C}_3\text{H}_7\text{NCHCHNC}_3\text{H}_7)$], preparation and disproportionation of (B. Chaudert, R. Poilblanc), (174)C51
- Ruthenium and hydridoruthenium carbonyl isocyanide complexes: crystal and molecular structure of $\text{Ru}_3(\text{CO})_{11}(\text{CNBu}-t)$ (M.I. Bruce, D. Schultz, R.C. Wallis, A.D. Redhouse), (169)C15
- Ruthenium(II) and osmium(II) triple halide-bridged arene complexes, synthetic route to (T. Arthur, T.A. Stephenson), (168)C39
- Ruthenium(0) catalysed isomerization of allylbenzene; detection and isolation of a hydrido- η^3 -allyl intermediate (E.O. Sherman, Jr., M. Olson), (172)C13
- Ruthenium(II) cationic, neutral and anionic complexes containing η^6 -arene ligands (D.R. Robertson, T.A. Stephenson, T. Arthur), (162)121
- Ruthenium cluster carbonyl, partial hydrogenation of coordinated isocyanide on (M.I. Bruce, R.C. Wallis), (164)C6
- Ruthenium complexes containing phosphorus donor ligands, synthesis and rearrangement reactions of [RuCl_2L_3 or $_4$] (W.J. Sime, T.A. Stephenson), (161)245
- Ruthenium(II) complexes containing triphenylphosphine, tri-*p*-tolylphosphine or ethyldiphenylphosphine ligands (P.W. Armit, W.J. Sime, T.A. Stephenson, L. Scott), (161)391
- Ruthenium(0) fluorophosphine complexes, synthesis from ruthenium(II) hydride precursors (A.-R. Al-Ohaly, R.A. Head, J.F. Nixon), (156)C43
- Tricarbonylbis(tri-*t*-butylphosphine)-iron(0) and -ruthenium(0) (H. Schumann, J. Opitz), (166)233

Triphenylphosphine-rhodium complexes, homogeneous catalytic hydrogenation of ketones without solvent by (W. Strohmeier, L. Weigelt), (171)121

Vinylidene-ruthenium complexes, synthesis and deprotonation of (M.I. Bruce, R.C. Wallis), (161)C1

Samarium

Tricyclopentadienides of lanthanoid elements, spectroscopic study of the interaction with metal carbonyl derivatives of (S. Onaka, N. Furuichi), (173)77

Selenium

Dicyclopentadienyl-titanium, -vanadium and -chromium, synthesis and characterization of mixed cyanothiocyanate and cyanoselenocyanate complexes of (M. Morán, V. Fernández), (165)215

Dinuclear carbonyl-manganese, -rhenium and -cobalt dimetal complexes, formation of (G. Beysel, J. Grobe, W. Mohr), (170)319

Group VIB and VIIIB transition metal chalcocarbonyl complexes, ^{13}C NMR spectra of (D. Cozak, I.S. Butler, I.M. Baibich), (169)381

Isoelectronic substituted aryl-oxygen, -sulphur, -selenium and -tellurium esters of benzene-carboxylic and -dicarboxylic acids, ^1H and ^{13}C NMR studies of (B. Kohne, K. Praefcke, R. Zeisberg), (175)49

Methyl benzoatodicarbonylselenocarbonyl-chromium, vibrational spectra of (P. Caillet, H.G. Jaouen), (164)329

Methylmercury-selenourea complexes, synthesis, spectroscopic and X-ray structural studies of (A.J. Carty, S.F. Malone, N.J. Taylor), (172)201

Methyltrichlorotungsten compounds of sulphur and selenium (G.W.A. Fowles, W.M. Wan Mohamed, D.A. Rice), (170)203

Mononuclear $\text{R}_n\text{EM}(\text{CO})_5$ complexes, reactions of (J. Grobe, R. Rau), (157)281

Selenol and tellurol esters, ^{77}Se and ^{125}Te NMR of (B. Kohne, W. Lohner, K. Praefcke), (166)373

Selenophosphonates, reactions with carbonyl compounds of (J.V. Comasseto, N. Petragnani), (152)295

Trialkylsilyl halides, synthetic and mechanistic aspects of reactions with thio and seleno esters of phosphorus of (B. Borecka, J. Chojnowski, M. Cyprik, J. Michalski, J. Zielinska), (171)17

Silicon

Acylsilanes, preparation from α -siloxy-allylsilanes by transition metal catalysed isomerisation of double bonds (A. Hosomi, H. Hashimoto, H. Sakurai), (175)C1

—, synthesis of (N. Duffaut, J. Dunoguès, C. Biran, R. Calas, J. Gerval), (161)C23

Acyl- and iminoacyl-zirconium(IV) compounds, $\text{Zr}(\eta\text{-C}_5\text{H}_5)_2\{\text{C}(=\text{X})\text{R}'\}\text{R}''$, $\text{X} = \text{O}, \text{NTol}-p$; $\text{R}' = \text{Me}_3\text{CCH}_2, \text{Me}_3\text{SiCH}_2$, or $(\text{Me}_3\text{Si})_2\text{CH}$; $\text{R}'' = \text{Cl}$ or alkyl (M.F. Lappert, N.T. Luong-Thi, C.R.C. Milne), (174)C35

Alcoholysis of silanes heterogeneously catalysed by salts without solvent (J. Boyer, R.J.P. Corriu, R. Perz, C. Reye), (157)153

Alkenylsilanes, $d_{\pi}-p_{\pi}$ interaction in (V.P. Yuriev, A.A. Panasenko, V.I. Khvostenko, L.M. Khalilov, Ya.B. Yasman, M.M. Timoshenko, Yu.V. Chizhov, B.G. Zykov, L. Furlei, S.R. Rafikov), (166)169

—, in aqueous THF, oxymercuration-demercuration of (J.A. Soderquist, K.L. Thompson), (159)237

Alkenyltrimethylsilanes, addition reactions with iodine azide of (F. Duboudin, O. Laporte), (174)C18

Alkylsilyl methyl ethers, mass spectroscopic investigation of (H. Schwarz, C. Wesdemiotis, M.T. Reetz), (161)153

Alkylidene-erbium and -lutetium neutral and anionic complexes (H. Schumann, J. Müller), (169)C1

Alkynylsilanes, NMR investigations of (B. Wrackmeyer), (166)353

—, regioselective and stereoselective carbometallation by Ziegler-Natta alkylating agents of (J.J. Eisch, J. Manfre, D.A. Komar), (159)C13

Allyl-alkali metal substituted compounds, charge distribution in (S. Bywater, D.J. Worsfold), (159)229

Aminofluorosilanes, acyclic isomers and intramolecular cyclisation of (U. Klingebiel), (152)33

- Aryl-substituted cyclopolsilane anion radicals, ESR studies of (A.C. Buchanan, III, R. West), (172)273
- Aryl-substituted disilanes, photolysis in the presence of dimethyl sulphoxide of (H.S.D. Soysa, W.P. Weber), (173)269
- Asymmetric fluoroalkoxysilanes, synthesis, chemical behaviour and reactions of (C. Brelière, R.J.P. Corriu, A. De Saxce, F. Larcher, G. Royo), (164)19
- η^4 -Benzocyclobutadiene- η^5 -cyclopentadienylcobalt, new "aromatic" sandwich complex (R.I. Duclos, Jr., K.P.C. Vollhardt, L.S. Yee), (174)109
- Bis(3,3-dinitrobutyl)polysiloxanes, synthesis of (D.A. Lerdal, K. Baum), (159)251
- Bis(silyl)enamines or silylaziridines from thermal reactions of azides with alkenyl-silanes (A.R. Bassindale, A.G. Brook, P.F. Jones, J.A.G. Stewart), (152)C25
- 1,2-Bis(trimethylsilyl)imines, synthesis and reactions of (H. Buchwald, K. Rühlmann), (166)25
- η^5 -Borylcyclopentadienyltitanium(IV) complexes (P. Jutzi, A. Seufert), (169)373
- N-Bromodimethylsilyl- and N-iododimethylsilyl-triorganophosphinimines (W. Wolfsberger), (173)277
- Bromo- and thiophenyl-silanes, stereochemistry of nucleophilic substitution at silicon of (R.J.P. Corriu, J.M. Fernandez, C. Guerin), (152)25
- t-Butyldimethylsiloxane series of increasing steric hindrance (G.W. Ritter, II, M.E. Kenney), (157)75
- t-Butyldimethylsilyl amides, structure and dynamics of (C.L. Hausman, C.H. Yoder), (161)313
- Chloroethyl-silicon, -germanium and -tin groups, electronegativity of (J. Marrot, J.-C. Maire), (157)7
- Chloromethyldimethylchlorosilane, structure of amides obtained from (R.W. Hillyard, Jr., C.M. Ryan, C.H. Yoder), (153)369
- Chloroplatinic acid catalysed additions of silanes to isoprene (R.A. Benkeser, F.M. Merritt II, R.T. Roche), (156)235
- Chlorosilanes, stereochemistry of nucleophilic substitution reactions of (R.J.P. Corriu, G. Dabosi, M. Martineau), (154)33
- gem-Chloro(trimethylsilyl)allyllithium, an ambident nucleophile (D. Seyferth, R.E. Mammarella), (156)279
- Chlorotris(triphenylphosphine)rhodium(I) catalysis of the reaction between 1-hexyne and triethylsilane (H.M. Dickers, R.N. Haszeldine, A.P. Mather, R.V. Parish), (161)91
- Cyclic and polycyclic silanes, iterative maximum overlap calculations on (M. Eckert-Maksic, K. Kovačević, Z.B. Maksic), (168)295
- Cyclic beryllium silylamides, preparation and properties of; crystal and molecular structure of a dimeric diazadisilaberyllacyclohexane (D.J. Brauer, H. Bürger, H.H. Moretto, U. Wannagat, K. Wiegel), (170)161
- Cyclopentadienes with Group IVB and VB element substituents, synthesis, structure and dynamic behaviour of (P. Jutzi, M. Kuhn), (174)57
- η^5 -Cyclopentadienylbis(triphenylphosphine)cobalt(I), reaction with alkadiynes of (L.P. McDonnell Bushnell, E.R. Evitt, R.G. Bergman), (157)445
- Cyclopentadienylboranes, synthesis, structure and dynamic behaviour of (P. Jutzi, A. Seufert), (169)327
- Cyclopentadienyldicarbonylcobalt substituted derivatives, ESR and IR spectroscopy and relationship to electronic structure of the dinuclear reduction products of (N.E. Schore), (173)301
- π -Cyclopentadienyldicarbonyltrimethylsilyliron(II), photochemical reaction with cyclohexyl isocyanide of (T.-M. Chan, J.W. Connolly, C.D. Hoff, F. Millich), (152)287
- π -Cyclopentadienyltricarbonylmanganese, photochemical rearrangement with diphenylsilacyclobutane and disilanes of (U. Schubert, A. Rengstl), (170)C37
- Di- and tri-sulphinic esters of silicon, preparation of (E. Lindner, U. Ansorge), (153)209
- 1,3-Diaryltriazenido-trimethylsilicons and -trimethyltins, interaction with carbonyl-manganese, -molybdenum and -rhodium halides of (E.W. Abel, I.D.H. Towle), (155)299
- 4-Diazo-1,1-dimethyl-1-silacyclohexa-2,5-diene, synthesis and thermochemistry of (T.J. Barton, D.S. Banasiak), (157)255
- Di-2,2'-bipyridinesilicon, synthesis and structure of (R. Morancho, P. Pouvreau, G. Constant, J. Jaud, J. Galy), (166)329
- 1,4-Diborylcyclopentadiene, synthesis and structure of (P. Jutzi, A. Seufert), (169)357

- 3,3-Dichloroallyltrimethylsilane, reaction with n-butyllithium of (D. Seyferth, R.E. Mammarella), (156)299
- α, ω -Dichloropermethylenpolysilanes, preparation of heterocyclic phenyl-phosphapermethylenes, (PhP_m)_n (SiMe_2)_n (R.T. Oakley, D.A. Stanislawski, R. West), (157)389
- 1,8-Dilithionaphthalene in reaction with trimethylchlorosilane (R.J. Wroczynski, M.W. Baum, D. Kost, K. Mislow, S.C. Vick, D. Seyferth), (170)C29
- 2,2'-Dilithio-1-phenylpyrrole, preparation and reactivity of (G.W.H. Cheeseman, S.G. Greenberg), (166)139
- Dimethyl acetylenedicarboxylate, aminosilylation of (G. Srivastava), (152)39
- Dimethylaminotrimethyl-silicon, -germanium and -tin, structures and spectra of (A. Marchand, M.-T. Forel, M. Rivière-Baudet), (156)341
- 1,1-Dimethyl-*trans*-2,3-bis(2',2'-dimethylcyclopropylidene)-1-silacyclopropane, extraordinary reactivity of the ring Si—C bonds in (D. Seyferth, C.K. Haas, R.L. Lambert, Jr., D.C. Annarelli), (152)131
- 4,4-Dimethyl-4-silacyclohexadienylidene, evidence for cyclopropene formation in reactions of (B. Coleman, M. Jones, Jr.), (168)393
- 1,2-Dimethylsilacyclopentane ring systems, stereospecific transformations of (F.K. Cartledge, J.M. Wolcott, J. Dubac, P. Mazerolles, M. Joly), (154)187, 203
- 1,1-Dimethyl-1-silaethylene, heat of formation, ionization potential and energy of the Si—C π -bond (L.E. Gusel'nikov, N.S. Nametkin), (169)155
- Diorganobis(iminoxy)silanes, synthesis and spectroscopic studies of (P. Rupani, A. Singh, A.K. Rai, R.C. Mehrotra), (162)17
- 2,4-Dioxa-1,2,4,5-tetrahydro-3*H*-3-benzosilepines and 3,3'-spirobi(2,4-dioxa-1,2,4,5-tetrahydro-3*H*-3-benzosilepine), formation of (L. Birkofner, O. Stuhl), (164)C1
- Diphenylphosphino- and phenylthio-bridged dinuclear platinum(II) complexes, preparation by use of trimethyl(diphenylphosphino)- and trimethyl(phenylthio)silane (C. Eaborn, K.J. Odell, A. Pidcock), (170)105
- 1,2-Disilacyclobutenes, preparation and reactions of (H. Sakurai, T. Kobayashi, Y. Nakadaira), (162)C43
- (η^4 -1,2-Disilacyclohexadiene)iron tricarbonyls, novel ring contraction reaction of (Y. Nakadaira, T. Kobayashi, H. Sakurai), (165)399
- Disilene, Si_2H_4 , ab initio study of the electronic structure of (F.F. Roelandt, D.F. Van de Vondel, G.P. Van der Kelen), (165)151
- Disubstituted manganese carbonyl anion, $[\text{Mn}(\text{CO})_3\text{L}_2]^-$ ($\text{L} = \text{P}(\text{OPh})_3, \text{PPh}_3$), reactions with R₂MX (M = C, Si, Ge, Sn; R = Me, Et, Ph, Cl; X = Cl, Br) of (S. Onaka, Y. Yoshikawa, H. Yamatera), (157)187
- Ferrocene metallation with n-pentyl-sodium in the presence and absence of *N,N,N',N'*-tetramethylethylenediamine (E.W. Post, T.F. Crimmins), (161)C17
- [3]Ferrocenophanes, preparation and spectral studies of (A. Davison, J.C. Smart), (174)321
- Fluoroalkoxysilane chiral compounds, reactions with saturated aromatic and vinylic organomagnesium compounds of (C. Brelière, R.J.P. Corriu, A. De Saxce, G. Royo), (166)153
- Functionally substituted stannylenes and their stannio complexes with chromium, molybdenum and tungsten carbonyl acceptors, ^{119}m Sn Mössbauer spectra of (W.-W. Du Mont, J.L. Lefferts, J.J. Zuckerman), (166)347
- μ_2 -Germanediyl- and μ_3 -germanetriyl-cobalt carbonyls, preparation and structure of (G. Etzrodt, G. Schmid), (169)259
- Group IVB and Group VB cyclopentadiene derivatives, comparison of the reactivity with Group VB halides and titanium tetrachloride of (P. Jutzi, M. Kuhn), (173)221
- Group IV metalloidal halides, coupling reactions with magnesium in tetrahydrofuran of (J.A. Soderquist, A. Hassner), (156)227
- Group IVB organometallic compounds, bond dissociation energies of (R.A. Jackson), (166)17
- Group IV peroxides, reactions with olefins of (Yu.A. Alexandrov, V.V. Gorbatov, N.V. Yablokova, V.G. Tsvetkov), (157)267

- Group IVB radical adducts with aromatic ketones, ESR study of (A. Alberti, A. Hudson), (164)219
- Halocarbonylrhodium(I) complexes containing phosphinoalkylorganosilicon ligands, preparation and catalytic hydroformylation activity of (M.O. Farrell, C.H. Van Dyke, L.J. Boucher, S.J. Metlin), (169)199
- α -Halo- β , β -dimethylvinyltrimethylsilanes, geminal dehalosilylation of and generation of isopropylidene carbene (R.F. Cunico, Y.-K. Han), (162)1
- Heptamethyl-2-phenyltrisilane and octamethyl-2,3-diphenyltetrasilane, photolysis in the presence of dimethyl sulphoxide of (H. Okinoshima, W.P. Weber), (155)165
- Hexaalkyldisilanes, reactions with ketones in HMPT medium (P. Gerval, E. Frainnet), (153)137
- Hexamethylecyclotrisilthiane and tetramethylecyclodisilthiane, pyrolysis in the presence of cyclic siloxanes of (H.S.D. Soysa, W.P. Weber), (165)C1
- Hexamethylsilsilirane, reactions with primary and secondary phosphines and chlorophosphines of (W. Hölderich, D. Seyferth), (153)299
- Hexaorgano-substituted triatomics, R_3XYZR_3 , a rationalisation using the second-order Jahn-Teller effect (C. Glidewell), (159)23
- Hydrido-1,3-(1,1,3,3-tetramethyldisiloxane-diyl)carbonylbis(triphenylphosphine)-iridium(III), $Me_2SiOSiMe_2Ir(H)(CO)\cdot(PPh_3)_2 \cdot EtOH$, crystal and molecular structure of (M.D. Curtis, J. Greene, W.M. Butler), (164)371
- Hydroboration of vinyltrimethylsilane, regioselectivity of dialkylboranes in (J.A. Soderquist, A. Hassner), (156)C12
- Hydrosilylation of bicyclo[2.2.1]heptene derivatives by trichlorosilane with the use of nickel catalysts, stereochemistry of the process (V.P. Yuryev, I.M. Salimgareyeva, V.V. Kaverin, K.M. Khaililov, A.A. Panasenko), (171)167
- Hydrosilylation of organic substrates using tris(pentanedionato)rhodium(III) and tetrakis(μ -acetato)dirhodium(II) as catalysts (A.J. Cornish, M.F. Lappert, G.L. Filatovs, T.A. Nile), (172)153
- Hydrosilylation of saturated and unsaturated aldehydes and ketones (J. Boyer, R.J.P. Corriu, R. Perz, C. Reye), (172)143
- Iron containing multiple alkylmetal groups, decomposition of derivatives of (P.A. Wegner, G.P. Sterling), (162)C31
- (+)- and (-)-2,3-O-Isopropylidene-2,3-dihydroxy-1,4-bis(diphenylarsino)-butane, synthesis and use in asymmetric catalysis of (A.D. Calhoun, W.J. Kobos, T.A. Nile, C.A. Smith), (170)175
- N-Lithiohexamethyldisilazane, $[LiN(SiMe_3)_2]_3$, crystal structure of (R.D. Rogers, J.L. Atwood, R. Grüning), (157)229
- Menthylchloro(phenyl)phosphonate hydrolysis, analogies between dynamic stereochemistry at silicon and phosphorus (R.J.P. Corriu, G.F. Lanneau, D. Leclercq), (153)C1
- Metal carbonyl silanes, ^{29}Si NMR spectra by the selective population transfer method (S. Li, D.L. Johnson, J.A. Gladysz, K.L. Servis), (166)317
- Methylphenylsilylene, photochemical generation and reactions with olefins of (M. Ishikawa, K.-I. Nakagawa, M. Ishiguro, F. Ohi, M. Kumada), (152)155
- 1-Methyl-1-silaadamantane, structure determined by gas-phase electron diffraction of (Q. Shen, C.A. Kapfer, P. Boudjouk, R.L. Hilderbrandt), (169)147
- Methylsiloxane cyclo-linear polymers, thermal decomposition of (M. Blaszó, G. Garzó, K.A. Andrianov, N.N. Makarova, A.I. Chernavski, I.M. Petrov), (165)273
- N-Methyl-N-trimethylsilylthiobenzamide, cyclo-addition reactions of (W. Walter, H.-W. Lüke, T. Proll), (173)33
- N-Methyl-N-trimethylsilyl trifluoroacetamide, reassignment of the structure of (A.R. Bassindale, T.B. Posner), (175)273
- Molybdenum and tungsten anionic tricarbonyl derivatives, reactions with allyl halides (B.J. Brisdon, D.A. Edwards, J.W. White), (156)427
- Mono-alkyldichlorosilanes, selective synthesis via the reaction of olefins with dichlorosilane catalysed by Group VIII metal phosphine complexes (H. Watanabe, M. Aoki, N. Sakurai, K.-i. Watanabe, Y. Nagai), (160)C1
- α -Naphthylphenylfluoromenthoxysilane, molecular and crystal structure of (F. Dahan, Y. Jeannin), (171)283

- Nucleophile-induced substitution of silicon halides, intermediates in (J. Chojnowski, M. Cypryk, J. Michalski), (161)C31
- Optically-active alkoxy silanes synthesized via homochirally substituted prochiral siloxanes (W.J. Richter), (169)9
- Organic and organosilicon groups, optical anisotropies of bonds in (M. Bordeau, E. Frainnet, C. Clément), (170)C44
- Organoboron dihalides, dehalogenation in the search for borenes of (J.J. Eischt, H.P. Becker), (171)141
- Organolithium reagents, reactions with α -chlorovinyltrimethylsilanes of (R.F. Cunico, Y.-K. Han), (174)247
- Organosilanes and organolithiums, coupling reactions taking place with retention between (R.J.P. Corriu, J.M. Fernandez, C. Guerin), (152)21
- Organosilanes, stereochemistry of sulphonation reactions of (J. Dubac, P. Mazerolles, M. Joly), (153)289
- Organosilicon carbon-functional compounds, synthesis of (B.N. Ghose), (164)11
- Organosilicon chloride and acetate, anionic assistance in solvolysis of (C. Eaborn, S.P. Hopper), (170)C51
- Organosilicon compounds with C—Si, N—Si and O—Si bonds, polarisation in (M. Bordeau, E. Frainnet, C. Clément), (170)C47
- Organosilicon peroxides, kinetics of catalytic rearrangement of (G.A. Razuvaev, V.A. Yablokov, A.V. Ganyushkin, N.V. Yablokova, G.S. Kalinina), (165)281
- Organozinc and other organometallic compounds derived from *N,N*-diethyl-bromoacetamide (R.C. Poller, D. Silver), (157)247
- Pentafluorophenylgermylbismuth compounds (M.N. Bochkarev, N.I. Gur'ev, G.A. Razuvaev), (162)289
- Perphenylecyclopolysilanes, radical anions of (M. Kira, H. Bock), (164)277
- Phenyl[2,2-dimethyl-1-(*N*-phenyltrimethylsilylamo)propylidene]arsine, preparation and spectra of (J. Heinicke, A. Tzschach), (166)175
- 2-Phenyl-1,3,2-dioxasilacycloalkanes, hydride migration in the mass spectra of (R.H. Cragg, R.D. Lane), (154)C6
- Phenyldisilane derivatives, photolysis in the presence of olefins of (M. Ishikawa, T. Fuchikami, M. Kumada), (162)223
- (η^6 -Phenyllithium)tricarbonylchromium, formation and some reactions of (M.D. Rausch, R.E. Gloth), (153)59
- Phosphaacetylenehexacarbonylcobalt complexes, preparation and reactions of (D. Seyferth, R.S. Henderson), (162)C35
- Phosphaimidines derived from bis-silylated phosphines and imide chlorides, reactions and NMR spectra of (K. Issleib, H. Schmidt, H. Meyer), (160)47
- Phosphine-palladium and -rhodium complexes as catalysts in regioselective hydrosilylation of 1,3-dienes (I. Ojima, M. Kumagai), (157)359
- Rhodium(I) complexes of phosphinated polymethylsiloxanes, preparation and properties of (M.O. Farrell, C.H. van Dyke, L.J. Boucher, S.J. Metlin), (172)367
- Silabenzenes, theoretical study of (P.H. Blustein), (166)21
- Silacyclopropanes, reactions with 1,2-dipolar reagents: diazomethane and methylenetrimethylphosphorane (D. Seyferth, D.P. Duncan, H. Schmidbaur, P. Holl), (159)137
- Silacycloprenes, aromatic character of (P.R. Jones, D.D. White), (154)C38
- Silanamines, transaminations by gas phase nucleophilic substitution reactions of (K.J. Shea, R. Gobeille, J.F. Wolf), (156)323
- Silanes, enthalpies of formation of (I.M.T. Davidson), (170)365
- Silatrane and its C-substituents, influence of intermolecular interactions on the Si—H bond vibration in (M.G. Voronkov, E.I. Brodskaya, P. Reich, S.G. Shevchenko, V.P. Baryshok, Yu.L. Frolov), (164)35
- Silene generation from a silyl 1,3-migration (T.J. Barton, W.D. Wulff), (168)23
- Silicon analogs of thioxanthenes (J.Y. Corey, M.J. Dye, R.L. Farrell, M.V. Mitchell), (153)127
- Silicon-containing polymers prepared by linear co-oligomerization of vinylsilanes with butadiene (F.G. Yusupova, G.A. Gailyunas, I.I. Furley, A.A. Panasenko, V.D. Sheludyakov, G.A. Tolstikov, V.P. Yurjev), (155)15
- Silicon-functional vinylsilanes, addition of carbon tetrachloride and methyl trichloroacetate to (H. Matsumoto, T. Motegi, T. Nakano, Y. Nagai), (174)157

- Silicon-nitrogen-phosphorus halides stabilized by the t-butyldimethylsilyl group (R.H. Neilson, W.A. Kusterbeck), (166)309
- Silicon-(or germanium-)phosphorus bonds containing stereochemical systems. synthesis of (J. Dubac, J. Cavezzan, P. Mazerolles, J. Escudie, C. Couret, J. Satgé), (174)263
- Silicon tricycles, fluoride ion-induced ring enlargement of (J.Y. Corey, V.H.T. Chang), (174)C15
- Silicon unsaturated compounds, reactions with methylolithium and methylmagnesium bromide of (M. Ishikawa, T. Fuchikami, M. Kumada), (173)117
- Silipramine and related derivatives (J.Y. Corey, R.L. Farrell), (153)15
- Siliranes, reactions with elemental sulphur and t-butylmercaptan of; preparation of a 2,3-dithia-1-silacyclopentane ring system (D. Seyerth, D.P. Duncan, C.K. Haas), (164)305
- Siloxethanes and silanones, route via cyclohydrosilylation to (T.H. Lane, C.L. Frye), (172)213
- Silyl enol ethers and ketene silyl ketals, reactions with isocyanides of (S.-I. Inaba, I. Ojima, K. Yoshida, M. Nagai), (164)123
- Silyl- and germyl-substituted methyl radicals, ESR of (H. Sakurai, K. Mochida), (154)358
- Silyl- and stannyll-¹³C labelled acetylenes, Fourier transform NMR investigations of (K. Kamienski-Trela), (159)15
- C-Silylated derivatives of aziridines, synthesis of (F. Duboudin), (156)C25
- Silylation with silylamides, rate studies of (Z. Lasocki, J. Kowalski), (152)45
- Silylphenylpropynes and silylphenyl-propadienes, photolysis of (M. Ishikawa, H. Sugisawa, L. Fábris, M. Kumada), (161)299
- Spirobenzosilepine, synthesis of (L. Birkofner, H. Haddad), (164)C17
- Stereoisomeric cyclosiloxanes, selective interconversion of (D.E. Spielvogel, C.L. Frye), (161)165
- Sterically hindered silene, attempted generation of (T.J. Barton, C.R. Tully), (172)11
- 1-Substituted 4,4-dimethyl-1,2,3,4-tetrahydrol[*b*]-1,4-azasilines and 3,3-dimethyl-1,2,3,4-tetrahydrobenzo[*e*]-1,3-azasilines, synthesis of (T. Aoyama, Y. Sato, T. Suzuki, H. Shirai), (153)193
- 4-Substituted 1-silacyclohexa-2,4-dieneiron tricarbonyls, synthesis and reactions of (G. Märkl, C. Soper, P. Hofmeister, H. Baier), (174)305
- 4-Substituted silacyclohexa-2,5-dienes and silacyclohexa-2,4-dienes, synthesis and chemistry of (G. Märkl, H. Baier, P. Hofmeister, F. Kees, C. Soper), (173)125
- Tertiary silanols, specific broadening of the methyl groups signals in ¹H NMR spectra in the presence of tris(dipivalomethane)euroeuropium chelate of (A. Lycka, D. Snobl, J. Vencl), (174)41
- Tetracarbonylcobaltate(-I), reactions with chlorosilanes in ether solvents (B.K. Nicholson, J. Simpson), (155)237
- 2,2,2-Tetracarbonyl-1,1-dichloro-1-sila-2-ferracyclopentane, crystal and molecular structure of (U. Schubert, A. Rengstl), (106)323
- Tetrakis(trimethylsilyl)butatriene, radical ions of (W. Kaim, H. Bock), (164)281
- 1,1,2,2-Tetramethyl-1,2-disila-3,6-dithia-cyclohexane, pyrolysis and evidence for dimethylsilathione intermediates in the process of (H.S.D. Soysa, I.N. Jung, W.P. Weber), (171)177
- Tetramethylsilane and hexamethyldisilane, photochlorination in the gas phase of (T.N. Bell, I.M.T. Davidson), (162)347
- 2-Thienylsilanes, Si-C cleavage by secondary amines in (R. Tacke, E. Zimonyi-Hegedüs, U. Wannagat), (172)21
- Transition metal-carbene and -carbyne complexes with trialkylsilyl moieties, ²⁹Si NMR investigations of (F.H. Köhler, H. Hollfelder, E.O. Fischer), (168)53
- Trialkylsilyl halides, synthetic and mechanistic aspects of reactions with thio and seleno esters of phosphorus of (B. Borecka, J. Chojnowski, M. Cyprik, J. Michalski, J. Zielińska), (171)17
- Trichlorosilyltetracarbonyliron hydride, reaction with conjugated dienes of (J.W. Connolly, C.D. Hoff), (160)467
- Tricyclic compounds with sulphur and silicon heteroatoms in the central ring, synthesis of (B.L. Soltz, J.Y. Corey), (171)291
- Triethylsilane, free radical dichlorovinylation by trichloroethylene of (R. Aloni, L.A. Rajbenbach, A. Horowitz), (171)155

- Trimethylchlorosilane, dimethyldichlorosilane and chloromethyldimethylchlorosilane, reactions with potassium t-butoxide and sodium methoxide (S.P. Hopper, M.J. Tremelling, E.W. Goldman), (156)331
- 1,1,3-Trimethyl-1-silacyclobutane, kinetic study of the gas-phase thermal decomposition and isomerisation of (L.E. Gusel'nikov, N.S. Nametkin, N.N. Dolgopolov), (169)165
- Trimethylsilyl cyanide, reaction with isocyanates and carbodiimides of (S.-I. Inaba, I. Ojima), (169)171
- (Trimethylsilyl)-, (phenyldimethylsilyl)- and (diphenylmethylsilyl)-dichloromethyl lithium, formation and alkylation of; preparation of α,α -dichloroalkylsilanes and ((Z)-1-chloro-1-alkenyl)silanes (G.L. Larson, O. Rosario), (168)13
- (η^5 -Trimethylsilylcyclopentadienyl)-(η^4 -tetraphenylcyclobutadiene)cobalt, crystal and molecular structure of (M. Calligaris, K. Venkatasubramanian), (175)95
- 9-Trimethylsilyl-9,10-dihydroanthracene. structure and reactivity of and preparation of 9,9-bis(trimethylsilyl)- and 9-trimethylsilyl-9-alkyl-9,10-dihydroanthracenes (M. Daney, B. Labrande, R. Lapouyade, H. Bouas-Laurent), (159)385
- Trimethylsilylmethyl and bis(trimethylsilyl)methyl derivatives of boron, aluminium, cadmium and mercury (S. Al-Hashimi, J.D. Smith), (153)253
- Trimethyl(trihalomethyl)silanes as dihalomethylene transfer agents (R.F. Cunico, B.B. Chou), (154)C45
- Triorganylsilyl derivatives, synthesis and properties of (O.W. Steward, G.L. Heider, J.S. Johnson), (168)33
- Triphenylsilylmethylammonium salts, cleavage of the silicon-carbon bonds in (Y. Sato, H. Sakakibara), (166)303
- Triphenylsilylthiirane, crystal and molecular structure of (G. Barbieri, G.D. Andreotti, G. Bocelli, P. Sgarabotto), (172)285
- Triphenyl(triphenylsilylperoxy)germane, mechanism of the catalytic rearrangement of (V.A. Yablokov, G.S. Kalinina, N.V. Yablokova, T.A. Basalgina, N.S. Vyazankin, G.A. Razuvaev), (153)25
- Tris[bis(trimethylsilyl)amine]thallium ($Tl[N(SiMe_3)_2]_3$), molecular and crystal structure of (R. Allmann, W. Henke, P. Krommes, J. Lorberth), (162)283
- Tris(trimethylsilylmethyl)aminium, $N(CH_2SiMe_3)_3$, a stable fluxional aminium radical cation (H. Bock, W. Kaim, M. Kira, H. Osawa, H. Sakurai), (164)295
- Tris(trimethylsilyl)methylsilicon compounds, behaviour of (C. Eaborn, D.A.R. Happer, K.D. Safa, D.R.M. Walton), (157)C50
- Tris(trimethylsilyl)methylsilicon iodides and hydrides, novel rearrangements in reactions with electrophilic reagents of and possibility of cationic intermediates (C. Eaborn, D.A.R. Happer, S.P. Hopper, K.D. Safa), (170)C9
- α,β -Unsaturated organosilanes, electronic transfer reactions of (J.J. Eisch, G. Gupta), (168)139
- Unsubstituted and 2-aryl ketones, conversion to (1-aryllallyl)silanes of (W.E. Fristad, Y.-K. Han, L.A. Paquette), (174)27
- Vinylalkoxysilanes in reaction with organolithium reagents (P.R. Jones, T.F.O. Lim, M.L. McBee, A. Pierce), (159)99
- Vinyl- and ethynyl-trimethylsilanes, oligomerization of (V.P. Yur'ev, G.A. Gailyunas, F.G. Yusupova, G.V. Nurtdinova, E.S. Monakhova, G.A. Tolstikov), (169)19
- Vinylsilaneplatinum(0) complexes, preparation and stabilities of (J.W. Fitch, K.C. Chan, J.A. Froelich), (160)477

Silver

- Arylsilver(I) compounds, synthesis and characterization with diarylzinc compounds of (H.K. Hofstee, J. Boersma, G.J.M. van der Kerk), (168)241
- Coordinated cyclooctatetraene, dimerisation via silver(I) oxidation and X-ray crystal structure of the product (N.G. Connelly, M.D. Kitchen, R.F.D. Stansfield, S.M. Whiting, P. Woodward), (155)C34
- Copper, silver and gold; Annual survey covering the year 1976 (E. Singleton), (158)413

- Lithium diarylargentate formation from arylsilver compounds and the corresponding aryllithium compounds (J. Blenkers, H.K. Hofstee, J. Boersma, G.J.M. van der Kerk), (168)251
- Organosilver(I) compounds, stabilization and application in organic synthesis (H. Westmijze, H. Kleijn, P. Vermeer), (172)377
- Polynuclear aryl-copper, -silver and -gold derivatives, intramolecular dynamics of 3c—2e bonded aryl groups in (G. van Koten, J.G. Noltes), (171)C39
- Silver-cyanomethane paramagnetic derivative, ESR spectrum of (M.C.R. Symons, C.K. Alesbury), (162)C27
- 2-Silver(dimethylaminomethyl)ferrocene, structure and properties of (A.N. Nesmeyanov, N.N. Sedova, Yu.T. Struchkov, V.G. Andrianov, E.N. Stakheeva, V.A. Sazonova), (153)115

Sodium

- Allyl-alkali metal substituted compounds, charge distribution in (S. Bywater, D.J. Worsfold), (159)229
- 2,2'-Bipyridine(ethyl)nickelimino borates, preparation and structure of (H. Hoberg, V. Götz, C. Krüger), (169)219
- Cyclopentadienyl- and methylcyclopentadienyl-sodium, adducts with oxygen and nitrogen bases of; structure of cyclopentadienylsodium-tetramethylene-diamine (T. Aoyagi, H.M.M. Shearer, K. Wade, G. Whitehead), (175)21
- Disodium tetracarbonylferrate, cyclisation reactions with ethylenic and allenic halides of (J.Y. Merour, J.L. Roustan, C. Charrier, J. Benaïm, J. Collin, P. Cadot), (168)337
- Ferrocene metallation, with n-butylpotassium (A.G. Osborne, R.H. Whiteley), (162)79
- , with n-pentylsodium in the presence and absence of *N,N,N',N'*-tetramethyl-ethylenediamine (E.W. Post, T.F. Crimmins), (161)C17
- μ_2 -Germanediyl- and μ_3 -germanetriyl-cobalt carbonyls, preparation and structure of (G. Etzrodt, G. Schmid), (169)259
- Heavier alkali metals; Annual survey covering the year 1977 (E.M. Kaiser), (163)1

- Ketones substituted with an alkali metal, isolation and properties of (L. Lochmann, R.L. De, J. Trekoval), (156)307
- 1-Lithiomethyl-3-methylisoquinoline and its 6,7-dimethoxy derivative, preparation and condensation of (E.M. Kaiser, J.R. McClure), (175)11
- Organomagnesium and organoalkali metal compounds, determination of basicity of (C. Chevrot, K. Kham, J. Périchon, J.F. Fauvarque), (161)139
- Sodium hydride containing complex reducing agents, activation of (J.J. Brunet, R. Vanderesse, P. Caubère), (157)125
- Sodium naphthalenide tight ion pair in THF, volume change during solvent separation of (W.J. Le Noble, P. Staub), (156)25
- Sodium pentacarbonylmanganese, reactions with acetic [^{13}C] formic anhydride of (R.A. Fiato, J.L. Vidal, R.L. Pruitt), (172)C4
- Trimethylaluminium and potassium in reaction with 1,3-cyclooctadiene, molecular structure of the product of (A. McPherson, G. Stucky, H. Lehmkühl), (152)367
- Trimethylchlorosilane, dimethyldichlorosilane and chloromethyldimethylchlorosilane, reactions with potassium t-butoxide and sodium methoxide (S.P. Hopper, M.J. Tremelling, E.W. Goldman), (156)331
- Triphenylmethylsodium tetramethylethylene-diamine, preparation and crystal structure of (H. Koster, E. Weiss), (168)273
- α,β -Unsaturated organosilanes, electronic transfer reactions of (J.J. Eisch, G. Gupta), (168)139

Sulphur

- Alkyl(aryl)-sulphinato- and -sulphonato-indium(III) porphyrins (R. Guillard, P. Cocolios, P. Fournari, C. Lecomte, J. Protas), (168)C49
- Alkylcyclopentadienyltricarbonylmolybdenum, reaction with carbon disulphide of (N.J. Coville, M.O. Albers), (172)C1
- Alkylsulphito, bisulphito and sulphito complexes of η^5 -cyclopentadienylcarbonyliron(II) (C.A. Poffenberger, A. Wojciecki), (165)C5

- Allyl vinyl thioethers, stereoselective synthesis as reagents for the thio-Claisen reaction of (A.P. Kozikowski, A. Ames, H. Wetter), (164)C33
- Antiferromagnetic dimer with a Cr—Cr bond, synthesis and molecular structure of (A.A. Pasynskii, I.L. Eremenko, Yu.V. Rakitin, V.M. Novotortsev, V.T. Kalinnikov, G.C. Aleksandrov, Yu.T. Struchkov), (165)57
- η^1 -Arene- η^5 -cyclopentadienyliron(II) complexes bearing NH₂, OH or SH substituents, synthesis and deprotonation of (J.F. Helling, W.A. Hendrickson), (168)87
- Aryl-substituted disilanes, photolysis in the presence of dimethyl sulphoxide of (H.S.D. Soysa, W.P. Weber), (173)269
- α -Arylthiocarbonyl complexes, rearrangement to η^2 -thioacyl complexes of and structure of Os[η^2 -C(S)R](η^1 -O₂CCF₃)-(CO)(PPh₃)₂ (G.R. Clark, T.J. Collins, K. Marsden, W.R. Roper), (157)C23
- 1-Benzene sulphonyl-2-bromo- and -2-fluoroethenes, stereochemistry of the reaction with dialkyl and diphenyl cuprates of (V. Fiandanese, G. Marchese, F. Naso), (160)C13
- Benzzo-1,2,3,6-diazadiborine as ligands in d^6 -(CO)₃M complexes (H. Schmidt, W. Siebert), (155)157
- μ -Bi- η : η -cyclopentadienyldimolybdenum, lithio, alkyl, halo, hydrido and alkyl-thiolato derivatives of (M.L.H. Green, S.J. Simpson), (173)287
- [Bis(2-diphenylphosphinoethyl)phenyl-phosphinenickel(0)methylsulphinato] tetraphenylborate, X-ray structure of (C. Mealli, P. Stoppioni), (175)C19
- 1,12-Bis(phenylthio)dodecane, *trans*-chelation to planar palladium(II) of (C.A. McAuliffe, H.E. Souter, W. Levason, F.R. Hartley, S.G. Murray), (159)C25
- Bis(trifluoroacetato)iron derivatives, preparation via carbon disulphide iron complexes of (H. Le Bozec, A. Gorgues, P. Dixneuf), (174)C24
- Bromo- and thiophenyl-silanes, stereochemistry of nucleophilic substitution at silicon of (R.J.P. Corriu, J.M. Fernandez, C. Guerin), (152)25
- (t-BuS(CH₂)₂ or β -S-t-Bu)W(CO)₄, crystal and molecular structures and reactivity in solution of (G.M. Reisner, I. Bernal, G.R. Dobson), (157)23
- Carbonyl derivatives of Main Groups IV-VI elements with boron—element bonds, synthesis of (V.I. Bregadze, V.Ts. Kampel, N.N. Godovikov), (157)C1
- Chlorosilanes, stereochemistry of nucleophilic substitution reactions of (R.J.P. Corriu, G. Dabosi, M. Martineau), (154)33
- Chlorothiomethoxymethylbis(triphenylphosphine)palladium(II) methylene-chloride, molecular structure as a solvate at -160°C of (K. Miki, Y. Kai, N. Yasuoka, N. Kasai), (165)79
- Chromium(0) and tungsten(0) tetracarbonyl(carbene-thio) complexes, preparation of (H.G. Raubenheimer, S. Lotz, H.W. Viljoen, A.A. Chalmers), (152)73
- Chromium pentacarbonyl complexes of dihydro- and tetrahydro-thiophene derivatives (J.H. Eekhof, H. Hogeweegen, R.M. Kellogg), (161)361
- [(η^5 -C₅H₅W{C(CO₂Me)=C(CO₂Me)C(O)SMc})-(CO)₂], crystal and molecular structure of (L. Manojlović-Muir, K.W. Muir), (168)403
- (η^5 -Cyclopentadienyl)(acyl)(carbonyl)-(tertiary phosphine)iron complexes, reaction with trifluoromethane-sulphonic acid of (B.E. Boland, S.A. Fam, R.P. Hughes), (172)C29
- Cyclopentadienyldicarbonylmolybdenum derivatives with N-alkyl-N-iminoacyl dithiocarbamates as ligands (H. Brunner, J. Wachter), (175)293
- (+)_{4,16}- and (-)_{4,16}-cyclopentadienyldicarbonylmolybdenum derivatives of pyridine-2- and -3-carboxylic acid thioamides, preparation and epimerisation of (H. Brunner, G. Spettel), (160)149
- Cyclopentadienylmethanethiolato-iron and -ruthenium compounds, reactions with fluorinated acetylenes of (F.Y. Petillon, F. Le Floch-Perennou, J.E. Guerchais, D.W.A. Sharp), (173)89
- π -Cyclopentadienyl-transition metal oxo-bridged dimers, preparation and structural characterization of [(η^5 -C₅H₅)₂Zr(SC₆H₅)₂]O (J.L. Petersen), (166)179
- Cyclopentadienyl(trimethylphosphine)-cobalt carbon disulphide, synthesis, reactions and crystal structure of (H. Werner, K. Leonhard, C. Burschka), (160)291

- Decacarbonyldihydrotriosmium, reactions with aryl isocyanates and isothiocyanates of (R.D. Adams, N.M. Golembeski), (171)C21
- Desulphurization of thioanilides via palladium complexes (H. Alper, J.K. Currie), (168)369
- Di- and tri-sulphinic esters of silicon, preparation of (E. Lindner, U. Ansorge), (153)209
- Diaryltriazenes and phenylmercury derivatives, PMR studies of exchange reactions of (A.N. Nesmeyanov, E.I. Fedin, A.S. Peregudov, L.A. Fedorov, D.N. Kravtsov, E.V. Borisov, F.Yu. Kiryazev), (169)1
- Dibromohexacarbonyl bis(tetrahydro-furanyl)dirhenium and substituted tricarbonylrhenium(I) derivatives, crystal and molecular structure of (F. Calderazzo, I.P. Mavani, D. Vitali, I. Bernal, J.D. Korp, J.L. Atwood), (160)207
- Dicyclopentadienylhexacarbonyldimolybdenum in selective π -complexation reactions of diene thiones (H. Alper, N.D. Silavwe), (161)C8
- Di- η^5 -cyclopentadienyltitanium pentasulphide, inversion barrier of the TiS₅ ring in (E.W. Abel, M. Booth, K.G. Orrell), (160)75
- Dicyclopentadienyl-titanium, -vanadium and -chromium, synthesis and characterization of mixed cyanothiocyanate and cyanoselenocyanate complexes of (M. Mořán, V. Fernández), (165)215
- Diethylgermanone, Et₂Ge=S, formation and characterisation of (H. Lavayssiere, G. Dousse, J. Barrau, J. Satgé, M. Bouchat), (161)C59
- 1,2-Dimethylgermacyclopentanes, preparation and stereochemistry of (J. Dubac, P. Mazerolles, M. Joly, J. Cavezzan), (165)163, 175
- Di- and tri-nuclear iron complexes from the reaction of nonacarbonyldiiron with RN=S=NR; crystal and molecular structure of [Fe₂(CO)₆{RNC(O)S}], [Fe₃(CO)₉(RNS)S] and [Fe₃(CO)₉(RN)S] (R. Meij, D.J. Stufkens, K. Vrieze, A.M.F. Brouwers, J.D. Schagen, J.J. Zwinselman, A.R. Overbeek, C.H. Stam), (170)337
- Dinuclear carbonyl-manganese, -rhenium and -cobalt dimetal complexes, formation of (G. Beysel, J. Grobe, W. Mohr), (170)319
- Diorganotellurium diisothiocyanates and triorganotellurium isothiocyanate in the solid state and in solution (F.H. Musa, W.R. McWhinnie), (159)37
- 1,2-Diphenyl-1,2-diphospholane-1,2-disulphide, crystal and molecular structure of (J.D. Lee, A.H. Booorizadeh), (152)305
- Diphenylphosphino- and phenylthio-bridged dinuclear platinum(II) complexes, preparation by use of trimethyl(diphenylphosphino)- and trimethyl(phenylthio)silane (C. Eaborn, K.J. Odell, A. Pidcock), (170)105
- Diphenyltin dichloride, complex formation with benzthiazole and 2-aminobenzthiazole of (P.G. Harrison, K. Molloy), (152)63
- 1,3-Dithia-2-stannacyclopentane, ¹H NMR and photoelectron spectra of (M.A. Delmas, J.C. Maire), (161)13
- μ, μ' -(1,3-Dithiolato)cyclohepta-4,6-diene)-hexacarbonyldiiron(I), structure and variable temperature ¹³C NMR spectra of (A. Shaver, P.J. Fitzpatrick, K. Steliou, I.S. Butler), (172)C59
- η^2 -Dithiomethyliron(II) ionic complexes, evidence for dependence on the nature of *trans*-phosphorus ligands bonded to iron in (D. Touchard, H. Le Bozec, P. Dixneuf), (170)C34
- [3]Ferrocenophanes, preparation and spectral studies of (A. Davison, J.C. Smart), (174)321
- Germaphosphinimines, intermediate compounds with π -bonded germanium (C. Couret, J. Satgé, J.D. Andriamizaka, J. Escudie), (157)C35
- Group VIIB and VIIIB transition metal chalcocarbonyl complexes, ¹³C NMR spectra of (D. Cozak, I.S. Butier, I.M. Baibich), (169)381
- Heptamethyl-2-phenyltrisilane and octamethyl-2,3-diphenyltetrasilane, photolysis in the presence of dimethyl sulphoxide of (H. Okinoshima, W.P. Weber), (155)165
- Hetero-aryl- and substituted aryl-tin compounds, Mössbauer studies of (D.W. Allen, J.S. Brooks, R. Formstone), (172)299
- Heterodinuclear manganese and molybdenum carbonyl-iron complexes with carbon disulphide bridges (U. Oehmichen, T.G. Southern, H. Le Bozec, P. Dixneuf), (156)C29

- Heterometallic carbene-thio chelate, reactions with primary and secondary amines and 1,1-dimethylhydrazine of (H.G. Raubenheimer, S. Lotz, G. Kruger, G. Gafner), (173)C1
- Hexafluoro-2-butyne oxidative addition to dinuclear dihydridoiridium(II) complexes (A. Maisonnat, R. Poilblanc), (160)307
- Hexamethylcyclotrisilthiane and tetramethylcyclodisilthiane, pyrolysis in the presence of cyclic siloxanes of (H.S.D. Soysa, W.P. Weber), (165)C1
- Iridium(I) species, isolation of intermediates in the oxidative addition of hydrogen halides to (R.H. Crabtree, J.M. Quirk, T. Khan-Fillebeen, G.E. Morris), (157)C13
- Isoelectronic substituted aryl-oxygen, -sulphur, -selenium and -tellurium esters of benzene-carboxylic and -dicarboxylic acids, ^1H and ^{13}C NMR studies of (B. Kohne, K. Praefcke, R. Zeisberg), (175)49
- $\text{K}[\text{Al}_2(\text{CH}_3)_6\text{SCN}]$, crystal and molecular structure of (R. Shakir, M.J. Zaworotko, J.L. Atwood), (171)9
- 2-Lithio-2-phenyl-1,3-dithianes, rotation and inversion barriers in (L.F. Kuyper, E.L. Eliel), (156)245
- Methyl benzoatodicarbonylselenocarbonyl-chromium, vibrational spectra of (P. Caillet, H.G. Jaouen), (164)329
- Methylcobaloxime, interaction of di-sulphides with (K.L. Brown, D. Jinkerson), (164)203
- Methyltrichlorotungsten compounds of sulphur and selenium (G.W.A. Fowles, W.M. Wan Mohamed, D.A. Rice), (170)203
- N-Methyl-N-trimethylsilylthiobenzamide, cyclo-addition reactions of (W. Walter, H.-W. Lüke, T. Proll), (173)33
- Molybdenum and tungsten xanthate and thioxanthate carbonyl complexes, synthesis and reactions of (W.K. Dean, B.L. Heyl), (159)171
- ρ -Nitrothiophenol organometallic derivatives, vibrational spectra of (L.M. Epstein, V.I. Beloborodov, L.D. Ashkinadze, E.M. Rokhлина, S.I. Pombrik, D.N. Kravtsov, L.A. Kazitsyna), (162)C1
- Olefin-platinum complexes containing phenolato and thiophenolato ligands, ^1H NMR study of bonding in (M.K. Cooper, D.W. Yaniuk), (164)211
- Organic xanthate complexation by carbonyliron identification of dinuclear derivatives (H. Patin, G. Mignani, R. Dabard, A. Benoit), (168)C21
- Organoboron compounds, redistribution equilibria between NMe_2 groups and Cl, SMe , OMe and F substituents of (J.P. Coster, G. Gros, J.P. Laurent), (175)257
- Organosilanes, stereochemistry of sulphonation reactions of (J. Dubac, P. Mazerolles, M. Joly), (153)289
- (Organostannyl)pentacarbonyl-manganese and -rhenium derivatives, reactions with liquid sulphur dioxide of (U. Kunze, S.B. Sastrawan), (154)223
- Organotin compounds, mechanism of thermal stabilization of PVC by; scavenging of chlorine atoms (G. Ayrey, F.P. Man, R.C. Poller), (173)171
- Organozinc and other organometallic compounds derived from *N,N*-diethyl bromoacetamide (R.C. Poller, D. Silver), (157)247
- Palladium-palladium bonds, reversible insertion of sulphur dioxide into, preparation and structure of $\text{Pd}_2(\mu-\text{SO}_2)(\text{Ph}_2\text{PCH}_2\text{PPh}_2)_2\text{Cl}_2$ (L.S. Benner, M.M. Olmstead, H. Hope, A.L. Balch), (153)C31
- Palladium(II)-sulphonium η^3 -allylide complexes, preparation of (H. Nishiyama), (165)407
- Pentacarbonyl-chromium and -tungsten sulphide complexes, kinetics and mechanism of inversion at sulphur and ligand exchange in (J.H. Eekhof, H. Hogeweegen, R.M. Kellogg, E. Klei), (161)183
- Pentacarbonyliron-mediated photolysis of 3-halo- and 3,4-dihalo-2,5-dimethyl-thiophene 1,1-dioxides (V. Usieli, S. Gronowitz, I. Andersson), (165)357
- α -(Phenylthio)alkylboranes, cleavage with N -chlorosuccinimide (A. Mendoza, D.S. Matteson), (166)149
- Phenyl(trihalomethyl)mercury compounds, reaction with *N*-unsubstituted sulfoximines of (J. Iqbal, W. Rahman), (169)141
- Phosphonium, arsonium, sulphonium and pyridinium keto-stabilized salts and ylides and their palladium(II) complexes, ^{13}C NMR studies of (G. Fronza, P. Bravo, C. Ticozzi), (157)299

- Platinum(0) insertion into the NS bond of 2,1,3-benzothiadiazole with concomitant P—C bond rupture, crystal and molecular structure of the reaction product (R. Meij, D.J. Stufkens, K. Vrieze, A.M.F. Brouwers, A.R. Overbeek), (155)123
- μ -(1,3-Propanedithiolato(2 β)(S,S':S,S'))-bis(tricarbonyliron)(Fe—Fe), preparation and characterization of (A.R. Koray, M.L. Ziegler), (169)C34
- π -Propargylic complexes of molybdenum, tungsten and manganese, alkoxy-carbonylation by alcohols, water and thiols of (C. Charrier, J. Collin, J.Y. Merour, J.L. Roustan), (162)57
- Rhodium(I)-hetero-allylic compounds, reactions with hetero-allenes (D.H.M.W. Thewissen, H.L.M. van Gaal), (172)69
- Rhodium(I) thiocarbonyl cationic complexes with triphenylphosphine and N-donor ligands (R. Uson, P. Lahuerta, D. Carmona, L.A. Oro, K. Hildenbrand), (157)63
- Silicon analogs of thioxanthenes (J.Y. Corey, M.J. Dye, R.L. Farrell, M.V. Mitchell), (153)127
- Siliranes, reactions with elemental sulphur and t-butyl-mercaptopan of; preparation of a 2,3-dithia-1-silacyclopentane ring system (D. Seyferth, D.P. Duncan, C.K. Haas), (164)305
- N-Sulphinylaniline and sulphurdiumine complexes of platinum(0), crystal and molecular structures of and determination of ^{31}P — ^{15}N and ^{195}Pt — ^{15}N coupling constants in (R. Meij, D.J. Stufkens, K. Vrieze, E. Roosendaal, H. Schenk), (155)323
- N-Sulphinylaniline-rhodium(I) and -iridium(I) complexes of the type [MCl(PR₃)₂L]; crystal and molecular structure of [RhCl(P-i-Pr₃)₂(4-MeC₆H₄-N=S=O)] (R. Meij, D.J. Stufkens, K. Vrieze, W. van Gerresheim, C.H. Stam), (164)353
- Sulphur-containing spirocyclic phosphoranes, synthesis of (A.C. Sau, R.R. Holmes), (156)253
- Telluroesters of aromatic carboxylic acids, photoreactions of (W. Lohner, J. Martens, K. Praefcke, H. Simon) (154)263
- Tetracarbonyl(diphenylcyclopropene-thione)iron, [C₃(C₆H₅)₂S]Fe(CO)₄, synthesis and structure of (G. Dettlaf, U. Behrens, E. Weiss), (152)95
- Tetrakis(trimethylthiomethoxyplatinum(IV)), [Pt(CH₃)₃SCH₃]₂, synthesis, IR, Raman and PMR spectra of (J.R. Hall, D.A. Hiron, G.A. Swite), (174)355
- 1,1,2,2-Tetramethyl-1,2-disila-3,6-dithiacyclohexane, pyrolysis and evidence for dimethylsilathione intermediates in the process of (H.S.D. Soysa, I.N. Jung, W.P. Weber), (171)177
- 2-Thienylsilanes, Si—C cleavage by secondary amines in (R. Tacke, E. Zimonyi-Hegedüs, U. Wannagat), (172)21
- Thio- and phosphido-bridged binuclear iron complexes, electrochemical behaviour and chemical oxidation of (R. Mathieu, P. Poilblanc, P. Lemoine, M. Gross), (165)243
- Thiocarbonyl-bridged dicyclopentadienyl-tricarbonylthiocarbonyliron, synthesis and cleavage reactions of (M.H. Quick, R.J. Angelici), (160)231
- Thioformyl, thioformaldehyde, methylthiолato, secondary carbene, formyl and iminoformyl complexes of osmium, stepwise reduction of the thiocarbonyl ligand and hydride transfer to CS in (T.J. Collins, W.R. Roper), (159)73
- Thioketone-ditungsten di- and tri-anion reactions (H. Alper, H.-N. Paik), (155)47
- Thioketonemolybdenum carbonyl complexes, synthesis of and geometric isomerism in (H. Alper, R. Sachdeva), (169)63
- Titanocene compounds, stereochemistry at titanium in the sulphur dioxide insertion reaction of (A. Dormond, C. Moise, A. Dahchour, J. Tirouflet), (168)C53
- Trialkylsilyl halides, synthetic and mechanistic aspects of reactions with thio and seleno esters of phosphorus of (B. Borecka, J. Chojnowski, M. Cyprik, J. Michalski, J. Zielinska), (171)17
- Tricyclic compounds with sulphur and silicon hetero-atoms in the central ring, synthesis of (B.L. Soltz, J.Y. Corey), (171)291
- Trifluoromethylthio- and trifluorovinyl-platinum(II) complexes, measurements of *cis*- and *trans*-influence by ^{31}P and ^{19}F NMR spectroscopy (M.A. Cairns, K.R. Dixon, G.A. Rivett), (171)373
- Triorganotin dialkylthiophosphates, synthesis and reactions of (B.P. Singh, G. Srivastava, R.C. Mehrotra), (171)35

Triphenylsilylthiirane, crystal and molecular structure of (G. Barbieri, G.D. Andreotti, G. Bocelli, P. Sgarabotto), (172)285
 Tris(polyfluorophenyl)thallium(III) compounds, desulphination pathway to (G.B. Deacon, R.J. Phillips), (171)C1

Tantalum

Alkyl-transition metal compounds, bond angles and non-bonded distances in (C. Glidewell), (169)C31
 Alkylidenetantalum complexes, preparation by alkylidene transfer from phosphoranes of (P.R. Sharp, R.R. Schrock), (171)43
 Dicyclopentadienyltantalum(III) carbonyl compounds, synthesis and properties of (A.H. Klazinga, J.H. Teuben), (165)31
 Dicyclopentadienyltantalum chemistry, synthetic pathways in (M.L.H. Green, J.J.E. Moreau), (161)C25
 Dicyclopentadienyltantalum hydride olefin compounds, synthesis and properties of (A.H. Klazinga, J.H. Teuben), (157)413
 Early transition metal hydride complexes, hydridic character of (J.A. Labinger, K.H. Komadina), (155)C25

Organozinc and other organometallic compounds derived from *N,N*-diethyl-bromoacetamide (R.C. Poller, D. Silver), (157)247
 Pentabenzyltantalum, kinetic study of thermal decomposition of (V. Malatesta, K.U. Ingold, R.R. Schrock), (152)C53

Vanadium, niobium and tantalum; Annual survey covering the year 1977 (J.A. Labinger), (167)39

Tellurium

Aminotellurium(IV) trihalides, preparation and properties of (F.J. Berry, A.K. Gupta, B.L. Khandelwal, R. Raina), (172)445
 Carbonylation of aromatic tellurium compounds in the presence of tetra-carbonylnickel (J. Bergman, L. Engman), (175)233
 Diaryltellurium dihalides and pseudo-halides, synthesis of (T.N. Srivastava, R.C. Srivastava, M. Singh), (160)449

Diorganotellurium diisothiocyanates and triorganotellurium isothiocyanate in the solid state and in solution (F.H. Musa, W.R. McWhinnie), (159)37

Isoelectronic substituted aryl-oxygen, -sulphur, -selenium and -tellurium esters of benzene-carboxylic and -dicarboxylic acids, ¹H and ¹³C NMR studies of (B. Kohne, K. Praefcke, R. Zeisberg), (175)49

Organotellurium-mercury(II) complexes, spectroscopic investigation of (N.S. Dance, C.H.W. Jones), (152)175

Phenyl telluride anion, photo-S_{RNL} reactions with haloarenes of (A.B. Pierini, R.A. Rossi), (168)163

Selenol and tellurol esters, ⁷⁷Se and ¹²⁵Te NMR of (B. Kohne, W. Lohner, K. Praefcke), (166)373

1-Telluracyclopentane diiodide, synthesis of anionic complexes of (T.N. Srivastava, R.C. Srivastava, M. Singh), (157)405

Tellurium; Literature survey covering the year 1976 (K.J. Irgolic), (158)235

—; — 1977 (K.J. Irgolic), (158)267

Tellurium tetrachloride, aromatization of unsaturated cyclohydrocarbons and halocyclohydrocarbons by (M. Albeck, T. Tamary), (164)C23

Telluroesters of aromatic carboxylic acids, photoreactions of (W. Lohner, J. Martens, K. Praefcke, H. Simon), (154)263

Thallium

Acetoxythallation and acetoxymercuration of *endo*- and *exo*-dicyclopentadienes and bicyclo[3.2.1]octa-2,6-diene (S. Uemura, H. Miyoshi, M. Okano, I. Morishima, T. Inubushi), (171)131

Allylmercury compounds, convenient reagents for synthesis of π -allyl derivatives of transition metals (A.N. Nesmeyanov, A.Z. Rubezhov), (164)259

Carboranes with B-Tl bonds, rearrangement reactions and analogues of (V.I. Bregadze, V.Ts. Kampel, A.Ya. Usiatinskii, N.N. Godovikov), (154)C1

Cyclopentadienylthallium, stereochemical approach to bonding in (A.A. Koridze, N.A. Ogorodnikova, P.V. Petrovsky), (157)145

Monoalkylthallium(III) derivatives, preparation and X-ray crystal structure of cyclopropylbis(isobutyrate)thallium(III) (F. Brady, K. Henrick, R.W. Matthews), (165)21

Oxythallation of norbornene derivatives with thallium(III) acetate in methanol (S. Uemura, H. Miyoshi, M. Okano, I. Morishima, T. Inubushi), (165)9

Thallium; Annual survey covering the year 1977 (H. Kurosawa), (158)221

Thallium borinates, preparation and spectral data of (G.E. Herberich, H.J. Becker, C. Engelke), (153)265

Tris[bis(trimethylsilyl)amine]thallium ($Tl[N(SiMe_3)_2]_3$), molecular and crystal structure of (R. Allmann, W. Henke, P. Krommes, J. Lorberth), (162)283

Tris(polyfluorophenyl)thallium(III) compounds, desulphination pathway to (G.B. Deacon, R.J. Phillips), (171)C1

Tin

Air stable triorganotin derivatives of amino acids, synthesis of (P.J. Smith, R.L. Hyams, J.S. Brooks, R.W. Clarkson), (171)C29

(β -Alkoxycarbonyl)vinylstannanes, facile route to (K. von Werner, H. Blank, K. Yasufuku), (165)187

Alkyl- and aryl-platinum(II) complexes from $K_2[PtCl_4]$ and tetraorganotin compounds in dimethyl sulphoxide; preparation and reactions of $[PtR_2(DMSO)_2]$ and $[PtR(C)(DMSO)_2]$ complexes (C. Eaborn, K. Kundu, A. Pidcock), (170)C18

Alkynylsilanes, NMR investigations of (B. Wrackmeyer), (166)353

Allylstannation of carbonyl compounds, route to mixed allyltins via allyl carbinols (V. Peruzzo, G. Tagliavini), (162)37

Asymmetrically substituted aromatic tin compounds (J.M. Angelelli, M.A. Delmas, J.C. Maire), (154)79

Bis(tetramethylstibonium)tetracyclopentadienylstannate, synthesis of (K.D. Bos, E.J. Bulten, H.A. Meinema, J.G. Noltes), (168)159

Bis[(trimethylstannyl)cyclopentadienyl]tin(II), $(Me_3Sn^{IV}C_5H_4)_2Sn^{II}$, preparation of (E.J. Bulten, H.A. Budding), (157)C3

Bis(trimethyitin) malonate, crystal and molecular structure of (U. Schubert), (155)255

Bis(triphenylphosphine)iminium pentacarbonylmanganate(-I), reactions with Group IV halides of (D.N. Duffy, B.K. Nicholson), (164)227

η^5 -Borylcyclopentadienyltin(IV) complexes (P. Jutzi, A. Seufert), (169)373

Carbonyl derivatives of Main Groups IV-VI elements with boron-element bonds, synthesis of (V.I. Bregadze, V.Ts. Kampel, N.N. Godovikov), (157)C1

β -Carbonylalkyltin chlorides, evidence for intramolecular coordination in (R.M. Haigh, A.G. Davies, M.-W. Tse), (174)163

Chiral triorganotin hydrides, synthesis, optical stability, stereo-selective and stereo-specific reactions of (M. Gielen, Y. Tondeur), (169)265

Chloroethyl-silicon, -germanium and -tin groups, electronegativity of (J. Marrot, J.-C. Maire), (157)7

gem-Chloro(trimethylsilyl)allyllithium, an ambident nucleophile (D. Seyferth, R.E. Mammarella), (156)279

Cycloheptatrienyltricarbonyliron substituted anion, $\{((C_6H_5)_3GeC_7H_6)Fe(CO)_3\}^-$, preparation and reactivity of (J.G.A. Reuvers, J. Takats), (175)C13
(σ -7-Cycloheptatrienyl)triphenyltin and (σ -5-cyclohepta-1,3-dienyl)triphenyltin, 1H and ^{13}C NMR investigation of [1,5] sigmatropic rearrangements in (B.E. Mann, B.F. Taylor, N.A. Taylor, R. Wood), (162)137

Cyclopentadienes with Group IVB and VB element substituents, synthesis, structure and dynamic behaviour of (P. Jutzi, M. Kuhn), (174)57

Cyclopentadienylboranes, synthesis, structure and dynamic behaviour of (P. Jutzi, A. Seufert), (169)327

Dialkyldi-1-propinylstannanes, reactions with trialkylboranes of (L. Killian, B. Wrackmeyer), (153)153

1,1-Dialkyl-1-stannacycloalkanes, synthesis of metal-functionally-substituted stannacycloalkanes by *trans*-alkylation reactions of (E.J. Bulten, H.A. Budding), (153)305

Dialkyltin dihalides, mechanistic and spectroscopic aspects of (J.W. Burley, P. Hope, R.E. Hutton, C.J. Groenboom), (170)21

- Diarylpropenyllithium compounds, regio- and stereo-specific synthesis from dimethylamino- and dimethylamino-methyl-substituted diarylacetylenes via transmetallation involving diarylpropenyl-magnesium and -tin compounds of (R.W.M. ten Hoedt, G. van Koten, J.G. Noltes), (170)131
- 1,3-Diaryltriazenido-trimethylsilicons and -trimethyltins, interaction with carbonyl-manganese, -molybdenum and -rhodium halides of (E.W. Abel, I.D.H. Towle), (155)299
- Dicarbenestannylene complexes with pentacarbonyl-chromium, -molybdenum and -tungsten, preparation and vibrational spectra of (W. Petz), (165)199
- Di- μ -chlorodipropionylbis(dimethylphenylphosphine)diplatinum, crystal and molecular structure and ^{31}P NMR characteristics of (G.K. Anderson, R.J. Cross, L. Manojlović-Muir, K.W. Muir, T. Solomun), (170)385
- Dichloro-stannyl- and germyl-porphyrins, mechanistic studies of the reactions of (C. Cloutour, D. Lafargue, J.C. Pommier), (161)327
- Dicyclopentadienyldicarbonyltitanium(II), He(I) and He(II) excited photoelectron spectra of (I. Fragalà, E. Ciliberto, J.L. Thomas), (175)C25
- Dimethylaminotrimethyl-silicon, -germanium and -tin, structures and spectra of (A. Marchand, M.-T. Forel, M. Rivière-Baudet), (156)341
- 1,1-Dimethyl-1-stannacyclopentane, ring-expansion reactions of (E.J. Bulten, H.A. Budding), (166)339
- Diorganotin dichloride addition complexes with *N*-alkyl(aryl)salicylideneimines, IR and Mössbauer studies on (B.S. Saraswat, G. Srivastava, R.C. Mehrotra), (164)153
- Diphenyltin dichloride, complex formation with benzthiazole and 2-aminobenzthiazole of (P.G. Harrison, K. Molloy), (152)63
- Distannanes, interaction with substituted *o*-quinones of (G.A. Razuvaev, V.A. Tsarjapkin, L.V. Gorbunova, V.K. Cherkasov, G.A. Abakumov, E.S. Klimov), (174)47
- , kinetic and CIDNP studies of the photoreaction with alkyl halides and the thermal reaction with diacyl peroxides (M. Lehnig, W.P. Neumann, P. Seifert), (162)145
- Disubstituted manganese carbonyl anion, $[\text{Mn}(\text{CO})_3\text{L}_2]^-$ ($\text{L} = \text{P}(\text{OPh})_3, \text{PPh}_3$), reactions with R_2MX ($\text{M} = \text{C}, \text{Si}, \text{Ge}, \text{Sn}; \text{R} = \text{Me}, \text{Et}, \text{Ph}, \text{Cl}; \text{X} = \text{Cl}, \text{Br}$) of (S. Onaka, Y. Yoshikawa, H. Yamatera), (157)187
- 1,3-Dithia-2-stannacyclopentane, ^1H NMR and photoelectron spectra of (M.A. Delmas, J.C. Maire), (161)13
- Epoxy-, hydroxy- and keto-substituted cyclohexyltriphenyltin compounds, selective synthesis and reactions of (R.H. Fish, B.M. Broline), (159)255
- [3]Ferrocenophanes, preparation and spectral studies of (A. Davison, J.C. Smart), (174)321
- Functionally substituted stannyles and their stannio complexes with chromium, molybdenum and tungsten carbonyl acceptors, ^{119}Sn Mössbauer spectra of (W.-W. Du Mont, J.L. Leferts, J.J. Zuckerman), (166)347
- μ_2 -Germanediyl- and μ_3 -germanetriyl-cobalt carbonyls, preparation and structure of (G. Eitzrodt, G. Schmid), (169)259
- Group IVB and Group VB cyclopentadiene derivatives, comparison of the reactivity with Group VB halides and titanium tetrachloride of (P. Jutzi, M. Kuhn), (173)221
- Group IVB metal dihalides, reactions with η^1 -allyl complexes of η^5 -cyclopentadienyldicarbonyliron (J.D. Cotton), (159)165
- Group IVB organometallic compounds, bond dissociation energies of (R.A. Jackson), (166)17
- Group IV peroxides, reactions with olefins of (Yu.A. Alexandrov, V.V. Gorbatov, N.V. Yablokova, V.G. Tsvetkov), (157)267
- Group IVB radical adducts with aromatic ketones, ESR study of (A. Alberti, A. Hudson), (164)219
- Hetero-aryl- and substituted aryl-tin compounds, Mössbauer studies of (D.W. Allen, J.S. Brooks, R. Formstone), (172)299
- Hexamethylecyclotristannaselenane, molecular and crystal structures of (M. Dräger, A. Blecher, H.-J. Jacobsen, B. Krebs), (161)1319
- Hexaorgano-substituted triatomics, R_3XYZR_3 , a rationalisation using the second-order Jahn-Teller effect (C. Glidewell), (159)23

- Indenylorganotin compounds, stereochemistry of electrophilic substitution reactions of (A.N. Kashin, V.N. Bakunin, V.A. Khutoryanskii, I.P. Beletskaya, O.A. Reutov), (171)309
- Mechanism of electrophilic substitution with participation of ion pairs (S_E2 ion pair mechanism) (I.P. Beletskaya, A.N. Kashin, O.A. Reutov), (155)31
- Metal carbonylate anions prepared by hydride reduction (K. Inkrott, R. Goetze, S.G. Shore), (154)337
- Monoalkyltin trihalides, synthetic, mechanistic and spectroscopic aspects of (R.E. Hutton, J.W. Burley, V. Oakes), (156)369
- Mononuclear $R_n EM(CO)_5$ complexes, reactions of (J. Grobe, R. Rau), (157)281
- p*-Nitrophenol organometallic derivatives, vibrational spectra of (L.M. Epstein, V.I. Beloborodov, L.D. Ashkinadze, L.S. Golovchenko, V.M. Pachevskaya, D.N. Kravtsov, L.A. Kazitsyna), (162)C5
- p*-Nitrothiophenol organometallic derivatives, vibrational spectra of (L.M. Epstein, V.I. Beloborodov, L.D. Ashkinadze, E.M. Rokhлина, S.I. Pombrik, D.N. Kravtsov, L.A. Kazitsyna), (162)C1
- Organoboron dihalides, dehalogenation in the search for borenes of (J.J. Eisch, H.P. Becker), (171)141
- (Organostannyl)pentacarbonyl-manganese and -rhenium derivatives, reactions with liquid sulphur dioxide of (U. Kunze, S.B. Sastrawan), (154)223
- Organotetrachlorostannate(IV)-base (1/1), preparation and tin-119 Mössbauer spectra of (D. Cunningham, M. Little, K. McLoughlin), (165)287
- Organotin compounds, as transesterification catalysts (R.C. Poller, S.P. Retout), (173)C7
- , geminal tin-tin coupling constants of the type $^2J(Sn-C-Sn)$ in (T.N. Mitchell, M. El-Behairy), (172)293
- , mechanism of thermal stabilization of PVC by; scavenging of chlorine atoms (G. Ayrey, F.P. Man, R.C. Poller), (173)171
- , reactions with derivatives of triaryl-methane in CH_2Cl_2 of (A.N. Kashin, N.A. Bumagin, I.P. Beletskaya, O.A. Reutov), (171)321
- Organotin(IV) derivatives of L-cysteine and DL-penicillamine (G. Domazetis, R.J. Magee, B.D. James), (162)239
- Organozinc and other organometallic compounds derived from *N,N*-diethyl-bromoacetamide (R.C. Poller, D. Silver), (157)247
- Pentacarbonyl(*tri-t*-butylphosphanedi-chlorostannio)tungsten(0), synthesis of (W.-W. Du Mont), (153)C11
- Pentacoordinated tin compounds, intramolecular mobility of (C. Mügge, K. Jurkschat, A. Tzschach, A. Zschunke), (164)135
- Pentafluorophenylgermylbismuth compounds (M.N. Bochkarev, N.I. Gur'ev, G.A. Razuvaev), (162)289
- Pentakis(dimethyltin) diphosphide, structure and NMR spectra of (B. Mathiasch), (165)295
- η^5 -Pentamethylcyclopentadienylnickel complexes, synthesis and reactions of (T. Mise, H. Yamazaki), (164)391
- Pentamethylcyclopentadienyltin compounds, synthesis and reactions of (P. Jutzi, F. Kohl), (164)141
- Phenylchlorobis(benzoylacetonato)tin, stereochemistry of (A. Recca, F.A. Bottino, G. Ronisvalle, P. Finocchiaro), (172)397
- Phenylmercuric chloride, phenyllithium and phenyldi-n-butyltin chloride, macroreticular copolymer bound analogues of (J.M. Burlitch, R.C. Winterton), (159)299
- Platinum(II) chlorides, unusual methylations and arylations by organotin compounds of and ^{13}C NMR spectra of bis-aryl-(η -cycloocta-1,5-diene)platinum(II) complexes (Z. Dawoodi, C. Eaborn, A. Pidcock), (170)95
- Propenyl- and isopropenyl-tin compounds, identification of isomers using ^{119}Sn and ^{13}C NMR (T.N. Mitchell, C. Kummetat), (157)275
- Silyl and stannyli ^{13}C labelled acetylenes, Fourier transform NMR investigations of (K. Kamienski-Trela), (159)15
- Stannatranes, NMR investigations of (K. Jurkschat, C. Mügge, A. Tzschach, A. Zschunke, G. Engelhardt, E. Lippmaa, M. Mägi, M.F. Larin, V.A. Pestunovich, M.G. Voronkov), (171)301
- 4-Substituted silacyclohexa-2,5-dienes and silacyclohexa-2,4-dienes, synthesis and chemistry of (G. Märkl, H. Baier, P. Hofmeister, F. Kees, C. Soper), (173)125

- Tetraalkyltin-mercury(II) halide reactions, initial state and transition state solvent effects of methanol, acetonitrile and DMSO on (M.H. Abraham, J. Andonian-Hastvan, M.R. Sedaghat-Herati), (172)31
- Thiocarbonyl-bridged dicyclopentadienyl-tricarbonylthiocarbonyldiiron, synthesis and cleavage reactions of (M.H. Quick, R.J. Angelici), (160)231
- Tri-n-butylstannyl esters of heterocyclic and substituted aromatic carboxylic acids, preparation and tin-119m Mössbauer spectra of (D.W. Allen, J.S. Brooks, R. Formstone, A.J. Crowe, P.J. Smith), (156)359
- Tributylstannylithium in metalation reactions of aryl halides in THF solution (J.-P. Quintard, S. Hauvette-Frey, M. Pereyre), (159)147
- Tri-n-butyltin(IV) derivatives of L-cysteine ethyl ester, N-acetyl-L-cysteine and α -glutamyl cysteinyl glycine (G. Domazetis, R.J. Magee, B.D. James), (173)357
- σ -Tributyltin derivatives of glycidols, reaction with t-butoxyl radicals; homolytic 1,5-transfer of hydrogen and of tin from enoxyl oxygen to alkoxy oxygen (A.G. Davies, M.-W. Tse), (155)25
- Trichlorostannane(IV) and chlorostannate(II) intermediates in reactions of tin dichloride and metallic tin with hydrochloric acid in the presence of alkenes (E.J. Bulten, J.W.G. van den Hurk), (162)161
- Tricyclopentadienides of lanthanoid elements, spectroscopic study of the interaction with metal carbonyl derivatives of (S. Onaka, N. Furuichi), (173)77
- Triorganotin dialkylthiophosphates, synthesis and reactions of (B.P. Singh, G. Srivastava, R.C. Mehrotra), (171)35
- Triorganotin five-coordinate anions, structural and tin-119 Mössbauer studies of (P.G. Harrison, K. Molloy, R.C. Phillips, P.J. Smith, A.J. Crowe), (160)421
- Triphenyliodomethyltin(IV), structure and spectroscopic properties of (P.G. Harrison, K. Molloy), (152)53
- σ -Triphenylstannylnickel(II) cationic five-coordinate complexes with poly(tertiary phosphines), synthesis, properties and X-ray structural determination of (S. Midollini, A. Orlandini, L. Sacconi), (162)109

Titanium

- Alkyllithium reactions with titanium tetrachloride, formation of free radicals in (G.A. Russell, D.W. Lamson), (156)17
- Alkynylsilanes, regioselective and stereoselective carbometallation by Ziegler-Natta alkylating agents of (J.J. Eisch, J. Mansre, D.A. Komar), (159)C13
- η^5 -Borylcyclopentadienyltitanium(IV) complexes (P. Jutzi, A. Seufert), (169)373
- (η^5 -Cyclopentadienyl)titanium(III) complexes, prepared by redox reaction of arene-titanium complexes with cyclopentadiene (K. Mach, H. Antropiusová, J. Poláček), (172)325
- Cyclopentadienyltitanium(IV) complexes with a bidentate ligand, diastereotopy and diastereoisomerism of (A. Dormond, T. Kolavudh, J. Tirouflet), (164)317
- Cyclopentadienyltitanium complexes with aryldiazenido and phosphiniminato ligands (J.R. Dilworth, H.J. de Liefde Meijer, J.H. Teuben), (159)47
- π -Cyclopentadienyl-transition metal oxo-bridged dimers, preparation and structural characterization of [$(\eta^5\text{C}_5\text{H}_5)_2\text{-Zr}(\text{SC}_6\text{H}_5)_2\text{O}$] (J.L. Petersen), (166)179
- Dichlorodicyclopentadienyltitanium, trichlorocyclopentadienyltitanium and their aryloxy σ -substituted derivatives, polarography and cyclic voltammetry of (E. Laviron, J. Besançon, F. Huq), (159)279
- Di- η^5 -cyclopentadienylaryltitanium(III), dimerization of organic cyanides ligated to (E.J.M. de Boer, J.H. Teuben), (153)53
- Dicyclopentadienyldialkyltitanium(III) radical anions, alkyl ligand exchange in (M. Kira, H. Bock, H. Umino, H. Sakurai), (173)39
- Di- η^5 -cyclopentadienyldialkynyl derivatives of titanium(IV) (R. Jimenez, M.C. Barral, V. Moreno, A. Santos), (174)281
- Di- η^5 -cyclopentadienyldiaryltitanium compounds, photochemical investigations of (M.D. Rausch, W.H. Boon, E.A. Mintz), (160)81
- Di- η -cyclopentadienyldicarbonyltitanium, reactions with halogen cyanides of (M. Morán, V. Fernández), (153)C4

- Dicyclopentadienyldimethyltitanium(IV), hydrogen exchange during thermal decomposition of (G.J. Erskine, J. Hartgerink, E.L. Weinberg, J.D. McCowan), (170)51
- , mechanism of photolysis of (C.H. Bamford, R.J. Puddephatt, D.M. Slater), (159)C31
- Di- η^5 -cyclopentadienyltitanium(III), reactions with isocyanides of (E.J.M. de Boer, J.H. Teuben), (166)193
- Dicyclopentadienyl-titanium and -zirconium compounds, hydrogen migration and exchange reactions upon thermal decomposition in (G.A. Razuvaev, V.P. Mar'in, Yu.A. Andrianov), (174)67
- Dicyclopentadienyltitanium chiral complexes, stereochemistry of titanium(III)—titanium(IV) transformation in (A. Dormond, K. Tep, J. Tirouflet), (165)319
- Di- η^5 -cyclopentadienyltitanium pentasulphide, inversion barrier of the TiS₅ ring in (E.W. Abel, M. Booth, K.G. Orell), (160)75
- Dicyclopentadienyl-titanium, -vanadium and -chromium, synthesis and characterization of mixed cyanothiocyanate and cyanoselenocyanate complexes of (M. Morán, V. Fernández), (165)215
- 2-(Dimethylaminomethyl)phenyldicyclopentadienyltitanium(III), structure of (W.F.J. van der Wal, H.R. van der Wal), (153)335
- μ -Dinitrogenbis[*p*-tolyldicyclopentadienyltitanium(III)], structure of (J.D. Zeinstra, J.H. Teuben, F. Jellinek), (170)39
- Diphenylzinc interaction with titanocene and its derivatives (G.A. Razuvaev, V.N. Latyaeva, L.I. Vishinskaya, T.P. Samarina), (164)41
- Early transition metal hydride complexes, hydridic character of (J.A. Labinger, K.H. Komadina), (155)C25
- Group IVB and Group VB cyclopentadiene derivatives, comparison of the reactivity with Group VB halides and titanium tetrachloride of (P. Jutzi, M. Kuhn), (178)221
- Hydrogenation catalysts from aluminium hydride derivatives and transition metal compounds (G. Dozzi, S. Cuccinella, A. Mazzei), (164)1
- Menthyl- and neomenthyl-cyclopentadiene-transition metal complexes, synthesis of (E. Cesarotti, H.B. Kagan, R. Goddard, C. Krüger), (162)297
- Methylene- and ethylene-bridged dicyclopentadienyltitanium compounds, molecular structure and PMR spectra of (J.A. Smith, J. von Seyerl, G. Huttner, H.H. Brintzinger), (173)175
- Methyltrichlorotitanium ethylene system, as a model for a quantitative evaluation of the Cossee mechanism (P. Cassoux, F. Crasnier, J.-F. Labarre), (165)303
- Monocyclopentadienylfluoroalkoxy-titanium(IV) complexes, synthesis and reactivity of (M.B. Bert, D. Gervais), (165)209
- Organotitanium compounds, structure of π -Me_nC₆Ti(Cl₂AlCl₃)₂·C₆H₆ (U. Thewalt, F. Österle), (172)317
- Phenyliminomethyldicyclopentadienyltitanium(III), crystal structure of (P. van Bolhuis, E.J.M. de Boer, J.H. Teuben), (170)299
- Sandwich, mixed sandwich and related tricarbonyl complexes, ¹H NMR shifts in (D.W. Clack, K.D. Warren), (162)83
- Sodium hydride containing complex reducing agents, activation of (J.J. Brunet, R. Vanderesse, P. Caubère), (157)125
- Tetramethyltitanium, bonding compared with that in titanium hydride in (M. Hotokka, P. Pyykkö), (174)289
- Titanium(III) carbonyl unstable compound, TiCl₃(CO)(PEt₃)₂, detection by high pressure IR spectroscopy of (T.A. Ballantine, G.D. Schmulbach), (164)381
- Titanium-catalysed hydromagnesiation of alkenols forming lactones (J.J. Eisch, J.E. Gallé), (160)C8
- Titanium(III) cationic complexes with hexamethylbenzene (S. Dziergowski, R. Gieżyński, M. Jarosz, S. Pasynkiewicz), (152)281
- Titanium, zirconium and hafnium; Annual survey covering the year 1977 (J.A. Labinger), (167)19
- Titanocene compounds, stereochemistry at titanium in the sulphur dioxide insertion reaction of (A. Dormond, C. Moise, A. Dahchour, J. Tirouflet), (168)C53
- Titanocene dichloride, photolysis of (Z.-T. Tsai, C.H. Brubaker, Jr.), (166)199

Trimethylalane-titanocene dichloride, addition reactions with acetylenes of (D.E. Van Horn, L.F. Valente, M.J. Idacavage, E.-I. Negishi), (156)C20

Vinyl- and ethynyl-trimethylsilanes, oligomerization of (V.P. Yur'ev, G.A. Gailyunas, F.G. Yusupova, G.V. Nurtdinova, E.S. Monakhova, G.A. Tolstikov), (169)19

Transition metals — General

General, theoretical and physical investigations in transition metal organometallic chemistry in 1975 (A.J. Rest), (158)345

High pressure reactor and UV-vis/IR cell for electronic and infrared spectral studies (T.A. Ballantine, G.D. Schmulbach), (164)381

Organic reactions of selected π -complexes; Annual survey covering the year 1976 (B.W. Rockett, G. Marr), (151)193 —, — 1977 (G. Marr, B.W. Rockett), (163)325

Structure of organo-transition metal complexes; Annual survey covering the year 1976 (M.I. Bruce), (151)313

Structures of organo-transition metal complexes determined by diffraction methods. Reports appearing during 1977 (M.I. Bruce), (167)361

Transition metal derivatives in organic synthesis; Annual survey covering the year 1977 (L.S. Hegedus), (163)187

Tungsten

Alkenylarenedicarbonyl-chromium, -molybdenum and -tungsten chelate complexes, synthesis and spectral study of (A.N. Nesmeyanov, V.V. Krivykh, P.V. Petrovskii, V.S. Kaganovich, M.I. Rybinskaya), (162)323

Alkyl-transition metal compounds, bond angles and non-bonded distances in (C. Glidewell), (169)C31

η^3 -Allylcyclopentenone-molybdenum and -tungsten complexes, conformational equilibria in (J.L. Roustan, J.Y. Merour, C. Charrier, J. Benaïm, P. Cadiot), (169)39

η^3 -Allyl-transition metal compounds, CIDNP-evidence for radicals during photolysis of (R. Benn, G. Wilke), (174)C38

Arylazide interaction with tungsten complexes, reactions yielding coordinated RN₃PR₃, RN₃H and RN (G.L. Hillhouse, B.L. Haymore), (162)C23

Arylmethoxycarbene-chromium, -molybdenum and -tungsten complexes, electrochemical reduction of (C.P. Casey, L.D. Albin, M.C. Saeman, D.H. Evans), (155)C37

Benz-1,2,3,6-diazadiborine as ligands in d⁶-(CO)₃M complexes (H. Schmidt, W. Siebert), (155)157

Bis(arenediazo)-molybdenum and -tungsten complexes, synthesis of (W.E. Carroll, D. Condon, M.E. Deane, F.J. Lalor), (157)C58

Bis(η -cyclopentadienyltricarbonyl-molybdenum) and -tungsten, halogenation via bridged intermediates and formation of monocyclopentadienyl derivatives of molybdenum(IV) (J.C.T.R. Burckett-St. Laurent, J.S. Field, R.J. Haines, M. McMahon), (153)C19

Bis($\text{tri-}\eta^5\text{-cyclopentadienyl}$)uranium(IV)-tetracyano-nickelolate(II) and -platinate(II), structures of (R.D. Fischer, G.R. Sienel), (156)383

trans-Bromo(tetracarbonyl)phenylcarbyne-tungsten, kinetics of reactions with tertiary aryl-phosphanes, -arsanes and -stibanes of (H. Fischer, A. Ruhs), (170)181

(t-BuS(CH₂)₂ or ,S-t-Bu)W(CO)₅, crystal and molecular structures and reactivity in solution of (G.M. Reisner, I. Bernal, G.R. Dobson), (157)23

Carbamoyl formamidino complexes, [M(π -C₅H₅)₂{HC(NR¹)N(CO)R²}](CO)₂, preparation and properties of (W.H. de Roode, K. Vrieze), (153)345

Chloroacetyl-transition metal derivatives, preparation and decomposition of (M. Dilgassa, M.D. Curtis), (172)177

Chromium(0) and tungsten(0) tetracarbonyl(carbene-thic) complexes, preparation of (H.G. Raubenheimer, S. Lotz, H.W. Viljoen, A.A. Chalmers), (152)73

Chromium, molybdenum and tungsten carbonyl complexes with organocycloetriarsanes, preparation and structure of (J. Ellermann, H.A. Lindner, H. Gäbelein), (172)39

Chromium, molybdenum, tungsten and manganese complexes of 1-phenyl-4,5-dihydroborepin (U. Koelle, W.-D.H. Beiersdorf, G.E. Herberich), (152)7

- $[(\eta^5\text{-C}_5\text{H}_5)_2\text{W}\{\text{C}(\text{CO}_2\text{Me})=\text{C}(\bar{\text{CO}}_2\text{Me})\bar{\text{C}}(\text{O})\text{SMe}\}]$, crystal and molecular structure of (L. Manojlović-Muir, K.W. Muir), (168)403
- ($\eta^5\text{-C}_5\text{H}_5)_2\text{W}_2(\text{CO})_2(\text{C}_2\text{H}_2)$, synthesis and X-ray crystallographic structural determination of (D.S. Ginley, C.R. Bock, M.S. Wrighton, B. Fischer, D.L. Tipton, R. Bau), (157)41
- Cyclopentadiene dimers and related compounds with Group VI metal carbonyls, thermolysis of (T.-Y. Luh), (174)169
- η^5 -Cyclopentadienyl- and η^5 -indenyl-methylethylenedicarbonyltungsten complexes, intramolecular motion in (H.G. Alt, J.A. Schwärzle, C.G. Kreiter), (153)C7
- η^5 -Cyclopentadienylmethyltricarbonyl-chromium, -molybdenum and -tungsten derivatives, photochemically induced electron and methyl transfer in (E. Samuel, M.D. Rausch, T.E. Gismondi, E.A. Mintz, C. Giannotti), (172)309
- Diazoalkanetungsten complexes prepared by condensation of hydrazido complexes with ketones (P.C. Bevan, J. Chatt, M. Hidai, G.J. Leigh), (160)165
- Dicarbenestannylen complexes with pentacarbonyl-chromium, -molybdenum and -tungsten, preparation and vibrational spectra of (W. Petz), (165)199
- cis-[Dicarbonylbis(1,2-bis(dimethylphosphino)ethane)-metal]-chromium and -molybdenum compounds with organic electron acceptors (J.A. Connor, P.I. Riley), (174)173
- Dicyclopentadienyldihydromolybdenum in the selective reduction of organic halides and α -diketones (A. Nakamura), (164)183
- Dicyclopentadienyl-dimethyl- and -dichloro-molybdenum and -tungsten complexes, bond-enthalpy contributions in (J.C.G. Calado, A.R. Dias, J.A. Martinho Simoes, M.A.V. Ribeiro da Silva), (174)77
- Di- η^5 -cyclopentadienyl-molybdenum and -tungsten, photosubstitution reactions on (S.M.B. Costa, A.R. Dias, F.J.S. Pina), (175)193
- threo-1,2-Dideuterophenethyl-iron, -manganese and -tungsten, stereochemistry of SO_2 and CO insertion reactions of (D. Dong, D.A. Slack, M.C. Baird), (153)219
- 4,4-Dimethylbuta-1,3-dienone-transition metal carbonyls, preparation and characterisation of (P. Binger, B. Četinkaya, C. Krüger), (159)63
- Diphenyltungstacarbene, reaction with cyclic enol ethers and structure of the insertion product (J. Levisalles, H. Rudler, D. Villemin, J. Daran, Y. Jeannin, L. Martin), (155)C1
- Dithioalkyne complexes of molybdenum, tungsten, iron, ruthenium and cobalt carbonyls (J.A. Connor, G.A. Hudson), (160)159
- α -Ethynylmetal carbonyl derivatives, synthesis of (A.N. Nesmeyanov, L.G. Makarova, V.N. Vinogradova, V.N. Korneva, N.A. Ustynyuk), (166)217
- Formamidine complexes with triphenylarsine, -stibine and -phosphine and with trimethoxy- and triphenoxy-phosphines, synthesis and spectroscopic investigation of (W.H. de Roode, J. Berke, A. Oskam, K. Vrieze), (155)307
- Formamidino Group VIA metal carbonyl anionic complexes $[\text{M}(\text{CO})_4 \{\text{HC}(\text{N-aryl})_2 \text{ or } t\text{-butyl}\}_2]^-$ (W.H. de Roode, D.G. Prins, A. Oskam, K. Vrieze), (154)273
- Functionally substituted stannylenes and their stannio complexes with chromium, molybdenum and tungsten carbonyl acceptors, ^{119}Sn Mössbauer spectra of (W.-W. Du Mont, J.L. Lefferts, J.J. Zuckerman), (166)347
- Group VIB carbonyl complexes of pyrazino[2,3-f]quinoxaline and 1,4,5,8-tetraazaphenanthrene, synthesis of (D. Maetens, J. Nasielski, R. Nasielski-Hinkens), (168)177
- Group VIB pentacarbonyl complexes of cis- and trans-1,2-diisopropyl diazene and 1,2-diisopropylhydrazine (M.N. Ackermann, R.M. Willett, M.H. Englert, C.R. Barton, D.B. Shewitz), (175)205
- Group VI transition metal-mercury compounds, ^{199}Hg NMR study of (M.J. Albright, J.P. Oliver), (172)99
- trans-Halotetracarbonylmethylcarbyne-tungsten complexes, structural investigations on (D. Neugebauer, E.O. Fischer, N.Q. Dao, U. Schubert), (153)C41
- Heteronuclear complexes with Cr—Fe, Mo—Fe and W—Fe bonds, synthesis of (A. Trenkle, H. Vahrenkamp), (155)C51

- Hydrazido(2-) complexes of molybdenum and tungsten, influence of ligand environment on protonation reactions of; X-ray structures of [M(8-quin)-(NNH₂)(PMe₂Ph)₃] (M = Mo, W; 8-quin = quinolin-8-olate) (J. Chatt, M.E. Fakley, R.L. Richards, I.R. Hanson, D.L. Hughes), (170)C6
- Hydrazido(2-) (or isodiazene) complexes of tungsten, X-ray structure determination of (J. Chatt, M.E. Fakley, P.B. Hitchcock, R.L. Richards, N.T. Luong-Thi, D.L. Hughes), (172)C55
- Indenyl- and fluorenyl-Group VIA metal complexes, synthesis, structures and reactions of (A.N. Nesmeyanov, N.A. Ustynyuk, L.N. Novikova, Yu.N. Luzikov), (154)45
- (η^3 -Indenyl)(η^5 -indenyl)tungsten dicarbonyl, synthesis and X-ray study of (A.N. Nesmeyanov, N.A. Ustynyuk, L.G. Makarova, V.G. Andrianov, Yu.T. Struchkov, S. Andrae, Y.A. Ustynyuk, S.G. Malyugina), (159)189
- Iron and tungsten dinuclear complex, structure of (η -C₅H₅)(CO)₂W{ η^3 -C₅H₅-[(η -C₅H₅)₂Fe]} (H. Brunner, R. Lukas, A. Woditsch), (161)C49
- Manganese, molybdenum and tungsten carbonyl complexes, reactions with trimethylamine N-oxide of (D.J. Blumer, K.W. Barnett, T.L. Brown), (173)71
- Metal carbonyl anions in reactions with imidoyl halides (R.D. Adams, D.F. Chodosh, N.M. Golembeski, E.C. Weissman), (172)251
- Metal carbonyl clusters, indirect location of hydride ligands in (A.G. Orpen), (159)C1
- Metal-carbonyl compounds containing one-electron ligands, ¹³C NMR study of (L.J. Todd, J.R. Wilkinson, J.P. Hickey, D.L. Beach, K.W. Barnett), (154)151
- Metal carbonyl derivatives, ¹⁸O isotope shifts on the ¹³C NMR of (D.J. Daresbourg), (174)C70
- Methyl- and η^1 -benzyl- η^5 -cyclopentadienyl tricarbonyltungsten(II), photochemistry of (R.G. Severson, A. Wojciecki), (157)173
- Methyltrichlorotungsten compounds of sulphur and selenium (G.W.A. Fowles, W.M. Wan Mohamed, D.A. Rice), (170)203
- Molybdenum and tungsten anionic tricarbonyl derivatives, reactions with allyl halides (B.J. Brisdon, D.A. Edwards, J.W. White), (156)427
- Molybdenum and tungsten metallocyclic ylide complexes (H.G. Alt, J.A. Schwärzle, F.R. Kreissl), (152)C57
- Molybdenum and tungsten xanthate and thioxanthate carbonyl complexes, synthesis and reactions of (W.K. Dean, B.L. Heyl), (159)171
- Monoalkylamido, hydrazido(I-) and mixed alkoxy stable monomeric compounds of molybdenum and tungsten nitrosyls (J.C. McCleverty, A.E. Rae, I. Wołochowicz, N.A. Bailey, J.M.A. Smith), (168)C1
- Mononuclear R_nEM(CO)₅ complexes, reactions of (J. Grobe, R. Rau), (157)281
- Niobocene(tricarbonyl)(π -cyclopentadienyl)molybdenum with metal-metal bond and unusual coordination of carbonyl groups, synthesis and molecular structure of (A.A. Pasynskii, Yu.V. Skripkin, I.L. Eremenko, V.T. Kalinnikov, C.G. Aleksandrov, V.G. Andrianov, Yu.T. Struchkov), (165)49
- Organometal complexes containing crown ether groups (K.J. Odell, E.M. Hyde, B.L. Shaw, I. Shepherd), (168)103
- Pentacarbonyl(arylmethoxycarbene)-tungsten, tributylphosphane addition to (H. Fischer), (170)309
- Pentacarbonyl-chromium and -tungsten sulphide complexes, kinetics and mechanism of inversion at sulphur and ligand exchange in (J.H. Eekhof, H. Hogeveen, R.M. Kellogg, E. Klei), (161)183
- Pentacarbonyl(tri-t-butylphosphanedi-chlorostannio)tungsten(0), synthesis of (W.-W. Du Mont), (153)C11
- Pentamethylcyclopentadienyl derivatives of transition metals, high pressure IR study of carbonylation of metal-metal triple bonds in (R.B. King, M.Z. Iqbal, A.D. King, Jr.), (171)53
- o*-Phenylenabis(dimethylarsine)tetracarbonyl-molybdenum and -tungsten arene-diazo derivatives, preparation and spectra of (N.G. Connelly, C. Gardner), (159)179

- Phosphaacetylenehexacarbonyldicobalt complexes, preparation and reactions of (D. Seyfert, R.S. Henderson), (162)C35
- Photoinduced metathesis of olefins catalysed by hexacarbonyltungsten (F. Garnier, P. Krausz, J.-E. Dubois), (170)195
- cis*-Piperidine-chromium and -tungsten tetracarbonyl(^{13}CO) derivatives, mass spectral study of intramolecular rearrangements in (R. Davis, D.J. Darenbourg), (161)C11
- α -Propargylic complexes of molybdenum, tungsten and manganese, alkoxycarbonylation by alcohols, water and thiols of (C. Charrier, J. Collin, J.Y. Merour, J.L. Roustan), (162)57
- (η - RC_2H_5)₂M₂(CO)₆ complexes (M = Cr, Mo, W), simple and effective preparation of (R. Birdwhistell, P. Hackett, A.R. Manning), (157)239
- Sodium hydride containing complex reducing agents, activation of (J.J. Brunet, R. Vanderesse, P. Caubère), (157)125
- Tetracarbonylmethyl derivatives of tertiary diphosphines, vibrational spectral investigations of (H. Gäbelein, J. Ellermann), (156)389
- Thioketone-ditungsten di- and tri-anion reactions (H. Alper, H.-N. Paik), (155)47
- Transition metal-ammonia complexes, treatment with ketones of (D. Sellmann, E. Thallmair), (164)337
- Transition metal-carbene and -carbyne complexes with trialkylsilyl moieties, ^{29}Si NMR investigations of (F.H. Köhler, H. Hollfelder, E.O. Fischer), (168)53
- Transition metal carbonyls, mild decarbonylation by rhodium(I) complexes of (Yu.S. Varshavsky, E.P. Shestakova, N.V. Kiseleva, T.G. Cherkasova, N.A. Buzina, L.S. Bresler, V.A. Kormer), (170)81
- Trimethylphosphane derivatives of methyl-tricarbonylcyclopentadienyl- and -indenyl-metal complexes ($\text{CpM}(\text{CO})_3\text{CH}_3$, and $\text{IndM}(\text{CO})_3\text{CH}_3$, M = Cr, Mo, W) (H.G. Alt, J.A. Schwärzle), (162)45
- Tris(amino)phosphine, stabilisation through complex formation with pentacarbonylmetal compounds of (H. Nöth, H. Reith, V. Thorn), (159)165
- 1,1,1-Tris(hydroxymethyl)propanephosphite derivatives of Group VI metal carbonyls (S.C. Tripathi, S.C. Srivastava, D.P. Pandey, R.P. Chaturvedi), (164)177

Tungsten and molybdenum polyhydrido complexes, X-ray photoelectron spectra of (Yu.M. Shul'ga, A.P. Pivovarov, V.D. Makhaev, A.P. Borisov), (164)17

Tungsten(V) chloroalkoxides, formation by reaction of allylic ethers with catalysts of (J. Levisalles, H. Rudler, D. Villemin), (164)251

Tungsten hexacarbonyl as catalyst in photochemical metathesis of 2-butene (P. Krausz, J. Guillerez, F. Garnier), (161)97

Vanadium

η^3 -Allylcarbonylvanadium complexes with bis(diphenylphosphine)alkane ligands (U. Franke, E. Weiss), (172)341

η^3 -Allyltricarbonylvanadium(0) complexes with bidentate arsine and phosphine ligands, preparation, properties and spectra of (U. Franke, E. Weiss), (153)39

(Borinato)cyclopentadienyliron and bis(borinato)-iron, -chromium and -vanadium complexes, cyclic voltammetry of (U. Koelle), (157)327

Carbonylhydridophosphinevanadium complexes, preparation by ion exchange on silica gel from tetraethylammonium tetracarbonyl vanadates(-1) (U. Puttfarcken, D. Rehder), (157)321

Carbonylvanadium compounds, coordination properties of bifunctional arsenic ligands in (W.R.W. Roose, D. Rehder, H. Lüders, K.H. Theopold), (157)311

Dicyclopentadienylniobium(III) carbonyl derivatives, ligand exchange and ligand migration reactions of (E.E.H. Otto, H.H. Brintzinger), (170)209

Di- η^5 -cyclopentadienylpentacarbonyldivanadium, prototypal example of semi-bridging carbonyl groups (F.A. Cotton, L. Kruczynski, B.A. Frenz), (160)93

Uranium

Bis(tetramethylethylcyclopentadienyl)-uranium dichloride (J.C. Green, O. Watts), (153)C40

Tricyclopentadienylchlorouranium(IV), reaction with dipotassium cyclooctatetraenide of (G.R. Sienel, A.W. Spiegl, R.D. Fischer), (160)67

μ_3 -Tris(n -cyclopentadienyl)uranoxy-methylidynecyclotris(tricarbonylcobalt)-(3Co-Co), preparation and properties of (B. Stutte, G. Schmid), (155)203

- Dicyclopentadienyl-titanium and -zirconium compounds, hydrogen migration and exchange reactions upon thermal decomposition in (G.A. Razuvaev, V.P. Mar'in, Yu.A. Andrianov), (174)67
- Dicyclopentadienyl-titanium, -vanadium and -chromium, synthesis and characterization of mixed cyanothiocyanate and cyanoselenocyanate complexes of (M. Morán, V. Fernández), (165)215
- cis,trans-1,4-Diphosphabutene and 1,4-diphosphabutyne in carbonylvanadium compounds, coordination properties of (H.-C. Bechthold, D. Rehder), (172)331
- Hydrogenation catalysts from aluminium hydride derivatives and transition metal compounds (G. Dozzi, S. Cuccinella, A. Mazzei), (164)1
- Metallocenes of some first row transition metals, reactivity in thermal decomposition reactions of (L.M. Dyagileva, V.P. Mar'in, E.I. Tsyganova, G.A. Razuvaev), (175)63
- Rhodium(II) containing mixed catalyst complexes, selective oxidation of cyclohexene by (A.F. Noels, A.J. Hubert, P. Teyssie), (166)79
- Sandwich, mixed sandwich and related tricarbonyl complexes, ^1H NMR shifts in (D.W. Clack, K.D. Warren), (162)83
- Sodium hydride containing complex reducing agents, activation of (J.J. Brunet, R. Vanderesse, P. Caubère), (157)125
- Tetracarbonylhydridovanadium compounds, reactions with isoprene of (U. Franke, E. Weiss), (152)C19
- Tetrakis(carbonyl- η^5 -cyclopentadienyl-vanadium), prepared by thermal disproportionation of dicyclopentadienyl-divanadium hexacarbonyl (W.A. Herrmann, J. Plank, B. Reiter), (164)C25
- Tetramesitylvanadium, crystal and molecular structure and properties of (T. Głowiąk, R. Grobelny, B. Jeżowska-Trzebiatowska, G. Kreisel, W. Seidel, E. Uhlig), (155)39
- Tricarbonyl(η^3 -3-methylallyl)[o-phenylene-bis(dimethylarsine)] vanadium, crystal and molecular structure of (U. Franke, E. Weiss), (168)311
- [η^2 -(C,O)-Triphenylcyclopropylcarbonyl]-tricarbonylvanadium complexes with coordinated acyl ligands, crystal and molecular structure of (η^2 -COC₃Ph₃H₂)-V(CO)₃(Ph₂AsCH₂CH₂PPh₃) (U. Franke, E. Weiss), (165)329

Vanadium, niobium and tantalum; Annual survey covering the year 1977 (J.A. Labinger), (167)39

Ytterbium

Organometallic ytterbium complexes with direct Yb-P bonds, influence of ligands on spectra of (G. Bielang, R.D. Fischer), (161)335

Zinc

1-Alkynylzinc compounds derived from 1-dimethylamino-3-butyne (A.J. de Koning, P.E. van Rijn, J. Boersma, G.J.M. van der Kerk), (153)C37

π -Arene-cadmium(II) and -zinc(II) complexes (L.C. Damude, P.A.W. Dean), (168)123

Arylsilver(I) compounds, synthesis and characterization with diarylzinc compounds of (H.K. Hofstee, J. Boersma, G.J.M. van der Kerk), (168)241

Bis(trifluoromethyl)zinc and methyl(trifluoromethyl)zinc, NMR evidence for (E.K.S. Liu, L.B. Asprey), (169)249

(Chlorofluoromethylene)tris(dimethylamino)phosphorane, stabilized complexes of (M.J. van Hamme, D.J. Burton), (169)123

Dialkylzinc compounds in reactions with 1,2,3-trihydroxybenzene (W. Kuran, A. Rokicki, S. Pasynkiewicz), (157)135

Dialkylzinc ω -functionally-substituted compounds, synthesis and coordination properties of (H.K. Hofstee, J. Boersma, J.D. van der Meulen, G.J.M. van der Kerk), (153)245

ω -Dimethylamino-1-alkynylzinc compounds, synthesis and characterization of (A.J. de Koning, P.E. van Rijn, J. Boersma, G.J.M. van der Kerk), (174)129

Diphenylzinc interaction with titanocene and its derivatives (G.A. Razuvaev, V.N. Latyaeva, L.I. Vishinskaya, T.P. Samarina), (164)41

α -Ethylenic- γ -acetylenic organometallic compounds, reactivity towards aldehydes and ketones of (F. Gérard, P. Miginiac), (155)271

Ethylzinc and phenylzinc hydride pyridine complexes, preparation and characterization of (A.J. de Koning, J. Boersma, G.J.M. van der Kerk), (155)C5

- Methyl(cyclopentadienyl)zinc, $\text{CH}_3\text{Zn}(\eta^5\text{-C}_5\text{H}_5)$, molecular structure determined by gas phase electron diffraction of (A. Haaland, S. Samdal, R. Seip), (153)187
- Methyllead compounds, removal from aqueous solution by reaction with zinc (M.H. Hitchen, A.K. Holliday, R.J. Puddephatt), (172)427
- Organometallic compounds derived from α -allenic bromides preparation of and their reactivity towards halogen derivatives (J. Pernet, B. Randrianoelina, L. Miginiac), (17-1)1
- , reactivity towards carbonyl derivatives (J. Pernet, B. Randrianoelina, L. Miginiac), (17-1)15
- Organozinc α -acetylenic bromides, addition to β -enyne and β -enynols of (M. Bellassoued, Y. Frangin, M. Gaudemar), (166)1
- Organozinc and other organometallic compounds derived from *N,N*-diethyl-bromoacetamide (R.C. Poller, D. Silver), (157)247
- Phenyl-zinc and -cadmium compounds, Lewis acidity of (D.P. Graddon, M.T. Maung), (171)1
- Sodium hydride containing complex reducing agents, activation of (J.J. Brunet, R. Vanderesse, P. Caubère), (157)125
- Zinc and cadmium; literature survey covering the year 1977 (J. Boersma), (167)1

Zirconium

- Acyl- and iminoacyl-zirconium(IV) compounds, $\text{Zr}(\eta\text{-C}_5\text{H}_5)_2[\text{C}(=\text{X})\text{R}]\text{R}'$, X = O, NTol-*p*; R = Me₃CCH₂, Me₃SiCH₂, or (Me₃Si)₂CH; R' = Cl or alkyl (M.F. Lappert, N.T. Luong-Thi, C.R.C. Milne), (174)C35
- Alkylzirconocene hydrides, carbonylation of (K.I. Gell, J. Schwartz), (162)C11
- η^3 -Allyl-transition metal compounds, CIDNP-evidence for radicals during photolysis of (R. Benn, G. Wilke), (174)C38
- Bis(η^5 -benzylcyclopentadienyl)dichlorozirconium, crystal structure, triboluminescence and piezoelectricity of (Y. Dusausoy, J. Protas, P. Renault, B. Gautheron, G. Tainturier), (157)167

- Dicyclopentadienyl-titanium and -zirconium compounds, hydrogen migration and exchange reactions upon thermal decomposition in (G.A. Razuvaev, V.P. Mar'in, Yu.A. Andrianov), (17-1)67
- Early transition metal hydride complexes, hydridic character of (J.A. Labinger, K.H. Komadina), (155)C25
- Menthyl- and neomenthyl-cyclopentadien-transition metal complexes, synthesis of (E. Cesariotti, H.B. Kagan, R. Goddard, C. Krüger), (162)297
- Sodium hydride containing complex reducing agents, activation of (J.J. Brunet, R. Vanderesse, P. Caubère), (157)125
- Substituted dimethyl-zirconocenes and -hafnocenes and the corresponding dihydrides, synthesis and reactions of (S. Couturier, B. Gautheron), (157)C61
- Titanium, zirconium and hafnium; Annual survey covering the year 1977 (J.A. Labinger), (167)19
- Zirconacyclic compounds prepared from alkylzirconium(IV) hydrides and alkynes (M. Yoshifuji, K.I. Gell, J. Schwartz), (153)C15
- Zirconocene alkyl and hydride derivatives, molecular orbital analysis of a direct hydrogen transfer reaction mode in (H.H. Brintzinger), (171)337

Book reviews

- Advances in organometallic chemistry, Vol. 16; edited by F.G.A. Stone and R. West (D. Seyforth), (166)C41
- Advances in physical organic chemistry, Vol. 15; edited by V. Gold and D. Bethell (C. Eaborn), (164)C38
- Advances in polymer science, Vol. 28; Polymerization reactions (N.C. Billingham), (170)C23
- Arsenoheterocyclen; by A. Tzschach and J. Heinicke (G.O. Doak), (166)C26
- Catalytic hydrogenation in organic synthesis; procedures and commentary; by M. Freifelder (R.L. Danheiser), (171)C27
- Chemical analysis of organometallic compounds, Vol. 5. Elements of Group VIA, VIB, VIIA, VIIB, aluminium and zinc; by T.R. Crompton (C. Eaborn), (154)C20

- Comprehensive chemical kinetics, Vol. 8.
Proton transfer; edited by C.H. Bamford and C.F.H. Tipper (C. Eaborn), (151)C19
- . Vol. 20. Complex catalytic processes; edited by C.H. Bamford and C.F.H. Tipper (M.F. Lappert), (168)C31
- Gmelin handbook of inorganic chemistry, Main series, 8th ed. Carbon, Part D5, Carbon-sulfur compounds. Part D6, Carbon-sulfur compounds, Carbon-selenium and Carbon-tellurium compounds; edited by D. Koschel (D. Seyferth), (161)C20
- , —, —: Iridium, Suppl. Vol. 2, Compounds; edited by K. Swars (D. Seyferth), (168)C56
- , —, —: Manganese, Part C5, Compounds of manganese with chlorine, bromine and iodine; edited by H. Katscher (D. Seyferth), (168)C56
- , —, —: Organotin compounds, Part 5. Organotin fluorides, triorganotin chlorides; by H. and I. Schumann, edited by H. Bitterer (D. Seyferth), (164)C39
- , —, —: Tellurium, Part B2, Fluorine and chlorine compounds of tellurium. Part B3, Bromine, iodine, sulfur and selenium and complex compounds of tellurium; edited by G. Handtke (K.J. Irgolic), (164)C21
- , —, —: System no. 46, Tin, Part C, Section 5: Complex compounds of tin, 1977; Part C, Section 6: Complex compounds of tin, 1978; by H. Demmer and K. Koeber, edited by E. Schleitzer-Rust (D. Seyferth), (154)C52
- Gmelin handbook of inorganic chemistry, 8th ed., New supplement series: Vol. 51, Boron compounds, Part 17, Borazine and its derivatives; by A. Meller, edited by K. Niedenzu. Vol. 52, Part 18, Boron-hydrogen compounds, part 2; by K. Beeker et al., edited by K. Niedenzu et al. Vol. 53, Part 19, Boron-halogen compounds, part 2; by K. Beeker et al., edited by K. Niedenzu et al. (D. Seyferth), (174)C32
- , —, —: Vol. 49, Organoiron compounds, Part A, Ferrocene 2. Vol. 50, Organoiron compounds, Part A, Ferrocene 3; by J. Füssel; edited by A. Slawisch (D. Seyferth), (156)C53
- Handbook of analytical chemistry (Fresenius); 3rd part: Quantitative estimation and separation methods. Vol. 6b γ -Tungsten; by G. Wunsch (G.J. Leigh), (157)C71
- Handbook of derivatives for chromatography; edited by K. Blau and G.S. King (D.R.M. Walton), (168)C47
- Homoatomic rings, chains and macro-molecules of Main-Group elements; edited by A.L. Rheingold (C. Eaborn), (157)C21
- Houben-Weyl Methoden der organischen Chemie, 4th ed., Vol. 13, part 6, Metall-organische Verbindungen: Ge, Sn; edited by H. Kropf; by G. Bähr, H.-O. Kalinowski and S. Pawlenko (D. Seyferth), (175)C9
- , —, Vol. 13, Part 8, Metallorganische Verbindungen: As, Sb, Bi; by S. Samaan; edited by H. Kropf (D. Seyferth), (159)C10
- Infrared and Raman spectra of inorganic and coordination compounds; by K. Nakamoto (D.J. Darensbourg), (156)C47
- Inorganic chemistry in liquid ammonia; by D. Nicholls (W.L. Jolly), (172)C33
- Inorganic compounds with unusual properties, II; edited by R.B. King (Advances in Chemistry Series, No. 173) (M.S. Wrighton), (174)C49
- Inorganic polymers; by N.H. Ray (H.R. Allcock), (172)C35
- Inorganic syntheses, Vol. XVII; edited by A.G. MacDiarmid (D. Seyferth), (156)C51
- , Volume XVIII; edited by D.E. Douglas (T.G. Attig), (161)C71
- IUPAC. Boron chemistry-3; edited by H. Nöth (M.F. Lappert), (154)C53
- , Coordination chemistry-17; edited by H. Weiss (M.F. Lappert), (154)C53
- Landolt-Börnstein. Numerical data and functional relationships in science and technology. New series (edited by K.-H. Hellwege). (A) Group III: Crystal and solid state physics, Vol. 7, Structure data of inorganic compounds. Part F. Key elements d^4 — d^8 elements (edited by K.-H. Hellwege and A.M. Hellwege). (B) Group II: Atomic and molecular physics. Vol. 9. Magnetic properties of free radicals (edited by H. Fischer and K.H. Hellwege). Part b, Organic

- C-centered radicals; by A. Berndt, H. Fischer and H. Paul (C. Eaborn), (157)C22
- , —, —, Group III, Crystal and solid state physics, Vol. 7, Crystal structure data of inorganic compounds, Part c1, Key element N; by W. Pies and A. Weiss, edited by K.-H. and A.H. Hellwege (C. Eaborn), (164)C20
- Metal alkoxides; by D.C. Bradley, R.C. Mehrotra and D.P. Gaur (G.E. Coates), (170)C21
- Metal β -diketonates and allied derivatives; by R.C. Mehrotra, R. Bohra, D.P. Gaur (M.P. Lappert), (168)C30
- Metal toxicity in mammals, Vol. 1, Physiologic and chemical basis for metal toxicity, Vol. 2, Chemical toxicity of metals and metalloids; by T.D. Luckey and B. Venugopal (J.D. Smith), (173)C1-i
- New synthetic methods, Vol. 4, 5 and 6 (D. Seyerth), (175)C7
- New trends in bio-inorganic chemistry; edited by R.J.P. Williams and J.R.R.F. Da Silve (E.I. Solomon), (175)C5
- Nuclear magnetic resonance spectroscopy of boron compounds, Vol. 14 of NMR basic principles and progress; by M. Nöth and B. Wrackmeyer (J.D. Odom), (160)C24
- d -Orbitals in the chemistry of silicon, phosphorus and sulfur (Reactivity and structure concepts in organic chemistry, Vol. 3); by H. Kwart and K.G. King (A.H. Cowley), (168)C45
- Organic chemistry of sulfur; edited by S. Oae (E. Block), (161)C53
- Organometallic chemistry reviews; edited by D. Seyerth, A.G. Davies, E.O. Fischer, J.F. Normant, O.A. Reutov (Journal of Organometallic Chemistry Library 7) (M.F. Lappert), (174)C45
- , Annual surveys: Silicon-germanium-tin-lead; edited by D. Seyerth and R.B. King (Journal of Organometallic Chemistry Library 6) (M.F. Lappert), (162)C48
- , —, — (Journal of Organometallic Chemistry Library 8) (M.F. Lappert), (174)C46
- Organometallic reactions and syntheses, Vol. 6; edited by E.I. Becker and M. Tsutsui (W.J. Evans), (154)C50
- Phase transfer catalysis in organic synthesis (Reactivity and structure concepts in organic chemistry, Vol. 4); by W.P. Weber and G.W. Gokel (D. Seyerth), (157)C43
- Phosphorus, an outline of its chemistry, biochemistry and technology, by D.E.C. Corbridge (L.D. Quin), (154)C20
- Progress in inorganic chemistry, Vol. 23; edited by S.J. Lippard (D. Seyerth), (162)C16
- Progress in NMR spectroscopy, Vol. 11; edited by J.W. Emsley, J. Feeney and J.R. Sutcliffe (A. Pidcock), (172)C36
- Solute-solvent interactions, Vol. 2; edited by J.F. Coetzee and C.D. Ritchie (C. Eaborn), (164)C16
- Stability constants of metal-ion complexes. Part B: Organic ligands (IUPAC chemical data series, No. 22); by D.D. Perrin (D.N. Hume), (174)C77
- Strained organic molecules; by A. Greenberg and J.F. Liebman (P.G. Gassman), (170)C22
- The chemistry of the carbon-carbon triple bond; edited by S. Patai (C. Eaborn), (171)C44
- The chemistry of gold; by R.J. Puddephatt (G.J. Leigh), (157)C70
- The organic chemistry of iron, Vol. 1; edited by E.A. Koerner von Gustorf, F.W. Grevels and I. Fischler (K.W. Barnett), (174)C47
- The organometallic and coordination chemistry of germanium, tin and lead; edited by M. Gielen and P.G. Harrison (D. Seyerth), (166)C27
- The place of transition metals in organic synthesis (Annals of the New York Academy of Sciences, Vol. 295); edited by D.W. Slocum (D. Seyerth), (154)C49
- The Sadler handbook of infrared spectra; edited by W.W. Simons (C. Eaborn), (171)C44
- Topics in current chemistry, Vol. 75, Organic chemistry and theory (J.N. Murrell), (173)C13
- Topics in sulfur chemistry, Vol. 3; edited by A. Senning and D.S. Magee (B. Meyer), (154)C28
- Transition metal hydrides (Advances in Chemistry series No. 167); edited by R. Bau (D. Seyerth), (165)C21
- Transition metal organometallics in organic synthesis; edited by H. Alper (M.F. Semmelhack), (172)C33
- Vibrational spectra and structure, Vol. 7; edited by J.R. Durig (R.C. Lord), (165)C23