

Errata

Catenated polysulfur ligands: The pentasulfides of di- η^5 -cyclopentadienyl-zirconium(IV) and -hafnium(IV), by J.M. McCall and A. Shaver (*J. Organometal. Chem.*, 193 (1980) C37–C39).

Page C39 Table 1 should read:

TABLE 1

¹H NMR PARAMETERS FOR Cp₂MS₅

Complex	T _c (K) ^a	Δ (ppm) ^b	ΔG [‡] (kJ mol ⁻¹) ^c
Ti	361 ± 0.5	0.10 (0.275) ^e	76.3 ^d
Zr	227 ± 0.5	0.152	48.6 ^{e,f}
Hf	257 ± 1.0	0.044	58.0 ^{e,f}

^aT_c = coalescence temperature. ^bΔ = separation of signals due to axial and equatorial Cp groups at low temperature. ^cRef. 10. ^dAt room temperature in toluene-*d*₈, ref. 8. ^eIn CD₂Cl₂, this work.

^fSpectrometer frequency 90 MHz.

Hydrido(phenyl)- and hydrido(methyl)-platinum(II) complexes via thermally unstable methoxo and formato complexes; by D.P. Arnold and M.A. Bennett (*J. Organometal. Chem.*, 199 (1980) C17–C20)

Page C18, footnote *** should read


****trans*-[PtH(Ph)(PPh₃)₂]: δ(CD₂Cl₂, 32°C) -5.71 ppm (t with ¹⁹⁵Pt satellites, 1H, PtH, ²J(PH) 18.3 Hz, ¹J(PtP) 600 Hz), δ(P) (C₆H₆, 30°C) 31.0 ppm (¹J(PtP) 3120 Hz). The data for the PEt₃ complex agree with these given in ref. 7.

Orthopalladation of chelating aromatic compounds; by R.A. Holton and R.V. Nelson (*J. Organometal. Chem.*, 201 (1980) C35–C38)

Page C37, the last line should read

give XIV in 95% yield. Two metallation reactions of XIII were run simultane-

Page C38, formula XVI should read:



(XVI)