

JOURNAL OF ORGANOMETALLIC CHEMISTRY

CUMULATIVE SUBJECT INDEX Vol 201 (1980)—225 (1982)

Actinides

Alkylindenyl organoactinides, synthetic chemistry, characterization and physical properties of (J Goffart, J F Desreux, B P Gilbert, J L Delsa, J M Renkin, G Duyckaerts), (209)281

Lanthanides and actinides, Annual Survey covering the year 1979 (T J Marks), (203)415

Aluminium

β -Acetylenic, α -acetylenic and α -allenic tertiary amines, preparation via organometallic synthesis from immonium salts of (G Courtois, M Harama, P Miginiac), (218)1

Alkylaluminium dichloride, reactions with cumyl and t-butyl hydroperoxides of (M Skowrońska-Ptasińska, S Pasynkiewicz, E Sieczek), (206)1

Aluminium, Annual Survey covering the year 1979 (J D Smith), (207)67

Aluminium-organic radical complexes of N-heterocyclic compounds, 1,4-diazine derivatives (W Kaim), (215)337

—, pyridine derivatives (W Kaim), (215)325

Aluminium trichloride, reaction with 9,10-phenanthroquinone of (P E Barker, A Hudson, R A Jackson), (208)C1

Aluminoxanes with acetylacetonate substituents (A Pietrzykowski, S Pasynkiewicz, A Wolińska), (201)89

Bis(trimethylaluminium), reactions with sulphurdimines and sulphinylanilines of (J M Klerks, R van Vliet, G van Koten, K Vrieze), (214)1

Calcium alkoxyalanates, advances in the synthesis of (G Dozzi, S Cucinella, M Bruzzzone), (224)13

—, synthesis and physicochemical characterisation of (S Cucinella, G Dozzi, G Del Piero), (224)1

Calcium tetrakis(alkoxy)alanates, reduction of organic functional groups by (S Cucinella, G Dozzi, M Bruzzzone), (224)21

Dimethylpropynylaluminium complexes with dipropynylberyllium and dipropynylmagnesium, synthesis and structure of (K B Starowieyski, A Chwojnowski), (215)151

α - and β -ethylenic tertiary amines, preparation via organometallic synthesis from immonium salts of (G Courtois, M Harama, P Miginiac), (218)275

Geminal organoaluminium compounds and their complexes with amines (G Sonnek, H Reinheckel, S Pasynkiewicz, M Bolesławski, T Dłużniewski), (201)97

Magnesium hydride in reaction with pyridine (A J de Koning, P H M Budzelaar, B G K van Aarssen, J Boersma, G J M van der Kerk), (217)C1

N-Methylthio-N'-(2,6-dimethylphenyl)-2,6-dimethyl-1,4-quinonedimine, formation, X-ray structure and dynamic behaviour in solution of (J M Klerks, G van Koten, K Vrieze, P Seignette), (219)9

Mixed orthoester and mixed acetal, reactions with organometallic compounds of (F Barbot, Ph Miginiac), (222)1
[2.2]Paracyclophane with an (η^5 -cyclopentadienyl)iron⁺ moiety mono- and di-cations (A R Koray), (212)233

Paramagnetic organoaluminium complexes (W Kaim), (201)C5

Poly(N-alkylaluminooxanes), preparation and crystal structure of $\{(HAlN-i-Pr)_2-(H_2AlNH-i-Pr)_2[HAlNCH(CH_3)CH_2N-(CH_2)_2]\}$ and of $[HAlN(CH_2)_3N-(CH_2)_2]_n$ 2LiH (G Perego, G Dozzi), (205)21

(Propargyl)dicobalt hexacarbonyl cations, reactions with methylmetals of (S Padmanabhan, K M Nicholas), (212)115

Rhodium(II) complexes as hydrosilylation and hydrogenation catalysts (J P Höwe, K Lung, T A Nide), (208)401

Tetraalkylaluminoxanes, reactions with benzonitrile of (A Piotrowski, A Kunicki, S Pasynkiewicz), (201)105

Trialkylaluminium compounds, nature of the transition state in reactions with ketones of (E.C. Ashby, R.S. Smith), (225)71

—, single electron transfer in reactions with organic substrate of (E.C. Ashby, A.B. Goel), (221)C15

Antimony

Antimony; Annual Survey covering the year 1979 (L.D. Freedman, G.O. Doak), (203)327

Antimony—nitrogen donor ligands, synthesis and properties of (W. Levason, B. Sheikh), (209)161

Antimony—sulphur and antimony—oxygen ligands, synthesis and properties of (W. Levason, B. Sheikh), (208)1

Bis(dichlorotricarbonylruthenium)-trichloroantimony, $[\text{Ru}(\text{CO})_3\text{Cl}_2]_2\text{-SbCl}_3$, synthesis and structural characterization of (P. Teulon, J. Rozière), (214)391

Bis(triphenylstibine)nitrosyltrichlororuthenium, polymer supported, kinetics and mechanism of ligand substitution reactions of (S. Torroni, G. Innorta, A. Foffani, A. Modelli, F. Scagnolari), (221)309

Carbonylvanadium complexes with $\text{Ph}_2\text{ECH}_2\text{EPh}_2$ (E = P, As, Sb) ligands, coordination properties of; molecular structure of $\eta^5\text{-C}_5\text{H}_5\text{V}(\text{CO})_3\text{As}_2\text{Ph}_4$ (R. Borowski, D. Rehder, K. von Deuten), (220)45

$\eta^5\text{-C}_5\text{H}_5(\text{CO})(\text{L})\text{Fe}[\text{C}(\text{SCH}_3)_2]^+\text{-carbene}$ complexes, synthesis, reactivity and spectroscopic studies of (F.B. McCormick, R.J. Angelici), (205)79

Dimethyl(α -picolyl)stibine, dimethyl(8-quinolyl)stibine and (*R,S*)-methylphenyl(8-quinolyl)stibine and some transition metal derivatives, synthesis of (E. Shewchuk, S.B. Wild), (210)181

2,5-Dimethylstibacyclopentadienyl transition metal complexes (A.J. Ashe, III, T.R. Diephouse), (202)C95

Dodecafluoro-5,10-*o*-benzeno-arsanthrene and -stibanthrene (T.K. Mistry, A.G. Massey), (209)45

Halophenylantimonate(III) compounds, ^{121}Sb Mössbauer and IR spectral studies on (G. Alonzo, N. Bertazzi, F. Di Bianca, T.C. Gibb), (210)63

Molecular complexing as initial stage of reactions of organometallic compounds (G.A. Razuvaev, A.V. Shabanov, A.N. Egorochkin, V.A. Kuznetsov, S.F. Zhiltsov), (202)363

Pentacarbonyliron, transition metal catalysed reaction with Group V donor ligands of (M.O. Albers, N.J. Coville, T.V. Ashworth, E. Singleton), (217)385

Phenyl-substituted pentacoordinated compounds of main group elements, characterization by ^1H NMR of (A.C. Sau, R.R. Holmes), (217)157

Rhodium(I) cationic complexes with diolefins and substituted pyridine *N*-oxides as ligands, preparation and reactions of (R. Usón, L.A. Oro, M.A. Ciriano, F. Lahoz), (217)251

$[\text{Rh}_2\text{Sb}(\text{CO})_{27}]^{3-}$, example of encapsulation of antimony by a transition metal carbonyl cluster (J.L. Vidal, J.M. Troup), (213)351

Ruthenium-catalysed methyl formate homologation, promotion by phosphorus compounds of (J.B. Keister, R. Gentile), (222)143

Tetradentate distibine-diamine, distibine-dithioether and distibine-diether ligands, synthesis and properties of (W. Levason, B. Sheikh, W.E. Hill), (219)163

Tris(2,6-dimethylphenyl)stibine, $\text{C}_{24}\text{H}_{27}\text{Sb}$, molecular structure and spectra of (A.N. Sobolev, I.P. Romm, V.K. Belsky, O.P. Syutkina, E.N. Guryanova), (209)49

Tris(monohapto)cyclopentadienylantimony(III), crystal structure of (M. Birkhahn, P. Krommes, W. Massa, J. Lorberth), (208)161

Arsenic

Adamantane cage compounds containing arsenic, nitrogen and silicon as hetero-elements, chemistry of (J. Ellermann, M. Lietz), (215)165

Arsenic; Survey covering the years 1978 and 1979 (R.A. Zingaro, K.J. Irgolic), (207)121

Bromo($\eta^5\text{-cyclopentadienyl}$)triphenylphosphinenickel, reactions with phosphorus, arsenic and sulphur ylids of (B.L. Booth, K.G. Smith), (220)219

t-Butyl(trimethyl-Group IVB)arsines and their pentacarbonyl-chromium, -molybdenum and -tungsten complexes

- (H. Schumann, U. Frank, W.W. Du Mont, F. Marschner), (222)217
- Carbonylvandium complexes with $\text{Ph}_2\text{ECH}_2\text{EPh}_2$ (E = P, As, Sb) ligands, coordination properties of; molecular structure of $\eta^5\text{-C}_5\text{H}_5\text{V}(\text{CO})_3\text{As}_2\text{Ph}_4$ (R. Borowski, D. Rehder, K. von Deuten), (220)45
- $\eta^5\text{-C}_5\text{H}_5(\text{CO})(\text{L})\text{Fe}[\text{C}(\text{SCH}_3)_2]^+$ -carbene complexes, synthesis, reactivity and spectroscopic studies of (F.B. McCormick, R.J. Angelici), (205)79
- $(\eta\text{-C}_5\text{H}_5)_2\text{Rh}_2(\text{CO})(\text{CF}_3)_2$, coordinative addition of CO, CNR and Group V donor ligands to (R.S. Dickson, A.P. Oppenheim, G.N. Pain), (224)377
- Chromium, molybdenum and tungsten carbonyl complexes of 7-methyl-1,3,5-triarsa-2,4,9-trioxadadamantane (J. Ellermann, S.-P. Ang, M. Lietz, M. Moll), (222)105
- $(\text{CO})_4\text{Fe}(\mu\text{-AsMe}_2)\text{Mo}(\text{CO})_2(\text{C}_5\text{H}_5)$, fluxional behaviour of (C.P. Casey, P.M. Bullock), (218)C47
- Dimethyl(phenylthio)arsine and tris(phenylthio)arsine, dipole moment and He(I) photoelectron spectroscopy of (G. Distefano, A. Modelli, A. Grassi, G.C. Pappalardo, K.J. Irgolic, R.A. Pyles), (220)31
- μ -(Dimethylstannado)- μ -(hydrido)dodecacarbonyltrirhenium, synthesis, spectroscopic characterisation and crystal and molecular structure of (B.T. Huie, S.W. Kirtley, C.B. Knobler, H.D. Kaesz), (213)45
- 2,5-Dimethylstibacyclopentadienyl transition metal complexes (A.J. Ashe, III, T.R. Diephouse), (202)C95
- Dodecafluoro-5,10-*o*-benzeno-arsanthrene and -stibanthrene (T.K. Mistry, A.G. Massey), (209)45
- Iron thiocarbonyl cationic complex with organocyclotriarsane as ligands (J. Ellermann, M. Lietz), (213)C4
- Lambert's reaction: formation of $[\text{Mn}_2(\text{CO})_8(\mu\text{-AsR}_2)_2]$ complexes from tertiary arsines and $[\text{Mn}_2(\text{CO})_{10}]$ at high temperatures (H. Ashton, B. Brady, A.R. Manning), (221)71
- $\text{M}(\text{CO})_n\text{L}$ complexes (M = Cr, Mo, W) of the chelating ligands $\text{Me}_2\text{XGeMe}_2\text{-(CH}_2)_2\text{X'Me}_2$ (X, X' = N, P, As), preparation and characterisation of (K. Betka, J. Grobe), (210)193
- Methylarsine- and metharsinidene-metal carbonyls (E. Röttinger, H. Vahrenkamp), (213)1
- $\text{Me}_2\text{XGeMe}_2(\text{CH}_2)_2\text{X'Me}_2$ (X, X' = N, P, As), chelating ligands, coordination behaviour of (K. Betka, J. Grobe), (210)313
- , —, preparation of (K. Betka, J. Grobe), (210)19
- Molecular complexing as initial stage of reactions of organometallic compounds (G.A. Razuvaev, A.V. Shabanov, A.N. Egorochkin, V.A. Kuznetsov, S.F. Zhiltsov), (202)363
- Organotin and tin(IV) derivatives of dimethyldithioarsinic acid (I. Haiduc, L. Silaghi-Dumitrescu), (225)225
- Palladium complex catalysed carbonylation of organic halides having β -hydrogens (T. Kobayashi, M. Tanaka), (205)C27
- Pentacarbonyliron, transition metal catalysed reaction with Group V donor ligands of (M.O. Albers, N.J. Coville, T.V. Ashworth, E. Singleton), (217)385
- Phenyl-substituted pentacoordinated compounds of main group elements, characterization by ^1H NMR of (A.C. Sau, R.R. Holmes), (217)157
- Platinum(0) complexes of 3-arylthiete 1,1-dioxides (C.R. Hall, E.R. Hamner, R.D.W. Kemmitt, D.J.H. Smith), (205)417
- $\text{Pt}[\text{As}(\text{C}_6\text{H}_5)_3]_2\text{F}_3\text{CC}\equiv\text{CCF}_3$ and $\text{Pd}[\text{P}(\text{C}_6\text{H}_{11})_3]_2\text{F}_3\text{CC}\equiv\text{CCF}_3$, structures of (D.H. Farrar, N.C. Payne), (220)239
- Rhodium(I) cationic complexes with diolefins and substituted pyridine *N*-oxides as ligands, preparation and reactions of (R. Usón, L.A. Oro, M.A. Ciriano, F. Lahoz), (217)251
- Ruthenium carbonyl hydrides with R—P and R—As bridges and related clusters; crystal and molecular structure of $[(\mu_2\text{-H})_2\text{Ru}_3(\text{CO})_9(\mu_3\text{-P}(\text{p-CH}_3\text{OC}_6\text{H}_4))]_n$ (K. Natarajan, O. Scheidsteger, G. Huttner), (221)301
- Triarsatriazaadamantanes, reactions of CS_2 with (J. Ellermann, M. Lietz), (218)C45
- 2,4,6-Triarylpyridines, synthesis from reactions of phenacylidene triphenylarsenanes with α, β -unsaturated ketones (K.C. Gupta, N. Srivastava, R.K. Nigam), (204)55
- Tricarbonyl- η^6 -chromium(0), -molybdenum(0) and -tungsten(0) complexes of 4-*R*- λ^3 -arsenines and 2-aryl-4-*R*- λ^3 -arsenines, IR, NMR, UV and mass

- spectra of (G. Märkl, H. Beier, R. Liebl, K. Meier), (217)333
- Tricarbonylcobalt cluster compounds of phosphorus and arsenic, transformations when treated with soft Lewis acids and bases in (A. Vizi-Orosz, V. Galamb, G. Pályi, L. Markó), (216)105
- Tri-*p*-chlorophenylarsine, tri-*p*-methoxyphenylarsine and tri-*p*-tolylarsine, molecular structures of (A.N. Sobolev, V.K. Belsky), (214)41
- Trimesitylarsine, spectra, crystal and molecular structure of (A.N. Sobolev, I.P. Romm, N.Yu. Chernikova, V.K. Belsky, E.N. Guryanova), (219)35
- Triphenylarsin oxide hydrate and *p*-carboxymethoxyphenylarsin oxide, molecular structure of (V.K. Belsky), (213)435

Barium

- Barium and strontium salts of α, ω -bis-(9-fluorenyl)polymethylenes, solvation of ion pairs in THF solutions of (C. Mathis, B. François, J. Smid), (217)291

Beryllium

- Beryllium derivatives of $(\text{CH})_n$ carbocycles, an MNDO study (J.R. Bews, C. Glidewell), (219)279
- Dimethylpropynylaluminum complexes with dipropynylberyllium and dipropynylmagnesium, synthesis and structure of (K.B. Starowiejski, A. Chwojnowski), (215)151
- Organoberyllium molecular cations, structures of (C. Glidewell), (217)273
- Organometallic sulphides, $(\text{R}_3\text{M}_2\text{S})$, configurations of and crystal and molecular structure of thiobis(triphenyltin(IV)) (C. Glidewell, D.C. Liles), (224)237

Bismuth

- Bismuth; Annual Survey covering the year 1979 (G.O. Doak, L.D. Freedman), (203)359
- Diarylhalobismuthines, metallocchirality in (P. Bras, H. Herweijer, J. Wolters), (212)C7
- 2,5-Dimethylstibacyclopentadienyl transition metal complexes (A.J. Ashe, III, T.R. Diephouse), (202)C95

- Molecular complexing as initial stage of reactions of organometallic compounds (G.A. Razuvaev, A.V. Shabanov, A.N. Egorochkin, V.A. Kuznetsov, S.F. Zhiltsov), (202)363

Boron

- Alkylaminodialkylaminophenylboranes, synthesis and properties of (R.H. Cragg, T.J. Miller), (217)283
- Aminodiphenylboranes, synthesis and ^{13}C NMR spectra of (C. Brown, R.H. Cragg, T.J. Miller, D. O'N. Smith), (217)139
- Aryl-, ethenyl-, allenyl-, phenylethynyl- and allyl-dimesitylboryl compounds (N.M.D. Brown, F. Davidson, J.W. Wilson), (209)1
- Bis(allyl)nickel as unusual reaction product from 1,3-diborolene and tetracarbonylnickel, structure of (J. Edwin, W. Siebert, C. Krüger), (215)255
- 1-Boraadamantane, amination of (B.M. Mikhailov, E.A. Shagova, M.Yu. Etinger), (220)1
- , reactions with carbonyl compounds of (B.M. Mikhailov, T.K. Baryshnikova, A.S. Shashkov), (219)301
- , synthesis via boron and silicon containing propargyl esters (B.M. Mikhailov, T.K. Baryshnikova), (219)295
- 1-Boraadamantane "ate"-complexes, hydride transfer reactions in (B.M. Mikhailov, M.E. Gursky, T.V. Potapova, A.S. Shashkov), (201)81
- Boron. I. Carboranes; boranes in organic synthesis; Annual Survey covering the year 1979 (D.S. Matteson), (207)13
- Boron derivatives of pyrazole and imidazole (W. Weber, K. Niedenzu), (205)147
- Boron—nitrogen bond in aminoboranes, restricted rotation about (C. Brown, R.H. Cragg, T.J. Miller, D. O'N. Smith), (220)C25
- $[\text{C}_5\text{H}_5]_2\text{Ni}[\text{C}_2\text{B}_2(\text{C}_2\text{H}_5)_2\text{CCH}_3]_2\text{Ni}[\text{C}_5\text{H}_5]$, a paramagnetic tripledecker sandwich complex, multinuclear NMR investigation of (F.H. Köhler, U. Zenneck, J. Edwin, W. Siebert), (208)137
- Dialkylaminofluorophenylboranes,

- preparation and NMR spectra of (R H Cragg, T J Miller), (217)1
- Dialkylhaloboranes, hydridation of, synthesis of dialkylboranes under mild conditions (H C Brown, S U Kulkarni), (218)299
- Dialkylvinylboranes produced by hydridation of dialkylhaloboranes, iodine induced transfer in the presence of 1-alkynes of (S U Kulkarni, D Basavaiah, H C Brown), (225)C1
- Dimesitylboron compounds, ¹³C dynamic NMR studies of (N M D Brown, F Davidson, J W Wilson), (210)1
- p*-Dimesitylboryl group, determination of the Hammett substituent constant for (M E Glogowski, J L R Williams), (218)137
- Dimesitylborylphenylazonaphthol *p* substituted dyes, synthesis of (M E Glogowski, J L R Williams), (216)1
- N,N'*-Diorganylureas and *N,N'*-diorganylthioureas, reactions with haloorganyl boranes of (W. Maringgele), (222)17
- Divinylborinic anhydride, synthesis, characterisation and vibrational spectra of (J D Odom, A J Zozulin, S A Johnston, J R Durig, S Riethmiller, E J Stampf), (201)351
- Hydroboration of 3-methyl-1,3-butadiene with 1,2,1,2-bis(tetramethylene)-diborane(6) (R Contreras, B Wrackmeyer), (205)15
- Metallocene and bis-borabenzene *d*⁵ systems, MO calculations on (D W Clack, K D Warren), (208)183
- 1-Methylborepin, aromaticity and thermal decomposition of (S M van der Kerk), (215)315
- , formation and properties of (S M van der Kerk, J Boersma, G J M van der Kerk), (215)303
- Monohydroboration of alkynes with dialkylboranes, general synthesis of dialkylvinylboranes (H C Brown, D Basavaiah, S U Kulkarni), (225)63
- Mononuclear anionic formyl-transition metal complexes, preparation from triethylborohydride and neutral metal carbonyl precursors and properties of (J C Selovar, M Marsi, D W Parker, J A Gladysz), (206)317
- Organoboranes, radical anions from (A Berndt, H Klusik, K Schluter), (222)C25
- Organometallic sulphides, (R₂M)₂S, configurations of and crystal and molecular structure of thiobis(triphenyltin(IV)) (C Glidewell, D C Liles), (224)237
- Organosilicon compounds with a carbonyl-methyl radical, synthesis of (V V Kalinin, B A Izmailov, A A Kazantsev, V D Myakushev, A A Zhdanov, L I Zakharkin), (216)295
- Palladium-catalysed "head-to-tail" cross-coupling reaction of 1-alkenylboranes with phenyl or 1 alkenyl iodides, synthesis of 2-phenyl-1-alkenes or 2-alkyl-1,3-alkadienes via organoboranes (N. Miyaura, A Suzuki), (213)C53
- Pentacarbonyl[di-*n*-butylboroxy (methyl)-carbene]tungsten etherates, preparation and ¹H NMR spectra of (E O Fischer, S G Gibbins, W Kellerer), (218)C51
- Pentacarbonyltetrafluoroboratorhenium, preparation and reactivity of (K Raab, B Olgemoller, K Schloter, W Beck) (214)31
- Sulphur derivatives of dimesityl compounds (F Davidson, J W Wilson), (204)147
- Titanium complexes as catalysts in reduction of aromatic halides with sodium borohydride, unexpected role of air (B Meunier), (204)345
- Tricarbonyl[η⁵-2 methyl-2,4-cyclohexadien-1-yl]iron(1+) PF₆⁻, regioselectivity of nucleophilic additions to and temperature dependence of hydride reductions of (A J Birch, G R Stephenson), (218)91
- Triethylborane, reactions with alkynyl stannanes leading to substituted allenes of (B Wrackmayer), (205)1

Cadmium

- Organo-zinc and -cadmium peroxides, thermal decomposition in hydrocarbons of (Yu A Alexandrov, S A Lebedev, R V Kuznetsova), (201)21
- Zinc and cadmium, Annual Survey covering the year 1979 (J Boersma), (207)1
- Zinc and cadmium organometallic halides, electrochemical synthesis with substituted phenyl halides of (F F Said, D G Luck), (224)121

Caesium

- Allyl(earth)alkalimetal compounds, ^{13}C NMR investigation of the structures of (M. Stähle, M. Schlosser), (220)277
- Heavier alkali metals; Annual Survey covering the year 1979 (E.M. Kaiser), (203)149

Calcium

- Calcium alkoxyalanates, advances in the synthesis of (G. Dozzi, S. Cucinella, M. Bruzzone), (224)13
- , synthesis and physicochemical characterisation of (S. Cucinella, G. Dozzi, G. Del Piero), (224)1
- Calcium tetrakis(alkoxy)alanates, reduction of organic functional groups by (S. Cucinella, G. Dozzi, M. Bruzzone), (224)21

Chromium

- Acetophenonedicarbonylchromium complexes, kinetics of NaBH_4 reduction reactions of (B. Boyer, G. Lamaty, B. Caro, G. Jaouen), (216)C51
- endo*- and *exo*- α - and β -alkylindanonetricarbonylchromium, stereospecific borohydride reduction of (B. Caro, G. Jaouen), (220)309
- η^3 -Allylchromium, -molybdenum and -tungsten complexes, fluxional behaviour shown by magnetisation transfer difference spectroscopy in (R. Benn, A. Ruffińska, G. Schroth), (217)91
- Aminocarbyne—chromium complexes, preparative and kinetic investigations of substitution of CO by PPh_3 in (H. Fischer, A. Motsch), (220)301
- Areneallyldicarbonylchromium cationic complexes, synthesis of (A.N. Nesmeyanov, V.V. Krivykh, E.S. Il'minskaya, M.I. Rybinskaya), (209)309
- Arenecarbonylchromium complexes, reactivity towards isotopic hydrogen exchange with acids of (A.A. Tsoy, N.K. Baranetskaya, V.N. Setkina, D.N. Kursanov), (212)377
- Arene-chelate complexes of chromium and their formation from arenechromium tricarbonyl precursors (N.I. Vasyukova, Yu.S. Nekrasov, V.V. Krivykh, M.I. Rybinskaya), (201)283
- η^6 -Arene- η^5 -cyclopentadienyliron cation, addition to nucleophiles with decomplexation of the metal leading to substituted arenes of (J.C. Boutonnet, E. Rose), (221)157
- Arenetricarbonylchromium, addition to nucleophiles with subsequent oxydative decomplexation of the metal leading to substituted arenes of (J.C. Boutonnet, L. Mordenti, E. Rose, O. Le Martret, G. Precigoux), (221)147
- Arenetricarbonylchromium complexes, dissociative electron capture by molecules of (V.I. Khvostenko, Yu.S. Nekrasov, I.I. Furley, N.I. Vasyukova, G.A. Tolstikov), (212)369
- , electrochemical generation of stable cations of (R.D. Rieke, S.N. Milligan, I. Tucker, K.A. Dowler, B.R. Willeford), (218)C25
- , influence of the substituents on the catalytic activity of (P. Le Maux, G. Jaouen, J.A. Saillard), (212)193
- Benzenetricarbonylchromium derivatives, theoretical determination of the conformation of and comparison with the crystalline structure (J.Y. Saillard, R. Lissillour, D. Grandjean), (210)365
- Benzene-tricarbonyl-chromium and -tungsten derivatives, electron impact mass spectra of (J. Müller, F. Lüdemann), (204)361
- Benzenetricarbonylchromium monosubstituted complexes, mass spectra from dissociative electron capture by (Yu.S. Nekrasov, V.I. Khvostenko, I.I. Furley, N.I. Vasyukova, V.K. Mavrodiev, A.Sh. Sultanov, G.A. Tolstikov), (212)373
- η^6 -Benzoic acid *n*-propyl ester tricarbonylchromium, fragmentation by electron impact accompanied by hydrogen transfer processes of (J. Müller, G. Krebs, F. Lüdemann, E. Baumgartner), (218)61
- Benzophenonechromium tricarbonyl monosubstituted complexes, anions of (N.J. Gogan, I.L. Dickinson, J. Doull, J.R. Patterson), (212)71
- π -Bis(arene)chromium(0) complexes, oligomerisation of perfluoropropylene catalysed by (Y. Huang, J. Li, J. Zhou, Q. Wang, M. Gui), (218)169
- , oxidation of and reduction of bisarenechromium(I) cations (L.P. Yur'eva, S.M. Peregudova, L.N. Nekrasov, A.P. Korotkov, N.N. Zaitseva, N.V. Zakurin, A.Yu. Vasil'kov), (219)43
- Bis(η^6 -arene)chromium(0)/bis(η^6 -arene)-

- chromium(I), electrochemical and ESR kinetic studies of electron transfer in (T.T.-T. Li, C.H. Brubaker, Jr.), (216)223
- π -Bis(benzene)chromium(0)-catalysed oligomerisation of perfluoropropylene (Y. Huang, J. Li, J. Zhou, Z. Zhu, G. Hou), (205)185
- Bis(1-methyl-4-*t*-butyl- η -benzene)-chromium, conformational interconversion of (U. Zenneck, C. Elschenbroich, R. Möckel), (219)177
- t*-Butyl(trimethyl-Group IVB)arsines and their pentacarbonyl-chromium, -molybdenum and -tungsten complexes (H. Schumann, U. Frank, W.W. Du Mont, F. Marschner), (222)217
- Carbene complexes of the type: $L_nM-C(X)NHR$, conversion of aryl- to alkyl-isocyanide ligands via carbene intermediates (W.P. Fehlhammer, A. Mayr, G. Christian), (209)57
- Carbonyl cluster compounds, bonding capabilities in three classes of (J.W. Launer), (213)25
- Carbonyl-chromium, -molybdenum and -tungsten complexes of 7-methyl-1,3,5-triarsa-2,4,9-trioxadamantane (J. Ellermann, S.-P. Ang, M. Lietz, M. Moll), (222)105
- Carbonyl Group VIB metal complexes ferrocenylphenylthio ketone ligands in, ^{13}C NMR spectra of (P.V. Petrovskii, V.N. Setkina, S.P. Dolgova, D.N. Kursanov), (221)177
- , photochemical reactions with phenanthroquinone and radical ligand exchange with Group VA organometals (D. Weir, J.K.S. Wan), (220)323
- Carbonylmetal complexes of 1,3-di-*t*-butyl-2,2-dimethyl-1,3,2,4 λ^2 -diazasilastannetidines (M. Veith, H. Lange, K. Bräuer, R. Bachmann), (216)377
- Carbonyl-methylarsine- and -metharsinidene-metals (E. Röttinger, H. Vahrenkamp), (213)1
- Chelate complexes of norphos; diastereoisomers with opposite metal configuration exhibiting similar chiroptical properties (H. Brunner, A.F.M.M. Rahman), (214)373
- trans*-Chloromethylcarbonyltetracarbonylchromium, $ClCr(CO)_4CCH_3$, electronic structure of (D. Saddei, H.-J. Freund, G. Hohlneicher), (216)235
- Chromium and manganese complexes with functionalised isocyanide ligands, preparation and electronic and chemical properties of (P. Le Maux, G. Simonneaux, G. Jaouen), (217)61
- Chromium, molybdenum and tungsten; Annual Survey covering the year 1976 (J.D. Atwood, M.L. Atwood, M.Y. Darensbourg, D.J. Darensbourg), (223)49
- Chromium vapour interaction with benzonitrile and bromobenzene (A.N. Nesmeyanov, V.A. Sergeev, N.V. Zakurin, A.Yu. Vasil'kov, A.S. Kogan, L.P. Yur'eva, N.N. Zaitseva, I.A. Uralets), (217)195
- π -Complexes of transition metals, addition products of hydrogen and deuterio exchange in mass spectra of (G.A. Nurgalieva, Yu.S. Nekrasov, D.V. Zagorevskii, D.N. Kursanov), (202)77
- $(CO)_5Re-M(CO)_4CC_6H_5$ ($M = Cr, Mo, W$) and $(CO)_5Re-W(CO)_4CCH_3$, vibrational study of (N.Q. Dao, E.O. Fischer, T.L. Lindner), (209)323
- $(Cp_2Cr_2SCMe_3) \cdot (\mu_3-S)_2Co(CO)_2$, transformation into the diamagnetic metalla-tetrahedron $Cp_3Cr_3 \cdot (\mu_3-S)_2Co(CO)$ of (A.A. Pasynskii, I.L. Eremenko, B. Orazsakhmatov, V.T. Kalinnikov, G.G. Aleksandrov, Yu.T. Struchkov), (220)367
- $(CpCrSCMe_3)_2S \cdot Mn_2(CO)_8$, and the cluster $(CpCr)_2(\mu_2-SCMe_3)(\mu_3-S)_2Co(CO)_2$, syntheses, molecular structures and magnetic properties of (A.A. Pasynskii, I.L. Eremenko, B. Orazsakhmatov, Yu.V. Rakitin, V.M. Novotortsev, O.G. Ellert, V.T. Kalinnikov, G.G. Aleksandrov, Yu.T. Struchkov), (220)351
- $(CpCrSCMe_3)_2S \cdot Mn(CO)_2Cp$, synthesis and molecular structure of and formation of the tetranuclear clusters Cp_2Cr_3MS , ($M = Cr, V, Nb$) (A.A. Pasynskii, I.L. Eremenko, B. Orazsakhmatov, V.T. Kalinnikov, G.G. Aleksandrov, Yu.T. Struchkov), (216)211
- π -Cyclopentadienyl- and π -arene-metal carbonyls, mixtures with aromatic and heterocyclic compounds, ion-molecule reaction products in mass spectra of (Yu.S. Nekrasov, N.I. Vasyukova, D.V. Zagorevskii, V.F. Sizoi, G.A. Nurgalieva, L.I. Dyubina), (201)433
- Cyclopentadienyltrifluoroacetate-chromium(III) complexes, synthesis and transformations of (I.L. Eremenko, A.A. Pasynskii, O.G. Volkov, O.G. Ellert, V.T. Kalinnikov), (222)235

- Dicarbonyltrifluorophosphinechromium methylbenzoate, crystal and molecular structure of (J.Y. Saillard, D. Grandjean, A. Le Beuze, G. Simonneaux), (204)197
- 6-Dimethylaminofulvenetricarbonylchromium, -molybdenum and -tungsten, investigation of rotation isomerization by dynamic ^1H NMR spectroscopy of (B.N. Strunin, V.I. Bakmutov, V.N. Setkina, D.N. Kursanov), (208)81
- Dimethyl- η^6, η^6 -diphenylstannanebis(tricarbonylchromium), $(\text{CH}_3)_2\text{Sn}[\text{C}_6\text{H}_5\text{Cr}(\text{CO})_3]_2$, crystal and molecular structure of (U. Schubert, B.R. Willford, J.J. Zuckerman), (215)367
- Dimethyl(α -picolyl)stibine, dimethyl-(8-quinolyl)stibine and (*R,S*)-methylphenyl(8-quinolyl)stibine and some transition metal derivatives, synthesis of (E. Shewchuk, S.B. Wild), (210)181
- Fluorenechromium tricarbonyls, analysis of ^{13}C NMR spectra of (Yu.N. Luzikov, Yu.F. Oprunenko, Yu.A. Ustynyuk), (202)291
- Fluorenyl- π -(tricarbonylchromium) anion, kinetic acidity and NMR spectra of (A. Cecon, A. Gambaro, G. Agostini, A. Venzo), (217)79
- η^6 - and η^5 -Fluorenyltricarbonylchromium anions, reversible isomerization studied by IR and PMR spectroscopy of (N.A. Ustynyuk, B.V. Lokshin, Yu.F. Oprunenko, V.A. Roznyatovsky, Yu.N. Luzikov, Yu.A. Ustynyuk), (202)279
- Heterotrinnuclear cluster $(\text{C}_5\text{H}_5\text{Cr})_2 - (\mu_2\text{-SCMe}_3)(\mu_3\text{-S})_2\text{Fe}(\text{CO})_3$ with direct and indirect exchange between Cr^{III} and Fe^{I} centres, synthesis, molecular structure and magnetic properties of (A.A. Pasynskii, I.L. Eremenko, B. Orasakhatov, Yu.V. Rakitin, V.M. Novotortsev, O.G. Ellert, V.T. Kalinnikov, G.G. Aleksandrov, Yu.T. Struchkov), (210)385
- Heterotrinnuclear complexes of the type $\text{M}(\text{CO})_2\text{L}$ ($\text{M} = \text{Cr}, \text{Mo}, \text{W}$) containing $[(\text{C}_5\text{H}_5\text{CrSCMe}_3)_2\text{S}]$ as unusual anti-ferromagnetic ligand (L), synthesis, structure and magnetic properties of (A.A. Pasynskii, I.L. Eremenko, Yu.V. Rakitin, B. Orasakhatov, V.M. Novotortsev, O.G. Ellert, V.T. Kalinnikov, G.G. Aleksandrov, Yu.T. Struchkov), (210)377
- 1,4,5,8,9,12-Hexaazatriphenylene and its chromium carbonyl complexes, properties and IR spectra of (R. Nasielski-Hinkens, M. Benedek-Vamos, D. Maetens, J. Nasielski), (217)179
- Hexacarbonyl-chromium and -tungsten complexes, reactions with dilithio-2-methyl-3-butynyl-2-olate of; synthesis of carbene- and cumulenylidene-carbene complexes of (H. Berke, P. Härter, G. Huttner, J. von Seyerl), (219)317
- Hexacarbonyl-chromium, -molybdenum and -tungsten, photochemical studies at low temperature of (D.R. Tyler, D.P. Petrylak), (212)389
- Hydroxycarbene-anhydride dinuclear mixed complexes of chromium and tungsten, synthesis of (E.O. Fischer, W. Kleine), (208)C27
- Indanyltricarbonylchromium, electronic structure analysed by UV (He(I) and He(II)) photoelectron spectroscopy of (C. Guimon, G. Pfister-Guillouzo, E. Rose), (224)125
- Lithio-arene- π -complex, unusual reaction of and characterisation and structure of μ -(2,2'-difluoro-5,5'-dimethylbenzophenone)bis(tricarbonylchromium(0)) (L.M. Sandilands, C.J.L. Lock, R. Faggiani, N. Hao, B.G. Sayer, M.A. Quilliam, B.E. McCarry, M.J. McGlinchey), (224)267
- $\text{M}(\text{CO})_n\text{L}$ complexes ($\text{M} = \text{Cr}, \text{Mo}, \text{W}$) of the chelating ligands $\text{Me}_2\text{XGeMe}_2(\text{CH}_2)_2\text{-X}'\text{Me}_2$ ($\text{X}, \text{X}' = \text{N}, \text{P}, \text{As}$), preparation and characterisation of (K. Betka, J. Grobe), (210)193
- Metal carbide clusters synthesis systematics for heteronuclear species (M. Tachikawa, R.L. Geerts, E.L. Muetterties), (213)11
- ortho*-Metallated diiron hexacarbonyl complex from benzalazine and $\text{Fe}_3(\text{CO})_{12}$, synthesis and structure of (N.S. Nametkin, V.D. Tyurin, V.V. Trusov, A.S. Batsanov, Yu.T. Struchkov), (219)C26
- Metalocene and bis-borabenzene d^5 systems, MO calculations on (D.W. Clack, K.D. Warren), (208)183
- $\text{Me}_2\text{XGeMe}_2(\text{CH}_2)_2\text{X}'\text{Me}_2$ ($\text{X}, \text{X}' = \text{N}, \text{P}, \text{As}$), chelating ligands, coordination behaviour of (K. Betka, J. Grobe), (210)313
- Paramagnetic peralkylmetallocenes, synthesis, stereochemistry and electronic properties of (F.H. Köhler, K.H. Doll, W. Prössdorf), (224)341
- Pentacarbonyl(chalcocarbonyl)chromium(0) complexes, synthesis of (A.M. English,

- K R Flouman, I M Baibich, J P Hickey, I S Butler, G Jaouen, P Lemaux), (205)177
- Pentacarbonyl Group VI metal complexes of 1,2,4-triazoles (J M Kelly, C Long, J G Vos, J G Haasnoot, G Vos), (221)165
- Pentacarbonyl(mesityldiphenylmethylene-phosphine)chromium(0), synthesis and structure of (T C Klebach, R Lourens, F Bickelhaupt, C H Stam, A van Herk), (210)211
- Pentacarbonyl(organometal-chalcogenide)-chromium and -tungsten complexes, crystal and molecular structure of (J Pickardt, H Schumann, C F Campana, L F Dahl), (216)245
- trans*-Pentacarbonylrheniotetracarbonyl-carbyne-chromium and -tungsten complexes, reactions with trimethylphosphane of (W Uedelhoven, D Neugebauer, F R Kreissl), (217)183
- Pentacarbonyl(tris(trimethylsilyl)stibine)-chromium, -molybdenum and -tungsten complexes, preparation and behaviour as initiators in polymerisation of THF of (H J Breunig, W Fichtner), (222)97
- Pentafulvenes, effect of metal π -complexation on structures and properties of (W E Watts), (220)165
- Phenyl- and fluorophenyl-bicyclo[2.2.2]-octyltricarbonylchromium(0) bridgehead substituted derivatives, ^{13}C and ^{19}F NMR substituent chemical shifts of and ^{19}F NMR polar field effects in the $\text{Cr}(\text{CO})_3$ -complexed benzene ring system (W Adcock, G L Aldous), (2C1)411
- Tetrakis(1-norbornyl)chromium(IV), spectroscopy and photochemistry of (H B Abrahamson, E Dennis), (201)C19
- 2,6,15,19-Tetrathia[7.7]paracyclophane in reactions with hexacarbonylchromium (A R Koray, M L Ziegler), (202)13
- Transition metal carbonylate complexes, stabilisation by alkali metal crown-ether cations of, X-ray structure analysis of two sodium-carbonyl linked polymeric structures (M K Cooper, P A Duckworth, K Henrick, M McPartlin), (212)C10
- Trialkyllead derivatives of chromium, molybdenum and tungsten, thermal and photochemical properties of (K H Pannell, R N Kapoor), (214)47
- Tricarbonylchromium complexes of substituted benzophenones, preparation of coordination isomers and IR and ^1H NMR studies of (N J Gogan, I L Dickinson, J F Patterson), (214)65
- Tricarbonyl- η^5 -chromium(0), -molybdenum(0) and -tungsten(0) complexes of 4- $R-\lambda^3$ -arsenines and 2-aryl-4- $R-\lambda^3$ -arsenines, IR, NMR, UV and mass spectra of (G Markl, H Beier, R Liebl, K Meier), (217)333
- Tricarbonylchromium phenylisopropyl-methylsulphonium tetrafluoroborate, X-ray structure of (A Cecon, G Giacometti, A Venzo, P Ganis, G Zanotti), (205)61
- Tricarbonyl- η -1,3,5-cycloheptatriene chromium(0), reactions with 6-mono- and 6-di-substituted fulvenes of (C G Kreiter, H Kurz), (214)339
- Vitamins K_1 and $\text{K}_1(20)$ synthesis via pentacarbonyl[methoxy(phenyl)-carbene]chromium (K H Dotz, I Pruskil), (209)C4

Cobalt

- [(Alkoxy-carbonyl)methyl]cobalt tetra carbonyl compounds, preparation of (V Galamb, G Pályi, F Cser, M G Furmanova, Yu T Struchkov), (209)183
- Alkylcobaloximes, stability of the Co-C bond in the reduced species of (M D Le Hoang, Y Robin, J Devynck, C Bied Charreton, A Gaudemer), (222)311
- Alkylidynecobalt nonacarbonyl complexes, application of phase transfer catalysis in one-step synthesis of (S Bhaduri, K R Sharma), (218)C37
- Alkyl-olefin-cobalt complexes, reactions with olefins of (R B A Pardy), (216)C29
- Allyl- and cyclopropylmethyl-substituted malonic and acetoacetic esters, preparation from reactions of organo-cobalt complexes with (M Weber, K N-V Duong, A Gaudemer, M D Johnson), (209)393
- S* Allyl-*N,N*-dimethylsulphonamides, regiospecific synthesis from allylcobaloximes and addition of *N,N*-dimethylsulphonyl chloride to terminal olefins of (P Bougeard, M D Johnson), (206)221
- Benzene complexes in cyclopentadienyl-cobalt(I) reaction systems (W-S Lee, J D Kocola, H H Brintzinger), (206)C4
- Butene-2-oxide-4 complexes, $(\text{C}_4\text{O}_2\text{E}^1, \text{R}^2)\text{Co}_2(\text{CO})_7$, reactions with acetylenes of, formation of new types

- of organic ligands (G. Várad, I.T. Horváth, G. Pályi, L. Markó, Yu.L. Slovokhotov, Yu.T. Struchkov), (206)119
- Carbonyl-bridged dimeric compound containing Group IV and VIII transition metals, ($\eta^5\text{-C}_5\text{H}_5$)Co($\mu\text{-}\eta^1, \eta^2\text{-CO}$)Zr($\eta^5\text{-C}_5\text{Me}_5$)₂, synthesis and structure of (P.T. Barger, J.E. Bercaw), (201)C39
- Carbonyl cluster compounds, bonding capabilities in three classes of (J.W. Lauher), (213)25
- Carbonylcobalt hydroformylation catalysts supported on polypropylene containing pyridine side chains (F.R. Hartley, D.J.A. McCaffrey, S.G. Murray, P.N. Nicholson), (206)347
- Carbonylcobalt-nitroarene heterogeneous reactions, significant difference from the homogeneous process (H. Alper, M. Gopal), (219)125
- Carbonylcobalt sulphur diamagnetic trinuclear complexes, synthesis and structure of (H. Patin, G. Mignani, C. Mahe, J.-Y. Le Marouille, A. Benoit, D. Grandjean, G. Levesque), (208)C39
- , with a bridging thiocarboxamido group, $\text{SCo}_3(\text{CO})_7(\text{CSNMe}_2)$ (C. Mahé, H. Patin, A. Benoit, J.-Y. Le Marouille), (216)C15
- Carbonylmetals, phase-transfer catalysed reductions of (D.H. Gibson, F.U. Ahmed, K.R. Phillips), (206)C17
- , reduction by quaternary ammonium borohydrides of (D.H. Gibson, F.U. Ahmed, K.R. Phillips), (218)325
- Carbonyl-methylarsine- and metharsinidene-metals (E. Röttinger, H. Vahrenkamp), (213)1
- Carbonyl mixed cobalt rhodium compounds, formation from $\text{Co}_2(\text{CO})_8$ and $\text{Rh}_4(\text{CO})_{12}$ of; IR spectroscopic characterisation under CO pressure of (F. Spindler, G. Bor, U.K. Dietler, P. Pino), (213)303
- Carbonyl mixed iron cobalt sulphides, preparation and characterisation of (L. Markó), (213)271
- Carbonyl-organocobalt(I) and -cobalt(II) complexes (P. Royo, A. Vazquez), (205)223
- $[\text{C}_5\text{H}_5]_2\text{Ni}[\text{C}_2\text{B}_2(\text{C}_2\text{H}_5)_2\text{CCH}_3]_2\text{Ni}[\text{C}_5\text{H}_5]_2$, a paramagnetic tripledecker sandwich complex, multinuclear NMR investigation of (F.H. Köhler, U. Zenneck, J. Edwin, W. Siebert), (208)137
- $\eta^5\text{-C}_5\text{H}_5\text{V}(\text{CO})_3\text{L}$ (L = CO, PZ₃), photo-nitrosylation by $[\text{Co}(\text{NO})_2\text{Br}]_2$ of (F. Nümann, D. Rehder), (204)411
- Cobaloxime(II)-initiated coupling of α, α, α -trihalomethylbenzenes (F. Stoneberger Pinault, A.L. Crumbliss), (215)229
- Cobaloxime stable complexes ($\text{R}_2\text{C}=\text{C}=\text{CHCo}(\text{dmg})_2\text{Py}$) (P.J. Stang, L.G. Wistrand), (204)405
- Cobalt(II) and nickel(II) complexes with 1,1-bis(diphenylphosphinomethyl)-1-diphenylphosphinoethylethane and 1,1,1-tris(diethylphosphinomethyl)ethane, crystal structure and coordination behaviour of the ligands of (C. Bianchini, A. Meli, A. Orlandini, L. Sacconi), (209)219
- Cobalt, rhodium and iridium; Annual Survey covering the year 1978 (R.D.W. Kemmitt), (211)279
- Cobalt-stabilised carbenes having trisubstituted silyl or germyl ligands; stereospecific formation of benzosilanes (G. Cerveau, E. Colomer, R.J.P. Corriu, J.C. Young), (205)31
- $\text{Co}_6\text{C}(\text{CO})_{12}\text{S}_2$, formation from dicobalt octacarbonyl and carbon disulphide of, and structural and IR spectroscopic characterisation of (G. Bor, U.K. Dietler, P.L. Stanghellini, G. Gervasio, R. Rossetti, G. Sbrignadello, G.A. Battiston), (213)277
- Co=Co bonds, carbene addition to (W.A. Herrmann, J. Huggins, B. Reiter, C. Bauer), (214)C19
- Coenzyme B₁₂ model compounds, quantitative electrochemical comparison (R.G. Finke, B.L. Smith, M.W. Droege, C.M. Elliott, E. Hershenhart), (202)C25
- $(\text{Cp}_2\text{Cr}_2\text{SCMe}_3) \cdot (\mu_3\text{-S})_2\text{Co}(\text{CO})_2$, transformation into the diamagnetic metallatetrahedron $\text{Cp}_3\text{Cr}_3 \cdot (\mu_3\text{-S})_4\text{-Co}(\text{CO})$ of (A.A. Pasynskii, I.L. Eremenko, B. Orazsakhov, V.T. Kalinnikov, G.G. Aleksandrov, Yu.T. Struchkov), (214)367
- $(\text{CpCrSCMe}_3)_2\text{S} \cdot \text{Mn}_2(\text{CO})_6$, and the cluster $(\text{CpCr})_2(\mu_2\text{-SCMe}_3)(\mu_3\text{-S})_2\text{Co}(\text{CO})_2$, synthesis, molecular structures and magnetic properties of (A.A. Pasynskii, I.L. Eremenko, B. Orazsakhov, Yu.V. Rakitin, V.M. Novotortsev, O.G. Ellert, V.T. Kalinnikov, G.G. Aleksandrov, Yu.T. Struchkov), (214)351
- $\mu\text{-}[1\text{-}4\text{-}5\text{-}8\eta\text{-Cyclooctatetraene}]$ cyclopentadienylcobalttricarboxylmolyb-

- denum (*Co-Mo*), X-ray structure of (A Salzer, T Egolf, L Linowsky, W Petter), (221)339
- η^5 -Cyclopentadienyl- η^6 -benzenecobalt dication, double nucleophilic addition reactions of (Y-H Lai, W Tam, K P C Vollhardt), (216)97
- Cyclopentadienylbis(trimethylphosphine)-cobalt, reactivity towards isothiocyanates of and properties of the reaction products (H Werner, S Lotz, B Heiser), (209)197
- Cyclopentadienyl-cobalt(I) and -cobalt(III) complexes, synthesis from cyclopentadienyl(trimethylphosphine)cobalt carbonyl of (H Werner, B Juthani), (209)211
- η^5 -Cyclopentadienylcobalt and dinuclear molybdenum complexes, separation of diastereoisomers, structural isomers and homologues by reverse phase HPLC using deoxygenated solvents of (J M Huggins, J A King, Jr, K P C Vollhardt, M J Winter), (208)73
- Cyclopentadienylcobalt(I) reactive derivatives, generation by reduction of dicyclopentadienyldicobalt tetraiodide of (W-S Lee, H H Brintzinger), (209)401
- Cyclopentadienylcobalt-1,4-diaryltetraazadienes, photochemical loss of dinitrogen from (M E Gross, W C Trogler), (209)407
- Cyclopentadienyldicarbonyl-cobalt and -rhodium complexes, interactions with 1,2-bis(phenylethynyl)benzene, X-ray crystallographic characterisation of (η^5 -C₅H₅Co)₂(C₆H₅C₂C₆H₅C₂C₆H₅)₂ (M D Rausch, E F Tokas, S A Gardner, A Clearfield, J W Chinn, Jr, I Bernal), (212)247
- Cyclopropenethione complexes with pentacarbonylchromium and dicarbonylcyclopentadienylmanganese as ligands (F Edelmann, J Klimes, E Weiss), (224)C31
- 1,4-Diazabutadienylhexacarbonyldimetal complexes, ¹³C NMR investigations of (L H Staal, J Keysper, L H Polm, K Vrieze), (204)101
- Dicarbido-undeca- μ -carbonyl-undecacarbonyl-polyhedro-undecacobaltate(3-) anion, crystallographic characterisation as its tris(benzyltrimethylammonium) salt of (V G Albano, D Braga, G Ciani, S Martinengo), (213)293
- Dicobalt-molybdenum and -tungsten μ_3 -RSi and μ_3 -RGe bridged clusters, preparation of (H Vahrenkamp, D Steiert, P Gusbeth), (209)C17
- cis*-Dicyclopentadienyltetracarbonyldiron, influence of site symmetry on the solid state spectrum of (H C Dorn, B E Hanson, E Motell), (224)181
- Dimetallic cationic complexes with bridging cyclooctatetraene, synthesis and fluxional behaviour of (A Salzer, T Egolf, W von Philipsborn), (221)351
- μ -(Diselenium)bis(tricarbonyliron), an inorganic mimic of organic diselenides, Se---Se bond reactions of (D Seyferth, R S Henderson), (204)333
- 1,5-Diyn interaction with η^5 -cyclopentadienylcobalt, and complete product analysis of 1,6-bis(trimethylsilyl)-1,5-hexadiyne (E R F Gesing, K P C Vollhardt), (217)105
- Dodecacarbonyl-cobalt, -rhodium and -iridium compounds, structures of (D L Kepert, S C Williams), (217)235
- Dodecacarbonyltetracobalt, kinetics and mechanism of thermal, photochemical and alcohol-catalysed formation from octacarbonyldicobalt of (M F Mirbach, A Säus, A-M. Krings, M J Mirbach), (205)229
- Enneacarbonylmethynyltricobalt compounds, determination of the electronic structure by UV-photoelectron spectroscopy of (G Granozzi, S Agnolin, M Casarin, D Osella), (208)C6
- endo* Hydride abstraction from *exo* substituted cyclopentadienecyclopentadienylcobalt, synthesis of monosubstituted cobalticinium salts (N El Murr), (208)C9
- Hydridodiazotris(triphenylphosphine)-cobalt(I), isomerisation of 4-methyl-1-pentene *oy* (F Petit, C Arzouyan, G Peiffer, E Gaydou), (208)261
- Hydridodinitrogen tris(triphenylphosphine)cobalt(I), kinetics of the dimerisation of propylene catalysed by (F Petit, C Arzouyan, G Peiffer, E Gaydou), (202)319
- Hydrido transition metal clusters, UV photoelectron spectra of (K S Wong, T K Datta, T P Fehner), (215)C48
- Indenyl- and fluorenyl-bis(phosphite)-cobalt(I), synthesis of (P Divers, A Giusti, G Ingrosso, A Lucherini), (205)239
- Iron(II), cobalt(II) and nickel(II) *p*-toluenesulfonato complexes with poly-

- dentate triphosphines; crystal structure of 1,1,1-tris(diphenylphosphino-methyl)ethane *p*-toluenesulfonato-cobalt(II) perchlorate (C.A. Ghilardi, S. Midollini, S. Moneti), (217) 391
- Metalla-2-indane-1,3-diones, preparation by insertion of low-valent transition metal complexes into benzocyclobutenedione (L.S. Liebeskind, S.L. Baysdon, M.S. South, J.F. Blount), (202)C73
- Metal-metal and metal-ligand bond strengths in metal carbonyl clusters (C.E. Housecroft, M.E. O'Neill, K. Wade, B.C. Smith), (213)35
- sym*-Methylcobalticinium hexafluorophosphates, ^1H and ^{13}C NMR spectra of (R.B. Materikova, V.N. Babin, I.R. Lyatfov, R.M. Salimov, E.I. Fedin, P.V. Petrovskii), (219) 259
- Methylidyne tricobalt nonacarbonyl clusters, optically active silicon and germanium derivatives of and substitution at silicon in (C.E.J. Combes, R.J.P. Corriu, B.J.L. Henner), (221) 257
- Methyltris(triarylphosphine)cobalt, aldol condensation catalysed by methyltris(triphenylphosphine)cobalt of (M. Michman, S. Nussbaum), (205) 111
- Monocyclopentadienylcobalt cations with nucleophiles, reactions of (T. Avilés, P. Royo), (221) 333
- Octacarbonyldicobalt, influence of substituents on the structure of (V. Bellagamba, A. Gamba), (212) 125
- , reduction by NaH with formation of NaCoCO_4 and its use as nucleophile in carbonylation of aryl halides at atmospheric pressure (J.-J. Brunet, C. Sidot, P. Caubère), (204) 229
- Octahedral hydrido-aquo-ruthenium(II) complexes, preparation of and structural characterisation of hydrido-aquodiacarbonylbis(triphenylphosphine)-ruthenium(II) tetrafluoroborate (S.M. Boniface, G.R. Clark, T.J. Collins, W.R. Roper), (206) 109
- Organocobalt(II) square-planar complexes, exchange reactions and decomposition pathways of (G. Muller, J. Sales, I. Torra, J. Vinaixa), (224) 189
- π -Organosilyl complexes of transition metals, potential of ^{29}Si NMR spectroscopy in analysis of (K.H. Pannell, A.R. Bassindale, J.W. Fitch), (209)C65
- Paramagnetic peralkylmetallocenes, synthesis, stereochemistry and electronic properties of (F.H. Köhler, K.H. Doll, W. Prössdorf), (224) 341
- Pentacarbonyliron, transition metal catalysed reaction with Group V donor ligands of (M.O. Albers, N.J. Coville, T.V. Ashworth, E. Singleton), (217) 385
- Pentafluorophenylcobalt(II) complexes (P. Royo, A. Vasquez), (204) 243
- Pentamethylcyclopentadienylcobaltbis(ethylene), versatile reagent in organocobalt synthesis (R.G. Beevor, S.A. Frith, J.L. Spencer), (221)C25
- Phosphido-phosphine and phosphido-phosphite mixed complexes of transition metal carbonyl clusters, characterization using X-ray photoelectron spectroscopy of (J.K. Kouba, J.L. Pierce, R.A. Walton), (202)C105
- Porphyrins, bis-porphyrins, phthalocyanines and their metal derivatives, electron transfer reactions with methyl viologen of (P. Maillard, S. Gaspard, P. Krausz, C. Giannotti), (212) 185
- (Propargyl)hexacarbonyldicobalt cations, reactions with methylmetals of (S. Padmanabhan, K.M. Nicholas), (212) 115
- Pyridine *N*-imine complexes of methylcobaloxime, synthesis of and reactions of bis(dimethylglyoximate)methyl(pyridine *N*-imine)cobalt with acid anhydrides and acetylenedicarboxylic acid dimethyl ester (Y. Tsurita, T. Saito, Y. Sasaki), (202) 91
- Tetracarbonylcobalt anion, strong interactions with Li^+ and Na^+ in diethyl ether of; the system $\text{LiBr/Co}_2(\text{CO})_8/\text{diethyl ether}$ (P.S. Braterman, A.E. Leslie), (214)C45
- Tetracarbonylcobalt hydride, reactions with olefins of and effect of octacarbonyldicobalt (F. Ungváry, L. Markó), (219) 397
- Tetracarbonylhydridocobalt, aromatic H-D exchange with (T.E. Nalesnik, M. Orchin), (212)C16
- , hydrogenation reactions with (T.E. Nalesnik, J.H. Freudenberger, M. Orchin), (221) 193
- , stoichiometric hydrogenation of substituted phenylalkenes by (J.A. Roth, P. Wiseman), (217) 231
- Tetrahedral carbonylcobalt clusters, structure of (K. Bartl, R. Boese, G. Schmid), (206) 331
- Tetraphenylcyclobutadienenickel(0)

- dinuclear complex with cyclooctatetraene as bridging ligand (C. Fröhlich, H. Hoberg), (204)131
- Transition metal complexes, reaction with formyl fluoride of (G. Doyle), (224)355
- Transition metal compounds as catalysts in cyclopropanation and ylide generation of *n*-butyl vinyl ether and allyl methyl sulphide with ethyl diazoacetate (W.H. Tamblyn, S.R. Hoffmann, M.P. Doyle), (216)C64
- Tricarbonylcobalt cluster compounds of phosphorus and arsenic, transformations when treated with soft Lewis acids and bases in (A. Vizi-Orosz, V. Galamb, G. Palyi, L. Markó), (216)105
- Tricarbonylnitrosylcobalt, phase transfer catalysis with (S. Gambarotta, H. Alper), (212)C23
- Trichloroethylarenes synthesized from benzylcobaloximes (P. Bougeard, B.D. Gupta, M.D. Johnson), (206)211
- Trimetallic dimetallobis(isocyanide)-platinum(II) complexes, electroreduction of (A. Giraudeau, P. Lemoine, M. Gross, P. Braunstein), (202)455
- ## Copper
- Alkylcopper- and alkylsilver-induced substitution in enynyl oxiranes; novel route to butatrienyl carbinols (M. Tigchelaar, J. Meijer, H. Kleijn, H.J.T. Bos, P. Vermeer), (221)117
- Allenylcopper(I) compounds, suitable reagents for synthesis of allenes (K. Ruitenber, J. Meijer, R.J. Bullee, P. Vermeer), (217)267
- Arylmercury(II) compounds involving intramolecular coordination via 2-Me₂NCH₂- and chiral (*S*)-2Me₂NCHMe-ring substituents (A.F.M.J. van der Ploeg, C.E.M. van der Kolk, G. van Koten), (212)283
- Copper and palladium bis(diphenylphosphino)methane complexes, reactions of CO₂ and H₂ with (B. Denise, R.P.A. Sneeden), (221)111
- Copper complex of the Schiff base from 1-(*N,N*-dimethylaminoethyl)-2-formylcymantrene and (*S*)-alanyl(*S*)-alanine, crystal structure of (Yu.T. Struchkov, Yu.N. Belokon', V.M. Belikov, I.E. Zel'tser, G.G. Aleksandrov), (210)411
- 1,1'-Ferrocenylenedicopper, synthesis and properties of (N.N. Sedova, S.K. Moiseev, V.A. Sazonova), (224)C53
- [HCuPPh₃]₆, reactions with carbon dioxide and carbon monoxide of (B. Beguin, B. Denise, R.P.A. Sneeden), (208)C18
- Metal carbide clusters synthesis systematics for heteronuclear species (M. Tachikawa, R.L. Geerts, E.L. Muetterties), (213)11
- Methyl copper(I)ate complexes, THF soluble Normant reagent, preparation from "CH₃MgBr" and (CH₃)₂Mg and cuprous bromide of (E.C. Ashby, A.B. Goel, R.S. Smith), (212)C47
- Normant reagent (CH₃MgBr + CuBr) addition to terminal alkynes in THF; nature of the reactive species in solution (E.C. Ashby, R. Scott Smith, A.B. Goel), (215)C1
- Organosilver(I) chemistry, reaction of RAg and R₂AgMgCl compounds with conjugated enynenitriles (H. Kleijn, H. Westmijze, J. Meijer, P. Vermeer), (206)257
- Palladium(0) promoted cross-coupling of allenylmetal compounds with aryl and vinyl iodides (K. Ruitenber, H. Kleijn, J. Meijer, E.A. Oostveen, P. Vermeer), (224)399
- Porphyryns, bis-porphyrins, phthalocyanines and their metal derivatives, electron transfer reactions with methyl viologen of (P. Maillard, S. Gaspard, P. Krausz, C. Giannotti), (212)185
- Tetranuclear Me₂N-substituted diarylpropenylcopper-copper anion (Vi₂Cu₄X₂) and mixed diarylpropenyl/organocopper (Vi₂Cu₄R₂) compounds, thermal behaviour and chemical reactivity of (R.W.M. ten Hoedt, G. van Koten, J.G. Noltes), (201)327
- Tetranuclear organocopper compound containing bridging alkenyl and aryl groups [Cu₄{(4-MeC₆H₃)MeC=C-(C₆H₄NMe₂-2)}₂(C₆H₄NMe₂-2)}₂], crystal and molecular structure of (J.G. Noltes, R.W.M. ten Hoedt, G. van Koten, A.L. Spek, J.C. Schoone), (225)365
- Transition metal compounds as catalysts in cyclopropanation and ylide generation of *n*-butyl vinyl ether and allyl methyl sulphide with ethyl diazoacetate (W.H. Tamblyn, S.R. Hoffmann, M.P. Doyle), (216)C64
- Trimethylsilylmethylmagnesium chloride addition to α, β -unsaturated carbonyls (R.T. Taylor, J.G. Galloway), (220)295

- Unsymmetrical organotellurides containing a Te—Group IVB element bond, synthesis and Raman spectra of (S.A. Gardner, P.J. Trotter, H.J. Gysling), (212) 35
- Dysprosium**
- f*-Block metal cyclopentadienyl complexes, photoelectron studies on (J.C. Green, M.R. Kelly, J.A. Long, B. Kanellakopulos, P.I.W. Yarrow), (212) 329
- Gadolinium**
- f*-Block metal cyclopentadienyl complexes, photoelectron studies on (J.C. Green, M.R. Kelly, J.A. Long, B. Kanellakopulos, P.I.W. Yarrow), (212) 329
- Gallium**
- N*-Dimethylgallylazoles, synthesis and structure of (D. Boyer, R. Gassend, J.C. Maire, J. Elguero), (215) 157
- 1-Dimethylgallypyrazole, reactivity towards alkyl halides and acid chlorides of (D. Boyer, R. Gassend, J.C. Maire, J. Elguero), (215) 349
- Gallium and indium; Annual Survey covering the year 1979 (T. Tanaka), (207) 111
- Germanium**
- Alkylgermanium(II) compounds, Ge[CH(SiMe₃)₂]₂, oxidative addition of an alcohol to and molecular structure of Ge[CH(SiMe₃)₂]₂(H)OEt (M.F. Lappert, S.J. Miles, J.L. Atwood, M.J. Zaworotko, A.J. Carty), (212) C4
- Benzyl-mercury, -tin and -germanium derivatives, aromatisational metallation as a method for synthesis of (O.A. Reutov, V.I. Rozenberg, R.I. Gorbacheva, V.A. Nikanorov), (201) 47
- trans*-Bis-1-alkynyl substituted silicon, germanium and tin phthalocyanines and germanium hemiporphyrines, synthesis and characterization of (M. Hanack, K. Mitulla, G. Pawlowski, L.R. Subramanian), (204) 315
- t*-Butyl(trimethyl-Group IVB)arsines and their pentacarbonyl-chromium, -molybdenum and -tungsten complexes (H. Schumann, U. Frank, W.W. Du Mont, F. Marschner), (222) 217
- (Chloromethyl)- and (dichloromethyl)-germanes, IR study of intramolecular coordination in (A.N. Egorochkin, E.I. Sevast'yanova, S.Ya. Khorshev, S. Richelme, J. Satgé), (205) 311
- Cobalt-stabilised carbenes having trisubstituted silyl or germyl ligands; stereospecific formation of benzosilanes (G. Cerveau, E. Colomer, R.J.P. Corriu, J.C. Young), (205) 31
- Cyclopentadienyl-Group IVB cations in the gas phase, synthesis, structure and mass spectrometry of (Yu.S. Nekrasov, V.F. Sizoi, D.V. Zagorevskii, Yu.A. Borisov), (205) 157
- Cyclopropenylgermanium, cleavage and isomerisation reactions of (M. Massol, J. Barrau, S. Monteverdi, J. Satgé), (214) 311
- Dicarbonyl- η^5 -methylcyclopentadienyl-manganio-bis[dicarbonyl- η^5 -methylcyclopentadienylmanganio(*Mn*—*Mn*)]-germanium and bis[dicarbonyl- η^5 -methylcyclopentadienylmanganio]-germanium, formation of (W. Gäde, E. Weiss), (213) 451
- Dicobalt-molybdenum and -tungsten μ_3 -RSi and μ_3 -RGe bridged clusters, preparation of (H. Vahrenkamp, D. Steiert, P. Gusbeth), (209) C17
- Dimetalla-IVB-phospholanes and metall-IVB-diphospholanes, inversion at phosphorus in (C. Couret, J. Escudié, B. Saint-Roch, J.D. Andriamizaka, J. Satgé), (224) 247
- 1,2-Dimethylgermacyclopentanes, stereochemistry of S_N-Ge reactions of (J. Dubac, J. Cavezzan, A. Laporterie, P. Mazerolles), (209) 25
- 1,1-Dimethylgermole, synthesis and characterization of (A. Laporterie, G. Manuel, J. Dubac, P. Mazerolles, H. Iloughmane), (210) C33
- Dimethylgermylene, stereochemistry of addition to *E,E*- and *E,Z*-2,4-hexadienes in the gas phase of (E.C.-L. Ma, K. Kobayashi, M.W. Barzilai, P.P. Gaspar), (224) C13
- 1,1-Dimethyl-sila- and -germa-cyclopent-3-enes, action of atomic oxygen on (A. Laporterie, J. Dubac, P. Mazerolles), (202) C89
- μ -(Diselenium) bis(tricarbonyliron), an inorganic mimic of organic diselenides,

- Se—Se bond reactions of (D. Seyferth, R.S. Henderson), (204)333
- 1,2-Disila- and 1,2-digerma-cyclohex-4-enes and 1,2-digerma-cycloalkanes, ^{13}C , ^{29}Si NMR, IR, Raman and UV spectra of (A. Marchand, P. Gerval, M. Joanny, P. Mazerolles), (217)19
- Germanium- and tin-substituted tungsten carbonyl complexes immobilized on a silica support, catalytic properties of (J.P. Van Linthoudt, L. Delmulle, G.P. Van der Kelen), (202)39
- Germanium—mercury bonds containing complexes, synthesis and decomposition reactions leading to germynes, germylenes and intermediate digermenes of (P. Rivière, A. Castel, J. Satgé), (212)351
- Germanones and germathiones, reactions with three-coordinate linear and cyclic phosphorus compounds of (J. Barrau, H. Lavayssière, G. Dousse, C. Couret, J. Satgé), (221)271
- , structure determination through ab initio calculations of (G. Trinquier, M. Pelissier, B. Saint-Roch, H. Lavayssière), (214)169
- Germylene and phenylphosphinidene insertion into Ge—Ge bonds (A. Castel, J. Escudié, P. Rivière, J. Satgé, M.N. Bochkarev, L.P. Maiorova, G.A. Razuvaev), (210)37
- Group IV hexamethyl derivatives containing a metal—metal bond, UV photoelectron spectra of (L. Szepes, T. Korányi, G. Náray-Szabó, A. Modelli, G. Distefano), (217)35
- Group IVB organometallic radicals, ESR study of reactions with 4,4'-dimethoxybenzophenone, 4,4'-dimethoxythiobenzophenone and 3-ethyl-2-thioxo-4-oxazolidione of (B.B. Adeleke, K.S. Chen, J.K.S. Wan), (208)317
- , ESR study of spin adducts with thioketones of (A. Alberti, F.P. Colonna, M. Guerra, B.F. Bonini, G. Mazzanti, Z. Dinya, G.F. Pedulli), (221)47
- Group IVB substituted phenylbicyclo-[2.2.2]octane ring systems, ^{13}C and ^{19}F NMR studies on (W. Adcock, G.L. Aldous, W. Kitching), (202)385
- Hexamethylsilirane, ring-opening reactions with simple reagents of (D. Seyferth, D.C. Annarelli, M.L. Shannon, J. Escudié, D.P. Duncan), (225)177
- Inorgano-Grignard, $(\eta^5\text{-C}_5\text{H}_5)_2(\text{Ph}_2\text{PCH}_2\text{-CH}_2\text{PPh}_2)\text{FeMgBr}$, reactivity towards halogermenes of (N. Aktoğu, S.G. Davies, J. Dubac, P. Mazerolles), (212)C13
- Main Group IV elements in acetylenides, spectroscopic study of substituent effects of (G.A. Razuvaev, A.N. Egorochkin, S.E. Skobeleva, V.A. Kuznetsov, M.A. Lopatin, A.A. Petrov, V.S. Zavgorodny, E.T. Bogoradovsky), (222)55
- Methylidyne, silyldiyne and germyldiyne nonacarbonyltriridium clusters (W. Kruppa, G. Schmid), (202)379
- Methylidyne tricobalt nonacarbonyl clusters, optically active silicon and germanium derivatives of and substitution at silicon in (C.E.J. Combes, R.J.P. Corriu, B.J.L. Henner), (221)257
- $\text{Me}_2\text{XGeMe}_2(\text{CH}_2)_2\text{X}'\text{Me}_2$ ($\text{X}, \text{X}' = \text{N}, \text{P}, \text{As}$), chelating ligands, coordination behaviour of (K. Betka, J. Grobe), (210)313
- , —, preparation of (K. Betka, J. Grobe), (210)19
- Molecular complexing as initial stage of reactions of organometallic compounds (G.A. Razuvaev, A.V. Shabanov, A.N. Egorochkin, V.A. Kuznetsov, S.F. Zhiltsov), (202)363
- Organoiron diamagnetic complexes, direct observation of ^{57}Fe chemical shifts in (T. Jenny, W. von Philipsborn, J. Kronenbitter, A. Schwenk), (205)211
- (Organometal)-methyl groups, σ^+ -substituent constants for; bond polarizability model for hyperconjugation (D.D. Davis), (206)21
- Organo-silicon and -germanium substituents, application of electronic and IR spectroscopy to determination of σ_{P}^- , σ_{P}^+ and σ_{R}^0 -constants of (P.G. Sennikov, S.E. Skobeleva, V.A. Kuznetsov, A.N. Egorochkin, P. Rivière, J. Satgé, S. Richelme), (201)213
- Pentacarbonyl(organometal-chalcogenide)-chromium and -tungsten complexes, crystal and molecular structure of (J. Pickardt, H. Schumann, C.F. Campana, L.F. Dahl), (216)245
- Persistent α -metallated methyl radicals and their dimers (H. Hillgärtner, W.P. Neumann, W. Schulten, A.K. Zarkadis), (201)197
- Si—Ge bond cleavage by base, mechanism and rate of (C. Eaborn, F.M.S. Mahoud), (205)47
- Sila derivatives of musk scents (D. Wrobel, U. Wannagat), (225)203

- Silicon and germanium pentacoordinate derivatives, molecular structures of (C. Brelière, F. Carré, R.J.P. Corriu, A. De Saxce, M. Poirier, G. Royo), (205)C1
- Silyl- and germyl-mercurials on organic synthesis, route to *O*-silylated and *O*-germylated enolates (O.A. Kruglaya, L.I. Belgusova, D.V. Gendin, I.D. Kalikhman, N.S. Vyazankin), (201)69
- Silyl-substituted organolithium compounds, 1, μ -triorganyl migrations in rearrangements of (J.J. Eisch, M.-R. Tsai), (225)5
- 1R, 1R', 2,3,4,5-Tetraphenyl-1-germacyclopentadiene, synthesis and reactions of (P. Jutzi, A. Karl), (215)19
- Triaryl-silyl-, germyl and -stannyl radicals, synthesis and ESR studies of (M.J.S. Gynane, M.F. Lappert, P.I. Riley, P. Rivière, M. Rivière-Baudet), (202)5
- Tricarbonyl(1R,1R', 2,3,4,5-tetraphenyl-1-germacyclopentadiene)iron complexes, synthesis, reactions and structure of (P. Jutzi, A. Karl, C. Burschka), (215)27
- Triethylgermyllithium association in solutions studied by X-ray diffraction in liquids (V.I. Korsunsky, M.B. Taraban, T.V. Leshina, O.I. Margorskaya, N.S. Vyazankin), (215)179
- Tris(trimethylsilyl)methylgermanium halides (C. Eaborn, N.P.Y. Siew), (202)157
- Unsymmetrical organotellurides containing a Te—Group IVB element bond, synthesis and Raman spectra of (S.A. Gardner, P.J. Trotter, H.J. Gysling), (212)35
- Vanadium organo-bielement compounds, Cp₂V(ER₃) (ER₃ = GeEt₃, SnEt₃, CH₂SiMe₃, SeGeEt₃), thermal decomposition of (G.A. Razuvaev, V.N. Latyaeva, V.P. Mar'in, L.I. Vyshinskaya, S.P. Korneva, Yu.A. Andrianov, E.V. Krasil'nikova), (225)233
- (R. Usón, L.A. Oro, M.A. Ciriano, M.T. Pinillos, J.A. Cabeza), (221)249
- Gold(I) mono- and di-nuclear alkynyl complexes, preparation and properties of (R. Nast, P. Schneller, A. Hengefeld), (214)273
- Heterocyclic gold(III) complexes, preparation of (R. Usón, J. Vicente, M.T. Chicote), (209)271
- HO₃Au(CO)₁₀(PR₃) (R = Et, Ph), synthesis and structural characterisation of; X-ray crystal structures of HO₃Au(CO)₁₀-(PPh₃) and Os₃Au(CO)₁₀(PPh₃)(SCN) (B.F.G. Johnson, D.A. Kaner, J. Lewis, P.R. Raithby), (215)C33
- Organogold(1+) compounds, syntheses by direct auration of (E.I. Smyslova, E.G. Perevalova, V.P. Dyadchenko, K.I. Grandberg, Yu.I. Slovokhotov, Yu.T. Struchkov), (215)269
- μ_3 -PPh mixed metal clusters, synthesis of; X-ray structures of [Ru₃Rh₂(CO)₁₃-(PET₃)(μ_3 -PPh)] and [Ru₃Au(μ_2 -H)(CO)₉(PMe₂Ph)(μ_3 -PPh)] (M.J. Mays, P.R. Raithby, P.L. Taylor, K. Henrick), (224)C45
- Tetraphenylcyclopentadiene organogold derivatives (E.G. Perevalova, K.I. Grandberg, T.V. Baukova, V.P. Dyadchenko), (217)403
- Tetraphenylcyclopentadienyl(triphenylphosphine)gold(I), (Ph₄HC₅AuPPh₃), characteristic structural features of (T.V. Baukova, Yu.T. Struchkov), (220)125
- Tris(triphenylphosphinegold)oxonium salts, preparation and structure of (A.N. Nesmeyanov, E.G. Perevalova, Yu.T. Struchkov, M.Yu. Antipin, K.I. Grandberg, V.P. Dyadchenko), (201)343
- Tris(triphenylphosphinegold)tetraphenylcyclopentadiene tetrafluoroborate, synthesis and structure of (T.V. Baukova, Yu.L. Slovokhotov, Yu.T. Struchkov), (221)375

Gold

- Carbonyl cluster compounds, bonding capabilities in three classes of (J.W. Lauher), (213)25
- Cyanopentafluorophenyl aurate(I) and aurate(III), synthesis and reactions of (R. Usón, A. Laguna, P. Bruin, M. Laguna, M. Abad), (218)265
- Gold(I) and platinum(II) azolates as ligands in rhodium(I) complexes

Hafnium

- Hafnium—transition metal bonds formed in the synthesis of (η^5 -C₅H₅)₂HfFe(CO), via nucleophilic displacement (J. Abys, W.M. Risen, Jr.), (204)C5
- Organoselenylated derivatives of zirconium and hafnium (B. Gautheron, G. Tainturier, Ph. Meunier), (209)C49
- Tri-1-methallyl- and 1-methallyl-butadiene

- Group IV transition metal complexes (J. Blenkins, H.J. de Liefde Meijer; J.H. Teuben), (218)383
- Zirconium and hafnium organometallic compounds, free radical substitution reactions on (P.R. Brindley, M.J. Scotton), (222)89
- ### Indium
- Gallium and Indium; Annual Survey covering the year 1979 (T. Tanaka), (207)111
- ### Iridium
- Acyridium(III) coordinatively unsaturated compounds including a pyruvoyl complex, synthesis, kinetics and thermochemistry of (D.M. Blake, A. Vinson, R. Dye), (204)257
- Carbonyl cluster compounds, bonding capabilities in three classes of (J.W. Lauher), (213)25
- Cobalt, rhodium and iridium; Annual Survey covering the year 1978 (R.D.W. Kemmitt), (211)279
- η -Cyclopentadienyl- η -dienol-rhodium and -iridium complexes, protonation of; synthesis of cationic complexes containing open-chain pentadienyl ligands (P. Powell), (206)239
- η -Diaryldienone(η -cyclopentadienyl)-rhodium(I) and -iridium(I) complexes, protonation of (P. Powell), (206)229
- Dodecacarbonyl-cobalt, -rhodium and -iridium compounds, structures of (D.L. Kepert, S.C. Williams), (217)235
- Dodecacarbonyltetrairidium isonitrile derivatives, synthesis, stereodynamics and reactivity of (G.F. Stuntz, J.R. Shapley), (213)389
- $[\text{IrCl}(\text{C}_8\text{H}_{14})_2]_2$, disproportionation of the cyclooctene ligand in the reaction with AgOCOCF_3 ; formation of $[\text{Ir}(\text{OCOCF}_3)(\text{C}_8\text{H}_{14})_2]_2$ and $[\text{Ir}(\text{OCOCF}_3)(1,5\text{-C}_8\text{H}_{12})]_2$ and their conversion into cationic arene complexes (F. Bianchi, M.C. Gallazzi, L. Porri, P. Diversi), (202)99
- $[\text{Ir}_4(\text{CO})_{12-x}(\text{CHO})_x]^{x-}$, ($\text{Os}_3(\text{CO})_{11}(\text{CHO})^-$ and $[\text{Ru}_3(\text{CO})_{11}(\text{CHO})]^-$ ($x = 1, 2$), spectroscopic study by ^2H NMR of the synthesis of (R.C. Schoening, J.L. Vidal, R.A. Fiato), (206)C43
- $\{[\text{Ir}(\text{CO})_2\text{PPh}_3]_2\text{-}\mu\text{-HC}_6\text{Ph}\}$, an alkyne derivative of $[\text{Ir}(\text{CO})_2\text{PPh}_3]_2$ (M. Angoletta, P.L. Bellon, F. Demartin, M. Sansoni), (208)C12
- $[\text{Ir}(\text{diene})\text{L}_2]^+$ complexes as catalysts in water gas shift reactions (J. Kaspar, R. Spogliarich, G. Mestroni, M. Graziani), (208)C15
- Iridium(I) complexes with nitrogen donor ligands, enantioselective transfer hydrogenation catalysed by (G. Zassinovich, C. Del Bianco, G. Mestroni), (222)323
- Iridium(III) hydride complexes with weakly coordinated anions (B. Olgemöller, H. Bauer, W. Beck), (213)C57
- $[\text{Ir}(3,4,7,8\text{-Me}_4\text{phen})(\text{CH}_2=\text{CH}_2)_2\text{Cl}]$, active catalyst precursor for hydrogen transfer from alcohols to unsaturated organic substrates (F. Martinelli, G. Mestroni, A. Camus, G. Zassinovich), (220)383
- Metal carbide clusters synthesis systematics for heteronuclear species (M. Tachikawa, R.L. Geerts, E.L. Muetterties), (213)11
- Metal-metal and metal-ligand bond strengths in metal carbonyl clusters (C.E. Housecroft, M.E. O'Neill, K. Wade, B.C. Smith), (213)35
- Methylidyne, silyldiyne and germyldiyne nonacarbonyltriiridium clusters (W. Kruppa, G. Schmid), (202)379
- Methyltitanocenes, photochemically induced transmethylation in transition metal compounds with (M. Pankowski, E. Samuel), (221)C21
- 8-Oxyquinolate-iridium(I) complexes and their oxidative-addition reactions (R. Usón, L.A. Oro, M.A. Ciriano, R. Gonzalez), (205)259
- Palladium(0) and iridium(I) complexes, coordination of sulphines to; oxidation of side-bonds in (J.W. Gosselink, G. van Koten, K. Vrieze), (222)131
- μ_3 -Phenylphosphidotri- μ -carbonyltri-carbonyltetrakis(triphenylphosphine)-tetrahedro-tetrairidium, crystal and molecular structure of (F. Demartin, M. Manassero, M. Sansoni, L. Garlaschelli, U. Sartorelli), (204)C10
- Platinum(II), rhodium(I) and iridium(I) olefin trigonal bipyramidal complexes, classification of (F.R. Hartley), (216)277
- $[\text{PPN}]^+_2[\text{RuIr}_4(\text{CO})_9(\mu_2\text{-CO})_6]^{2-}$, synthesis and X-ray crystal structure of (A. Fumagalli, T.F. Koetzle, F. Takusagawa), (213)365

- Rhodium(I) and iridium(I) complexes with Schiff bases derived from pyridine-2-aldehyde and amines, redox behaviour of (J. Hanzlík, A. Camus, G. Mestroni, G. Zassinovich), (210)115
- Rhodium(III) and iridium(III) saturated metallacycles, thermal decomposition of (A. Cuccuru, P. Diversi, G. Ingrassio, A. Lucherini), (204)123
- Rhodium(I) and polymer-supported rhodium(I) complexes as catalysts in substitution of metal carbonyls by isonitriles (M.O. Albers, N.J. Coville, C.P. Nicolaides, R.A. Webber, T.V. Ashworth, E. Singleton), (217)247
- Rhodium(I)-iridium(III) complexes with bridging hydride and chloride ligands (H. Lehner, A. Musco, L.M. Venanzi, A. Albinati), (213)C46
- Tetranuclear anions $[\text{Ir}_2(\mu\text{-CO})_2(\text{CO})_4(\text{COOR})]^-$, chemical and structural characterisation of (L. Garlaschelli, S. Martinengo, P. Chini, F. Canziani, R. Bau), (213)379
- Transition metal complexes, reaction with formyl fluoride of (G. Doyle), (224)355
- cis*- and *trans*-2,4,6-Trimethylphenyl-carbonylbis(triphenylphosphine)iridium, molecular structures of (L. Dahlenburg, K. von Deuten, J. Kopf), (216)113
- ## Iron
- Acetyl- and benzoyl-iron(III) complexes, ESR studies of (R.J. Klingler, J.K. Kochi), (202)49-
- Acyliiron phosphorylide, chemical and structural characterisation of (H. Blau, W. Malisch, S. Voran, K. Blank, C. Krüger), (202)C33
- $\eta^1\text{-}\alpha$ -Alkoxyethyl-organoiron complexes, preparation and reactions with electrophiles of (T. Bodnar, A.R. Cutler), (213)C31
- Alkyliron isomerisation reaction, influence of cyano substituent on (D.L. Reger, P.J. McElligott), (216)C12
- ($\eta^3\text{:}\eta^1$ -Allylcarbonyl)iron tricarbonyl, decomplexation reactions of (M. Franck-Neumann, C. Dietrich-Buchecker, A.K. Khémis), (224)133
- (1-3- η -Allyl)dicarbonylnitrosyliron complexes, reduction with trialkylphosphine of (G. Cardaci), (202)C81
- η^3 -Allyltetracarbonyliron cationic complexes, convenient stereoselective synthesis of (J. Dieter, K.M. Nicholas), (212)107
- Allyl-transition metal complexes, mechanism of synthesis by phase-transfer catalysed reactions of metal carbonyl halides of (D.H. Gibson, W.-L. Hsu, F.U. Ahmed), (215)379
- Arenecyclopentadienyliron cations, two-electron reduction of (A.N. Nesmeyanov, N.A. Vol'kenau, P.V. Petrovskii, L.S. Kotova, V.A. Petrakova, L.T. Denisovich), (210)103
- Arenecyclopentadienyliron dications, ESR spectra of (S.P. Solodovnikov, A.N. Nesmeyanov, N.A. Vol'kenau, L.S. Kotova), (201)C45
- (η^6 -Arene)(phosphine)dichlororuthenium(II) used in preparation of heterotrinnuclear complexes: $\text{FeRu}_2(\mu\text{-Cl})_2(\text{CO})_2(\text{PR}_3)_2$ (D.F. Jones, U. Oehmichen, P.H. Dixneuf, T.G. Southern, J.-Y. Le Marouille, D. Grandjean), (204)C1
- η^6 -Azidobenzene- η^5 -cyclopentadienyliron hexafluorophosphate, thermolysis and photolysis of (C.C. Lee, C.I. Azogu, P.C. Chang, R.G. Sutherland), (220)181
- Bis(alkylphosphine)-undeca- and -dodecatetracarbonyliron, cluster structure of (H. Vahrenkamp, D. Wolters), (224)C17
- Bis(benzene)metal(II) cations of the iron triad, nucleophilic addition of tertiary phosphines to (P.J. Domaille, S.D. Ittel, J.P. Jesson, D.A. Sweigart), (202)191
- Bis(diethyl muconate)carbonyliron, reaction with monodentate heterocyclic organonitrogen ligands of (M.-A. de Paoli, M. Makita), (216)79
- 1,1'-Bis(6-fulvenyl)ferrocene, synthesis and characterization of (A. Cassens, P. Eilbracht, U.T. Mueller-Westerhoff, A. Nazzari, M. Neuenschwander, W. Prössdorf), (205)C17
- Bis(trimethylsilyl)tetracarbonyliron, reactions with acyclic ethers of (A.J. Blakeney, J.A. Gladysz), (210)303
- Bridged ferrocenes, correlations of redox potentials with structure of (E. Fujita, B. Gordon, M. Hillman, A.G. Nagy), (218)105
- (η^4 -Butadiene)tricarbonyliron, photoinduced addition of trialkylsilanes to (I. Fischler, F.-W. Grevels), (204)181
- Carbene complexes of the type: $\text{L}_n\text{M}=\text{C}$

- C(X)NHR, conversion of aryl- to alkyl-isocyanide ligands via carbene intermediates (W P Fehlhammer, A Mayr, G Christian), (209)57
- Carbonyl cluster compounds, bonding capabilities in three classes of (J W Lauher), (213)25
- Carbonyliron complexation of dithioesters, formation of a chiral carbon centre σ -bonded to an iron atom (A Benoit, J-Y Le Marouille, C Mahe, H Patin), (218)C67
- Carbonyliron complexes of dithiocarbonates, X-ray crystal structure of $\text{Fe}_4(\text{CO})_{12}\text{S}(\text{SCH}_2\text{C}_6\text{H}_4\text{FeC}_5\text{H}_5)(\text{SCH}_3)$ (H Patin, G Mignani, C Mahe, J-Y Le Marouille, A Benoit, D Grandjean), (210)C1
- Carbonyliron π -complexes of vinylsilanes, vinyldisilanes and vinylsiloxanes (M I Rybińska, L V Rybiń, A A Pogrebnyak, G V Nurtdinova, V P Yur'ev), (217)373
- Carbonyliron dinuclear complexes with secondary phosphino bridges, μ -RPH, reactivity of (S Hietkamp, S Morton, O Stelzer), (222)263
- Carbonylmetals, phase-transfer catalysed reductions of (D H Gibson, F U Ahmed, K R Phillips), (206)C17
- , reduction by quaternary ammonium borohydrides of (D H Gibson, F U Ahmed, K R Phillips), (218)325
- Carbonyl metallate/keteneimine/acid system, synthesis of iminoacyl-amino-carbene complexes in (W P Fehlhammer, P Hirschmann, A Mayr), (224)153
- , synthesis of stable ferraazetidide, X-ray analysis of $[\text{Fe}\{\text{C}=\text{C}(\text{C}_6\text{H}_5)_2\}\text{N}(\text{CH}_3)_2\text{C}(\text{OC}_2\text{H}_5)_2](\eta\text{-C}_5\text{H}_5\text{CO})$ (W P Fehlhammer, P Hirschmann, H Stolzenberg), (224)165
- Carbonyl mixed iron cobalt sulphides, preparation and characterisation of (L Markó), (213)271
- Cationic η^2 -2,3-dihydrofuraniron complexes, synthesis of (J Benaïm, A L'Honoré), (202)C53
- Chalcogenides as complex ligands, reactions of SH ligands in $\text{Li}[(\text{CO})_5\text{WSH}]$ (M Hofer, H Hausmann, H A Heidelberg), (213)C1
- $\eta^5\text{-C}_5\text{H}_5(\text{CO})(\text{L})\text{Fe}[\text{C}(\text{SCH}_3)_2]^+$ -carbene complexes, synthesis, reactivity and spectroscopic studies of (F B McCormick, R J Angelici), (205)79
- Chelate complexes of norphos, diastereoisomers with opposite metal configuration exhibiting similar chiroptical properties (H Brunner, A F M M Rahman), (214)373
- $(-)\text{-}_{436}(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})(\text{CH}_3\text{CO})\text{-}[\text{Ph}_2\text{PNHCH}(\text{Me})(\text{Ph})]$, crystal and molecular structure of (J D Korp, I Beinal), (220)355
- $\text{C}_5\text{H}_5\text{Fe}(\text{COCH}_3)(\text{L})\text{L}'$ and $\text{C}_5\text{H}_5\text{Fe}(\text{CO})(\text{R})\text{L}$ optically active complexes (H Brunner, H Vogt), (210)223
- $\eta^5\text{-C}_5\text{H}_5\text{Fe}(\text{CO})(\text{L})(\eta^1\text{-allyl})$ complexes, mechanism of (1,3) sigmatropic shift in (M Rosenblum, P Waterman), (206)197
- $(\text{CO})_2\text{Fe}(\mu\text{-AsMe}_2)\text{Mo}(\text{CO})_2(\text{C}_5\text{H}_5)$, fluxional behaviour of (C P Casey, P M Bullock), (218)C47
- $[(\text{CO})_2\text{FeC}(\text{S})\text{NMe}_2]$ and $(\text{CO})_2\text{FeC}(\text{SMe})\text{NMe}_2$, preparation and properties of (W Petz), (205)203
- π -Complexes of transition metals, addition products of hydrogen and deuterio exchange in mass spectra of (G A Nurgalieva, Yu S Nekrasov, D V Zagor'evskii, D N Kursanov), (202)77
- σ, π -Coordinated ketene, metal-induced degradation via a π -allyl/ σ -aryl/ π -olefin system of (W A Herrmann, J Gimeno, J Weichmann, M L Ziegler, B Balbach), (213)C26
- Cubane-like $\text{Fe}(\text{CO})_2(\mu_3\text{-S})_4$ and $\text{Fe}(\text{CO})_2(\mu_3\text{-Se})_4$ tetramers, synthesis and stereochemical analysis of, conversion of tetrametal-bonding cores into tetrametal-nonbonding cores by substitution of carbonyl for nitrosyl ligands (L L Nelson, F Y-P Lo, R D Rae, L F Dahl), (225)309
- Cyanomethylbis(diphenylphosphino)ethane cyclopentadienyliron, electrophilic reactions at the cyanomethyl ligand in (P M Treichel, D W Firsich, T H Lemmen), (202)C77
- Cyclobutadienetricarbonyliron substituted carbocations, determination of pK_R^+ values for (P C Reeves), (215)215
- Cyclobutadienetricarbonyliron substituted complexes with acetylenes, photochemical reactions of (A V Gist, P C Reeves), (215)221
- σ -Cyclobut-1-en-3-onyl complexes, synthesis by cycloaddition of ketenes to transition metal alkynyl complexes of (P Hong, K Sonogashira, N Hagihara), (219)363
- 3,4,5,6- η^4 -Cyclodeca-1,3,5,7-tetraenetri-

- carbonyliron, π -complex of a ten-membered, monocyclic polyolefin, structure of (F.A. Cotton, J.M. Troup), (212)411
- (η^5 -Cyclohexadienyl)(η^5 -cyclopentadienyl)-iron(II) and (η^6 -arene)(η^4 -cyclohexadiene)iron(0) substituted complexes, synthesis of (L.K. Beard, Jr., M.P. Silvon, P.S. Skell), (209)245
- Cyclopentadienylrareiron cations activating regio- and stereo-specific electrochemical reduction of ketones and acids (E. Roman, D. Astruc, A. Darchen), (219)221
- Cyclopentadienylcarbonyliron substituted imidates of acrylic acid, syntheses and structures of (L.V. Rybin, E.A. Petrovskaya, A.S. Batsanov, Yu.T. Struchkov, M.I. Rybinskaya), (212)95
- (η^5 -Cyclopentadienyl)(dicarbonyl)iron cation, preparation of complexes with neutral ligands of (E.K.G. Schmidt, C.H. Thiel), (209)373
- Cyclopentadienyldicarbonyliron amino-carbene cationic complexes, preparation from $\text{Na}[\text{C}_5\text{H}_5(\text{CO})_2\text{Fe}]$ and benzimide chloride in the presence of HCl of (H. Brunner, G. Kerkien, J. Wachter), (224)301
- Cyclopentadienyldicarbonyliron sodium, $\text{C}_5\text{H}_5(\text{CO})_2\text{FeNa}$, thermal reaction with benzimide chloride, $\text{C}_6\text{H}_5(\text{Cl})\text{C}=\text{NR}$, of (H. Brunner, G. Kerkien, J. Wachter), (224)295
- η^5 -Cyclopentadienyldicarbonyltrimethylsilyliron, SiMe_3 group migration in (S.R. Berryhill, B. Sharenow), (221)143
- Cyclopentadienyl-Group IVB cations in the gas phase, synthesis, structure and mass spectrometry of (Yu.S. Nekrasov, V.F. Sizoi, D.V. Zagorevskii, Yu.A. Borisov), (205)157
- (η^1 -Cyclopentadienyl)iron complexes, mechanistic details on fluxional behaviour of (B.D. Fabian, J.A. Labinger), (204)387
- Cyclopentadienyliron trimethylphosphine complexes (P.M. Treichel, D.A. Komar), (206)77
- Cyclopropenium ring-opened ions, annelation to coordinated cyclooctatetraene of; X-ray structure of $[\text{Fe}(\text{CO})_3\{\sigma, \eta^3\text{-C}_8\text{H}_7(\text{C}_3\text{Ph}_3)\}]$ (K. Broadley, N.G. Connelly, J.A.K. Howard, W. Risse), (221)C29
- Cymantrene-cyclopentadienylmetal carbonyl derivatives, mass spectra of (V.F. Sizoi, Yu.S. Nekrasov, Yu.N. Sukharev, L.I. Leontyeva, S.A. Eremin, N.E. Kolobova, M.Ya. Solodova, Z.P. Valueva), (202)83
- Decacarbonyltriosmium dihydride, synthesis of anionic derivatives of (S. Kennedy, J.J. Alexander, S.G. Shore), (219)385
- $[(\text{depe})_2\text{Fe}(\text{S}_2\text{CPEt}_2)](\text{BPh}_4)_2$ (depe = 1,2-bis(diethylphosphino)ethane), synthesis, reactivity and X-ray structure of (C. Bianchini, A. Meli, A. Orlandini, G. Scapacci), (215)C59
- 1,4-Diazabutadienehexacarbonyldiosmium complexes, synthesis and spectroscopic characterization of and comparison with analogous iron and ruthenium complexes (L.H. Staal, G. van Koten, K. Vrieze), (206)99
- 1,4-Diazabutadienylhexacarbonyldimetal complexes, ^{13}C NMR investigations of (L.H. Staal, J. Keijsper, L.H. Polm, K. Vrieze), (204)101
- Di- and tri-bridged ferrocenes with pentamethylene chains, synthesis of (M. Hisatome, M. Hillman), (212)217
- cis*-Dicyclopentadienyltetracarbonyldiiron, influence of site symmetry on the solid state spectrum of (H.C. Dorn, B.E. Hanson, E. Motell), (224)181
- η^4 -Diene- and η^4 -heterodiene-iron carbonyl complexes with 1,2-bis-(diphenylphosphino)ethane, reactions leading to dicarbonyltriphosphineiron complexes of (G. Bellachioma, G. Cardaci), (205)91
- Diene-heterotriene tricarbonyliron coordination equilibrium in solution and crystal structure of $(\text{C}_{12}\text{H}_{11}\text{COCH}_3)\text{-Fe}_2(\text{CO})_6$ (R. Roulet, E. Tagliaferri, P. Vogel, G. Chapus), (208)353
- Diiron enneacarbonyl, substitution reactions with electrophilic *gem*-dimethylcyclopropenes (M. Franck-Neumann, C. Dietrich-Buchecker, A.K. Khémis), (220)187
- Dilithium tetranaphthylferrate complex, synthesis and reaction with propyl-lithium of (T.A. Bagenova, A.K. Shilova, E. Deschamps, M. Gruselle, G. Leny, B. Tchoubar), (222)C1
- Dimetallic cationic complexes with bridging cyclooctatetraene, synthesis and fluxional behaviour of (A. Salzer, T. Egolf, W. von Philipsborn), (221)351
- Dimethylaminoalkyl-ferrocene and -cymantrene derivatives, determination

- of the distribution and total content of deuterium label by mass spectrometry in (D V Zagorevskii, N M Loim, Yu S Nekrasov, V F Sizoi, Yu N. Sukharev), (202)201
- N,N*-Dimethylaminomethylation of biferrocene and conversions of the reaction products (M Hisatome, S Ichida, T Yamaguchi, K Yamakawa), (217)221
- 2,5-Dimethylstibacyclopentadienyl transition metal complexes (A J Ashe, III, T R Diephouse), (202)C95
- 2,4-Dinitrobenzenesulphenyl chloride, addition to alkyl-substituted vinylferrocenes of (B Floris, G Illuminati), (225)301
- μ -(Diselenium)bis(tricarbonyliron), an inorganic mimic of organic diselenides, Se-Se bond reactions of (D Seyferth, R S Henderson), (204)333
- 1,3-Disubstituted ferrocenes and intermolecular (1,3)ferrocenophanes, synthesis of (M. Hisatome, O Tachikawa, M Sashō, K Yamakawa), (217)C17
- μ -Dithiobis(tricarbonyliron), reaction with dimanganese decacarbonyl of; novel product and interesting structural problem..(D Seyferth, R S Henderson J P Fackler, Jr, A M Mazany), (213)C21
- D μ -thiolbis(tricarbonyliron), (μ -HS)₂Fe₂(CO)₆, inorganic mimic of organic thiols (D Seyferth, R S Henderson), (218)C34
- Dodecacarbonyl-(diiron)ruthenium and -(iron)diruthenium, microcalorimetric studies of and enthalpy contribution of heterometallic metal-metal bonds in (A K. Baev, J A Connor, N I El-Saied, H A Skinner), (213)151
- Enantiomeric 1-diphenylphosphino-2-dimethylaminomethylferrocene (Kumada's ligand), alternative synthesis of (V I Sokolov, L L Troitskaya, O A Reutov), (202)C58
- Fe₂(CO)₆(C≡CPh)(PPh₂)₂, C-C bond formation via coupling of isonitriles with μ_2 - η^2 -acetylides in (A J Carty, G N Mott, N J Taylor), (212)C54
- Ferricinium salts, azole anions as one-electron reducers of (V N Babm, Yu.A. Belousov, I R Lyatifov, R B Materikova, V V Gumenyuk), (214)C11
- , heteroarylation of (V N Babm, Yu A Belousov, V V Gumenyuk, R B Materikova, R M Salimov, N S Kochetkova), (214)C13
- Ferrocene, Annual Survey covering the year 1979 (B W Rockett, G Marr), (211)215
- , influence of methyl substitution on charge distribution and molecular geometry in (D Schmitz, J Fleischhauer, U Meier, W. Schleker, G Schmitt), (205)381
- , photoreactions with visible light in micellar solution of (D M. Papsun, J K Thomas, J A Labinger), (208)C36
- Ferrocene derivatives, ⁵⁷Fe NMR spectroscopy of (E Haslinger, W. Robien, K Schlogl, W Weissensteiner), (213)C11
- Ferrocene and ferrocene derivatives in solution, periodic variation of optical density in electron absorption spectra of (T V Burova, V N Trembovler, B M Yavorsky, N V Fock, R B Materikova, N S Kochetkova), (217)215
- Ferrocene complexes with mercuric chloride, evidence from Mossbauer spectroscopy of Fe-Hg bonds in (R M G. Roberts, J Silver, I F G Morrison), (209)385
- Ferrocene iron-hydrogen bonded complexes, Mossbauer studies of (R M G Roberts, J Silver, R J Ranson, I E G Morrison), (219)233
- Ferrocene polymers, polyferrocenylen iminoimides (L Tătaru, I Mazilu, M Vătă, T Lixandru, C Simionescu), (214)107
- Ferrocene-*p* cyclophanes, synthesis of (A Ratajczak, H Niedbala, B Czech, A Pałka, A Czech), (222)127
- Ferrocenophane, protonation in strong and weak acids of (T E Bitterwolf, A C. Ling), (215)77
- [1,1]Ferrocenophane, synthesis via 1,1-bis(6-fulvenyl)ferrocene of (U T Mueller-Westerhoff, A Nazzal, W Prössdorf), (205)C21
- [3]Ferrocenophane bridge reversal barriers, C, O and S bridging atoms (E W Abel, M Booth, C A Brown, K G Orrell, R L Woodford), (214)93
- , sulphur, selenium and tellurium bridging atoms (E.W Abel, M Booth, K G Orrell), (208)213

- [3] Ferrocenophanes with trichalcogen bridges, synthetic and structural studies on; crystal and molecular structure of 1,3-dithia-2-selena[3]ferrocenophane (A.G. Osborne, R.E. Hollands, J.A.K. Howard, R.F. Bryan), (205)395
- [3][4]- and [3][5]-ferrocenophane-6-ones, synthesis and structures of (Yu.T. Struchkov, G.G. Aleksandrov, A.Z. Kreindlin, M.I. Rybinskaya), (210)237
- Ferrocenyl-substituted pyrazolines-2, fragmentations under electron impact of (A.N. Nemesyanov, D.V. Zagorevskii, Yu.S. Nekrasov, V.N. Postnov, A.M. Baran), (201)293
- 1-Ferrocenylalkyl alcohols, synthesis and purification of (B. Misterkiewicz), (224)43
- Ferrocenyl azide and ferrocenylsulphonyl azide, kinetics of thermal decomposition in 1-chloronaphthalene of (C.I. Azogu, M.N. Offor), (222)275
- Ferrocenyl carbenium ions, interpretation of the structure by Mössbauer and NMR spectra of (G. Neshvad, R.M.G. Roberts, J. Silver), (221)85
- Ferrocenylcyclohexenones, solvent dynamic stereochemistry about Fe in and access to optically active Cp*Fe⁺-arene salts (E. Roman, D. Astruc, H. Des Abbayes), (219)211
- 1,1'-Ferrocenylenedicopper, synthesis and properties of (N.N. Sedova, S.K. Moiseev, V.A. Sazonova), (224)C53
- Ferrotetraphenylporphyrin carbene complexes, preparation, reactivity and spectra of (P. Guerin, J.-P. Battioni, J.-C. Chottard, D. Mansuy), (218)201
- FeRu₃(CO)₁₃(μ-PPH₂)₂, a "64-electron" cluster complex with a planar triangulated rhomboidal array of metal atoms, synthesis and structure of (M.R. Churchill, C. Bueno, D.A. Young), (213)139
- Formaldehyde-iron complex, structure and reactivity of (H. Berke, G. Huttner, G. Weiler, L. Zsolnay), (219)353
- Generation of hydrocarbons from oligomethylene chains linking two metal centres (M. Cooke, N.J. Forrow, S.A.R. Knox), (222)C21
- Group VI metal carbonyl complexes, with ferrocenylphenylthio ketone as ligand, ¹³C NMR spectra of (P.V. Petrovskii, V.N. Setkina, S.P. Dolgova, D.N. Kursanov), (221)177
- Hafnium-transition metal bonds formed in the synthesis of (η⁵-C₅H₅)₂HfFe(CO)₄ via nucleophilic displacement (J. Abys, W.M. Risen, Jr.), (204)C5
- Heterobinuclear wedge-like sandwich derivatives, steric factors in formation and structures of; crystal and molecular structure of niobocene-hydrido(σ,π-cyclopentadienyldiene)-iron(dicarbonyl) (*Nb-Fc*) (A.A. Pasynskii, Yu.V. Skripkin, V.T. Kalinnikov, M.A. Porai-koshits, A.S. Antsyshkina, G.G. Sadikov, V.N. Ostrikova), (201)269
- Heterotrinnuclear cluster (C₅H₅Cr)₂(μ₂-SCMe₃)(μ₃-S)₂Fe(CO)₃ with direct and indirect exchange between Cr^{III} and Fe^I centres, synthesis, molecular structure and magnetic properties of (A.A. Pasynskii, I.L. Eremenko, B. Orazsakhmatov, Yu.V. Rakitin, V.M. Novotortsev, O.G. Ellert, V.T. Kalinnikov, G.G. Aleksandrov, Yu.T. Struchkov), (210)385
- Hexacarbonyl(tetravinylsilane)diiron, preparation and characterisation of (A.S. Batsanov, Yu.T. Struchkov, G.V. Nurtdinova, A.A. Pogrebnyak, L.V. Rybin, V.P. Yur'ev, M.I. Rybinskaya), (212)211
- Hydridic reductions of carbon monoxide to hydrocarbons on iron complexes by isotopic labeling, mechanism of (A. Wong, J.D. Atwood), (210)395
- Hydridodinitrogen and hydrido complexes with hexaphenyl-1,4,7,10-tetraphosphadecane; crystal structure of [FeH(N₂)-((C₆H₅)₂PC₂H₄P(C₆H₅)C₂H₄P(C₆H₅)₂)]-Br·C₂H₅OH (C.A. Ghilardi, S. Midollini, L. Sacconi, P. Stoppioni), (205)193
- Hydridotetracarbonyl ferrate ion, catalytic and stoichiometric reduction of ketones and aldehydes by (L. Markó, M.A. Radhi, I. Ötvös), (218)369
- Hydrido transition metal clusters, UV photoelectron spectra of (K.S. Wong, T.K. Dutta, T.P. Fehlner), (215)C48
- Inorgano-Grignard, (η⁵-C₅H₅)(Ph₂PCH₂-CH₂PPh₂)FeMgBr, reactivity towards halogermanes of (N. Aktoĝu, S.G. Davies, J. Dubac, P. Mazerolles), (212)C13
- Iron(0) and ruthenium(0) diene complexes containing phosphine ligands, synthesis and ³¹P NMR spectra of (A.-R. Al-Ohaly, J.F. Nixon), (202)297
- Iron catalysis of Grignard reductions,

- mechanism of 1,3-reductive eliminations from γ -propyl halides (K L Rollick, W A Nugent, J K Kochi), (225)279
- Iron(II), cobalt(II) and nickel(II) *p*-toluenesulfinate complexes with polydentate triphosphines, crystal structure of 1,1,1-tris(diphenylphosphinomethyl)-ethane *p*-toluenesulfinatecobalt(II) perchlorate (C A Ghilardi, S Midollini, S Moneti), (217)391
- Iron(II) mixed-ligand complexes containing isocyanides and phosphines, electrochemistry of (J Hanzlik, G Albertin, E Bordignon, A A Orio), (224)49
- Iron, ruthenium and osmium, Annual Survey covering the year 1977 (J A McCleverty), (223)117
- , — 1979 (D L Reger), (223)273
- Iron—ruthenium heteropolymetallic complexes with hydroxo and hydrido bridging groups (D F Jones, P H Dixneuf), (210)C41
- Iron-57 satellites in ^{13}C NMR spectra elucidating "hidden processes" in the dynamics of metal carbonyls (S Aime, D Osella), (214)C27
- Iron stabilised carboxonium ions, preparation via rearrangement and alcohol addition to terminal acetylenes of (D J Bates, M Rosenblum, S B. Samuels), (209)C55
- Metal carbide clusters synthesis systematics for heteronuclear species (M Tachikawa, R L Geerts, E L Muettterties), (213)11
- Metal cluster interactions in proton-induced reduction of CO, crystal structures of $[\text{PPN}][\text{HFe}_4(\text{CO})_4\text{C}]$ and $\text{HFe}_4(\text{CO})_{12}(\eta^2\text{-COCH}_3)$ (E M Holt, K H Whitmore, D F Shriver), (213)125
- Metal—metal and metal—ligand bond strengths in metal carbonyl clusters (C E Housecroft, M E O'Neill, K Wade, B C Smith), (213)35
- ortho*-Metallated diron hexacarbonyl complex from benzalazine and $\text{Fe}_3(\text{CO})_{12}$, synthesis and structure of (N S Nametkin, V D Tyurin, V V Trusov, A S. Batsanov, Yu T Struchkov), (219)C26
- Metalla-2-indane-1,3-diones, preparation by insertion of low-valent transition metal complexes into benzocyclobutenediones (L S Liebeskind, S L. Bayson, M S South, J F. Blount), (202)C73
- Metallocene and bis-borabenzene d^5 systems, MO calculations on (D W Clack, K D Warren), (208)183
- Metallocene phenylalanine analogs, synthesis of (J C Brunet, E Cuingnet, H Gras, P Marcineal, A Mocz, C Sergheraert, A Tartar), (216)73
- Methylarsine- and metharsinidene-metal carbonyls (E Rottinger, H Vahrenkamp), (213)1
- N*-Methylbenzimidazole chloride derived carbene chelate complexes of molybdenum and iron, stereoselective hydride addition to (H Brunner, J Wachter), (201)453
- Methylcyanidocarbonyldicyclopentadienyldiron complexes, regioselectivity in reactions with mercury(II) halides of (R Kumar, A R Manning), (216)C61
- μ -Methylene(nitrosyl)iron complexes, first synthesis of (W A Herrmann, C Bauer), (204)C21
- μ -Methyleneoctacarbonyldiron, stoichiometric reaction with alcohols leading to alkyl acetates of (M Roper, H Strutz, W Keim), (219)C5
- Methyltitanocenes, photochemically induced transmethylation in transition metal compounds with (M Pankowski, E Samuel), (221)C21
- Mononuclear anionic formyl-transition metal complexes, preparation from triethylborohydride and neutral metal carbonyl precursors and properties of (J C Selovar, M Marsi, D W Parke, J A Gladysz), (206)317
- Naphthalenecyclopentadienyldiron, Jahn—Teller effect in EPR spectra of (S P Solodovnikov, A N Nesmeyanov, N A Vol'kenau, L S Kotova), (201)447
- Nitrones bearing a butadieneiron tricarbonyl moiety, preparation of (A Monpert, J Martelli, R Grée), (210)C45
- Nonacarbonyldiron, interaction with *N*-benzyloxypiperidine and related compounds of (Y Blum, Y Becker, Y Shvo), (202)65
- (Olefin)- and (diene)- η^5 -cyclopentadienyldiron cationic complexes, synthesis by ligand exchange reactions of (E K G Schmidt, C H Thiel), (220)87
- Organonon diamagnetic complexes, direct observation of ^{57}Fe chemical shifts in (T Jenny, W von Philipsborn, J Kronenbitter, A Schwenk), (205)21

- π -Organosilyl complexes of transition metals, potential of ^{29}Si NMR spectroscopy in analysis of (K.H. Pannell, A.R. Bassindale, J.W. Fitch), (209)C65
- [2.2]Paracyclophane with an (η^5 -cyclopentadienyl)iron⁺ moiety: mono- and dications (A.R. Koray), (212)233
- $\text{P}(\text{C}_6\text{H}_5)_4[\text{HFe}_3(\text{CO})_{10}(\mu_2\text{-CHCOOC}_2\text{H}_5)]$, synthesis by reaction of ethyl diazoacetate with $\text{P}(\text{C}_6\text{H}_5)_4[\text{HFe}_3(\text{CO})_{11}]$ of (R. Mathieu), (215)C57
- Pentacarbonyliron, reactions with acid chlorides in aromatic solvents of (T.-Y. Luh, K.S. Lee, S.W. Tam), (219)345
- , transition metal catalysed reaction with Group V donor ligands of (M.O. Albers, N.J. Coville, T.V. Ashworth, E. Singleton), (217)385
- Pentacarbonyliron mono- and di-substituted derivatives, mechanism of reactions with alkyl halides and polyhalides of (G. Bellachioma, G. Cardaci, G. Reichenbach), (221)291
- Pentafulvenes, effect of metal π -complexation on structures and properties of (W.E. Watts), (220)165
- Phosphido-phosphine and phosphido-phosphite mixed complexes of transition metal carbonyl clusters, characterization using X-ray photoelectron spectroscopy of (J.K. Kouba, J.L. Pierce, R.A. Walton), (202)C105
- Phosphine-substituted tricarbonyl(η -cyclohepta-1,3-diene)iron complexes, *exo-endo* isomers of (D.A. Brown, W.K. Glass, F.M. Hussein), (218)C15
- Polymer supported transition metal catalysts, mass spectral analysis of (N.J. Coville, C.P. Nicolaides), (219)371
- (Propargyl)dicobalt hexacarbonyl cations, reactions with methylmetals of (S. Padmanabhan, K.M. Nicholas), (212)115
- $[\text{Rh}(2,3,8:5,6-\eta\text{-C}_7\text{H}_7\text{CHR})(\eta\text{-C}_5\text{H}_5)]^+$ (R = Me, Ph, ferrocenyl) cationic complexes, stereospecificity in the generation of; molecular structure of $[\text{Rh}(2,3,8:5,6-\eta\text{-C}_7\text{H}_7\text{CH}_2)(\eta\text{-C}_5\text{H}_5)]^+$ (A.A. Koridze, I.T. Chizhevsky, P.V. Petrovskii, E.I. Fedin, N.E. Kolobova, L.E. Vinogradova, L.A. Leites, V.G. Andrianov, Yu.T. Struchkov), (206)373
- Rhodium(I) and polymer-supported rhodium(I) complexes as catalysts in substitution of metal carbonyls by isonitriles (M.O. Albers, N.J. Coville, C.P. Nicolaides, R.A. Webber, T.V. Ashworth, E. Singleton), (217)247
- Roussin's red salt, $[(\mu\text{-S})_2\text{Fe}_2(\text{NO})_2]^{2-}$, chemistry and comparison with $[(\mu\text{-S})_2\text{Fe}_2(\text{CO})_2]^{2-}$ of (D. Seyferth, M.K. Gallagher), (218)C5
- Ruthenium-carbonyl and alkyne-carbonyl complexes in reactions with nickelocenes; crystal structures of ($\eta\text{-C}_5\text{H}_5$)₂Ni₂Ru(CO)₃(C₂Ph₂) and ($\eta\text{-C}_5\text{H}_5$)₂Ni₂Fe(CO)₃(C₂Ph₂) (E. Sappa, A.M.M. Lanfredi, A. Tiripicchio), (221)93
- $\mu\text{-(SC}_6\text{H}_5)_2\text{-}\mu\text{-(P(C}_6\text{H}_5)_2)_2\text{Fe}_2(\text{CO})_6$, synthesis and crystal and molecular structure of (G. Le Borgne, R. Mathieu), (208)201
- N-Substituted ferrocenylmethyl adenines, synthesis and mass spectra of (S.-C. Chen), (202)183
- σ -Tertiary benzylic alcohol complexes with molybdenum and iron compounds (J. Benaïm, G. Giulieri), (202)C9
- (Tetracarbonyl)(olefin)iron complexes, oxidative addition of bromium to and decomposition to σ -complexes of (E.K.G. Schmidt), (204)393
- Tetrahedral carbonylcobalt clusters, structure of (K. Bartl, R. Boese, G. Schmid), (206)331
- 5,6,7,8-Tetrakis(methylene)bicyclo-[2.2.2]oct-2-eneiron carbonyl complexes, crystal and molecular structure of $(\text{C}_{12}\text{H}_{12})\text{Fe}_2(\text{CO})_6$ (P. Narbel, A.A. Pinkerton, E. Tagliaferri, J. Wenger, R. Roulet, R. Gabioud, P. Vogel, D. Schwarzenbach), (208)335
- 1R,1R',2,3,4,5-Tetraphenyl-1-silacyclopentadiene, synthesis and reactions of (P. Jutzi, A. Karl), (214)289
- Thiocarbonyliron cationic complex with organocyclotriarsane as ligands (J. Ellermann, M. Lietz), (213)C4
- η^6 -Toluidine- η^5 -cyclopentadienyliron cations, zwitterionic species from deprotonation of and their reactions as nucleophiles (C.C. Lee, U.S. Gill, R.G. Sutherland), (206)89
- Transition metal complexes, reaction with formyl fluoride of (G. Doyle), (224)355
- Transition metal compounds as catalysts in cyclopropanation and ylide generation of n-butyl vinyl ether and allyl methyl sulphide with ethyl diazoacetate (W.H. Tambllyn, S.R. Hoffmann, M.P. Doyle), (216)C64

- Transition metal doubly-linked dinuclear complexes, synthesis of $\text{Me}_2\text{Si}[\text{C}_5\text{H}_4\text{-FeCO}]_2\text{L}$ (L = dppe, dppm) (G.O. Nelson, M.E. Wright), (206)C21
- Transition metal—silicon bonds containing complexes, cyclometalation of phosphorus ligands by UV irradiation of (G. Cerveau, G. Chauvière, E. Colomer, R.J.P. Corriu), (210)343
- Tricarbonylcyclohexadienyliron substituted cations, rates of reaction of pentane-2,4-dione with (A.J. Birch, D. Bogsanyi, L.F. Kelly), (214)C39
- Tricarbonyl(cyclohexadienyl)iron tetrafluoroborate, addition reactions of nitromethane anion to the dienyl cation in (B.F.G. Johnson, J. Lewis, D.G. Parker, G.R. Stephenson), (204)221
- Tricarbonylcyclohexadienyliron complexes, nitromethylation and nucleophilic formylation of (A.J. Pearson, M. Chandler), (202)175
- Tricarbonyl(1- η -cyclooctadienyl)iron complexes, ligand substitution and nucleophilic reactivity of (G. Schiavon, C. Paradisi), (210)247
- Tricarbonyl[(η -2,3,4,5)-9,9-diphenylbicyclo[5.2.0]nona-2,4-dien-8-one]iron, cyclobutane ring cleavage in (Z. Goldschmidt, S. Antebi), (206)C1
- Tricarbonyliron complexes, application of frontier orbital theory to cycloaddition reactions of (S.K. Chopra, G. Moran, P. McArdle), (214)C36
- , of blocked cyclohexadienes (B.M.R. Bandara, A.J. Birch, B. Chauncy, L.F. Kelly), (208)C31
- , of 2,3,5,6-tetrakis(methylene)-7-oxabicyclo[2.2.1]heptane, regioselective addition of protic acids to (E. Meier, A.A. Pinkerton, R. Roulet, P. Vogel, D. Schwarzenbach), (220)341
- , —, UV photoelectron spectra of (G. Granozzi, D. Ajò, T. Boschi, R. R. Roulet), (224)147
- Tricarbonyliron(0) complexes of 3a-azoniaazulenes (W. Flitsch, E.R.F. Gesing), (218)377
- Tricarbonyl[η^5 -2-methyl-2,4-cyclohexadien-1-yl]iron(1+) PF_6^- , regioselectivity of nucleophilic additions to and temperature dependence of hydride reductions of (A.J. Birch, G.R. Stephenson), (218)91
- Tricarbonyl(1R,1R',2,3,4,5-tetraphenyl-1-germacyclopentadiene)iron complexes, synthesis, reactions and structure of (P. Jutzi, A. Karl, C. Burschka), (215)27
- Trichloromethyltrimethylsilane, reactions with ferrotetraarylporphyrins of (J.-P. Battioni, D. Dupré, D. Mansuy), (214)303
- 1,2,3-Triferrocenylcyclopropenes, electrochemical behaviour of (A.J. Fry, P.S. Jain, R.L. Krieger), (214)381
- Trimetallic dimetallobis(isocyanide)platinum(II) complexes electroreduction of (A. Giraudeau, P. Lemoine, M. Gross, P. Braunstein), (202)455
- Triphenylphosphine-ruthenium, -palladium and -iron complexes, catalytic role in transformations of nitrosobenzene into azoxy- and azo-benzene of (F. Porta, M. Pizzotti, S. Cenini), (222)279
- 1,1,1-Tris(diethylphosphinomethyl)ethane, metal-assisted reaction with carbon disulphide of (C. Bianchini, A. Meli, A. Orlandini, L. Sacconi), (218)81
- Tris(trimethylphosphine)(dimethylphosphinomethyl)hydridoruthenium, $\text{RuH}(\eta^2\text{-CH}_2\text{PMe}_2)(\text{PMe}_3)_3$, synthesis and reactivity of (H. Werner, R. Werner), (209)C60
- Tris(triphenylphosphinegold)tetraphenylcyclopentadiene tetrafluoroborate, synthesis and structure of (T.V. Baukova, Yu.L. Slovokhotov, Yu.T. Struchkov), (221)375
- (η^3 -Vinylcarbene)iron complex, reactions with diazo compounds of, preparation of (η^4 -butadiene)iron derivatives of (T.-A. Mitsudo, H. Watanabe, K. Watanabe, Y. Watanabe, Y. Takegami), (214)87
- Vinylidisilanes in reaction with nonacarbonyldiiron, reassignment of the structures of the complexes obtained from (H. Sakurai, Y. Kamiyama, A. Mikoda, T. Kobayashi, K. Sasaki, Y. Nakadaira), (201)C14

Lanthanides

- Alkylanthanide complexes as synthetic precursors to lanthanide alkynides (W.J. Evans, A.L. Wayda), (202)C6
- Lanthanides and actinides; Annual Survey covering the year 1979 (T.J. Marks), (203)415
- Thoracene and the potassium salt of dicyclooctatetraenyllanthanum, vibrational spectra of (V.T. Aleksanyan, I.A. Garbusova, T.M. Chernyshova,

- Z.V. Todres, M.R. Leonov, N.I. Gramateeva), (217) 169
- Tri- η^5 -cyclopentadienyl-yttrium and -lanthanum tetrahydrofuran, formation and molecular structures of (R.D. Rogers, J.L. Atwood, A. Emad, D.J. Sikora, M.D. Rausch), (216) 383
- ### Lead
- Bis[2-(dimethylaminomethyl)phenyl]lead, isolation and characterisation of (P.P. de Wit, H.O. van der Kooi, J. Wolters), (216) C9
- Cyclopentadienyl-Group IVB cations in the gas phase, synthesis, structure and mass spectrometry of (Yu.S. Nekrasov, V.F. Sizoi, D.V. Zagorevskii, Yu.A. Borisov), (205) 157
- Group IVB organometallic radicals, ESR study of reactions with 4,4'-dimethoxybenzophenone, 4,4'-dimethoxythio-benzophenone and 3-ethyl-2-thioxo-4-oxazolidone of (B.B. Adeleke, K.S. Chen, J.K.S. Wan), (208) 317
- Group IVB substituted phenylbicyclo-[2.2.2]octane ring systems, ^{13}C and ^{19}F NMR studies on (W. Adcock, G.L. Aldous, W. Kitching), (202) 385
- Molecular complexing as initial stage of reactions of organometallic compounds (G.A. Razuvaev, A.V. Shabanov, A.N. Egorochkin, V.A. Kuznetsov, S.F. Zhiltsov), (202) 363
- Mono-trimethylsilyl- and bis(trimethylsilyl)-substituted alcohols, mechanism of deoxysilylation of and comparison with mechanisms of deoxystannylation and deoxyplumbation (D.D. Davis, H.M. Jacobs, III), (206) 33
- (Organometal)-methyl groups, σ^+ -substituent constants for; bond polarizability model for hyperconjugation (D.D. Davis), (206) 21
- Organo-tin and -lead derivatives of *S*-substituted thio acids, synthesis of (R.M. Lequan, M. Lequan), (201) 371
- Palladation behaviour of 8-methyl-, 8-ethyl-, and 8-isopropyl-quinolines and 2-substituted derivatives of (A.J. Deeming, I.P. Rothwell), (205) 117
- Pentacarbonyl (organometal-chalcogenide)-chromium and -tungsten complexes, crystal and molecular structure of (J. Pickardt, H. Schumann, C.F. Campana, L.F. Dahl), (216) 245
- Phenylmercury, triphenyl-tin and -lead derivatives of nitrogen-containing thiols, PMR study of relative strength of chelate rings in (D.N. Kravtsov, A.S. Peregodov, E.M. Rokhlina, E.I. Fedin), (201) 61
- Phenyl-substituted pentacoordinated compounds of main group elements, characterization by ^1H NMR of (A.C. Sau, R.R. Holmes), (217) 157
- Roussin's red salt $[(\mu\text{-S})_2\text{Fe}_2(\text{NO})_2]^{2-}$, chemistry and comparison with $[(\mu\text{-S})_2\text{Fe}_2(\text{CO})_2]^{2-}$ of (D. Seyferth, M.K. Gallagher), (218) C5
- Trialkyllead derivatives of chromium, molybdenum and tungsten, thermal and photochemical properties of (K.H. Pannell, R.N. Kapoor), (214) 47
- Triphenyllead isocyanate and adducts with O- and N-donor ligands, syntheses and spectroscopic studies of (J.S. Aspler, R. Wojtowski, I. Wharf, R. Makhija, M. Onyszchuk), (205) 53
- Unsymmetrical organotellurides containing a Te—Group IVB element bond, synthesis and Raman spectra of (S.A. Gardner, P.J. Trotter, H.J. Gysling), (212) 35
- ### Lithium
- β -Acetylenic, α -acetylenic and α -allenic tertiary amines, preparation via organometallic synthesis, from immonium salts of (G. Courtois, M. Harama, P. Miginiac), (218) 1
- Alkyldicyclopentadienyltitanium compounds, preparation and reaction with unsaturated substrates of (E. Klei, J.H. Telgen, J.H. Teuben), (209) 297
- Alkylidene-zirconium complexes, preparation by α -hydrogen atom abstraction of (J.H. Wengrovius, R.R. Schrock), (205) 319
- Alkylanthanide complexes as synthetic precursors to lanthanide alkynides (W.J. Evans, A.L. Wayda), (202) C6
- Allyl(earth)alkalimetal compounds, ^{13}C NMR investigation of the structures of (M. Stähle, M. Schlosser), (220) 277
- Arylmercury (II) compounds involving intramolecular coordination via 2-Me₂NCH₂- and chiral (*S*)-2Me₂NCHMe-ring substituents (A.F.M.J. van der

- Ploeg, C E M van der Kolk, G van Koten), (212)283
- 1,1'-Bis(6-fulvenyl)ferrocene, synthesis and characterization of (A Cassens, P Eilbracht, U T Mueller-Westerhoff, A Nazzal, M Neuenschwander, W Prossdorf), (205)C17
- γ -Bromocrotonic and γ -bromosenecioic trimethylsilyl esters, Reformatsky reactions of (M Bellassoued, F Dardoize, Y Frangin, M Gaudemar), (219)C1
- (Bromodifluoromethyl)phenyldimethylsilyl, reaction with organometallic reagents of (T Fuchikami, I Ojima), (212)145
- s*-Butyllithium, NMR study of complexation by *N,N,N',N'*-tetramethylethylenediamine of (J.M. Catala, G Clouet, J Brossas), (219)139
- Chloroallyllithium and *gem*-chloro-(methyl)allyllithium, reactions with esters of, formation of chlorinated ethylenic ketones and ethylenic acyl-ions (B Mauze, A Doucoure, I Migniac) (215)1
- Chlorodi(*o*-tolyl)phosphine, lithium di(*o*-tolyl)-phosphide and the diphosphine series (*o*-tolyl)₂P(CH₂)_nP(*o*-tolyl) (*n* = 1-4, 6, 8), synthesis and physical properties of (P W Clark, B J Mulraney), (217)51
- gem*-Chloro(methyl)allyllithium, reactions with aldimines and ketimines of and synthesis of *N*-substituted α -ethylenic aziridines (B Mauzé), (202)233
- Cobalt-stabilised carbenes having trisubstituted silyl or germyl ligands, stereospecific formation of benzosilanes (G Cerveau, E Colomer, R J.P Corriu, J C. Young), (205)31
- Crystalline ethyllithium, structure at low temperature of (H Dietrich), (205)291
- Cycloheptatrienyl trianion formation by lanthanide and actinide ions (J T Miller, C W Dekock), (216)39
- Cyclopentadienyliron-(*p*-xylene) cation, synthetic applications of photolysis of (T P Gill, K R Mann), (216)65
- Decacarbonyldirhenium, reactions with triphenylsilyllithium to equatorial dinuclear silylcarbene complexes of and further reactions to axial silyl-carbyne complexes (E O Fischer, P. Rustemeyer), (225)265
- 3,5-Dibromophenyllithium, synthesis and reactivity of (L S Chen, G J. Chen, C Tamborski), (215)281
- 3,3-Difluoroallylsilicon derivatives, synthesis by an organophosphorus route of (D Seyferth, K.R. Wursthorn, T F O Lim, D J Sepelak), (205)301
- Dilithium tetranaphthylferrate complex, synthesis and reaction with propyl lithium of (T A Bagenova, A K Shilova, E Deschamps, M Gruselle, G Leny, B Tchoubar), (222)C1
- 2,6-Dimethoxyphenyllithium lithium oxide complex, (C₈H₆O₂Li)₆Li₂O, crystal and molecular structure of (H Dietrich, D Rewicki), (205)281
- 1,2-Dimethylgermacyclopentanes, stereochemistry of *S_N*-Ge reactions of (J. Dubac, J Cavezzan, A Laporterie, P Mazerolles), (209)25
- Dimethyl-pyridines and -quinolines, regiointegrity of carbanions derived by selective metalations of (E M Kaiser, W R Thomas, T E Synos, H R. McClure, T S Mansour, J R Garlich, J E Chastain, Jr.), (213)405
- μ -(Diselenium)bis(tricarbonyliron), an inorganic mimic of organic diselenides, Se-Se bond reactions of (D Seyferth, R S Henderson), (204)333
- α - and β -ethylenic tertiary amines, preparation via organometallic synthesis from ammonium salts of (G Courtois, M Harama, P Migniac), (218)275
- [1,1]Ferrocenophane, synthesis via 1,1'-bis(fulvenyl)ferrocene of (U T Mueller-Westerhoff, A Nazzal, W Prossdorf), (205)C21
- m* and *p*-Fluorophenylcyclopentadienyl anions, effect of the alkali metal cation, solvent and complexing agents on ¹⁹F chemical shifts of (N A Ogorodnikova, A A Koridze, S P Gubin), (215)293
- Fluoro-silyl-substituted disilazanes, reactions with urea derivatives leading to cyclic compounds of (J. Neemann, U Klingebiel), (208)293
- Lithiated imines, investigations on conformation and configuration of (R R Fraser, N Chuaqui-Offermanns, K N Houk, N G Rondan), (206)131
- Lithiation reactions of 1-(2'-bromophenyl)-pyrrole and related compounds (M E K. Cartoon, G W H Cheeseman), (212)1
- Lithio arene π -complex, unusual reaction of and characterisation and structure of μ -(2,2'-difluoro-5,5'-dimethylbenzophenone)bis(tricarbonylchromium(0)) (L M Sandilands, C J L Lock,

- R. Faggiani, N. Hao, B.G. Sayer, M.A. Quilliam, B.E. McCarry, M.J. McGlinchey), (224)267
- Lithium; Annual Survey covering the year 1979 (E.M. Kaiser), (203)1
- Lithium—halogen exchange reactions of oligo-isopropenyllithium and alkyl halides (S.R.T. Barreira, J. Chaineaux, R. Mechin, C. Tanielian), (212)11
- Lithium diisopropylamide, reactions with 2-fluoropyridine at low temperature of (T. Güngör, F. Marsais, G. Quequiner), (215)139
- Organolithium and organomagnesium, reactions with α, α' -difunctional conjugated enynes (D. Mesnard, J.-P. Charpentier, L. Miginiac), (214)15, 23
- , reactions with γ, δ -epoxy ketones leading to functionalised tetrahydrofurans of (M. Chastrette, G.P. Axiotis), (206)139
- Organolithium compounds and lithium amides, regioselective *ortho*-metalation of 3-chloropyridine with (F. Marsais, P. Bréant, A. Ginguene, G. Queguiner), (216)139
- Organolithium, organomagnesium and organozinc compounds, reactions with α, α' -enynes of (D. Mesnard, J.-P. Charpentier, L. Miginiac), (214)135
- Organometallic compounds derived from thioamides, reactions with aldehydes and ketones of (C. Goasdoue, N. Goasdoue, M. Gaudemar, M. Mladenova), (208)279
- Organometallic compounds of carbene and carbyne types, formation by interaction of RLi with neodymium and yttrium chlorides in various media of (B.A. Dolgoplosk, E.I. Tinyakova, I.Sh. Guzman, E.I. Vollerstein, N.N. Chigir, G.N. Bondarenko, O.K. Sharaev, V.A. Yakovlev), (201)249
- Organonickel binuclear compounds, preparation of (B. Hipler, E. Uhlig, J. Vogel), (218)C1
- Organotin synthons as precursors to α -alkoxyorganolithium reagents (J.-P. Quintard, B. Elissondo, M. Pereyre), (212)C31
- Palladium(0) promoted cross-coupling of allenylmetal compounds with aryl and vinyl iodides (K. Ruitenberg, H. Kleijn, J. Meijer, E.A. Oostveen, P. Vermeer), (224)399
- Pentadienylpotassium, control of preferred geometry by changing the medium (H. Yasuda, M. Yamauchi, A. Nakamura), (202)C1
- Pentakis(methoxycarbonyl)cyclopentadiene and its lithium salt, crystal and molecular structures of (M.I. Bruce, J.K. Walton, M.L. Williams, B.W. Skelton, A.H. White), (212)C35
- 9-Propylfluorenyl ion pairs with tertiary polyamines in apolar solvents (G. Helary, L. Lefevre-Jenot, M. Fontanille, J. Smid), (205)139
- Silica-supported phenyllithium, preparation of silica-supported diaryl ketones for use as photosensitisers from (R.R. Hautala, R.B. King, E.M. Sweet, J.L. Little, A.W. Shields), (216)281
- Siloles, unexpected behaviour towards organolithium reagents of (M. Ishikawa, K. Nishimura, H. Sugisawa, M. Kumada), (218)C21
- Silyl-substituted organolithium compounds, 1,*n*-triorganyl migrations in rearrangements of (J.J. Eisch, M.-R. Tsai), (225)5
- Tetracarbonylcobalt anion, strong interactions with Li⁺ and Na⁺ in diethyl ether of; the system LiBr/Co₂(CO)₈/diethyl ether (P.S. Braterman, A.E. Leslie), (214)C45
- 1R,1R',2,3,4,5-Tetraphenyl-1-germacyclopentadiene, synthesis and reactions of (P. Jutzi, A. Karl), (215)19
- 1R,1R',2,3,4,5-Tetraphenyl-1-silacyclopentadiene, synthesis and reactions of (P. Jutzi, A. Karl), (214)289
- Trialkylaluminium compounds, nature of transition state in reactions with ketones of (E.C. Ashby, R.S. Smith), (225)71
- Trialkylstannyllithium and hexaalkyldistannane, reactions and ¹H and ²⁹Si NMR studies of (K. Kobayashi, M. Kawanisi, S. Kozima, T. Hitomi, H. Iwamura, T. Sugawara), (217)315
- Triethylgermyllithium association in solutions studied by X-ray diffraction in liquids (V.I. Korsunsky, M.B. Taraban, T.V. Leshina, O.I. Margorskaya, N.S. Vyazankin), (215)179
- Trimethylsilylmethylmagnesium chloride addition to α, β -unsaturated carbonyls (R.T. Taylor, J.G. Galloway), (220)295
- Tris(trimethylsilyl)silyllithium·3THF, a stable crystalline silyllithium reagent (G. Gutekunst, A.G. Brook), (225)1

Lutetium

- Di- η^5 -cyclopentadienylchlorolutetinylmethylenetriphenylphosphorane, a zwitterionic organometallic compound having a Lu—CH₂ σ -bond (H. Schumann, F.E. Reier), (209)C10
- Dicyclopentadienyllutetium hydride, preparation of (H. Schumann, W. Genthe), (213)C7

Magnesium

- β -Acetylenic, α -acetylenic and α -allenic tertiary amines, preparation via organometallic synthesis from immonium salts of (G. Courtois, M. Harama, P. Miginiac), (218)1
- η^1, η^4 -4-Alkenylnickel complexes, stabilisation of (H. Lehmkuhl, C. Naydowski, R. Benn, A. Ruffińska), (216)C41
- Alkyl-, alkenyl- and hydrido-olefin—ruthenium complexes, preparation of (H. Lehmkuhl, J. Grundke, R. Benn, G. Schroth, R. Mynott), (217)C5
- Alkylidene-zirconium complexes, preparation by α -hydrogen atom abstraction of (J.H. Wengrovius, R.R. Schrock), (205)319
- Allyl(earth)alkalimetal compounds, ¹³C NMR investigation of the structures of (M. Stähle, M. Schlosser), (220)277
- Atomic magnesium in the basic state, reactions with organic chlorine derivatives at low temperature of (G.B. Sergeev, V.V. Smirnov, V.V. Zagorsky), (201)9
- γ -Bromocrotonic and γ -bromosenecioic trimethylsilyl esters, Reformatsky reactions of (M. Bellassoued, F. Dardoize, Y. Frangin, M. Gaudemar), (219)C1
- (Bromodifluoromethyl)phenyldimethylsilane, reaction with organometallic reagents of (T. Fuchikami, I. Ojima), (212)145
- Cyclopentadienylmagnesium hydride, convenient synthesis and study of reactions with organic substrates via single electron transfer of (A.B. Goel, E.C. Ashby), (214)C1
- Dialk-2-enylzinc compounds, preparation from alkenylmagnesium halides of (H. Lehmkuhl, I. Döring, R. McLane, H. Nehl), (221)1
- Dichloronickel(–)norphos-catalysed cross-coupling reaction of 1-phenylethyl-Grignard with vinyl bromide (H. Brunner, M. Pröbster), (209)C1
- 1,6-Dienes prepared from imidoyl chlorides and allylmagnesium bromide (K.S. Ng, H. Alper), (202)1
- 1,2-Dimethylgermacyclopentanes, stereochemistry of S_N-Ge reactions of (J. Dubac, J. Cavezzan, A. Laporterie, P. Mazerolles), (209)25
- Dimethylpropynylaluminium complexes with dipropynylberyllium and dipropynylmagnesium, synthesis and structure of (K.B. Starowieyski, A. Chwojnowski), (215)151
- α - and β -ethylenic tertiary amines, preparation via organometallic synthesis from immonium salts of (G. Courtois, M. Harama, P. Miginiac), (218)275
- Grignard reagents, electron transfer to 1,10-phenanthroline by; spin distribution in organomagnesium radical complexes (W. Kaïm), (222)C17
- Inorgano-Grignard, (η^5 -C₅H₅)(Ph₂PCH₂-CH₂, PPh₂)FeMgBr, reactivity towards halogermanes of (N. Aktoĝu, S.G. Davies, J. Dubac, P. Mazerolles), (212)C13
- Iron catalysis of Grignard reductions, mechanism of 1,3-reductive eliminations from γ -propyl halides (K.L. Rollick, W.A. Nugent, J.K. Kochi), (225)279
- Magnesium, Annual Survey covering the year 1978 (A. Maercker), (211)1
- , — 1979 (J. Villieras), (223)1
- Magnesium, low-temperature reaction with fluorobenzene of (G.B. Sergeev, V.V. Smirnov, F.Z. Badaev), (224)C29
- Magnesium alkoxides and amides, non-isothermal kinetic study of thermal decomposition of (E.C. Ashby, G.F. Willard), (202)241
- Magnesium hydride, reaction with pyridine of (A.J. de Koning, P.H.M. Budzelaar, B.G.K. van Aarssen, J. Boersma, G.J.M. van der Kerk), (217)C1
- , —, with formation of H₃Mg₂NC₅H₆, HMgNC₅H₆ and Mg(NC₅H₆)₂ of (E.C. Ashby, A.B. Goel), (204)139
- Methyl copper(I)ate complexes, THF soluble Normant reagent, preparation from "CH₃MgBr" and (CH₃)₂Mg and cuprous bromide of (E.C. Ashby, A.B. Goel, R.S. Smith), (212)C47
- Mixed orthoester and mixed acetal,

- reactions with organometallic compounds of (F. Barbot, Ph. Miginiac), (222)1
- Normant reagent ($\text{CH}_3\text{MgBr} + \text{CuBr}$) addition to terminal alkynes in THF; nature of the reactive species in solution (E.C. Ashby, R. Scott Smith, A.B. Goel), (215)C1
- Organolithium and organomagnesium, reactions with α, α' -difunctional conjugated enynes (D. Mesnard, J.-P. Charpentier, L. Miginiac), (214)15, 23
- , reactions with γ, δ -epoxy ketones leading to functionalised tetrahydrofurans of (M. Chastrette, G.P. Axiotis), (206)139
- Organolithium, organomagnesium and organozinc compounds, reactions with α, α' -enynes of (D. Mesnard, J.-P. Charpentier, L. Miginiac), (214)135
- Organometallic compounds derived from thioamides, reactions with aldehydes and ketones of (C. Goasdoue, N. Goasdoue, M. Gaudemar, M. Mladenova), (208)279
- Palladium(0) promoted cross-coupling of allenylmetal compounds with aryl and vinyl iodides (K. Ruitenbergh, H. Kleijn, J. Meijer, E.A. Oostveen, P. Vermeer), (224)399
- Polymer-bound titanium olefin isomerization catalysts (D.E. Bergbreiter, G.L. Parsons), (208)47
- Porphyrins, bis-porphyrins, phthalocyanines and their metal derivatives, electron transfer reactions with methylviologen of (P. Maillard, S. Gaspard, P. Krausz, C. Giannotti), (212)185
- 9-Propylfluorenyl ion pairs with tertiary polyamines in apolar solvents (G. Helary, L. Lefevre-Jenot, M. Fontanille, J. Smid), (205)139
- 2,3,5,6-Tetrachlorophenylmagnesium chloride, preparation and reactions of (M.T. Rahman), (225)25
- 1R,1R',2,3,4,5-Tetraphenyl-1-silacyclopentadiene, synthesis and reactions of (P. Jutzi, A. Karl), (214)289
- Trialkylaluminium compounds, nature of transition state in reactions with ketones of (E.C. Ashby, R.S. Smith), (225)71
- Vinyl tellurothiocarbamate, preparation of (F. Wudl, D. Nalewajek), (217)329
- ## Manganese
- Acetonyltetracarbonyltriphenylphosphine-manganese, crystal structure of (J. Engelbrecht, T. Greiser, E. Weiss), (204)79
- Allyl-transition metal complexes, mechanism of synthesis by phase-transfer catalysed reactions of metal carbonyl halides of (D.H. Gibson, W.-L. Hsu, F.U. Ahmed), (215)379
- α -Aminoethylcymantrene and derivatives, synthesis and absolute configuration of (N.M. Loim, Z.N. Parnes, V.G. Andrianov, Yu.T. Struchkov, D.N. Kursanov), (201)301
- Arene-manganese complexes (K.K. Bhasin, W.G. Balkeen, P.L. Pauson), (204)C25
- Carbonyl cluster compounds, bonding capabilities in three classes of (J.W. Lauher), (213)25
- Carbonylmanganese(I) binuclear substituted complexes with biimidazolate and bibenzimidazolate bridges (R. Usón, J. Gimeno), (220)173
- Carbonylmanganese(I) cationic complexes with diphosphines (G.A. Carriedo, V. Riera), (205)371
- Carbonylmanganese(I) complexes with organophosphino dithioformates and thioformamides, preparation and characterisation of (K.G. Steinhäuser, W. Klein, R. Kramolowsky), (209)355
- Carbonylmanganese derivatives, reactions of stereochemically rigid diisocyanides with (A. Efraty, I. Feinstein, L. Wackerle), (220)333
- Carbonylmetals, phase-transfer catalysed reductions of (D.H. Gibson, F.U. Ahmed, K.R. Phillips), (206)C17
- , reduction by quaternary ammonium borohydrides of (D.H. Gibson, F.U. Ahmed, K.R. Phillips), (218)325
- Carbonylmetal halide classes, negative ion mass spectra of (P. Michelin Lausarot, G.A. Vaglio, M. Valle, P. Volpe), (201)459
- Chelate complexes of norphos; diastereoisomers with opposite metal configuration exhibiting similar chiroptical properties (H. Brunner, A.F.M.M. Rahman), (214)373
- Chloromethyl-manganese, -rhenium and -ruthenium complexes, synthesis and reactions with triphenylphosphine of (C. Botha, J.R. Moss, S. Pelling), (220)C21

- Chromium and manganese complexes with functionalised isocyanide ligands, preparation and electronic and chemical properties of (P. Le Maux, G. Simon-neaux, G. Jaouen), (217)61
- π -Complexes of transition metals, addition products of hydrogen and deuterio exchange in mass spectra of (G.A. Burgalieva, Yu.S. Nekrasov, D.V. Zagorevskii, D.N. Kursanov), (202)77
- Copper complex of the Schiff base from 1-(*N,N*-dimethylaminoethyl)-2-formylcymantrene and (*S*)-alanyl(*S*)-alanine, crystal structure of (Yu.T. Struchkov, Yu.N. Belokon', V.M. Belikov, I.E. Zel'tser, G.G. Aleksandrov), (210)411
- (CpCrSCMe₃)₂S·Mn₂(CO)₉, and the cluster (CpCr)₂(μ_2 -SCMe₃)(μ_3 -S)₂Co(CO)₂, synthesis, molecular structures and magnetic properties of (A.A. Pasynskii, I.L. Eremenko, B. Orazsakhatov, Yu.V. Rakitin, V.M. Novotortsev, O.G. Ellert, V.T. Kalinnikov, G.G. Aleksandrov, Yu.T. Struchkov), (214)351
- (CpCrSCMe₃)₂S·Mn(CO)₂Cp, synthesis and molecular structure of and formation of the tetranuclear clusters Cp₂Cr₂MS₂ (M = Cr, V, Nb) (A.A. Pasynskii, I.L. Eremenko, B. Orazsakhatov, V.T. Kalinnikov, G.G. Aleksandrov, Yu.T. Struchkov), (216)211
- Cyclohexadienylmanganese complexes, LiAlH₄ reduction of (P. Bladon, G.A.M. Munro, P.L. Pauson, C.A.L. Mahaffy), (221)79
- π -Cyclopentadienyl- and π -arene-metal carbonyls, mixtures with aromatic and heterocyclic compounds, ion-molecule reaction products in mass spectra of (Yu.S. Nekrasov, N.I. Vasyukova, D.V. Zagorevskii, V.F. Sizoi, G.A. Nurgalieva, L.I. Dyubina), (201)433
- Cyclopentadienyl-cobalt(I) and -cobalt(III) complexes, synthesis from cyclopentadienyl(trimethylphosphine)cobalt carbonyl of (H. Werner, B. Juthani), (209)211
- η^5 -Cyclopentadienyldicarbonyl- η^2 -norbornadienemanganese, crystal structure of; absence of a postulated C—H—metal interaction in an 18-electron complex (P.A. Vella, M. Beno, A.J. Schultz, J.M. Williams), (205)71
- Cyclopentadienyltricarbonylrhenium derivatives, mass spectra of (V.F. Sizoi, Yu.S. Nekrasov, Yu.N. Sukharev, N.E. Kolobova), (210)97
- Cyclopentadienylzinc derivatives of manganese, molybdenum and tungsten, first examples of stable organozinc-transition metal compounds (P.H.M. Budzelaar, J. Boersma, G.J.M. van der Kerk), (202)C71
- Cyclopropenethione complexes with pentacarbonylchromium and dicarbonylcyclopentadienylmanganese as ligands (F. Edelmann, J. Klimes, E. Weiss), (224)C31
- Cymantrene derivative with a cymantrenyl-phenylthio ketone ligand, ¹³C NMR spectra and structure of (V.G. Andrianov, Yu.T. Struchkov, P.V. Petrovskii, E.I. Fedin, D.N. Kursanov, S.P. Dolgova, V.N. Setkina), (221)183
- Cymantrene-cyclopentadienylcarbonyl-metal derivatives, mass spectra of (V.F. Sizoi, Yu.S. Nekrasov, Yu.N. Sukharev, L.I. Leontyeva, S.A. Eremin, N.E. Kolobova, M.Ya. Solodova, Z.P. Valueva), (202)83
- Decacarbonyltriosmium dihydride, synthesis of anionic derivatives of (S. Kennedy, J.J. Alexander, S.G. Shore), (219)385
- 1,4-Diazabutadienylhexacarbonyldimetal complexes, ¹³C NMR investigations of (L.H. Staal, J. Keijsper, L.H. Polm, K. Vrieze), (204)101
- Di- and mono-carbonylmanganese(I) cationic complexes (G.A. Carriedo, J. Gimeno, M. Laguna, V. Riera), (219)61
- Dicarbonyl- η^5 -methylcyclopentadienylmanganio bis[dicarbonyl- η^5 -methylcyclopentadienylmanganio (*Mn—Mn*)]-germanium and bis[dicarbonyl- η^5 -methylcyclopentadienylmanganio]-germanium, formation of (W. Gäde, E. Weiss), (213)451
- Dicyclopentadienyldichlorotitanium, dinitrogen catalytic effect on reduction by Mn of (L.P. Battaglia, M. Nardelli, C. Pelizzi, G. Predieri, G.P. Chiusoli), (209)C7
- Dicyclopentadienyltrihydridoniobium, photochemical reaction with decacarbonyldimanganese of; structure of [((η^5 -C₅H₅)₂(CO)Nb)₂(μ -H)]⁺[Mn(CO)₅]⁻ (S. Baral, J.A. Labinger, W.R. Scheidt, F.J. Timmers), (215)C53

- Dimethylaminoalkyl-ferrocene and -cymantrene derivatives, determination of the distribution and total content of deuterium label by mass spectrometry in (D.V. Zagorevskii, N.M. Loim, Yu.S. Nekrasov, V.F. Sizoi, Yu.N. Sukharev), (202)201
- 9,10-Dimethylanthracene, hydrogenation by hydridopentacarbonylmanganese(I) of (R. Sweany, S.C. Butler, J. Halpern), (213)487
- 2,5-Dimethylstibacyclopentadienyl transition metal complexes (A.J. Ashe, III, T.R. Diephouse), (202)C95
- μ -Dithiobis(tricarbonyliron), reaction with dimanganese decacarbonyl of; novel product and interesting structural problem (D. Seyferth, R.S. Henderson, J.P. Fackler, Jr., A.M. Mazany), (213)C21
- Hydrido transition metal clusters, UV photoelectron spectra of (K.S. Wong, T.K. Dutta, T.P. Fehlner), (215)C48
- Keteneiminyl complexes of manganese and rhenium, preparation by addition of isocyanides to cationic carbyne complexes of (E.O. Fischer, W. Schambeck), (201)311
- Lambert's reaction: formation of $[\text{Mn}_2(\text{CO})_8(\mu\text{-AsR}_2)_2]$ complexes from tertiary arsines and $[\text{Mn}_2(\text{CO})_{10}]$ at high temperatures (H. Ashton, B. Brady, A.R. Manning), (221)71
- Manganacyclohexane, irreversible rearrangement to manganacyclopentane compound of (E. Lindner, G. Funk, S. Hoehne), (214)C7
- Manganese(II) dihalide and tertiary phosphine solutions in tetrahydrofuran, investigations on and reactions with dioxygen (R.M. Brown, R.E. Bull, M.L.H. Green, P.D. Grebenik, J.J. Martin-Polo, D.M.P. Mingos), (201)437
- Manganese and rhenium complexes, with phosphino-(thio)formamide and -dithioformate ligands (U. Kunze, A. Antoniadis, M. Moll), (215)187
- with triphenylphosphonioalkanedithiocarboxylate ligands, coordination chemistry of (U. Kunze, R. Merkel), (219)69
- Manganese, technetium and rhenium; Annual Survey covering the year 1979 (P.M. Treichel), (211)177
- Metal carbide clusters synthesis systematics for heteronuclear species (M. Tachikawa, R.L. Geerts, E.L. Muetterties), (213)11
- Metalation of dimethylaminomethyl-, hydroxymethyl- and diphenylphosphino-cymantrenes, orientation of substitution in (N.M. Loim, P.V. Kondrat'ev, N.P. Solov'eva, V.A. Antonovich, P.V. Petrovskii, Z.N. Parnes, D.N. Kursanov), (209)233
- Metallocene and bis-borabenzene d^5 systems, MO calculations on (D.W. Clack, K.D. Warren), (208)183
- Methylcyclopentadienyltricarbonylmanganese, exchange reactions leading to methyl-substituted benzene complexes of (P. Bachmann, H.W. Furk, J. Lösch, H. Singer), (212)237
- Methylcyclopentadienyltricarbonylmanganese(I), exchange of cyclopentadienyl ligands in (H.-W. Furk, J. Lösch, H. Singer), (218)361
- Methyltitanocenes, photochemically induced transmethylation in transition metal compounds with (M. Pankowski, E. Samuel), (221)C21
- Mononuclear anionic formyl-transition metal complexes, preparation from triethylborohydride and neutral metal carbonyl precursors and properties of (J.C. Selovar, M. Marsi, D.W. Parker, J.A. Gladysz), (206)317
- $[(\text{OC})_3\text{M}(\text{P}_3\text{O}_9)]^{2-}$ (M = Re and Mn), synthesis and characterization of (C.J. Besecker, W.G. Klemperer), (205)C31
- Organoseleno-manganese cluster, $[\text{Mn}(\text{CO})_3\text{SeC}_6\text{H}_5]_4$, photoinduced synthesis of (P. Jaitner), (210)353
- Palladium-catalysed synthesis of diphenyl carbonate from phenol, carbon monoxide and oxygen (J.E. Hallgren, G.M. Lucas, R.O. Matthews), (204)135
- Pentacarbonylhydromanganese, stoichiometric hydroformylation with (T.E. Nalesnik, M. Orchin), (222)C5
- η^5 -Pentadienyltricarbonylmanganese, an "open" analog of cymantrene (D. Seyferth, E.W. Goldman, J. Pomet), (208)189
- $\text{Ph}_2\text{C}=\text{W}(\text{CO})_5$ and $\text{Ph}_2\text{C}=\text{Mn}(\text{CO})_2\text{Cp}$, photochemically-induced reactions of (B.H. Edwards, M.D. Rausch), (210)91
- Phosphacymantrene and dimethylphosphacymantrene, vibrational study and valence force field calculations of

- (O. Poizat, C. Sourisseau), (213)461
- Platinum-manganese tri- and tetra-metallic complexes, crystal structures of (P. Braunstein, D. Matt, O. Bars, M. Louër, D. Grandjean, J. Fischer, A. Mitschler), (213)79
- π -Pyrrolyltricarbonylmanganese, interaction with picric acid of (V.G. Andrianov, Yu.T. Struchkov, N.I. Pyshnograeva, V.N. Setkina, D.N. Kursanov), (206)177
- , metalation of (N.I. Pyshnograeva, V.N. Setkina, V.G. Andrianov, Yu.T. Struchkov, D.N. Kursanov), (206)169
- λ^3 -Thia- λ^5 -phospha- h^2 -metallabicyclo-[2.2.1]heptadienes, preparation, properties and crystal structures of and their application in synthesis of organometallic and organic compounds (E. Lindner, A. Rau, S. Hoehne), (218)41
- Transition metal complexes, reaction with formyl fluoride of (G. Doyle), (224)355
- Tricarbonyl(η -benzene)manganese(I) cation, nucleophilicity of anions towards (D.J. Evans, L.A.P. Kane-Maguire, D.A. Schweigart), (215)C27
- Tri- η^5 -cyclopentadienyl-yttrium and -lanthanum tetrahydrofuran, formation and molecular structures of (R.D. Rogers, J.L. Atwood, A. Emad, D.J. Sikora, M.D. Rausch), (216)383
- Trimetallic dimetallobis(isocyanide)-platinum(II) complexes electroreduction of (A. Giraudeau, P. Lemoine, M. Gross, P. Braunstein), (202)455
- Trinuclear complexes with bisacyl- π -allyl ligands from palladium acetate and pyrylium salts, formation of (L.Yu. Ukhin, N.A. Dolgoplova, L.G. Kuz'mina, Yu.T. Struchkov), (210)263
- Triorganostannyl-manganese complex, synthesis and properties of (M. Gielen, I. Vanden Eynde), (217)205
- Vinylidene-manganese complexes, synthesis of (H. Berke, G. Huttner, J. von Seyerl), (218)193
- Mercury**
- Aryl- and benzyl-mercuric compounds, experimental evidence for σ - π conjugation involving the C—Hg bond (E. Michel, J. Périe, A. Lattes), (204)1
- Arylmercury(II) compounds involving intramolecular coordination via 2-Me₂NCH₂- and chiral (*S*)-2-Me₂NCHMe ring substituents (A.F.M.J. van der Ploeg, C.E.M. van der Kolk, G. van Koten), (212)283
- Benzyl-mercury, -tin and -germanium derivatives, aromatisation metalation as a method for synthesis of (O.A. Reutov, V.I. Rozenberg, R.I. Gorbacheva, V.A. Nikanorov), (201)47
- Bis(trimethylsilyl)- and trimethylsilylchloro-dicyclopentadienylzirconium, preparation and properties of and trimethylsilyl groups transfer from mercury to zirconium (A.J. Blakeney, J.A. Gladysz), (202)263
- 8-(α -Bromomercuriethyl)quinoline, stereochemistry of redox demercuration with zerovalent palladium complexes (V.I. Sokolov, V.V. Bashilov, A.A. Musaev, O.A. Reutov), (225)57
- (C₂H₅)₂Mo(HgSC₂H₅)₂, structure of two forms of studied by X-ray diffraction and ⁹⁵Mo NMR spectroscopy (M.K. Kubicki, R. Kergoat, J.E. Guerschais, I. Bkouche-Waksman, C. Bois, P. L'Haridon), (219)329
- 3,3-Difluoroallylsilicon derivatives, synthesis by an organophosphorus route of (D. Seyferth, K.R. Wursthorn, T.F.O. Lim, D.J. Sepelak), (205)301
- Ferrocene complexes with mercuric chloride, evidence from Mössbauer spectroscopy of Fe—Hg bonds in (R.M.G. Roberts, J. Silver, I.E.G. Morrison), (209)385
- Germanium—mercury bonds containing complexes, synthesis and decomposition reactions leading to germynes, germylenes and intermediate digermenes of (P. Rivière, A. Castel, J. Satgé), (212)351
- Isobutylorganylmercury compounds, ¹³C NMR spectroscopic investigation of the *trans* influence of the organyl anions of (D. Steinborn, R. Taube, R. Radeglia, W. Höbold), (210)139
- β -(Iso)thiocyanatoalkenylmercury derivatives, preparation and properties of (M. Gillard, J. Cousseau), (201)C1
- L-Menthyl esters of α -bromomercuryphenylacetic acid, diastereoisomeric purity, symmetrization and reverse reaction of, stereochemical reinvestigation (V.I. Sokolov, O.A. Reutov, G.Z. Suleimanov, V.I. Rozenberg,

- P.V. Petrovskii, A.I. Lutsenko, E.I. Fedin), (201)29
- Mercuric 2,6-disubstituted benzoates, thermal decomposition of (G.B. Deacon, G.N. Stretton), (218)123
- Mercuric salts of cycloaliphatic carboxylic acids with condensed cycles, initiated decarboxylation of (Yu.A. Ol'dekop, N.A. Maier, A.A. Erdman, Yu.D. But'ko), (201)39
- Mercury; Annual Survey covering the year 1979 (D. Seyferth), (203)183
- α -Mercury and α -platinummercury derivatives of L-menthyl phenylacetate, X-ray study of the molecular structure of (G.Z. Suleimanov, V.V. Bashilov, A.A. Musaev, V.I. Sokolov, O.A. Reutov), (202)C61
- Methoxymercuration of styrene derivatives (M. Bassetti, B. Floris, G. Illuminati), (202)351
- Methylation of organomercurials via organorhodium species (R.C. Larock, S.S. Hershberger), (225)31
- Methylcyanidocarbonylcyclopentadienyl-iron complexes, regioselectivity in reactions with mercury(II) halides of (R. Kumar, A.R. Manning), (216)C61
- Molecular complexing as initial stage of reactions of organometallic compounds (G.A. Razuvaev, A.V. Shabanov, A.N. Egorochkin, V.A. Kuznetsov, S.F. Zhiltsov), (202)363
- Mono-trimethylsilyl- and bis(trimethylsilyl)-substituted alcohols, mechanism of deoxysilylation of and comparison with mechanisms of deoxystannylation and deoxyplumbation (D.D. Davis, H.M. Jacobs, III), (206)33
- Organomercury halides, nucleophilic substitution by a free radical chain process in (G.A. Russel, J. Hershberger, K. Owens), (225)43
- Organomercury hydrides, characterisation in methanol solution of (M. Devaud), (220)C27
- (Organometal)-methyl groups, σ^+ -substituent constants for; bond polarizability model for hyperconjugation (D.D. Davis), (206)21
- Palladium, platinum, mercury and thallium complexes with substituted aryl groups, transmetalation reaction with metal carboxylates and low-valent metal complexes of (A.F.M.J. van der Ploeg, G. van Koten, K. Vrieze), (222)155
- Perfluorotribenzo[*b,e,h*][1,4,7]trimer-curionin, adducts of and crystal and molecular structure of its 1/1 4-phenylpyridine solvate (M.C. Ball, D.S. Brown, A.G. Massey, D.A. Wickens), (206)265
- Phenylmercury, triphenyl-tin and -lead derivatives of nitrogen-containing thiols, PMR study of relative strength of chelate rings in (D.N. Kravtsov, A.S. Peregudov, E.M. Rokhlina, E.I. Fedin), (201)61
- Roussin's red salt $[(\mu\text{-S})_2\text{Fe}_2(\text{NO})_2]^{2-}$: chemistry and comparison with $[(\mu\text{-S})_2\text{Fe}_2(\text{CO})_2]^{2-}$ of (D. Seyferth, M.K. Gallagher), (218)C5
- Silyl- and germlyl-mercurials in organic synthesis, route to *O*-silylated and *O*-germylated enolates (O.A. Kruglaya, L.I. Belousova, D.V. Gendin, I.D. Kalikhman, N.S. Vyazankin), (201)69
- Telluranthrene, synthesis and characterization of (N.L.M. Dereu, R.A. Zingaro), (212)141
- 1-Thia-3-silacyclobutanes and 1-thia-3-silacyclopentane, synthesis and properties of (M.G. Voronkov, S.V. Kirpichenko, E.N. Suslova, V.V. Keiko), (204)13
- 2-Thiophenemercuric derivatives, synthesis and thermal decomposition of (C.A. Obafemi), (219)1

Metalloenes

- Alkenyltitanocene, reactions of (E. Klei, J.H. Teuben), (222)79
- Alkyltitanocenes, cyclometalation reactions with pyridines of (E. Klei, J.H. Teuben), (214)53
- Allyltitanocenes, reactions of (E. Klei, J.H. Teuben, H.J. de Liefde Meijer, E.J. Kwak, A.P. Bruins), (224)327
- Arenecyclopentadienyliron cations, two-electron reduction of (A.N. Nesmeyanov, N.A. Vol'kenau, P.V. Petrovskii, L.S. Kotova, V.A. Petrakova, L.T. Denisovich), (210)103
- Arenecyclopentadienyliron dications, ESR spectra of (S.P. Solodovnikov, A.N. Nesmeyanov, N.A. Vol'kenau, L.S. Kotova), (201)C45
- η^6 -Azidobenzene- η^5 -cyclopentadienyliron hexafluorophosphate, thermolysis and photolysis of (C.C. Lee, C.I. Azogu, P.C. Chang, R.G. Sutherland), (220)181

- η^2 -Benzophenonezirconocene, reactivity of (G Erker, F Rosenfeldt), (224)29
- Binuclear tungstenocene chemistry, hydrido and halo derivatives (M L.H Green, A Otero), (202)421
- π -Bis(benzene)chromium(0)-catalysed oligomerisation of perfluoropropylene (Y Huang, J Li, J. Zhou, Z Zhu, G Hou), (205)185
- Bis(benzene)metal(II) cations of the iron triad, nucleophilic addition of tertiary phosphines to (P J Dormaille, S D Ittel, J P Jesson, D A Sweigart), (202)191
- Bis(bicyclooctatetraenyl)uranium, uraniumocenylenes, preparation and PMR spectra of (M J. Miller, A Streitwieser, Jr), (209)C52
- Bis(diethylamido)uranium(IV), symmetric and asymmetric dicyclopentadienyl derivatives of (A. Dormond, C. Duval-Huet, J Trouflet), (210)83
- 1,1'-Bis(6-fulvenyl)ferrocene, synthesis and characterization of (A. Cassens, P Eilbracht, U T Mueller-Westerhoff, A Nazzari, M. Neuenschwander, W Prossdorf), (205)C17
- Bis(1-methyl-4-*t*-butyl- η -benzene)-chromium, conformational interconversion of (U Zenneck, C Elschenbroich, R Mockel), (219)177
- Bis-niobocenes, crystal and molecular structure of $[(\eta^5-C_5H_5)_2SiMe_2OSiMe_2-\eta^5-\eta^1-C_5H_5]_2Nb_2H_2][Na(OEt)_2]_2$ (D A. Lemenovskii, V P Fedin, A V Aleksandrov, Yu L. Slovohtov, Yu T Struchkov), (201)257
- f*-Block metal cyclopentadienyl complexes, photoelectron studies on (J C Green, M R Kelly, J A Long, B. Kanellakopulos, P I W Yarrow), (212)329
- Bridged ferrocenes, correlations of redox potentials with structure of (E Fujita, B Gordon, M Hillman, A G. Nagy), (218)105
- Bromo(η^5 -cyclopentadienyl)triphenylphosphinenickel, reactions with phosphorus, arsenic and sulphur ylides of (B L Booth, K.G Smith), (220)219
- Carbonyl- and alkynecarbonyl-ruthenium complexes in reactions with nickelocenes; crystal structures of $(\eta^5-C_5H_5)_2Ni_2Ru(CO)(C_2Ph_2)$ and $(\eta^5-C_5H_5)_2Ni_2Fe(CO)(C_2Ph_2)$ (E. Sappa, A M M Lanfredi, A Tiripicchio), (221)93
- Carbonyl-Group VI metal complexes with ferrocenylphenylthio ketone as ligand, ^{13}C NMR spectra of (P V Petrovskii, V N Setkina, S P. Dolgova, D N Kursanov), (221)177
- Carbonyliron complexes of dithiocarbonates, X-ray crystal structure of $Fe_4(CO)_4S(SCH_2C_5H_4FeC_5H_5)(SCH_3)$ (H Patin, G Mignani, C Mahe, J-Y Le Marouille, A Benoit, D Grandjean), (210)C1
- $[C_5H_5]Ni[C_2B_2(C_2H_5)_2CCH_3]Ni[C_5H_5]$, a paramagnetic tripledecker sandwich complex, multinuclear NMR investigation of (F.H. Kohler, U Zenneck, J Edwin, W. Siebert), (208)137
- (η^2 -Cyclohexadienyl)(η^5 -cyclopentadienyl)iron(II) and (η^6 -arene)(η^1 -cyclohexadiene)iron(0) substituted complexes, synthesis of (L K Beard, Jr M P Silvon, P S Skell), (209)215
- Cyclopentadienylareneiron cations activating regio- and stereo-specific electrochemical reduction of ketones and acids (E Roman, D Astuc, A Darcheu), (219)221
- (η^1 -Cyclopentadienyl)iron complexes, mechanistic details on fluxional behaviour of (B D Fabian, J.A Labinger), (204)387
- Cyclopentadienylnickel diligand cations, electrochemical reduction of (U Koelle, H Weiner), (221)367
- Di- and tri-bridged ferrocenes with penta methylene chains, synthesis of (M Hisatome, M Hillman) (212)217
- Dicyclopentadienyldihydroniobium reactions with perfluorinated acetylenes, crystal structure of a niobiacyclopentadiene derivative (J Sala Pala, J Amaudrut, J E Guerschais R. Mercier, J Douglade, J G Theobald) (204)347
- Dicyclopentadienyltitanium nitrate structure of (H P Klein, U Thewalt), (206)69
- Dimethylaminoalkyl-ferrocene and cyanotrene derivatives, determination of the distribution and total content of deuterium label by mass spectrometry in (D V Zagorevskii, N M Loim, Yu S Nektasov, V F Sizov, Yu N Sukharev), (202)201
- N,N*-Dimethylaminomethylation of bi ferrocene and conversions of the reaction products (M Hisatome, S. Ichida, T Yamaguchi, K Yamakawa), (217)221
- 2,5-Dimethylstibacyclopentadienyl

- transition metal complexes (A.J. Ashe, III, T.R. Diephouse), (202)C95
- 2,4-Dinitrobenzenesulphenyl chloride, addition to alkyl-substituted vinylferrocenes of (B. Floris, G. Illuminati), (225)301
- 1,3-Disubstituted ferrocenes and intermolecular (1,3)ferrocenophanes, synthesis of (M. Hisatome, O. Tachikawa, M. Sashō, K. Yamakawa), (217)C17
- Ferricinium salts, azole anions as one-electron reducers of (V.N. Babin, Yu.A. Belousov, I.R. Lyatifov, R.B. Materikova, V.V. Gumenyuk), (214)C11
- , heteroarylation of (V.N. Babin, Yu.A. Belousov, V.V. Gumenyuk, R.B. Materikova, R.M. Salimov, N.S. Kochetkova), (214)C13
- Ferrocene; Annual Survey covering the year 1979 (B.W. Rockett, G. Marr), (211)215
- , influence of methyl substitution on charge distribution and molecular geometry in (D. Schmitz, J. Fleischhauer, U. Meier, W. Schleker, G. Schmitt), (205)381
- , Mössbauer studies of iron—hydrogen bonded complexes of (R.M.G. Roberts, J. Silver, R.J. Ranson, I.E.G. Morrison), (219)233
- , photoreactions with visible light in micellar solution of (D.M. Papsun, J.K. Thomas, J.A. Labinger), (208)C36
- Ferrocene and ferrocene derivatives in solution, periodic variation of optical density in electron absorption spectra of (T.V. Burova, V.N. Trembovler, B.M. Yavorsky, N.V. Fock, R.B. Materikova, N.S. Kochetkova), (217)215
- Ferrocene complexes with mercuric chloride, evidence from Mössbauer spectroscopy of Fe—Hg bonds in (R.M.G. Roberts, J. Silver, I.E.G. Morrison), (209)385
- Ferrocene derivatives, ⁵⁷Fe NMR spectroscopy of (E. Haslinger, W. Robien, K. Schlögl, W. Weissensteiner), (218)C11
- Ferrocene polymers, polyferrocenylen-iminoimides (L. Tătaru, I. Mazilu, M. Vătă, T. Lixandru, C. Simionescu), (214)107
- Ferrocene-*p*-cyclophanes, synthesis of (A. Ratajczak, H. Niedbała, B. Czech, A. Palka, A. Czech), (222)127
- Ferrocenophanes, protonation in strong and weak acids of (T.E. Bitterwolf, A.C. Ling), (215)77
- [1,1]Ferrocenophane, synthesis via 1,1'-bis(6-fulvenyl)ferrocene of (U.T. Mueller-Westerhoff, A. Nazzari, W. Prössdorf), (205)C21
- [3]Ferrocenophane bridge reversal barriers, C, O and S bridging atoms (E.W. Abel, M. Booth, C.A. Brown, K.G. Orrell, R.L. Woodford), (214)93
- , sulphur, selenium and tellurium bridging atoms (E.W. Abel, M. Booth, K.G. Orrell), (208)213
- [3]Ferrocenophanes with trichalcogen bridges, synthetic and structural studies on; crystal and molecular structure of 1,3-dithia-2-selena[3]ferrocenophane (A.G. Osborne, R.E. Hollands, J.A.K. Howard, R.F. Bryan), (205)395
- [3][4]- and [3][5]-ferrocenophane-6-ones, synthesis and structures of (Yu.T. Struchkov, G.G. Aleksandrov, A.Z. Kreindlin, M.I. Rybinskaya), (210)237
- Ferrocenyl azide and ferrocenylsulphonyl azide, kinetics of thermal decomposition in 1-chloronaphthalene of (C.I. Azogu, M.N. Ofori), (222)275
- Ferrocenyl carbenium ions, interpretation of the structure by Mössbauer and NMR spectra of (G. Neshvad, R.M.G. Roberts, J. Silver), (221)85
- Ferrocenyl-substituted pyrazolines-2, fragmentations under electron impact of (A.N. Nesmeyanov, D.V. Zagorevskii, Yu.S. Nekrasov, V.N. Postnov, A.M. Baran), (201)293
- 1-Ferrocenylalkyl alcohols, synthesis and purification of (B. Misterkiewicz), (224)43
- Ferrocenylcyclohexenones, solvent dynamic stereochemistry about Fe in and access to optically active Cp*Fe⁺-arene salts (E. Roman, D. Astruc, H. Des Abbayes), (219)211
- 1,1'-Ferrocenylenedicopper, synthesis and properties of (N.N. Sedova, S.K. Moiseev, V.A. Sazonova), (224)C53
- Ferrocenylmethyl *N*-substituted adenines, synthesis and mass spectra of (S.-C. Chen), (202)183
- Hafnium—transition metal bonds formed in the synthesis of (η⁵-C₅H₅)₂HfFe(CO)₄ via nucleophilic displacement (J. Akys, W.M. Risen, Jr.), (204)C5
- Heterobinuclear wedge-like sandwich derivatives, steric factors in formation

- and structures of; crystal and molecular structure of niobocenehydrido(σ, π -cyclopentadienylidene)iron(dicarbonyl) ($Nb-Fe$) (A.A. Pasynskii, Yu.V. Skripkin, V.T. Kalinnikov, M.A. Porai-Koshits, A.S. Antsyshkina, G.G. Sadikov, V.N. Ostrikova), (201)269
- endo*-Hydride abstraction from *exo*-substituted cyclopentadiene-cyclopentadienylcobalt; synthesis of monosubstituted cobalticinium salts (N. El Murr), (208)C9
- Metallocene and bis-borabenzene d^5 systems, MO calculations on (D.W. Clack, K.D. Warren), (208)183
- Metallocene phenylalanine analogs, synthesis of (J.C. Brunet, E. Cuingnet, H. Gras, P. Marcincal, A. Mocz, C. Sergheraert, A. Tartar), (216)73
- sym*-Methylcobalticinium hexafluorophosphates, 1H and ^{13}C NMR spectra of (R.B. Materikova, V.N. Babin, I.R. Lyatifov, R.M. Salimov, E.I. Fedin, P.V. Petrovskii), (219)259
- Methyltitanocenes, photochemically induced transmethylation in transition metal compounds with (M. Pankowski, E. Samuel), (221)C21
- Nickelacycles, $[Ni\{Ph_3PCH(CH_2)_nCHPh_3\}-(\eta-C_5H_5)]PF_6$ ($n = 1-3$), preparation from reactions of nickelocene and $[NiBr(\eta-C_5H_5)(PPh_3)]$ with bis-ylids of (B.L. Booth, K.G. Smith), (220)229
- (Olefin)- and (diene)- η^5 -cyclopentadienyl-iron cationic complexes, synthesis by ligand exchange reactions of (E.K.G. Schmidt, C.H. Thiel), (220)87
- μ -Oxalatobis[di- η^5 -cyclopentadienyl]-titanium], crystal and molecular structure of (F. Bottomley, I.J.B. Lin, P.S. White), (212)341
- [2.2]Paracyclophane with an (η^5 -cyclopentadienyl)iron $^+$ moiety: mono- and di-cations (A.R. Koray), (212)233
- Polymer-supported metallocenes and their applications in catalysis of olefin isomerisation, oligomerisation, epoxidation and dinitrogen fixation reactions (C.-P. Lau, B.-H. Chang, R.H. Grubbs, C.H. Brubaker, Jr.), (214)325
- $[Rh(2,3,8:5,6-\eta-C_5H_5, CHR)(\eta-C_5H_5)]^+$ ($R = Me, Ph, ferrocenyl$) cationic complexes, stereospecificity in the generation of; molecular structure of $[Rh(2,3,8:5,6-\eta-C_5H_5, CH_2)(\eta-C_5H_5)]^+$ (A.A. Koridze, I.T. Chizhevsky, P.V. Petrovskii, E.I. Fedin, N.E. Kolobova, L.E. Vinogradova, L.A. Leites, V.G. Andrianov, Yu.T. Struchkov), (206)373
- Thoracene and the potassium salt of dicyclooctatetraenyllanthanum, vibrational spectra of (V.T. Aleksanyan, I.A. Garbusova, T.M. Chernyshova, Z.V. Todres, M.R. Leonov, N.I. Gramateeva), (217)169
- Titanium and zirconium reactive species, photogeneration of: a CIDNP study (P.W.N.M. van Leeuwen, H. van der Heijden, C.F. Roobeek, J.H.G. Frijns), (209)169
- Titanocene derivatives, influence of an interannular ethylene bridge on the reactivity of (J.A. Smith, H.H. Brintzinger), (218)159
- Titanocene dichloride, reversibility of electron reduction of (N. El Murr, A. Chaloyard), (212)C39
- , reversibility of the first reduction stage of (Y. Mugnier, C. Moïse, E. Laviron), (204)61
- , spectrometric and preparative investigations of hydrolysis of (H. Köpf, S. Grabowski, R. Voigtländer), (216)185
- Titanocene monochloride, electrochemical oxidation of (Y. Mugnier, C. Moïse, E. Laviron), (210)69
- Titanocene and niobocene chelate trimethylacetates, molecular structures and infrared spectra of (I.L. Eremenko, Yu.V. Skripkin, A.A. Pasynskii, V.T. Kalinnikov, Yu.T. Struchkov, G.G. Aleksandrov), (220)159
- η^6 -Toluidine- η^5 -cyclopentadienyliron cations, zwitterionic species from deprotonation of and their reactions as nucleophiles (C.C. Lee, U.S. Gill, R.G. Sutherland), (206)89
- Tri- η^5 -cyclopentadienyl-yttrium and -lanthanum tetrahydrofuran, formation and molecular structures of (R.D. Rogers, J.L. Atwood, A. Emad, D.J. Sikora, M.D. Rausch), (216)383
- 1,2,3-Triferrocenylcyclopropenes, electrochemical behaviour of (A.J. Fry, P.S. Jain, R.L. Krieger), (214)381
- Tris(triphenylphosphinegold)tetraphenylcyclopentadiene tetrafluoroborate, synthesis and structure of (T.V. Baukova, Yu.L. Slovokhotov, Yu.T. Struchkov), (221)375
- Zirconium and hafnium organometallic

compounds, free radical substitution reactions on (P.R. Brindley, M.J. Scotton), (222)89

Molybdenum

μ -Alkyndimolybdenum complexes, protonation of and X-ray structure of $[\text{Mo}_2\{\text{OC}(\text{O})\text{CF}_3\}(\text{CO})_2(\mu\text{-CHCH}_2)(\eta\text{-C}_5\text{H}_5)_2]$ (J.A. Beck, S.A.R. Knox, G.H. Riding, G.E. Taylor, M.J. Winter), (202)C49

η^3 -Allyl-chromium, -molybdenum and -tungsten complexes, fluxional behaviour shown by magnetisation transfer difference spectroscopy in (R. Benn, A. Ruffńska, G. Schroth), (217)91

Allyl-transition metal complexes, mechanism of synthesis by phase-transfer catalysed reactions of metal carbonyl halides of (D.H. Gibson, W.-L. Hsu, F.U. Ahmed), (215)379

η^6 -Arene and carbonyl derivatives of the $[\text{PhP}(\text{CH}_2\text{CH}_2\text{PPh}_2)]\text{Mo}^0$ moiety (M.C. Davies, T.A. George), (224)C25

Arenetricarbonylmolybdenum, alkylation of furan catalysed by (D.J. Milner), (217)199

2,2'-Bipyridine-, and 1,2-bis(diphenylphosphine)ethane- π -allylbromodicarbonyl-molybdenum and -tungsten complexes, substitution reactions with xanthates and dithiocarbamates of (M.F. Perpiñan, A. Santos), (221)63

Bis(benzene)molybdenum and bis(toluenetungsten), enthalpies of formation of (J.A. Connor, N.I. El-Saied, J.A. Martinho-Simoes, H.A. Skinner), (212)405

Bis(2,2'-bipyridine)-molybdenum and -tungsten carbonyl derivatives, redox and isocyanide substitution chemistry of (J.A. Connor, E.J. James, C. Overton, N. El Murr), (218)C31

Bis(cyclopentadienyltricarbonylmolybdenum) and -tungsten) and cyclopentadienyltricarbonyliodomolybdenum and -tungsten, reactions with isonitriles of (N.J. Coville), (218)337

t-Butyl(trimethyl-Group IVB)arsines and their pentacarbonyl-chromium, -molybdenum and -tungsten complexes (H. Schumann, U. Frank, W.W. Du Mont, F. Marschner), (222)217

Carbonyl-alkyl isocyanide complexes of molybdenum (J.C. Deaton, R.A. Walton), (219)187

Carbonyl-chromium, -molybdenum and -tungsten complexes of 7-methyl-1,3,5-triarsa-2,4,9-trioxaadamantane (J. Ellermann, S.-P. Ang, M. Lietz, M. Moll), (222)105

Carbonyl-Group VI metal complexes, with ferrocenyphenylthio ketone as ligand, ^{13}C NMR spectra of (P.V. Petrovskii, V.N. Setkina, S.P. Dolgova, D.N. Kursanov), (221)177

—, photochemical reactions with phenanthroquinone and radical ligand exchange with Group VA organometals (D. Weir, J.K.S. Wan), (220)323

Carbonylmetals, phase-transfer catalysed reductions of (D.H. Gibson, F.U. Ahmed, K.R. Phillips), (206)C17

—, reduction by quaternary ammonium borohydrides of (D.H. Gibson, F.U. Ahmed, K.R. Phillips), (218)325

Carbonylmetal complexes of 1,3-di-*t*-butyl-2,2-dimethyl-1,3,2,4 λ^2 -diazasilastannetidines (M. Veith, H. Lange, K. Bräuer, R. Bachmann), (216)377

Carbonyl-organomolybdenums, ^{95}Mo NMR spectroscopy of (J.-Y. Le Gall, M.M. Kubicki, F.Y. Petillon), (221)287

Carbonyl-molybdenum and -tungsten derivatives, ^{13}C — ^{13}C coupling used in establishing intramolecular vs. intermolecular CO ligand rearrangement processes in (D.J. Darensbourg), (209)C37

Chlorobenzene activation as phenylating agent by a dinitrogen-molybdenum complex (M. Nardelli, C. Pelizzi, G. Predieri, G.P. Chiusoli), (204)75

($\eta^5\text{-C}_5\text{H}_5$) $\text{Mo}(\text{CO})_2\text{SC}(\text{CH}_3)\text{NR}$, structural characteristics of (G.M. Reisner, I. Bernal), (220)55

(C_5H_5) $_2\text{Mo}(\text{HgSC}_2\text{H}_5)_2$, structure of two forms studied by X-ray diffraction of and ^{95}Mo NMR spectroscopy (M.K. Kubicki, R. Kergoat, J.E. Guerschais, I. Bkouche-Waksman, C. Bois, P. L'Haridon), (219)329

Chromium, molybdenum and tungsten; Annual Survey covering the year 1976 (J.D. Atwood, M.L. Atwood, M.Y. Darensbourg, D.J. Darensbourg), (223)49

($\text{CO})_2\text{Fe}(\mu\text{-AsMe}_2)\text{Mo}(\text{CO})_2(\text{C}_5\text{H}_5)$,

- fluxional behaviour of (C.P. Casey, P.M. Bullock), (218)C47
- (CO)₅Re—M(CO)₂CC₂H₅ (M = Cr, Mo, W) and (CO)₅Re—W(CO)₂CCH₃, vibrational study of (N.Q. Dao, E.O. Fischer, T.L. Lindner), (209)323
- μ-[1-4-5-8η-Cyclooctatetraene]-cyclopentadienylcobalttricarbonylmolybdenum (Co—Mo), X-ray structure of (A. Salzer, T. Egoal, L. Linowsky, W. Petter), (221)339
- Cyclopentadienylcarbonyl-molybdenum- and -tungsten complexes with heteroallyl derivatives as ligands (H.P.M.M. Ambrosius, A.H.I.M. van der Linden, J.J. Steggerda), (204)211
- η⁵-Cyclopentadienylcobalt and dinuclear molybdenum complexes, separation of diastereoisomers, structural isomers and homologs by reverse phase HPLC using deoxygenated solvents of (J.M. Huggins, J.A. King, Jr., K.P.C. Vollhardt, M.J. Winter), (208)73
- Cyclopentadienyldicarbonylmolybdenum benzamidinato complexes with chiral substituents on the chelate ring, "mixed type", "looser type" and "winner type" conformations in (H. Brunner, G. Agrifoglio), (202)C43
- Cyclopentadienyldicarbonylnitrosyl-tungsten, intermediates in associative phosphine substitution reactions of (C.P. Casey, W.D. Jones, S.G. Harsy), (206)C38
- (η-Cyclopentadienyl)(methyl)tricarbonylmolybdenum, IR spectroscopic evidence for CO dissociation and radical pathways in photochemical reactions of (R.B. Hitam, R.H. Hooker, K.A. Mahmoud, R. Narayanaswamy, A.J. Rest), (222)C9
- Cyclopentadienyltricarbonyl(trimethylstannyl)-molybdenum and -tungsten, influence of an intermediate on reaction kinetics in reactions with iodine of (J.R. Chipperfield), (205)365
- Cyclopentadienylzinc derivatives of manganese, molybdenum and tungsten, first examples of stable organozinc-transition metal compounds (P.H.M. Budzelaar, J. Boersma, G.J.M. van der Kerk), (202)C71
- Cymantrene-cyclopentadienylmetal carbonyl derivatives, mass spectra of (V.F. Sizoi, Yu.S. Nekrasov, Yu.N. Sukharev, L.I. Leontyeva, S.A. Eremin, N.E. Kolobova, M.Ya. Solodova, Z.P. Valueva), (202)83
- Decacarbonylhydrodimolybdenum monoanion, X-ray diffraction studies of the influence of lattice effects on the metal carbonyl framework of (J.L. Petersen, A. Masino, R.P. Stewart, Jr.), (208)55
- Decacarbonyltriosmium dihydride, synthesis of anionic derivatives of (S. Kennedy, J.J. Alexander, S.G. Shore), (219)385
- Diastereomers with opposite Mo configuration, direct observation by ⁹⁵Mo NMR of (M. Minelli, T.W. Rockway, J.H. Enemark, H. Brunner, M. Muschiol), (217)C34
- Diazoalkane-tungsten and -molybdenum complexes, electrochemical properties of (Y. Mizobe, R. Ono, Y. Uchida, M. Hidai, M. Tezuka, S. Moue, A. Tsuchiya), (204)377
- Dicarbonylcyclopentadienylmolybdenum benzamidinato complexes with N substituents, ¹H NMR and nuclear Overhauser difference spectroscopy of (H. Brunner, G. Agrifoglio, R. Benn, A. Ruffinska), (217)365
- Dicobalt-molybdenum and -tungsten μ₃-RSi and μ₃-RGe bridged clusters, preparation of (H. Vahrenkamp, D. Steiert, P. Gusbeth), (209)C17
- Di-η⁵-cyclopentadienylhexacarbonyldimolybdenum, carbon monoxide dissociation reaction with diphenylacetylene of (S. Amer, A. Poë), (209)C31
- , kinetics of halogenation reactions of (S. Amer, G. Kramer, A. Poë), (220)75
- , thermal homolytic fission of the Mo—Mo bond in (S. Amer, G. Kramer, A. Poë), (209)C28
- cis-Dicyclopentadienyltetracarbonyl-diiron, influence of site symmetry on the solid state spectrum of (H.C. Dorn, B.E. Hanson, E. Motell), (224)181
- 6-Dimethylaminofulvenetricarbonylchromium, -molybdenum and -tungsten, investigation of rotation isomerization by dynamic ¹H NMR spectroscopy of (B.N. Strunin, V.I. Bakhmutov, V.N. Setkina, D.N. Kursanov), (208)81
- 6-Dimethylaminofulvenetricarbonyl-tungsten, investigation by dynamic ¹H NMR spectroscopy of protonation and rotational isomerisation of (B.N. Strunin, V.I. Bakhmutov, V.N.

- Setkina, D.N. Kursanov), (219)197
- Dimethyl(α -picolyl)stibine, dimethyl-(8-quinolyl)stibine and (*R,S*)-methyl-phenyl(8-quinolyl)stibine and some transition metal derivatives, synthesis of (E. Shewchuk, S.B. Wild), (210)181
- Heterotrinnuclear complexes of the type $M(\text{CO})_5L$ ($M = \text{Cr, Mo, W}$) containing $[(\text{C}_2\text{H}_5\text{CrSCMe}_2)_2\text{S}]$ as unusual anti-ferromagnetic ligand (*L*), synthesis, structure and magnetic properties of (A.A. Pasynskii, I.L. Eremenko, Yu.V. Rakitin, B. Orazsakhmatov, V.M. Novotortsev, O.G. Ellert, V.T. Kalinnikov, G.G. Aleksandrov, Yu.T. Struchkov), (219)C26
- Hexacarbonyl-chromium, -molybdenum and -tungsten, photochemical studies at low temperature of (D.R. Tyler, D.P. Petrylak), (212)389
- Hexacarbonyl *ortho*-metallated diiron complex from benzalazine and $\text{Fe}_3(\text{CO})_{12}$, synthesis and structure of (N.S. Nametkin, V.D. Tyurin, V.V. Trusov, A.S. Batsanov, Yu.T. Struchkov), (219)C26
- Imido-rhenium and -molybdenum complexes, generated from reactions of coordinated nitride; crystal and molecular structures of $[\text{Mo}(\text{NCPPh}_3)(\text{S}_2\text{CNMe}_2)_3]\text{BF}_4$ and $[\text{Mo}(\text{NSO}_2\text{Ph})(\text{S}_2\text{CNMe}_2)_3]\text{PF}_6$ (M.W. Bishop, J. Chatt, J.R. Dilworth, B.D. Neaves, P. Dahlstrom, J. Hyde, J. Zubieta), (213)109
- $M(\text{CO})_nL$ complexes ($M = \text{Cr, Mo, W}$) of the chelating ligands $\text{Me}_2\text{XGeMe}_2(\text{CH}_2)_2\text{-X'Me}_2$ ($X, X' = \text{N, P, As}$), preparation and characterisation of (K. Betka, J. Grobe), (210)193
- Mechanism of conversion of a coordinated dinitrogen to a hydrazido(2-) ligand (R.A. Henderson), (203)C51
- Metal carbide clusters synthesis systematics for heteronuclear species (M. Tachikawa, R.L. Geerts, E.L. Muettterties), (213)11
- Methylarsine- and metharsinidene-metal carbonyls (E. Röttinger, H. Vahrenkamp), (213)1
- N*-Methylbenzimidazole chloride derived carbene chelate complexes of molybdenum and iron, stereoselective hydride addition to (H. Brunner, J. Wachter), (201)453
- $\text{Me}_2\text{XGeMe}_2(\text{CH}_2)_2\text{X'Me}_2$ ($X, X' = \text{N, P, As}$), chelating ligands, coordination behaviour of (K. Betka, J. Grobe), (210)313
- $[\text{MoBr}(\pi\text{-allyl})(\text{CO})_2(L)_2]$ complexes (*L* = acetonitrile, pyridine), substitution reactions with xanthates and dithiocarbamates of (M.F. Perpiñan, A. Santos), (218)185
- Molybdenum alkyl- and aryl-thiolates (F.Y. Petillon, J.L. Le Quere, J. Roue, J.E. Guerschais, D.W.A. Sharp), (204)207
- Molybdenum and tungsten complexes with heteroallyl-like $\text{Ph}_2\text{P}(\text{O})\text{C}(\text{S})\text{NR}^-$ ($R = \text{Me, Ph}$) as ligand; X-ray structure of $\text{Mo}(\text{CO})_2(\text{PPh}_3)(\text{Ph}_2\text{P}(\text{O})\text{C}(\text{S})\text{NPh})_2\text{-CH}_2\text{Cl}_2$ (H.P.M.M. Ambrosius, W.P. Bosman, J.A. Cras), (215)201
- Molybdenum and tungsten diphenylphosphanes, preparation, reactions and NMR spectroscopic characterisation of (W. Malisch, R. Maisch, I.J. Colquhoun, W. McFarlane), (220)C1
- Molybdenum and tungsten homoleptic phenyl isocyanide complexes; zerovalent six-coordinate vs. divalent seven-coordinate (D.D. Klendworth, W.W. Welters III, R.A. Walton), (213)C13
- Molybdenum and tungsten methanethiolate derivatives in reactions with hexafluorobut-2-yne (F.Y. Petillon, F. Le Floch-Perennou, J.E. Guerschais, D.W.A. Sharp, Lj. Manojlovic-Muir, K.W. Muir), (202)23
- Molybdenum, tungsten, rhenium and ruthenium complexes with diazenido ligands, ^{15}N NMR spectroscopy as a probe for geometry of (J.R. Dilworth, C.-T. Kan, R.L. Richards, J. Mason, I.A. Stenhouse), (201)C24
- ^{95}Mo NMR spectra of molybdenum carbonyls and related compounds (S. Dysart, I. Georgii, B.E. Mann), (213)C10
- Mononuclear anionic formyl-transition metal complexes, preparation from triethylborohydride and neutral metal carbonyl precursors and properties of (J.C. Selovar, M. Marsi, D.W. Parker, J.A. Gladysz), (206)317
- trans*- $\text{Mo}(\text{N}_2)_2(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2$, reactions with aldehydes, aldehydic compounds, alcohols and hydroaromatic compounds of; stoichiometric decarbonylation and dehydrogenation (T. Tatsumi, H. Tominaga, M. Hidai, Y. Uchida), (215)67

- , reactions with esters of; cleavage of C—O bonds (T. Tatsumi, H. Tomimaga, M. Hidai, Y. Uchida), (218)177
- cis*-[Mo(N₂)₂(PMe₂Ph)₂] and *trans*-[Mo(N₂)₂(Ph₂PCH₂CH₂PPh₂)₂], mechanism of displacement of dinitrogen by isocyanides from (A.J.L. Pombeiro, C.J. Pickett, R.L. Richards, S.A. Sangokoya), (202)C15
- Organomolybdenum carboxylate isomeric derivatives (B.J. Brisdon, A. Day), (221)279
- Pentacarbonyl(tris(trimethylsilyl)stibine)-chromium, -molybdenum and -tungsten complexes, preparation and behaviour as initiators in polymerisation of THF of (H.J. Breunig, W. Fichtner), (222)97
- Phenyl group migration from S to C atom of a ring-opened cyclopropene; crystal structure of [Mo(η³-*syn*-1-Ph-3,3-Me₂C₂H₂)(1,2-C₆H₄S₂)(η-C₅H₅)] (M. Green, N.C. Norman, A.G. Orpen), (221)C11
- Phenylcyanoiododicyclopentadienyl-molybdenum hexafluorophosphate, kinetic study of the thermal and photo-substitution reaction with methyl cyanide of (S.M.B. Costa, A.R. Dias, F.J.S. Pina), (217)357
- Phosphine-vanadium(II) and -molybdenum(II) complexes, interaction with CO screened by high pressure IR spectroscopy of (V.M. Hall, C.D. Schmulbach, W.N. Soby), (209)69
- σ-Tertiary benzylic alcohol complexes with molybdenum and iron compounds (J. Benaim, F. Giulieri), (202)C9
- Tetrachloromethane addition to oct-1-ene catalysed by [Mo₂(CO)₈(η-Cp)₂], mechanism of (R. Davis, I.F. Groves), (215)C23
- Tetrafluoroborate complexes, (η⁵-C₅H₅)-(CO)₂(L)MoFBF₃ (L = CO, PR₃), reactions with alkynes of (K. Sünkel, U. Nagel, W. Beck), (222)251
- Tetrakis(trialkylphosphine)tetrachlorodimolybdenum and -ditungsten, reactions with carbon monoxide of (F.A. Cotton, D.J. Darensbourg, B.W.S. Kolthammer), (217)C14
- Tetraoxo- and tetrathio-molybdate and -tungstate mixed valence, ambidentate derivatives and related dihydrido and dichloro compounds (G.J.S. Adam, M.L.H. Green), (208)299
- 2,6,15,19-Tetrathia[7.7]paracyclophane, reaction with hexacarbonyl-molybdenum and -tungsten of and characterisation of intermediates; X-ray structure analysis of C₂₂H₂₈S₄[M(CO)₄]₂ (M = Mo, W) and C₂₂H₂₈S₃[W(CO)₅]₂ (B.K. Balbach, A.R. Koray, A. Okur, P. Wülknitz, M.L. Ziegler), (212)77
- Transition metal carbonylate complexes, stabilisation by alkali metal crown-ether cations of; X-ray structure analysis of two sodium-carbonyl linked polymeric structures (M.K. Cooper, P.A. Duckworth, K. Henrick, M. McPartlin), (212)C10
- Transition metal complexes, reaction with formyl fluoride of (G. Doyle), (224)355
- Transition metal compounds as catalysts in cyclopropanation and ylide generation of *n*-butyl vinyl ether and allyl methyl sulphide with ethyl diazoacetate (W.H. Tamblin, S.R. Hoffmann, M.P. Doyle), (216)C64
- Transition metal-silicon bonds containing complexes, cyclometalation of phosphorus ligands by UV irradiation of (G. Cerveau, G. Chauvière, E. Colomer, R.J.P. Corriu), (210)343
- Trialkyllead derivatives of chromium, molybdenum and tungsten, thermal and photochemical properties of (K.H. Pannell, R.N. Kapoor), (214)47
- Tricarbonyl-η⁶-chromium(0), -molybdenum(0) and -tungsten(0) complexes of 4-*R*-λ³-arsenines and 2-aryl-4-*R*-λ³-arsenines, IR, NMR, UV and mass spectra of (G. Märkl, H. Beier, R. Liebl, K. Meier), (217)333
- Tricarbonylcyclopentadienylethyl-molybdenum and -tungsten compounds, photoinduced and thermal reactions of (H.G. Alt, M.E. Eichner), (212)397
- Tricarbonyl(cyclopentadienyl)hydride tungsten and molybdenum, hydrogenation of α-methylstyrene by (R.L. Sweany, D.S. Comberrel, M.F. Dombourian, N.A. Peters), (216)57
- Tricarbonylcyclopentadienylmolybdenum anion, reactivity study of addition of organic halides to (M.Y. Darensbourg, P. Jimenez, J.R. Sackett), (202)C68
- Triethylphosphine-carbon disulphide zwitterion as bridging six-electron ligand in [Mo(CO)₂(PEt₃)(μ-S₂CPet₃)₂], synthesis and X-ray structure of (C. Bianchini, C.A. Ghilardi, A. Meli, S. Midollini, A. Orlandini), (219)C13

Trimetallic dimetallobis(isocyanide)-platinum(II) complexes, electroreduction of (A. Giraudeau, P. Lemoine, M. Gross, P. Braunstein), (202)455

Neodymium

Organometallic compounds of carbene and carbyne types, formation by interaction of RLi with neodymium and yttrium chlorides in various media of (B.A. Dolgoplosk, E.I. Tinyakova, I.Sh. Guzman, E.I. Vollerstein, N.N. Chigir, G.N. Bondarenko, O.K. Sharaev, V.A. Yakovlev), (201)249

Nickel

η^1, η^4 -4-Alkenylnickel complexes, stabilisation of (H. Lehmkuhl, C. Naydowski, R. Benn, A. Ruffinska), (216)C41

Alkyl(alkoxy)carbene cationic cyclic complexes, preparation and acidities of (M. Wada, Y. Koyama, K. Sameshima), (209)115

σ -Arylnickel complexes as catalysts in electroreduction of aromatic halides to biaryls (M. Troupel, Y. Rollin, S. Sibille, J. Perichon, J.-F. Fauvarque), (202)435

Bipyridinedicarbonylnickel complex, reaction with phenylacetylene of (A. Herrera, H. Hoberg, R. Mynott), (222)331

Bis(allyl)nickel as unusual reaction product from 1,3-diborolene and tetracarbonylnickel, structure of (J. Edwin, W. Siebert, C. Krüger), (215)255

Bis(tricyclohexylphosphine)nickel(0), reactions of organic halides and cyanides with (A. Morvillo, A. Turco), (208)103

Bromo(η^5 -cyclopentadienyl)triphenylphosphinenickel, reactions with phosphorus, arsenic and sulphur ylids of (B.L. Booth, K.G. Smith), (220)219

Carbonylnickel catalysed carbonylation of amines and diamines (W.E. Martin, M.F. Farona), (206)393

Carbonyl- and alkyne-carbonyl-ruthenium complexes in reactions with nickelocenes; crystal structures of (η -C₅H₅)₂Ni₂-Ru(CO)₃(C₂Ph₂) and (η -C₅H₅)₂Ni₂-

Fe(CO)₃(C₂Ph₂) (E. Sappa, A.M.M. Lanfredi, A. Tiripicchio), (221)93

[C₅H₅]Ni[C₂B₂(C₇H₅)₄CCH₃]Ni[C₅H₅], a paramagnetic tripledecker sandwich complex, multinuclear NMR investigation of (F.H. Köhler, U. Zenneck, J. Edwin, W. Siebert), (208)137

[(η^5 -C₅H₅)NiSP(CH₃)₂]₂, synthesis, properties, crystal structure and its behaviour towards alkyne of (E. Lindner, F. Bouachir, W. Hiller), (210)C37

(η^5 -C₅H₅)₂Ru₂Ni(CO)₃(μ_3 -CO)(C₂Ph₂), synthesis of a chiral complex and crystal structure of (E. Sappa, A. Tiripicchio, M. Tiripicchio-Camellini), (213)175

Cobalt(II) and nickel(II) complexes with 1,1-bis(diphenylphosphinomethyl)-1-diphenylphosphinoethylethane and 1,1,1-tris(diethylphosphinomethyl)ethane, crystal structure and coordination behaviour of the ligands of (C. Bianchini, A. Meli, A. Orlandini, L. Sacconi), (209)219

Cyano(phenyl)bis-ligand-nickel(II) complexes, carbonylation of and related reaction of benzoyl cyanide with nickel(0) complexes (G. Favero), (202)225

σ -Cyclobut-1-en-3-onyl complexes, synthesis by cyclo-addition of ketenes to transition metal alkynyl complexes of (P. Hong, K. Sonogashira, N. Hagihara), (219)363

Cyclopentadienylnickel diligand cations, electrochemical reduction of (U. Koelle, H. Werner), (221)367

Diazadickelacyclooctadiene substituted compounds, exchange reactions of the central nickel(0) atom by oxidative coupling of 1-azabutadienes with 1,3-dienes (D. Walther, D. Zeigan), (216)403

Dichloronickel(-)norphos-catalysed cross-coupling reaction of 1-phenylethyl-Grignard with vinyl bromide (H. Brunner, M. Pröbster), (209)C1

Dicyclooctadienylnickel, reaction with cinnamaldehydaniline and 2,3-dimethylbutadiene of; X-ray analysis of the reaction product bis[(μ -1,2,3,6- η)-2,3-dimethyl-5,8-diphenyl-8-aza-2,7-octadienediyl]dinickel(II) (J. Sieler, J. Kaiser, D. Walther, L. Golič, J. Šiftar), (224)313

2,2'-Dipyridylnickela-5-methyl-2,4-dioxolan-3-one, crystal and molecular

- structure of (J. Kaiser, J. Sieler, U. Braun, L. Golič, E. Dinjus, D. Walther), (224)81
- μ -(Diselenium)bis(tricarbonyliron), an inorganic mimic of organic diselenides, Se-Se bond reactions of (D. Seyferth, R. S. Henderson), (204)333
- Disilanes in reaction with organic halides catalysed by transition metal complexes (C. Eaborn, R. W. Griffiths, A. Pidcock), (225)331
- Hexadecacarbonylhexarhodiumnickel dianion, mixed heptanuclear carbonyl cluster, synthesis and structural characterization of (A. Fumagalli, G. Longoni, P. Chini, A. Albinati, S. Bruckner), (202)329
- Iron(II), cobalt(II) and nickel(II) *p*-toluenesulfinate complexes with polydentate triphosphines, crystal structure of 1,1,1-tris(diphenylphosphinomethyl)ethane *p*-toluenesulfinatecobalt(II) perchlorate (C. A. Ghilardi, S. Midollini, S. Moneti), (217)391
- Metal carbide clusters synthesis systematics for heteronuclear species (M. Tachikawa, R. L. Geerts, E. L. Muetterties), (213)11
- Metal-metal and metal-ligand bond strengths in metal carbonyl clusters (C. E. Housecroft, M. E. O'Neill, K. Wade, B. C. Smith), (213)35
- Methylarsine and metharsinidene-metal carbonyls (E. Rottinger, H. Vahrenkamp), (213)1
- Methyl(methoxy)carbene-nickel(II), -palladium(II) and -platinum(II) complexes, preparation and acidities of (M. Wada, Y. Kosawa), (201)477
- Mono-, di- and tri-nuclear nickel complexes, INDO investigation of (G. Pacchioni, P. Fantucci, V. Valentini), (224)89
- trans*-[Ni(C \equiv CC₆H₄C \equiv CH)₂(PR₃)₂] planar complexes, preparation and properties of (R. Nast, A. Beyer), (204)267
- Nickel, palladium and platinum, Annual Survey covering the year 1979 (D. M. Roundhill), (211)397
- Nickel(0) catalysed codimerisation of diorganylmethylenecyclopropanes with alkenes (P. Binger, P. Bentz), (221)C33
- Nickel-catalysed reaction of butadiene with methylamine (C. Moberg, B. Akermark), (209)101
- Nickel-catalysed reaction of silacycloprenes with acetylenes, route to 1-silacyclopenta-2,4-dienes (M. Ishikawa, H. Sugisawa, O. Harata, M. Kumada), (217)43
- Nickel- and palladium-catalysed formation of aryl and alkenyl sulphides, phase-transfer catalysis in (M. Foa, R. Santi, F. Garavaglia), (206)C29
- Nickel(0) and palladium(0) complexes as catalysts in nucleophilic substitution of vinyl by the Reformatsky reagent, synthesis of β , γ -ethylenic esters (J. F. Fauvarque, A. Dutand), (209)109
- Nickel chloride catalytic system in interaction of butadiene with trimethylvinylsilane (G. A. Gailyunas, G. V. Nurtdinova, F. G. Yusupova, L. M. Khalilov, V. K. Mavrodiev, S. R. Rafikov, V. P. Yuriev), (209)139
- Nickel(II) complexes of unsubstituted cyclobutadienes (C. Frohlich, H. Hoberg), (222)337
- [3 3 0]Nickel-bicyclic compound, carbene metal bond in (H. Hoberg, G. Burkhardt, C. Kruger, Y.-H. Tsay), (222)343
- Nickelacyles, [Ni(Ph₃PCH(CH₂)_nCHPh₃)]-(η -C₃H₅)PF₆ ($n = 1-3$), preparation from reactions of nickelocene and [NiBr(η -C₃H₅)(PPh₃)] with bis-ylids of (B. L. Booth, K. G. Smith), (220)229
- Organonickel binuclear compounds, preparation of (B. Hipler, E. Uhlig, J. Vogel), (218)C1
- Paramagnetic peralkylmetallocenes, synthesis, stereochemistry and electronic properties of (F. H. Kohler, K. H. Doll, W. Prossdorf), (221)341
- Porphyryns, bis-porphyrins, phthalocyanine and their metal derivatives, electron transfer reactions with methyl viologen of (P. Maillard, S. Gaspard, P. Krausz, C. Giannotti), (212)18^c
- Tetraazadiene-nickel and platinum complexes, synthesis via ligand transfer reactions of (P. Overbosch, G. van Koten, K. Vrieze), (208)C21
- Tetrakis(triethylphosphine)- and bis(triethylphosphine)halo-nickel complexes, reactions with methyl and ethyl halides of (A. Morvillo, A. Turco), (224)387
- Tetraorganylcyclobutadiene-nickel(0) complexes with open-chain 1,4-diazabutadienes as ligands (H. Hoberg, C. Frohlich), (209)C69
- Tetraphenylcyclobutadiene as ligand in nickel(I) complexes (H. Hoberg, W. Richter, C. Frohlich), (213)C49

Tetraphenylcyclobutadienenickel(0) dinuclear complex with cyclooctatetraene as bridging ligand (C. Fröhlich, H. Hoberg), (204)131

η^3 -Triphenylcyclopropenyl-1,1,1-tris-(diphenylphosphinomethyl)ethanenickel perchlorate, molecular structure of (C. Mealli, S. Midollini, S. Moneti, L. Sacconi), (205)273

Niobium

Bis-niobocenes, crystal and molecular structure of $[(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_2\text{OSiMe}_2\text{-}\eta^5\text{:}\eta^1\text{-C}_5\text{H}_3)_2\text{Nb}_2\text{H}_2][\text{Na}(\text{OEt}_2)_2]_2$ (D.A. Lemenovskii, V.P. Fedin, A.V. Aleksandrov, Yu.L. Slovohotov, Yu.T. Struchkov), (201)257

Carbonylniobium complexes with sulphur bridges (W.A. Herrmann, H. Biersack, M.L. Ziegler, B. Balbach), (206)C33

Chlorotricyclopentadienylniobium(IV), synthesis and ESR spectra of (R. Broussier, J.D. Olivier, B. Gautheron), (215)59

$(\text{CpCrSCMe}_3)_2\text{S}\cdot\text{Mn}(\text{CO})_2$, Cp, synthesis and molecular structure of and formation of the tetranuclear clusters $\text{Cp}_3\text{Cr}_3\text{MS}_4$ (M = Cr, V, Nb) (A.A. Pasynskii, I.L. Eremenko, B. Orazsakhatov, V.T. Kalinnikov, G.G. Aleksandrov, Yu.T. Struchkov), (216)211

Cyclopentadienyltetracarbonylniobium, reactions of (R.B. King, C.D. Hoff), (225)245

Dicyclopentadienyldihydroniobium, reactions with perfluorated acetylenes of, crystal structure of a niobiacyclopentadiene derivative (J. Sala-Pala, J. Amaudrut, J.E. Guerschais, R. Mercier, J. Douglade, J.G. Théobald), (204)347

Dicyclopentadienylniobium(IV) asymmetric complexes, preparation of (R. Broussier, J.D. Olivier, B. Gautheron), (210)169

Dicyclopentadienyltrihydrioniobium, photochemical reaction with decarbonyldimanganese of; structure of $[(\eta^5\text{-C}_5\text{H}_5)_2(\text{CO})\text{Nb}]_2(\mu\text{-H})^+[\text{Mn}(\text{CO})_5]^-$ (S. Baral, J.A. Labinger, W.R. Scheidt, F.J. Timmers), (215)C53

Heterobinuclear wedge-like sandwich derivatives, steric factors in formation and structures of; crystal and molecular structure of nioboceneyhidrido(σ, π -cyclopentadienyldiene)iron(dicarbonyl)-(Nb-Fe) (A.A. Pasynskii, Yu.V. Skripkin, V.T. Kalinnikov, M.A. Porai-

Koshits, A.S. Antsyshkina, G.G. Sadikov, V.N. Ostrikoval), (201)269

Hexamethylbenzene-niobium trinuclear complex, $[(\text{Me}_6\text{C}_6)_3\text{Nb}_3\text{Cl}_6]^+\text{Cl}^-3\text{CHCl}_3$, structure of (F. Stollmaier, U. Thewalt), (222)227

Phosphine derivatives of cyclopentadienyl-tetracarbonylniobium, preparation and IR, ^{31}P and ^{93}Nb NMR spectra of (H.-C. Bechthold, D. Rehder), (206)305

Titanocene and niobocene chelate trimethylacetates, molecular structures and infrared spectra of (I.L. Eremenko, Yu.V. Skripkin, A.A. Pasynskii, V.T. Kalinnikov, Yu.T. Struchkov, G.G. Aleksandrov), (220)159

Osmium

Bis(benzene)metal(II) cations of the iron triad, nucleophilic addition of tertiary phosphines to (P.J. Domaille, S.D. Ittel, J.P. Jesson, D.A. Sweigart), (202)191

Bis(methylcyano)decacarbonyltriosmium, reactions with amides and aldehydes of (B.F.G. Johnson, J. Lewis, T.I. Odiaka, P.R. Raithby), (216)C56

Bis(triphenylphosphine)iminium tetracarbonylhydroruthenium, synthesis and characterisation of and route to $[\text{PPN}][\text{HOs}(\text{CO})_4]$ (H.W. Walker, P.C. Ford), (214)C43

Carbonyl cluster compounds, bonding capabilities in three classes of (J.W. Lauher), (213)25

Carbonylosmium compounds supported on zeolite, water gas shift reaction catalysed by (R. Ganzerla, M. Lenarda, F. Pinna, M. Graziani), (208)C43

Cationic osmium carbyne complex hydride addition to the aromatic ring of the tolyl-carbyne ligand in (W.R. Roper, J.M. Waters, L.J. Wright, F. van Meurs), (201)C27

Cyclopentadienyl-ruthenium and -osmium compounds, preparation and reactions of some trimethylphosphine complexes of (M.I. Bruce, F.S. Wong), (210)C5

π -Cyclopentadienyl(triphenylphosphine)-ruthenium(II) and -osmium(II) complexes, reactivity of (T. Wilczewski), (224)C1

Decacarbonyltriosmium dihydride, reaction with trifluoroacetonitrile of and X-ray structure of $\text{HOs}_3(\text{CO})_9(\mu_3\text{-}\eta^2\text{-HNCFF}_3)$ (Z. Dawoodi,

- M.J. Mays, P.R. Raithby), (219)103
 —, synthesis of anionic derivatives of (S. Kennedy, J.J. Alexander, S.G. Shore), (219)385
- 1,4-Diazabutadienehexacarbonyldiosmium complexes, synthesis and spectroscopic characterization of and comparison with analogous iron and ruthenium complexes (L.H. Staal, G. van Koten, K. Vrieze), (206)99
- cis*-Dihalo-*trans*-dipyridene-*cis*-dicarbonyl-osmium(II) complexes, preparation and properties of (H.-G. Greulich, W. Preetz), (218)211
- trans*-Dihalo-*mer*-tripyridinylmonocarbonylosmium(III), preparation and characterisation of (H.-G. Greulich, W. Preetz), (220)211
- Dodecacarbonyl-triruthenium and -triosmium, reactions with PH_2Ph of and X-ray structures of $\text{HRu}_3(\text{CO})_{10}(\text{PPh})$ and $\text{H}_2\text{Ru}_3(\text{CO})_9(\text{PPh})$ (F. Iwasaki, M.J. Mays, P.R. Raithby, P.L. Taylor, P.J. Wheatley), (213)185
- Ethyl-osmium(II) complexes derived from an osmium(0)-ethylene complex, migratory insertion reactions of (K.R. Grundy, W.R. Roper), (216)255
- $[(\mu\text{-H})(\mu\text{-NCHCF}_3)\text{Os}_3(\text{CO})_{10}]$, neutron diffraction structure analysis at 20 K of (Z. Dawoodi, M.J. Mays, A.G. Orpen), (219)251
- $\text{HOs}_3\text{Au}(\text{CO})_{10}(\text{PR}_3)$ (R = Et, Ph), synthesis and structural characterisation of; X-ray crystal structures of $\text{HOs}_3\text{Au}(\text{CO})_{10}(\text{PPh}_3)$ and $\text{Os}_3\text{Au}(\text{CO})_{10}(\text{PPh}_3)(\text{SCN})$ (B.F.G. Johnson, D.A. Kaner, J. Lewis, P.R. Raithby), (215)C33
- $\text{H}_2\text{Os}_3(\text{CO})_{10}$, reaction with diisopropylcarbodiimide of (R.D. Adams, D.A. Katahira, J.P. Selegue), (213)259
- $\text{H}_2\text{Os}_3(\text{CO})_{10}$ and $\text{H}_2\text{Os}_3(\text{CO})_{10}\text{L}$, ligand dynamics in (S. Aime, D. Osella, L. Milone, E. Rosenberg), (213)207
- syn*- $\text{HOs}_3[\mu\text{-}\eta^1\text{-N=C(H)CF}_3](\text{CO})_9\text{PMe}_2\text{Ph}$, synthesis and crystal and molecular structure of (R.D. Adams, D.A. Katahira, L.-W. Yang), (219)241
- $\text{H}_2\text{Os}_3(\mu_3\text{-NCH}_3)(\text{CO})_9$, conversion to $\text{Os}_4(\mu_3\text{-NCH}_3)(\text{CO})_{12}$ of; crystal and molecular structure of methyl nitrene cluster complexes (Y.C. Lin, C.B. Knobler, H.D. Kesz), (213)C41
- $\text{H}_3\text{Re}_3(\text{CO})_{11}[\text{P}(\text{C}_6\text{H}_5)_3]$ and $\text{H}_3\text{Os}_4(\text{CO})_{11}[\text{P}(\text{OCH}_3)_3]$, X-ray and neutron diffraction analysis of the structures of (C.-Y. Wei, L. Garlaschelli, R. Bau, T.F. Koetzle), (213)63
- $[\text{Ir}_4(\text{CO})_{12-x}(\text{CHO})_x]^{x-}$, $[\text{Os}_3(\text{CO})_{11}(\text{CHO})]$ and $[\text{Ru}_3(\text{CO})_{11}(\text{CHO})]^-$ (x = 1, 2), spectroscopic study by ^2H NMR of the synthesis of (R.C. Schoening, J.L. Vidal, R.A. Fiato), (206)C43
- Iron, ruthenium and osmium; Annual Survey covering the year 1977 (J.A. McCleverty), (223)117
- , — 1979 (D.L. Reger), (223)273
- Metal-metal and metal-ligand bond strengths in metal carbonyl clusters (C.E. Housecroft, M.E. O'Neill, K. Wade, B.C. Smith), (213)35
- Nonacarbonyltriosmium trimethylsilylnitrenesulphido cluster, $\text{Os}_3(\text{CO})_9(\mu_3\text{-S})(\mu_3\text{-NSiMe}_3)$, closing and opening of the Os_3 triangle in (G. Süss-Fink, U. Thewalt, H.-P. Klein), (224)59
- $\text{Os}_3(\text{CO})_{12}$, $\text{H}_2\text{Os}_3(\text{CO})_{10}$ and $\text{Os}_6(\text{CO})_{18}$ chemisorption, decomposition and reactivity supported on silica and alumina of and investigation of the Fischer-Tropsch catalysis with (R. Psaro, R. Ugo, G.M. Zanderighi, B. Besson, A.K. Smith, J.M. Basset), (213)215
- $\text{Os}_3(\text{CO})_9(\mu_2\text{-H})(\mu_3\text{-SR})$ (R = Me or Et), preparation, characterisation and reactions of (B.F.G. Johnson, J. Lewis, D. Pippard), (213)249
- $[\text{Os}_3(\text{CO})_{11}(\text{PRH}_2)]$, $[(\mu_2\text{-H})\text{Os}_3(\text{CO})_{10}(\mu_2\text{-PRH})]$ (R = C_6H_5 , *p*- $\text{CH}_3\text{OC}_6\text{H}_4$, C_6H_{11}) and $[(\mu_2\text{-H})_2\text{Os}_3(\text{CO})_9(\mu_3\text{-PR})]$ (R = C_6H_5 , C_6H_{11}), synthesis and characterisation of; interconversions of cluster-bound phosphine and phosphido ligands; crystal and molecular structures of $[(\mu_2\text{-H})\text{Os}_3(\text{CO})_{10}(\mu_2\text{-P}(\text{C}_6\text{H}_5)\text{H})]$ and $[(\mu_2\text{-H})_2\text{Os}_3(\text{CO})_9(\mu_3\text{-PC}_6\text{H}_5)]$ (K. Natarajan, L. Zsolnai, G. Huttner), (220)365
- $\text{Os}(\text{CO})_4(\text{SiXCl}_2)(\text{H})$ (X = Me, Cl), preparation and pyrolysis to dimers of (R.K. Pomeroy), (221)323
- Ruthenium(II) and osmium(II) binuclear hydroxo- and alkoxo-bridged arene complexes, synthesis of (T. Arthur, D.R. Robertson, D.A. Tocher, T.A. Stephenson), (208)389
- Ruthenium and osmium open and closed clusters with μ -acetylene and phosphido bridges (A.J. Carty, S.A. McLaughlin, N.J. Taylor), (204)C27
- Ruthenium(II) and osmium(II) triple halide-bridged arene complexes,

- synthesis of (T. Arthur, T.A. Stephenson), (208)369
- Ruthenium and osmium triple halide-bridged mixed valence binuclear complexes, synthesis and characterisation of (R. Contreras, G.G. Elliot, R.O. Gould, G.A. Heath, A.J. Lindsay, T.A. Stephenson), (215)C6
- Tetrahalo-*trans*-(pyridinylcarbonyl) osmate(III), preparation and characterisation of (H.-G. Greulich, W. Preetz), (220)201
- η^2 -C,C'-[Thiocarboxy-C,C'-sulphido-N-methyl-N-tolylaminocarbene]hydrido-carbonylbis(triphenylphosphine)-osmium(II), crystal structure of (S.M. Boniface, G.R. Clark), (208)253
- Transition metal compounds as catalysts in the generation and ylide generation of *n*-butyl vinyl ether and allyl methyl sulphide with ethyl diazoacetate (W.H. Tamblyn, S.R. Hoffmann, M.P. Doyle), (216)C64
- Trinuclear ions, [Ru₃(CO)₁₁]²⁻ and [Os₃(CO)₁₁]²⁻, synthesis of (C.C. Nagel, J.C. Bricker, D.G. Alway, S.G. Shore), (219)C9
- Triosmium clusters, reactions involving hydrogen transfer to an activated nitrile from (R.D. Adams, D.A. Katarahira, L.-W. Yang), (219)85
- , reactions with organic azides of; X-ray crystal structures of [Os₃(CO)₁₀(NCMe)(N₃COPh)], [Os₃(μ -H)(CO)₁₀(HN₃Ph)] and [Os₃(μ -H)₂(CO)₉(μ_3 -NPh)] (K. Burgess, B.F.G. Johnson, J. Lewis, P.R. Raithby), (224)C40
- Triosmium dodecacarbonyl and formamidines or 2-aminopyridines, related triply-bridging ligands derived from (A.J. Deeming, R. Peters), (202)C39
- η^3 -Allylpalladium-phosphine complexes, investigation of diastereomeric configuration by ²D-¹H NMR spectroscopy of (A. Zschunke, I. Nehls, H. Meyer), (222)353
- Aryldiazenido cationic complexes of palladium, reactions of (R. Yamashita, K. Kikukawa, F. Wada, T. Matsudo), (201)463
- 2-Arylpyridine-palladium complexes, cyclometalation of (M.A. Gutierrez, G.R. Newkome, J. Selbin), (202)341
- Bis(DIOP)palladium, dynamic behaviour and reaction with alkenes of (K. Brown, P.A. Chaloner), (217)C25
- Bis(diphenylphosphino)methane-copper and -palladium complexes, reactions of CO₂ and H₂ with (B. Denise, R.P.A. Sneed), (221)111
- 8-(α -Bromomercuriethyl)quinoline, stereochemistry of redox demercuration with zerovalent palladium complexes (V.I. Sokolov, V.V. Bashilov, A.A. Musaev, O.A. Reutov), (225)57
- (Carbene)organopalladium(II) cationic complexes coordinated with cyclic diolefins or organic nitrile (K. Hiraki, K. Sugino), (201)469
- Carbonyltrialkylphosphine polynuclear complexes of zerovalent palladium (E.G. Mednikov, N.K. Eremenko, S.P. Gubin), (202)C102
- Cyclopalladated complexes of 2-phenylthiazole, synthesis and characterisation of (K. Hiraki, Y. Fuchita, S. Takakura), (210)273
- Cyclopalladated compound interaction with α -diimines, NMR study of (H. van der Poel, G. van Koten), (217)129
- Dibutylphenylphosphine and tributylphosphine in palladium acetate complexes, intramolecular metalation of (H. Werner, H.J. Kraus), (204)415
- Dichlorobis(benzonitrile)palladium(II), reactions with bicyclic cyclopropanes and bicyclic cyclobutanes of (M.F. Rettig, D.E. Wilcox, R.S. Fleischer), (214)261
- Dichloro[4-(dimethylamino)-3,3-dimethyl-(*Z*)-but-1-en-1-ol]palladium(II), preparation and crystal structure analysis of (R. McCrindle, G. Ferguson, A.J. McAlees, B.L. Ruhl), (204)273
- 5,8-Dihydro- and 5,8,9,10-tetrahydro-1,4-naphthoquinone-palladium(0) complexes, new type of complex having electron-withdrawing and

Palladium

- Acyl-platinum(II) and -palladium(II) complexes derived from 2-hydroxybenzaldehyde derivatives; X-ray structure of [Pt(OC₆H₄CO)(P-*p*-CH₃C₆H₄)₂]₂ (C. Anklin, P.S. Pregosin, F. Bachechi, P. Mura, L. Zambonelli), (222)175
- Alkyl(alkoxy)carbene cationic cyclic complexes, preparation and acidities of (M. Wada, Y. Koyama, K. Sameshima), (209)115
- π -Allylpalladium compounds, stereochemistry and scope of addition of ketone enolates to (B. Akermark, A. Jutand), (217)C41

- donating sites in a ligand (M. Hiramatsu, T. Fujinami, S. Sakai), (218)409
- Diiodo[*o*-methylthiophenyl]diphenylphosphine palladium(II), complex exhibiting large structural *trans* influence, crystal structure of (G.R. Clark, J.D. Orbell), (215)121
- Dimethyl(α -picolyl)stibine, dimethyl-(8-quinolyl)stibine and (*R,S*)-methylphenyl(8-quinolyl)stibine and some transition metal derivatives, synthesis of (E. Shewchuk, S.B. Wild), (210)181
- Disilanes in reaction with organic halides catalysed by transition metal complexes (C. Eaborn, R.W. Griffiths, A. Pidcock), (225)331
- Enantiomeric 1-diphenylphosphino-2-dimethylaminomethylferrocene (Kumada's ligand), alternative synthesis of (V.I. Sokolov, L.L. Troitskaya, O.A. Reutov), (202)C58
- 2-Furfurylpalladium(II) complexes, preparation and characterisation of (M. Onishi, T. Ito, K. Hiraki), (209)123
- Group VIII metal phosphine complexes-catalysed addition of disilanes to allenic compounds; formation of organosilicon compounds containing both vinylsilane and allylsilane units (H. Watanabe, M. Saito, N. Sutou, K. Kishimoto, J. Inose, Y. Nagai), (225)343
- Hexaalkyldistannanes, reactions with organic halides in the presence of palladium complexes of (H. Azizian, C. Eaborn, A. Pidcock), (215)49
- Hexamethyldisilane, reactions with dihalobenzenes in the presence of tetrakis(triphenylphosphine)palladium(0); synthesis of bis(trimethylsilyl)nitrobenzenes and (trimethylsilyl)chloronitrobenzenes of (H. Matsumoto, K. Shono, Y. Nagai), (208)145
- trans*-Hydridomethylbis(phosphine)-platinum(II) and -palladium(II) complexes, synthesis and characterisation of (L. Abis, R. Santi, J. Halpern), (215)263
- cis-trans*-Isomerism in $\text{PtCl}_2[\text{Te}(\text{CH}_2\text{CH}_2-\text{C}_6\text{H}_5)_2]_2$, ^{125}Te NMR as a probe of (H.J. Gysling, N. Zumbulyadis, J.A. Robertson), (209)C41
- Metal carbide clusters synthesis systematics for heteronuclear species (M. Tachikawa, R.L. Geerts, E.L. Muettterties), (213)11
- Metal-metal and metal-ligand bond strengths in metal carbonyl clusters (C.E. Housecroft, M.E. O'Neill, K. Wade, B.C. Smith), (213)35
- Methoxymethyldisilanes, double silylation of 1-hexyne, trimethylsilylacetylene and acetylene catalysed by tetrakis(triphenylphosphine)palladium of (H. Watanabe, M. Kobayashi, M. Saito, Y. Nagai), (216)149
- endo*-Methoxytetraphenylcyclobutenylpalladium hexafluoroacetylacetonate, reaction with organic isocyanates of (C.J. May, J. Powell), (209)131
- Methyl(methoxy)carbene-nickel(II), -palladium(II) and -platinum(II) complexes, preparation and acidities of (M. Wada, Y. Kosawa), (201)477
- Nickel, palladium and platinum; Annual Survey covering the year 1979 (D.M. Roundhill), (211)397
- Nickel- and palladium-catalysed formation of aryl and alkenyl sulphides, phase-transfer catalysis in (M. Foà, R. Santi, F. Garavaglia), (206)C29
- Nickel(0) and palladium(0) complexes as catalysts in nucleophilic substitution of vinyl by the Reformatsky reagent; synthesis of β,γ -ethylenic esters (J.F. Fauvarque, A. Jutand), (209)109
- Orthopalladation of chelating aromatic compounds (R.A. Holton, R.V. Nelson), (201)C35
- Palladium(0) and iridium(I) complexes, coordination of sulphines to; oxidation of side-bonds in (J.W. Gosselink, G. van Koten, K. Vrieze), (222)131
- Palladium(0) and platinum(0) complexes, oxidative addition of α -ketoimidoyl chlorides to (A. Mantovani, F. Tassinato, T. Boschi, B. Crociani), (206)C11
- Palladium(II) and platinum(II) complexes with 4-methyl- and 3,5-dimethylpyridinium 2-pyridylcarbonylmethylide ligands, ^1H and ^{13}C NMR studies on (G.-E. Matsubayashi, Y. Kondo), (219)269
- Palladium(II) and rhodium(III) mixed ligand complexes, ^1H NMR studies of (J. Selbin, M.A. Gutierrez), (214)253
- Palladium-catalysed "head-to-tail" cross-coupling reaction of 1-alkenylboranes with phenyl or 1-alkenyl iodides, synthesis of 2-phenyl-1-alkenes or 2-alkyl-1,3-alkadienes via organoboranes (N. Miyaura, A. Suzuki), (213)C53
- Palladium-catalysed synthesis of diphenyl carbonate from phenol, carbon

- monoxide and oxygen (J.E. Hallgren, G.M. Lucas, R.O. Matthews), (204)135
- , with aqueous sodium hydroxide as a base (J.E. Hallgren, G.M. Lucas), (212)135
- Palladium complexes, reactions with substituted *N,N*-dialkylanilines of (J. Dehand, C. Mutet, M. Pfeffer), (209)255
- Palladium complex catalysed carbonylation of organic halides having β -hydrogens (T. Kobayashi, M. Tanaka), (205)C27
- Palladium(0) promoted cross-coupling of allenylmetal compounds with aryl and vinyl iodides (K. Ruitenbergh, H. Kleijn, J. Meijer, E.A. Oostveen, P. Vermeer), (224)399
- Palladium-promoted cyclization reactions of aminoalkenes (B. Pugin, L.M. Venanzi), (214)125
- Palladium(II)-promoted oxidative coupling of ethyl acrylate and related terminal olefins in the presence of benzene-selenenyl bromide (T.-Y. Luh, W.H. So, S.W. Tam), (218)261
- Palladium, platinum, mercury and thallium complexes with substituted aryl groups, transmetallation reaction with metal carboxylates and low-valent metal complexes of (A.F.M.J. van der Ploeg, G. van Koten, K. Vrieze), (222)155
- Palladium bis(hexafluoroacetylacetonate), *ortho*-metallation reactions of (A.R. Siedle), (208)115
- Pentahaloaryl palladium(II) isonitrile neutral and cationic complexes, synthesis and structure of (R. Usón, J. Forniés, P. Espinet, E. Lalinde), (220)393
- Phosphine and nitrile groups containing bidentate ligands, synthesis of (B.N. Storhoff, D.P. Harper, I.H. Saval, J.H. Worstell), (205)161
- Phosphine—palladium(II) chiral complexes as hydrosilylation catalysts (K. Yamamoto, Y. Kiso, R. Ito, K. Tamao, M. Kumada), (210)9
- Pt[As(C₆H₅)₃]₂F₃CC≡CCF₃ and Pd[P(C₆H₁₁)₃]₂F₃CC≡CCF₃, structures of (D.H. Farrar, N.C. Payne), (220)239
- trans*-[PtCl(COPr-*n*)(PPh₃)₂] and *trans*-[Pt(SnCl₃)(COPr-*n*)(PPh₃)₂], isolation of and activity as intermediates in hydroformylation of propene; crystal and molecular structure analysis and comparison with palladium analogs (R. Bardi, A.M. Piazzesi, G. Cavinato, P. Cavoli, L. Toniolo), (224)407
- Thia-allylpalladium complex, molecular structure at -160°C and 20°C of (K. Miki, N. Tanaka, N. Kasai), (208)407
- Transition metal compounds as catalysts in cyclopropanation and ylide generation of *n*-butyl vinyl ether and allyl methyl sulphide with ethyl diazoacetate (W.H. Tambllyn, S.R. Hoffmann, M.P. Doyle), (216)C64
- Trinuclear complexes with bisacyl- π -allyl ligands from palladium acetate and pyrylium salts, formation of (L.Yu. Ukhin, N.A. Dolgoplova, L.G. Kuz'mina, Yu.T. Struchkov), (210)263
- Triphenylphosphine-ruthenium, -palladium and -iron complexes, catalytic role in transformations of nitrosobenzene into azoxy- and azo-benzene of (F. Porta, M. Pizzotti, S. Cenini), (222)279
- Unsymmetrical organotellurides containing a Te—Group IVB element bond, synthesis and Raman spectra of (S.A. Gardner, P.J. Trotter, H.J. Gysling), (212)35
- Zerovalent palladium oxidative addition to aromatic iodides, kinetics of (J.-F. Fauvarque, F. Pflüger, M. Troupel), (208)419

Phosphorus

- Acetonyltetracarbonyltriphenylphosphine-manganese, crystal structure of (J. Engelbrecht, T. Greiser, E. Weiss), (204)79
- Acylliron phosphorylide, chemical and structural characterisation of (H. Blau, W. Malisch, S. Voran, K. Blank, C. Krüger), (202)C33
- Alkyl-, alkenyl- and hydrido-olefin—ruthenium complexes, preparation of (H. Lehmkuhl, J. Grundke, R. Benn, G. Schroth, R. Mynott), (217)C5
- (1-3- η -Allyl)dicarbonylnitrosyliron complexes, reduction with trialkylphosphine of (G. Cardaci), (202)C81
- η^3 -Allylpalladium-phosphine complexes, investigation of diastereomeric configuration by ²D-¹H NMR spectroscopy of (A. Zschunke, I. Nehls, H. Meyer), (222)353
- Aminocarbonyl—chromium complexes, preparative and kinetic investigations

- of substitution of CO by PPh_3 in (H. Fischer, A. Motsch), (220)301
- η^6 -Arene and carbonyl derivatives of the $[PhP(CH_2CH_2PPh_2)]Mo^0$ moiety (M.C. Davies, T.A. George), (224)C25
- Arene-chelate complexes of chromium and their formation from arenechromium tricarbonyl precursors (N.I. Vasyukova, Yu.S. Nekrasov, V.V. Krivykh, M.I. Rybinskaya), (201)283
- η^6 -Arene- and η^5 -cyclohexadienyl-ruthenium cationic complexes containing nitrogen and phosphorus donor ligands (D.R. Robertson, I.W. Robertson, T.A. Stephenson), (202)309
- (η^6 -Arene)(phosphine)dichlororuthenium(II) used in preparation of heterotrinnuclear complexes: $FeRu_2(\mu-Cl)_2(CO)_8(PR_3)_2$ (D.F. Jones, U. Oehmichen, P.H. Dixneuf, T.G. Southern, J.-Y. Le Marouille, D. Grandjean), (204)C1
- 2,2'-Bipyridine-, and 1,2-bis(diphenylphosphine)ethane- π -allylbromodicarbonyl-molybdenum and -tungsten complexes, substitution reactions with xanthates and dithiocarbamates of (M.F. Perpiñan, A. Santos), (221)63
- Bis(alkylphosphine)-undeca- and -dodecatetracarbonyliron, cluster structure of (H. Vahrenkamp, D. Wolters), (224)C17
- Bis(benzene)metal(II) cations of the iron triad, nucleophilic addition of tertiary phosphines to (P.J. Domaille, S.D. Ittel, J.P. Jesson, D.A. Sweigart), (202)191
- Bis(diphenylphosphino)methane-copper and -palladium complexes, reactions of CO_2 and H_2 with (B. Denise, R.P.A. Sneed), (221)111
- μ -Bis(diphenylphosphinyl)ethanebis(chlorotriphenyltin), spectroscopic properties and X-ray structure of (C. Pelizzi, G. Pelizzi), (202)411
- Bis(methylthio)carbenepentacarbonyl-tungsten, kinetics of reactions with phosphine forming (cyclic) phosphoranes of (R.A. Pickering, R.J. Angelici), (225)253
- Bis(tri-*t*-butylphosphine)platinum(0), synthesis and oxidative addition and ligand exchange reactions of (R.G. Goel, W.O. Ogini, R.C. Srivastava), (214)405
- Bis(tricyclohexylphosphine)nickel(0), reactions of organic halides and cyanides with (A. Morvillo, A. Turco), (208)103
- Bis(triphenylphosphine)(1,2-dicyano-cyclobutene)platinum(0), preparation and structure of (R.B. Osborne, H.C. Lewis, J.A. Ibers), (208)125
- Bis(triphenylphosphine)dihydridocyclohexadienylrhenium, X-ray crystal structure of (D. Baudry, M. Ephritikhine, H. Felkin, Y. Jeannin, F. Robert), (220)C7
- Bis(triphenylphosphine)iminium tetracarbonylhydorruthenium, synthesis and characterisation of and route to $[PPN][HOs(CO)_4]$ (H.W. Walker, P.C. Ford), (214)C43
- Bis(triphenylphosphine)platinum-ethylene, ^{31}P - $\{^1H\}$ NMR study of reactions of alkynes with (G. Butler, C. Eaborn, A. Pidcock), (210)403
- Bromo(η^5 -cyclopentadienyl)triphenylphosphinenickel, reactions with phosphorus, arsenic and sulphur ylids of (B.L. Booth, K.G. Smith), (220)219
- Carbene complexes of the type: $L_nM-C(X)NHR$, conversion of aryl to alkyl-isocyanide ligands via carbene intermediates (W.P. Fehlhammer, A. Mayr, G. Christian), (209)57
- Carbonyl adducts of bis(1,4-bis(diphenylphosphino)butane)rhodium(I) cation and crystal and molecular structure of $[Rh_2(Ph_2P(CH_2)_4PPh_2)_3(CO)_4](PF_6)_2$ (L.H. Pignolet, D.H. Doughty, S.C. Nowicki, M.P. Anderson, A.L. Casalnuovo), (202)211
- Carbonyl- η^5 -cyclopentadienyl(1,1,4,7,7-pentaphenyl-1,4,7-triphosphaheptane)-vanadium(I), molecular structure and spectroscopic properties of (K. von Deuten, D. Rehder, W. Roose), (214)71
- Carbonyliron dinuclear complexes with secondary phosphido bridges, μ -RPH, reactivity of (S. Hietkamp, S. Morton, O. Stelzer), (222)263
- Carbonylmanganese(I) cationic complexes with diphosphines (G.A. Carriedo, V. Riera), (205)371
- Carbonylmanganese(I) complexes with organophosphino dithioformates and thioformamides, preparation and characterisation of (K.G. Steinhäuser, W. Klein, R. Kramolowsky), (209)355
- Carbonyl-organocobalt(I) and -cobalt(II) complexes (P. Royo, A. Vazquez), (205)223
- Carbonyltrialkylphosphine polynuclear complexes of zerovalent palladium (E.G. Mednikov, N.K. Eremenko, S.P. Gubin), (202)C102

- Carbonylvanadium complexes, with long-chain bi- and tri-dentate phosphines as ligands (G. Mühlbach, B. Rausch, D. Rehder), (205)343
- , with Ph₂ECH, EPh₂ (E = P, As, Sb) ligands, coordination properties of; molecular structure of $\eta^5\text{-C}_5\text{H}_5\text{V}(\text{CO})_3\text{-As}_2\text{Ph}_3$ (R. Borowski, D. Rehder, K. von Deuten), (220)45
- Chalcogenides as complex ligands, reactions of SH ligands in Li[(CO)₅WSH] (M. Höfler, H. Hausmann, H.A. Heidelberg), (213)C1
- $\eta^5\text{-C}_5\text{H}_5(\text{CO})(\text{L})\text{Fe}[\text{C}(\text{SCH}_3)_2]^-\text{carbene}$ complexes, synthesis, reactivity and spectroscopic studies of (F.B. McCormick, R.J. Angelici), (205)79
- (-)_{3,6}-($\eta^5\text{-C}_5\text{H}_5$)₂Fe(CO)(CH₃CO)[Ph₂-PNHCH(Me)(Ph)], crystal and molecular structure of (J.D. Korp, I. Bernal), (220)355
- C₅H₅Fe(COCH₃)(L)L' and C₅H₅Fe(CO)(R)L optically active complexes (H. Brunner, H. Vogt), (210)223
- Chlorodi(*o*-tolyl)phosphine, lithium di(*o*-tolyl) phosphide and the diphosphine series (*o*-tolyl)₂P(CH₂)_nP(*o*-tolyl) (*n* = 1-4, 6, 8), synthesis and physical properties of (P.W. Clark, B.J. Mulroney), (217)51
- Chloromethyl-manganese, -rhenium and -ruthenium complexes, synthesis and reactions with triphenylphosphine of (C. Botha, J.R. Moss, S. Pelling), (220)C21
- [($\eta^5\text{-C}_5\text{H}_5$)NiSP(CH₃)₂]₂, synthesis, properties, crystal structure and its behaviour towards alkynes of (E. Lindner, F. Bouachir, W. Hiller), (210)C37
- ($\eta\text{-C}_5\text{H}_5$)₂Rh₂(CO)(CF₃C₂CF₃), coordinative addition of CO, CNR and Group V donor ligands to (R.S. Dickson, A.P. Oppenheim, G.N. Pain), (224)377
- Cobalt(II) and nickel(II) complexes with 1,1-bis(diphenylphosphinomethyl)-1-diphenylphosphinoethylethane and 1,1,1-tris(diethylphosphinomethyl)ethane, crystal structure and coordination behaviour of the ligands of (C. Bianchi, A. Meli, A. Orlandini, L. Sacconi), (209)219
- (Crown ether)potassium hydroxide, preparation of complexes containing Pt-C bonds by use of (J.F. Almeida, A. Pidcock), (209)415
- Cyanomethylbis(diphenylphosphino)-ethanecyclopentadienyliron, electrophilic reactions at the cyanomethyl ligand in (P.M. Treichel, D.W. Firsich, T.H. Lemmen), (202)C77
- Cyclopentadienylbis(trimethylphosphine)-cobalt, reactivity towards isothiocyanates of and properties of the reaction products (H. Werner, S. Lotz, B. Heiser), (209)197
- $\pi\text{-Cyclopentadienylbis}(\text{triphenylphosphine})\text{-ruthenium(II) complexes}$, reactivity of (T. Wilczewski, M. Bocheńska, J.F. Biernat), (215)87
- Cyclopentadienyl-cobalt(I) and -cobalt(III) complexes, synthesis from cyclopentadienyl(trimethylphosphine)cobalt carbonyl of (H. Werner, B. Juthani), (209)211
- Cyclopentadienyldicarbonylnitrosyltungsten, intermediates in associative phosphine substitution reactions of (C.P. Casey, W.D. Jones, S.G. Harsy), (206)C38
- Cyclopentadienyliron trimethylphosphine complexes (P.M. Treichel, D.A. Komar), (206)77
- Cyclopentadienylnickel diligand cations, electrochemical reduction of (U. Koelle, H. Werner), (221)367
- Cyclopentadienyl-ruthenium and -osmium compounds, preparation and reactions of some trimethylphosphine complexes of (M.I. Bruce, F.S. Wong), (210)C5
- $\pi\text{-Cyclopentadienyl}(\text{triphenylphosphine})\text{-ruthenium(II) and -osmium(II) complexes}$, reactivity of (T. Wilczewski), (224)C1
- Dehydropeptide reduction catalysed by Rh^I-DIOXOP (D. Sinou, D. Lafont, G. Descotes, A.G. Kent), (217)119
- [(depe)₂Fe(S₂CPEt₃)](BPh₄)₂ (depe = 1,2-bis(diethylphosphino)ethane), synthesis, reactivity and X-ray structure of (C. Bianchini, A. Meli, A. Orlandini, G. Scapacci), (215)C59
- Dibutylphenylphosphine and tributylphosphine in palladium acetate complexes, intramolecular metalation of (H. Werner, H.J. Kraus), (204)415
- Dicarbonyltrifluorophosphinechromium methylbenzoate, crystal and molecular structure of (J.Y. Saillard, D. Grandjean, A. Le Beuze, G. Simonneaux), (204)197
- Dichlorobis(triphenylphosphine)-(norbornadiene)ruthenium, crystal structure of (D.E. Bergbreiter, B.E.

- Bursten, M.S. Bursten, F.A. Cotton), (205)407
- Dichloronickel(-)norphos-catalysed cross-coupling reaction of 1-phenylethyl-Grignard with vinyl bromide (H. Brunner, M. Pröbster), (209)C1
- Dichlorotris(triphenylphosphine)-ruthenium(II) as catalyst in homogeneous hydrogen transfer from alcohols to benzylideneacetone, kinetics and mechanism of (G. Speier, L. Markó), (210)253
- Di- η^5 -cyclopentadienylchlorolutetinylmethylenetriphenylphosphorane, a zwitterionic organometallic compound having a Lu-CH₂ σ -bond (H. Schumann, F.W. Reier), (209)C10
- η^4 -Diene- and η^4 -heterodiene-iron carbonyl complexes with 1,2-bis(diphenylphosphino)ethane, reactions leading to dicarbonyltriphosphineiron complexes of (G. Bellachioma, G. Cardaci), (205)91
- η^5 -Dienylphosphoniumruthenium(II) dicationic complexes, $[(\eta^5\text{-C}_6\text{H}_6\text{PR}_3)\text{-RuL}_3]^{2+}$, synthesis and reaction to $[\text{C}_6\text{H}_6\text{RuL}_3]^{2+}$ of (R. Werner, H. Werner), (210)C11
- 3,3-Difluoroallylsilicon derivatives, synthesis by an organophosphorus route of (D. Seyferth, K.R. Wursthorn, T.F.O. Lim, D.J. Sepelak), (205)301
- 5,8-Dihydro- and 5,8,9,10-tetrahydro-1,4-naphthoquinone-palladium(0) complexes, new type of complex having electron-withdrawing and -donating sites in a ligand (M. Hiramatsu, T. Fujinami, S. Sakai), (218)409
- Diiodo(*o*-methylthiophenyl)diphenylphosphine palladium(II), complex exhibiting large structural *trans* influence, crystal structure of (G.R. Clark, J.D. Orbell), (215)121
- Dimetalla-IVB-phospholanes and metalla-IVB-diphospholanes, inversion at phosphorus in (C. Couret, J. Escudié, B. Saint-Roch, J.D. Andriamizaka, J. Satgé), (224)247
- Dimethylstanna(phenyl)phosphimine, first preparation and characterization of (C. Couret, J.D. Andriamizaka, J. Escudié, J. Satgé), (208)C3
- 2,5-Dimethylstibacyclopentadienyl transition metal complexes (A.J. Ashe, III, T.R. Diephouse), (202)C95
- Dinuclear titanium complex with phosphonium-bis(methylide) bridging ligands (U. Schubert, D. Neugebauer, W. Scharf), (206)159
- Di- μ -pentafluorobenzoatobis[bis(pentafluorophenyl)(triphenylphosphine oxide)thallium(III)], structure of (K. Henrick, M. McPartlin, G.B. Deacon, R.J. Phillips), (204)287
- Dodecacarbonyltriruthenium, condensation products of reactions with phenylphosphine of (J.S. Field, R. Haines, D.N. Smit), (224)C49
- Dodecacarbonyl-triruthenium and -triosmium, reactions with PH₂Ph of and X-ray structures of HRu₃(CO)₁₀-(PPh) and H₂Ru₃(CO)₉(PPh) (F. Iwasaki, M.J. Mays, P.R. Raithby, P.L. Taylor, P.J. Wheatley), (213)185
- Enantiomeric 1-diphenylphosphino-2-dimethylaminomethylferrocene (Kumada's ligand), alternative synthesis of (V.I. Sokolov, L.L. Troitskaya, O.A. Reutov), (202)C58
- FeRu₃(CO)₁₃(μ -PPh₂)₂, a "64-electron" cluster complex with a planar triangulated rhomboidal array of metal atoms, synthesis and structure of (M.R. Churchill, C. Bueno, D.A. Young), (213)139
- Fluorophosphineruthenium zerovalent complexes of hydrido(acetato)tris-(triphenylphosphine)ruthenium(II), synthesis of (A.-R. Al-Ohaly, R.A. Head, J.F. Nixon), (205)99
- Formaldehyde-iron complex, structure and reactivity of (H. Berke, G. Huttner, G. Weiler, L. Zsolnay), (219)353
- Germanones and germathiones, reactions with three-coordinate linear and cyclic phosphorus compounds of (J. Barrau, H. Lavayssiere, G. Dousse, C. Couret, J. Satgé), (221)271
- Germylene and phenylphosphinidene insertion into Ge-Ge bonds (A. Castel, J. Escudié, P. Rivière, J. Satgé, M.N. Bochkarev, L.P. Maiorova, G.A. Razuvaev), (210)37
- Gold(I) mono- and di-nuclear alkynyl complexes, preparation and properties of (R. Nast, P. Schneller, A. Hengefeld), (214)273
- [HCuPPh₃]₆, reactions with carbon dioxide and carbon monoxide of (B. Beguin, B. Denise, R.P.A. Sneed), (208)C18
- Heterocyclic diphosphacyclopolsilanes, (PhP)₂(SiMe₂)_n, DNMR studies of;

- crystal and molecular structure of $(\text{PhP})_2(\text{SiMe}_2)_3$ (T.H. Newman, J.C. Calabrese, R.T. Oakley, D.A. Stanislawski, R. West), (225)211
- Hexacarbonylniobium(0), phosphine-stabilised derivatives of (K. Ihmels, D. Rehder), (218)C54
- Hexamethyldisilane, reactions with dihalobenzenes in the presence of tetrakis(triphenylphosphine)palladium(0); synthesis of bis(trimethylsilyl)nitrobenzenes and (trimethylsilyl)chloro-nitrobenzenes of (H. Matsumoto, K. Shono, Y. Nagai), (208)145
- syn*- $\text{HOs}_3[\mu-\eta^1\text{-N}=\text{C}(\text{H})\text{CF}_3](\text{CO})_2\text{PMe}_2\text{Ph}$, synthesis, and molecular structure of (R.D. Adams, D.A. Katahira, L.-W. Yang), (219)241
- $\text{H}_3\text{Re}_3(\text{CO})_{11}[\text{P}(\text{C}_6\text{H}_5)_3]$ and $\text{H}_3\text{Os}_3(\text{CO})_{11}[\text{P}(\text{OCH}_3)_3]$, X-ray and neutron diffraction analysis of the structures of (C.-Y. Wei, L. Garlaschelli, R. Bau, T.F. Koetzle), (213)63
- Hydridodiazotris(triphenylphosphine)cobalt(I), isomerisation of 4-methyl-1-pentene by (F. Petit, C. Arzouyan, G. Peiffer, E. Gaydou), (208)261
- Hydridodinitrogen and hydrido complexes with hexaphenyl-1,4,7,10-tetraphosphadecane; crystal structure of $[\text{FeH}(\text{N}_2)((\text{C}_6\text{H}_5)_2\text{PC}_2\text{H}_5\text{P}(\text{C}_6\text{H}_5)\text{-C}_2\text{H}_5\text{P}(\text{C}_6\text{H}_5)_2)]\text{Br}\cdot\text{C}_2\text{H}_5\text{OH}$ (C.A. Ghilardi, S. Midollini, L. Sacconi, P. Stoppioni), (205)193
- Hydridodinitrogen tris(triphenylphosphine)cobalt(I), kinetics of the dimerisation of propylene catalysed by (F. Petit, C. Arzouyan, G. Peiffer, E. Gaydou), (202)319
- trans*-Hydridomethylbis(phosphine)platinum(II) and -palladium(II) complexes, synthesis and characterisation of (L. Abis, R. Santi, J. Halpern), (215)263
- Hydridoplatinum(II) three coordinate cationic complex stabilized by tri-*t*-butylphosphine (R.G. Goel, R.C. Srivastava), (204)C13
- Hydrosilylation of 1-pentyne by triethylsilane catalysed by phosphine-rhodium complexes (K.A. Brady, T.A. Nile), (206)299
- Indenyl- and fluorenyl-bis(phosphite)cobalt(I), synthesis of (P. Diversi, A. Giusti, G. Ingrosso, A. Lucherini), (205)239
- $[\text{Ir}(\text{CO})_2\text{PPh}_3]_2\text{-}\mu\text{-HC}_2\text{Ph}$, an alkyne derivative of $[\text{Ir}(\text{CO})_3\text{PPh}_3]_2$ (M. Angoletta, P.L. Bellon, F. Demartin, M. Sansoni), (208)C12
- Iridium(III) hydride complexes with weakly coordinated anions (B. Olgemöller, H. Bauer, W. Beck), (213)C57
- Iron(0) and ruthenium(0) diene complexes containing phosphine ligands, synthesis and ^{31}P NMR spectra of (A.-R. Al-Ohaly, J.F. Nixon), (202)297
- Isocyanide organorhenium complexes, electronic properties of the rhenium-dinitrogen bonds; preparation and redox properties of *trans*- $[\text{ReCl}(\text{CNR})(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2]$ (A.J.L. Pombeiro, C.J. Pickett, R.L. Richards), (224)285
- Manganacyclohexane, irreversible rearrangement to manganacyclopentane compound of (E. Lindner, G. Funk, S. Hoehne), (214)C7
- Manganese and rhenium complexes, with phosphino-(thio)formamide and -dithioformate ligands (U. Kunze, A. Antoniadis, M. Moll), (215)187
- , with triphenylphosphonioalkanedithiocarboxylate ligands, coordination chemistry of (U. Kunze, R. Merkel), (219)69
- Manganese(II) dihalide and tertiary phosphine solutions in tetrahydrofuran, investigations on and reactions with dioxygen (R.M. Brown, R.E. Bull, M.L.H. Green, P.D. Grebenik, J.J. Martin-Polo, D.M.P. Mingos), (201)437
- $\text{M}(\text{CO})_n\text{L}$ complexes (M = Cr, Mo, W) of the chelating ligands $\text{Me}_2\text{XGeMe}_2\text{-}(\text{CH}_2)_2\text{X}'\text{Me}_2$ (X, X' = N, P, As), preparation and characterisation of (K. Betka, J. Grobe), (210)193
- Mechanism of conversion of a coordinated dinitrogen to a hydrazido(2-)-ligand (R.A. Henderson), (208)C51
- Methylcyclopentadienyl-ruthenium complex, (+)- $_{578}\text{-}(\eta^5\text{-MCp})\text{Ru}(\text{CO})\text{P}(\text{C}_6\text{H}_5)_3\text{Cl}$, synthesis, crystal structure and absolute configuration of (E. Cesarotti, G. Ciani, A. Sironi), (216)87
- Metal-acetylene complexes, spectroscopic study of hexafluorobut-2-yne complexes and X-ray structure of an acetylene compound containing a chiral, chelating diphosphine (D.H. Farrar, N.C. Payne), (220)251
- Metalla-2-indane-1,3-diones, preparation by insertion of low-valent transition

- metal complexes into benzocyclobutenediones (L S Liebeskind, S L Baysdon, M S South, J F Blount), (202)C73
- Metallation of dimethylaminomethyl, hydroxymethyl- and diphenylphosphino-cymantrenes, orientation of substitution in (N.M. Loim, P V Kondrat'ev, N.P. Solov'eva, V.A. Antonovich, P.V. Petrovskii, Z N. Parnes, D N Kursanov), (209)233
- Methoxymethyldisilanes, double silylation of 1-hexyne, trimethylsilylacetylene and acetylene catalysed by tetrakis-(triphenylphosphine)palladium of (H Watanabe, M Kobayashi, M Saito, Y Nagai), (216)149
- Methylidyne tricobalt nonacarbonyl clusters, optically active silicon and germanium derivatives of and substitution at silicon in (C E J Combes, R J P. Corriu, B.J.L. Henner), (221)257
- Methyltris(triarylphosphine)cobalt, aldol condensation catalysed by methyltris-(triphenylphosphine)cobalt of (M Michman, S. Nussbaum), (205)111
- $\text{Me}_2\text{XGeMe}_2(\text{CH}_3)_2\text{X}'\text{Me}_2$ (X, X' = N, P, As), chelating ligands, coordination behaviour of (K. Betka, J Grobe), (210)313
- , preparation of (K. Betka, J Grobe), (210)19
- Molecular complexing as initial stage of reactions of organometallic compounds (G A Razuvaev, A V Shabanov, A N Egorochkin, V A Kuznetsov, S F Zhiltsov), (202)363
- Molybdenum and tungsten complexes with heteroallyl-like $\text{Ph}_2\text{P}(\text{O})\text{C}(\text{R})\text{NR}$ (R = Me, Ph) as ligand, X-ray structure of $\text{Mo}(\text{CO})_2(\text{Ph}_3)(\text{Ph}_2\text{P}(\text{O})\text{C}(\text{S})\text{NPh})_2\text{CH}_2\text{Cl}_2$ (H P.M M Ambrosius, W P Bosman, J A Cras), (215)201
- Molybdenum and tungsten diphenylphosphanes, preparation, reactions and NMR spectroscopic characterisation of (W Malish, R. Maisch, I.J. Colquhoun, W McFarlane), (220)C1
- trans*- $\text{Mo}(\text{N}_2)_2(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2$, reactions with aldehydes, aldehydic compounds, alcohols and hydroaromatic compounds of, stoichiometric decarbonylation and dehydrogenation (T Tatsumi, H Tomimaga, M Hidai, Y Uchida), (215)67
- , reactions with esters of, cleavage of C-O bonds (T Tatsumi, H Tomimaga, M Hidai, Y Uchida), (218)177
- cis* [$\text{Mo}(\text{N}_2)_2(\text{PMe}_2\text{Ph})_2$] and *trans* [$\text{Mo}(\text{N}_2)_2(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2$], mechanism of displacement of dinitrogen by isocyanides from (A J L. Pombeiro, C J Pickett, R L Richards, S A Sangokoya), (202)C15
- trans*-[$\text{Ni}(\text{C}\equiv\text{CC}_6\text{H}_5\text{C}\equiv\text{CH})_2(\text{PR})_2$] planar complexes, preparation and properties of (R. Nast, A Beyer), (204)267
- [3 3 0]Nickela-bicyclic compound, carbene-metal bond in (H Hoberg, G Burkhardt, C Kruger, Y-H Tsay), (222)343
- Nickelacycles, [$\text{Ni}(\text{Ph}_2\text{FCH}(\text{CH}_2)_n\text{CHPPh}_2)(\eta\text{-C}_6\text{H}_5)_2$]PF₆ (n = 1-3), preparation from reactions of nickelocene and [$\text{NiBr}(\eta\text{-C}_6\text{H}_5)(\text{PPh}_3)_2$] with bis ylids of (B L Booth, K G Smith), (220)229
- [$(\text{OC})_3\text{M}(\text{P}, \text{O})_2$]² (M = Re and Mn), synthesis and characterization of (C J Besecker, W G. Klemperer), (205)C31
- Octahedral hydrido-aquo-ruthenium(II) complexes, preparation of and structural characterisation of hydrido-aquodiacarbonylbis(triphenylphosphine)ruthenium(II) tetrafluoroborate (S M Boniface, G R Clark, T J Collins, W R Roper), (206)109
- Organo-manganese and -rhenium complexes with nucleophilic centres at the metal and sulphur atoms (E Lindner, G von Au, H-J Eberle) (204)93
- Organometallic sulphides, (R, M)₂S, configurations of and crystal and molecular structure of thiobis(triphenyltin(IV)) (C Glidewell, D C Liles), (224)237
- Organonickel binuclear compounds, preparation of (B Hipler, E Uhlig, J Vogel), (218)C1
- Organotin(IV) nitrate adducts with diposphines, synthesis and spectroscopic properties of (P G Harrison, O A Idowu, C Pelizzi, G Pelizzi, P Tarasconi), (216)159
- [$\text{Os}_3(\text{CO})_{11}(\text{PRH}_2)_2$], [$(\mu_2\text{-H})\text{Os}_3(\text{CO})_{10}(\mu_2\text{-PRH})$] (R = C₆H₁₁, *p*-CH₃OC₆H₄, C₆H₁₁) and [$(\mu_2\text{H})_2\text{Os}_3(\text{CO})_9(\mu_3\text{-PR})$] (R = C₆H₁₁, C₆H₁₁), synthesis and characterisation of, interconversions of cluster-bound phosphine and phosphido ligands, crystal and molecular structures of [$(\mu_3\text{-H})\text{Os}_3(\text{CO})_{10}(\mu_2\text{-P}(\text{C}_6\text{H}_5)_3\text{H})$] and [$(\mu_2\text{-H})_2\text{Os}_3(\text{CO})_9(\mu_3\text{-PC}_6\text{H}_5)$]

- (K. Natarajan, L. Zsolnai, G. Huttner), (220)365
- Oxo-alkylidene-tungsten(IV) complexes; $W(=O)(=CHCMe_3)(PMe_3)_2Cl_2$ and $W(=O)(=CHCMe_3)(PEt_3)_2Cl_2$, X-ray crystallographic studies on (M.R. Churchill, A.L. Rheingold, W.J. Youngs, R.R. Schrock, J.H. Wengrovius), (204)C17
- Palladium complex catalysed carbonylation of organic halides having β -hydrogens (T. Kobayashi, M. Tanaka), (205)C27
- $P(C_6H_5)_4[HF_3(CO)_{10}(\mu_2-CHCOOC_2H_5)]$, synthesis by reaction of ethyldiazoacetate with $P(C_6H_5)_3[HF_3(CO)_{11}]$ of (R. Mathieu), (215)C57
- Pentacarbonyliron, transition metal catalysed reaction with Group V donor ligands of (M.O. Albers, N.J. Coville, T.V. Ashworth, E. Singleton), (217)385
- Pentacarbonyl(mesityldiphenylmethylenephosphine)chromium(0), synthesis and structure of (T.C. Klebach, R. Lourens, F. Bickelhaupt, C.H. Stam, A. van Herk), (210)211
- trans*-Pentacarbonylrheniotetracarbonylcarbyne-chromium and -tungsten complexes, reactions with trimethylphosphane of (W. Uedelhoven, D. Neugebauer, F.R. Kreissl), (217)183
- Pentafluorophenylcobalt(II) complexes (P. Royo, A. Vasquez), (204)243
- Pentamethylcyclopentadienylrhodium(I) complex, synthesis and reactivity of; metal basicity vs. phosphorus basicity in $C_5Me_5Rh(CO)P_2Me_4$ (H. Werner, B. Klingert), (218)395
- Phenyl-substituted pentacoordinated compounds of main group elements, characterization by 1H NMR of (A.C. Sau, R.R. Holmes), (217)157
- μ_3 -Phenylphosphidotri- μ -carbonyltricarbonyltetrakis(triphenylphosphine)-tetrahydro-tetrairidium, crystal and molecular structure of (F. Demartin, M. Manassero, M. Sansoni, L. Garlaschelli, U. Sartorelli), (204)C10
- Phosphacymantrene and dimethylphosphacymantrene, vibrational study and valence force field calculations of (O. Poizat, C. Sourisseau), (213)461
- Phosphido-phosphine and phosphido-phosphite mixed complexes of transition metal carbonyl clusters, characterization using X-ray photoelectron spectroscopy of (J.K. Kouba, J.L. Pierce, R.A. Walton), (202)C105
- Phosphine and nitrile groups containing bidentate ligands, synthesis of (B.N. Storhoff, D.P. Harper, I.H. Saval, J.H. Worstell), (205)161
- Phosphine-palladium(II) chiral complexes as hydrosilylation catalysts (K. Yamamoto, Y. Kiso, R. Ito, K. Tamao, M. Kumada), (210)9
- Phosphine-platinum chiral complexes, studies of enantiomeric discrimination in (N.C. Payne, D.W. Stephan), (221)223
- Phosphine-substituted tricarbonyl-(η -cyclohepta-1,3-diene)iron complexes, *exo-endo* isomers of (D.A. Brown, W.K. Glass, F.M. Hussein), (218)C15
- Phosphine-vanadium(II) and -molybdenum(II) complexes, interaction with CO screened by high pressure IR spectroscopy of (V.M. Hall, C.D. Schmulbach, W.N. Soby), (209)69
- Phosphorus-containing manganese- and rhenium-cycloalkanes, insertion reactions of carbon monoxide and sulphur dioxide into (E. Lindner, G. Funk), (216)393
- Platinum(0) complex, photochemical induced oxidative addition of dichloromethane to (O.J. Scherer, H. Jungmann), (208)153
- Platinum(0) complexes, of 3-aryltiethene 1,1-dioxides (C.R. Hall, E.R. Hamner, R.D.W. Kemmitt, D.J.H. Smith), (205)417
- , of chiral, bidentate phosphines, preparation and ^{31}P NMR studies on (N.C. Payne, D.W. Stephan), (221)203
- Platinum(I) dinuclear hydride complex containing bidentate and monodentate bis(diphenylphosphino)methane ligands, crystal structure of $[Pt_2H(Ph_2PCH_2PPh_2)(\mu-Ph_2PCH_2PPh_2)_2][PF_6]$ (Lj. Manojlović-Muir, K.W. Muir), (219)129
- Platinum-manganese tri- and tetra-metallic complexes crystal structures of (P. Braunstein, D. Matt, O. Bars, M. Louër, D. Grandjean, J. Fischer, A. Mitschler), (213)79
- Polychlorophenylplatinum(II) complexes containing triphenylphosphine (O. Rossell, J. Sales, M. Seco), (205)133
- Polyhydride-rhenium complexes, electrochemistry and reactions with alkyl isocyanides of (J.D. Allison, C.J. Cameron, R.E. Wild, R.A. Walton), (218)C62

- Polymer supported transition metal catalysts, mass spectral analysis of (N.J. Coville, C.P. Nicolaides), (219)371
- μ_4 -PPh mixed metal clusters, synthesis of; X-ray structures of $[\text{Ru}_3\text{Rh}_2(\text{CO})_{13}(\text{PET}_3)_-(\mu_4\text{-PPh})]$ and $[\text{Ru}_3\text{Au}(\mu_2\text{-H})(\text{CO})_9\text{-}(\text{PMe}_2\text{Ph})(\mu_3\text{-PPh})]$ (M.J. Mays, P.R. Raithby, P.L. Taylor, K. Henrick), (224)C45
- $\text{Pt}[\text{As}(\text{C}_6\text{H}_5)_3]_2\text{F}_3\text{CC}\equiv\text{CCF}_3$ and $\text{Pd}[\text{P}(\text{C}_6\text{H}_{11})_3]_2\text{F}_3\text{CC}\equiv\text{CCF}_3$, structures of (D.H. Farrar, N.C. Payne), (220)239
- trans*- $[\text{PtCl}(\text{COPr-n})(\text{PPh}_3)_2]$ and *trans*- $[\text{Pt}(\text{SnCl}_3)(\text{COPr-n})(\text{PPh}_3)_2]$, isolation of and activity as intermediates in hydroformylation of propene; crystal and molecular structure analysis and comparison with palladium analogs (R. Bardi, A.M. Piazzesi, G. Cavinato, P. Cavoli, L. Toniolo), (224)407
- cis*- $\text{Pt}(\text{SH})_2(\text{PPh}_3)_2$ and related alkyl and aryl thiolato complexes, synthesis and structural characterization of (C.E. Briant, G.R. Hughes, P.C. Minshall, D.M.P. Mingos), (202)C18
- Pyrazolate bridged dinuclear rhodium complexes, X-ray structure of $[\text{Rh}(\text{Pz})(\text{CO})\text{P}(\text{OPh})_3]_2$ (R. Usón, L.A. Oro, M.A. Ciriano, M.T. Pinillos, A. Tiripicchio, M. Tiripicchio-Camellini), (205)247
- $\text{ReH}_5(\text{PMe}_2\text{Ph})_2$, ligand scavenging and catalytic utilisation of (M.A. Green, J.C. Huffman, K.G. Caulton, W.K. Rybak, J.J. Ziołkowski), (218)C39
- $[\text{ReH}_3(\text{PR}_3)_4]$ and $[\text{ReH}_5(\text{PR}_3)_3]$ complexes, photodissociation of PR_3 from (D.A. Roberts, G.L. Geoffroy), (214)221
- $[\{\text{Rh}(\text{CO})(\text{MeO})_2\text{PNETP}(\text{OMe})_2\text{Cl}\}_2]$, molecule with symmetric formula and asymmetric structure (R.J. Haines, M. Laing, E. Meintjies, P. Sommerville), (215)C17
- $[\text{Rh}_2(\text{CO})_3\{(\text{PhO})_2\text{PN}(\text{Et})\text{P}(\text{OPh})_2\}_2]$, substituted derivative of hypothetical $[\text{Rh}_2(\text{CO})_7]$ (R.J. Haines, E. Meintjies, M. Laing, P. Sommerville), (216)C19
- Rhenium alkylidene and alkylrhenium compounds, stereospecific and chemospecific interconversions of (A.G. Constable, J.A. Gladysz), (202)C21
- Rhodium(III) and iridium(III) saturated metallacycles, thermal decomposition of (A. Cuccuru, P. Diversi, G. Ingrosso, A. Lucherini), (204)123
- Rhodium(I) and polymer-supported rhodium(I) complexes as catalysts in substitution of metal carbonyls by isonitriles (M.O. Albers, N.J. Coville, C.P. Nicolaides, R.A. Webber, T.V. Ashworth, E. Singleton), (217)247
- Rhodium(I) cationic complexes with diolefins and substituted pyridine *N*-oxides as ligands, preparation and reactions of (R. Usón, L.A. Oro, M.A. Ciriano, F. Lahoz), (217)251
- Rhodium complexes of chiral pyrrolidino-biphosphines as catalysts in asymmetric hydrogenation reactions, mechanism of (K. Achiwa, P.A. Chaloner, D. Parker), (218)249
- Rhodium diphosphine precursors, solvent complexes and dihydrides from (J.M. Brown, P.A. Chaloner, A.G. Kent, B.A. Murrer, P.N. Nicholson, D. Parker, P.J. Sidebottom), (216)263
- $[\text{Rh}_2(\text{PPh}_3)_4(\mu\text{-Cl})(\mu\text{-SO}_2)_2]_2(\text{SO}_4)$, structural characterisation showing a synergic bridging mode for the SO_2 ligand (C.E. Briant, G.R. Hughes, P.C. Minshall, D.M.P. Mingos), (224)C21
- Ruthenium and osmium open and closed clusters with μ -acetylene and phosphido bridges (A.J. Carty, S.A. MacLaughlin, N.J. Taylor), (204)C27
- Ruthenium-catalysed methyl formate homologation, promotion by phosphorus compounds of (J.B. Keister, R. Gentile), (222)143
- Surface immobilised phosphine ligands and transition metal catalysts, detection and characterisation by high resolution ^{31}P solid state NMR using magic angle spinning techniques of (L. Bemi, H.C. Clark, J.A. Davies, D. Drexler, C.A. Fyfe, R. Wasylshen), (224)C5
- $\mu\text{-}(\text{SC}_6\text{H}_5)_2\mu\text{-}(\text{P}(\text{C}_6\text{H}_5)_2)_2\text{Fe}_2(\text{CO})_6$, synthesis and crystal and molecular structure of (G. Le Borgne, R. Mathieu), (208)201
- Tetrafluoroborato complexes, $(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_2(\text{L})\text{MoFBF}_3$ (L = CO, PR_3), reactions with alkynes of (K. Sünkel, U. Nagel, W. Zeck), (222)251
- Tetrahedral carbonylcobalt clusters, structure of (K. Bartl, R. Boese, G. Schmid), (206)331
- Tetrakis(trialkylphosphine)tetrachlorodimolybdenum and -ditungsten, reactions with carbon monoxide of (F.A. Cotton, D.J. Darensbourg,

- B.W.S. Kolthammer), (217)C14
- Tetrakis(triethylphosphine)- and tris(triethylphosphine)halo-nickel complexes, reactions with methyl and ethyl halides of (A. Morvillo, A. Turco), (224)387
- Tetrakis(triphenoxyphosphine)dodecacarbonylhexarhodium, ^{13}C and ^{31}P NMR study of (W. Abboud, Y. Ben Taarit, R. Mutin, J.M. Basset), (220)C15
- Tetraphenylcyclobutadiene as ligand in nickel(I) complexes (H. Hoberg, W. Richter, C. Fröhlich), (213)C49
- Tetraphenylcyclopentadienyl(triphenylphosphine)gold(I), (Ph, HC₅AuPPh₃), characteristic structural features of (T.V. Baukova, Yu.T. Struchkov), (220)125
- 1R,1R',2,3,4,5-Tetraphenyl-1-silacyclopentadiene, synthesis and reactions of (P. Jutzi, A. Karl), (214)289
- λ^3 -Thia- λ^5 -phospha- h^2 -metallabicyclo-[2.2.1]heptadienes, preparation, properties and crystal structures of and their application in synthesis of organometallic and organic compounds (E. Lindner, A. Rau, S. Hoehne), (218)41
- η^2 -C, C'-[Thiocarboxy-C, C'-sulphido-N-methyl-N-tolylaminocarbene]hydrido-carbonylbis(triphenylphosphine)-osmium(III), crystal structure of (S.M. Boniface, G.R. Clark), (208)253
- Transition metal double-linked dinuclear complexes, synthesis of Me₂[C₅H₄-FeCO]₂L (L = d_oppe, dppm) (G.O. Nelson, M.E. Wright), (206)C21
- Transition metal-silicon bonds containing complexes, cyclometalation of phosphorus ligands by UV irradiation of (G. Cerveau, G. Chauvière, E. Colomer, R.J.P. Corriu), (210)343
- Trialkylsilyl iodide, mechanism of reactions with organic phosphites with iodoanhydrides of phosphorus(III) acids as intermediates of (J. Chojnowski, M. Cypryk, J. Michalski), (215)355
- Tributylphosphine-, triphenylphosphine- and triphenoxyphosphine-pentacarbonylvandium anions, ion-pairing phenomena in assignment of IR spectra of (M.Y. Darensbourg, J.M. Hanckel), (217)C9
- Tricarbonylcobalt cluster compounds of phosphorus and arsenic, transformations when treated with soft Lewis acids and bases in (A. Vizi-Orosz, V. Galamb, G. Pályi, L. Markó), (216)105
- Tricarbonylcyclopentadienylethylmolybdenum and -tungsten compounds, photoinduced and thermal reactions of (H.G. Alt, M.E. Eichner), (212)397
- Tricarbonyl(1R,1R',2,3,4,5-tetraphenyl-1-germacyclopentadiene)iron complexes, synthesis, reactions and structure of (P. Jutzi, A. Karl, C. Burschka), (215)27
- Triethylphosphine-carbon disulphide zwitterion as bridging six-electron ligand in [Mo(CO)₂(PET₃)(μ -S₂CPEt₃)₂]₂ synthesis and X-ray structure of (C. Bianchini, C.A. Ghilardi, A. Meli, S. Midollini, A. Orlandini), (219)C13
- Trihydrido- η^4 -dienerhenium complexes, preparation from (PPh₃)₂ReH, and dienes of (D. Baudry, M. Ephritikhine, H. Felkin), (224)363
- cis*- and *trans*-2,4,6-Trimethylphenyl-carbonylbis(triphenylphosphine)-iridium, molecular structures of (L. Dahlenburg, K. von Deuten, J. Kopf), (216)113
- Triorganostannane, oxidative addition to amine, phosphite and phosphine complexes of platinum of (J.F. Almeida, H. Azizian, C. Eaborn, A. Pidcock), (210)121
- η^3 -Triphenylcyclopropenyl-1,1,1-tris(diphenylphosphinomethyl)ethane-nickel perchlorate, molecular structure of (C. Mealli, S. Midollini, S. Moneti, L. Sacconi), (205)273
- Triphenylphosphinecarbonylrhodium complexes, reactions with organic halogen compounds of (B.L. Booth, G.C. Casey, R.N. Haszeldine), (224)197
- Triphenylphosphine-ruthenium, -palladium and -iron complexes, catalytic role in transformations of nitrosobenzene into azoxy- and azo-benzene of (F. Porta, M. Pizzotti, S. Cenini), (222)279.
- 1,1,1-Tris(diethylphosphinomethyl)ethane, metal-assisted reaction with carbon disulphide of (C. Bianchini, A. Meli, A. Orlandini, L. Sacconi), (218)81
- Tris(μ -diphenylphosphine)trirhodium pentacarbonyl, an edge-bridged triangular cluster of rhodium, synthesis and molecular structure of (R.J. Haines, N.D.C.T. Steen, R.B. English), (209)C34
- Tris(trimethylphosphine)(dimethylphosphinomethyl)hydridoruthenium,

- RuH(η^2 -CH₂PMe₂)(PMe₃)₃, synthesis and reactivity of (H. Werner, R. Werner), (209)C60
- [Tris(trimethylsilyl)methyl]dimethylchloro- and -bromo-silane, unusual reactions with tetra-*n*-butylphosphonium chloride of (R. Damrauer), (216)C1
- Tris(triphenylphosphinegold)oxonium salts, preparation and structure of (A.N. Nesmeyanov, E.G. Perevalova, Yu.T. Struchkov, M.Yu. Antipin, K.I. Grandberg, V.P. Dyadchenko), (201)343
- Tris(triphenylphosphinegold)tetraphenylcyclopentadiene tetrafluoroborate, synthesis and structure of (T.V. Baukova, Yu.L. Slovokhotov, Yu.T. Struchkov), (221)375
- Tris- and tetrakis-(triphenylphosphine)-hydridoruthenium compounds, reactions with diiminoalkanes of (B. Chaudret, R. Poilblanc), (204)115
- Tris(triphenylphosphine)hydrocarbonylrhodium, catalysis of hydroformylation of 1-hexene in the gas phase with (W. Strohmeier, R. Maréc, B. Graser), (221)361
- Tris(triphenylphosphine)rhodium cation, theoretical study of (A. Dedieu, I. Hyla-Krystin), (220)115
- ### Platinum
- Acyl-platinum(II) and -palladium(II) complexes derived from 2-hydroxybenzaldehyde derivatives; X-ray structure of [Pt(OC₆H₄CO)(P(*p*-CH₃C₆H₄))₂] (C. Anklin, P.S. Pregosin, F. Bachechi, P. Mura, L. Zambonelli), (222)175
- Alkyl(alkoxy)carbene cationic cyclic complexes, preparation and acidities of (M. Wada, Y. Koyama, K. Sameshima), (209)115
- Bis(thio- and -seleno-ether) complexes of trimethylplatinum(IV) halides, inversion and prochirality in (E.W. Abel, A. Rauf Khan, K. Kite, K.G. Orrell, V. Šik), (225)357
- Bis(tri-*t*-butylphosphine)platinum(0), synthesis and oxidative addition and ligand exchange reactions of (R.G. Goel, W.O. Ogini, R.C. Srivastava), (214)405
- Bis(triphenylphosphine)(1,2-dicyanocyclobutene)platinum(0), preparation and structure of (R.B. Osborne, H.C. Lewis, J.A. Ibers), (208)125
- Bis(triphenylphosphine)platinum-ethylene, ³¹P-{¹H} NMR study of reactions of alkynes with (G. Butler, C. Eaborn, A. Pidcock), (210)403
- Carbene complexes of the type: L_{*n*}M—C(X)NHR, conversion of aryl- to alkyl-isocyanide ligands via carbene intermediates (W.P. Fehlhammer, A. Mayr, G. Christian), (209)57
- Carbon disulphide bridging complex of platinum, Pt₂Cl₂(μ-CS₂)(μ-dppm)₂, preparation, structure and reactivity of (T.S. Cameron, P.A. Gardner, K.R. Grundy), (212)C19
- Carbonyl cluster compounds, bonding capabilities in three classes of (J.W. Lauher), (213)25
- Carbonyl-metal clusters, hydrogenolysis of hydrocarbons over supported catalysts derived from (A.F. Simpson, R. Whyman), (213)157
- Coordinatively unsaturated platinacyclobutanes, electrochemical synthesis and molecular structure of (R.J. Klingler, J.C. Huffman, J.K. Kochi), (206)C7
- (Crown ether)potassium hydroxide, preparation of complexes containing Pt—C bonds by use of (J.F. Almeida, A. Pidcock), (209)415
- Cubane-like Fe₄(CO)₁₂(μ₃-S)₄ and Fe(CO)₁₂(μ₃-Se)₂ tetramers, synthesis and stereochemical analysis of; conversion of tetrametal-bonding cores into tetrametal-nonbonding cores by substitution of carbonyl for nitrosyl ligands (L.L. Nelson, F.Y.-P. Lo, R.D. Rae, L.F. Dahl), (225)309
- Cycloplatinated carbene complexes, preparation and characterisation of (K. Hiraki, M. Onishi, K. Ohnuma, K. Sugino), (216)413
- Dihalobis(isocyanide)platinum(II) complexes, electroreduction of (P. Lemoine, A. Giraudeau, M. Gross, P. Braunstein), (202)447
- Dimethyl(α-picoly)stibine, dimethyl(8-quinoly)stibine and (*R,S*)-methylphenyl(8-quinoly)stibine and some transition metal derivatives, synthesis of (E. Shewchuk, S.B. Wild), (210)181
- μ-(Diselenium)bis(tricarbonyliron), an inorganic mimic of organic diselenides, Se—Se bond reactions of (D. Seyferth, R.S. Henderson), (204)333
- Gold(I) and platinum(II) azolates as ligands in rhodium(I) complexes (R. Usón, L.A. Oro, M.A. Ciriano, M.T. Pinillos, J.A. Cabeza), (221)249

- Group VIII metal phosphine complexes-catalysed addition of disilanes to allenic compounds, formation of organosilicon compounds containing both vinylsilane and allylsilane units (H. Watanabe, M. Saito, N. Sutou, K. Kishimoto, J. Inose, Y. Nagai), (225)343
- trans*-Hydridomethylbis(phosphine)-platinum(II) and -palladium(II) complexes, synthesis and characterisation of (L. Abis, R. Santi, J. Halpern), (215)263
- Hydrido-platinum(II) complexes, preparative route to (H.C. Clark, A.B. Goel, S. Goel), (216)C25
- Hydridoplatinum(II) three coordinate cationic complex stabilized by tri-*t*-butylphosphine (R.G. Goel, R.C. Srivastava), (204)C13
- cis-trans*-Isomerism in $\text{PtCl}_2[\text{Te}(\text{CH}_2\text{CH}_2\text{-C}_6\text{H}_5)_2]_2$, ^{125}Te NMR as a probe of (H.J. Gysling, N. Zumbulyadis, J.A. Robertson), (209)C41
- Isoselenocyanate π -bound organic platinum complex, preparation and reactions of and formation of an η^2 -diselenocarbonimidato complex (P. Haw, A. Walker, M.A. Woitzik), (212)419
- α -Mercury and α -platinummercury derivatives of *L*-menthyl phenylacetate, X-ray study of the molecular structure of (G.Z. Suleimanov, V.V. Bashilov, A.A. Musaeov, V.I. Sokolov, O.A. Reutov), (202)C61
- Metal-acetylene complexes, spectroscopic study of hexafluorobut-2-yne complexes and X-ray structure of an acetylene compound containing a chiral, chelating diphosphine (D.H. Farrar, N.C. Payne), (220)251
- Metal-metal and metal-ligand bond strengths in metal carbonyl clusters (C.E. Housecroft, M.E. O'Neill, K. Wade, B.C. Smith), (213)35
- Methyl- and phenyl-bis(tertiary phosphine) N-bonded carboxamido complexes of platinum(II) (D.P. Arnold, M.A. Bennett), (202)107
- Methyl(methoxy)carbene-nickel(II), -palladium(II) and -platinum(II) complexes, preparation and acidities of (M. Wada, Y. Kosawa), (201)477
- Methylplatinum(II) tris(1-pyrazolyl)-methane cationic five-coordinate complexes, preparation and characterisation of (H.C. Clark, M.A. Mesubi), (215)131
- Nickel, palladium and platinum; Annual Survey covering the year 1979 (D.M. Roundhill), (211)397
- Nickel- and platinum-tetraazadiene complexes, synthesis via ligand transfer reactions of (P. Overbosch, G. van Koten, K. Vrieze), (208)C21
- Organoplatinum(II) cationic "A-frame" dimers, synthesis of (G.K. Anderson, H.C. Clark, J.A. Davies), (210)135
- Palladium(0) and platinum(0) complexes, oxidative addition of α -ketoimidoyl chlorides to (A. Mantovani, F. Tasinato, T. Boschi, B. Crociani), (206)C11
- Palladium(II) and platinum(II) complexes with 4-methyl- and 3,5-dimethyl-pyridinium 2-pyridylcarbonylmethylide ligands, ^1H and ^{13}C NMR studies on (G.-E. Matsubayashi, Y. Kondo), (219)269
- Palladium, platinum, mercury and thallium complexes with substituted aryl groups, transmetalation reaction with metal carboxylates and low-valent metal complexes of (A.F.M.J. van der Ploeg, G. van Koten, K. Vrieze), (222)155
- Phosphine-platinum chiral complexes, studies of enantiomeric discrimination in (N.C. Payne, D.W. Stephan), (221)223
- Platinacyclobutanes, fission of the C_3 moiety in reactions of (M.C. Rendle, C.F.H. Tipper), (224)321
- Platinum(0) complex, photochemical induced oxidative addition of dichloromethane to (O.J. Scherer, H. Jungmann), (208)153
- Platinum(IV) σ -aryl anionic complexes, formation of; crystal and molecular structures of naphthalene- and *ortho*-nitrotoluene-platinum(IV) complexes (R.P. Shibaeva, L.P. Rozenberg, R.M. Lobkovskaya, A.E. Shilov, G.B. Shul'pin), (220)271
- Platinum(0) complexes of 3-aryltiethene 1,1-dioxides (C.R. Hall, E.R. Hamner, R.D.W. Kemmitt, D.J.H. Smith), (205)417
- Platinum(IV) complexes of benzene, alkylbenzene and chlorinated benzenes (G.B. Shul'pin, A.E. Shilov, A.N. Kitaigorodskii, J.V. Zeile Krevor), (201)319
- Platinum(IV) complexes of benzenes con-

- taining electron-withdrawing substituents, synthesis of (G.B. Shul'pin), (212)267
- Platinum(II) complexes with chelating monoolefinaniline ligands, preparation and characterisation of (M.K. Cooper, D.W. Yaniuk), (221)231
- Platinum complexes of chiral, bidentate phosphines, preparation and ^{31}P NMR studies on (N.C. Payne, D.W. Stephan), (221)203
- Platinum(IV) complexes of fluorinated benzenes, synthesis and electronic influence of the platinum moiety of (G.B. Shul'pin, A.N. Kitaigorodskii), (212)275
- Platinum(II) cyano complexes containing σ -carbyl, hydrido- or organosilyl ligands (J.F. Almeida, A. Pidcock), (208)273
- Platinum(I) dinuclear hydride complex containing bidentate and monodentate bis(diphenylphosphino)methane ligands, crystal structure of $[\text{Pt}_2\text{H}(\text{Ph}_2\text{PCH}_2\text{PPh}_2)(\mu\text{-Ph}_2\text{PCH}_2\text{PPh}_2)_2]^- [\text{PF}_6]^-$ (Lj. Manojlović-Muir, K.W. Muir), (219)129
- Platinum-manganese tri- and tetra-metallic complexes, crystal structures of (P. Braunstein, D. Matt, O. Bars, M. Louër, D. Grandjean, J. Fischer, A. Mitschler), (213)79
- Platinum(II), rhodium(I) and iridium(I) olefin trigonal bipyramidal complexes, classification of (F.R. Hartley), (216)277
- Platinum(II) substituted styrene complexes containing η^3 -methylallyl ligand, linear free energy relationship in (H. Kurosawa, N. Asada), (217)259
- Platinum(II)—tin(II) systems as catalysts in hydroformylation reactions (H.C. Clark, J.A. Davies), (213)503
- Polychlorophenylplatinum(II) complexes containing triphenylphosphine (O. Rossell, J. Sales, M. Seco), (205)133
- Porphyryns, bis-porphyrins, phthalocyanines and their metal derivatives, electron transfer reactions with methyl viologen of (P. Maillard, S. Gaspard, P. Krausz, C. Giannotti), (212)185
- $\text{Pt}[\text{As}(\text{C}_6\text{H}_5)_3]_2\text{F}_3\text{CC}\equiv\text{CCF}_3$ and $\text{Pd}[\text{P}(\text{C}_6\text{H}_{11})_3]_2\text{F}_3\text{CC}\equiv\text{CCF}_3$, structures of (D.H. Farrar, N.C. Payne), (220)239
- trans*- $[\text{PtCl}(\text{COPr-n})(\text{PPh}_3)_2]$ and *trans*- $[\text{Pt}(\text{SnCl}_3)(\text{COPr-n})(\text{PPh}_3)_2]$, isolation of and activity as intermediates in hydroformylation of propene; crystal and molecular structure analysis and comparison with palladium analogs (R. Bardi, A.M. Piazzesi, G. Cavinato, P. Cavoli, L. Toniolo), (224)407
- cis*- $\text{Pt}(\text{SH})_2(\text{PPh}_3)_2$ and related alkyl and aryl thiolato complexes, synthesis and structural characterization of (C.E. Briant, G.R. Hughes, P.C. Minshall, D.M.P. Mingos), (202)C18
- Roussin's red salt $[(\mu\text{-S})_2\text{Fe}_2(\text{NO})_2]^{2-}$, chemistry and comparison with $[(\mu\text{-S})_2\text{Fe}_2(\text{CO})_2]^{2-}$ of (D. Seyferth, M.K. Gallagher), (218)C5
- Surface immobilised phosphine ligands and transition metal catalysts, detection and characterisation by high resolution ^{31}P solid state NMR using magic-angle spinning techniques of (L. Beml, H.C. Clark, J.A. Davies, D. Drexler, C.A. Fyfe, R. Wasylshen), (224)C5
- Transition metal complexes, reaction with formyl fluoride of (G. Doyle), (224)355
- Trimetallic dimetallobis(isocyanide)-platinum(II) complexes electroreduction of (A. Giraudeau, P. Lemoine, M. Gross, P. Braunstein), (202)455
- Trimethyleneplatinum(IV) complexes, reactions with iodide and thiocyanate ions of (G.E. Riley, C.F.H. Tipper, R.J. Puddephatt), (208)429
- Trinuclear platinum hydrides (G. Minghetti, A.L. Bandini, G. Banditelli, F. Bonati), (214)C50
- Triorganostannane, oxidative addition to amine, phosphite and phosphine complexes of platinum of (J.F. Almeida, H. Azizian, C. Eaborn, A. Pidcock), (210)121
- Zeise's dimer, reactions with *N*-(1-butenyl)pyrrolidine of (A.J. Kunin, D.B. Brown), (212)C27

Plutonium

- Tricyclopentadienylplutonium(IV) chloride and thiocyanate, $(\eta^5\text{-C}_5\text{H}_5)_3\text{PuCl}$ and $(\eta^5\text{-C}_5\text{H}_5)_3\text{Pu}(\text{NCS})$, preparation of (K.W. Bagnall, M.J. Plews, D. Brown), (224)263

Potassium

- Allyl (earth)alkalimetal compounds, ^{13}C NMR investigation of the structures of (M. Stähle, M. Schlosser), (220)277
- Bis(cyclooctatetraenyl)diuranium, biuranocenylene, preparation and PMR spectrum of (M.J. Miller, A. Streitwieser, Jr.), (209)C52
- (Crown ether)potassium hydroxide, preparation of complexes containing Pt—C bonds by use of (J.F. Almeida, A. Pidcock), (209)415
- Decacarbonyltriosmium dihydride, synthesis of anionic derivatives of (S. Kennedy, J.J. Alexander, S.G. Shore), (219)385
- m*- and *p*-Fluorophenylcyclopentadienyl anions, effect of the alkali metal cation, solvent and complexing agents on ^{19}F chemical shifts of (N.A. Ogorodnikova, A.A. Koridze, S.P. Gubin), (215)293
- Heavier alkali metals; Annual Survey covering the year 1979 (E.M. Kaiser), (203)149
- Pentadienylpotassium, control of preferred geometry by changing the medium (H. Yasuda, M. Yamauchi, A. Nakamura), (202)C1
- Potassium cyclooctatetraenide, Raman spectra of (V.T. Aleksanyan, I.A. Garbusova, T.M. Chernyshova, Z.V. Todres), (201)1
- Thoracene and the potassium salt of dicyclooctatetraenyllanthanum, vibrational spectra of (V.T. Aleksanyan, I.A. Garbusova, T.M. Chernyshova, Z.V. Todres, M.R. Leonov, N.I. Gramateeva), (217)169

Praseodymium

- f*-Block metal cyclopentadienyl complexes, photoelectron studies on (J.C. Green, M.R. Kelly, J.A. Long, B. Kanellakopoulos, P.I.W. Yarrow), (212)329

Rhenium

- Bis(triphenylphosphine)dihydridocyclohexadienylrhenium, X-ray crystal structure of (D. Baudry, M. Ephritikhine, H. Felkin, Y. Jeannin, F. Robert), (220)C7
- Carbonyl cluster compounds, bonding capabilities in three classes of (J.W. Lauher), (213)25

- Carbonylmetal complexes, reduction by quaternary ammonium borohydrides of (D.H. Gibson, F.U. Ahmed, K.R. Phillips), (218)325
- Carbonylmetal halide classes, negative ion mass spectra of (P. Michelin Lausarot, G.A. Vaglio, M. Valle, P. Volpe), (201)459
- Chloromethyl-manganese, -rhenium and -ruthenium complexes, synthesis and reactions with triphenylphosphine of (C. Botha, J.R. Moss, S. Pelling), (220)C21
- π -Complexes of transition metals, addition products of hydrogen and deuterio exchange in mass spectra of (G.A. Nurgalieva, Yu.S. Nekrasov, D.V. Zagorevskii, D.N. Kursanov), (202)77
- (CO)₅Re—M(CO)₄CC₆H₅ (M = Cr, Mo, W) and (CO)₅Re—W(CO)₄CCH₃, vibrational study of (N.Q. Dao, E.O. Fischer, T.L. Lindner), (209)323
- η^1 -Cycloheptatrienyl complexes, preparation by rhenium hydride abstraction by tropylium cation of (J.R. Sweet, W.A.G. Graham), (217)C37
- π -Cyclopentadienyl- and π -arene-metal carbonyls, mixtures with aromatic and heterocyclic compounds, ion-molecule reaction products in mass spectra of (Yu.S. Nekrasov, N.I. Vasyukova, D.V. Zagorevskii, V.F. Sizoi, G.A. Nurgalieva, L.I. Dyubina), (201)433
- Cyclopentadienyldicarbonylnitrosyltungsten, intermediates in associative phosphine substitution reactions of (C.P. Casey, W.D. Jones, S.G. Harsy), (206)C38
- Cyclopentadienyltricarboxylrhenium derivatives, mass spectra of (V.F. Sizoi, Yu.S. Nekrasov, Yu.N. Sukharev, N.E. Kolobova), (210)97
- Decacarbonyldirhenium, reactions with triphenylsilyllithium to equatorial dinuclear silylcarbene complexes of and further reactions to axial silylcarbyne complexes (E.O. Fischer, P. Rustemeyer), (225)265
- 1,4-Diazabutadienylhexacarbonyldimetal complexes, ^{13}C NMR investigations of (L.H. Staal, J. Keijsper, L.H. Polm, K. Vrieze), (204)101
- μ -(Dimethylstannado)- μ -(hydrido)-dodecacarbonyltrirhenium, synthesis, spectroscopic characterisation and crystal and molecular structure of

- (B T Huie, S.W. Kirtley, C B Knobler, H D. Kaesz), (213)45
- Dimethyl sulphide and dimethyl selenide complexes of halocarbonyls of rhenium, atomic inversion barriers of sulphur and selenium in (E W. Abel, M.M. Bhatti, K G Orrell, V Šik), (208)195
- H, Re₃(CO)₁₁[P(C₆H₅)₃] and H₂Os₂(CO)₁₁[P(OCH₃)₃], X-ray and neutron diffraction analysis of the structures of (C-Y Wei, L Garlaschelli, R Bau, T F Koetzle), (213)63
- Isocyanide organorhenium complexes, electronic properties of the rhenium-dinitrogen bonds, preparation and redox properties of *trans*-[ReCl(CNR)-(Ph₂PCH₂CH₂PPh₂)₂] (A J.L. Pombeiro, C J Pickett, R L Richards), (224)285
- Keteneiminyl complexes of manganese and rhenium, preparation by addition of isocyanides to cationic carbyne complexes of (E O. Fischer, W. Schambeck), (201)311
- Manganese, technetium and rhenium, Annual Survey covering the year 1979 (P.M. Treichel), (211)177
- Manganese and rhenium complexes with phosphino-(thio)formamide and -dithioformate ligands (U. Kunze, A. Antoniadis, M Moll), (215)187
- Manganese and rhenium complexes with triphenylphosphonoalkanedithio-carboxylate ligands, coordination chemistry of (U. Kunze, R Merkel), (219)69
- Metal carbide clusters synthesis systematics for heteronuclear species (M Tachikawa, R L Geerts, E L Muettterties), (213)11
- Methyltitanocenes, photochemically induced transmethylation in transition metal compounds with (M Pankowski, E. Samuel), (221)C21
- Molybdenum, tungsten, rhenium and ruthenium complexes with diazenido ligands, ¹⁵N NMR spectroscopy as a probe for geometry of (J R Dilworth, C-T Kan, R L Richards, J Mason, I A Stenhouse), (201)C24
- Mononuclear anionic formyl-transition metal complexes, preparation from triethylborohydride and neutral metal carbonyl precursors and properties of (J C Selovar, M. Marsi, D W Parker, J A Gladysz), (206)317
- [(OC)₂M(P₂O₅)]²⁻ (M = Re and Mn), synthesis and characterization of (C J. Besecker, W G Klemperer), (205)C31
- Organo-manganese and -rhenium complexes with nucleophilic centres at the metal and sulphur atoms (E Lindner, G. von Au, H-J Eberle), (204)93
- trans*-Pentacarbonylrheniotetracarbonyl-carbyne-chromium and -tungsten complexes, reactions with trimethylphosphane of (W Uedelhoven, D. Neugebauer, F.R. Kreissl), (217)183
- Pentacarbonyltetrafluoroboratorhenium, preparation and reactivity of (K. Raab, B Olgemoller, K Schloter, W Beck), (214)81
- η^5 -Pentadienyltricarboxylrhenium, preparation of (M de los Angeles Paz-Sandoval, P Powell), (219)81
- Polyhydride-rhenium complexes, electrochemistry and reactions with alkyl isocyanides of (J.D Allison, C J Cameron, R E Wild, R A Walton), (218)C62
- Re-CH₂Sr, -CHS⁺RR and =CHSR]⁺ complexes, synthesis and unusual properties of (F B McCormick, J A Gladysz), (218)C57
- [Re₃H₃(μ_2 -OR)(CO)₉]⁻ (R = Et, *i*-Pr, *t*-Bu), synthesis of and X-ray characterisation of [Re₃H₃(μ_2 -OEt)(CO)₉](NEt₃) (G Ciani, G D'Alfonso, M Freni, P Romiti, A. Sironi), (219)C23
- ReH₃(PMe₂Ph)₂, ligand scavenging and catalytic utilisation of (M A Green, J C Huffman, K G Caulton, W K Rybak, J J Ziołkowski), (218)C39
- [ReH₃(PR₃)₄] and [ReH₃(PR₃)₃] complexes, photodissociation of PR₃ from (D A Roberts, G L Geoffroy), (214)221
- Rhenacycloalkanes, heterolytic cleavage of the Re-Re bond in and SO₂ insertion into Re-C bonds of (E Lindner, G von Au), (202)163
- Rhenium alkylidene and alkylrhenium compounds, stereospecific and chemospecific interconversions of (A G. Constable, J A Gladysz), (202)C21
- Rhenium and molybdenum imido complexes, generated from reactions of coordinated nitrate, crystal and molecular structures of [Mo(NCPh₃)(S, CNMe₂)₂]BF₄ and [Mo(NSO₂Ph)(S, CNMe₂)₂]PF₆ (M.W Bishop, J Chatt, J.R Dilworth, B D Neaves, P Dahlstrom, J. Hyde, J Zubieta), (213)109

Transition metal compounds as catalysts in cyclopropanation and ylide generation of *n*-butyl vinyl ether and allyl methyl sulphide with ethyl diazoacetate (W.H. Tambllyn, S.R. Hoffmann, M.P. Doyle), (216)C64

Tri- η^5 -cyclopentadienyl-yttrium and -lanthanum tetrahydrofuran, formation and molecular structures of (R.D. Rogers, J.L. Atwood, A. Emad, D.J. Sikora, M.D. Rausch), (216)383

Trihydrido- η^3 -dienerhenium complexes, preparation from $(PPh_3)_2 ReH_7$ and dienes of (D. Baudry, M. Ephritikhine, H. Felkin), (224)363

Tri- μ -hydridoiodoundecacarbonyl-*triangulo*-trirhenate(1-), synthesis and structural characterisation of (G. Ciani, G. D'Alfonso, M. Freni, P. Romiti, A. Sironi), (220)C11

Rhodium

Acetylacetonatobis(η^2 -vinylsilane)-rhodium(I) complexes, preparation and NMR characterisation of (J.W. Fitch, W.T. Osterloh), (213)493

Acylrhodium(III) acetylides, formation via directed cleavage of sp^2 - sp C-C bonds of (J.W. Suggs, S.D. Cox), (221)199

Alkylidynettrirrhodium cluster compounds, attempts to preparation of (B.L. Booth, G.C. Casey, R.N. Haszeldine), (219)401

Binuclear rhodium complexes activating carbon disulphide, and structure of $[Rh_2Cl_2(CO)(C_2S_2)(Ph_2PCH_2PPh_2)_2]$ (M. Cowie, S.K. Dwight), (214)233

Bis-pyrazolyl-phenylmethanorhodium complexes, preparation and reactions of (P.Y. Leung, L.K. Peterson), (219)409

Carbene-rhodium compounds and their conversion into cationic and neutral rhodium-ylid complexes (H. Werner, R. Feser, W. Paul, L. Hofmann), (219)C29

Carbonyl adducts of bis(1,4-bis(diphenylphosphino)butane)rhodium(I) cation and crystal and molecular structure of $[Rh_2(Ph_2P(CH_2)_4PPh_2)_3(CO)_4]^{+}(PF_6)^{-}$ (L.H. Pignolet, D.H. Doughty, S.C. Nowicki, M.P. Anderson, A.L. Casalnuovo), (202)211

Carbonyl cluster compounds, bonding capabilities in three classes of (J.W. Lauher), (213)25

Carbonyl mixed cobalt rhodium formation from $Co_2(CO)_8$ and $Rh_4(CO)_{12}$ of; IR spectroscopic characterisation under CO pressure of (F. Spindler, G. Bor, U.K. Dietler, P. Pino), (213)303

Carbonylmetal halide classes, negative ion mass spectra of (P. Michelin Lausarot, G.A. Vaglio, M. Valle, P. Volpe), (201)459

Carbonylrhodium complexes with tropolones, salicyl aldehyde and salicylaldehyde Schiff bases (M. Valderrama, L.A. Oro), (218)241

Carbonylrhodium derivatives of 3,5-dimethyl- and 3,5-bis(trifluoromethyl)pyrazole (G. Banditelli, A.L. Bandini, F. Bonati, G. Minghetti), (218)229

$(\eta^5-C_5H_5)_2Rh_2(CO)(CF_3C_2CF_3)$, coordinative addition of CO, CNR and Group V donor ligands to (R.S. Dickson, A.P. Oppenheim, G.N. Pain), (224)377

$(\eta^5-C_5H_5)_2Rh_2(CO)_2\{\mu-\eta^1, \eta^1-C(O)C_2(CF_3)_2\}$ formation, structure and decarbonylation of (R.S. Dickson, B.M. Gatehouse, M.C. Nesbit, G.N. Pain), (215)97

$[(\eta^5-C_5Me_5)Rh(\mu-CO)]_2$ unsaturated complex, reactions with diazo compounds of (A.D. Clauss, P.A. Dimas, J.R. Shapley), (201)C31

Cobalt, rhodium and iridium; Annual Survey covering the year 1978 (R.D.W. Kemmitt), (211)279

Cyclopentadienylbis(trimethylphosphine)-cobalt, reactivity towards isothiocyanates of and properties of the reaction products (H. Werner, S. Lotz, B. Heiser), (209)197

Cyclopentadienyldicarbonyl-cobalt and -rhodium complexes, interactions with 1,2-bis(phenylethynyl)benzene; X-ray crystallographic characterisation of $(\eta^5-C_5H_5Co)_2(C_6H_5C_2C_6H_4C_2C_6H_5)_2$ (M.D. Rausch, E.F. Tokas, S.A. Gardner, A. Clearfield, J.W. Chinn, Jr., I. Bernal), (212)247

η -Cyclopentadienyl- η -dienol-rhodium and -iridium complexes, protonation of; synthesis of cationic complexes containing open-chain pentadienyl ligands (P. Powell), (206)239

Dehydropeptide reduction catalysed by $Rh^I \cdot DIOXOP$ (D. Sinou, D. Lafont, G. Descotes, A.G. Kent), (217)119

η -Diaryldienone(η -cyclopentadienyl)-rhodium(I) and -iridium(I) complexes, protonation of (P. Powell), (206)229

- Dichloro(cyclopentadienyl)rhodium(III) polymer-supported catalyst (H.-S. Tung, C.H. Brubaker, Jr.), (216)129
- Dichlorotetracarbonyldirrhodium in solution and anchored to γ -Al₂O₃, catalysis of hydrogenation of conjugated double bonds of *trans*-1,3-pentadiene by (P. Michelin Lausarot, G.A. Vaglio, M. Valle), (215)111
- Diphenylcarbene addition to Rh=Rh bond of $[(\eta^5\text{-C}_5\text{Me}_5)\text{Rh}(\mu\text{-CO})]_2$ (C. Bauer, W.A. Herrmann), (209)C13
- Dodecacarbonyl-cobalt, -rhodium and -iridium compounds, structures of (D.L. Kepert, S.C. Williams), (217)235
- Dodecacarbonyltetrarhodium derivatives, structural studies in solution and in the solid states of (B.T. Heaton, L. Longhetti, D.M.P. Mingos, C.E. Briant, P.C. Minshall, B.R.C. Theobald, L. Garlaschelli, U. Sartorelli), (213)333
- Formamidinato rhodium(I) complexes, synthesis and reactivity of (P. Piraino, G. Tresoldi, F. Faraone), (224)305
- Gold(I) and platinum(II) azolates as ligands in rhodium(I) complexes (R. Usón, L.A. Oro, M.A. Ciriano, M.T. Pinillos, J.A. Cabeza), (221)249
- Hexadecacarbonylhexarhodiumnickel dianion, mixed heptanuclear carbonyl cluster, synthesis and structural characterization of (A. Fumagalli, G. Longoni, P. Chini, A. Albinati, S. Brückner), (202)329
- Hydroxylation of 1-pentyne by triethylsilane catalysed by phosphine-rhodium complexes (K.A. Brady, T.A. Nile), (206)299
- {2-(α -Hydroxyethyl)norbornadiene}acetylacetonatorrhodium complexes, conformational analysis of and molecular structure of the high melting isomer of $[\text{Rh}\{\eta^4\text{-C}_7\text{H}_7\text{CH}(\text{OH})\text{Me}\}\{\text{acac}\}]$ (I.T. Chizhevsky, A.A. Koridze, V.I. Bakhmutov, N.E. Kolobova, V.G. Andrianov, Yu.T. Struchkov), (215)403
- {2-(α -Hydroxyethyl)norbornadiene}cyclopentadienylrhodium complexes (I.T. Chizhevsky, A.A. Koridze, V.I. Bakhmutov, N.E. Kolobova), (206)361
- Imidazolate-bridged polynuclear rhodium(I) complexes, X-ray structure of tetrakis-[dicarbonyl(2-methylimidazolate)-rhodium] (A. Tiripicchio, M. Tiripicchio Camellini, R. Usón, L.A. Oro, M.A. Ciriano, M.T. Pinillos), (224)207
- Metal carbide clusters synthesis systematics for heteronuclear species (M. Tachikawa, R.L. Geerts, E.L. Muettterties), (213)11
- Metalla-2-indane-1,3-diones, preparation by insertion of low-valent transition metal complexes into benzocyclobutenedione (L.S. Liebeskind, S.L. Baysdon, M.S. South, J.F. Blount), (202)C73
- Metal-metal and metal-ligand bond strengths in metal carbonyl clusters (C.E. Housecroft, M.E. O'Neill, K. Wade, B.C. Smith), (213)35
- Methylation or organomercurials via organorhodium species (R.C. Larock, S.S. Hershberger), (225)31
- π -Organosilyl complexes of transition metals, potential of ²⁹Si NMR spectroscopy in analysis of (K.H. Pannell, A.R. Bassindale, J.W. Fitch), (209)C65
- Palladium(II) and rhodium(III) mixed ligand complexes, ¹H NMR studies of (J. Selbin, M.A. Gutierrez), (214)253
- Pentamethylcyclopentadienylrhodium(I) complex, synthesis and reactivity of; metal basicity vs. phosphorus basicity in C₅Me₅Rh(CO)P₂Me₃ (H. Werner, B. Klingert), (218)395
- Pentyne hydrogenation with Rh₄(CO)₁₂ and Rh₂(CO)₂Cl₂ in solution and anchored on Al₂O₃ (P.M. Lausarot, G.A. Vaglio, M. Valle), (204)249
- μ_3 -PPh mixed metal clusters, synthesis of; X-ray structures of $[\text{Ru}_3\text{Rh}_2(\text{CO})_{13}(\text{PEt}_3)_2(\mu_3\text{-PPh})]$ and $[\text{Ru}_3\text{Au}(\mu_2\text{-H})(\text{CO})_9(\text{PMe}_2\text{Ph})(\mu_3\text{-PPh})]$ (M.J. Mays, P.R. Raithby, P.L. Taylor, K. Henrick), (224)C45
- Pyrazolate bridged dinuclear rhodium complexes, X-ray structure of $[\text{Rh}(\text{Pz})(\text{CO})\text{P}(\text{OPh})_2]_2$ (R. Usón, L.A. Oro, M.A. Ciriano, M.T. Pinillos, A. Tiripicchio, M. Tiripicchio-Camellini), (205)247
- Pyrazolate thiocarbonylrhodium complexes, X-ray structure of $[\text{Rh}(\mu\text{-3,5-Me}_2\text{Pz})(\text{CS})(\text{PPh}_3)]_2$ (R. Usón, L.A. Oro, M.A. Ciriano, D. Carmona, A. Tiripicchio, M. Tiripicchio-Camellini), (224)69
- Platinum(II), rhodium(I) and iridium(I) olefin trigonal bipyramidal complexes, classification of (F.R. Hartley), (216)277
- $[\text{Rh}(2,3,8:5,6\text{-}\eta\text{-C}_5\text{H}_5\text{CHR})(\eta\text{-C}_5\text{H}_5)]^+$ (R = Me, Ph, ferrocenyl) cationic complexes, stereospecificity in the generation of; molecular structure of $[\text{Rh}(2,3,8:5,6\text{-}\eta\text{-C}_7\text{H}_7\text{CH}_2)(\eta\text{-C}_5\text{H}_5)]^+$

- PF₆⁻ (A.A. Koridze, I.T. Chizhevsky, P.V. Petrovskii, E.I. Fedin, N.E. Kolobova, L.E. Vinogradova, L.A. Leites, V.G. Andrianov, Yu.T. Struchkov), (206)373
- [(RhC₅Me₅)₂(H)₃O]⁺ and [(RhC₅Me₅)₂(H)₂OAc]⁺, preparation from reactions of [(RhC₅Me₅)₂(OH)₃]⁺ with alcohols, properties and X-ray structures of (A. Nutton, P.M. Bailey, P.M. Maitlis), (213)313
- [Rh₁₅(CO)₃₀]²⁻ (bcc array), synthesis, structure and relationship to [Rh₁₄(CO)₂₅]⁴⁻ (incomplete bcc) and [Rh₁₅(CO)₂₇]³⁻ (hcp-bcc) of (J.L. Vidal, L.A. Kapicak, J.M. Troup), (215)C11
- [Rh₁₅(CO)₂₇]³⁻, conversion into other high nuclearity clusters ([Rh₁₃(CO)₂₄H₂]³ and [Rh₁₄(CO)₂₆]²⁻) under high pressure of carbon monoxide and hydrogen of (J.L. Vidal, R.C. Schoening), (218)217
- [Rh₆(CO)₁₅C]²⁻ and [Rh₆(CO)₁₃C]²⁻ carbide clusters, NMR study of (B.T. Heaton, L. Strona, S. Martinengo), (215)415
- [Rh(COD)]₂L(OAc)₂ (L = 1,4,7,12,15,18-hexaazacyclodocosane), synthesis of (A.E. Martin, J.E. Bulkowski), (217)C29
- [{Rh(CO)(MeO)₂PN(Et)P(OMe)₂Cl}₂]₂, molecule with symmetric formula and asymmetric structure (R.J. Haines, M. Laing, E. Meintjies, P. Sommerville), (215)C17
- [Rh₂(CO)₃{(PhO)₂PN(Et)P(OPh)₂}]₂, substituted derivative of hypothetical [Rh₂(CO)₇] (R.J. Haines, E. Meintjies, M. Laing, P. Sommerville), (216)C19
- [Rh₆(CO)₁₅X]⁻ (X = COEt, CO(OMe)), structural characterisation of (G. Ciani, A. Sironi, P. Chini, S. Martinengo), (213)C37
- Rhodium catalysed dehydrogenation of triorganotin hydrides and mercaptans, preparation of triorganotin mercaptides (J.J. Talley, A.M. Colley), (215)C38
- Rhodium(I) cationic complexes, catalytic transfer hydrogenation by (R. Usón, L.A. Oro, R. Sariego, M.A. Este. relas), (214)399
- , with diolefins and substituted pyridine *N*-oxides as ligands, preparation and reactions of (R. Usón, L.A. Oro, M.A. Ciriano, F. Lahoz), (217)251
- Rhodium cationic tetrafluorobenzobarrelene complexes with diolefin or arene ligands; crystal structures of [Rh(TFB)(arene)]ClO₄ (arene = C₆Me₆, C₆H₃Me₃, C₆H₄Me₂) (R. Usón, L.A. Oro, C. Foces-Foces, F.H. Cano, A. Vegas, M. Valderrama), (215)241
- Rhodium(I) complexes as catalysts in carbonylation reactions of phenyl azide to PhNCO, PhNHCONHPh and PhNHCOOEt (G. La Monica, S. Cenini), (216)C35
- Rhodium complexes of chiral pyrrolidino-biphosphines as catalysts in asymmetric hydrogenation reactions, mechanism of (K. Achiwa, P.A. Chaloner, D. Parker), (218)249
- Rhodium(II) complexes as hydrosilylation and hydrogenation catalysts (J.P. Howe, K. Lung, T.A. Nile), (208)401
- Rhodium(I) complexes with spin-labeled ligands, ESR investigation of substitution reactions in (V.I. Nevodchikov, G.A. Abakumov, V.K. Cherkasov, G.A. Razuvaev), (214)119
- Rhodium diphosphine precursors, solvent complexes and dihydrides from (J.M. Brown, P.A. Chaloner, A.G. Kent, B.A. Murrer, P.N. Nicholson, D. Parker, P.J. Sidebottom), (216)263
- Rhodium(I) and iridium(I) complexes with Schiff bases derived from pyridine-2-aldehyde and amines, redox behaviour of (J. Hanzlík, A. Camus, G. Mestroni, G. Zassinovich), (210)115
- Rhodium(III) and iridium(III) saturated metallacycles, thermal decomposition of (A. Cuccuru, P. Diversi, G. Ingrosso, A. Lucherini), (204)123
- Rhodium(I)-iridium(III) complexes with bridging hydride and chloride ligands (H. Lehner, A. Musco, L.M. Venanzi, A. Albinati), (213)C46
- Rhodium(II) mononuclear rhodoxime, kinetics of the reaction with organic halides of (J.H. Espenson, U. Tinner), (212)C43
- Rhodium(I) mono- and poly-nuclear complexes with nitrogen donor ligands, preparation of (R. Usón, L.A. Oro, D. Carmona, M. Esteban), (220)103
- Rhodium(I) and polymer-supported rhodium(I) complexes as catalysts in substitution of metal carbonyls by isonitriles (M.O. Albers, N.J. Coville, C.P. Nicolaides, R.A. Webber, T.V. Ashworth, E. Singleton), (217)247
- [Rh₂(PPh₃)₄(μ-Cl)(μ-SO₂)₂](SO₄),

- structural characterization showing a synergic bridging mode for the SO_2 ligand (C.E. Briant, G.R. Hughes, P.C. Minshall, D.M.P. Mingos), (224)C21
- $[\text{Rh}_{12}\text{Sb}(\text{CO})_{27}]^{3-}$, example of encapsulation of antimony by a transition metal carbonyl cluster (J.L. Vidal, J.M. Troup), (213)351
- Tetrakis(triphenoxyphosphine)dodecacarbonylhexarhodium, ^{13}C and ^{31}P NMR study of (W. Abboud, Y. Ben Taarit, R. Mutin, J.M. Basset), (220)C15
- 1-Thia-3-silacyclobutanes and 1-thia-3-silacyclopentane, synthesis and properties of (M.G. Voronkov, S.V. Kirpichenko, E.N. Suslova, V.V. Keiko), (204)13
- Thiocarbonylrhodium complexes with pyrazolate-type ligands (R. Usón, L.A. Oro, M.A. Ciriano, D. Carmona, A. Tiripicchio, M. Tiripicchio-Camellini), (206)C14
- Transition-metal catalysed synthesis of organic acids by chelation-promoted regioselective double bond insertion (G.P. Chiusoli, G. Salerno, W. Giroladini, L. Pallini), (219)C16
- Transition metal complexes, reaction with formyl fluoride of (G. Doyle), (224)355
- Transition metal compounds as catalysts in cyclopropanation and ylide generation of *n*-butyl vinyl ether and allyl methyl sulphide with ethyl diazoacetate (W.H. Tambllyn, S.R. Hoffmann, M.P. Doyle), (216)C64
- Triphenylphosphinecarbonylrhodium complexes, reactions with organic halogen compounds of (B.L. Booth, G.C. Casey, R.N. Haszeldine), (224)197
- Tris(μ -diphenylphosphine)trirhodium pentacarbonyl, an edge-bridged triangular cluster of rhodium, synthesis and molecular structure of (R.J. Haines, N.D.C.T. Steen, R.B. English), (209)C34
- Tris(triphenylphosphine)hydrocarbonylrhodium, catalysis of hydroformylation of 1-hexene in the gas phase with (W. Strohmeier, R. Marčec, B. Graser), (221)361
- Tris(triphenylphosphine)rhodium cation, theoretical study of (A. Dedieu, I. Hyla-Kryspin), (220)115
- ## Rubidium
- Heavier alkali metals; Annual Survey covering the year 1979 (E.M. Kaiser), (203)149
- ## Ruthenium
- Alkyl-, alkenyl- and hydrido-olefin—ruthenium complexes, preparation of (H. Lehmkuhl, J. Grundke, R. Benn, G. Schroth, R. Mynott), (217)C5
- Allyl-transition metal complexes, mechanism of synthesis by phase-transfer catalysed reactions of metal carbonyl halides of (D.H. Gibson, W.-L. Hsu, F.U. Ahmed), (215)379
- η^6 -Arene- and η^7 -cyclohexadienyl-ruthenium cationic complexes containing nitrogen and phosphorus donor ligands (D.R. Robertson, I.W. Robertson, T.A. Stephenson), (202)309
- (η^6 -Arene)(phosphine)dichlororuthenium(II) used in preparation of heterotrinnuclear complexes: $\text{FeRu}_2(\mu\text{-Cl})_2(\text{CO})_8(\text{PR}_3)_2$ (D.F. Jones, U. Oehmichen, P.H. Dixneuf, T.G. Southern, J.-Y. Le Marouille, D. Grandjean), (204)C1
- Bis(benzene)metal(II) cations of the iron triad, nucleophilic addition of tertiary phosphines to (P.J. Domaille, S.D. Ittel, J.P. Jesson, D.A. Sweigart), (202)191
- Bis(dichlorotricarbonylruthenium)trichloroantimony, $[\text{Ru}(\text{CO})_3\text{Cl}]_2 \cdot \text{SbCl}_3$, synthesis and structural characterization of (P. Teulon, J. Rozière), (214)391
- Bis(triphenylphosphine)iminium tetracarbonylhydorruthenium, synthesis and characterisation of and route to $[\text{PPN}][\text{HOs}(\text{CO})_4]$ (H.W. Walker, P.C. Ford), (214)C43
- Bis(triphenylstibine)nitrosyltrichlororuthenium, polymer supported, kinetics and mechanism of ligand substitution reactions of (S. Torroni, G. Innorta, A. Foffani, A. Modelli, F. Scagnolari), (221)309
- Carbonylmetal clusters, hydrogenolysis of hydrocarbons over supported catalysts derived from (A.F. Simpson, R. Whyman), (213)157
- Carbonylmetal compounds phase-transfer catalysed reductions of (D.H. Gibson, F.U. Ahmed, K.R. Phillips), (206)C17

- , reduction by quaternary ammonium borohydrides of (D.H. Gibson, F.U. Ahmed, K.R. Phillips), (218)325
- Carbonyl- and alkyne-carbonyl-ruthenium complexes in reactions with nickelocenes; crystal structures of $(\eta\text{-C}_5\text{H}_5)_2\text{Ni}_2\text{Ru}(\text{CO})_3(\text{C}_2\text{Ph}_2)$ and $(\eta\text{-C}_5\text{H}_5)_2\text{Ni}_2\text{Fe}(\text{CO})_3(\text{C}_2\text{Ph}_2)$ (E. Sappa, A.M.M. Lanfredi, A. Tiripicchio), (221)93
- Carbonylruthenium binuclear complexes, monitoring of the formation during reactions by means of HPLC of (C.H. Gast, J.C. Kraak, L.H. Staal, K. Vrieze), (208)225
- Carbonylruthenium hydrides with R—P and R—As bridges and related clusters; crystal and molecular structure of $[(\mu_2\text{-H})_3\text{Ru}_3(\text{CO})_9(\mu_3\text{-P}(\text{p-CH}_3\text{OC}_6\text{H}_4))]_2$ (K. Natarajan, O. Scheidsteger, G. Huttner), (221)301
- Chloromethyl-manganese, -rhenium and -ruthenium complexes, synthesis and reactions with triphenylphosphine of (C. Botha, J.R. Moss, S. Pelling), (220)C21
- $(\eta^5\text{-C}_5\text{H}_5)_2\text{Ru}_2\text{Ni}(\text{CO})_3(\mu_3\text{-CO})(\text{C}_2\text{Ph}_2)$, synthesis of a chiral complex and crystal structure of (E. Sappa, A. Tiripicchio, M. Tiripicchio-Camellini), (213)175
- η^5 -Cyclopentadienyl- η^3 -allylruthenium carbonyl complexes, conformational isomerism in (D.H. Gibson, W.-L. Hsu, A.L. Steinmetz, B.V. Johnson), (208)89
- π -Cyclopentadienylbis(triphenylphosphine)-ruthenium(II) complexes, reactivity of (T. Wilczewski, M. Bocheńska, J.F. Biernat), (215)87
- Cyclopentadienyldicarbonylruthenium chloride and bromide, convenient synthetic routes to (A. Eisenstadt, R. Tannenbaum, A. Efraty), (221)317
- Cyclopentadienyl-ruthenium and -osmium compounds, preparation and reactions of some trimethylphosphine complexes of (M.I. Bruce, F.S. Wong), (210)C5
- π -Cyclopentadienyl(triphenylphosphine)-ruthenium(II) and -osmium(II) complexes, reactivity of (T. Wilczewski), (224)C1
- 1,4-Diazabutadienehexacarbonyldimetal complexes, ^{13}C NMR investigations of (L.H. Staal, J. Keijsper, L.H. Polm, K. Vrieze), (204)101
- 1,4-Diazabutadienehexacarbonyldiosmium complexes, synthesis and spectroscopic characterization of and comparison with analogous iron and ruthenium complexes (L.H. Staal, G. van Koten, K. Vrieze), (206)99
- Dichlorobis(triphenylphosphine)-(norbornadiene)ruthenium, crystal structure of (D.E. Bergbreiter, B.E. Bursten, M.S. Bursten, F.A. Cotton), (205)407
- Dichlorotris(triphenylphosphine)-ruthenium(II) as catalyst in homogeneous hydrogen transfer from alcohols to benzylideneacetone, kinetics and mechanism of (G. Speier, L. Markó), (210)253
- cis-Dicyclopentadienylnitratocarbonyldiiron, influence of site symmetry on the solid state spectrum of (H.C. Dorn, B.E. Hanson, E. Motell), (224)181
- Diene-iron(0) and -ruthenium(0) complexes containing phosphine ligands, synthesis and ^{31}P NMR spectra of (A.-R. Al-Ohaly, J.F. Nixon), (202)297
- η^5 -Dienylphosphoniumruthenium(II) dicationic complexes, $[(\eta^5\text{-C}_6\text{H}_6\text{PR}_3)\text{RuL}_3]^{2+}$, synthesis and reaction to $[\text{C}_6\text{H}_6\text{RuL}_3]^{2+}$ of (R. Werner, H. Werner), (210)C11
- Dimetallic cationic complexes with bridging cyclooctatetraene, synthesis and fluxional behaviour of (A. Salzer, T. Egolf, W. von Philipsborn), (221)351
- Diruthenium chemistry, convenient entry into (D.L. Davies, A.F. Dyke, S.A.R. Knox, M.J. Morris), (215)C30
- Dodecacarbonyl-(diiron)ruthenium and -(iron)diruthenium, microcalorimetric studies of and enthalpy contribution of heterometallic metal-metal bonds in (A.K. Baev, J.A. Connor, N.I. El-Saied, H.A. Skinner), (213)151
- Dodecacarbonyltriruthenium, condensation products of reactions with phenylphosphine of (J.S. Field, R.J. Haines, D.N. Smit), (224)C49
- , reactions with 8-quinolinol and related ligands of; X-ray crystal structure determination of $\text{Ru}_3(\text{CO})_9(\text{C}_8\text{H}_6\text{NO})_2$ (J.A. van Doorn, P.W.N.M. van Leeuwen), (222)299
- Dodecacarbonyl-triruthenium and -triosmium, reactions with PH_2Ph of and X-ray structures of $\text{HRu}_3(\text{CO})_{10}$ - (PPh) and $\text{H}_2\text{Ru}_3(\text{CO})_9(\text{PPh})$ (F. Iwasaki, M.J. Mays, P.R. Raithby, P.L. Taylor, P.J. Wheatley), (213)185

- μ_3 Ru₃(CO)₁₃(μ -PPh)₂, a "64-electron" cluster complex with a planar tri-angled rhomboidal array of metal atoms, synthesis and structure of (M.R. Churchill, C. Bueno, D.A. Young), (213)139
- uroposphineruthenium zerovalent complexes of hydrido (acetato) tris-(triphenylphosphine)ruthenium(II), synthesis of (A.-R. Al-Ohaly, R.A. Head, J.F. Nixon), (205)99
- eneration of hydrocarbons from oligo-methylene chains linking two metal centres (M. Cooke, N.J. Forrow, S.A.R. Knox), (222)C21
- $\text{Ru}_4(\text{CO})_{12-x}(\text{CHO})_x]^{x-}$, $(\text{Os}_3(\text{CO})_{11}(\text{CHO}))^-$ and $[\text{Ru}_3(\text{CO})_{11}(\text{CHO})]^-$ ($x = 1, 2$), spectroscopic study by ²H NMR of the synthesis of (R.C. Schoening, J.L. Vidal, R.A. Fiato), (206)C43
- on, ruthenium and osmium; Annual Survey covering the year 1977 (J.A. McCleverty), (223)117
- , — 1979 (D.L. Reger), (223)273
- cn—ruthenium heteropolymetallic complexes containing hydroxo and hydrido bridging groups (D.F. Jones, P.H. Dixneuf), (210)C41
- enthylcyclopentadienyl-ruthenium complex, (+)_{57b}-(η^5 -MCp)Ru(CO)P-(C₆H₅)₃Cl, synthesis, crystal structure and absolute configuration of (E. Cesarotti, G. Ciani, A. Sironi), (216)87
- etal—metal and metal—ligand bond strengths in metal carbonyl clusters (C.E. Housecroft, M.E. O'Neill, K. Wade, B.C. Smith), (213)35
- ethyltitanocenes, photochemical induced transmethylation in transition metal compounds with (M. Pankowski, E. Samuel), (221)C21
- olybdenum, tungsten, rhenium and ruthenium complexes with diazenido ligands, ¹⁵N NMR spectroscopy as a probe for geometry of (J.R. Dilworth, C.-T. Kan, R.L. Richards, J. Mason, I.A. Stenhouse), (201)C24
- ono(organo)phosphido-bridged pentaruthenium carbonyl clusters, Ru₅(CO)₁₅(μ_4 -PR), synthesis and structures of (K. Natarajan, L. Zsolnai, G. Huttner), (209)85
- ctahedral hydrido-aquo-ruthenium(II) complexes, preparation of and structural characterisation of hydrido-aquodicyarbonylbis(triphenylphosphine)-ruthenium(II) tetrafluoroborate (S.M. Boniface, G.R. Clark, T.J. Collins, W.R. Roper), (206)109
- Organometallic polymers containing tricarbonyl (η^4 -diene)-ruthenium(0) and -iron(0) as pendant groups (H. Yasuda, Y. Morita, I. Noda, K. Sugi, A. Nakamura), (205)C9
- μ_4 -PPh mixed metal clusters, synthesis of; X-ray structures of [Ru₃Rh₂(CO)₁₃(PEt₃)(μ_3 -PPh)] and [Ru₃Au(μ_2 -H)(CO)₉(PMe₂Ph)(μ_3 -PPh)] (M.J. Mays, P.R. Raithby, P.L. Taylor, K. Henrick), (224)C45
- Polymer supported transition metal catalysts, mass spectral analysis of (N.J. Coville, C.P. Nicolaides), (219)371
- [PPN]⁺[RuIr₄(CO)₉(μ_2 -CO)₆]²⁻, synthesis and X-ray crystal structure of (A. Fumagalli, T.F. Koetzle, F. Takusagawa), (213)365
- Rhodium(I) and polymer-supported rhodium(I) complexes as catalysts in substitution of metal carbonyls by isonitriles (M.O. Albers, N.J. Coville, C.P. Nicolaides, R.A. Webber, T.V. Ashworth, E. Singleton), (217)247
- [RuClH(cod)(pyridine)₂], crystal structure and NMR investigation of (C. Polvin, J.-M. Manoli, G. Pannetier, N. Platzer), (219)115
- Ruthenium anionic clusters as catalysts in hydrosilylation of carbon dioxide (G. Süß-Fink, J. Reiner), (221)C36
- Ruthenium-catalysed methyl formate homologation, promotion by phosphorus compounds of (J.B. Keister, R. Gentile), (222)143
- Ruthenium complex catalysts, in homogeneous hydrogenation of aldehydes to alcohols (R.A. Sanchez-Delgado, A. Andriollo, O.L. De Ochoa, T. Suarez, N. Valencia), (209)77
- , in homogeneous hydrogenation of ketones to alcohols (R.A. Sanchez-Delgado, O.L. De Ochoa), (202)427
- Ruthenium mononuclear carbonyl complexes in strongly acidic solutions, nature of (P. Yarrow, P.C. Ford), (214)115
- Ruthenium polymer-supported complex, hydrogenation of olefins with (C.P. Nicolaides, N.J. Coville), (222)285
- Ruthenium porphyrin complexes containing thiocarbonyl or cyanide ligands (P.D. Smith, D. Dolphin, B.R. James), (206)239

- Ruthenium(II) and osmium(II) binuclear hydroxo- and alkoxo-bridged arene complexes, synthesis of (T. Arthur, D.R. Robertson, D.A. Tocher, T.A. Stephenson), (208)389
- Ruthenium and osmium open and closed clusters with μ -acetylide and phosphido bridges (A.J. Carty, S.A. MacLaughlin, N.J. Taylor), (204)C27
- Ruthenium(II) and osmium(II) triple halide-bridged arene complexes, synthesis of (T. Arthur, T.A. Stephenson), (208)369
- Ruthenium and osmium triple halide-bridged mixed valence binuclear complexes, synthesis and characterisation of (R. Contreras, G.G. Elliot, R.O. Gould, G.A. Heath, A.J. Lindsay, T.A. Stephenson), (215)C6
- Transition metal complexes, reaction with formyl fluoride of (G. Doyle), (224)355
- Transition metal compounds as catalysts in cyclopropanation and ylide generation of *n*-butyl vinyl ether and allyl methyl sulphide with ethyl diazoacetate (W.H. Tamblin, S.R. Hoffmann, M.P. Doyle), (216)C64
- Trinuclear ions, $[\text{Ru}_3(\text{CO})_{11}]^{2-}$ and $[\text{Os}_3(\text{CO})_{11}]^{2-}$, synthesis of (C.C. Nagel, J.C. Bricker, D.G. Alway, S.G. Shore), (219)C9
- Triphenylphosphine-ruthenium, -palladium and -iron complexes, catalytic role in transformations of nitrosobenzene into azoxy- and azo-benzene of (F. Porta, M. Pizzotti, S. Cenini), (222)279
- Triruthenium clusters containing dimethyl-amino-substituted allyl and allenyl ligands, transmission of electronic substituent effects through clusters (S. Aime, G. Jannon, D. Osella, A.J. Deeming), (214)C15
- Tris- and tetrakis-(triphenylphosphine)-hydridoruthenium compounds, reactions with diiminoalkanes of (B. Chaudret, R. Poilblanc), (204)115
- Tris(trimethylphosphine)(dimethylphosphinomethyl)hydridoruthenium, $\text{RuH}(\eta^2\text{-CH}_2\text{PMe}_2)(\text{PMe}_3)_3$, synthesis and reactivity of (H. Werner, R. Werner), (209)C60
- Tris(triphenylphosphine)dichlororuthenium, facile synthesis of symmetrical secondary amines from primary amines promoted by (B.-T. Khai, C. Concilio, G. Porzi), (208)249
- Vinylsilanes in reaction with nona-carbonyldiiron, reassessment of the structures of the complexes obtained from (H. Sakurai, Y. Kamiyama, A. Mikoda, T. Kobayashi, K. Sasaki, Y. Nakadaira), (201)C14

Selenium

- Bis(thio- and -seleno-ether) complexes of trimethylplatinum(IV) halides, inversion and prochirality in (E.W. Abel, A. Rauf Khan, K. Kite, K.G. Orrell, V. Šik), (225)357
- Chalcogenochromones, structural study of (N. Dereu, M. Renson, Y. Mollier, G. Le Coustumer), (208)23
- Cubane-like $\text{Fe}_4(\text{CO})_{12}(\mu_3\text{-S})_4$ and $\text{Fe}(\text{CO})_{12}(\mu_3\text{-Se})_4$ tetramers, synthesis and stereochemical analysis of; conversion of tetrametal-bonding cores into tetrametal-nonbonding cores by substitution of carbonyl for nitrosyl ligands (L.L. Nelson, F.Y.-P. Lo, R.D. Rae, L.F. Dahl), (225)309
- π -Cyclopentadienyl- and π -arene-metal carbonyls, mixtures with aromatic and heterocyclic compounds, ion-molecule reaction products in mass spectra of (Yu.S. Nekrasov, N.I. Vasyukova, D.V. Zagorevskii, V.F. Sizoi, G.A. Nurgalieva, L.I. Dyubina), (201)433
- Dimethyl sulphide and dimethyl selenide complexes of halocarbonyls of rhenium, atomic inversion barriers of sulphur and selenium in (E.W. Abel, M.M. Bhatti, K.G. Orrell, V. Šik), (208)195
- μ -(Diselenium)bis(tricarbonyliron), an inorganic mimic of organic diselenides, Se—Se bond reactions of (D. Seyferth, R.S. Henderson), (204)333
- Isoselenocyanate π -bound organic platinum complex, preparation and reactions of and formation of an η^2 -diselenocarbonimidato complex (P. Haw, A. Walker, M.A. Woitzik), (212)419
- Organoselenium compounds, spin trapping identification of radical intermediates during photolysis of (R. Franzi, M. Geoffroy), (218)321
- Organoseleno-manganese cluster, $[\text{Mn}(\text{CO})_3\text{SeC}_6\text{H}_5]_4$, photoinduced synthesis of (P. Jaitner), (210)353
- Organoselenylated derivatives of zirconium and hafnium (B. Gautheron, G. Tainurier, Ph. Meunier), (209)C49

- Palladium(II)-promoted oxidative coupling of ethyl acrylate and related terminal olefins in the presence of benzeneselenyl bromide (T.-Y. Luh, W.H. So, S.W. Tam), (218)261
- Pentacarbonyl(chalcocarbonyl)chromium(0) complexes, synthesis of (A.M. English, K.R. Plowman, I.M. Baibich, J.P. Hickey, I.S. Butler, G. Jaouen, P. Lemaux), (205)177
- Tellurochromone and tellurochromanone, preparation of and use in the synthesis of 2-methyltellurochromone and tellurino[2,3-*b*;3,2-*b* and 2,3-*c*]thiophenes of (N. Dereu, M. Renson), (208)11
- Telluroxanthene and telluroxanthone, synthesis and cyclization efforts of (W. Lohnert, K. Praefcke), (205)167
- Vanadium organo-bielement compounds, $Cp_2V(ER)_3$ ($ER_3 = GeEt_3, SnEt_3, CH_2SiMe_3, SeGeEt_3$), thermal decomposition of (G.A. Razuvaev, V.N. Latyaeva, V.P. Mar'in, L.I. Vyshinskaya, S.P. Korneva, Yu.A. Andrianov, E.V. Krasil'nikova), (225)233
- Vinyl tellurothiocarbamate, preparation of (F. Wudl, D. Nalewajek), (217)329
- Vinylidene selenides, stereoselective synthesis of (J.V. Comasseto, J.T.B. Ferreira, N. Petragani), (216)287
- ### Silicon
- Acetylacetonatobis(η^2 -vinylsilane)-rhodium(I) complexes, preparation and NMR characterisation of (J.W. Fitch, W.T. Osterloh), (213)453
- Acylium phosphorylide, chemical and structural characterisation of (H. Blau, W. Malisch, S. Voran, K. Blank, C. Krüger), (202)C33
- Adamantane cage compounds containing arsenic, nitrogen and silicon as heteroelements, chemistry of (J. Ellermann, M. Lietz), (215)165
- Alkenyltrimethylsilanes, conversion into silyl enol ethers of (R.F. Cunico), (212)C51
- Alkyl- and alkenyl-silanes, amines and silylamines, ethers, alkoxysilanes and disiloxanes, determination by depolarized Rayleigh scattering of (M. Bordeau, E. Frainnet, C. Clement), (202)123
- Alkylgermanium(II) compounds, $Ge[CH(SiMe_3)_2]_2$, oxidative addition of an alcohol to and molecular structure of $Ge[CH(SiMe_3)_2]_2(H)OEt$ (M.F. Lappert, S.J. Miles, J.L. Atwood, M.J. Zaworotko, A.J. Carty), (212)C4
- (Aroyloxymethyl)trifluorosilanes, new class of pentacoordinate silicon compounds (M.G. Voronkov, Yu.L. Frolov, V.M. D'Yakov, N.N. Chipanina, L.I. Gubanova, G.A. Gavrilova, L.V. Klyba, T.N. Aksamentova), (201)165
- Aryltrimethylsilane, primary reactions in the pyrolysis of (I.M.T. Davidson, I.T. Wood), (202)C65
- Benzyl-silicon and -tin compounds in alcohols, base cleavage of (C. Eaborn, F.M.S. Mahmoud), (206)49
- Bicyclic tetrasiloxane, an unusual compound (C. Eaborn, P.B. Hitchcock, K.D. Safa), (222)187
- trans*-Bis-1-alkynyl substituted silicon, germanium and tin phthalocyanines and germanium hemiporphyrazines, synthesis and characterization of (M. Hanack, K. Mitulla, G. Pawlowski, L.R. Subramanian), (204)315
- Bis-niobocenes, crystal and molecular structure of $[(\eta^5-C_5H_5SiMe_2OSiMe_2-\eta^5:\eta^1-C_5H_5)_2Nb_2H_2][Na(OEt_2)_2]_2$ (D.A. Lemenovskii, V.P. Fedin, A.V. Aleksandrov, Yu.L. Slovohotov, Yu.T. Struchkov), (201)257
- Bis(trimethylsilyl)- and trimethylsilyl-chloro-dicyclopentadienylzirconium, preparation and properties of and trimethylsilyl group transfer from mercury to zirconium (A.J. Blakeney, J.A. Gladysz), (202)263
- Bis(trimethylsilyl)iron tetracarbonyl, reactions with acyclic ethers of (A.J. Blakeney, J.A. Gladysz), (210)303
- Bridged cyclodi- and cyclotri-silazanes, formation of (M. Hesse, U. Klingebiel), (221)C1
- (Bromodifluoromethyl)phenyldimethylsilane, reaction with organometallic reagents of (T. Fuchikami, I. Ojima), (212)145
- (η^2 -Butadiene)tricarbonyliron, photo-induced addition of trialkylsilanes to (I. Fischler, F.-W. Grevels), (204)181
- t*-Butyl(trimethyl-Group IVB)arsines and their pentacarbonyl-chromium, -molybdenum and -tungsten complexes

- (H. Schumann, U. Frank, W.W. Du Mont, F. Marschner), (222)217
- Carbonylmetal complexes of 1,3-di-*t*-butyl-2,2-dimethyl-1,3,2,4λ²-diazasilastannetidines (M. Veith, H. Lange, K. Bräuer, R. Bachmann), (216)377
- Chloro- and fluoro-substituted linear permethylpolysilanes, ²⁹Si and ¹³C NMR spectra of (D.A. Stanislawski, R. West), (204)307
- Chlorobromodisilanes, redistribution studies and preparation of (H. Schmölder, E. Hengge), (225)171
- β-Chloro-β'-ethylenesilicon linear and cyclic compounds, thermolysis of (G. Manuel, G. Bertrand, P. Mazerolles, J. Ancelle), (212)311
- N*- and *O*-Chloromethylsilyl derivatives of 1,2,3,4-tetrahydro-1,10-phenanthroline and 8-hydroxyquinoline (K. Hensen, G. Klebe), (209)17
- Cobalt-stabilised carbenes having tri-substituted silyl or germyl ligands; stereospecific formation of benzosilanes (G. Cerveau, E. Colomer, R.J.P. Corriu, J.C. Young), (205)31
- Cyclic and polycyclic silanes, applications of molecular mechanics in chemistry of (F.K. Cartledge), (225)131
- η⁵-Cyclopentadienylcobalt and dinuclear molybdenum complexes, separation of diastereoisomers, structural isomers and homologs by reverse phase HPLC using deoxygenated solvents of (J.M. Huggins, J.A. King, Jr., K.P.C. Vollhardt, M.J. Winter), (208)73
- η⁵-Cyclopentadienyldicarbonyltrimethylsilyliron, SiMe₃ group migration in (S.R. Berryhill, B. Sharenow), (221)143
- Cyclopentadienyl-Group IVB cations in the gas phase, synthesis, structure and mass spectrometry of (Yu.S. Nekrasov, V.F. Sizoi, D.V. Zagorevskii, Yu.A. Borisov), (205)157
- Cyclopentadienyliron trimethylphosphine complexes (P.M. Treichel, D.A. Komar), (206)77
- Decacarbonyliridium, reactions with triphenylsilyllithium to equatorial dinuclear silylcarbene complexes of and further reactions to axial silylcarbyne complexes (E.O. Fischer, P. Rustemeyer), (225)265
- Deprotonation energies of mono-substituted benzenes and their significance for mechanisms of base-catalysed cleavages of aryl-silicon and aryl-tin bonds and hydrogen exchange in substituted benzenes (C. Eaborn, J.G. Stamper, G. Seconi), (204)27
- 3,5-Dibromophenyllithium, synthesis and reactivity of (L.S. Chen, G.J. Chen, C. Tamborski), (215)281
- (Dichloromethyl)silanes, preparation under phase transfer conditions of (L. del Valle, S. Sandoval, G.L. Larson), (215)C45
- Dicobalt-molybdenum and -tungsten μ₃-RSi and μ₃-RGe bridged clusters, preparation of (H. Vahrenkamp, D. Steiert, P. Gusbeth), (209)C17
- 3,3-Diethyl-2,4-dimethyl-3-silathietane, thermal isomerisation and decomposition of (L.E. Gusel'nikov, V.M. Sokolova, E.A. Volnina, V.G. Zaikin, N.S. Nametkin, M.G. Voronkov, S.V. Kirpichenko, V.V. Keiko), (214)145
- 3,3-Difluoroallylsilicon derivatives, synthesis by an organophosphorus route of (D. Seyferth, K.R. Wursthorn, T.F.O. Lim, D.J. Sepelak), (205)301
- Difluorosilylene, reaction with propene of (C.-C. Shiau, T.-L. Hwang, C.-S. Liu), (214)31
- Dihydrosilanaphthoindolizines and dihydrosilaazaaceanthrenes, synthesis of (N.S. Prostavok, N. Saxena, A.V. Varlamov, A.A. Fomichov), (218)17
- Dimetalla-IVB-phospholanes and metalla-IVB-diphospholanes, inversion at phosphorus in (C. Couret, J. Escudié, B. Saint-Roch, J.D. Andriamizaka, J. Satgé), (224)247
- Dimethylbis(methylamido)silane, cyclic and cage compounds with divalent tin of (M. Veith, M. Grosser, O. Recktenwald), (216)27
- Dimethyldichlorosilicon and trimethylchlorosilicon, syntheses of (G. Simon, M. Lefort, M. Birot, J. Dunoguès, N. Duffaut, R. Calas), (206)279
- 1,2-Dimethylgermacyclopentanes, stereochemistry of S_N-Ge reactions of (J. Dubac, J. Cavezzan, A. Laporterie, P. Mazerolles), (209)25
- 1,1-Dimethyl-2-phenyl-1-sila-2-cyclobutene, evidence for the intermediacy of 1,1-dimethyl-2-phenyl-1-sila-1,3-butadiene in photochemistry and pyrolysis of (D. Tzeng, R.H. Fong, H.S.D. Soysa, W.P. Weber), (219)153
- [Dimethyl(phenyl)silyl]tris(trimethylsilyl)-

- methane, molecular structure of (C. Eaborn, P.B. Hitchcock, P.D. Lickiss), (221)13
- 1,1-Dimethylsilacyclobutane in the gas phase, photolysis of (H.C. Low, P. John), (201)363
- 5,5-Dimethyl-5-silacyclopentadiene (1,1-dimethylsilole), preparation and characterization of (G.T. Burns, T.J. Barton), (209)C25
- 1,1-Dimethyl-sila- and -germa-cyclopent-3-enes, action of atomic oxygen on (A. Laporterie, J. Dubac, P. Mazerolles), (202)C89
- 1,1-Dimethyl-1-silaethylene and its deuteromethyl derivatives, Ar-matrix stabilization and IR spectra of (O.M. Nefedov, A.K. Maltsev, V.N. Khabashesku, V.A. Korolev), (201)123
- 3,3-Dimethyl-3-silathietane and 3,3-diethyl-2,4-dimethyl-3-silathietane, evidence for silathione ions in the mass spectra of (L.E. Gusel'nikov, V.V. Volkova, V.G. Zaikin, N.A. Tarasenko, A.A. Tishenkov, N.S. Nametkin, M.G. Voronkov, S.V. Kirpichenko), (215)9
- 1,1-Dimethylsilole, preparation of (A. Laporterie, P. Mazerolles, J. Dubac, H. Houghmane), (206)C25
- , synthesis of (A. Laporterie, J. Dubac, P. Mazerolles, H. Houghmane), (216)321
- Dimethylsilylene insertion reactions into Si-S and S-S single bonds (A. Chihi, W.P. Weber), (210)163
- 1,1-Dimethyl-2,3,4,5-tetraphenyl-1-silacyclopentadiene, crystal structure of (L. Párkányi), (216)9
- 3,3-Dimethyl-2,2,4,4-tetraphenyl-3-silaoxetane, synthesis and fluorescence spectrum of (J.V. Swisher, J. Perman, P.D. Weiss, J.R. Ropchan), (215)373
- 1,3-Dioxo-6-aza-2-silacyclooctane, X-ray analysis of (A. Kemme, J. Bleidelis, I. Urtane, G. Zelchan, E. Lukevics), (202)115
- 1,2-Disila- and 1,2-digerma-cyclohex-4-enes and 1,2-digermacycloalkanes, ^{13}C , ^{29}Si NMR, IR, Raman and UV spectra of (A. Marchand, P. Gerval, M. Joanny, P. Mazerolles), (217)19
- Disilane chlorination, calculation of activation energies in (T.N. Bell, K.A. Perkins, P.G. Perkins), (217)311
- Disilanes in reaction with organic halides catalysed by transition metal complexes (C. Eaborn, R.W. Griffiths, A. Pidcock), (225)331
- 1,5-Diyne interaction with η^5 -cyclopentadienylcobalt, and complete product analysis of 1,6-bis(trimethylsilyl)-1,5-hexadiyne (E.R.F. Gesing, K.P.C. Vollhardt), (217)105
- Dodecamethylcyclohexasilane, gas-phase photochemical reactions with silicon compounds of; kinetics of insertion reactions of dimethylsilylene (I.M.T. Davidson, N.A. Ostah), (206)149
- Enoxysilanes of aldehydes and ketones, highly stereo- and regio-selective method for preparation of (P. Cazeau, F. Moulines, O. Laporte, F. Duboudin), (201)C9
- Ethylenic, benzenic and saturated organosilicon compounds, determination by depolarized Rayleigh scattering of (M. Bordeau, C. Clement), (202)137
- Fluorosilyl-substituted disilazanes, reactions with urea derivatives leading to cyclic compounds of (J. Neemann, U. Klingebiel), (208)293
- Group IV hexamethyl derivatives containing a metal-metal bond, UV photoelectron spectra of (L. Szepes, T. Korányi, G. Náráy-Szabó, A. Modelli, G. Distefano), (217)35
- Group VIII metal phosphine complexes-catalysed addition of disilanes to allenic compounds; formation of organosilicon compounds containing both vinylsilane and allylsilane units (H. Watanabe, M. Saito, N. Sutou, K. Kishimoto, J. Inose, Y. Nagai), (225)343
- Group IVB organometallic radicals, ESR study of reactions with 4,4'-dimethoxybenzophenone, 4,4'-dimethoxythiobenzophenone and 3-ethyl-2-thioxo-4-oxazolidione of (B.B. Adeleke, K.S. Chen, J.K.S. Wan), (208)317
- , ESR study of spin adducts with thioketones of (A. Alberti, F.P. Colonna, M. Guerra, B.F. Bonini, G. Mazzanti, Z. Dinya, G.F. Pedulli), (221)47
- Group IVB substituted phenylbicyclo-[2.2.2]octane ring systems, ^{13}C and ^{19}F NMR studies on (W. Adcock, G.L. Aldous, W. Kitching), (202)385
- Heterocyclic diphosphacyclopolsilanes, $(\text{PhP})_2(\text{SiMe}_2)_n$, DNMR studies of; crystal and molecular structure of

- (PhP)₂(SiMe₂)₃ (T.H. Newman, J.C. Calabrese, R.T. Oakley, D.A. Stanislawski, R. West), (225)211
- Hexacarbonyl(tetravinylsilane)diiron, preparation and characterization of (A.S. Batsanov, Yu.T. Struchkov, G.V. Nurtdinova, A.A. Pogrebnyak, L.V. Rybin, V.P. Yur'ev, M.I. Rybinskaya), (212)211
- Hexamethyldisilane, reactions with dihalobenzenes in the presence of tetrakis(triphenylphosphine)palladium(0); synthesis of bis(trimethylsilyl)nitrobenzenes and (trimethylsilyl)chloronitrobenzenes of (H. Matsumoto, K. Shono, Y. Nagai), (208)145
- Hexamethylsilirane, preparation, characterization and thermal decomposition of (D. Seyferth, D.C. Annarelli, S.C. Vick, D.P. Duncan), (201)179
- , ring-opening reactions with simple reagents of (D. Seyferth, D.C. Annarelli, M.L. Shannon, J. Escudié, D.P. Duncan), (225)177
- Hydrosilylation of 1-pentyne by triethylsilane catalysed by phosphine-rhodium complexes (K.A. Brady, T.A. Nile), (206)299
- Iron carbonyl π -complexes of vinylsilanes, vinyldisilanes and vinylsiloxanes (M.I. Rybiñskaya, L.V. Rybiñ, A.A. Pogrebnyak, G.V. Nurtdinova, V.P. Yur'ev), (217)373
- Main Group IV elements in acetylenides, spectroscopic study of substituent effects of (G.A. Razuvaev, A.N. Egorochkin, S.E. Skobeleva, V.A. Kuznetsov, M.A. Lopatin, A.A. Petrov, V.S. Zavgorodny, E.T. Bogoradovsky), (222)55
- Manganese and rhenium complexes with phosphino-(thio)formamide and -dithioformate ligands (U. Kunze, A. Antoniadis, M. Moll), (215)187
- Methoxymethyldisilanes, double silylation of 1-hexyne, trimethylsilylacetylene and acetylene catalysed by tetrakis(triphenylphosphine)palladium of (H. Watanabe, M. Kobayashi, M. Saito, Y. Nagai), (216)149
- Methylchlorosilanes, practical uses of the disilane residue from direct synthesis of (R. Calas, J. Dunoguès, G. Déléris, N. Duffaut), (225)117
- 2-Methyl-9,9-diphenyl-9,10-dihydro-9-sila-3-azaanthracene, crystal and molecular structure of (O.A. D'Yachenko, Y.A. Sokolova, L.O. Atovmyan, A.N. Chekhlov, N.S. Prostakov, A.V. Varlamov, N. Saxena), (209)147
- Methylidyne nonacarbonyltriricobalt clusters, optically active silicon and germanium derivatives of and substitution at silicon in (C.E.J. Combes, R.J.P. Corriu, B.J.L. Henner), (221)257
- Methylidyne, silylidyne and germylidyne nonacarbonyltriridium clusters (W. Kruppa, G. Schmid), (202)379
- 9-Methyl-9-phenyl-9,10-dihydro-9-sila-3-azaanthrone, crystal and molecular structure of (Y.A. Sokolova, O.A. D'Yachenko, L.O. Atovmyan, N.S. Prostakov, A.V. Varlamov, N. Saxena), (202)149
- Methylthiotrimethylsilane, mechanistic study of the reaction of oxetanes with (H.A. Firgo, W.P. Weber), (222)201
- Me₂XGeMe₂(CH₂)₂X'Me₂ (X, X' = N, P, As), new type of germanium containing chelating ligands, preparation of (K. Betka, J. Grobe), (210)19
- Molecular complexing as initial stage of reactions of organometallic compounds (G.A. Razuvaev, A.V. Shabanov, A.N. Egorochkin, V.A. Kuznetsov, S.F. Zhiltsov), (202)363
- Monosilacyclobutanes, very low pressure pyrolysis of and IR absorptions of 1,1-dimethyl-1-silaethylene, (CH₃)₂Si=CH₂ and 1,1-dideuteriomethyl-1-silaethylene, (CD₃)₂Si=CH₂, isolated in argon matrices (L.E. Gusel'nikov, V.V. Volkova, V.G. Avakyan, N.S. Nametkin), (201)137
- Mono-trimethylsilyl- and bis(trimethylsilyl)-substituted alcohols, mechanism of deoxysilylation of and comparison with mechanisms of deoxystannylation and deoxyplumbation (D.D. Davis, H.M. Jacobs, III), (206)33
- Nickel-catalysed reaction of silacycloprenes with acetylenes, route to 1-silacyclopentadienes (M. Ishikawa, H. Sugusawa, O. Harata, M. Kumada), (217)43
- Nickel chloride catalytic system in inter-action of butadiene with trimethylvinylsilane (G.A. Gailyunas, G.V. Nurtdinova, F.G. Yusupova, L.M. Khalilov, V.K. Mavrodiev, S.R. Rafikov, V.P. Yuriev), (209)139
- Nitrophenylpolysilanes, preparation and UV spectra of (H. Sakurai, H. Sugiyama, M. Kira, K. Yamamoto), (225)163

- Nonacarbonyltriosmium trimethylsilyl-nitrenesulphido cluster, $\text{Os}_3(\text{CO})_9(\mu_3\text{-S})(\mu_3\text{-NSiMe}_3)$, closing and opening of the Os_3 triangle in (G. Süß-Fink, U. Thewalt, H.-P. Klein), (224)59
- exo*- and *endo*-5-Norbornen-2-ylsilyl derivatives, reaction with *N*-bromosuccinimide of; difference in reactivity between hexacoordinate and tetra-coordinate silicon compounds (K. Tamao, M. Mishima, J.-I. Yoshida, M. Takahashi, N. Ishida, M. Kumada), (225)151
- Nucleophilic substitution at silicon, influence of attacking allyllithium and aryloxo anion on the stereochemistry and mechanism of (R.J.P. Corriu, C. Guerin), (225)151
- Oligoethylhydrocyclosiloxane polycondensation, formation of polyhedral ethylsilsesquioxanes in the process of (M.G. Voronkov, V.I. Lavrentyev, V.M. Kovrigin), (220)285
- Organometallic compounds of carbene and carbyne types, formation by interaction of RLi with neodymium and yttrium chlorides in various media of (B.A. Dolgoplosk, E.I. Tinyakova, I.Sh. Guzman, E.I. Vollerstein, N.N. Chigir, G.N. Bondarenko, O.K. Sharaev, V.A. Yakovlev), (201)249
- Organometallic sulphides, $(\text{R}, \text{M})_2\text{S}$, configurations of and crystal and molecular structure of thiobis(triphenyltin(IV)) (C. Glidewell, D.C. Liles), (224)237
- (Organometal)-methyl groups, σ^+ -substituent constants for; bond polarizability model for hyperconjugation (D.D. Davis), (206)21
- Organosilanes, structures of molecular cations of (C. Glidewell), (217)11
- Organosilanones, formation of (A.V. Tomadze, N.V. Yablokova, V.A. Yablokov, G.A. Razuvaev), (212)43
- Organosilicon amines, imidazole, 1,2,4-triazole and benzotriazole, reactivity towards aldehydes and ketones of (J.P. Gasparini, R. Gassend, J.C. Maire, J. Elguero), (208)309
- Organosilicon bicyclic compounds, reversible di- π -methane rearrangements (J.D. Rich, T.J. Drahnak, R. West, J. Michl), (212)C1
- Organosilicon compounds with a carboranyl methyl radical, synthesis of (V.N. Kalinin, B.A. Izmailov, A.A. Kazantsev, V.D. Myakushev, A.A. Zhdanov, L.I. Zakharkin), (216)295
- Organosilicon cyclic compound formation from methoxymethyl disilanes via organopolysilyl anions, mechanistic study of (H. Watanabe, K. Higuchi, T. Goto, T. Muraoka, J. Inose, M. Kageyama, Y. Iizuka, M. Nozaki, Y. Nagai), (218)27
- Organosilicon derivatives of salicylic and related acids, preparation and properties of (R.H. Cragg, R.D. Lane), (212)301
- Organosilicon solid polymers, structure investigation by high resolution solid state ^{29}Si NMR of (G. Engelhardt, H. Jancke, E. Lippman, A. Samoson), (210)295
- Organosilicon sterically hindered perchlorates (S.S. Dua, C. Eaborn), (204)21
- Organo-silicon and -germanium substituents, application of electronic and IR spectroscopy to determination of σ_{P}^- , σ_{P}^+ and σ_{R}^0 -constants of (P.G. Sennikov, S.E. Skobeleva, V.A. Kuznetsov, A.N. Egorochkin, P. Rivière, J. Satgé, S. Richelme), (201)213
- π -Organosilyl complexes of transition metals, potential of ^{29}Si NMR spectroscopy in analysis of (K.H. Pannell, A.R. Bassindale, J.W. Fitch), (209)C65
- Organosilylmethyl groups, substituents effects of (C. Eaborn, A.R. Hancock, W.A. Stańczyk), (218)147
- $\text{Os}(\text{CO})_4(\text{SiXCl}_2)(\text{H})$ (X = Me, Cl), preparation and pyrolysis to dimers of (R.K. Pomeroy), (221)323
- Oxobis[tribenzylsilicon(IV)], crystal and molecular structure of (C. Glidewell, D.C. Liles), (212)291
- Pentacarbonyl(tris(trimethylsilyl)stibine)-chromium, -molybdenum and -tungsten complexes, preparation and behaviour as initiators in polymerisation of THF of (H.J. Breunig, W. Fichtner), (222)97
- Pentadienylpotassium, control of preferred geometry by changing the medium (H. Yasuda, M. Yamauchi, A. Nakamura), (202)C1
- Perisopropylcyclotetrasilane, $[(\text{Me}_2\text{CH})_2\text{Si}]_4$, preparation and

- properties of (H. Watanabe, T. Muraoka, M.-A. Kageyama, Y. Nagai), (216)C45
- Permethylpolysilanes, ^{29}Si and ^{13}C spectra of (D.A. Stanislawski, R. West), (204)295
- Persistent α -metalated methyl radicals and their dimers (H. Hillgärtner, W.P. Neumann, W. Schulten, A.K. Zarkadis), (201)197
- $\text{PhCH}_2\text{SiMe}_2(\text{CH}_2)_n\text{OH}$ ($n = 2, 3$) compounds, base-cleavage of the benzyl-silicon bonds in (C. Eaborn, F.M.S. Mahmoud), (209)13
- Phenyl-substituted pentacoordinated compounds of main group elements, characterization by ^1H NMR of (A.C. Sau, R.R. Holmes), (217)157
- Phosphine-palladium(II) chiral complexes as hydrosilylation catalysts (K. Yamamoto, Y. Kiso, R. Ito, K. Tamao, M. Kumada), (210)9
- Photochemically generated methylphenylsilylene, reactions with conjugated dienes of (M. Ishikawa, K.-I. Nakagawa, R. Enokida, M. Kumada), (201)151
- Platinum(0) complex, photochemical induced oxidative addition of dichloromethane to (O.J. Scherer, H. Jungmann), (208)153
- Platinum(II) cyano complexes containing σ -carbyl, hydrido- or organosilyl ligands (J.F. Almeida, A. Pidcock), (208)273
- Pyrolysis of "trisyl" compounds: $(\text{Me}_3\text{Si})_3\text{CSiPh}_2\text{I}$ and $(\text{Me}_3\text{Si})_3\text{CSiPhMeI}$ (C. Eaborn, K.D. Safa), (204)169
- Rhodium(II) complexes as hydrosilylation and hydrogenation catalysts (J.P. Howe, K. Lung, T.A. Nile), (208)401
- Ruthenium anionic clusters as catalysts in hydrosilylation of carbon dioxide (G. Süss-Fink, J. Reiner), (221)C36
- Saturated and pyrrole-derived amines and *N*-silylamines, molecular anisotropies of (M. Bordeaux, E. Frainnet, C. Clément), (206)9
- Si-Ge bond cleavage by base, mechanism and rate of (C. Eaborn, F.M.S. Mahmoud), (205)47
- Si-Halogenated silacyclobutanes, gas-phase pyrolysis of (N. Auner, J. Grobe), (222)33
- Sila derivatives of musk scents (D. Wrobel, U. Wannagat), (225)203
- 3-Silabicyclo[3.2.1]octane and *endo*-3-methyl-3-silabicyclo[3.2.1]octane, molecular structure determined by gas phase electron diffraction of (Q. Shen, R.L. Hilderbrandt, C.S. Blankenship, S.E. Cremer), (214)155
- Silacarbo-cycles from ring expansion (J.Y. Corey, E.A. Francis, M.S. Bursten, J.C. Kunz), (210)149
- Sila- and disilacyclobutane, thermolysis and photolysis of (P. Jutzi, P. Langer), (202)401
- Silacyclobutenes, convenient synthesis of (G.T. Burns, T.J. Barton), (216)C5
- Silanes, polysilanes and their alkyl derivatives, additivity scheme for (H.E. O'Neal, M.A. Ring), (213)419
- 7-Silanorbornadienes, thermal behaviour of (T.J. Barton, W.F. Goure, J.L. Witiak, W.D. Wulff), (225)87
- 1-Silaphenalanes, synthesis from 1,8-difunctional naphthalenes of; structure of pyrolysis products of (1-naphthyl)-vinylchlorosilane (P. Doudjouk, J.S. Kiely, R. Sooriyakumaran), (221)33
- Silatrane and their analogues, spectroscopic study of hydrogen bond formation by (M.G. Voronkov, E.I. Brodskaya, N.M. Deriglazov, V.P. Baryshok, V.V. Belyaeva), (225)193
- Silica-supported phenyllithium, preparation of silica-supported diaryl ketones for use as photosensitisers from (R.R. Hautala, R.B. King, E.M. Sweet, J.L. Little, A.W. Shields), (216)281
- Silicon atoms in various chemical environments, ESCA shifts calculated by the SCC-MO method of (Z.B. Maksić, K. Rupnik, N. Mileusnić), (219)21
- Silicon and germanium pentacoordinate derivatives, molecular structures of (C. Brelière, F. Carré, R.J.P. Corriu, A. De Saxce, M. Poirier, G. Royo), (205)C1
- Silicon-silicon bonds, electrochemical method for the synthesis of (E. Hengge, H. Firgo), (212)155
- Silicon substitution effect on hydrocarbon acidity, theoretical study of (A.C. Hopkinson, M.H. Lien), (206)287
- Siloles, unexpected behaviour towards organolithium reagents of (M. Ishikawa, K. Nishimura, H. Sugisawa, M. Kumada), (218)C21
- Silyl cyclopentadienes, structure of (A.F. Cuthbertson, C. Glidewell), (221)19
- Silyl- and germyl-mercurials on organic synthesis, route to *O*-silylated and

- O-germylated enolates (O.A. Kruglaya, L.I. Belousova, D.V. Gendin, I.D. Kalikhman, N.S. Vyazankin), (201)69
- ilyl-substituted organolithium compounds, 1,*n*-triorganyl migrations in rearrangements of (J.J. Eisch, M.-R. Tsai), (225)5
- ²⁹Si NMR spectroscopic investigations of substituted disilanes (G. Engelhardt, R. Radeaglia, H. Kelling, R. Stendel), (212)51
- i-Si bonds, electrochemical method of; determination of water in organic solvents (R.J.P. Corriu, G. Dabosi, M. Martineau), (222)195
- terically-hindered aminosilane, (Me₂Si)₂CSiMe₂NH₂, properties of (C. Eaborn, F.M.S. Mahmoud), (220)139
- Substituted 2,2-diaryl-1,3-dioxo-6-aza-2-silacyclooctanes in solution, conformations of (E. Liepins, J. Popelis, I. Birgele, I. Urtane, G. Zelchan, E. Lukevics), (201)113
- urface immobilised phosphine ligands and transition metal catalysts, detection and characterisation by high resolution ³¹P solid state NMR using magic-angle spinning techniques of (L. Beml, H.C. Clark, J.A. Davies, D. Drexler, C.A. Fyfe, R. Wasylishen), (224)C5
- ellurium(IV) compounds in reactions with trimethyl(dialkylamino)silanes (J.M. Miller, R.K. Chadha), (216)177
- ,3,5,6-Tetrachlorophenylmagnesium chloride, preparation and reactions of (M.T. Rahman), (225)25
- etrakis[bis(trimethylsilylmethyl)tin], synthesis and structure of (V.K. Belsky, N.N. Zemlyansky, N.D. Kolosova, I.V. Borisova), (215)41
- etramethyl-*N,N'*-bis-*o*-tolylcyclo-disilazane, structure of (L. Bihátsi, P. Hencsei, L. Párkányi), (219)145
- R,1R',2,3,4,5-Tetraphenyl-1-germa-cyclopentadiene, synthesis and reactions of (P. Jutzi, A. Karl), (215)19
- R,1R',2,3,4,5-Tetraphenyl-1-silacyclo-pentadiene, synthesis and reactions of (P. Jutzi, A. Karl), (214)289
- etrapropylammonium phenyltetra-fluorosilicate, crystal and molecular structures of (D. Schomburg), (221)137
- Thia-3-silacyclobutanes and 1-thia-3-silacyclopentane, synthesis and proper-ties of (M.G. Voronkov, S.V. Kirpichenko, E.N. Suslova, V.V. Keiko), (204)13
- 2-Thienyltrimethylsilane derivatives, rates of base-cleavage of and ab initio calculation of acidities of monosubstituted thiophens (G. Seconi, C. Eaborn, J.G. Stamper), (204)153
- Transition metal doubly-linked dinuclear complexes, synthesis of Me₂[C₅H₄FeCO]₂L (L = dppe, dppm) (G.O. Nelson, M.E. Wright), (206)C21
- Transition metal-silicon bonds containing complexes, cyclometalation of phosphorus ligands by UV irradiation of (G. Cerveau, G. Chauvière, E. Colomer, R.J.P. Corriu), (210)343
- Trialkylsilyl iodide, mechanism of reactions with organic phosphites with iodoanhydrides of phosphorus(III) acids as intermediates of (J. Chojnowski, M. Cypryk, J. Michalski), (215)355
- Triaryl-silyl, -germyl and -stannyl radicals, synthesis and ESR studies of (M.J.S. Gynane, M.F. Lappert, P.I. Riley, P. Rivière, M. Rivière-Baudet), (202)5
- Trichloromethyltrimethylsilane, reactions with ferrotetraarylporphyrins of (J.-P. Battioni, D. Dupré, D. Mansuy), (214)303
- Trichlorosilane-imine complexes; method for reduction of imines to amines (R.A. Benkeser, D.C. Snyder), (225)107
- Trimethylaroxysilanes, spectroscopic study of the structure of (N.I. Shergina, N.V. Strashnikova, Yu.L. Frolov, E.I. Dubinskaya, N.I. Golovanova, O.I. Randin, M.G. Voronkov), (216)17
- Trimethylsilyl and halodimethylsilylmethyl derivatives of diamines (C.H. Yoder, J.A. Cullinane, G.F. Martin), (210)289
- Trimethylsilylmethylmagnesium chloride addition to α,β -unsaturated carbonyls (R.T. Taylor, J.G. Galloway), (220)295
- Trimethylsilylphenylsilylene, photo-chemical generation and reactions with alkyl chlorides of (M. Ishikawa, K.-I. Nakagawa, S. Katayama, M. Kumada), (216)C48
- , photolysis reactions with allylic halides and allyl ethyl ether of (M. Ishikawa, K.-I. Nakagawa, M. Kumada), (214)277
- β -Triorganosilylenamines, synthesis and properties of (S. Kuno, Y. Sato), (218)309

- [Tris(trimethylsilyl)methyl] dimethylchloro- and -bromo-silane, unusual reactions with tetra-*n*-butylphosphonium chloride of (R. Damrauer), (216)C1
- Tris(trimethylsilyl)methylgermanium halides (C. Eaborn, N.P.Y. Siew), (202)157
- Tris(trimethylsilyl)silyllithium·3THF, a stable crystalline silyllithium reagent (G. Gutekunst, A.G. Brook), (225)1
- Vanadium organo-bielement compounds, Cp₂V(ER₃) (ER₃ = GeEt₃, SnEt₃, CH₂SiMe₃, SeGeEt₃), thermal decomposition of (G.A. Razuvaev, V.N. Latyaeva, V.P. Mar'in, L.I. Vyshinskaya, S.P. Korneva, Yu.A. Andrianov, E.V. Krasil'nikova), (225)233
- Vinyl- and alkynyl-containing compounds, study of *d*_π—*p*_π interaction by photoelectron spectroscopy in (V.I. Khvostenko, B.G. Zykov, V.P. Yuriev, V.F. Mironov, G.I. Kovel'zon, A.A. Panasenko, V.D. Sheludyakov, I.A. Gailyunas), (218)155
- Vinylsilanes in reaction with nonacarbonyldiiron, reassignment of the structures of the complexes obtained from (H. Sakurai, Y. Kamiyama, A. Mikoda, T. Kobayashi, K. Sazaki, Y. Nakadaira), (201)C14
- Vinylsilanes, intramolecular bond-forming upon electron impact reactions of (J.A. Soderquist, A. Hassner), (217)181

Silver

- Alkylcopper- and alkylsilver-induced substitution in enynyl oxiranes; novel route to butatrienyl carbinols (M. Tigchelaar, J. Meijer, H. Kleijn, H.J.T. Bos, P. Vermeer), (221)117
- Organosilver(I) chemistry, reaction of RAg and R₂AgMgCl compounds with conjugated enynenitriles (H. Kleijn, H. Westmijze, J. Meijer, P. Vermeer), (206)257
- Palladium(0) promoted cross-coupling of allenylmetal compounds with aryl and vinyl iodides (K. Ruitenberg, H. Kleijn, J. Meijer, E.A. Oostveen, P. Vermeer), (224)399

Sodium

- Aluminium-organic radical complexes of *N*-heterocyclic compounds, 1,4-diazine

- derivatives (W. Kaim), (215)337
- Cyclopentadienyldicarbonyliron aminocarbene complexes, preparation from Na[C₅H₅(CO)₂Fe] and cationic benzimide chloride in the presence of HCl of (H. Brunner, G. Kerkien, J. Wachter), (224)301
- Cyclopentadienyldicarbonyliron sodium, C₅H₅(CO)₂FeNa, thermal reaction with benzimide chloride, C₆H₅(Cl)C=NR, of (H. Brunner, G. Kerkien, J. Wachter), (224)295
- m*- and *p*-Fluorophenylcyclopentadienyl anions, effect of the alkali metal cation, solvent and complexing agents on ¹⁹F chemical shifts of (N.A. Ogorodnikova, A.A. Koridze, S.P. Gubin), (215)293
- Heavier alkali metals; Annual Survey covering the year 1979 (E.M. Kaiser), (203)149
- Highly dispersed potassium on alumina as a metalating agent; alkylation of enolizable compounds (D. Savoia, E. Tagliavini, C. Trombini, A. Umani-Ronchi), (204)281
- Organometallic polymers containing tricarbonyl(η²-diene)-ruthenium(0) and -iron(0) as pendant groups (H. Yasuda, Y. Morita, I. Noda, K. Sugi, A. Nakamura), (205)C9
- Tetracarbonylcobalt anion, strong interactions with Li⁺ and Na⁺ in diethyl ether of; the system LiBr/Co₂(CO)₈/diethyl ether (P.S. Braterman, A.E. Leslie), (214)C45
- Transition metal carbonylate complexes, stabilisation by alkali metal crown-ether cations of; X-ray structure analysis of two sodium-carbonyl linked polymeric structures (M.K. Cooper, P.A. Duckworth, K. Henrick, M. McPartlin), (212)C10

Strontium

- Barium and strontium salts of α, ω-bis-(9-fluorenyl) polymethylenes, solvation of ion pairs in THF solutions of (C. Mathis, B. François, J. Smid), (217)291

Sulphur

- Alkenyltitanocene, reactions of (E. Klei, J.H. Teuben), (222)79
- S*-Allyl-*N,N*-dimethylsulphonamides, regioselective synthesis from allyl-

- cobaloximes and addition of *N,N*-dimethylsulphonyl chloride to terminal olefins of (P. Bougeard, M.D. Johnson), (206)221
- Antimony-sulphur and antimony-oxygen ligands, synthesis and properties of (W. Levason, B. Sheikh), (208)1
- (Arylphenylcarbene)pentacarbonyl-tungsten, kinetics of insertion of S from organylisothiocyanates into the W-carbene bond of (H. Fischer), (222)241
- Binuclear rhodium complexes activating carbon disulphide, and structure of $[\text{Rh}_2\text{Cl}_2(\text{CO})(\text{C}_2\text{S}_4)(\text{Ph}_2\text{PCH}_2\text{PPh}_2)_2]$ (M. Cowie, S.K. Dwight), (214)233
- 2,2'-Bipyridine-, and 1,2-bis(diphenylphosphine)ethane- π -allylbromodicarbonyl-molybdenum and -tungsten complexes, substitution reactions with xanthates and dithiocarbamates of (M.F. Perpiñan, A. Santos), (221)63
- Bis(methylthio)carbenepentacarbonyl-tungsten, kinetics of reactions with phosphine forming (cyclic) phosphoranes of (R.A. Pickering, R.J. Angelici), (225)253
- Bis(thio- and -seleno-ether) complexes of trimethylplatinum(IV) halides, inversion and prochirality in (E.W. Abel, A. Rauf Khan, K. Kite, K.G. Orrell, V. Šik), (225)357
- Bis(trimethylaluminium), reactions with sulphurdiimines and sulphinylanilines of (J.M. Klerks, R. van Vliet, G. van Koten, K. Vrieze), (214)1
- Bromo(η^5 -cyclopentadienyl)triphenylphosphinenickel, reactions with phosphorus, arsenic and sulphur ylids of (B.L. Booth, K.G. Smith), (220)219
- Carbon disulphide bridging complex of platinum, $\text{Pt}_2\text{Cl}_2(\mu\text{-CS}_2)(\mu\text{-dppm})_2$, preparation, structure and reactivity of (T.S. Cameron, P.A. Gardner, K.R. Grundy), (212)C19
- Carbonylcobalt-sulphur diamagnetic trinuclear complex, with a bridging thio-carboxamido group, $\text{SCo}_3(\text{CO})_7(\text{CSNMe}_2)$ (C. Mahé, H. Patin, A. Benoît, J.-Y. Le Marouille), (216)C15
- , synthesis and structure of (H. Patin, G. Mignani, C. Mahe, J.-Y. Le Marouille, A. Benoît, D. Grandjean, G. Levesque), (208)C39
- Carbonyl- π -cyclopentadienyl- and π -arene-metal compounds, mixtures with aromatic and heterocyclic compounds, ion-molecule reaction products in mass spectra of (Yu.S. Nekrasov, N.I. Vasyukova, D.V. Zagorevskii, V.F. Sizoi, G.A. Nurgalieva, L.I. Dyubina), (201)433
- Carbonyliron complexation of dithioesters; formation of a chiral carbon centre α -bonded to an iron atom (A. Benoit, J.-Y. Le Marouille, C. Mahe, H. Patin), (218)C67
- Carbonyliron complexes of dithiocarbonates, X-ray crystal structure of $\text{Fe}_4(\text{CO})_{12}\text{S}(\text{SCH}_2\text{C}_5\text{H}_4\text{FeC}_2\text{H}_5)(\text{SCH}_3)$ (H. Patin, G. Mignani, C. Mahe, J.-Y. Le Marouille, A. Benoît, D. Grandjean), (210)C1
- Carbonylniobium complexes with sulphur bridges (W.A. Herrmann, H. Biersack, M.L. Ziegler, B. Balbach), (206)C33
- Chalcogenides as complex ligands, reactions of SH ligands in $\text{Li}[(\text{CO})_5\text{WSH}]$ (M. Höfler, H. Hausmann, H.A. Heidelberg), (213)C1
- Chalcogenochromones, structural study of (N. Dereu, M. Renson, Y. Mollier, G. Le Coustumer), (208)23
- $(-)_578-(\eta^5\text{-C}_5\text{H}_5)\text{Mo}(\text{CO})_2\text{SC}(\text{CH}_3)\text{NR}$, structural characteristics of (G.M. Reisner, I. Bernal), (220)55
- $(\text{C}_5\text{H}_5)_2\text{Mo}(\text{HgSC}_2\text{H}_5)_2$, structure of two forms studied by X-ray diffraction of and ^{99}Mo NMR spectroscopy (M.K. Kubicki, R. Kergoat, J.E. Guerchais, I. Bkouche-Waksman, C. Bois, P. L'Haridon), (219)329
- $[(\eta^5\text{-C}_5\text{H}_5)\text{NiSP}(\text{CH}_3)_2]_2$, synthesis, properties, crystal structure and its behaviour towards alkynes of (E. Lindner, F. Bouachir, W. Hiller), (210)C37
- $\text{Co}_6\text{C}(\text{CO})_{12}\text{S}_2$, formation from dicobalt octacarbonyl and carbon disulphide of, and structural and IR spectroscopic characterisation of (G. Bor, U.K. Dietler, P.L. Stanghellini, G. Gervasio, R. Rossetti, G. Sbrignadello, G.A. Battiston), (213)277
- $[(\text{CO})_4\text{FeC}(\text{S})\text{NMe}_2]^-$ and $(\text{CO})_4\text{FeC}(\text{SMe})\text{NMe}_2$, preparation and properties of (W. Petz), (205)203
- $(\text{Cp}_2\text{Cr}_2\text{SCMe}_3)(\mu_3\text{-S})_2\text{Co}(\text{CO})_2$, transformation into the diamagnetic metalla-tetrahedron $\text{Cp}_3\text{Cr}_3(\mu_3\text{-S})_4\text{Co}(\text{CO})$ of (A.A. Pasynskii, I.L. Eremenko, B. Orazsakhmatov, V.T. Kalinnikov,

- G.G. Aleksandrov, Yu.T. Struchkov), (214)367
- (CpCrSCMe₃)₂S·Mn₂(CO)₉, and the cluster (CpCr)₂(μ₂-SCMe₃)(μ₃-S)₂Co(CO)₂, synthesis, molecular structures and magnetic properties of (A.A. Pasynskii, I.L. Eremenko, B. Orazsakhmatov, Yu.V. Rakitin, V.M. Novotortsev, O.G. Ellert, V.T. Kalinnikov, G.G. Aleksandrov, Yu.T. Struchkov), (214)351
- (CpCrSCMe₃)₂S·Mn(CO)₂Cp, synthesis and molecular structure of and formation of the tetranuclear clusters Cp₂Cr₃MS₄ (M = Cr, V, Nb) (A.A. Pasynskii, I.L. Eremenko, B. Orazsakhmatov, V.T. Kalinnikov, G.G. Aleksandrov, Yu.T. Struchkov), (216)211
- Cubane-like Fe₄(CO)₁₂(μ₃-S)₄ and Fe(CO)₁₂(μ₃-Se)₄ tetramers, synthesis and stereochemical analysis of; conversion of tetrametal-bonding cores into tetrametal-nonbonding cores by substitution of carbonyl for nitrosyl ligands (L.L. Nelson, F.Y.-P. Lo, R.D. Rae, L.F. Dahl), (225)309
- Cyclopalladated complexes of 2-phenylthiazole, synthesis and characterisation of (K. Hiraki, Y. Fuchita, S. Takakura), (210)273
- Cyclopentadienyliron trimethylphosphine complexes (P.M. Treichel, D.A. Komar), (206)77
- Cyclopropenethione complexes with pentacarbonylchromium and dicarbonylcyclopentadienylmanganese as ligands (F. Edelmann, J. Klimes, E. Weiss), (224)C31
- Cymantrene derivative with a cymantrenylphenylthio ketone ligand, ¹³C NMR spectra and structure of (V.G. Andrianov, Yu.T. Struchkov, P.V. Petrovskii, E.I. Fedin, D.N. Kursanov, S.P. Dolgova, V.N. Setkina), (221)183
- [(depe)₂Fe(S₂CPEt₃)](BPh₄)₂ (depe = 1,2-bis(diethylphosphino)ethane), synthesis, reactivity and X-ray structure of (C. Bianchini, A. Meli, A. Orlandini, G. Scapacci), (215)C59
- Dicyclopentadienyltitanium complexes with chiral sulphur dioxide ligands (A. Dormond, A. Dahchour, J. Tirouflet), (216)49
- 3,3-Diethyl-2,4-dimethyl-3-silathietane, thermal isomerisation and decomposition of (L.E. Gusel'nikov, V.M. Sokolova, E.A. Volnina, V.G. Zaikin, N.S. Nametkin, M.G. Voronkov, S.V. Kirpichenko, V.V. Keiko), (214)145
- Diiodo[*o*-methylthiophenyl]diphenylphosphine palladium(II), complex exhibiting large structural *trans* influence, crystal structure of (G.R. Clark, J.D. Orbell), (215)121
- 1,2-Dimethylgermacyclopentanes, stereochemistry of S_N-Ge reactions of (J. Dubac, J. Cavezzan, A. Laporterie, P. Mazerolles), (209)25
- Dimethyl (phenylthio)arsine and tris(phenylthio)arsine, dipole moment and He(I) photoelectron spectroscopy of (G. Distefano, A. Modelli, A. Grassi, G.C. Pappalardo, K.J. Irgolic, R.A. Pyles), (220)31
- 3,3-Dimethyl-3-silathietane and 3,3-diethyl-2,4-dimethyl-3-silathietane, evidence for silathione ions in the mass spectra of (L.E. Gusel'nikov, V.V. Volkova, V.G. Zaikin, N.A. Tarasenko, A.A. Tishenkov, N.S. Nametkin, M.G. Voronkov, S.V. Kirpichenko), (215)9
- Dimethylsilylene insertion reactions into Si-S and S-S single bonds (A. Chihi, W.P. Weber), (210)163
- Dimethyl sulphide and dimethyl selenide complexes of halocarbonyls of rhenium, atomic inversion barriers of sulphur and selenium in (E.W. Abel, M.M. Bhatti, K.G. Orrell, V. Šik), (208)195
- 2,4-Dinitrobenzenesulphenyl chloride, addition to alkyl-substituted vinylferrocenes of (B. Floris, G. Illuminati), (225)301
- N,N'*-Diorganylureas and *N,N'*-diorganylthioureas, reactions with haloorganylboranes of (W. Maringgele), (222)17
- μ-(Diselenium)bis(tricarbonyliron), an inorganic mimic of organic diselenides, Se-Se bond reactions of (D. Seyferth, R.S. Henderson), (204)333
- μ-Dithiobis(tricarbonyliron), reaction with dimanganese decacarbonyl of; novel product and interesting structural problem (D. Seyferth, R.S. Henderson, J.P. Fackler, Jr., A.M. Mazany), (213)C21
- Di-μ-thiolbis(tricarbonyliron), (μ-HS)₂Fe₂(CO)₆, inorganic mimic of organic thiols (D. Seyferth, R.S. Henderson), (218)C34

- [3] Ferrocenophane bridge reversal barriers: sulphur, selenium and tellurium bridging atoms (E.W. Abel, M. Booth, K.G. Orrell), (208)213
- [3] Ferrocenophanes with trichalcogen bridges, synthetic and structural studies on; crystal and molecular structure of 1,3-dithia-2-selena[3]ferrocenophane (A.G. Osborne, R.E. Hollands, J.A.K. Howard, R.F. Bryan), (205)395
- Ferrocenyl azide and ferrocenylsulphonyl azide, kinetics of thermal decomposition in 1-chloronaphthalene of (C.I. Azogu, M.N. Offor), (222)275
- Germanone and germathione, structure determination through ab initio calculations of (G. Trinquier, M. Pelissier, B. Saint-Roch, H. Lavayssière), (214)169
- Group VI metal carbonyl complexes, with ferrocenylphenylthio ketone as ligand, ^{13}C NMR spectra of (P.V. Petrovskii, V.N. Setkina, S.P. Dolgova, D.N. Kursanov), (221)177
- Group IVB organometallic radicals, ESR study of reactions with 4,4'-dimethoxybenzophenone, 4,4'-dimethoxythio-benzophenone and 3-ethyl-2-thioxo-4-oxazolidione of (B.B. Adeleke, K.S. Chen, J.K.S. Wan), (208)317
- , ESR study of spin adducts with thio ketones of (A. Alberti, F.P. Colonna, M. Guerra, B.F. Bonini, G. Mazzanti, Z. Dinya, G.F. Pedulli), (221)47
- Heterotrinnuclear complexes of the type $\text{M}(\text{CO})_2\text{L}$ ($\text{M} = \text{Cr}, \text{Mo}, \text{W}$) containing $[(\text{C}_5\text{H}_5)_2\text{CrSCMe}_3]_2\text{S}$ as unusual anti-ferromagnetic ligand (L), synthesis, structure and magnetic properties of (A.A. Pasynskii, I.L. Eremenko, Yu.V. Rakitin, B. Orazsakhov, V.M. Novotortsev, O.G. Ellert, V.T. Kalinnikov, G.G. Aleksandrov, Yu.T. Struchkov), (210)377
- Iron(II), cobalt(II) and nickel(II) *p*-toluenesulfinate complexes with polydentate triphosphines; crystal structure of 1,1,1-tris(diphenylphosphinomethyl)ethane *p*-toluenesulfinatecobalt(II) perchlorate (C.A. Ghilardi, S. Midollini, S. Moneti), (217)391
- Iron-57 satellites in ^{13}C NMR spectra elucidating "hidden processes" in the dynamics of metal carbonyls (S. Aime, D. Osella), (214)C27
- β -(Iso)thiocyanatoalkenylmercury derivatives, preparation and properties of (M. Gillard, J. Cousseau), (201)C1
- Manganese and rhenium complexes with triphenylphosphinoalkanedithiocarboxylate ligands, coordination chemistry of (U. Kunze, R. Merkel), (219)69
- N*-Methylthio-*N'*-(2,6-dimethylphenyl)-2,6-dimethyl-1,4-quinonediimine, formation, X-ray structure and dynamic behaviour in solution of (J.M. Klerks, G. van Koten, K. Vrieze, P. Seignette), (219)9
- Methylthiotrimethylsilane, mechanistic study of the reaction of oxetanes with (H.A. Firgo, W.P. Weber), (222)201
- [MoBr(π -allyl)(CO) $_2$ (L) $_2$] complexes (L = acetonitrile, pyridine), substitution reactions with xanthates and dithiocarbamates of (M.F. Perpiñan, A. Santos), (218)185
- Molybdenum alkyl- and aryl-thiolates (F.Y. Petillon, J.L. Le Quere, J. Roue, J.E. Guerchais, D.W.A. Sharp), (204)207
- Molybdenum and tungsten methanethiolate derivatives in reactions with hexafluorobut-2-yne (F.Y. Petillon, F. Le Floch-Perennou, J.E. Guerchais, D.W.A. Sharp, Lj. Manojlovic-Muir, K.W. Muir), (202)23
- Nonacarbonyltriosmium trimethylsilylnitrenesulphido cluster, $\text{Os}_3(\text{CO})_9(\mu_3\text{-S})(\mu_3\text{-NSiMe}_3)$, closing and opening of the Os_3 triangle in (G. Süss-Fink, U. Thewalt, H.-P. Klein), (224)59
- Organo-manganese and -rhenium complexes with nucleophilic centres at the metal and sulphur atoms (E. Lindner, G. von Au, H.-J. Eberle), (204)93
- Organoseleno-manganese cluster, $[\text{Mn}(\text{CO})_2\text{SeC}_2\text{H}_5]_4$, photoinduced synthesis of (P. Jaitner), (210)353
- Organotin compounds with a Sn-S bond, configurational stability of (M. Lequan, R.M. Lequan), (222)211
- Organo-tin and -lead derivatives of *S*-substituted thio acids, synthesis of (R.M. Lequan, M. Lequan), (201)371
- Organotin and tin(IV) derivatives of dimethyldithioarsinic acid (I. Haiduc, L. Silaghi-Dumitrescu), (225)225
- Orthopalladation of chelating aromatic compounds (R.A. Holton, R.V. Nelson), (201)C35
- $\text{Os}_3(\text{CO})_9(\mu_2\text{-H})(\mu_3\text{-SR})$ (R = Me or Et), preparation, characterisation and

- reaction of (B.F.G. Johnson, J. Lewis, D. Pippard), (213)249
- Palladium(0) and iridium(I) complexes, coordination of sulphines to; oxidation of side-bonds in (J.W. Gosselink, G. van Koten, K. Vrieze), (222)131
- Palladium(II) and rhodium(III) mixed ligand complexes, ¹H NMR studies of (J. Selbin, M.A. Gutierrez), (214)253
- Pentacarbonyl(chalcocarbonyl)chromium(0) complexes, synthesis of (A.M. English, K.R. Plowman, I.M. Baibich, J.P. Hickey, I.S. Butler, G. Jaouen, P. Lemaux), (205)177
- Phenyl group migration from S to C atom of a ring-opened cyclopropene; crystal structure of [Mo(η^3 -*syn*-1-Ph-3,3-Me₂C₃H₂)(1,2-C₆H₄S₂)(τ -C₅H₅)] (M. Green, N.C. Norman, A.G. Orpen), (221)C11
- Sn*-Phenyl-substituted oxadithia- and trithiastannocanes, conversions of tetrahedral 4-coordination to trigonal bipyramidal 5-coordination (M. Dräger, H.-J. Guttman), (212)171
- Phenyl-substituted pentacoordinate compounds of main group elements, characterization by ¹H NMR of (A.C. Sau, R.R. Holmes), (217)157
- Phenylmercury, triphenyl-tin and -lead derivatives of nitrogen-containing thiols, PMR study of relative strength of chelate rings in (D.N. Kravtsov, A.S. Peregodov, E.M. Rokhlina, E.I. Fedin), (201)61
- Ph₃Sn(CH₂)_nS(O)_mC₆H₄Me-*p*, neighbouring group participation in reactions with iodine of (J.L. Wardell, J.M. Wigzell), (205)C24
- Platinum(0) complexes of 3-arythiote 1,1-dioxides (C.R. Hall, E.R. Hamner, R.D.W. Kemmitt, D.J.H. Smith), (205)417
- cis*-Pt(SH)₂(PPh₃)₂ and related alkyl and aryl thiolato complexes, synthesis and structural characterization of (C.E. Briant, G.R. Hughes, P.C. Minshall, D.M.P. Mingos), (202)C18
- Pyrazolate thiocarbonylrhodium complexes, X-ray structure of [Rh(μ -3,5-Me₂Pz)(CS)(PPh₃)₂] (R. Usón, L.A. Oro, M.A. Ciriano, D. Carmona, A. Tiripicchio, M. Tiripicchio-Camellini), (224)69
- Re—CH₂SR, —CHS⁺RR' and =CHSR]⁺ complexes, synthesis and unusual properties of (F.B. McCormick, J.A. Gładysz), (218)C57
- Rhenacycloalkanes, heterolytic cleavage of the Re—Re bond in and SO₂-insertion into Re—C bonds of (E. Linder, G. von Au), (202)163
- Rhenium and molybdenum imido complexes, generated from reactions of coordinated nitrate; crystal and molecular structures of [Mo(NCPh₃)-(S₂CNMe₂)₃]BF₄ and [Mo(NSO₂Ph)-(S₂CNMe₂)₃]PF₆ (M.W. Bishop, J. Chatt, J.R. Dilworth, B.D. Neaves, P. Dahlstrom, J. Hyde, J. Zubieta), (213)109
- Rhodium catalysed dehydrogenation of triorganotin hydrides and mercaptans, preparation of triorganotin mercaptides (J.J. Talley, A.M. Colley), (215)C38
- Rhodium(I) cationic complexes with diolefins and substituted pyridine *N*-oxides as ligands, preparation and reactions of (R. Usón, L.A. Oro, M.A. Ciriano, F. Lahoz), (217)251
- [Rh₂(PPh₃)₄(μ -Cl)(μ -SO₂)₂](SO₄), structural characterisation showing a synergic bridging mode for the SO₂ ligand (C.E. Briant, G.R. Hughes, P.C. Minshall, D.M.P. Mingos), (224)C21
- Roussin's red salt [(μ -S)₂Fe₂(NO)₂]²⁻, chemistry and comparison with [(μ -S)₂Fe₂(CO)₂]²⁻ of (D. Seyferth, M.K. Gallagher), (218)C5
- Ruthenium porphyrin complexes containing thiocarbonyl or cyanide ligands (P.D. Smith, D. Dolphin, B.R. James), (208)239
- μ -(SC₆H₅)- μ -(P(C₆H₅)₂)Fe₂(CO)₆, synthesis and crystal and molecular structure of (G. Le Borgne, R. Mathieu), (208)201
- Sulphur derivatives of dimesityl compounds (F. Davidson, J.W. Wilson), (204)147
- Tellurochromone and tellurochromanone, preparation of and use in the synthesis of 2-methyltellurochromone and tellurino[2,3-*b*;3,2-*b* and 2,3-*c*]thiophenes of (N. Dereu, M. Renson), (208)11
- Telluroxanthene and telluroxanthone, synthesis and cyclization efforts of (W. Lohner, K. Praefcke), (205)167
- Tetradentate distibine-diamine, distibine-dithioether and distibine-diether ligands, synthesis and properties of (W. Levason, B. Sheikh, W.E. Hill), (219)163
- Tetraoxo- and tetrathio-molybdate and -tungstate mixed valence, ambidentate derivatives and related dihydrido and dichloro compounds (G.J.S. Adam,

- M.L.H. Green), (208)299
 2,6,15,19-Tetrathia[7.7]paracyclophane, reactions with hexacarbonylchromium of (A.R. Koray, M.L. Ziegler), (202)13
- , reaction with hexacarbonyl-molybdenum and -tungsten of and characterisation of intermediates; X-ray structure analysis of $C_{22}H_{28}S_4[M(CO)_6]_2$ ($M = Mo, W$) and $C_{22}H_{28}S_4[W(CO)_5]_2$ (B.K. Balbach, A.R. Koray, A. Okur, P. Wülknitz, M.L. Ziegler), (212)77
- Thia-allylpalladium complex, molecular structure at $-160^\circ C$ and $20^\circ C$ of (K. Miki, N. Tanaka, N. Kasai), (208)407
- λ^2 -Thia- λ^5 -phospha- h^2 -metallabicyclo[2.2.1]heptadienes, preparation, properties and crystal structures of and their application in synthesis of organometallic and organic compounds (E. Lindner, A. Rau, S. Hoehne), (218)41
- 1-Thia-3-silacyclobutanes and 1-thia-3-silacyclopentane, synthesis and properties of (M.G. Voronkov, S.V. Kirpichenko, E.N. Suslova, V.V. Keiko), (204)13
- 2-Thienyltrimethylsilane derivatives, rates of base-cleavage of and ab initio calculation of acidities of mono-substituted thiophens (G. Seconi, C. Eaborn, J.G. Stamper), (204)153
- Thiocarbonyliron cationic complex with organocyclotriarsane as ligands (J. Ellermann, M. Lietz), (213)C4
- Thiocarbonylrhodium complexes with pyrazolate-type ligands (R. Usón, L.A. Oro, M.A. Ciriano, D. Carmona, A. Tiripicchio, M. Tiripicchio-Camellini), (206)C14
- η^2 -C, C'-[Thiocarboxy-C, C'-sulphido-N-methyl-N-tolylaminocarbene]hydrido-carbonylbis(triphenylphosphine)-osmium(II), crystal structure of (S.M. Boniface, G.R. Clark), (208)253
- Thioketone complexes, preparation by insertion of elementary sulphur into the metal-carbene bond of (H. Fischer), (219)C34
- 2-Thiophenemercuric derivatives, synthesis and thermal decomposition of (C.A. Obafemi), (219)1
- Transition metal carbonylate complexes, stabilisation by alkali metal crown-ether cations of; X-ray structure analysis of two sodium-carbonyl linked polymeric structures (M.K. Cooper, P.A. Duckworth, K. Henrick, M. McPartlin), (212)C10
- Transition metal compounds as catalysts in cyclopropanation and ylide generation of n-butyl vinyl ether and allyl methyl sulphide with ethyl diazoacetate (W.H. Tambllyn, S.R. Hoffmann, M.P. Doyle), (216)C64
- Triarsatriazaadamantanes, reactions of CS_2 with (J. Ellermann, M. Lietz), (218)C45
- Tricarbonylchromium phenylisopropylmethylsulphonium tetrafluoroborate, X-ray structure of (A. Ceccon, G. Giacometti, A. Venzo, P. Ganis, G. Zanotti), (205)61
- Trichloromethyltrimethylsilane, reactions with ferrotetraarylporphyrins of (J.-P. Battioni, D. Dupré, D. Mansuy), (214)303
- Tricyclopentadienylplutonium(IV) chloride and thiocyanate, (η^5 -C₅H₅)₃-PuCl and (η^5 -C₅H₅)₃Pu(NCS), preparation of (K.W. Bagnall, M.J. Plews, D. Brown), (224)263
- Triethylphosphine-carbon disulphide zwitterion as bridging six-electron ligand in $[Mo(CO)_2(PEt_3)(\mu-S_2PEt_3)]_2$, synthesis and X-ray structure of (C. Bianchini, C.A. Ghilardi, A. Meli, S. Midollini, A. Orlandini), (219)C13
- Trimethyleneplatinum(IV) complexes, reactions with iodide and thiocyanate ions of (G.E. Ryle, C.F.H. Tipper, R.J. Puddephatt), (208)429
- 1,1,1-Tris(diethylphosphinomethyl)ethane, metal-assisted reaction with carbon disulphide of (C. Bianchini, A. Meli, A. Orlandini, L. Sacconi), (218)81
- Vanadium complexes with sulphur-containing ligands, ESCA and LAMMA characterisation of (J.F. Muller, J.M. Mager, D. Cagniant, J.M. Mouchot, J. Grimblot, J.P. Bonnele), (205)329
- Vinyl tellurothiocarbamate, preparation of (F. Wudl, D. Nalewajek), (217)329

Tantalum

- Dicyclopentadienyltantalum cyclooctatetraene, $Cp_2TaC_8H_7$, η^2 -C₈H₈, synthesis, properties and crystal structure of (F. van Bolhuis, A.H. Klazinga, J.H. Teuwen), (206)185
- cis-trans*-Isomerism in $PtCl_2[Te(CH_2CH_2-C_6H_5)_2]_2$, ^{125}Te NMR as a probe of

(H.J. Gysling, N. Zumbulyadis, J.A. Robertson), (209)C41

Tantallabicycloalkane complexes and their use as catalysts for the cyclization of α, ω -dienes (G. Smith, S.J. McLain, R.R. Schrock), (202)269

Technetium

Manganese, technetium and rhenium; Annual Survey covering the year 1979 (P.M. Treichel), (211)177

Tellurium

Aryltellurium(IV) compounds, halodeteluration of (S. Uemura, S.-I. Fukuzawa, M. Wakasugi, M. Okano), (214)319

2-Bromotelluroacetophenone and telluroindigo, simple synthesis of (W. Lohner, K. Praefcke), (208)35

Chalcogenochromones, structural study of (N. Dereu, M. Renson, Y. Mollier, G. Le Coustumer), (208)23

Diarylditellurides, ^{125}Te NMR study of exchange reactions between (P. Granger, S. Chapelle, W.R. McWhinnie, A. Al-Rubaie), (220)149

p,p'-Dimethoxydiphenyl ditelluride, (*p*-MeOC₆H₄)₂Te₂, crystal structure of (S. Ludlow, A.E. McCarthy), (219)169

Di-2-tellurienyl ketone, preparation and spectroscopic investigation of (W. Lohner, K. Praefcke), (208)43

[3]Ferrocenophane bridge reversal barriers: sulphur, selenium and tellurium bridging atoms (E.W. Abel, M. Booth, K.G. Orrell), (208)213

[3]Ferrocenophanes with trichalcogen bridges, synthetic and structural studies on; crystal and molecular structure of 1,3-dithia-2-selena[3]ferrocenophane (A.G. Osborne, R.E. Hollands, J.A.K. Howard, R.F. Bryan), (205)395

3-Halobenzo[*b*]tellurophene derivatives, synthesis of (J. Bergman, L. Engman), (201)377

Phenyl-substituted pentacoordinated compounds of main group elements, characterization by ^1H NMR of (A.C. Sau, R.R. Holmes), (217)157

Phenyltellurium cyclic and acyclic compounds, ^{125}Te NMR of (W. Lohner, K. Praefcke), (208)39

Telluranthrene, synthesis and characteriza-

tion of (N.L.M. Dereu, R.A. Zingaro), (212)141

Tellurium; Annual Survey covering the year 1979 (K.J. Irgolic), (203)367

Tellurium(IV) compounds in reactions with trimethyl(dialkylamino)silanes (J.M. Miller, R.K. Chadha), (216)177

Tellurochromone and tellurochromanone, preparation of and use in the synthesis of 2-methyltellurochromone and tellurino[2,3-*b*; 3,2-*b* and 2,3-*c*]thiophenes of (N. Dereu, M. Renson), (208)11

Telluroxanthene and telluroxanthone, synthesis and cyclization efforts of (W. Lohner, K. Praefcke), (205)167

Unsymmetrical organotellurides containing a Te/Group IVB element bond, synthesis and Raman spectra of (S.A. Gardner, P.J. Trotter, H.J. Gysling), (212)35

Vinyl tellurothiocarbamate, preparation of (F. Wudl, D. Nalewajek), (217)329

Thallium

[2-*exo*-Bicyclo[2.2.1]hept-*exo*-3-acetato-5-enyl]-5,10,15,20-tetraphenylporphinatothallium(III), ^{13}C NMR parameters and molecular structure (F. Brady, K. Henrick, R.W. Matthews), (210)281

Di- μ -pentafluorobenzoato-bis[bis(pentafluorophenyl)(triphenylphosphine oxide)thallium(III)], structure of (K. Henrick, M. McPartlin, G.B. Deacon, R.J. Phillips), (204)287

Palladium, platinum, mercury and thallium complexes with substituted aryl groups, transmetalation reaction with metal carboxylates and low-valent metal complexes of (A.F.M.J. van der Ploeg, G. van Koten, K. Vrieze), (222)155

Thallium; Annual Survey covering the year 1979 (H. Kurosawa), (203)313

Thallium(III) oxidation of phenylacetylene, kinetics of formation and oxidative decomposition of the intermediate reaction product of (C. Deschamps, M. Zador), (217)303

Thorium

Alkylindenyl organoactinides, synthetic chemistry, characterization and physical properties of (J. Goffart, J.F. Desreux,

- B.P. Gilbert, J.L. Delsa, J.M. Renkin, G. Duyckaerts), (209)281
- f*-Block metal cyclopentadienyl complexes, photoelectron studies on (J.C. Green, M.R. Kelly, J.A. Long, B. Kanellakopoulos, P.I.W. Yarrow), (212)329
- Thoracene and the potassium salt of dicyclooctatetraenyllanthanum, vibrational spectra of (V.T. Aleksanyan, I.A. Garbusova, T.M. Chernyshova, Z.V. Todres, M.R. Leonov, N.I. Gramateeva), (217)169
- ### Tin
- Anionic organopentahalogeno- and tetrahalostannate(IV) complexes, preparation and tin-119 Mössbauer spectra of (L.A. Hobbs, P.J. Smith), (206)59
- Benzyl-mercury, -tin and -germanium derivatives, aromatisation metalation as a method for synthesis of (O.A. Reutov, V.I. Rozenberg, R.I. Gorbacheva, V.A. Nikanorov), (201)47
- Benzyl-silicon and -tin compounds in alcohols, base cleavage of (C. Eaborn, F.M.S. Mahmoud), (206)49
- trans*-Bis-1-alkynyl substituted silicon, germanium and tin phthalocyanines and germanium hemiporphyrines, synthesis and characterization of (M. Hanack, K. Mitulla, G. Pawlowski, L.R. Subramanian), (204)315
- μ*-Bis(diphenylphosphinyl)ethanebis(chlorotriphenyltin), spectroscopic properties and X-ray structure of (C. Pelizzi, G. Pelizzi), (202)411
- Bis(methylcyclopentadienyl)tin(II) and (cyclopentadienyl)(tricarbonyl)-tungsten hydride, nature of the reaction product from (P.G. Harrison), (212)183
- cis/trans*-*n*-Bu₃SnCH₂CH=CHCH₃/*n*-Bu₂SnCl₂, allylic rearrangement in redistribution reactions of (A. Gambaro, D. Marton, G. Tagliavini), (210)57
- n*-Butyl(trimethyl-Group IVB)arsines and their pentacarbonyl-chromium, -molybdenum and -tungsten complexes (H. Schumann, U. Frank, W.W. Du Mont, F. Marschner), (222)217
- n*-Carboalkoxyethyltin compounds, redistribution reactions of (J.W. Burley, R.E. Hutton), (216)165
- Carbon—tin bonds, stereochemistry at tin and mechanism of cleavage reactions of (M. Gielen, I. Vanden Eynde), (218)315
- Carbonylmetal complexes of 1,3-di-*t*-butyl-2,2-dimethyl-1,3,2,4λ²-diazasilastannetidines (M. Veith, H. Lange, K. Bräuer, R. Bachmann), (216)377
- Carboxyethyltin chlorides, Lewis acidity of (D. Maughan, J.L. Wardell, J.W. Burley), (212)59
- Chalcogenides as complex ligands, reactions of SH ligands in Li[(CO)₅WSH] (M. Höfler, H. Hausmann, H.A. Heidelberg), (213)C1
- Crotylstannation ability of Bu_{3-n}Cl_n-SnCH₂CH=CHCH₃ (*n* = 0, 1, 2) compounds towards acetone and benzaldehyde, ¹³C NMR characterisation of the products (A. Gambaro, D. Marton, V. Peruzzo, G. Tagliavini), (204)191
- Cyclopentadienyl-Group IVB cations in the gas phase, synthesis, structure and mass spectrometry of (Yu.S. Nekrasov, V.F. Sizoi, D.V. Zagorevskii, Yu.A. Borisov), (205)157
- Cyclopentadienyliron trimethylphosphine complexes (P.M. Treichel, D.A. Komar), (206)77
- Cyclopentadienyltricarbonyl(trimethylstannyl)-molybdenum and -tungsten, influence of an intermediate on reaction kinetics in reactions with iodine of (J.R. Chipperfield), (205)365
- Deprotonation energies of mono-substituted benzenes and their significance for mechanisms of base-catalysed cleavages of aryl-silicon and aryl-tin bonds and hydrogen-exchange in substituted benzenes (C. Eaborn, J.G. Stamper, G. Seconi), (204)27
- 2,2-Dialkyl-1,3,2-dioxastannoles and their telomerization reactions with dialkyltin oxides (A.G. Davies, J.A.-A. Hawari), (224)C37
- (Dihalomethyl)trimethyltins, isotope effects in base cleavage of and additional evidence for proposed mechanistic pathways (W. Stańczyk, J. Chojnowski), (202)257
- Dimetalla-IVB-phospholanes and metall-IVB-diphospholanes, inversion at phosphorus in (C. Couret, J. Escudié, B. Saint-Roch, J.D. Andriarnizaka, J. Satgé), (224)247
- Dimethylbis(methylamido)silane, cyclic and cage compounds with divalent tin of (M. Veith, M. Grosser, O. Recktenwald), (216)27
- Dimethylchlorotin acetate, Mössbauer and single crystal X-ray studies of

- (D.W. Allen, I.W. Nowell, J.S. Brooks, R.W. Clarkson), (219)29
- Dimethyl- η^6, η^6 -diphenylstannanebis-(tricarboxylchromium), $(\text{CH}_3)_2\text{Sn}[\text{C}_6\text{H}_5\text{Cr}(\text{CO})_3]_2$, crystal and molecular structure of (U. Schubert, B.R. Willeford, J.J. Zuckerman), (215)367
- μ -(Dimethylstannado)- μ -(hydrido)-dodecacarbonyltrirhenium, synthesis, spectroscopic characterisation and crystal and molecular structure of (B.T. Huie, S.W. Kirtley, C.B. Knobler, H.D. Kaesz), (213)45
- Dimethylstanna(phenyl)phosphimine, first preparation and characterization of (C. Couret, J.D. Andriamizaka, J. Escudié, J. Satgé), (208)C3
- 2,5-Dimethylstibacyclopentadienyl transition metal complexes (A.J. Ashe, III, T.R. Diephouse), (202)C95
- Diorganotin dichlorides and dibromides, synthetic route to (R.K. Chandrasekaran, S. Venkataraman, J.D. Koola), (215)C43
- Diorganotin dihalide and dipseudohalide complexes with nitrogen and oxygen donor ligands, synthesis and ^{119}mSn Mössbauer spectra of (A.J. Crowe, P.J. Smith), (224)223
- Diorganotin(IV) mixed chelate complexes, syntheses and Mössbauer studies of (V.G. Kumar Das, N.S. Weng, J. Singh, P.J. Smith, R. Hill), (214)183
- Di- μ_3 -oxobis[μ -chlorodiethyltin(IV)]bis(*o*-chlorodiethyltin(IV)), reaction with 2,2'-bipyridyl of (S.L. Chadha, P.G. Harrison, K.C. Molloy), (202)247
- μ -(Diselenium)bis(tricarbonyliron), an inorganic mimic of organic diselenides, Se—Se bond reactions of (D. Seyferth, R.S. Henderson), (204)333
- Di- μ -thiolbis(tricarbonyliron), $(\mu\text{-HS})_2\text{Fe}_2(\text{CO})_6$, inorganic mimic of organic thiols (D. Seyferth, R.S. Henderson), (218)C34
- Germanium- and tin-substituted tungsten carbonyl complexes immobilized on a silica support, catalytic properties of (J.P. Van Linthoudt, L. Delmule, G.P. Van der Kelen), (202)39
- Group IVB organometallic radicals, ESR study of reactions with 4,4'-dimethoxybenzophenone, 4,4'-dimethoxythio-benzophenone and 3-ethyl-2-thioxo-4-oxazolidione of (B.B. Adeleke, K.S. Chen, J.K.S. Wan), (208)317
- , ESR study of spin adducts with thio-ketones of (A. Alberti, F.P. Colonna, M. Guerra, B.F. Bonini, G. Mazzanti, Z. Dinya, G.F. Pedulli), (221)47
- Group IVB substituted phenylbicyclo-[2.2.2]octane ring systems, ^{13}C and ^{19}F NMR studies on (W. Adcock, G.L. Aldous, W. Kitching), (202)385
- Heterocyclic gold(III) complexes, preparation of (R. Usón, J. Vincente, M.T. Chicote), (209)271
- Hexaalkyldistannanes, reactions with organic halides in the presence of palladium complexes of (H. Azizian, C. Eaborn, A. Pidcock), (215)49
- Hexamethylditin, product composition and intermediates in the reaction with dimethyltin dichloride (M.J. Cuthbertson, P.R. Wells), (216)331
- , rate studies and mechanism of the reaction with dimethyltin dichloride of (M.J. Cuthbertson, P.R. Wells), (216)349
- Hexamethyl-Group IV derivatives containing a metal—metal bond, UV photoelectron spectra of (L. Szepes, T. Korányi, G. Náray-Szabó, A. Modelli, G. Distefano), (217)35
- Hexamamethylsilirane, ring-opening reactions with simple reagents of (D. Seyferth, D.C. Annarelli, M.L. Shannon, J. Escudié, D.P. Duncan), (225)177
- Hexaorganoditins, novel synthesis of (J. Nokami, H. Nose, R. Okawara), (212)325
- Main Group IV elements in acetylenides, spectroscopic study of substituent effects of (G.A. Razuvaev, A.N. Egorochkin, S.E. Skobeleva, V.A. Kuznetsov, M.A. Lopatin, A.A. Petrov, V.S. Zavgorodny, E.T. Bogorodovsky), (222)55
- Molecular complexing as initial stage of reactions of organometallic compounds (G.A. Razuvaev, A.V. Shabanov, A.N. Egorochkin, V.A. Kuznetsov, S.F. Zhiltsov), (202)363
- Mononuclear anionic formyl-transition metal complexes, preparation from triethylborohydride and neutral metal carbonyl precursors and properties of (J.C. Selovar, M. Marsi, D.W. Parker, J.A. Gladysz), (206)317
- Mono- and di-organotin(IV) derivatives of pyridinecarboxylic acids, synthesis and spectroscopic studies on (A.J. Crowe, R. Hill, P.J. Smith, J.S. Brooks, R. Formstone), (204)47

- Mono-trimethylsilyl- and bis(trimethylsilyl)-substituted alcohols, mechanism of deoxysilylation of and comparison with mechanisms of deoxystannylation and deoxyplumbation (D.D. Davis, H.M. Jacocks, III), (206)33
- Optically active tetraorganotin, synthesis by asymmetric induction reactions (R.M. Lequan, M. Lequan), (202)C99
- Organometallic sulphides, $(R_3M)_2S$, configurations of and crystal and molecular structure of thiobis(triphenyltin(IV)) (C. Glidewell, D.C. Liles), (224)237
- (Organometal)-methyl groups, σ^+ -substituent constants for; bond polarizability model for hyperconjugation (D.D. Davis), (206)21
- Organo-tin and -lead derivatives of *S*-substituted thio acids, synthesis of (R.M. Lequan, M. Lequan), (201)371
- Organotin and tin(IV) derivatives of dimethylthioarsinic acid (I. Haiduc, L. Silaghi-Dumitrescu), (225)225
- Organotin compounds with a Sn—S bond, configurational stability of (M. Lequan, R.M. Lequan), (222)211
- Organotin five- and six-coordinate chelates, ^{119}Sn chemical shifts in (J. Otera), (221)57
- Organotin hydride additions to *E*- and *Z*-trisubstituted ethylenes; synthesis of functionally substituted organotin compounds (J.C. Podesta, A.B. Chopra, A.D. Ayala), (212)163
- Organotin(IV) nitrate adducts with diphosphines, synthesis and spectroscopic properties of (P.G. Harrison, O.A. Idowu, C. Pelizzi, G. Pelizzi, P. Tarasconi), (216)159
- Organotin(IV) polymers, Mössbauer spectroscopic studies on the molecular dynamics of (R. Barbieri, L. Pellerito, A. Silvestri, G. Ruisi, J.G. Noltes), (210)43
- Organotin synthons as precursors to α -alkoxyorganolithium reagents (J.-P. Quintard, B. Elissondo, M. Pereyre), (212)C31
- Palladium complex catalysed carbonylation of organic halides having β -hydrogens (T. Kobayashi, M. Tanaka), (205)C27
- Pentacarbonyl(organometal-chalcogenide)-chromium and -tungsten complexes, crystal and molecular structure of (J. Pickardt, H. Schumann, C.F. Campana, L.F. Dahl), (216)245
- Pentacarbonyl(tris(trimethylsilyl)-stibine)-chromium, -molybdenum and -tungsten complexes, preparation and behaviour as initiators in polymerisation of THF of (H.J. Breunig, W. Fichtner), (222)97
- η^5 -Pentadienyltricarbonylmanganese, an "open" analog of cymantrene (D. Seyferth, E.W. Goldman, J. Pomet), (208)189
- Persistent α -metallated methyl radicals and their dimers (H. Hillgärtner, W.P. Neumann, W. Schulten, A.K. Zarkadis), (201)197
- Sn*-Phenyl-substituted oxadithia- and trithia-stannocanes, conversions of tetrahedral 4-coordination to trigonal bipyramidal 5-coordination (M. Dräger, H.-J. Guttmann), (212)171
- Phenylmercury, triphenyl-tin and -lead derivatives of nitrogen-containing thiols, PMR study of relative strength of chelate rings in (D.N. Kravtsov, A.S. Peregudov, E.M. Rokhlina, E.I. Fedin), (201)61
- $\text{Ph}_2\text{Sn}(\text{CH}_2)_n\text{S}(\text{O})_m\text{C}_6\text{H}_4\text{Me-}p$, neighbouring group participation in reactions with iodine of (J.L. Wardell, J.M. Wigzell), (205)C24
- Platinum(II)—tin(II) systems as catalysts in hydroformylation reactions (H.C. Clark, J.A. Davies), (213)503
- trans*-[PtCl(COPr-n)(PPh₃)₂] and *trans*-[Pt(SnCl₃)(COPr-n)(PPh₃)₂], isolation of and activity as intermediates in hydroformylation of propene; crystal and molecular structure analysis and comparison with palladium analogs (R. Bardi, A.M. Piazzesi, G. Cavinato, P. Cavoli, L. Toniolo), (224)407
- Rhodium catalysed dehydrogenation of triorganotin hydrides and mercaptans, preparation of triorganotin mercaptides (J.J. Talley, A.M. Colley), (215)C38
- Roussin's red salt, $[(\mu\text{-S})_2\text{Fe}_2(\text{NO})_2]^{2-}$, chemistry and comparison with $[(\mu\text{-S})_2\text{Fe}_2(\text{CO})_2]^{2-}$ of (D. Seyferth, M.K. Gallagher), (218)C5
- Seven-coordinate organotin compounds, ^{119}Sn chemical shifts in (J. Otera, T. Hinoishi, R. Okawara), (202)C93
- Tetraalkylammonium di- and tri-organohalostannate(IV) complexes, synthesis and $^{119\text{m}}\text{Sn}$ Mössbauer spectra of (J.W. Nicholson, J.A. Douek, A.J. Crowe), (219)309
- Tetraalkyltins, salt effects and constitutional effects in iodometalation in

- methanol of (M.H. Abraham, A.T. Broadhurst, I.D. Clark, R.U. Koenigsberger, D.F. Dadjour), (209)37
- Tetraethylammonium bis(triphenylstannyl)-pentacarbonylvanadate, structural characterisation of (J.E. Ellis, T.G. Hayes, R.E. Stevens), (216)191
- Tetrakis[bis(trimethylsilylmethyl)tin], synthesis and structure of (V.K. Belsky, N.N. Zemlyansky, N.D. Kolosova, I.V. Borisova), (215)41
- Tetraorganotin aldehydic and ketonic compounds, syntheses and properties of (M. Gielen, S. Simon, M. van de Steen), (214)191
- Tetraorganotin racemic compounds, reactions with butyllithium and lithium aluminium hydride of (M. Gielen, Y. Tondeur), (216)371
- Tetraphenylchlorines- and isobacteriochlorine-tin compounds, preparation, SnCl_2 insertion and comparative electrochemical studies of (C. Cloutour, C. Debaig-Valade, J.-C. Pommier, G. Dabosi, M. Martineau), (220)21
- Tetravinylstannane, $\text{Sn}(\text{CH}=\text{CH}_2)_4$, photoelectron spectrum of (I. Novak, T. Cvitaš, L. Klasinc), (220)145
- Tin(IV)—oxygen heterocyclic compounds, paramagnetic ion pairs as intermediates in the synthesis of (H.B. Stegmann, R. Schrade, H. Saur, P. Schuler, K. Scheffler), (214)197
- Tin radicals and their addition products, ESR study of the effect of the cyclopentadienyl ligand on (A.G. Davies, J.A.A. Hawari), (201)221
- Transient tin-centered radicals in solution, ESR spectra of (M. Lehnig, K. Dören), (210)331
- Trialkylstannyl lithium and hexaalkyl-distannane, reactions and ^1H and ^{29}Si NMR studies of (K. Kobayashi, M. Kawanisi, S. Kozima, T. Hitomi, H. Iwamura, T. Sugawara), (217)315
- Triaryl-silyl-, germyl- and-stannyl radicals, synthesis and ESR studies of (M.J.S. Gynane, M.F. Lappert, P.I. Riley, P. Rivière, M. Rivière-Baudet), (202)5
- Tributyltin cationic complexes, synthesis and $^{119\text{m}}\text{Sn}$ Mössbauer studies of (A.J. Crowe, P.J. Smith, P.G. Harrison), (204)327
- Tricyclohexyltin(IV) halides, crystal structures of (S. Calogero, P. Ganis, V. Peruzzo, G. Tagliavini, G. Valle), (220)111
- Triethylborane, reactions with alkynyl stannanes leading to substituted allenes of (B. Wrackmayer), (205)1
- β -Trimethylstannylstyrenes, mechanistic study of acid- and base-catalysed cleavages of (A. Alvanipour, C. Eaborn, D.R.M. Walton), (201)233
- Trimethyltin azide-hydroxide, $\text{Me}_3\text{SnN}_3 \cdot x\text{Me}_3\text{SnOH}$, crystal structure of (R. Allmann, R. Hohfeld, S. Olejnik, L. Lorberth), (210)51
- Triorganostannane, oxidative addition to amine, phosphite and phosphine complexes of platinum of (J.F. Almeida, H. Azizian, C. Eaborn, A. Pidcock), (210)121
- Triorganostannyl-manganese complex, synthesis and properties of (M. Gielen, I. Vanden Eynde), (217)205
- Unsymmetrical organotellurides containing a Te—Group IVB element bond, synthesis and Raman spectra of (S.A. Gardner, P.J. Trotter, H.J. Gysling), (212)35
- Vanadium organo-bielement compounds, $\text{Cp}_2\text{V}(\text{ER}_3)(\text{ER}_3 = \text{GeEt}_3, \text{SnEt}_3, \text{CH}_2\text{SiMe}_3, \text{SeGeEt}_3)$, thermal decomposition of (G.A. Razuvaev, V.N. Latyaeva, V.P. Mar'in, L.I. Vyshinskaya, S.P. Korneva, Yu.A. Andrianov, E.V. Krasil'nikova), (225)233

Titanium

- Alkenyltitanocene, reactions of (E. Klei, J.H. Teuben), (222)79
- Alkyldicyclopentadienyltitanium compounds, preparation and reactions with unsaturated substrates of (E. Klei, J.H. Telgen, J.H. Teuben), (209)297
- Alkyltitanocenes, cyclometalation reactions with pyridines of (E. Klei, J.H. Teuben), (214)53
- , reactions of (E. Klei, J.H. Teuben, H.J. de Liefde Meijer, E.J. Kwak, A.P. Bruins), (224)327
- Carbon and titanium multiple bonding, theoretical study of (P.H. Blustin), (210)357
- $(\eta^5\text{-C}_5\text{H}_5)_2\text{TiCl}_2(\text{OC}_6\text{H}_4\text{X})$ ($\text{X} = \text{NO}_2, \text{Cl}, \text{CH}_3$), synthesis and properties of (W. Skupiński, A. Wasilewski), (220)39
- Dialkoxycyclopentadienyltitanium, enthalpies of formation of (A.R. Dias, M.S. Salema, J.A. Martinho Simões), (222)69

- Dicyclopentadienyldichlorotitanium, dinitrogen catalytic effect on reduction by Mn of (L P Battaglia, M Nardelli, C Pelizzi, G. Predieri, G P. Chiusoni), (209)C7
- Dicyclopentadienyltitanium complexes with chiral sulphur dioxide ligands (A Dormond, A. Dahchour, J. Tirouflet), (216)49
- Dicyclopentadienyltitanium nitrate, structure of (H.-P. Klein, U Thewalt), (206)69
- Dinuclear titanium complex with phosphonium-bis(methylide)bridging ligands (U Schubert, D. Neugebauer, W. Scharf), (206)159
- Methyltitanocenes, photochemically induced transmethylation in transition metal compounds with (M. Pankowski, E Samuel), (221)C21
- Monocyclopentadienyltitanium(IV)-aquo complexes, formation of (K. Doppert, R Sanchez D), (210)C9
- μ -Oxalatobis[di- η^5 -cyclopentadienyl]-titanium], crystal and molecular structure of (F Bottomley, I J B Lin, P S White), (212)341
- Polymer-bound titanium olefin isomerization catalysts (D.E. Bergbreiter, G L Parsons), (208)47
- Polymer-supported metallocenes and their applications in catalysis of olefin isomerisation, oligomerisation, epoxidation and dinitrogen fixation reactions (C-P Lau, B-H Chang, R H Grubbs, C H Brubaker, Jr), (214)325
- Titanacycles, structural elucidation by means of degradation and ^{13}C NMR studies of (J. Mattia, D J. Sikora, D W Macomber, M.D Rausch, J.P Hickey, G D Friesen, L.J Todd), (213)441
- Titanium and zirconium alkoxides, ligand redistribution in and carbonyl insertion into, effect of competitive π -donation (J A Marsella, K G Moloy, K.G. Caulton), (201)389
- Titanium and zirconium reactive species, photogeneration of: a CIDNP study (P W N.M van Leeuwen, H van der Heijden, C F Roobeek, J H G Frijs), (209)159
- Titanium catalysts with oxygen chelating ligands in the formation of linear and cyclic isoprene dimers (H. tom Dieck, H Muller), (221)C7
- Titanium complexes as catalysts in reduction of aromatic halides with sodium borohydride, unexpected role of air (B. Meunier), (204)345
- Titanocene and niobocene chelate trimethylacetates, molecular structures and infrared spectra of (I L Eremenko, Yu.V. Skripkin, A A. Pasynskii, V.T Kalinnikov, Yu T Struchkov, G G Alekaandrov), (220)159
- Titanocene derivatives, influence of an interannular ethylene bridge on the reactivity of (J A Smith, H H Bruntzinger), (218)159
- Titanocene dichloride, reversibility of electron reduction of (N El Muri, A. Chaloyard), (212)C39
- , reversibility of the first reduction stage of (Y Mugnier, C Moïse, E Laviron), (204)61
- , spectrometric and preparative investigations of hydrolysis of (H Kopf, S Grabowski, R Voigtlander), (216)185
- Titanocene monochloride, electrochemical oxidation of (Y Mugnier, C Moïse, E Laviron), (210)69
- Tri-1 methallyl- and 1-methallyl-butadiene Group IV transition metal complexes (J Blenkins, H J de Liefde Meijer, J H Teuben), (218)383

Transition metals. General

- Organic reactions of selected π -complexes, Annual Survey covering the year 1979 (G Marr, B W Rockett), (207)343
- Transition metals in organic synthesis, Annual Survey covering the year 1979 (L S Hegedus), (207)185

Tungsten

- η^3 -Allyl-chromium, -molybdenum and -tungsten complexes, fluxional behaviour shown by magnetisation transfer difference spectroscopy in (R Benn, A Rufeńska, G Schroth), (217)91
- (Arylphenylcarbene)pentacarbonyltungsten kinetics of insertion of S from organylisothiocyanates into the W-carbene bond of (H Fischer), (222)241
- Benzene-tricarbonyl-chromium and -tungsten derivatives, electron impact

- mass spectra of (J. Müller, F. Lüdemann), (204)361
- Binuclear tungstenocene chemistry, hydrido and halo derivatives (M.L.H. Green, A. Otero), (202)421
- 2,2'-Bipyridine-, and 1,2-bis(diphenylphosphine)ethane- π -allylbromodicarbonyl-molybdenum and -tungsten complexes, substitution reactions with xanthates and dithiocarbamates of (M.F. Perpiñan, A. Santos), (221)63
- Bis(benzene)molybdenum and bis(toluene)-tungsten, enthalpies of formation of (J.A. Connor, N.I. El-Saied, J.A. Martinho-Simoes, H.A. Skinner), (212)405
- Bis(2,2'-bipyridine)-molybdenum and -tungsten carbonyl derivatives, redox and isocyanide substitution chemistry of (J.A. Connor, E.J. James, C. Overton, N. El Murr), (218)C31
- Bis(cyclopentadienyltricarboxylmolybdenum and -tungsten) and cyclopentadienyltricarboxylmolybdenum and -tungsten, reactions with isonitriles of (N.J. Coville), (218)337
- Bis(diethylamido)uranium (IV), symmetric and asymmetric dicyclopentadienyl derivatives of (A. Dormond, C. Duval-Huet, J. Tirouflet), (210)83
- Bis(methylcyclopentadienyl)tin(II) and (cyclopentadienyl)(tricarboxyl) tungsten hydride, nature of the reaction product from (P.G. Harrison), (212)183
- Bis(methylthio)carbenepentacarbonyl-tungsten, kinetics of reactions with phosphines forming (cyclic) phosphoranes of (R.A. Pickering, R.J. Angelici), (225)253
- t-Butyl(trimethyl-Group IVB)arsines and their pentacarbonyl-chromium, -molybdenum and -tungsten complexes (H. Schumann, U. Frank, W.W. Du Mont, F. Marschner), (222)217
- Carbonyl cluster compounds, bonding capabilities in three classes of (J.W. Lauher), (213)25
- Carbonyl-chromium, -molybdenum and -tungsten complexes of 7-methyl-1,3,5-triarsa-2,4,9-trioxadamantane (J. Ellermann, S.-P. Ang, M. Lietz, M. Moll), (222)105
- Carbonyl-Group VI metal complexes, with ferrocenylphenylthioiketone as ligand, ^{13}C NMR spectra of (P.V. Petrovskii, V.N. Setkina, S.P. Dolgova, D.N. Kursanov), (221)177
- Carbonyl-Group VIB metal compounds, photochemical reactions with phenanthroquinone and radical ligand exchange with Group VA organometals (D. Weir, J.K.S. Wan), (220)323
- Carbonyl-molybdenum and tungsten derivatives, ^{13}C - ^{13}C coupling used in establishing intramolecular vs. intermolecular CO ligand rearrangement processes in (D.J. Darensbourg), (209)C37
- Chalcogenides as complex ligands, reaction of SH ligands in $\text{Li}[(\text{CO})_5\text{WSH}]$ (M. Höfler, H. Hausmann, H.A. Heidelberg), (213)C1
- Chromium, molybdenum and tungsten; Annual Survey covering the year 1976 (J.D. Atwood, M.L. Atwood, M.Y. Darensbourg, D.J. Darensbourg), (223)49
- $(\text{CO})_5\text{Re}-\text{M}(\text{CO})_2\text{CC}_6\text{H}_5$ (M = Cr, Mo, W) and $(\text{CO})_5\text{Re}-\text{W}(\text{CO})_2\text{CCH}_3$, vibrational study of (N.Q. Dao, E.O. Fischer, T.L. Lindner), (209)323
- Cyclopentadienylcarbonyl-molybdenum- and -tungsten-complexes with heteroallyl derivatives as ligands (H.P.M.M. Ambrosius, A.H.I.M. van der Linden, J.J. Steggerda), (204)211
- Cyclopentadienyldicarbonylnitrosyl-tungsten, intermediates in associative phosphine substitution reactions of (C.P. Casey, W.D. Jones, S.G. Harsy), (206)C38
- $[\eta^2-\{(\eta^5\text{-Cyclopentadienyl})(\text{tricarboxyl})-(\eta^1\text{-phenylethynyl})\text{tungsten}\}(\eta^5\text{-cyclopentadienyl})(\text{carbonyl})(\eta^2\text{-phenylacetylene})\text{tungsten}]$ tetrafluoroborate, crystal structure of; σ - π rearrangement of the acetylene ligand on protonation of $\text{Cp}(\text{CO})_3\text{W}-\text{C}\equiv\text{CPh}$ (N.E. Kolobova, V.V. Skripkin, T.V. Rozantseva, Yu.T. Struchkov, G.G. Aleksandrov, V.G. Andrianov), (218)351
- Cyclopentadienyltricarboxyl(trimethylstannyl)-molybdenum and -tungsten, influence of an intermediate on reaction kinetics in reactions with iodine of (J.R. Chipperfield), (205)365
- Cyclopentadienylzinc derivatives of manganese, molybdenum and tungsten, first examples of stable organozinc-transition metal compounds

- (P.H.M. Budzelaar, J. Boersma, G.J.M. van der Kerk), (202)C71
- Cymantrene-cyclopentadienylmetal carbonyl derivatives, mass spectra of (V.F. Sizoi, Yu.S. Nekrasov, Yu.N. Sukharev, L.I. Leontyeva, S.A. Eremin, N.E. Kolobova, M.Ya. Solodova, Z.P. Valueva), (202)83
- Dicobalt-molybdenum and -tungsten μ_3 -RSi and μ_3 -RGe bridged clusters, preparation of (H. Vahrenkamp, D. Steiert, P. Gusbeth), (209)C17
- 6-Dimethylaminofulvenetricarbonyl-chromium, -molybdenum and -tungsten, investigation of rotation isomerization by dynamic ^1H NMR spectroscopy of (B.N. Strunin, V.I. Bakhmutov, V.N. Setkina, D.N. Kursanov), (208)81
- 6-Dimethylaminofulvenetricarbonyl-tungsten, investigation by dynamic ^1H NMR spectroscopy of protonation and rotational isomerisation of (B.N. Strunin, V.I. Bakhmutov, V.N. Setkina, D.N. Kursanov), (219)197
- Dimethyl(α -picolyl)stibine, dimethyl-(8-quinolyl)stibine and (*R,S*)-methylphenyl(8-quinolyl)stibine and some transition metal derivatives, synthesis of (E. Shewchuk, S.B. Wild), (210)181
- Germanium- and tin-substituted tungsten carbonyl complexes immobilized on a silica support, catalytic properties of (J.P. Van Linthoudt, L. Delmulle, G.P. Van der Kelen), (202)39
- Heterotrinnuclear complexes of the type $\text{M}(\text{CO})_2\text{L}$ ($\text{M} = \text{Cr}, \text{Mo}, \text{W}$) containing $[(\text{C}_5\text{H}_5\text{CrSCMe}_2)_2\text{S}]$ as unusual anti-ferromagnetic ligand (L), synthesis, structure and magnetic properties of (A.A. Pasynskii, I.L. Ereminko, Yu.V. Rakitin, B. Orazsakhmatov, V.M. Novotortsev, O.G. Ellert, V.T. Kalinnikov, G.G. Aleksandrov, Yu.T. Struchkov), (210)377
- Hexacarbonyl-chromium, -molybdenum and -tungsten, photochemical studies at low temperature of (D.R. Tyler, D.P. Petrylak), (212)389
- , reactions with dilithio-2-methyl-3-butynyl-2-olate of; synthesis of carbene- and cumulenylidene-carbene complexes (H. Berke, P. Härter, G. Huttner, J. von Seyerl), (219)317
- Hydroxycarbene-anhydride dinuclear mixed complexes of chromium and tungsten, synthesis of (E.O. Fischer, W. Kleine), (208)C27
- $\text{M}(\text{CO})_n\text{L}$ complexes ($\text{M} = \text{Cr}, \text{Mo}, \text{W}$) of the chelating ligands $\text{Me}_2\text{XGeMe}_2(\text{CH}_2)_2\text{X}'\text{Me}_2$ ($\text{X}, \text{X}' = \text{N}, \text{P}, \text{As}$), preparation and characterisation of (K. Betka, J. Grobe), (210)193
- Mechanism of conversion of a coordinated dinitrogen to a hydrazido(2-)-ligand (R.A. Henderson), (208)C51
- Metal carbide clusters synthesis systematics for heteronuclear species (M. Tachikawa, R.L. Geerts, E.L. Muettterties), (213)11
- ortho*-Metallated diiron hexacarbonyl complex from benzalazine and $\text{Fe}_3(\text{CO})_{12}$ synthesis and structure of (N.S. Nametkin, V.D. Tyurin, V.V. Trusov, A.S. Batsanov, Yu.T. Struchkov), (219)C26
- Methylarsine- and metharsinidene-metal carbonyls (E. Röttinger, H. Vahrenkamp), (213)1
- $\text{Me}_2\text{XGeMe}_2(\text{CH}_2)_2\text{X}'\text{Me}_2$ ($\text{X}, \text{X}' = \text{N}, \text{P}, \text{As}$), chelating ligands, coordination behaviour of (K. Betka, J. Grobe), (210)313
- Molybdenum and tungsten complexes with heteroallyl-like $\text{Ph}_2\text{P}(\text{O})\text{C}(\text{S})\text{NR}^-$ ($\text{R} = \text{Me}, \text{Ph}$) as ligand; X-ray structure of $\text{Mo}(\text{CO})_2(\text{Ph}_3)(\text{Ph}_2\text{P}(\text{O})\text{C}(\text{S})\text{NPh})_2 \cdot \text{CH}_2\text{Cl}_2$ (H.P.M.M. Ambrosius, W.P. Bosman, J.A. Cras), (215)201
- Molybdenum and tungsten diphenylphosphanes, preparation, reactions and NMR spectroscopic characterisation of (W. Malish, R. Maisch, I.J. Colquhoun, W. McFarlane), (220)C1
- Molybdenum and tungsten homoleptic phenyl isocyanide complexes: zero-valent six-coordinate vs. divalent seven-coordinate (D.D. Klendworth, W.W. Welters III, R.A. Walton), (213)C13
- Molybdenum and tungsten methanethiolate derivatives in reactions with hexafluorobut-2-yne (F.Y. Petillon, F. Le Floch-Perennou, J.E. Guerschais, D.W.A. Sharp, Lj. Manojlovic-Muir, K.W. Muir), (202)23
- Molybdenum, tungsten, rhenium and ruthenium complexes with diazenido ligands, ^{15}N NMR spectroscopy as a probe for geometry of (J.R. Dilworth, C.-T. Kan, R.L. Richards, J. Mason, I.A. Stenhouse), (201)C24

- Oxo-alkylidene-tungsten(IV) complexes; $W(=O)(=CHCMe_3)(PMe_3)_2Cl_2$ and $W(=O)(=CHCMe_3)(PEt_3)_2Cl_2$, X-ray crystallographic studies on (M.R. Churchill, A.L. Rheingold, W.J. Youngs, R.R. Schrock, J.H. Wengrovius), (204)C17
- Pentacarbonyl[di-n-butylboroxy(methyl)-carbene]tungsten etherates, preparation and 1H NMR spectra of (E.O. Fischer, S.G. Gibbins, W. Kellerer), (218)C51
- Pentacarbonyl-Group VI metal complexes of 1,2,4-triazoles (J.M. Kelly, C. Long, J.G. Vos, J.G. Haasnoot, G. Vos), (221)165
- Pentacarbonyl(organometal-chalcogenide)-chromium and -tungsten complexes, crystal and molecular structure of (J. Pickardt, H. Schumann, C.F. Campana, L.F. Dahl), (216)245
- trans*-Pentacarbonylrheniotetracarbonyl-carbyne-chromium and -tungsten complexes, reactions with trimethylphosphane of (W. Uedelhoven, D. Neugebauer, F.R. Kreissl), (217)183
- Pentacarbonyl(tris(trimethylsilyl)stibine)-chromium, -molybdenum and -tungsten complexes, preparation and behaviour as initiators in polymerisation of THF of (H.J. Breunig, W. Fichtner), (222)97
- $Ph_2C=W(CO)_5$ and $Ph_2C=Mn(CO)_2Cp$, photochemically-induced reactions of (B.H. Edwards, M.D. Rausch), (210)91
- Tetrakis(trialkylphosphine)tetrachloro-dimolybdenum and -ditungsten, reactions with carbon monoxide of (F.A. Cotton, D.J. Darensbourg, B.W.S. Kolthammer), (217)C14
- Tetraoxo- and tetrathio-molybdate and -tungstate mixed valence, ambidentate derivatives and related dihydrido and dichloro compounds (G.J.S. Adam, M.L.H. Green), (208)299
- 2,6,15,19-Tetrathia[7.7]paracyclophane, reaction with hexacarbonyl-molybdenum and -tungsten of and characterisation of intermediates; X-ray structure analysis of $C_{22}H_{28}S_4[M(CO)_6]_2$ (M = Mo, W) and $C_{22}H_{28}S_4[W(CO)_6]_2$ (B.K. Balbach, A.R. Koray, A. Okur, P. Wülknitz, M.L. Ziegler), (212)77
- Thioetone complexes, preparation by insertion of elementary sulphur into the metal-carbene bond of (H. Fischer), (219)C34
- Transition metal carbonylate complexes, stabilisation by alkali metal crown-ether cations of; X-ray structure analysis of two sodium-carbonyl linked polymeric structures (M.K. Cooper, P.A. Duckworth, K. Henrick, M. McPartlin), (212)C10
- Transition metal complexes, reaction with formyl fluoride of (G. Doyle), (224)355
- Transition metal compounds as catalysts in cyclopropanation and ylide generation of n-butyl vinyl ether and allyl methyl sulphide with ethyl diazoacetate (W.H. Tambllyn, S.R. Hoffmann, M.P. Doyle), (216)C64
- Trialkyllead derivatives of chromium, molybdenum and tungsten, thermal and photochemical properties of (K.H. Pannell, R.N. Kapoor), (214)47
- Tricarbonyl- η^6 -chromium(0), -molybdenum(0) and -tungsten(0) complexes of 4-R- λ^3 -arsenines and 2-aryl-4-R- λ^3 -arsenines, IR, NMR, UV and mass spectra of (G. Märkl, H. Beier, R. Liebl, K. Meier), (217)333
- Tricarbonylcyclopentadienylethyl-molybdenum and -tungsten compounds, photoinduced and thermal reactions of (H.G. Alt, M.E. Eichner), (212)397
- Tricarbonyl(cyclopentadienyl)hydride tungsten and molybdenum, hydrogenation of α -methylstyrene by (R.L. Sweany, D.S. Comberrel, M.F. Dombourian, N.A. Peters), (216)57
- Trimetallic dimetallobis(isocyanide)-platinum(II) complexes electroreduction of (A. Giraudeau, P. Lemoine, M. Gross, P. Braunstein), (202)455
- Tungsten and molybdenum diazoalkane complexes, electrochemical properties of (Y. Mizobe, R. Ono, Y. Uchida, M. Hidai, M. Tezuka, S. Moue, A. Tsuchiya), (204)377
- Tungsten(0) and tungsten(II) organometallic derivatives (B.J. Brisdon, G.F. Griffin, J. Pierce, R.A. Walton), (219)53
- Tungsten homogeneous complexes as catalysts in metathesis reactions of unsaturated esters; synthesis of civetone and macrolides (J. Tsuji, S. Hashiguchi), (218)69
- Vinylalkylidenetungsten complexes, preparation from alkylation of enol ethers with alkylidene complexes of

(M. Rudler-Chauvin, H. Rudler),
(212) 203

(η^5 -Vinylcyclopentadienyl)tricarbonyl-
methyltungsten and (η^5 -cyclopentadi-
enylmethyl acrylate)tricarbonyl-
methyltungsten, formation and addition
polymerisation of (D.W. Macomber,
M.D. Rausch, T.V. Jayaraman, R.D.
Priester, C.U. Pittman, Jr.), (205) 353

Uranium

Alkylindenyl organoactinides, synthetic
chemistry, characterization and
physical properties of (J. Goffart,
J.F. Desreux, B.P. Gilbert, J.L. Delsa,
J.M. Renkin, G. Duyckaerts),
(209) 281

Alkyltricyclopentadienyluranium(IV)
complexes, photo-induced homolysis
of, successful U^{IV}—U^{III} reduction
(E. Klähne, C. Giannotti, H. Marquet-
Ellis, G. Folcher, R.D. Fischer),
(201) 399

Bis(bicyclooctatetraenyl)diuranium,
biuranocylene, preparation and
PMR spectrum of (M.J. Miller,
A. Streitwieser, Jr.), (209) C52

f-Block metal cyclopentadienyl complexes,
photoelectron studies on (J.C. Green,
M.R. Kelly, J.A. Long, B. Kanella-
kopulos, P.I.W. Yarrow), (212) 329

Cycloheptatrienyl trianion formation by
lanthanide and actinide ions (J.T. Miller,
C.W. Dekock), (216) 39

Mono- and di- η -cyclopentadienyl(β -dike-
tonato)uranium complexes (A. Dormond,
A. Dahchour, C. Duval-Huet),
(224) 251

Tricyclopentadienylalkyluraniums, reac-
tions with SO₂ of (L. Arnaudet,
G. Folcher, H. Marquet-Ellis),
(214) 215

Tricyclopentadienyluranium(IV) chiral
complexes, diastereotopy and dia-
stereoisomerism of (A. Dormond,
C. Duval-Huet, J. Tirouflet), (209) 341

Vanadium

Alkyl- and aryl-isocyanidepentacarbonyl-
vanadate(1-) complexes, syntheses of
(J.E. Ellis, K.L. Fjare), (214) C33

Carbonyl- η^5 -cyclopentadienyl(1,1,4,7,7-
pentaphenyl-1,4,7-triphosphaheptane)-
vanadium(I), molecular structure and

spectroscopic properties of (K. von
Deuten, D. Rehder, W. Roose),
(214) 71

Carbonylvanadium complexes, with long-
chain bi- and tri-dentate phosphines
as ligands (G. Mühlbach, B. Rausch,
D. Rehder), (205) 343

—, with Ph₂ECH₂EPH₂ (E = P, As, Sb)
ligands, coordination properties of;
molecular structure of η^5 -C₅H₅V(CO)₃-
As₂Ph₃ (R. Borowski, D. Rehder,
K. von Deuten), (220) 45

η^5 -C₅H₅V(CO)₃L (L = CO, PZ₃), photo-
nitrosylation by [Co(NO)₂Br]₂ of
(F. Näumann, D. Rehder), (204) 411

Covalent tri- and tetra-valent vanadium
compounds, synthesis and properties of
(G.A. Razuvaev, V.N. Latyaeva,
L.I. Vyshinskaya, V.V. Drobotenko),
(208) 169

(CpCrSCMe₃)₂S·Mn(CO)₂Cp, synthesis
and molecular structure of and forma-
tion of the tetranuclear clusters
Cp₂Cr₂MS₂ (M = Cr, V, Nb)
(A.A. Pasynskii, I.L. Eremenko,
B. Orazsakhov, V.T. Kalinnikov,
G.G. Aleksandrov, Yu.T. Struchkov),
(216) 211

π -Cyclopentadienyl- and π -arene-metal
carbonyls, mixtures with aromatic and
heterocyclic compounds, ion-molecule
reaction products in mass spectra of
(Yu.S. Nekrasov, N.I. Vasyukova,
D.V. Zagorevskii, V.F. Sizoi, G.A.
Nurgalieva, L.I. Dyubina), (201) 433

Cyclopentadienyltetracarbonylniobium,
reactions of (R.B. King, C.D. Hoff),
(225) 245

Decacarbonyltriosmium dihydride,
synthesis of anionic derivatives of
(S. Kennedy, J.J. Alexander, S.G.
Shore), (219) 385

Hexacarbonylvanadium(0), phosphine-
stabilised derivatives of (K. Ihmels,
D. Rehder), (218) C54

Paramagnetic peralkylmetallocenes,
synthesis, stereochemistry and electronic
properties of (F.H. Köhler, K.H. Doll,
W. Prössdorf), (224) 341

Phosphine-vanadium(II) and -molyb-
denum(II) complexes, interaction with
CO screened by high pressure IR
spectroscopy of (V.M. Hall, C.D.
Schmufbach, W.N. Soby), (209) 69

Tetraethylammonium bis(triphenylstannyl)-
pentacarbonylvandate, structural
characterisation of (J.E. Ellis, T.G.

- Hayes, R.E. Stevens), (216)191
 Tetramesitylvanadium(IV), single crystal ESR on (R. Kirmse, J. Stach, G. Kreisel), (210)73
 Tributylphosphine-, triphenylphosphine- and triphenoxyphosphine-penta-carbonylvanadium anions, ion-pairing phenomena in assignment of IR spectra of (M.Y. Darensbourg, J.M. Hanckel), (217)C9
 Vanadium complexes with sulphur-containing ligands, ESCA and LAMMA characterisation of (J.F. Muller, J.M. Magar, D. Cagniant, J.M. Mouchot, J. Grimblot, J.P. Bonnelle), (205)329
 Vanadium organo-bielemental compounds, $Cp_2V(ER_3)$ ($ER_3 = GeEt_3, SnEt_3, CH_2SiMe_3, SeGeEt_3$), thermal decomposition of (G.A. Razuvaev, V.N. Latyaeva, V.P. Mar'in, L.I. Vyshinskaya, S.P. Korneva, Yu.A. Andrianov, E.V. Krasil'nikova), (225)233

Ytterbium

- π -Complexes of transition metals, addition products of hydrogen and deuterio exchange in mass spectra of (G.A. Nurgalieva, Yu.S. Nekrasov, D.V. Zagorevskii, D.N. Kursanov), (202)77
 Diorganoytterbium compounds with ketones and aldehydes, reactions of (G.B. Deacon, T.D. Tuong), (205)C4

Yttrium

- f*-Block metal cyclopentadienyl complexes, photoelectron studies on (J.C. Green, M.R. Kelly, J.A. Long, B. Kanellakopoulos, P.I.W. Yarrow), (212)329
 Organometallic compounds of carbene and carbyne types, formation by interaction of RLi with neodymium and yttrium chlorides in various media of (B.A. Dolgoplosk, E.I. Tinyakova, I.Sh. Guzman, E.I. Vollerstein, N.N. Chigir, G.N. Bondarenko, O.K. Sharaev, V.A. Yakovlev), (201)249
 Tri- η^5 -cyclopentadienyl-yttrium and -lanthanum tetrahydrofuran, formation and molecular structures of (R.D. Rogers, J.L. Atwood, A. Emad, D.J. Sikora, M.D. Rausch), (216)383

Zinc

- β -Acetylenic, α -acetylenic and α -allenic tertiary amines, preparation via organometallic synthesis, from immonium salts of (G. Courtois, M. Harama, P. Miginiac), (218)1
 γ -Bromocrotonic and γ -bromosenecioic trimethylsilyl esters, Reformatsky reactions of (M. Bellassoued, F. Dardoize, Y. Frangin, M. Gaudemar), (219)C1
 But-2-enylzinc addition reactions with styrol, regioselectivity in (H. Lehmkuhl, H. Nehl), (221)131
 Cyclopentadienylzinc derivatives of manganese, molybdenum and tungsten, first examples of stable organozinc-transition metal compounds (P.H.M. Budzelaar, J. Boersma, G.J.M. van der Kerk), (202)C71
 Dialk-4-enylzinc compounds, preparation by addition reactions of alk-2-enylzinc to olefins (H. Lehmkuhl, I. Döring, H. Nehl), (221)123
 —, preparation from alkenylmagnesium halides of (H. Lehmkuhl, I. Döring, R. McLane, H. Nehl), (221)1
 —, thermal stability of (H. Lehmkuhl, I. Döring, H. Nehl), (221)7
 Diethylzinc and 1,4-dialkyl-1,4-diaza-1,3-butadienes, regioselective ethyl transfer reactions between; synthesis of $EtZn[R(Et)NCH=CHNR]$ (J.M. Klerks, J.T.B.H. Jastrzebski, G. van Koten, K. Vrieze), (224)107
 Diethylzinc and di-*t*-butylglyoxaldiimine, exchange reaction between (J.T.B.H. Jastrzebski, J.M. Klerks, G. van Koten, K. Vrieze), (210)C49
 α - and β -ethylenic tertiary amines, preparation via organometallic synthesis from immonium salts of (G. Courtois, M. Harama, P. Miginiac), (218)275
 Mixed orthoester and mixed acetal, reactions with organometallic compounds of (F. Barbot, Ph. Miginiac), (222)1
 Nickel(0) and palladium(0) complexes as catalysts in nucleophilic substitution of vinyl by the Reformatsky reagent; synthesis of β, γ -ethylenic esters (J.F. Fauvarque, A. Jutand), (209)109
 Organolithium, organomagnesium and organozinc compounds, reactions with α, α' -enynes of (D. Mesnard, J.-P. Charpentier, L. Miginiac), (214)135

- Organo-zinc and -cadmium peroxides, thermal decomposition in hydrocarbons of (Yu.A. Alexandrov, S.A. Lebedev, R.V. Kuznetsova), (201)21
- Palladium(0) promoted cross-coupling of allenylmetal compounds with aryl and vinyl iodides (K. Ruitenberg, H. Kleijn, J. Meijer, E.A. Oostveen, P. Vermeer), (224)399
- Porphyrins, bis-porphyrins, phthalocyanines and their metal derivatives, electron transfer reactions with methyl viologen of (P. Maillard, S. Gaspard, P. Krausz, C. Giannotti), (212)185
- Trialkylaluminium compounds, nature of transition state in reactions with ketones of (E.C. Ashby, R.S. Smith), (225)71
- Zinc and cadmium; Annual Survey covering the year 1979 (J. Boersma), (207)1
- Zinc and cadmium organometallic halides, electrochemical synthesis with substituted phenyl halides of (F.F. Said, D.G. Tuck), (224)121
- Zincacyclobutane formation in the Gustavson reaction, operational test for (T.H. Johnson, E.C. Hefty), (212)23
- Zinca-cyclopentane, -cyclohexane and -cycloheptane, synthesis and structure of (F.J.M. Freijee, J.W.F.L. Seetz, O.S. Akkerman, F. Bickelhaupt), (224)217

Zirconium

- Alkylidene-zirconium complexes, preparation by α -hydrogen atom abstraction of (J.H. Wengrovius, R.R. Schrock), (205)319
- η^2 -Benzophenonezirconocene, reactivity of (G. Erker, F. Rosenfeldt), (224)29
- Bis(trimethylsilyl)- and trimethylsilylchloro-dicyclopentadienylzirconium, preparation and properties of and trimethylsilyl groups transfer from mercury to zirconium (A.J. Blakeney, J.A. Gladysz), (202)263
- Carbonyl-bridged dimeric compound containing Group IV and VIII transition metals, $(\eta^5\text{-C}_5\text{H}_5)_2\text{Co}(\mu\text{-CO})(\mu\text{-}\eta^1, \eta^2\text{-CO})\text{-Zr}(\eta^5\text{-C}_5\text{Me}_5)_2$, synthesis and structure of (P.T. Barger, J.E. Bercaw), (201)C39
- 1,1-Di- η^5 -cyclopentadienyl-2,3,4,5-tetraphenylzirconole, crystal structure of (W.E. Hunter, J.L. Atwood, G. Fachinetti, C. Floriani), (204)67
- Hexamethylbenzenylzirconium trinuclear complexes, isolation and structures of (F. Stollmaier, U. Thewalt), (208)327
- Monocyclopentadienylzirconium complexes, synthesis and characterisation of (N.J. Wells, J.C. Huffman, K.G. Caulton), (213)C17
- Organoselenylated derivatives of zirconium and hafnium (B. Gautheron, G. Tainturier, Ph. Meunier), (209)C49
- Titanium and zirconium alkoxides, ligands redistribution in and carbonyl insertion into, effect of competitive π -donation (J.A. Marsella, K.G. Moley, K.G. Caulton), (201)389
- Titanium and zirconium reactive species, photogeneration of: a CIDNP study (P.W.N.M. van Leeuwen, H. van der Heijden, C.F. Roobeek, J.H.G. Frijns), (209)169
- Transition metal compounds as catalysts in cyclopropanation and ylide generation of n-butyl vinyl ether and allyl methyl sulphide with ethyl diazoacetate (W.H. Tambllyn, S.R. Hoffmann, M.P. Doyle), (216)C64
- Tri-1-methallyl- and 1-methallyl-butadiene Group IV transition metal complexes (J. Blenkens, H.J. de Liefde Meijer, J.H. Teuben), (218)383
- Zirconium and hafnium organometallic compounds, free radical substitution reactions on (P.R. Brindley, M.J. Scotton), (222)89

Book reviews

- Advances in free radical chemistry, Vol. 6; edited by G.H. Williams (R.A. Jackson), (222)C15
- Advances in organometallic chemistry, Vol. 18; edited by F.G.A. Stone and R. West (D. Seyferth), (202)C85
- Advances in physical organic chemistry, Vol. 17; edited by V. Gold and D. Bethell (C. Eaborn), (214)C31
- Advances in polymer science 41; Speciality polymers; edited by H.-J. Cantow et al. (A.D. Jenkins), (224)C35
- Bor in Biologie, Medizin und Pharmazie; by W. Kliegel (M.F. Lappert), (208)C49
- Boron chemistry, 4; edited by R.W. Parry and G. Kodama (M.F. Lappert), (208)C46
- Chemistry of free atoms and particles;

- by K.J. Klabunde (M.J. McGlinchey), (202)C64
- Comprehensive carbanion chemistry, Part A, Structure and reactivity; ed. by E. Bunel and T. Durst (C. Eaborn), (208)C25**
- Coordination Chemistry - 21 (Proceedings of the 21st ICCC, toulouse, July 1980); edited by J.P. Laurent (G.J. Leigh), (224)C10**
- Coordination chemistry reviews, Vol. 34; edited by D.B. Sowerby and Vol. 35; edited by C.D. Garner and K.R. Seddon (M.F. Lappert), (216)C38**
- Electron spin resonance, Vol. 6; edited by P.B. Ayscough (A.G. Davies), (216)C22**
- Frontiers in free radical chemistry; edited by W.A. Pryor (D. Seyferth), (202)C108**
- Gmelin handbook of inorganic chemistry, 8th ed., B. Boron compounds. 1st suppl. Vol. 1. Boron and rare gases, hydrogen and oxygen; ed. by K. Beeker, G. Heller, A. Meller and T. Onak, ed. by K. Niedenzu and K.-C. Buschbeck. 1st. suppl. Vol. 2. Boron and nitrogen, halogens; by B.R. Gragg and A. Meller; ed. by K. Niedenzu and K.-C. Buschbeck (D. Seyferth), (209)C46**
- , —, **Fluorine-perfluorohalogen-organic compounds of the main group elements, Part 8, Aliphatic and aromatic nitrogen compounds (continued); by A. Haas, edited by D. Koschel, (C.G. Krespan), (213)C61**
- , —, **Osmium, Suppl. Vol. 1. Element and compounds; by W.P. Griffith and C.J. Raub, ed. by K. Swars (A.C. Sievert), (209)C45**
- , —, **Sb: Organoantimony compounds, Part 1, Compounds of trivalent antimony with three Sb—C bonds; by M. Wieber, ed. by H. Bitterer (D. Seyferth), (219)C21**
- , —, **Sn. Organotin compounds, Part 7. Organotin bromides; by H. and I. Schumann, ed. by H. Bitterer (D. Seyferth), (208)C47**
- , —, **Sulfur. Suppl. Vol. 3. Sulfur oxides; ed. by H. Bitterer (A. Wojcicki), (209)C47**
- Handbook of liquid crystals; by H. Kelker and R. Hatz (C. Eaborn), (214)C25**
- Homogeneous catalysis. The applications and chemistry of catalysis by soluble transition metal complexes; by G.W. Parshall (W.E. Carroll), (205)C14**
- Homogeneous transition-metal catalysis - a gentle art; by C. Masters (J. Chatt), (221)C39**
- Inorganic reaction mechanisms, Vol. 7; reported by A.G. Sykes et al. (M.F. Lappert), (217)C23**
- Inorganic synthesis. Vol. XX; ed. by D.H. Busch (W.L. Gladfelter), (208)C48**
- IUPAC. Coordination chemistry-20 (Calcutta, India, 1979); ed. by D. Banerjee (M.F. Lappert), (208)C56**
- Landolt-Börnstein. Numerical data and functional relationships in science and technology, New series Group II. Atomic and molecular physics. Vol. 9. Magnetic properties of free radicals. Part d2. Organic cation radicals and polyradicals; ed. by H. Fischer and K.-H. Hellwege (C. Eaborn), (208)C55**
- Lanthanide and actinide chemistry and spectroscopy; edited by N.M. Edelstein (C.W. DeKock), (209)C21**
- Liquid crystals; ed. by F.D. Saeva (C. Eaborn), (202)C84**
- Metal ions in biological systems; ed. by H. Sigel, Vol. 7: Iron in model and natural compounds. Vol. 8: Nucleotides and derivatives: their ligating ambivalency. Vol. 9: Amino acids and derivatives as ambivalent ligands (R.C. Bray), (201)C50**
- Metals in biochemistry; by P.M. Harrison and R.J. Hoare (J. Chatt), (215)C41**
- Methods for determining metal ion environments in proteins: structure and function of metalloproteins; edited by D.W. Darnall, R.G. Wilkins (J. Chatt), (202)C109**
- New syntheses with carbon monoxide; edited by J. Falbe (J. Chatt), (213)C60**
- NMR spectroscopy, an introduction; by H. Günther (A. Pidcock), (209)C22**
- Organic reactions, Vol. 26 (E.M. Kaiser), (201)C55**
- Organometallic chemistry, Vol. 9; senior reporters E.W. Abel and F.G.A. Stone (M.F. Lappert), (216)C39**
- Organometallic chemistry reviews; Annual surveys: Silicon - tin - lead; edited by D. Seyferth and R.B. King (M.F. Lappert), (216)C39**

- Organometallics in organic synthesis, Vol. 1, General discussions of Main Group metals in organic synthesis; by E. Negishi (P. Magnus), (202)C109
- Organosilicon compounds, Vol. 5 and 6; edited by V. Chvalovský and J. Rathouský (C. Eaborn), (218)C19
- Phosphorus – An outline of its chemistry, biochemistry and technology (2nd edition); by D.E.C. Corbridge (L. Maier), (215)C20
- Principles and applications of homogeneous catalysis; by A. Nakamura and M. Tsutsui (A. Pidcock), (208)C49
- Principles and applications of organo-transition metal chemistry; by J.P. Collman (L.S. Hegedus), (209)C72
- Progress in inorganic chemistry. Vol. 27; edited by S.J. Lippard (J.P. Fackler, Jr.), (201)C53
- Purification of laboratory chemicals; by D.D. Perrin, W.L.F. Armarego and D.R. Perrin (C. Eaborn), (213)C62
- Pyrolytic methods in organic chemistry; by R.F.C. Brown (W.S. Trahanovsky), (218)C71
- Rearrangements in ground and excited states, Vol. 2; edited by P. de Mayo (C. Eaborn), (216)C69
- Solubility data series, Vol. 18; Tetraphenylborates; edited by O. Popovych (C. Eaborn), (216)C70
- Stereochemistry of optically active transition metal complexes; ed. by B.E. Douglas and Y. Saito (B. Bosnich), (201)C52
- Structure and bonding 43. Bonding problems; edited by J.B. Goodenough, P. Hemmerich, J.A. Ibers, C.K. Jørgensen, J.B. Neilands, D. Reinen and J.R.P. Williams (M.F. Lappert), (214)C53
- , Vol. 44, Metal complexes; edited by M.J. Clarke et al. (P.B. Hitchcock), (218)C18
- The infrared spectra of complex molecules, Vol. 2, Advances in infrared group frequencies; by L.J. Bellamy (C. Eaborn), (216)C70
- The tunnel effect in chemistry; by R.P. Bell (C. Eaborn), (202)C87
- Topics in current chemistry: 73. Organic chemistry; 88. Syntheses and reactivity (C. Eaborn), (202)C31
- , Vol. 92; edited by F.L. Boschke (M.F. Lappert), (217)C21
- Toxic metals and their analysis; by E. Berman (J.D. Smith), (213)C63
- Transition metal chemistry (proceedings of a workshop held at Bielefeld, July 1980); edited by A. Müller and E. Diemann (G.J. Leigh), (224)C10
- Transition metal clusters, edited by B.F.G. Johnson (D. Seyferth), (210)C54
- Vinyl cations; by P.J. Stang, Z. Rappoport, M. Hanack and L.R. Subramanian (C. Eaborn), (202)C32