

- | | | |
|-------------------------------|--------------------|--------------------|
| Sorriso, S., 375 | Toniolo, L., 275 | Vidal, J.L., 395 |
| Suleimanov, G.Z., C13 | Torroni, S., 375 | Vitale, A.A., 143 |
| Sünkel, K., 333 | Truchon, A., C1 | |
| Sweet, J.R., 45 | Turco, A., 251 | Waddell, W.H., 119 |
| | | Watkins, S.F., 259 |
| Teixidor, F., 301 | Valle, M., 99 | Watts, O., C31 |
| Tiripicchio, A., 77, 99 | Vasapollo, G., C24 | Weber, W.P., 171 |
| Tiripicchio Camellini, M., 77 | Vermeer, P., 417 | Westmijze, H., 417 |

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 241 (1983)

SUBJECT INDEX
Arsenic

Pentacarbonylalkylmanganese, photochemical reactions with 1,3-butadienes and 1,3-pentadienes and insertion reactions with olefins into Mn—C bonds of (W. Lipps, C.G. Kreiter), 185

Beryllium

Metallaviolenes, ESR study of (W. Kaim), 157

Boron

(Borinato)(cyclobutadiene)cobalt complexes with tetramethyl- and tetraphenyl-cyclobutadiene ligands, synthesis, electrophilic, aromatic and ring-member substitution at the borinato ligand (G.E. Herberich, A.K. Naithani), 1

1,2-Dithiol-*o*-carborane, synthesis of cyclic and polymeric derivatives of (F. Teixidor, R.W. Rudolph), 301

B-(3-Hexyl)bis(bicyclo[2.2.2]octyl)borane, exceptionally rapid thermal isomerization of (H.C. Brown, U.S. Racherla), C37

Lithium carborane derivatives, interaction with lanthanides chlorides of (V.I. Bregadze, N.A. Koval'chuk, N.N. Godovikov, G.Z. Suleimanov, I.P. Beletskaya), C13

Metallaviolenes, ESR study of (W. Kaim), 157

Phenylboranes, ¹³C NMR studies of (R.H. Cragg, T.J. Miller), 289

Chromium

α -Terpinene and 2,3-dihydroanisole, hydrogenation catalysed by phenanthrene-chromium tricarbonyl in cyclohexane of (P. Le Maux, R. Dabard, G. Simonneaux), 37

Cobalt

(Borinato)(cyclobutadiene)cobalt complexes with tetramethyl- and tetraphenyl-cyclobutadiene ligands, synthesis, electrophilic, aromatic and ring-member substitution at the borinato ligand (G.E. Herberich, A.K. Naithani), 1

Cobalt carbonyl, ligand effects in hydroformylation of acrylonitrile by (R.A. Dubois, P.E. Garrou), 69

Cobalt, rhodium and iridium trimethylphosphite complexes, synthesis and reactivity of, crystal and molecular structure of [IrH(P(OMe)₃)₄(P(OMe)₂OSnMe₂Cl₂)] [SnCl₃Me₂] (P.B. Hitchcock, S.I. Klein, J.F. Nixon), C9

Phosphidodi- μ -carbonyltetradecacarbonyl hexacobaltate(1-) anion in its tetraphenylphosphonium salt, crystal and molecular structure of (G. Ciani, A. Sironi), 385

Copper

Arylrhenium derivatives, synthesis using organocopper reagents of (J.R. Sweet, W.A.G. Graham), 45

Stannylcopper(I)-induced substitution in propargylic substrates, regio- and stereochemical features of (K. Ruitenbergh, H. Westmijze, J. Meijer, C.J. Elsevier, P. Vermeer), 417

Gallium

Metallaviolenes, ESR study of (W. Kaim), 157

Germanium

Silyl, germyl and stannyl radicals, ESR of adducts with 1,4-diaza-1,3-butadienes and the diprotonated radical cation (A. Alberti, A. Hudson), 313

Indium

Metallaviolenes, ESR study of (W. Kaim), 157

Iridium

Cobalt, rhodium and iridium trimethylphosphite complexes, synthesis and reactivity of; crystal and molecular structure of $[\text{IrH}(\text{P}(\text{OMe})_3)_4(\text{P}(\text{OMe})_2\text{OSnMe}_2\text{Cl}_2)] [\text{SnCl}_3\text{Me}_2]$ (P.B. Hitchcock, S.I. Klein, J.F. Nixon), C9

Rhodium(I), iridium(I) and platinum(II) five-coordinate complexes containing three trichlorostannate ligands, synthesis and NMR studies of (M. Kretschmer, P.S. Pregosin, H. Rügger), 87

Iron

Alkylsilane-iron complexes, synthesis, IR and NMR spectra of (W. Ries, W. Malisch), 321

Ferrocenylamines, syntheses and spectroscopic characterisation of (M. Herberhold, M. Ellinger, W. Kremnitz), 227

Hydride reduction of the cation $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)\text{CO}]\text{PF}_6^-$; formation of $(\eta^5\text{-C}_5\text{H}_5)\text{FeH}(\text{CO})(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)$ and elimination of H_2 from $[(\eta^5\text{-C}_5\text{H}_5)\text{FeH}(\text{CO})]_2(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)$

(S.G. Davies, J. Hibberd, S.J. Simpson, O. Watts) (*republication*), C31

Iron carbonyls, reactions with anionic nitrogen heterocycles of (V.N. Babin, Yu.A. Belousov, V.V. Gumenyuk, R.M. Salimov, R.B. Materikova, N.S. Kochetkova), C41

Molybdenum, iron and manganese acetyl-bridged cationic complexes; structure of $[(\pi\text{-C}_5\text{H}_5)(\text{CO})_2\text{Mo}(\mu_2\text{-}\eta^2\text{-CH}_3\text{CO})\text{Mo}(\text{CO})_2(\pi\text{-C}_5\text{H}_5)]^+\text{BF}_4^-$ (K. Sünkel, K. Schlöter, W. Beck, K. Ackermann, U. Schubert), 333

Mono- and poly-nuclear transition metal complexes, fast atom bombardment mass spectrometry of (R. Davis, I.F. Groves, J.L.A. Durrant, P. Brooks, I. Lewis), C27

Substituted ferrocenes, accurate fragmentation pathways and ionic structure analysis of metastable ion spectra of (G. Innorta, F. Scagnolari, A. Modelli, S. Torrioni, A. Foffani, S. Sorriso), 375

Lithium

t-Butyllithium addition to the benzene ring of phenylphosphonium salts (H.J. Cristau, J. Coste, A. Truchon, H. Christol), C1

Lithium carborane derivatives, interaction with lanthanides chlorides of (V.I. Bregadze, N.A. Koval'chuk, N.N. Godovikov, G.Z. Suleimanov, I.P. Beletskaya), C13

Lithium naphthalenide, quantitative estimation of (D.J. Ager), 139

Phenyllithium, reaction with carbon monoxide of (N.S. Nudelman, A.A. Vitale), 143

Magnesium

Metallaviolenes, ESR study of (W. Kaim), 157

Manganese

Molybdenum, iron and manganese acetyl-bridged cationic complexes; structure of $[(\pi\text{-C}_5\text{H}_5)(\text{CO})_2\text{Mo}(\mu_2\text{-}\eta^2\text{-CH}_3\text{CO})\text{Mo}(\text{CO})_2(\pi\text{-C}_5\text{H}_5)]^+\text{BF}_4^-$ (K. Sünkel, K. Schlöter, W. Beck, K. Ackermann, U. Schubert), 333

Pentacarbonylalkylmanganese, photochemical reactions with 1,3-butadienes and 1,3-pentadienes and insertion reactions with olefins into Mn—C bonds of (W. Lipps, C.G. Kreiter), 185

Metalloenes

Ferrocenylamines, syntheses and spectroscopic characterisation of (M. Herberhold, M. Ellinger, W. Krennitz), 227

Hydride reduction of the cation $[(\eta^5\text{-C}_5\text{H}_5)\text{-Fe}(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)\text{CO}]\text{PF}_6$; formation of $(\eta^5\text{-C}_5\text{H}_5)\text{FeH}(\text{CO})(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{-PPh}_2)$ and elimination of H_2 from $[(\eta^5\text{-C}_5\text{H}_5)\text{FeH}(\text{CO})]_2(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)$ (S.G. Davies, J. Hibberd, S.J. Simpson, O. Watts) (*republication*), C31

Substituted ferrocenes, accurate fragmentation pathways and ionic structure analysis of metastable ion spectra of (G. Innorta, F. Scagnolari, A. Modelli, S. Torroni, A. Foffani, S. Sorriso), 375

Zirconocene complexes, regio-selectivity of addition of alkynes to (V. Skibbe, G. Erker), 15

Mercury

$[\text{Hg}_5(\mu_2\text{-Cy}_2\text{P})_5(\text{O}_3\text{SCF}_3)_5]$ and $[\text{Hg}_5(\mu_2\text{-Cy}_2\text{P})_5(\text{SO}_4\text{H})_5]$, compounds involving the 10-membered ring system (Hg—P)₅ (P. Peringer, J. Eichbichler), 281

Molybdenum

Carbonyl-molybdenum(0) and -molybdenum(II) complexes with organosulphur ligands, synthesis and properties of (D. Sellmann, J. Schwarz), 343

Molybdenum *cis*-disubstituted carbonyl complexes, correlation of NMR chemical shifts and CO stretching force constants for (G.M. Gray, C.S. Kraihanzel), 201

Molybdenum, iron and manganese acetyl-bridged cationic complexes; structure of $[(\pi\text{-C}_5\text{H}_5)(\text{CO})_2\text{Mo}(\mu_2\text{-}\eta^2\text{-CH}_3\text{CO})\text{Mo}(\text{CO})_2(\pi\text{-C}_5\text{H}_5)]^+\text{BF}_4^-$ (K. Sünkel, K. Schlöter, W. Beck, K. Ackermann, U. Schubert), 333

Pyridine replacement reactions of Mo(S,S)-(π-allyl)(CO)₂Py (S,S = xanthate and dithiocarbamate) complexes of molybdenum and tungsten with sulphur donors (M.F. Perpiñán, L. Ballester, A. Santos), 215

Nickel

Alkanenitrile oxidative addition to nickel(0) complexes via π-intermediates

(G. Favero, A. Morville, A. Turco), 251

Nickel(II) induced reactions between Co and alkynes under maintenance of the triple bonds (H. Hoberg, H.J. Riegel), 245

Nickel-osmium clusters, high yield synthesis, spectra and reactivity towards H_2 , CO, alkynes and alkenes of

(M. Castiglioni, E. Sappa, M. Valle,

M. Lanfranchi, A. Tiripicchio), 99

Stannio complexes of oxa-bridged stannyl-enes (M. Grenz, W.-W. Du Mont), C5

Osmium

Mono- and poly-nuclear transition metal complexes, fast atom bombardment

mass spectrometry of (R. Davis, I.F. Groves, J.L.A. Durrant, P. Brooks, I. Lewis), C27

Nickel-osmium clusters, high yield synthesis, spectra and reactivity towards H_2 , CO, alkynes and alkenes of

(M. Castiglioni, E. Sappa, M. Valle,

M. Lanfranchi, A. Tiripicchio), 99

Palladium

Benzylchlorobis(triphenylphosphine)-palladium(II), reactions with dimethyl acetylenedicarboxylate of (K. Hiraki, T. Itoh, K. Eguchi, M. Onishi), C16

(*Z*)-1,2-Bis(trimethylstannyl)-1-alkenes, tetrakis(triphenylphosphine)palladium-catalysed synthesis by addition of hexamethyldistannane to 1-alkynes (T.N. Mitchell, A. Amamria, H. Killing, D. Rutschow), C45

Mono- and poly-nuclear transition metal complexes, fast atom bombardment mass spectrometry of (R. Davis, I.F. Groves, J.L.A. Durrant, P. Brooks, I. Lewis), C27

Palladium(II) and platinum(II) pentafluorophenyl derivatives with O-donor ligands (G. López, G. García, N. Cutillas, J. Ruiz), 269

Palladium(II) cyclometallated acetate-bridged dimers of 2-arylpyridine and 2,6-diarylpyridine (J. Selbin, K. Abboud, S.F. Watkins, M.A. Gutierrez, F.R. Fronczek), 259

Triphenylphosphine peroxopalladium, oxidation of dienes by (M. Dagonneau, J.F. Fauvarque), 113

Phosphorus

Benzylchlorobis (triphenylphosphine)-palladium(II), reactions with dimethyl acetylenedicarboxylate of (K. Hiraki, T. Itoh, K. Eguchi, M. Onishi), C16

(Z)-1,2-Bis(trimethylstannyl)-1-alkenes, tetrakis(triphenylphosphine)palladium-catalysed synthesis by addition of hexamethyldistannane to 1-alkynes (T.N. Mitchell, A. Amamria, H. Killing, D. Rutschow), C45

t-Butyllithium addition to the benzene ring of phenylphosphonium salts (H.J. Cristau, J. Coste, A. Truchon, H. Christol), C1

Carbonyl-molybdenum(0) and -molybdenum(II) complexes with organosulphur ligands, synthesis and properties of (D. Sellmann, J. Schwarz), 343

Cobalt, rhodium and iridium trimethylphosphite complexes, synthesis and reactivity of; crystal and molecular structure of $[\text{IrH}(\text{P}(\text{OMe})_3)_4(\text{P}(\text{OMe})_2\text{OSnMe}_2\text{Cl}_2)]$ $[\text{SnCl}_3\text{Me}_2]$ (P.B. Hitchcock, S.I. Klein, J.F. Nixon), C9

$[\text{Hg}_5(\mu_2\text{-Cy}_2\text{P})_5(\text{O}_3\text{SCF}_3)_5]$ and $[\text{Hg}_5(\mu_2\text{-Cy}_2\text{P})_5(\text{SO}_4\text{H})_5]$, compounds involving the 10-membered ring system (Hg-P)₅ (P. Peringer, J. Eichbichler), 281

Hydride reduction of the cation $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)\text{Co}]\text{PF}_6$; formation of $(\eta^5\text{-C}_5\text{H}_5)\text{FeH}(\text{CO})(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)$ and elimination of H₂ from $[(\eta^5\text{-C}_5\text{H}_5)\text{FeH}(\text{CO})]_2(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)$ (S.G. Davies, J. Hibberd, S.J. Simpson, O. Watts) (*republication*), C31

Molybdenum *cis*-disubstituted carbonyl complexes, correlation of NMR chemical shifts and CO stretching force constants for (G.M. Gray, C.S. Kraihanzel), 201

Nickel(II) induced reactions between Co and alkynes under maintenance of the triple bonds (H. Hoberg, H.J. Riegel), 245

Organorhodium complexes with chelating phosphine ligands, synthesis, NMR spectral *cis,trans* influence and molecular structure of (E. Arpac, L. Dahlenburg), 27

Pentacarbonylalkylmanganese, photochemical reactions with 1,3-butadienes and 1,3-pentadienes and insertion reactions with olefins into Mn-C bonds of (W. Lipps, C.G. Kreiter), 185

Phosphidodi- μ -carbonyltetradecacarbonyl hexacobaltate(1-) anion in its tetraphenylphosphonium salt, crystal and molecular structure of (G. Ciani, A. Sironi), 385

Triphenylphosphine peroxopalladium, oxidation of dienes by (M. Dagonneau, J.F. Fauvarque), 113

Platinum

Alkoxy carbonylplatinum(II) complexes, photochemistry of (C.F. Shiba, W.H. Waddell), 119

Mono- and poly-nuclear transition metal complexes, fast atom bombardment mass spectrometry of (R. Davis, I.F. Groves, J.L.A. Durrant, P. Brooks, I. Lewis), C27

Olefin hydroformylation and hydrocarboalkoxylation competitively catalysed by $[\text{PtCl}_2(\text{PPh}_3)_2]/\text{SnCl}_2$ system (G. Cavinato, L. Toniolo), 275

Palladium(II) and platinum(II) pentafluorophenyl derivatives with O-donor ligands (G. López, G. Carcía, N. Cutillas, J. Ruiz), 269

Rhodium(I), iridium(I) and platinum(II) five-coordinate complexes containing three trichlorostannate ligands, synthesis and NMR studies of (M. Kretschmer, P.S. Pregosin, H. Rügger), 87

Rhenium

Arylrhenium derivatives, synthesis using organocopper reagents of (J.R. Sweet, W.A.G. Graham), 45

Mono- and poly-nuclear transition metal complexes, fast atom bombardment mass spectrometry of (R. Davis, I.F. Groves, J.L.A. Durrant, P. Brooks, I. Lewis), C27

Rhodium

Carbonylrhodium clusters, thermal growth and decomposition of (J.L. Vidal, R.C. Schoening), 395

Cobalt, rhodium and iridium trimethylphosphite complexes, synthesis and reactivity of; crystal and molecular structure of $[\text{IrH}(\text{P}(\text{OMe})_3)_4(\text{P}(\text{OMe})_2\text{-OSnMe}_2\text{Cl}_2)] [\text{SnCl}_3\text{Me}_2]$

(P.B. Hitchcock, S.I. Klein, J.F. Nixon), C9

Hexadecacarbonylhexarhodium, preparation by carbonylation of $[\text{Rh}(\text{COD})\text{N}_3]$, and $[\text{Rh}(\text{CO})_2\text{NCO}]_2$ of (G. La Monica, C. Monti, M. Pizzotti, S. Cenini), 241

Mono- and poly-nuclear transition metal complexes, fast atom bombardment mass spectrometry of (R. Davis, I.F. Groves, J.L.A. Durrant, P. Brooks, I. Lewis), C27

Rhodium diolefin cationic complexes with sulphur donors, X-ray structure of $[\text{Rh}(\text{NBD})_2(\text{SEt}_2)]\text{ClO}_4$ (A. Tiripicchio, M. Tiripicchio Camellini, C. Claver, A. Ruiz, L.A. Oro), 77

Rhodium(I), iridium(I) and platinum(II) five-coordinate complexes containing three trichlorostannate ligands, synthesis and NMR studies of (M. Kretschmer, P.S. Pregosin, H. Rügger), 87

Ruthenium

Cycloruthenapentadienyl complexes, synthesis and structural studies on (A. Astier, J.-C. Daran, Y. Jeannin, C. Rigault), 53

Mono- and poly-nuclear transition metal complexes, fast atom bombardment mass spectrometry of (R. Davis, I.F. Groves, J.L.A. Durrant, P. Brooks, I. Lewis), C27

Organorhodium complexes with chelating phosphine ligands, synthesis, NMR spectral *cis,trans* influence and molecular structure of (E. Arpac, L. Dahlenburg), 27

Silicon

Alkylsilane-iron complexes, synthesis, IR and NMR spectra of (W. Ries, W. Malisch), 321

Dimethylsilylene, steric requirements for deoxygenation of dialkyl sulphoxides by (I.S. Alnaimi, W.P. Weber), 171

Metallaviolenes, ESR study of (W. Kaim), 157

Molybdenum *cis*-disubstituted carbonyl complexes, correlation of NMR chemical shifts and CO stretching force constants for (G.M. Gray, C.S. Kraihanzel), 201

Organorhodium complexes with chelating phosphine ligands, synthesis, NMR spectral *cis,trans* influence and molecular structure of (E. Arpac, L. Dahlenburg), 27

Silyl, germyl and stannyl radicals, ESR of adducts with 1,4-diaza-1,3-butadiene and the diprotonated radical cation (A. Alberti, A. Hudson), 313

Zirconocene complexes, regio-selectivity of addition of alkynes to (V. Skibbe, G. Erker), 15

Silver

Cyclooctatetraene-silver nitrate adduct, crystal structure of (W.C. Ho, T.C.W. Mak), 131

Sodium

Iron carbonyls, reactions with anionic nitrogen heterocycles of (V.N. Babin, Yu.A. Belousov, V.V. Gumenyuk, R.M. Salimov, R.B. Materikova, N.S. Kochetkova), C41

Sulphur

Carbonyl-molybdenum(0) and -molybdenum(II) complexes with organosulphur ligands, synthesis and properties of (D. Sellmann, J. Schwarz), 243

Dimethylsilylene, steric requirements for deoxygenation of dialkyl sulphoxides by (I.S. Alnaimi, W.P. Weber), 171

1,2-Dithiol-*o*-carborane, synthesis of cyclic and polymeric derivatives of (F. Teixidor, R.W. Rudolph), 301

$[\text{Hg}_2(\mu_2\text{-Cy}_2\text{P})_5(\text{O}_3\text{SCF}_3)_5]$ and $[\text{Hg}_2(\mu_2\text{-Cy}_2\text{P})_5(\text{SO}_4\text{H})_5]$, compounds involving the 10-membered ring system $(\text{Hg}-\text{P})_5$ (P. Peringer, J. Eichbichler), 281

Pyridine replacement reactions of $\text{Mo}(\text{S,S})-(\pi\text{-allyl})(\text{CO})_2\text{Py}$ ($\text{S,S} = \text{xanthate}$ and dithiocarbamate) complexes of molybdenum and tungsten with sulphur donors (M.F. Perpiñán, L. Ballester, A. Santos), 215

Rhodium diolefin cationic complexes with sulphur donors, X-ray structure of $[\text{Rh}(\text{NBD})_2(\text{SEt}_2)]\text{ClO}_4$ (A. Tiripicchio, M. Tiripicchio Camellini, C. Claver, A. Ruiz, L.A. Oro), 77

Tantalum

$\{[\text{Ta}(\eta\text{-C}_5\text{Me}_5)_2\text{Cl}_2]_2(\mu\text{-Cl})_3\}^+ \{[\text{TaCl}_5(\mu\text{-O})\text{TaCl}_3]_2(\mu\text{-Cl})_2\}^{2-}$, synthesis and crystal structure of (J.C. Green, C.P. Overton, K. Prout, J.M. Marin), C21

Tin

(*Z*)-1,2-Bis(trimethylstannyl)-1-alkenes, tetrakis(triphenylphosphine)palladium-catalysed synthesis by addition of hexamethyldistannane to 1-alkynes (T.N. Mitchell, A. Amamria, H. Killing, D. Rutschow), C45

Cobalt, rhodium and iridium trimethylphosphite complexes, synthesis and reactivity of; crystal and molecular structure of $[\text{IrH}(\text{P}(\text{OMe})_3)_4(\text{P}(\text{OMe})_2\text{OSnMe}_2\text{Cl}_2)][\text{SnCl}_3\text{Me}_2]$ (P.B. Hitchcock, S.I. Klein, J.F. Nixon), C9

Olefin hydroformylation and hydrocarboxylation competitively catalysed by $[\text{PtCl}_2(\text{PPh}_3)_2]/\text{SnCl}_2$ system (G. Cavinato, L. Toniolo), 275

Rhodium(I), iridium(I) and platinum(II) five-coordinate complexes containing three trichlorostannate ligands, synthesis and NMR studies of (M. Kretschmer, P.S. Pregosin, H. Rügger), 87

Silyl, germyl and stannyl radicals, ESR of adducts with 1,4-diaza-1,3-butadiene and the diprotonated radical cation (A. Alberti, A. Hudson), 313

Stannio complexes of oxa-bridged stannyl-enes (M. Grenz, W.-W. Du Mont), C5

Stannylcopper(I)-induced substitution in propargylic substrates, regio- and stereochemical features of (K. Ruitenbergh, H. Westmijze, J. Meijer, C.J. Elsevier, P. Vermeer), 417

Triphenyltin(IV) four- and five-coordinate compounds, ^{13}C and ^{119}Sn NMR study of (J. Holeček, M. Nádvořník, K. Handlřík, A. Lyčka), 177

Thulium

Lithium carborane derivatives, interaction with lanthanides chlorides of (V.I. Bregadze, N.A. Koval'chuk, N.N. Godovikov, G.Z. Suleimanov, I.P. Beletskaya), C13

Tungsten

Coordinatively unsaturated diolefin complexes of tungsten, synthesis of (J.L. Davidson, G. Vasapollo), C24
Pyridine replacement reactions of $\text{Mo}(\text{S,S})$ -(π -allyl)(CO) $_2$ Py (S,S = xanthate and dithiocarbamate) complexes of molybdenum and tungsten with sulphur donors (M.F. Perpiñán, L. Ballester, A. Santos), 215

Tetracarbonyl(3,3,4,4-tetramethyl-3,4-dihydrodiazete)tungsten dimer, $[\text{W}(\text{N}_2\text{C}_2\text{Me}_4)(\text{CO})_4]_2$, crystal and molecular structure of (B. Bovio), 363

Ytterbium

Lithium carborane derivatives, interaction with lanthanides chlorides of (V.I. Bregadze, N.A. Koval'chuk, N.N. Godovikov, G.Z. Suleimanov, I.P. Beletskaya), C13

Zinc

Metallaviolenes, ESR study of (W. Kaim), 157

Zirconium

Zirconocene complexes, regio-selectivity of addition of alkynes to (V. Skibbe, G. Erker), 15

Book review

Gmelin handbook of inorganic chemistry, 8th edit., Fe. Organoiron compounds, Part B7: Mononuclear compounds 7; edited by A. Slawisch (P.L. Pauson), C34