
JOURNAL OF ORGANOMETALLIC CHEMISTRY, Vol. 243 (1983)

SUBJECT INDEX**Antimony**

Cyclopentadienylnickel cationic complexes with Sb-donor ligands (N. Kuhn, M. Winter), C83

Phosphorus, arsenic, antimony and bismuth trivalent compounds and their $\text{LNi}(\text{CO})_3$ complexes, Fourier transform ^{13}C NMR study of (G.M. Bodner, C. Gagnon, D.N. Whittern), 305

Tetramethyldistibane, cleavage reactions with bromine, iodine and methyl iodide and formation of the adducts $\text{MeSbI}_2 \cdot 2\text{Me}_3\text{SbI}$ (H.J. Breunig, H. Jawad), 417

Arsenic

$[\eta\text{-C}_5\text{H}_5\text{Mo}(\text{CO})_2]_2[\mu\text{-catena-(CH}_3\text{As)}_2]$, synthesis and structural characterisation of; example of ring \rightarrow chain conversion upon coordination (A.L. Rheingold, M.R. Churchill), 165

Cyclopentadienylnickel compounds, coordination of bifunctional ligands in (N. Kuhn (N. Kuhn, M. Winter), C42

Phosphorus, arsenic, antimony and bismuth trivalent compounds and their $\text{LNi}(\text{CO})_3$ complexes, Fourier transform ^{13}C NMR study of (G.M. Bodner, C. Gagnon, D.N. Whittern), 305

Barium

Dicumylbarium, as initiator in anionic polymerisation and physicochemical properties in THF and THP of (L.C. Tang, C. Mathis, B. François), 359

Bismuth

Phosphorus, arsenic, antimony and bismuth trivalent compounds and their $\text{LNi}(\text{CO})_3$ complexes, Fourier transform ^{13}C NMR study of (G.M. Bodner, C. Gagnon, D.N. Whittern), 305

Boron

2-(Azol-1'-yl)-1,3,2-diazaboracycloalkanes, preparation and reactions of (F. Alam, K. Niedenzu), 19

Boron chelates of salicylaldehydenitrone adducts (W. Kliegel, D. Nanninga), 373

Dialkylaminoethanethiophenylboranes, synthesis and properties of (R.H. Cragg, T.J. Miller), 387

Calcium

Solvent-free arylcalcium halides, preparation and reactions of (K. Mochida, H. Ogawa), 131

Chromium

Dicyclopentadienyl-vanadium and -chromium, oxidative addition of HN_3 and NCN_3 to (M. Morán, M. Gayoso), 423

1,4-Diferrocenyl-1,4-dibora-2,5-cyclohexadiene complexes with carbonylmetal fragments (G.E. Herberich, M.M. Kucharska-Jansen), 45

η^6 -(2,6-Dimethylpyridine)(triphenylphosphine)dicarbonylchromium and related compounds, synthesis of (H.W. Choi, M.S. Sollberger), C39

Methyl (η^6 -benzoate-benzoylisocyanide-dicarbonylchromium(0), (η^6 - $\text{C}_6\text{H}_5\text{CO}_2\text{CH}_3$)- $\text{Cr}(\text{CO})_2$ (CNCOC_6H_5), vibrational spectra of (P. Caillet, P. Le Maux), 51

Pentamethylcyclopentadienylmolybdenum dimer $\text{Mo}_2(\eta^5\text{-C}_5\text{Me}_5)_2(\text{CO})_4$, molecular structure and geometrical relationship with the nonmethylated analogue and corresponding chromium dimers of (J.-S. Huang, L.F. Dahl), 57

Cobalt

Cobalt-catalysed carbonylation of optically

- active and α -deuterated phenethyl halides (F. Francalanci, A. Gardano, L. Abis, T. Fiorani, M. Foà), 87
- m*- and *p*-*N,N*-Dimethylaminophenyl (ligand)-cobaloximes, pK_a 's of the conjugate acids of (K.L. Brown, M. Ngamelue), 339
- Diphenylphosphoryl azide and perfluoro-n-hexylsulphonyl azide, reactions with triphenylphosphane-platinum(0), -rhodium(I), -iridium(I), -ruthenium(0), -cobalt(II) and -copper(I) complexes of (K. Bartel, K. v. Werner, W. Beck), 79
- Metal-metal double bonds in dinuclear cobalt and rhodium precursors, chloro-gold, sulphur, selenium, tellurium and acetylene addition to (W.A. Herrmann, C. Bauer, J. Weichmann), C21
- Phosphine-nickel(II), -cobalt(II), -palladium(0) and -palladium(II) complexes as catalysts in cross-coupling reactions of aryl- and alkyl-Grignard reagents with organic tellurides (S. Uemura, S.-I. Fukuzawa, S.R. Patil), 9
- Tetracyanocobaltate(I), reaction with aryl halides of; formation of σ -arylpentacyanocobaltates(III) and cyanation to aryl cyanides (T. Funabiki, H. Nakamura, S. Yoshida), 95
- [1]Ferrocenophanes, structure and reactions of (M. Clemance, R.M.G. Roberts, J. Silver), 461
- Germanium pentafluorophenyl hydrides, interaction with triethylthallium of (M.N. Bochkarev, T.A. Basalgina, G.S. Kalinina, G.A. Razuvaev), 405
- Organomercurials, interaction with zero-valent nickel complex of (L.S. Isaeva, L.N. Morozova, V.V. Bashilov, P.V. Petrovskii, V.I. Sokolov, O.A. Reutov), 253
- Pentamethylcyclopentadienylgermanium chloride and trichlorogermanate, preparation and properties of (F.X. Kohl, P. Jutzi), 31
- Triphenyl(trifluoroacetato)germanium(IV), crystal and molecular structure of (C. Glidewell, D.C. Liles), 291

Gold

- Hexaruthenium nitrosyl cluster, synthesis of and X-ray analysis of $Ru_6C(CO)_{14}(NO)_2$ and $Ru_6C(CO)_{15}(NO)(AuPPh_3)$ (B.F.G. Johnson, J. Lewis, W.J.H. Nelson, J. Puga, P.R. Raithby, D. Braga, M. McPartlin, W. Clegg), C13

Copper

- Chiral lithium (2-pyridyl)[(S)-2-(1-dimethylaminoethyl)phenyl]cuprate, conjugate additions with (H. Malmberg, M. Nilsson), 241
- Diphenylphosphoryl azide and perfluoro-n-hexylsulphonyl azide, reactions with triphenylphosphane-platinum(0), -rhodium(I), -iridium(I), -ruthenium(0), -cobalt(II), and copper(I) complexes of (K. Bartel, K. v. Werner, W. Beck), 79

General

- 1,2,3,4,5-Pentamethylcyclopentadiene, improved synthesis of (F.X. Kohl, P. Jutzi), 119

Germanium

- Dialkylgermylenes, $R_2Ge \cdot NEt_3$, condensation reactions with various oxiranes and thiirane of (J. Barrau, M. Bouchaut, H. Lavayssière, G. Dousse, J. Satgé), 281

Iridium

- η -Cyclopentadienyl- η -methyl dienonate-rhodium and -iridium complexes; base hydrolysis and protonation studies (P. Powell), 205
- Diphenylphosphoryl azide and perfluoro-n-hexylsulphonyl azide, reactions with triphenylphosphane-platinum(0), -rhodium(I), -iridium(I), -ruthenium(0), -cobalt(II) and -copper(I) complexes of (K. Bartel, K. v. Werner, W. Beck), 79
- Pentadecacarbonylhexairidium, reaction with a mixture of CO, H_2 and ethylene of; formation and X-ray characterisation of the anionic cluster $[Ir_6(CO)_{15}COEt]^-$ (F. Demartin, M. Manassero, M. Sansoni, L. Garlaschelli, C. Raimondi C., S. Martinengo), C10

Iron

- Alkali metal tetracarbonylferrates in the synthesis of amines and dehalogenation reactions with (G.P. Boldrini, G. Cainelli, A. Umani-Ronchi), 195

- σ, π -Arene-bridged carbonyliron complex, μ -(*o*-C₆H₄CH₂NC₆H₅)Fe₃(CO)₈, synthesis and X-ray structure of (N.S. Nametkin, V.D. Tyurin, A.I. Nekhaev, Yu.P. Sobleev, M.G. Kondrat'eva, A.S. Batsanov, Yu.T. Struchkov), 323
- (η^5 -C₅H₅)₂Fe(CO)(PPh₃)₂(COCH₂COR) complexes, fragmentation to [η^5 -C₅H₅)Fe(CO)₂(PPh₃)₂]⁺ of (S.G. Davies, O. Watts, N. Aktugo, H. Felkin), C51
- Dicyclopentadienylnickelcarbonyliron, [Fe₂(η -C₅H₅)₂(CO)₄], reaction with alkyl isocyanides and formation of [Fe₂(η -C₅H₅)₂(CNR)₂] (G. McNally, P.T. Murray, A.R. Manning), C87
- 1,4-Diferrocenyl-1,4-dibora-2,5-cyclohexadiene complexes with carbonylmetal fragments (G.E. Herberich, M.M. Kucharska-Jansen), 45
- [1]Ferrocenophanes, structure and reactions of (M. Clemanec, R.M.G. Roberts, J. Silver), 461
- [1.1]Ferrocenophane and bridge- and ring-substituted derivatives, conformational properties of (V.K. Kansal, W.E. Watts, U.T. Mueller-Westerhoff), 443
- (η^1 -2-Methoxyallyl)cyclopentadienyldicarbonyliron complex, enhanced reactivity in cycloaddition reactions with olefins by introduction of a phosphite ligand (R. Baker, V.B. Rao, E. Erdik), 451
- Methylphosphine-bridged hexacarbonyliron complexes, Fe₂(CO)₆(μ -PHMe)₂, ¹H and ³¹P NMR spectra of (P.M. Treichel, D.J. Berg), 315
- Phosphido- and chloro-bridged carbonyliron compounds, synthesis and structural characterisation of (R.L. De), 331
- Thiaphane conversion to cyclophane via iron pentacarbonyl (A.R. Koray), 191

Lithium

- Chiral lithium (2-pyridyl)[(*S*)-2-(1-dimethylaminoethyl)phenyl]cuprate, conjugate additions with (H. Malmberg, M. Nilsson), 241
- α, ω -Dichloropermethyloxanes, selectivity in the reactions of alkyllithium reagents with (S.A. Kazoura, W.P. Weber), 149
- Mono-P-donor crown ether hybrid ligand complexes with potential for activation of coordinated CO via selective cation binding (J. Powell, K.S. Ng, W.W. Ng, S.C. Nyburg), C1

- Pentamethylcyclopentadienylgermanium chloride and trichlorogermanate, preparation and properties of (F.X. Kohl, P. Jutzi), 31
- Phenyllithium and phenylsodium *o*-functional derivatives of IVB and VB elements, synthesis and rearrangements of (J. Heinicke, E. Nietzschmann, A. Tzschach), 1

Magnesium

- Dicyclopentadienyldichlorotitanium-magnesium, ¹³C and ¹H NMR spectroscopy application to investigation of the dinitrogen fixation process in (P. Sobota, Z. Janas), 35
- Organic halides in reaction with magnesium, mechanism of the solid state reaction (G.B. Sergeev, V.V. Zagorsky, F.Z. Badaev), 123
- Organometallic titanoxane, [Cp₂TiC(Ph)=CH(Ph)]₂O, synthesis and X-ray structure determination of; evidence for a titanocene complex (V.B. Shur, S.Z. Bernadyuk, V.V. Burlakov, V.G. Andrianov, A.I. Yanovsky, Yu.T. Struchkov, M.E. Vol'pin), 157
- Phosphine-nickel(II), -cobalt(II), -palladium(0) and -palladium(II) complexes as catalysts in cross-coupling reactions of aryl- and alkyl-Grignard reagents with organic tellurides (S. Uemura, S.-I. Fukuzawa, S.R. Patil), 9

Mercury

- Mercurimethanes, CH_{4-n}(HgX)_n (X = Cl, Br, I, CN), ¹⁹⁹Hg NMR spectroscopy of (D.K. Breiting, W. Kress, R. Sendelbeck, K. Ishiwada), 245
- Organomercurials, interaction with zero-valent nickel complex of (L.S. Isaeva, L.N. Morozova, V.V. Bashilov, P.V. Petrovskii, V.I. Sokolov, O.A. Reutov), 253

Metalloenes

- Cyclopentadienylnickel compounds, coordination of bifunctional ligands in (N. Kuhn, M. Winter), C42
- Decamethylruthenocene, electrochemical oxidation of (U. Koelle, A. Salzer), C27
- 1,3-Dichloro-2,4-di-*t*-butyldiazadiphosphet-

- idine as a coordinating ligand in cyclopentadienylnickel complexes (N. Kuhn, M. Winter), C47
- Dicyclopentadienyldichlorotitanium-magnesium, ^{13}C and ^1H NMR spectroscopy application to investigation of the dinitrogen fixation process in (P. Sobota, Z. Janas), 35
- 1,4-Diferrocenyl-1,4-diboro-2,5-cyclohexadiene complexes with carbonylmetal fragments (G.E. Herberich, M.M. Kucharska-Jansen), 45
- [1] Ferrocenophanes, structure and reactions of (M. Cleman, R.M.G. Roberts, J. Silver), 461
- [1.1] Ferrocenophane and bridge- and ring-substituted derivatives, conformational properties of (V.K. Kansal, W.E. Watts, U.T. Mueller-Westerhoff), 443
- Organometallic titanoxane, $[\text{Cp}_2\text{TiC}(\text{Ph})=\text{CH}(\text{Ph})]_2\text{O}$, synthesis and X-ray structure determination of; evidence for a titanocene complex (V.B. Shur, S.Z. Bernadyuk, V.V. Burlakov, V.G. Andrianov, A.I. Yanovsky, Yu.T. Struchkov, M.E. Vol'pin), 157
- Pentakis(methoxycarbonyl)cyclopentadienyl ligand, introduction into stannocene of (F.X. Kohl, E. Schlüter, P. Jutzi), C37
- ## Molybdenum
- Aminocarbenchloromolybdenum complexes, synthesis from $\text{C}_5\text{H}_5(\text{CO})_3\text{MoNa}$ and *N*-methylbenzimidoyl chloride (H. Brunner, W. Meyer, J. Wachter), 437
- Carbene chelate complexes derived from *N*-methylbenzimidoyl chloride, structural investigation and stereochemistry of addition products of nucleophiles to (H. Brunner, J. Wachter, I. Bernal, G.M. Reisner, R. Benn), 179
- $[\eta\text{-C}_5\text{H}_5\text{Mo}(\text{CO})_2]_2[\mu\text{-catena}(\text{CH}_3\text{As})_5]$, synthesis and structural characterisation of; example of ring \rightarrow chain conversion upon coordination (A.L. Rheingold, M.R. Churchill), 165
- $(\eta^5\text{-Cyclopentadienyl})\text{tricarbonyl}(\text{hydrido})\text{-molybdenum}$ and -tungsten complexes, IR evidence for stepwise substitution of ethylene and insertion into the metal-hydrogen bond of (H.G. Alt, K.A. Mahmoud, A.J. Rest), C5
- 1,4-Diferrocenyl-1,4-diboro-2,5-cyclohexadiene complexes with carbonylmetal fragments (G.E. Herberich, M.M. Kucharska-Jansen), 45
- Dioxodibromomolybdenum(V) complex, transformation of an epoxide into a 1,2-dibromoalkane by (H. Arzoumanian, H. Krentzien, R. Lai, J. Metzger, J.-F. Pétrignani), 175
- Mono-P-donor crown ether hybrid ligand complexes with potential for activation of coordinated CO via selective cation binding (J. Powell, K.S. Ng, W.W. Ng, S.C. Nyburg), C1
- Pentamethylcyclopentadienylmolybdenum dimer $\text{Mo}_2(\eta^5\text{-C}_5\text{Me}_5)_2(\text{CO})_4$, molecular structure and geometrical relationship with the nonmethylated analogue and corresponding chromium dimers of (J.-S. Huang, L.F. Dahl), 57
- ## Nickel
- Bis(triphenylphosphine)(η^3 -allyl) cationic complexes, oligomerisation of butadienes with (P. Grenouillet, D. Neibecker, I. Tkatchenko), 213
- Cyclopentadienylnickel cationic complexes with Sb-donor ligands (N. Kuhn, M. Winter), C83
- Cyclopentadienylnickel compounds, coordination of bifunctional ligands in (N. Kuhn, M. Winter), C42
- 1,3-Dichloro-2,4-di-*t*-butyldiazadiphosphetidine as a coordinating ligand in cyclopentadienylnickel complexes (N. Kuhn, M. Winter), C47
- Organomercurials, interaction with zero-valent nickel complex of (L.S. Isaeva, L.N. Morozova, V.V. Bashilov, P.V. Petrovskii, V.I. Sokolov, O.A. Reutov), 253
- Phosphine-nickel(II), -cobalt(II), -palladium(0) and -palladium(II) complexes as catalysts in cross-coupling reactions of aryl- and alkyl-Grignard reagents with organic tellurides (S. Uemura, S.-I. Fukuzawa, S.R. Patil), 9
- Phosphorus, arsenic, antimony and bismuth trivalent compounds and their $\text{LNi}(\text{CO})_3$ complexes, Fourier transform ^{13}C NMR study of (G.M. Bodner, C. Gagnon, D.N. Whittern), 305
- Tricarbonyl(1-3:5,6- η -cyclooctadienylum)-iron cation and its derivatives, ligand substitution and nucleophilic reactivity of (G. Schiavon, C. Paradisi), 351

Niobium

(η^2 -Disulphido)-niobium complexes, synthesis and comparison of their reactivity with that of (η^2 -dioxo) complexes of (J.-L. Migot, J. Sala-Pala, J.-E. Guerschais), 427

Osmium

1,4-Diferrocenyl-1,4-dibora-2,5-cyclohexadiene complexes with carbonylmetal fragments (G.E. Herberich, M.M. Kucharska-Jansen), 45

$\text{OsH}_4(\text{PMe}_2\text{Ph})_3$, dimerisation following photodissociation of dihydrogen of (M.A. Green, J.C. Huffman, K.G. Caulton), C78

Palladium

Di- μ -chlorobis(*N,N*-dialkylbenzylamine-2, *C,N*)dipalladium(II) complexes, preparation of (N. Barr, S.F. Dyke), 223

Palladium(II) cyclic acyl complexes derived from quinoline-8-carbaldehyde and 2-(dimethylamino)benzaldehyde, synthesis and NMR spectroscopy of (C.G. Anklin, P.S. Pregosin), 101

Phosphine-nickel(II), -cobalt(II), -palladium(0) and -palladium(II) complexes as catalysts in cross-coupling reactions of aryl- and alkyl-Grignard reagents with organic tellurides (S. Uemura, S.-I. Fukuzawa, S.R. Patil), 9

Phosphorus

Bis(triethylphosphine)methylhaloplatinum complexes, $[\text{Pt}(\text{X})(\text{CH}_3)_2\{\text{P}(\text{C}_2\text{H}_5)_3\}_2]$ (X = Cl, Br, I, CN), bond energies and thermal decomposition of (A. Morvillo, G. Favero, A. Turco), 111

Bis(triphenylphosphine)(η^3 -allyl) cationic complexes, oligomerisation of butadienes with (P. Grenouillet, D. Neibecker, I. Tkatchenko), 213

(η^5 - C_5H_5) $\text{Fe}(\text{CO})(\text{PPh}_3)(\text{COCH}_2\text{COR})$ complexes, fragmentation to $[(\eta^5$ - C_5H_5) $\text{Fe}(\text{CO})_2(\text{PPh}_3)]^+$ of (S.G. Davies, O. Watts, N. Aktugo, H. Felkin), C51

$\text{C}_5\text{H}_5\text{Rh}(\text{C}_2\text{R}_2)\text{PPh}_3^1$ complexes, preparation and protonation of; conversion of a rhodium tolane into isomeric rhoda-

indene (H. Werner, J. Wolf, U. Schubert) K. Ackerman), C63

Cyclopentadienylnickel compounds, coordination of bifunctional ligands in (N. Kuhn, M. Winter), C42

Diazaphosphasiletidenesulphide rhenium dinuclear complex, synthesis by isomerisation of an amino(imino)thiophosphorane of (O.J. Scherer, J. Kerth), C33

1,3-Dichloro-2,4-di-*t*-butyldiazadiphosphetidine as a coordinating ligand in cyclopentadienylnickel complexes (N. Kuhn, M. Winter), C47

η^6 -(2,6-Dimethylpyridine)(triphenylphosphine)dicarbonylchromium and related compounds, synthesis of (H.W. Choi, M.S. Sollberger), C39

Diphenylphosphoryl aride and perfluoro-n-hexylsulphonyl azide, reactions with triphenylphosphane-platinum(0), -rhodium(I), -iridium(I), -ruthenium(0), -cobalt(II) and -copper(I) complexes of (K. Bartel, K. v. Werner, W. Beck), 79

Dodecacarbonyltriruthenium η^2 -olefin derivatives, formation and η^2 -alkyne-hydrido complex of; crystal structures of $\text{Ru}_3(\mu$ -*P*, η^2 - $\text{CH}_2=\text{CHC}_6\text{H}_4\text{PPh}_2)(\text{CO})_{10}$ and $\text{H}_2\text{Ru}_3(\mu_3$ -*P*, η^2 - $\text{HC}\equiv\text{CC}_6\text{H}_4\text{PPh}_2)(\text{CO})_8$ (M.I. Bruce, B.K. Nicholson, M.L. Williams), 69

[1]Ferrocenophanes, structure and reactions of (M. Clemanace, R.M.G. Roberts, J. Silver), 461

Hexaruthenium nitrosyl cluster, synthesis of and X-ray analysis of $\text{Ru}_6\text{C}(\text{CO})_{14}(\text{NO})_2$ and $\text{Ru}_6\text{C}(\text{CO})_{15}(\text{NO})(\text{AuPPh}_3)$ (B.F.G. Johnson, J. Lewis,

W.J.H. Nelson, J. Puga, P.R. Raithby, D. Braga, M. McPartlin, W. Clegg), C13

(η^1 -2-Methoxyallyl)cyclopentadienyldicarbonyliron complex, enhanced reactivity in cycloaddition reactions with olefins by introduction of a phosphite ligand (R. Baker, V.B. Rao, E. Erdik), 451

Methylphosphine-bridged hexacarbonyldiiron complexes, $\text{Fe}_2(\text{CO})_6(\mu$ -PHMe) $_2$, ^1H and ^{31}P NMR spectra of (P.M. Treichel, D.J. Berg), 315

Mono-P-donor crown ether hybrid ligand complexes with potential for activation of coordinated CO via selective cation binding (J. Powell, K.S. Ng, W.W. Ng, S.C. Nyburg), C1

Organomercurials, interaction with zero-valent nickel complex of (L.S. Isaeva, L.N. Morozova, V.V. Bashilov,

- P.V. Petrovskii, V.I. Sokolov, O.A. Reutov), 253
- $\text{OsH}_4(\text{PMe}_2\text{Ph})_3$, dimerisation following photodissociation of dihydrogen of (M.A. Green, J.C. Huffman, M.G. Caulton), C78
- Phenyllithium and phenylsodium *o*-functional derivatives of IVB and VB elements, synthesis and rearrangements of (J. Heinicke, E. Nietzschmann, A. Tzschach), 1
- Phosphido- and chloro-bridged carbonyliron compounds, synthesis and structural characterisation of (R.L. De), 331
- Phosphine-nickel(II), -cobalt(II), -palladium(0) and -palladium(II) complexes as catalysts in cross-coupling reactions of aryl- and alkyl-Grignard reagents with organic tellurides (S. Uemura, S.-I. Fukuzawa, S.R. Patil), 9
- Phosphorus, arsenic, antimony and bismuth trivalent compounds and their $\text{LNi}(\text{CO})_3$ complexes, Fourier transform ^{13}C NMR study of (G.M. Bodner, C. Gagnon, D.N. Whittern), 305
- Triethylsilanes, alcoholysis catalysed by bis-(trimethylphosphinedicarbonyldichlororuthenium) (U. Oehmichen, H. Singer), 199
- Trishydridoruthenium(IV) cationic complexes, synthesis by protonation of neutral dihydridoruthenium(II) compounds of (H. Werner, H. Kletzin), C59

Platinum

- Bis(triethylphosphine)methylhaloplatinum complexes, $[\text{Pt}(\text{X})(\text{CH}_3)_2\{\text{P}(\text{C}_2\text{H}_5)_3\}_2]$ (X = Cl, Br, I, CN), bond energies and thermal decomposition of (A. Morvillo, G. Favero, A. Turco), 111
- Diphenylphosphoryl azide and perfluoro-*n*-hexylsulphonyl azide, reactions with triphenylphosphane-platinum(0), -rhodium(I), -iridium(I), -ruthenium(0), -cobalt(II) and -copper(I) complexes of (K. Bartel, K. v. Werner, W. Beck), 79

Rhenium

- Diazaphosphasiletidenesulphide rhenium dinuclear complex, synthesis by isomerisation of an amino(imino)thiophosphorane of (O.J. Scherer, J. Kerth), C33

Rhodium

- $\text{C}_5\text{H}_3\text{Rh}(\text{C}_2\text{R}_2)\text{PPh}_3$ complexes, preparation and protonation of; conversion of a rhodium tolane into isomeric rhodaindene (H. Werner, J. Wolf, U. Schubert, K. Ackerman), C63
- η -Cyclopentadienyl- η -methyl dienoate-rhodium and -iridium complexes; base hydrolysis and protonation studies (P. Powell), 205
- Diphenylphosphoryl azide and perfluoro-*n*-hexylsulphonyl azide, reactions with triphenylphosphane-platinum(0), -rhodium(I), -iridium(I), -ruthenium(0), -cobalt(II) and -copper(I) complexes of (K. Bartel, K. v. Werner, W. Beck), 79
- Ketocarbene addition to a carbonylmetal bridged complex (W.A. Herrmann, C. Bauer, M.L. Ziegler, H. Pfisterer), C54
- Metal-metal double bonds in dinuclear cobalt and rhodium precursors, chlorogold, sulphur, selenium, tellurium and acetylene addition to (W.A. Herrmann, C. Bauer, J. Weichmann), C21

Ruthenium

- Decamethylruthenocene, electrochemical oxidation of (U. Koelle, A. Salzer), C27
- 1,4-Diferrocenyl-1,4-dibora-2,5-cyclohexadiene complexes with carbonylmetal fragments (G.E. Herberich, M.M. Kucharska-Jansen), 45
- Diphenylphosphoryl azide and perfluoro-*n*-hexylsulphonyl azide, reactions with triphenylphosphane-platinum(0), -rhodium(I), -iridium(I), -ruthenium(0), -cobalt(II) and -copper(I) complexes of (K. Bartel, K. v. Werner, W. Beck), 79
- Dodecacarbonyltriruthenium η^2 -olefin derivatives, formation and η^2 -alkyne-hydrido complex of; crystal structures of $\text{Ru}_3(\mu\text{-}P, \eta^2\text{-CH}_2=\text{CHC}_6\text{H}_4\text{PPh}_2)(\text{CO})_{10}$ and $\text{H}_2\text{Ru}_3(\mu_3\text{-}P, \eta^2\text{-HC}\equiv\text{CC}_6\text{H}_4\text{PPh}_2)(\text{CO})_8$ (M.I. Bruce, B.K. Nicholson, M.L. Williams), 69
- Hexaruthenium nitrosyl cluster, synthesis of and X-ray analysis of $\text{Ru}_6\text{C}(\text{CO})_{14}(\text{NO})_2$ and $\text{Ru}_6\text{C}(\text{CO})_{15}(\text{NO})(\text{AuPPh}_3)$ (B.F.G. Johnson, J. Lewis, W.H. W.J.H. Nelson, J. Puga, P.R. Raithby, D. Braga, M. McPartlin, W. Clegg), C13
- Triethylsilanes, alcoholysis catalysed by bis-

(trimethylphosphinedicarbonyldichlororuthenium) (U. Oehmichen, H. Singer), 199

Tris-hydridoruthenium(IV) cationic complexes, synthesis by protonation of neutral dihydridoruthenium(II) compounds of (H. Werner, H. Kletzin), C59

Selenium

(η^2 -Disulphido)-niobium complexes, synthesis and comparison of their reactivity with that of (η^2 -dioxo) complexes of (J.-L. Migot, J. Sala-Pala, J.-E. Guerschais), 427

Metal-metal double bonds in dinuclear cobalt and rhodium precursors, chlorogold, sulphur, selenium, tellurium and acetylene addition to (W.A. Herrman, C. Bauer, J. Weichmann), C21

Silicon

L(-)Bornoxyphenyl- β -(triethoxysilyl)ethylsulphidohydridotin, preparation and properties of (H. Schumann, B. Pachaly), C75

Diazaphosphasiletidenesulphide rhenium dinuclear complex, synthesis by isomerisation of an amino(imino)thiophosphorane of (O.J. Scherer, J. Kerth), C33

α, ω -Dichloropermethyloxanes, selectivity in the reactions of alkylolithium reagents with (S.A. Kazoura, W.P. Weber), 149

Disilane derivatives, comparative ^{29}Si NMR investigations of (H. Söllradl, E. Hengge), 257

[1] Ferrocenophanes, structure and reactions of (M. Clemance, R.M.G. Roberts, J. Silver), 461

Phenyllithium and phenylsodium *o*-functional derivatives of IVB and VB elements, synthesis and rearrangements of (J. Heinicke, E. Nietzschmann, A. Tzschach), 1

1,1,2,2-Tetrafluoro-1,2-disilacyclobutene, cycloaddition reactions with aldehydes and ketones of (Y.-B. Lu, C.-S. Liu), 393

1,3-Thiasilacyclopentane and 1,3- and 1,4-thiasilacyclohexane derivatives (M.G. Voronkov, S.V. Kirpichenko, E.N. Suslova, V.V. Keiko, A.I. Albanov), 271

Triethylsilanes, alcoholysis catalysed by bis-(trimethylphosphinedicarbonyldichlororuthenium) (U. Oehmichen, H. Singer), 199

Silver

Bis(1-2:5-6- η -cyclooctatetraene)silver(I) nitrate, (C_8H_8)₂AgNO₃, crystal and molecular structure of (T.C.W. Mak, W.C. Ho), 233

Sodium

Phenyllithium and phenylsodium *o*-functional derivatives of IVB and VB elements, synthesis and rearrangements of (J. Heinicke, E. Nietzschmann, A. Tzschach), 1

Sulphur

Dialkylaminoethanethiophenylboranes, synthesis and properties of (R.H. Cragg, T.J. Miller), 387

Dialkylgermylenes, $\text{R}_2\text{Ge} \cdot \text{N}(\text{Et})_3$, condensation reactions with various oxiranes and thiirane of (J. Barrau, M. Bouchaut, H. Lavyssière, G. Dousse, J. Satgé), 281

Diazaphosphasiletidenesulphide rhenium dinuclear complex, synthesis by isomerisation of an amino(imino)thiophosphorane of (O.J. Scherer, J. Kerth), C33

(η^2 -Disulphido)-niobium complexes, synthesis and comparison of their reactivity with that of (η^2 -dioxo) complexes of (J.-L. Migot, J. Sala-Pala, J.-E. Guerschais), 427

Metal-metal double bonds in dinuclear cobalt and rhodium precursors, chlorogold, sulphur, selenium, tellurium and acetylene addition to (W.A. Herrman, C. Bauer, J. Weichmann), C21

Thiaphane conversion to cyclophane via iron pentacarbonyl (A.R. Koray), 191

1,3-Thiasilacyclopentane and 1,3- and 1,4-thiasilacyclohexane derivatives (M.G. Voronkov, S.V. Kirpichenko, E.N. Suslova, V.V. Keiko, A.I. Albanov), 271

Tantalum

(η^2 -Disulphido)-niobium complexes, synthesis and comparison of their reactivity with that of (η^2 -dioxo) complexes of (J.-L. Migot, J. Sala-Pala, J.-E. Guerschais), 427

Tellurium

Metal-metal double bonds in dinuclear

cobalt and rhodium precursors, chlorogold, sulphur, selenium, tellurium and acetylene addition to (W.A. Herrman, C. Bauer, J. Weichmann), C21

Phosphine-nickel(II), -cobalt(II), -palladium(0) and -palladium(II) complexes as catalysts in cross-coupling reactions of aryl- and alkyl-Grignard reagents with organic tellurides (S. Uemura, S.-I. Fukuzawa, S.R. Patil), 9

Thallium

Germanium pentafluorophenyl hydrides, interaction with triethylthallium of (M.N. Bochkarev, T.A. Basalgina, G.S. Kalinina, G.A. Razuvaev), 405

Tin

L(-)Bornoxyphenyl- β -(triethoxysilyl)ethyl-sulphidohydridotin, preparation and properties of (H. Schumann, B. Pachaly), C75

Dibutyltin dichloride, ^{119}mSn Mössbauer study of the state of association of a dispersion in PVC of (J.S. Brooks, R.W. Clarkson, D.W. Allen), 411

Organotin complexes of crown ethers, synthesis and spectroscopic studies on (P.J. Smith, B.N. Patel), C73

Organotin(IV) oxinates in solution, stereochemistry and ^{119}Sn NMR study of (H.C. Clark, V.K. Jain, I.J. McMahon, R.C. Mehrotra), 299

Pentakis(methoxycarbonyl)cyclopentadienyl ligand, introduction into stannocene of (F.X. Kohl, E. Schlüter, P. Jutzi), C37

Phenyllithium and phenylsodium *o*-functional derivatives of IVB and VB elements, synthesis and rearrangements of (J. Heinicke, E. Nietzschmann, A. Tzschach), 1

Titanium

Dicyclopentadienyldichlorotitanium-magnesium, ^{13}C and ^1H NMR spectroscopy application to investigation of the dinitrogen fixation process in (P. Sobota, Z. Janas), 35

Organometallic titanoxane, $[\text{Cp}_2\text{Ti}(\text{Ph})=\text{CH}(\text{Ph})]_2\text{O}$, synthesis and X-ray structure determination of; evidence for a titanocene complex (V.B. Shur, S.Z. Bernadyuk,

V.V. Burlakov, V.G. Andrianov, A.I. Yanovsky, Yu.T. Struchkov, M.E. Vol'pin), 157

Tungsten

(η^5 -Cyclopentadienyl)tricarbonyl(hydrido)-molybdenum and -tungsten complexes, IR evidence for stepwise substitution of ethylene and insertion into the metal-hydrogen bond of (H.G. Alt, K.A. Mahmoud, A.J. Rest), C5

1,4-Diferrocenyl-1,4-dibora-2,5-cyclohexadiene complexes with carbonylmetal fragments (G.E. Herberich, M.M. Kucharska-Jansen), 45

Mono-P-donor crown ether hybrid ligand complexes with potential for activation of coordinated CO via selective cation binding (J. Powell, K.S. Ng, W.W. Ng, S.C. Nyburg), C1

Organozinc-transition metal internally coordinated compounds, crystal structure of $(\text{CH}_3)_2\text{N}(\text{CH}_2)_3\text{ZnW}(\eta\text{-C}_5\text{H}_5)(\text{CO})_3$ (P.H.M. Budzelaar, H.J. Alberts-Jansen, K. Mollema, J. Boersma, G.J.M. van der Kerk, A.L. Spek, A.J.M. Duisenberg), 137

Vanadium

Dicyclopentadienyl-vanadium and -chromium, oxidative addition of HN_3 and NCN_3 to (M. Morán, M. Gayoso), 423

Zinc

Organozinc-transition metal internally coordinated compounds, crystal structure of $(\text{CH}_3)_2\text{N}(\text{CH}_2)_3\text{ZnW}(\eta\text{-C}_5\text{H}_5)(\text{CO})_3$ (P.H.M. Budzelaar, H.J. Alberts-Jansen, K. Mollema, J. Boersma, G.J.M. van der Kerk, A.L. Spek, A.J.M. Duisenberg), 137

Book reviews

Advances in organometallic chemistry, Vol. 20; edited by F.G.A. Stone and R. West (G.J. Leigh), C31

Chemically modified surfaces in catalysis and electrocatalysis; edited by J.S. Miller (K.R. Seddon), C18

Inorganic syntheses, Vol. XXI; ed. by J.P. Fackler, Jr. (K.R. Seddon), C17

Sulfur in organic and inorganic chemistry, Vol. 4; edited by A. Senning (J.F. Nixon), C18