

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 246 (1983)

SUBJECT INDEX

Aluminium

Bis(methylelement)dithiooxamid derivatives (element = Al, Ga, In, Si, Ge, Sn); planar and fused structural metal-labicyclic compounds (T. Halder, W. Schwarz, J. Weidlein, P. Fischer), 29

Boron

1-Boraadamantane, iodination of ate complexes of (B.M. Mikhailov, M.E. Gurskii, D.G. Pershin), 19

7-Chloromethyl-3-allyl-3-borabicyclo[3.3.1]non-6-ene; chloro-allylic rearrangement of and synthesis of 4-chloro-1-boraadamantane complexes (B.M. Mikhailov, K.I. Cherkasova), 9

Hindered thexylb boronic esters derived from diethanolamines, N—B coordination in (R. Contreras, C. García, T. Mancilla, B. Wrackmeyer), 213

Hydride transfer reaction of ate complexes of 7-substituted 3-alkyl-3-borabicyclo[3.3.1]-nonanes and -non-6-enes (M.E. Gurskii, S.V. Baranin, A.S. Shashkov, A.I. Lutsenko, B.M. Mikhailov), 129

1-Phenyl-4,5-dihydroborepin, complexation and rearrangement of; synthesis and structure of manganese and iron triple-decker complexes with 2-ethyl-1-phenylboron as bridging ligands (G.E. Herberich, J. Hengesbach, G. Huttner, A. Frank, U. Schubert), 141

Chromium

Arene- and cycloheptatriene-chromium tricarbonyl complexes, heats of iodination of (C.D. Hoff), C53

η^5 -6-N-Dimethylamino-2,3-benzofulvene-chromium tricarbonyl, synthesis of (B.N. Strunin, V.I. Bakhmutov, N.I. Vasyukova, V.N. Trembovler, V.N. Setkina, D.N. Kursanov), 169

Cobalt

Rhodium and cobalt catalysis of the hydroformylation and hydrogenation of 1,1-diphenylethylene (Y. Matsui, M. Orchin), 57

Copper

Mixed metal decaosmium carbido clusters; X-ray structures of the mono-anions $[\text{Os}_{10}\text{C}(\text{CO})_{24}\text{Cu}(\text{NCMe})]^-$ and $[\text{Os}_{10}\text{C}(\text{CO})_{24}\text{AuPPh}_3]^-$ (B.F.G. Johnson, J. Lewis, W.J.H. Nelson, M.D. Vargas, D. Braga, M. McPartlin), C69

Gallium

Bis(methylelement)dithiooxamid derivatives (element = Al, Ga, In, Si, Ge, Sn); planar and fused structural metal-labicyclic compounds (T. Halder, W. Schwarz, J. Weidlein, P. Fischer), 29

Germanium

Bis(methylelement)dithiooxamid derivatives (element = Al, Ga, In, Si, Ge, Sn); planar and fused structural metal-labicyclic compounds (T. Halder, W. Schwarz, J. Weidlein, P. Fischer), 29

Germanones and germathiones, reactivity towards three- and four-membered cyclic organic compounds of (J. Barrau, G. Rima, H. Lavayssièvre, G. Dousse, J. Satgé), 227

Gold

Mixed metal decaosmium carbido clusters; X-ray structures of the mono-anions $[\text{Os}_{10}\text{C}(\text{CO})_{24}\text{Cu}(\text{NCMe})]^-$ and $[\text{Os}_{10}\text{C}(\text{CO})_{24}\text{AuPPh}_3]^-$ (B.F.G. Johnson, J. Lewis, W.J.H. Nelson, M.D. Vargas, D. Braga, M. McPartlin), C69

Rhodium(I) and iridium(I) π -arene-indole and π -indolylgold(I) derivatives, X-ray structure of $[(\text{Me}_3\text{TFB})\text{Rh}(\eta^6\text{-HIn})]\text{ClO}_4$ (TFB = tetrafluorobenzobarrelene) (R. Usón, L.A. Oro, J.A. Cabeza, C. Foces-Foces, F.H. Cano, S. García-Blanco), 73

Indium

Bis(methylelement)dithioxamid derivatives (element = Al, Ga, In, Si, Ge, Sn); planar and fused structural metalabicyclic compounds (T. Halder, W. Schwarz, J. Weidlein, P. Fischer), 29

Iridium

Rhodium(I) and iridium(I) π -arene-indole and *N*-indolylgold(I) derivatives, X-ray structure of $[(Me_3TFB)Rh(\eta^6\text{-HIn})]ClO_4$ (TFB = tetrafluorobenzobarrelene) (R. Usón, L.A. Oro, J.A. Cabeza, C. Foces-Foces, F.H. Cano, S. García-Blanco), 73

Rhodium(I) and iridium(I) complexes of phenazine and related ligands (A.R. Siedle, G. Filippovich, P.E. Toren, F.J. Palensky, E. Cook, R.A. Newark, W.L. Stebbings, K. Melancon, H.E. Mishmash), 83

Ruthenium(II), rhodium(III) and iridium(III) cationic arene complexes, preparative route to (M.I. Rybinskaya, A.R. Kudinov, V.S. Kaganovich), 279

Tris(triphenylphosphine)carbonyl-rhodium and -iridium, electrogeneration of (G. Zotti, S. Zecchin, G. Pilloni), 61

Iron

Carbon disulphide-iron, -palladium and -platinum complexes, reactions with electrophiles of (H. Stolzenberg, W.P. Fehlhammer, P. Dixneuf), 105
 $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)\text{CO}]PF_6$, regioselectivity of hydride addition to and rearrangement of a product of (S.G. Davies, J. Hibberd, S.J. Simpson), C26

Diiron hexacarbonyl dissymmetrical complexes, electron transfer catalysis of regioselective replacement of CO by $P(\text{OMe})_3$ in (E.K. Lhadi, C. Mahe, H. Patin, A. Darchen), C61

$[\text{Fe}(\text{CO})_3(1-5\text{-}\eta\text{-dienyl})]^+$, hydroxide addition to a carbon monoxide ligand in (J.G. Atton, L.A.P. Kane-Maguire), C23

Iron complexes with η^1 -coordinated vinyl groups, spontaneous dimethylation with methyl iodide or methylfluorosulphonic acid esters of (G. Grötsch, W. Malisch), C49

1-Phenyl-4,5-dihydroborepin, complexation and rearrangement of; synthesis and structure of manganese and iron triple-decker complexes with 2-ethyl-1-phenylborol as bridging ligands (G.E. Herberich, J. Hengesbach, G. Huttner, A. Frank, U. Schubert), 141

Trimethyl(methylene)phosphorane in deprotonation reactions with cationic carbeneiron complexes (G. Grötsch, W. Malisch), C42

Vinylidene-iron and -ruthenium disubstituted, nucleophilic properties of η^1 -acetylidy ligands (S. Abbott, S.G. Davies, P. Warner), C65

Lithium

Benzoxazol-2-yltrimethyl-silane and -stannane, synthesis of (P. Jutzi, U. Gilge), 159

η^5 -Cyclopentadienyl- η^2 -alkenealkyl-nickel complexes, synthesis from nickelocene and alkylolithium of (H. Lehmkuhl, C. Naydowski, M. Bellenbaum), C5

8-(Dimethylamino)-1-naphthyllithium etherate, structure in the solid state and in solution of (J.T.B.H. Jastrzebski, G. van Koten, K. Goubitz, C. Arlen, M. Pfeffer), C75

Heterocyclic substituted stannanes, synthesis of (P. Jutzi, U. Gilge), 163

Manganese

Cymantrene derivatives with an aryl-cymantrenyl phenyl thioneketone ligand, *E-Z* isomerisation of (V.I. Bakhmutov, P.V. Petrovskii, S.P. Dolgova, V.N. Setkina, E.I. Fedin, D.N. Kursanov), 177

Decacarbonyldimanganese, steric effects of phosphine on photochemistry of (C. Busetto, A.M. Mattucci, E.M. Cernica, R. Bertani), 183

Pentamethylcyclopentadienyltricarbonyl-manganese, photolysis under formation of $Mn \equiv Mn$ bonds of (W.A. Herrmann, R. Serrano, J. Weichmann), C57

1-Phenyl-4,5-dihydroborepin, complexation and rearrangement of; synthesis and structure of manganese and iron triple-decker complexes with 2-ethyl-1-phenylborol as bridging ligands (G.E. Herberich, J. Hengesbach, G. Huttner, A. Frank, U. Schubert), 141

Tin-manganese low symmetry compounds, Mössbauer spectra of (B. Mahieu, D. Apers, I. Vanden Eynde, M. Gielen), 49

Mercury

Mercurimethanes, ^1H and ^{13}C NMR investigations of (W. Kress, D.K. Breitinger, R. Sendelbeck), 1
Trifluoromethyl- and trichloromethyl-mercury(II) compounds, force field studies of (J. Mink, P.L. Goggin), 115

Metallocenes

η^5 -Cyclopentadienyl- η^2 -alkenealkyl-nickel complexes, synthesis from nickelocene and alkylolithium of (H. Lehmkuhl, C. Naydowski, M. Bellenbaum), C5
Dicyclopentadienyltantalum complexes (A. Antíñolo, M. Fajardo, A. Otero, P. Royo), 269
Diphenylacetylene in reaction with $[(\eta^5\text{-C}_5\text{H}_5)_2\text{ZrH}(\mu\text{-H})]_2$, mechanistic and theoretical considerations (D.G. Bickley, N. Hao, P. Bougeard, B.G. Sayer, R.C. Burns, M.J. McGlinchey), 257
Hydrido-acetylidyne- and -vinylidene-osmium clusters, reactions with $[(\eta\text{-C}_5\text{H}_5)\text{Ni}(\text{CO})]_2$ of and of osmium carbonyls with $(\eta\text{-C}_5\text{H}_5)_2\text{Ni}_2(\text{HC}_2\text{Bu-t})$; synthesis and crystal structure of $(\eta\text{-C}_5\text{H}_5)\text{Ni}(\mu\text{-H})\text{Os}_3(\text{CO})_9(\mu_4\text{-}\eta^2\text{-C=CHBu-t})$ (E. Sappa, A. Tiripicchio, M. Tiripicchio Camellini), 287
Pentamethylcyclopentadienyltricarbonyl-manganese, photolysis under formation of Mn=Mn bonds of (W.A. Herrmann, R. Serrano, J. Weichmann), C57
1-Phenyl-4,5-dihydroborepin, complexation and rearrangement of; synthesis and structure of manganese and iron triple-decker complexes with 2-ethyl-1-phenylborol as bridging ligands (G.E. Herberich, J. Hengesbach, G. Huttner, A. Frank, U. Schubert), 141
Selenophosphoranes as ligands in cyclopentadienylnickel complexes (N. Kuhn, M. Winter), C80
Titanocene derivatives with aminothiophenolates as ligands (H. Köpf, S. Grabowski, B. Block), 243

Molybdenum

(η^5 -Cyclopentadienyl)tricarbonyl-molybdenum and -tungsten radicals, IR matrix isolation evidence for the formation in carbon monoxide matrices at 12 K of (K.A. Mahmoud, A.J. Rest, H.G. Alt), C37

Dinitrogen ligand properties deduced from ^{95}Mo NMR spectroscopy (S. Donovan-Mtunzi, M. Hughes, G.J. Leigh, H.M. Ali, R.L. Richards, J. Mason), C1

(Acetylacetone)(L-N-methylprolinol)-dioxomolybdenum, enantioselective epoxydation of an alcohol catalysed by (S. Coleman-Kammula, E.T. Duim-Koolstra), 53

Nickel

η^5 -Cyclopentadienyl- η^2 -alkenealkylnickel complexes, synthesis from nickelocene and alkylolithium of (H. Lehmkuhl, C. Naydowski, M. Bellenbaum), C5

η^2 -Dithiomethyl ester group, unprecedented intramolecular attack by a phosphine on; X-ray crystal structure of the complex $[\text{Ph}_2\text{PCH}_2\text{CH}_2\text{N}-(\text{CH}_2\text{CH}_2\text{PPh}_2)_2\text{Ni}(\text{CS}_2\text{Me})]\text{BPh}_4^-$ (C. Bianchini, C.A. Ghilardi, A. Meli, A. Orlandini), C18

Hydrido-acetylidyne- and -vinylidene-osmium clusters, reactions with $[(\eta\text{-C}_5\text{H}_5)\text{Ni}(\text{CO})]_2$ of and of osmium carbonyls with $(\eta\text{-C}_5\text{H}_5)_2\text{Ni}_2(\text{HC}_2\text{Bu-t})$; synthesis and crystal structure of $(\eta\text{-C}_5\text{H}_5)\text{Ni}(\mu\text{-H})\text{Os}_3(\text{CO})_9(\mu_4\text{-}\eta^2\text{-C=CHBu-t})$ (E. Sappa, A. Tiripicchio, M. Tiripicchio Camellini), 287

Ni-C addition to complexed alkenes (H. Lehmkuhl, C. Naydowski, R. Benn, A. Rufińska, G. Schroth), C9

Selenophosphoranes as ligands in cyclopentadienylnickel complexes (N. Kuhn, M. Winter), C80

Osmium

Hydrido-acetylidyne- and -vinylidene-osmium clusters, reactions with $[(\eta\text{-C}_5\text{H}_5)\text{Ni}(\text{CO})]_2$ of and of osmium carbonyls with $(\eta\text{-C}_5\text{H}_5)_2\text{Ni}_2(\text{HC}_2\text{Bu-t})$; synthesis and crystal structure of $(\eta\text{-C}_5\text{H}_5)\text{Ni}(\mu\text{-H})\text{Os}_3(\text{CO})_9(\mu_4\text{-}\eta^2\text{-C=CHBu-t})$ (E. Sappa, A. Tiripicchio, M. Tiripicchio Camellini), 287

Mixed metal decaosmium carbido clusters; X-ray structures of the monoanions $[\text{Os}_{10}\text{C}(\text{CO})_{24}\text{Cu}(\text{NCMe})]^-$ and $[\text{Os}_{10}\text{C}(\text{CO})_{24}\text{AuPPh}_3]^-$ (B.F.G. Johnson, J. Lewis, W.J.H. Nelson, M.D. Vargas, D. Braga, M. McPartlin), C69

Palladium

Bis(pentafluorobenzene)palladium, chemical behaviour of THF in the presence of (G. Lopez, G. Garcia, J. Ruiz, N. Cutillaz), C83

Carbon disulphide-iron, -palladium and -platinum complexes, reactions with electrophiles of (H. Stolzenberg, W.P. Fehlhammer, P. Dixneuf), 105

3,3-Dimethyl-4-methylthio-1-butyne derivative from reaction with dichlorobis(benzonitrile)palladium; X-ray crystal structure of chloro(2,4-bis-(1',1'-dimethyl-2'-(methylthio)ethyl)-3-furyl-C,S,S)palladium(II) (R. McGrindle, G. Ferguson, G.J. Arsenault, A.J. McAlees, M. Parvez), C19

Palladium(0) complexes coordinated by quinone and 1,5-cyclooctadiene, preparation and electrochemical properties of (M. Hiramatsu, K. Shiozaki, T. Fujinami, S. Sakai), 203

Palladium(II) compounds with benzo[*h*]-quinoline and substituted 2,6-diarylpyridines (J. Selbin, M.A. Gutierrez), 95

Phosphorus

$[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)\text{CO}] \text{PF}_6^-$, regioselectivity of hydride addition to and rearrangement of a product of (S.G. Davies, J. Hibberd, S.J. Simpson), C26

Decacarbonyldimanganese, steric effects of phosphine on photochemistry of (C. Busetto, A.M. Mattucci, E.M. Cernia, R. Bertani), 183

Diiron hexacarbonyl dissymmetrical complexes, electron transfer catalysis of regioselective replacement of CO by $\text{P}(\text{OMe})_3$ in (E.K. Lhadi, C. Mahe, H. Patin, A. Darchen), C61

Dinitrogen ligand properties deduced from ^{15}Mo NMR spectroscopy (S. Donovan-Mtunzi, M. Hughes, G.J. Leigh, H.M. Ali, R.L. Richards, J. Mason), C1

η^2 -Dithiomethyl ester group, unprecedented intramolecular attack by a phosphine on; X-ray crystal structure of the complex

$[\text{Ph}_2\text{PCH}_2\text{CH}_2\text{N}(\text{CH}_2\text{CH}_2\text{PPh}_2)_2\text{Ni}(\text{CS},\text{Me})] \text{BPPh}_4^-$ (C. Bianchini, G.A. Ghilardi, A. Meli, A. Orlandini), C13

Dodecamethyl-1*λ*³-4*λ*³-diphospha-2,3-, 5,6,7,8-hexasilabicyclo[2.2.2]octane, preparation of (K. Hassler), C31

Iron complexes with η^1 -coordinated vinyl groups, spontaneous dimethylation with methyl iodide or methylfluorosulphonic acid esters of (G. Grötsch, W. Malisch), C49

Mixed metal decaosmium carbido clusters; X-ray structures of the monoanions $[\text{Os}_{10}\text{C}(\text{CO})_{24}\text{Cu}(\text{NCMe})]^-$ and $[\text{Os}_{10}\text{C}(\text{CO})_{24}\text{AuPPh}_3]^-$ (B.F.G. Johnson, J. Lewis, W.J.H. Nelson, M.D. Vargas, D. Braga, M. McPartlin), C69

Selenophosphoranes as ligands in cyclopentadienylnickel complexes (N. Kuhn, M. Winter), C80

Trimethyl(methylene)phosphorane in deprotonation reactions with cationic carbeneiron complexes (G. Grötsch, W. Malisch), C42

Tris(triphenylphosphine)carbonyl-rhodium and -iridium, electrogeneration of (G. Zotti, S. Zecchin, G. Pilloni), 61

Vinylidene-iron and -ruthenium disubstituted, nucleophilic properties of η^1 -acetylidy ligands (S. Abbott, S.G. Davies, P. Warner), C65

Platinum

Carbon disulphide-iron, -palladium and -platinum complexes, reactions with electrophiles of (H. Stolzenberg, W.P. Fehlhammer, P. Dixneuf), 105

Hydridocyanokylplatinum(II) complexes, photoinduced reductive elimination of cyanoalkanes from (S. Sostero, O. Traverso, R. Ros, R.A. Michelin), 325

Rhenium

Decacarbonyldirhenium, photochemical reactions with cyclic and acyclic olefins (K.-H. Franzreb, C.G. Kreiter), 189

Rhodium

- $[(1,5\text{-COD})\text{RhCl}]_2(\mu\text{-DAD})$ (DAD = diazadiene), structure in the solid state and in solution of; stability of conformation by $\text{Rh}^{I+}\cdots\text{H}\cdots\text{C}$ exchange influences (H. tom Dieck, J. Klaus), 301
- Dirhodium octacarbonyl and tetra-rhodium dodecacarbonyl equilibrium under carbon monoxide pressure, quantitative study of (F. Oldani, G. Bor), 309
- Rhodium and cobalt catalysis of the hydroformylation and hydrogenation of 1,1-diphenylethylene (Y. Matsui, M. Orchin), 57
- Rhodium(I) and iridium(I) π -arene-indole and -*N*-indolylgold(I) derivatives, X-ray structure of $[(\text{Me}_3\text{TFB})\text{Rh}(\eta^6\text{-HIn})]\text{ClO}_4$ (TFB = tetrafluorobenzobarrelene) (R. Usón, L.A. Oro, J.A. Cabeza, C. Foces-Foces, F.H. Cano, S. García-Blanco), 73
- Rhodium(I) and iridium(I) complexes of phenazine and related ligands (A.R. Siedle, G. Filippovich, P.E. Toren, F.J. Palensky, E. Cook, R.A. Newark, W.L. Stebbings, K. Melancon, H.E. Mishmash), 83
- Ruthenium(II), rhodium(III) and iridium(III) cationic arene complexes, preparative route to (M.I. Rybinskaya, A.R. Kudinov, V.S. Kaganovich), 279
- Tris(triphenylphosphine)carbonyl-rhodium and -iridium, electrogeneration of (G. Zotti, S. Zecchin, G. Pilloni), 61

Ruthenium

- Ruthenium(II), rhodium(III) and iridium(III) cationic arene complexes, preparative route to (M.I. Rybinskaya, A.R. Kudinov, V.S. Kaganovich), 279
- Tricarbonyl($1-3:5,6\text{-}\eta$ -cyclooctadi-enylum)ruthenium cation and derivatives, ligand substitution in and nucleophilic reactivity of (C. Paradisi, G. Schiavon), 197
- Vinylidene-iron and -ruthenium disubstituted, nucleophilic properties of η^1 -acetylide ligands (S. Abbott, S.G. Davies, P. Warner), C65

Selenium

- Selenophoranes as ligands in cyclopentadienylnickel complexes (N. Kuhn, M. Winter), C80

Silicon

- Benzoxazol-2-yltrimethyl-silane and -stannane, synthesis of (P. Jutzi, U. Gilge), 159
- Bis(methylelement)dithiooxamid derivatives (element = Al, Ga, In, Si, Ge, Sn); planar and fused structural metalabicyclic compounds (T. Halder, W. Schwarz, J. Weidlein, P. Fischer), 29
- 1,3-Diaza-2-sila-4 λ^2 -stannetidins, rearrangements with cyclic dienes of (M. Veith, F. Töllner), 219
- Dimethyl[tris(trimethylsilyl)methyl]-silyl iodide, bimolecular displacements of iodine in reactions with salts of (S.A.I. Al-Shali, C. Eaborn), C34
- Disiloxane derivatives of acetamide and benzamides (B. Dejak, Z. Lasocki), 151
- Dodecamethyl-1 λ^3 ,4 λ^3 -diphospha-2,3-5,6,7,8-hexasilabicyclo[2.2.2]octane, preparation of (K. Hassler), C31
- Trimethyl(methylene)phosphine in de-protonation reactions with cationic carbeneiron complexes (G. Gröttsch, W. Malisch), C42

Silver

- Cyclooctatetraene and silver nitrate 2/3 adduct, X-ray structure of (T.C.W. Mak), 331
- Pentahalophenylargentate(I) complexes (R. Usón, A. Laguna, J.A. Abad), 341

Sulphur

- Carbon disulphide-iron, -palladium and -platinum complexes, reactions with electrophiles of (H. Stolzenberg, W.P. Fehlhammer, P. Dixneuf), 105
- Cymantrene derivatives with an aryl-cymantrenyl phenyl thioneketone ligand, *E-Z* isomerisation of (V.I. Bakhmutov, P.V. Petrovskii, S.P. Dolgova, V.N. Setkina, E.I. Fedin, D.N. Kursanov), 177
- 3,3-Dimethyl-4-methylthio-1-butyne derivative from reaction with dichlorobis(benzonitrile)palladium; X-ray crystal structure of chloro-(2,4-bis(1',1'-dimethyl-2'-(methylthio)ethyl)-3-furyl-*C,S,S*)palladium(II) (R. McGrindle, G. Ferguson, G.J. Arsenault, A.J. McAlees, M. Parvez), C19

- η^2 -Dithiomethyl ester group, unprecedented intramolecular attack by a phosphine on; X-ray crystal structure of the complex
[Ph₂PCH₂CH₂N(CH₂CH₂PPPh₂)₂Ni(CS₂Me)]BPh₄ (C. Bianchini, C.A. Ghilardi, A. Meli, A. Orlanidini), C13
- Iron complexes with η^1 -coordinated vinyl groups, spontaneous dimethylation with methyl iodide or methylfluorosulphonic acid esters of (G. Grötsch, W. Malisch), C49
- Titanocene derivatives with aminothiophenolates as ligands (H. Köpf, S. Grabowski, B. Block), 243

Tantalum

- Dicyclopentadienyltantalum complexes (A. Antíñolo, M. Fajardo, A. Otero, P. Royo), 269

Tin

- Benzoxazol-2-yltrimethyl-silane and -stannane, synthesis of (P. Jutzi, U. Gilge), 159
- Bis(methylelement)dithioxamid derivatives (element = Al, Ga, In, Si, Ge, Sn); planar and fused structural metallabicyclic compounds (T. Halder, W. Schwarz, J. Weidlein, P. Fischer), 29
- 1,3-Diaza-2-sila-4 λ^2 -stannetidins, rearrangements with cyclic dienes of (M. Veith, F. Töllner), 219
- Heterocyclic substituted stannanes, synthesis of (P. Jutzi, U. Gilge), 163
- Tin-manganese low symmetry compounds, Mössbauer spectra of (B. Mahieu, D. Apers, I. Vanden Eynde, M. Gielen), 49

Titanium

- Titanocene derivatives with aminothiophenolates as ligands (H. Köpf, S. Grabowski, B. Block), 243

Tungsten

- (η^5 -Cyclopentadienyl)tricarbonyl-molybdenum and -tungsten radicals, IR matrix isolation evidence for the formation in carbon monoxide matrices at 12 K of (K.A. Mahmoud, A.J. Rest, H.G. Alt), C37

Zirconium

- Diphenylacetylene in reaction with [$(\eta^5$ -C₅H₅)₂ZrH(μ -H)]₂, mechanistic and theoretical considerations (D.G. Bickley, N. Hao, P. Bougeard, B.G. Sayer, R.C. Burns, M.J. McGlinchey), 257

Book reviews

- Silane coupling agents; by E.P. Pluedemann (K.M. Roch), C27
- Gmelin handbook of inorganic chemistry, 8th ed., Sc, Y, La—Lu rare earth elements, Part C4b. Data on individual chlorides; ed. by H. Bergmann (M.F. Lappert), C86
- Gmelin handbook of inorganic chemistry, 8th ed., Sn — Organotin compounds, Part 9: Triorganotin—sulfur compounds; by H. Schumann and I. Schumann (C. Eaborn), C85
- Topics in current chemistry, Vol. 104, Organotin compounds; ed. by F.L. Boschke (C. Eaborn), C85