

- |                       |                                |                       |
|-----------------------|--------------------------------|-----------------------|
| Schöttle, T., 175     | Skinner, H.A., 263             | Troitsky, V.V., 27    |
| Schumann, H., 145     | Soloveichik, G.L., 123,<br>167 | Ullenius, C., C22     |
| Schütze, B.C., 145    | Spencer, A., 323               | Wachter, J., 189      |
| Semmelhack, M.F., C15 | Stalke, D., 17                 | Walkinshaw, M.D., C19 |
| Serdobov, M.V., C12   | Stelzer, N.A., 291, 295        | White, A.H., C25      |
| Sheldrick, G.M., 17   | Struchkov, Yu.T., 271,<br>305  | Yeroushalmi, S., 283  |
| Shymanska, M.V., 237  | Szucsányi, G., 95              | Zavodnik, V.E., 159   |
| Shul'pin, G.B., C12   | Tresoldi, G., 311              | Zhvanko, O.S., 271    |
| Simonenko, A.A., 141  |                                |                       |
| Simpson, J., 199      |                                |                       |
| Sisov, A.I., 167      |                                |                       |

## JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 265 (1984)

### SUBJECT INDEX

#### Aluminium

- Aluminium and di- $\eta^5$ -cyclopentadienyltitanium, synthesis and molecular structure of solvated hydride complexes of (V.K. Belsky, A.B. Erofeev, B.M. Bulychev, G.L. Soloveichik), 123
- Bimetallic hydride complex of titanium and aluminium,  $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Ti}(\mu\text{-H})_2\text{-AlH}_2]_2(\text{CH}_3)_2\text{NCH}_2\text{CH}_2\text{N}(\text{CH}_3)_2\text{C}_6\text{H}_6$ , crystal and molecular structure of (E.B. Lobkovskii, G.L. Soloveichik, A.I. Sisov, B.M. Bulychev, A.I. Gusev, N.I. Kirillova), 167
- Selenium-containing free radicals, generation and stabilization by complex formation of (I.V. Olifirenko, I.P. Romm, E.N. Guryanova, V.V. Troitsky, L.M. Kataeva, V.A. Chernoplekova, E.G. Kataev), 27

#### Arsenic

- cis*-Dichloro-*N*-thionitrosodimethylamine) (triphenylarsine)palladium(II) complex, X-ray crystal and molecular structure of; synthesis and characterisation of neutral binuclear complexes of palladium(II) and cationic complexes of palladium(II) and platinum(II) containing *N*-thionitrosodimethylamine (G. Tresoldi, G. Bruno, P. Piraino, G. Faraone, G. Bombieri), 311
- Tris(*p*-chlorophenyl)arsin oxide, structures of two polymorphic modifications of and comparison with the structure of tris(*p*-chlorophenyl)arsinsulphide (V.K. Belsky, V.E. Zavodnik), 159

#### Boron

- Carborane cage compounds containing polymetallic chains, synthesis of (M.N. Bochkarev, E.A. Fedorova, G.A. Razuvaev, V.I. Bregadze, V.Ts. Kampel), 117
- Molybdenum and tungsten chiral poly(pyrazolyl)borate isonitrile complexes, synthesis of (E. Frauendorfer, J. Puga), 257
- Tris(pyrazolyl)borate(trimethyl)tin, a six-coordinate trialkyltin compound, synthesis and X-ray structure of (B.K. Nicholson), 153
- Vanadium complexes of 1-methyl- and 1-phenyl-borinate ions (G.E. Herberich, W. Boveleth, B. Hessner, W. Koch, E. Raabe, D. Schmitz), 225

#### Chromium

- Chromium-sulphur and chromium-selenium bonds, complex formation with, rearrangement reactions of and alkylidene addition to (W.A. Herrmann, J. Rohrmann, A. Schäfer), C1
- Molybdenum- and chromium-sulphur clusters, formation of tri- and tetranuclear clusters with  $\text{M}_3\text{S}_4$  or  $\text{M}_4\text{S}_4$  backbones by reactions with carbonylchromium, -molybdenum and -tungsten complexes (H. Brunner, H. Kauer- mann, J. Wachter), 189
- Pentacarbonyl-halophosphane-chromium complexes, cathodic reduction of (H.P. Fritz, T. Schöttle), 175

## Cobalt

Carbenium ion structure of  $[\text{Os}_3\text{H}_3(\text{CO})_9\text{-CCR}_2]^+$  complexes, applications of the  $^{187}\text{Os}$  nucleus (A.A. Koridze, O.A. Kizas, N.E. Kolobova, P.V. Petrovskii, E.I. Fedin), C33

Octacarbonyldicobalt-catalysed hydroformylation of olefins in hydrocarbon solvents, UV and IR study of the mechanism of (M.F. Mirbach), 205

Tricobaltcarbon clusters, nitrosyl derivatives of (S.P. Colbran, B.H. Robinson, J. Simpson), 199

## Copper

Olefin-copper(I)  $\pi$ -complex formation in conjugate addition of lithium dimethylcuprate to *t*-butyl cinnamate (G. Hallnemo, T. Olsson, C. Ullenius), C22

## Gallium

Trimethylindium and trimethylgallium, synthesis of adducts of (A.C. Jones, N.D. Gerrard, D.J. Cole-Hamilton, A.K. Holliday, J.B. Mullin), 9

## Germanium

Carborane cage compounds containing polymetallic chains, synthesis of (M.N. Bochkarev, E.A. Fedorova, G.A. Razuvaev, V.I. Bregadze, V.Ts. Kampele), 117

Selenium-containing free radicals, generation and stabilization by complex formation of (I.V. Olifirenko, I.P. Romm, E.N. Guryanova, V.V. Troitsky, L.M. Kataeva, V.A. Chernoplekova, E.G. Kataev), 27

Tetra-*o*-tolylgermanium, structure of (V.K. Belsky, A.A. Simonenko, V.O. Reikshfeld), 141

## Gold

Ethynylgold(I) complexes, preparation and reactions of (R.J. Cross, M.F. Davidson, A.J. McLennan), C37

## Indium

Trimethylindium and trimethylgallium, synthesis of adducts of (A.C. Jones, N.D. Gerrard, D.J. Cole-Hamilton, A.K. Holliday, J.B. Mullin), 9

## Iron

( $\mu$ -Butatriene)hexacarbonyldiiron complex, conformation determined by  $^1\text{H}$  NMR studies in three nematic phases of (S. Arumugam, A.C. Kunwar, C.L. Khetrupal), 73

Carbonyliron complexes, influence of substituents on  $\eta^3:\eta^1\rightleftharpoons\eta^2$ -tautomerism in (L.V. Rybin, N.A. Stelzer, I.A. Garbusova, B.V. Lokshin, M.I. Rybinskaya), 295

Carbonyliron complexes, thermodynamic characteristics of  $\eta^3:\eta^1\rightleftharpoons\eta^2$ -tautomerism in (M.I. Rybinskaya, L.V. Rybin, N.A. Stelzer, L.A. Garbusova, B.V. Lokshin), 291

$\eta^4$ -(1,3-Diene)tricarbonyliron(0) complexes, complexes derived by nucleophile addition/carbonylation of (M.F. Semmelhack, J.W. Herndon), C15

1,12-Dimethyl-2,11-dithia-5,8-dioxo[12]-(1,1')ferrocenophane, crystal and molecular structure of the *meso*-diastereoisomer of (P.L. Bellon, F. Demartin, V. Scatturin, B. Czech), 65

$\alpha$ -Halocarbeneporphyriniron complexes, reactions with alcohols and thiols under formation of new porphyrin complexes of (J.-P. Battioni, D. Dupré, P. Guérin, D. Mansui), 53

(Phosphenium)iron tetracarbonyl cationic complexes, structure/reactivity relationships for (A.H. Cowley, R.A. Kemp, E.A.V. Ebsworth, D.W.H. Rankin, M.D. Walkinshaw), C19

Tricarbonylcyclohexadieneiron carbinol, proton elimination in conversion into an endocyclic cation from (B.M.R. Bandara, A.J. Birch), C6

Tricobaltcarbon clusters, nitrosyl derivatives of (S.P. Colbran, B.H. Robinson, J. Simpson), 199

## Lithium

$\eta^4$ -(1,3-Diene)tricarbonyliron(0) complexes, complexes derived by nucleophile addition/carbonylation of (M.F. Semmelhack, J.W. Herndon), C15

Olefin-copper(I)  $\pi$ -complex formation in conjugate addition of lithium dimethylcuprate to *t*-butyl cinnamate (G. Hallnemo, T. Olsson, C. Ullenius), C22

Silicene ylid dimerisation by methanide and silylamine migration (W. Clegg, U. Klingebiel, G.M. Sheldrick, D. Stalke), 17

Tricarbonylcyclohexadieneiron carbinol, proton elimination in conversion into an endocyclic cation from (B.M.R. Bandara, A.J. Birch), C6

## Manganese

Cyclopentadienyldicarbonylmanganese-phosphonium ylide complexes; X-ray crystal and molecular structure of  $(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_2\text{Mn}^-\text{C}(\text{P}^+\text{Ph}_3)=\text{C}=\text{CPh}_2 \cdot \text{CH}_2\text{Cl}_2$  (N.E. Kolobova, L.L. Ivanov, O.S. Zhvanko, O.M. Khitrova, A.S. Batsanov, Yu.T. Struchkov), 271

$[\eta^5\text{-}1,2,3,4,5\text{-Pentakis}(\text{carbomethoxy})\text{-cyclopentadienyl}]$ tricarbonylmanganese(I), synthesis, spectroscopy and reactivity of (C. Arsenault, P. Bougeard, B.G. Sayer, S. Yeroushalmi, M.J. McGlinchey), 283

Transition metal-substituted phosphoranes, reactivity of; crystal and molecular structure of 2-pentacarbonylmanganese-1,3,2-benzodioxaphosphole-2-oxide (S.S.C. Chu, R.D. Rosenstein, M. Lattman, B.N. Anand), 45

## Mercury

Carborane cage compounds containing polymetallic chains, synthesis of (M.N. Bochkarev, E.A. Fedorova, G.A. Razuvaev, V.I. Bregadze, V.Ts. Kampel), 117

## Metalloenes

1,12-Dimethyl-2,11-dithia-5,8-dioxa[12]-(1,1')ferrocenophane, crystal and molecular structure of the *meso*-diastereoisomer of (P.L. Bellon, F. Demartin, V. Scatturin, B. Czech), 65

Vanadium complexes of 1-methyl- and 1-phenyl-borinate ions (G.E. Herberich, W. Boveleth, B. Hessner, W. Koch, E. Raabe, D. Schmitz), 225

## Molybdenum

Molybdenum- and chromium-sulphur clusters, formation of tri- and tetranuclear clusters with  $\text{M}_3\text{S}_4$  or  $\text{M}_4\text{S}_4$  backbones by reactions with carbonylchromium, -molybdenum and -tungsten complexes (H. Brunner, H. Kauer- mann, J. Wachter), 189

Molybdenum and tungsten chiral poly-(pyrazolyl)borate isonitrile complexes, synthesis of (E. Frauendorfer, J. Puga), 257

## Niobium

Halodicyclopentadienyl-niobium(V) and -tantalum(V) mixed complexes, preparation of (A. Antiñolo, M. Fajardo, A. Otero, P. Royo), 35

## Osmium

Carbenium ion structure of  $[\text{Os}_5\text{H}_3(\text{CO})_9\text{-CCR}_2]^+$  complexes, applications of the  $^{187}\text{Os}$  nucleus (A.A. Kordize, O.A. Kizas, N.E. Kolobova, P.V. Petrovskii, E.I. Fedin), C33

Triosmium clusters, studies of nucleophilic additions at bridging vinyl ligands in (A.J. Deeming, P.J. Manning), 87

## Palladium

*cis*-Dichloro-*N*-thionitrosodimethylamine)-(triphenylarsine)palladium(II) complex, X-ray crystal and molecular structure of; synthesis and characterisation of neutral binuclear complexes of palladium(II) and cationic complexes of palladium(II) and platinum(II) containing *N*-thionitrosodimethylamine (G. Tresoldi, G. Bruno, P. Piraino, G. Faraone, G. Bombieri), 311

5-Nitro-8-(2-[2.2.1] bicycloheptyl)-1,2,3,4,4a,8b-hexahydro-1,4-methanobiphenylene, palladium catalysed preparation and X-ray structure of (G. Boccelli, M. Catellani, G.P. Chiusoli, S. Larocca), C9

Palladium-catalysed arylations of alkenes with bromobenzoic acid derivatives, preparation of non-symmetrically-substituted divinylbenzenes from (A. Spencer), 323

## Phosphorus

$\mu$ -Carbonyl- $\mu$ -chlorodi[ $\mu$ -bis(diphenylphosphino)amine-*P,P'*] bis[carbonylrhodium(I)] chloride/methanol, crystal and molecular structure of (G. Liehr, G. Szucsányi, J. Ellermann), 95

Carborane cage compounds containing polymetallic chains, synthesis of (M.N.

- Bochkarev, E.A. Fedorova, G.A. Razuvaev, V.I. Bregadze, V.Ts. Kampeľ), 117
- Cyclopentadienyldicarbonylmanganese-phosphonium ylide complexes; X-ray crystal and molecular structure of  $(\eta\text{-C}_5\text{H}_5)(\text{CO})_2\text{Mn}^+\text{C}(\text{P}^+\text{Ph}_3)=\text{C}=\text{CPh}_2\cdot\text{CH}_2\text{Cl}_2$  (N.E. Kolobova, L.L. Ivanov, O.S. Zhvanko, O.M. Khitrova, A.S. Batsanov, Yu.T. Struchkov), 271
- Ethynylgold(I) complexes, preparation and reactions of (R.J. Cross, M.F. Davidson, A.J. McLennan), C37
- Pentacarbonyl-halophosphane-chromium complexes, cathodic reduction of (H.P. Ftitz, T. Schöttle), 175
- Pentacarbonyl(triphenylphosphine)tungsten and pentacarbonyl(methoxy(phenyl)methylene)tungsten, enthalpy of formation of (G. Al-Takhin, J.A. Connor, G. Filcher, H.A. Skinner), 263
- (Phosphenium)iron tetracarbonyl cationic complexes, structure/reactivity relationships for (A.H. Cowley, R.A. Kemp, E.A.V. Ebsworth, D.W.H. Rankin, M.D. Walkinshaw), C19
- Platinum(0)-containing diphosphines, mixed ligand complexes of (H.C. Clark, P.N. Kapoor, I.J. McMahon), 107
- Propionylruthenium complexes derived from reaction of ethylene and  $\text{RuHCl}(\text{CO})_2(\text{PPh}_3)_2$  (K.R. Grundy, J. Jenkins), 77
- Transition metal-substituted phosphoranes, reactivity of; crystal and molecular structure of 2-pentacarbonylmanganese-1,3,2-benzodioxaphosphole-2-oxide (S.S.C. Chu, R.D. Rosenstein, M. Lattman, B.N. Anand), 45
- Trichloro-1,6-bis(diphenylphosphino)-*trans*-hex-3-enerhodium(III) and dichlorocarbonyl-1,6-bis(diphenylphosphino)-*trans*-hex-3-eneruthenium(II), X-ray structures of (G.R. Clark, K. Marsden), 215
- Triosmium clusters, studies of nucleophilic additions at bridging vinyl ligands in (A.J. Deeming, P.J. Manning), 87
- Platinum**
- Carborane cage compounds containing polymetallic chains, synthesis of (M.N. Bochkarev, E.A. Fedorova, G.A. Razuvaev, V.I. Bregadze, V.Ts. Kampeľ), 117
- cis*-Dichloro-*N*-thionitrosodimethylamine)-(triphenylarsine)palladium(II) complex, X-ray crystal and molecular structure of; synthesis and characterization of neutral binuclear complexes of palladium(II) and cationic complexes of palladium(II) and platinum(II) containing *N*-thionitrosodimethylamine (G. Tresoldi, G. Bruno, P. Piraino, G. Faraone, G. Bombieri), 311
- Ethynylgold(I) complexes, preparation and reactions of (R.J. Cross, M.F. Davidson, A.J. McLennan), C37
- Platinum(II) and platinum(IV) complex formation by reactions of  $\text{PtCl}_4^{2-}$  with alkanes, olefins and aromatics induced by  $\gamma$ -radiation (M.V. Serdobov, G.V. Nizova, G.B. Shul'pin), C12
- Platinum(0)-containing diphosphines, mixed ligand complexes of (H.C. Clark, P.N. Kapoor, I.J. McMahon), 107
- Rhenium**
- Carbenium ion structure of  $[\text{Os}_3\text{H}_3(\text{CO})_9\text{-CCR}_2]^+$  complexes, applications of the  $^{187}\text{Os}$  nucleus (A.A. Koridze, O.A. Kizas, N.E. Kolobova, P.V. Petrovskii, E.I. Fedin), C33
- Rhodium**
- $\mu$ -Carbonyl- $\mu$ -chlorodi[ $\mu$ -bis(diphenylphosphino)amine-*P,P'*] bis(carbonylrhodium(I)) chloride/methanol, crystal and molecular structure of (G. Liehr, G. Szecányi, J. Ellermann), 95
- Dirhodium centre, intramolecular interaction between organic isocyanates and hexafluorobut-2-yne on; X-ray crystal structure of  $(\eta\text{-C}_2\text{H}_5)_2\text{Rh}_2\cdot\{\mu_2(\eta^3\text{-C}(\text{CF}_3)\text{C}(\text{CF}_3)\text{C}(\text{O})\text{N}(\text{PH}))\}$  (R.S. Dickson, R.J. Nesbit, H. Pateras, J.M. Patrick, A.H. White), C25
- $(\eta^5\text{-Pentamethylcyclopentadienyl})(\eta^3\text{-1,3-dimethylallyl})\text{chlororhodium}$ , X-ray structure of and localized "di- $\pi$ -olefin- $\sigma$ " bonding of  $\text{C}_2\text{H}_2$  (A.S. Batsanov, Yu.T. Struchkov), 305
- Trichloro-1,6-bis(diphenylphosphino)-*trans*-hex-3-enerhodium(III) and dichlorocarbonyl-1,6-bis(diphenylphosphino)-*trans*-hex-3-eneruthenium-

(II), X-ray structures of (G.R. Clark, K. Marsden), 215

## Ruthenium

Carbenium ion structure of  $[\text{Os}_2\text{H}_3(\text{CO})_6\text{-CCR}_2]^+$  complexes, applications of the  $^{187}\text{Os}$  nucleus (A.A. Koridze, O.A. Kizas, N.E. Kolobova, P.V. Petrovskii, E.I. Fedin), C33

Propionylruthenium complexes derived from reaction of ethylene and  $\text{RuHCl}(\text{CO})_2(\text{PPh}_3)_2$  (K.R. Grundy, J. Jenkins), 77

Trichloro-1,6-bis(diphenylphosphino)-*trans*-hex-3-enerhodium(III) and dichlorocarbonyl-1,6-bis(diphenylphosphino)-*trans*-hex-3-eneruthenium(II), X-ray structures of (G.R. Clark, K. Marsden), 215

## Selenium

Chromium-sulphur and chromium-selenium bonds, complex formation with, rearrangement reactions of and alkylidene addition to (W.A. Herrmann, J. Rohrmann, A. Schäfer), C1

Selenium-containing free radicals, generation and stabilization by complex formation of (I.V. Olifirenko, I.P. Romm, E.N. Guryanova, V.V. Troitsky, L.M. Kataeva, V.A. Chernoplekova, E.G. Kataev), 27

## Silicon

Dihydrofurylsilanes, interaction with dichlorocarbene under phase-transfer conditions (E. Lukevics, V.N. Gevorgyan, Y.S. Goldberg, A.P. Gaukhman, M.P. Gavars, J.J. Popelis, M.V. Shymanska), 237

Diorgano(alkoxy)tin asymmetric halides, synthesis and application to stereoselective reductions of (H. Schumann, B. Pachaly, B.C. Schütze), 145

Methoxysilane, purification of (R.H. Chung, S.E. Hayes), 135

Silicene ylid dimerisation by methanide and silylamine migration (W. Clegg, U. Klingebiel, G.M. Sheldrick, D. Stalke), 17

## Sodium

Methoxysilane, purification of (R.H. Chung, S.E. Hayes), 135

## Sulphur

Chromium-sulphur and chromium-selenium bonds, complex formation with, rearrangement reactions of and alkylidene addition to (W.A. Herrmann, J. Rohrmann, A. Schäfer), C1

*cis*-Dichloro-*N*-thionitrosodimethylamine-(triphenylarsine)palladium(II) complex, X-ray crystal and molecular structure of; synthesis and characterisation of neutral binuclear complexes of palladium(II) and cationic complexes of palladium(II) and platinum(II) containing *N*-thionitrosodimethylamine (G. Tresoldi, G. Bruno, P. Piraino, G. Faraone, G. Bombieri), 311

1,12-Dimethyl-2,11-dithia-5,8-dioxo[12]-(1,1')ferrocenophane, crystal and molecular structure of the *meso*-diastereoisomer of (P.L. Bellon, F. Demartin, V. Scatturin, B. Czech), 65

$\alpha$ -Halocarbeneporphyriniron complexes, reactions with alcohols and thiols under formation of new porphyrin complexes of (J.-P. Battioni, D. Dupré, P. Guérin, D. Mansui), 53

Molybdenum- and chromium-sulphur clusters, formation of tri- and tetranuclear clusters with  $\text{M}_3\text{S}_4$  or  $\text{M}_4\text{S}_4$  backbones by reactions with carbonylchromium-, -molybdenum- and -tungsten complexes (H. Brunner, H. Kauerer, J. Wachter), 189

Pentacarbonyl-halophosphane-chromium complexes, cathodic reduction of (H.P. Fritz, T. Schöttle), 175

Tris(*p*-chlorophenyl)arsin oxide, structures of two polymorphic modifications of and comparison with the structure of tris(*p*-chlorophenyl)arsinsulphide (V.K. Belsky, V.E. Zavodnik), 159

## Tantalum

Halodicyclopentadienyl-niobium(V) and -tantalum(V) mixed complexes, preparation of (A. Antiñolo, M. Fajardo, A. Otero, P. Royo), 35

## Tin

Diorgano(alkoxy)tin asymmetric halides, synthesis and application to stereoselective reductions of (H. Schumann, B. Pachaly, B.C. Schütze), 145

Tris(pyrazolyl)borate(trimethyl)tin, a six-coordinate trialkyltin compound, synthesis and X-ray structure of (B.K. Nicholson), 153

## Titanium

Bimetallic hydride complex of titanium and aluminium,  $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Ti}(\mu\text{-H})_2\text{-AlH}_2]_2(\text{CH}_3)_2\text{NCH}_2\text{CH}_2\text{N}(\text{CH}_3)_2\text{C}_6\text{H}_6$ , crystal and molecular structure of (E.B. Lobkovskii, G.L. Soloveichik, A.I. Sisov, B.M. Bulychev, A.I. Gusev, N.I. Kirillova), 167

## Tungsten

Molybdenum- and chromium-sulphur clusters, formation of tri- and tetranuclear clusters with  $\text{M}_3\text{S}_4$  or  $\text{M}_4\text{S}_4$  backbones by reactions with carbonyl-chromium, -molybdenum and -tungsten complexes (H. Brunner, H. Kauer- mann, J. Wachter), 189

Molybdenum and tungsten chiral poly-(pyrazolyl)borate isonitrile complexes, synthesis of (E. Frauendorfer, J. Puga), 257

Pentacarbonyl(triphenylphosphine)-tungsten and pentacarbonyl(methoxy-(phenyl)methylene)tungsten, enthalpy of formation of (G. Al-Takhin, J.A. Connor, G. Filcher, H.A. Skinner), 263

## Vanadium

Dicyclopentadienylvanadium alkynide complex,  $(\text{C}_5\text{H}_5)_2\text{VC}\equiv\text{CC}(\text{CH}_3)_3$ , synthesis and crystallographic characterization of (W.J. Evans, I. Bloom, R.J. Doedens), 249

Vanadium complexes of 1-methyl- and 1-phenyl-borinate ions (G.E. Herberich, W. Boveleth, B. Hessner, W. Koch, E. Raabe, D. Schmitz), 225

## Yttrium

Aluminium and di- $\eta^5$ -cyclopentadienyl- yttrium, synthesis and molecular structure of solvated hydride complexes of (V.K. Belsky, A.B. Erofeev, B.M. Bulychev, G.L. Soloveichik), 123

Di- $\eta^5$ -cyclopentadienyl {2-[(dimethyl- amino)methyl]phenyl-C,N}yttrium, formation and molecular structure of (M.D. Rausch, D.F. Foust, R.D. Rogers, J.L. Atwood), 241

## Zinc

Diethylzinc, kinetics and mechanism of reactions with phenols in cyclic ethers of (F. Górecki, W. Kuran), 1

## Book reviews

Carbanion chemistry; by R.B. Bates and C.A. Ogle (C. Eaborn), C30

New pathways for organic synthesis: practical aspects of transition metals; by H.M. Colquhoun, J. Holton, D.J. Thompson, M.V. Twigg (P.A. Chal- oner), C40

Tables of spectral data for structure determination of organic compounds; by E.O. Pretsch, T. Clerc, J. Seibl, W. Simon (C. Eaborn), C31

Topics in current chemistry 109; Wittig chemistry; edited by F.L. Boschke (C. Eaborn), C29