

- | | | |
|-----------------------------|--------------------------|-------------------------|
| Schulte, H.-G., 29 | Tarhouni, R., C1 | Weber, W.P., C10 |
| Seevogel, K., 29 | Tatsumi, K., 141 | Weidlein, J., 337 |
| Serrano, R., 55 | Thorn, D.L., 283 | Werner, H., 105 |
| Seyferth, D., 123 | Tiripicchio, A., C17 | Whitmire, K.H., 169 |
| Shriver, D.F., 169 | Tzschach, A., C13 | Winter, W., 351 |
| Simms, B.L., 295 | | Winterborn, D.J.W., C37 |
| Singleton, E., C25, C62 | Uchida, Y., 155 | Wormsbächer, D., C40 |
| Smith, J.D., 1 | Urabe, A., 321 | |
| Stegmann, H.B., 351 | Vandenberg, D.M., 309 | Yamazaki, H., 251 |
| Stobart, S.R., C45 | Van Niekerk, G.C., C25 | Yates, J.E., C62 |
| Stolzenberg, H., 73 | Varma, R.S., 331 | Youngs, W.J., 295 |
| Struchkov, Yu.T., 81 | Vick, S.C., 123 | Xu, X.-J., 435 |
| Sugiura, S., 155 | Villieras, J., C1 | Yünlü, K., 363 |
| Sullivan, P.S., 427 | Von Philipsborn, W., 231 | Zakrzewski, J., 391 |
| Suzuki, T.M., 309 | Vos, J.G., 385 | Zanella, P., 363 |
| Syed-Mustafa, S.N.A.B., C21 | Wakatsuki, Y., 251 | Zanotti, V., 73 |
| Takahashi, T., 155 | Weber, U., 351 | Ziegler, M.L., 55 |

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 272 (1984)

SUBJECT INDEX

Aluminium

Bis(dimethylmetal(III) glyoximato)-metallate(II) (metal(III) = Al, Ga, In; metal(II) = Ni, Pd, Pt, Cu) (U. Kohler, H.-D. Hausen, J. Weidlein), 337

Arsenic

Monohydridomethylbenzeneruthenium(II) complexes containing Group V donor ligands, synthesis of; isomerism arising from cyclometallation of a tertiary phosphine at aliphatic and aromatic carbon atoms in (M.A. Bennett, T.-N. Huang, J.L. Latten), 189

Boron

[Tris(trimethylsilyl)methyl]diphenylborane, preparation and crystal structure of (C. Eaborn, M.N.A. El-Kheli, P.B. Hitchcock, J.D. Smith), 1

Chromium

Bis(diisopropylamino)phosphine- and di-isopropylaminochlorophosphine-metal carbonyl complexes, formation and reactions of (R.B. King, W.-K. Fu), C33

Cyclopentadienyldicarbonyl ferriodithiocarbonic acid anion, reactions with metal compounds of (H. Stolzenberg, W.P. Fehlhammer, M. Monari, V. Zanotti, L. Busetto), 73

Magnesium hydride, catalysed addition to isoprene and styrene of (B. Bogdanović, M. Maruthamuthu), 115

Metal carbonyls, novel electrogeneration of reactive formylmetal complexes from (B.A. Narayanan, J.K. Kochi), C49

Cobalt

Alkylcobalt complexes in catalytic cycles for hydrogenation of alkenes (T.S. Janik, M.F. Pyszczek, P.S. Sullivan, J.D. Atwood), 427

- Cobaltacyclopentadiene and dinuclear cobalt complexes, preparation and X-ray crystallography of (H. Yamazaki, Y. Wakatsuki), 251
- Cyclopentadienylidicarbonyl ferriodithiocarbonic acid anion, reactions with metal compounds of (H. Stolzenberg, W.P. Fehlhammer, M. Monari, V. Zanotti, L. Busetto), 73
- Dicobalt octacarbonyl, reaction with acetylene and CO at low temperature and pressure, formation of cyclic enone products (N.E. Schore, B.E. La Belle, M.J. Knudsen, H. Hope, X.-J. Xu), 435
- Organocobalt complexes as catalysts in synthesis of pyridine derivatives; correlation between ^{13}C and ^{59}Co NMR data in (H. Bönnemann, W. Brijoux, R. Brinkmann, W. Meurers, R. Mynott, W. von Philipsborn, T. Egolf), 231

Copper

- Bis(dimethylmetal(III) glyoximato)metallate(II) (metal(III) = Al, Ga, In; metal(II) = Ni, Pd, Pt, Cu) (U. Kohler, H.-D. Hausen, J. Weidlein), 337

Gallium

- Bis(dimethylmetal(III) glyoximato)metallate(II) (metal(III) = Al, Ga, In; metal(II) = Ni, Pd, Pt, Cu) (U. Kohler, H.-D. Hausen, J. Weidlein), 337

Indium

- Bis(dimethylmetal(III) glyoximato)metallate(II) (metal(III) = Al, Ga, In; metal(II) = Ni, Pd, Pt, Cu) (U. Kohler, H.-D. Hausen, J. Weidlein), 337

Iridium

- η^6 -Arene(pentamethylcyclopentadienyl)-iridium dication, double nucleophilic attack on (S.L. Grundy, P.M. Maitlis), 265
- (Cyclopentadienyl)(triisopropyl)diphenyl-acetyleneiridium complexes, synthesis, reactivity and formation of an isomeric iridaindene compound of (H. Werner, A. Höhn), 105

- σ -Cyclopropaneiridium complex, formation by intramolecular activation of a cyclopropylphosphine rearrangement to a chelating α -vinyl complex (W.J. Youngs, B.L. Simms, J.A. Ibers), 295
- Dihydridoiridium diolefin complexes with sulphur ligands, formation and reactions of (J.C. Rodriguez, C. Claver, A. Ruiz), C67
- Hydroxymethyliridium(III) compound, formation and addition of the O—H bond to bound acetonitrile of (D.L. Thorn, J.C. Calabrese), 283
- Iridium carbonyl in alkaline solution, homogeneous catalysis of the water gas shift reaction by (D.M. Vandenberg, T.M. Suzuki, P.C. Ford), 309

Iron

- N-Acetyl derivatives of 3-ferrocenyl-5-*p*-bromophenyl- and -3-*p*-bromo-phenyl-5-ferrocenylpyrazolines-2, X-ray determination of geometries in the molecules of (V.G. Andrianov, Yu.T. Struchkov, V.N. Postnov, E.I. Klimova, V.A. Sazonova), 81
- Benzene-iron reactions, matrix isolation Mössbauer investigation of (S.F. Parker, C.H.F. Peden), 411
- Bis(diisopropylamino)phosphine- and di-isopropylaminochlorophosphine-metal carbonyl complexes, formation and reactions of (R.B. King, W.-K. Fu), C33
- Cyclopentadienylidicarbonylferriodithiocarbonic acid anion, reactions with metal compounds of (H. Stolzenberg, W.P. Fehlhammer, M. Monari, V. Zanotti, L. Busetto), 73
- [Fe_x(CO)₁₂(CCH₃)]⁻, protonation and pyrolysis of (P.L. Bogdan, K.H. Whitmire, J.W. Kolis, D.F. Shriver, E.M. Holt), 169
- Ferrocene, use in organometallic synthesis of; two-step preparation of cyclopentadienyliron acetonitrile and phosphine cations via photolysis of cyclopentadienyliron tricarbonyl or arene cations (D. Catheline, D. Astruc), 417
- Iron—ruthenium centre, organic chemistry of (B.P. Gracey, S.A.R. Knox, K.A. MacPherson, A.G. Orpen, S.R. Stobart), C45
- Metal carbonyls, novel electrogeneration of reactive formylmetal complexes from (B.A. Narayanan, J.K. Kochi), C49

Lithium

- Hexa-9-phenanthrylcyclotristannane, preparation and reactions of (J. Fu, W.P. Neumann), C5
- α -Monohaloalkyllithiums, preparation and epoxidation reactions of (R. Tarhouni, B. Kirschleger, J. Villieras), C1
- Monohydridohexamethylbenzeneruthenium(II) complexes containing Group V donor ligands, synthesis of; isomerism arising from cyclometallation of a tertiary phosphine at aliphatic and aromatic carbon atoms in (M.A. Bennett, T.-N. Huang, J.L. Latten), 189

Lutetium

- Tricyclopentadienylluranium(IV)-alkyl and dialkylamide derivatives, facile insertion of CO into U—C and U—N bonds of (G. Paolucci, G. Rosetto, P. Zanella, K. Yünlü, R.D. Fischer), 363

Magnesium

- Magnesium hydride, catalysed addition to isoprene and styrene of (B. Bogdanović, M. Maruthamuthu), 115

Manganese

- Cyclopentadienyldicarbonyl ferriodithiocarbonic acid anion, reactions with metal compounds of (H. Stolzenberg, W.P. Fehlhammer, M. Monari, V. Zanotti, L. Busetto), 73

- Manganese(I) carbonyls, with σ -bonded alkynyl ligands; crystal structure of $[\text{Co}_2(\text{CO})_6][\text{PhC}\equiv\text{CMn}(\text{CO})_4 \cdot \{\text{P}(\text{C}_6\text{H}_{11})_3\}]$ (G.A. Carriedo, V. Riera, D. Miguel, A.M.M. Lanfredi, A. Tiripicchio), C17

- Metal carbonyls, novel electrogeneration of reactive formylmetal complexes from (B.A. Narayanan, J.K. Kochi), C49

Mercury

- Divinylmercury functionally substituted compounds, synthesis of (R.S. Varma, S.A. Kunda, G.W. Kabalka), 331
- Mercury-bridged, nitrosyl-substituted tri-ruthenium carbonyl clusters, synthesis

and X-ray crystal structure of $[\text{Ru}_3(\text{NO})(\text{CO})_{10}]_2\text{Hg}$ (M.P. Gomez-Sal, B.F.G. Johnson, J. Lewis, P.R. Raithby, S.N.A.B. Syed-Mustafa), C21

Metallocenes

- N-Acetyl derivatives of 3-ferrocenyl-5-p-bromophenyl- and -3-p-bromophenyl-5-ferrocenylpyrazolines-2, X-ray determination of geometries in the molecules of (V.G. Andrianov, Yu.T. Struchkov, V.N. Postnov, E.I. Klimova, V.A. Sazonova), 81
- Dicyclopentadienyl(thioketene)vanadium complexes, synthesis and structure of (R. Drews, D. Wormsbächer, U. Behrens), C40

- Ferrocene, use in organometallic synthesis of; two-step preparation of cyclopentadienyliiron acetonitrile and phosphine cations via photolysis of cyclopentadienyliiron tricarbonyl of arene cations (D. Catheline, D. Astruc), 417

- Polythia[n]ruthenocenophanes, syntheses of (S. Akabori, H. Munegumi, S. Saito, M. Sato), C54

- Zirconocene(II) dicarbonyl, $[\text{Zr}\{\eta\text{-C}_5\text{H}_3(\text{SiMe}_3)_2\}_2(\text{CO})_2]$, synthesis and characterisation of; precursor to various zirconocene(II and IV) complexes (A. Antíñolo, M.F. Lappert, D.J.W. Winterborn), C87

Molybdenum

- Bis(diisopropylamino)phosphine- and diisopropylaminochlorophosphine-metal carbonyl complexes, formation and reactions of (R.B. King, W.-K. Fu), C33

- μ -Chlorobis[(η^3 -allyl)-2,2'-bipyridyldicarbonylmolybdenum(II)] tetrafluoroborate, synthesis and structure of (M.D. Curtis, N.A. Fotinos), 43

- Cyclopentadienyldicarbonyl ferriodithiocarbonic acid anion, reactions with metal compounds of (H. Stolzenberg, W.P. Fehlhammer, M. Morani, V. Zanotti, L. Busetto), 73

- Molybdenum and tungsten dinitrogen complexes, trimethylsilylation of (M. Hidai, K. Komori, T. Kodama, D.-M. Jin, T. Takahashi, S. Sugiura, Y. Uchida, Y. Mizobe), 155

Nickel

Bis(dimethylmetal(III) glyoximato)metallate(II) (metal(III) = Al, Ga, In; metal(II) = Ni, Pd, Pt, Cu) (U. Kohler, H.-D. Hausen, J. Weidlein), 337

Trialkylphosphinetricarbonylnickel complexes, influence of substituents on basicity of (T. Bartik, T. Himmier, H.-G. Schulte, K. Seevogel), 29

Osmium

Hydridotriosmium complexes containing isomeric μ -carboxamido, $\{\mu(O,C)-O=C(NHR)\}$, μ -formamido, $\{\mu(O,N)-O=C(H)N(R)\}$, and μ -iminy, $\{\mu(C,N)-C(OR')=NR\}$ groups, synthesis of; crystal and molecular structures of $Os_3[\mu-H-\mu-C(OR')=NCH_3](CO)_10$, ($R' = C(=O)NHCH_3$) (Y.-C. Lin, A. Mayr, C.B. Knobler, H.D. Kaesz), 207

Mixed-metal carbonyl hydrides containing tungsten, synthesis and characterisation of; X-ray crystal structure of $[(Ph_3P)_2N][Os_3WH(CO)_{14}]$ (M. Fajardo, M.P. Gómez-Sal, B.F.G. Johnson, J. Lewis, P.R. Raithby), C57

$[OsCl_2(COD)]_x$ polymer as a route to hydrazine- and hydrazone-osmium(II) complexes; crystal structure of $[Os(COD)(CNBu^t)_2(NH_2N=CMe_2)_2]\cdot(BPh_4)_2 \cdot (\text{acetone})_2$ (H.E. Oosthuizen, E. Singleton, J.S. Field, G.C. van Niekerk), C25

Palladium

Bis(dimethylmetal(III) glyoximato)metallate(II) (metal(III) = Al, Ga, In; metal(II) = Ni, Pd, Pt, Cu) (U. Kohler, H.-D. Hausen, J. Weidlein), 337

η^5 -Cyclopentadienyl and η^3 -allyl ligands, electronic effects on the nature of metal–olefin bonds in; reversal of related olefin affinity of palladium(II) and platinum(II) ions (H. Kurosawa, N. Asada, A. Urabe, M. Emoto), 321

Phosphorus

Alkylcobalt complexes in catalytic cycles for hydrogenation of alkenes (T.S. Janik, M.F. Pyszczek, P.S. Sullivan, J.D. Atwood), 427

Bis(triphenylphosphine) (η -cyclohexa-1,3-diene)rhenium trihydride, crystal structure of (D. Baudry, M. Ephritikhine, H. Felkin, Y. Dromzee, Y. Jeannin), 403

Cobaltcyclopentadiene and dinuclear cobalt complexes, preparation and X-ray crystallography of (H. Yamazaki, Y. Wakatsuki), 251

(Cyclopentadienyl)(triisopropyl)diphenylacetyleneiridium complexes, synthesis, reactivity and formation of an isomeric iridaindene compound of (H. Werner, A. Höhn), 105

σ -Cyclopropaneiridium complex, formation by intramolecular activation of a cyclopropylphosphine rearrangement to a chelating σ -vinyl complex (W.J. Youngs, B.L. Simms, J.A. Ibers), 295

Ferrocene, use in organometallic synthesis of; two-step preparation of cyclopentadienyliiron acetonitrile and phosphine cations via photolysis of cyclopentadienyliiron tricarbonyl of arene cations (D. Catheline, D. Astruc), 417

Hydroxymethyliridium(III) compound, formation and addition of the O–H bond to bound acetonitrile of (D.L. Thorn, J.C. Calabrese), 283

Manganese(I) carbonyls, with σ -bonded alkynyl ligands; crystal structure of $[Co_2(CO)_6][PhC\equiv CMn(CO)_4\cdot\{P(C_6H_{11})_3\}]$ (G.A. Carriero, V. Riera, D. Miguel, A.M.M. Lanfredi, A. Tiripicchio), C17

Mixed-metal carbonyl hydrides containing tungsten, synthesis and characterisation of; X-ray crystal structure of $[(Ph_3P)_2N][Os_3WH(CO)_{14}]$ (M. Fajardo, M.P. Gómez-Sal, B.F.G. Johnson, J. Lewis, P.R. Raithby), C57

Monohydridohexamethylbenzeneruthenium(II) complexes containing Group V donor ligands, synthesis of; isomerism arising from cyclometallation of a tertiary phosphine at aliphatic and aromatic carbon atoms in (M.A. Bennett, T.-N. Huang, J.L. Latten), 189

$[RuRh_4(CO)_6(\mu_2-CO)_2]^{2-}$, synthesis of; X-ray crystal structure of bis(triphenylphosphine)iminium salt of (A. Fumagalli, G. Ciani), 91

Trialkylphosphinetricarbonylnickel complexes, influence of substituents on basicity of (T. Bartik, T. Himmier, H.-G. Schulte, K. Seevogel), 29

Trihydridodienerhenium complexes, $(\text{Ph}_3\text{P})(\eta\text{-}1,3\text{-diene})\text{Re}_3$, structure and dynamic behaviour in solution of (D. Baudry, M. Ephritikhine, H. Felkin, J. Zakrzewski), 391

Platinum

Bis(dimethylmetal(III) glyoximato)metalate(II) (metal(III) = Al, Ga, In; metal(II) = Ni, Pd, Pt, Cu) (U. Kohler, H.-D. Hauser, J. Weidlein), 337
 η^5 -Cyclopentadienyl and η^3 -allyl ligands, electronic effects on the nature of metal–olefin bonds in; reversal of related olefin affinity of palladium(II) and platinum(II) ions (H. Kurosawa, N. Asada, A. Urabe, M. Emoto), 321

Rhenium

Bis(triphenylphosphine)(η -cyclohexa-1,3-diene)rhenium trihydride, crystal structure of (D. Baudry, M. Ephritikhine, H. Felkin, Y. Dromzee, Y. Jeannin), 403

Cyclopentadienyldicarbonyl ferriodithiocarbonic acid anion, reactions with metal compounds of (H. Stolzenberg, W.P. Fehlhammer, M. Monari, V. Zanotti, L. Busetto), 73

Tricarbonyl(η^5 -pentamethylcyclopentadienyl)rhenium, oxidative decarbonylation processes in the photochemistry of (W.A. Herrmann, R. Serrano, A. Schäfer, U. Küsthardt, M.L. Ziegler, E. Guggolz), 55

Trihydridodienerhenium complexes, $(\text{Ph}_3\text{P})(\eta\text{-}1,3\text{-diene})\text{ReH}_3$, structure and dynamic behaviour in solution of (D. Baudry, M. Ephritikhine, H. Felkin, J. Zakrzewski), 391

Rhodium

$[\text{RuRh}_4(\text{CO})_6(\mu_2\text{-CO})_6]^{2-}$, synthesis of; X-ray crystal structure of bis(triphenylphosphine)iminium salt of (A. Fumagalli, G. Ciani), 91

Ruthenium

Bis(1–3:5–6- η -cyclooctadienyl)ruthenium, preparation, NMR spectroscopy and isomerisation via activation of a C–H bond of (K. Itoh, H. Nagashima, T. Ohshima, N. Oshima, H. Nishiyama), 179

Cyclopentadienyldicarbonyl ferriodithiocarbonic acid anion, reactions with metal compounds of (H. Stolzenberg, W.P. Fehlhammer, M. Monari, V. Zanotti, L. Busetto), 73

Iron–ruthenium centre, organic chemistry of (B.P. Gracey, S.A.R. Knox, K.A. MacPherson, A.G. Orpen, S.R. Stobart), C45

Mercury-bridged, nitrosyl-substituted triruthenium carbonyl clusters, synthesis and X-ray crystal structure of $[\text{Ru}_3(\text{NO})(\text{CO})_{10}]_2\text{Hg}$ (M.P. Gómez-Sal, B.F.G. Johnson, J. Lewis, P.R. Raithby, S.N.A.B. Syed-Mustafa), C21

Monohydridohexamethylbenzeneruthenium(II) complexes containing Group V donor ligands, synthesis of; isomerism arising from cyclometallation of a tertiary phosphine at aliphatic and aromatic carbon atoms in (M.A. Bennett, T.-N. Huang, J.L. Latten), 189

Polythia[n]ruthenocenophanes, syntheses of (S. Akabori, H. Munegumi, S. Saito, M. Sato), C54

$[\text{RuRh}_4(\text{CO})_6(\mu_2\text{-CO})_6]^{2-}$, synthesis of; X-ray crystal structure of bis(triphenylphosphine)iminium salt of (A. Fumagalli, G. Ciani), 91

Ruthenium(II) dimeric complexes containing bridging carboxylato and aquo ligands; crystal structure of $\mu\text{-aquo}\text{bis}(\mu\text{-trifluoroacetato})\text{bis}[\eta^6\text{-cycloocta-1,5-diene})(\text{trifluoroacetato})\text{ruthenium(II)}$ (M.O. Albers, D.C. Liles, E. Singleton, J.E. Yates), C61

Silicon

Cyclopentadienyldicarbonyl ferriodithiocarbonic acid anion, reactions with metal compounds of (H. Stolzenberg, W.P. Fehlhammer, M. Monari, V. Zanotti, L. Busetto), 73

Dodecamethylcyclohexasilane, photolysis of (I.S. Alnaimi, W.P. Weber, A.S. Nazran, D. Griller), C10

Magnesium hydride, catalysed addition to isoprene and styrene of (B. Bogdanović, M. Maruthamuthu), 115

Molybdenum and tungsten dinitrogen complexes, trimethylsilylation of (M. Hidai, K. Komori, T. Kodama, D.-M. Jin, T. Takahashi, S. Sugiura, Y. Uchida, Y. Mizobe), 155

Silacycloprenes, synthesis and properties of (D. Seyferth, D.C. Annarelli, S.C. Vick), 123

Silylenes, mechanistic suggestions for isomerisation of (I.M.T. Davidson, K.J. Hughes, R.J. Scampton), 11

Trialkylphosphinetricarbonylnickel complexes, influence of substituents on basicity of (T. Bartik, T. Himmeler, H.-G. Schulte, K. Seevogel), 29

Trimethylsilsilylcloalkanes, comparative study of structures and reactivity of (M. Grignon-Dubois, A. Marchand, J. Dunoguès, B. Barbe, M. Pétraud), 19

[Tris(trimethylsilyl)methyl]diphenylborane, preparation and crystal structure of (C. Eaborn, M.N.A. El-Kheli, P.B. Hitchcock, J.D. Smith), 1

Zirconocene dicarbonyl, $[\text{Zr}(\eta\text{-C}_5\text{H}_5\text{SiMe}_3)_2(\text{CO})_2]$, synthesis and characterisation of; precursor to various zirconocene(II and IV) complexes (A. Antíñolo, M.F. Lappert, D.J.W. Winterborn), C37

Sulphur

Cyclopentadienyldicarbonyl ferriodithiocarbonic acid anion, reactions with metal compounds of (H. Stolzenberg, W.P. Fehlhammer, M. Monari, V. Zanotti, L. Busetto), 73

Dicyclopentadienyl(thioketene)vanadium complexes, synthesis and structure of (R. Drews, D. Wormsbächer, U. Behrens), C40

Dihydridoiridium diolefin complexes with sulphur ligands, formation and reactions of (J.C. Rodriguez, C. Claver, A. Ruiz), C67

$[\text{Fe}_4(\text{CO})_{12}(\text{CCH}_3)]^-$, protonation and pyrolysis of (P.L. Bogdan, K.H. Whitmire, J.W. Kolis, D.F. Shriver, E.M. Holt), 169

Polythia[n]ruthenocenophanes, syntheses of (S. Akabori, H. Munegumi, S. Saito, M. Sato), C54

Thorium

Tricyclopentadienyluranium(IV)-alkyl and -dialkylamide derivatives, facile insertion of CO into U—C and U—N bonds of (G. Paolucci, G. Rossetto, P. Zanella, K. Yünlü, R.D. Fischer), 363

Tin

1-Aza-5-stanna-5,5-dimethylbicyclo-[3.3.0^{1,5}]octane and 1-aza-5-stanna-5-methyltricyclo[3.3.3.0^{1,5}]undecane, pentacoordinated tetraorganotin compounds (K. Jurkschat, A. Tzschach), C13

Cyclopentadienyldicarbonyl ferriodithiocarbonic acid anion, reactions with metal compounds of (H. Stolzenberg, W.P. Fehlhammer, M. Monari, V. Zanotti, L. Busetto), 73

Hexa-9-phenanthrylcyclotristannane, preparation and reactions of (J. Fu, W.P. Neumann), C5

Metal carbonyls, novel electrogeneration of reactive formylmetal complexes from (B.A. Narayanan, J.K. Kochi), C49

Paramagnetic tin complexes, ESR and ENDOR investigations of; structural analysis of 3,5-di-t-butyl-1,2-phenylenedioxybis(*o*-trifluoromethylphenyl)-methanol/tin(IV) (T. Butters, K. Scheffler, H.B. Stegmann, U. Weber, W. Winter), 351

Titanium

Magnesium hydride, catalysed addition to isoprene and styrene of (B. Bogdanović, M. Maruthamuthu), 115

Uranium

Tricyclopentadienyluranium(IV)-alkyl and -dialkylamide derivatives, facile insertion of CO into U—C and U—N bonds of (G. Paolucci, G. Rossetto, P. Zanella, K. Yünlü, R.D. Fischer), 363

Tris(cyclopentadienyl)uranium(IV)-ligand complexes (K. Tatsumi, A. Nakamura), 141

Vanadium

Dicyclopentadienyl(thioketene)vanadium complexes, synthesis and structure of (R. Drews, D. Wormsbächer, U. Behrens), C40

Tungsten

- Bis(diisopropylamino)phosphine- and diisopropylaminochlorophosphine-metal carbonyl complexes, formation and reactions of (R.B. King, W.-K. Fu), C33
- Cyclopentadienyldicarbonyl ferriodithiocarbonic acid anion, reactions with metal compounds of (H. Stolzenberg, W.P. Fehlhammer, M. Monari, V. Zanotti, L. Busetto), 73
- Mixed-metal carbonyl hydrides containing tungsten, synthesis and characterisation of; X-ray crystal structure of $[(\text{Ph}_3\text{P})_2\text{N}] [\text{Os}, \text{WH}(\text{CO})_4]$ (M. Fajardo, M.P. Goméz-Sal, B.F.G. Johnson, J. Lewis, P.R. Raithby), C57
- Molybdenum and tungsten dinitrogen complexes, trimethylsilylation of (M. Hidai, K. Komori, T. Kodama, D.-M. Jin, T. Takahashi, S. Sugiura, Y. Uchida, Y. Mizobe), 155
- Tetracarbonyl(6-p-styryl-2,2'-bipyridyl)-tungsten(0), crystal and molecular structure of (C. Long, J.G. Vos, R.A. Howie, J.M. Kelly), 385

Zirconium

- Magnesium hydride, catalysed addition to isoprene and styrene of (B. Bogdanović, M. Maruthamuthu), 115
- Zirconocene(II) dicarbonyl, $[\text{Zr} \{\eta\text{-C}_5\text{H}_3(\text{SiMe}_3)_2\}_2 (\text{CO})_2]$, synthesis and characterisation of; precursor to various zirconocene(II and IV)

complexes (A. Antiñolo, M.F. LapPERT, D.J.W. Winterborn), C37

Book reviews

- Catalysis, science and technology, Vol. 5; edited by J.R. Anderson and M. Boudart (G.J. Leigh), C29
- Gmelin handbook of inorganic chemistry, 8th edit., F — Fluorine, Suppl. Vol. 3: Compounds with hydrogen (K.R. Seddon), C70
- Gmelin handbook of inorganic chemistry, 8th edit., Te — Tellurium, Suppl. Vol. A2: Physical properties. Electronic behaviour. Chemical reactions (K.R. Seddon), C71
- Gmelin handbook of inorganic chemistry, 8th edit., U — Uranium, Suppl. vol. C13: Carbonates, cyanides, alkoxides, carboxylates, compounds with silicon (K.R. Seddon), C30
- Gmelin handbook of inorganic chemistry, 8th edit., U — Uranium, Suppl. Vol. D1: Properties of uranium ions in solutions and melts (K.R. Seddon), C72
- Gmelin handbook of inorganic chemistry; 8th edit., W — Tungsten, Suppl. Vol. B5: Tungstates of Group IIIA and IIIB metals (K.R. Seddon), C74
- Mechanistic aspects of inorganic reactions; edit. by D.B. Rorabacher and J.F. Endicott (ACS symposium series 198) (K.R. Seddon), C73
- Olefin metathesis; by K.J. Ivin (G.J. Leigh), C28