

- Shymanska, M.V., 283
 Silver, J., 225
 Skripkin, Yu.V., 345
 Smirnov, A.S., 213
 Smith, J.D., C23
 Spek, A.L., C10
 Stephenson, G.R., C30
 Stephenson, T.A., 375
 Stewart, K.R., 45
 Strohmeier, W., C1
 Suleimanov, G.Z., 131
 Sullivan, A.C., C23
 Szucsányi, G., 297
- Tocher, D.A., 375
- Tomás, M., 253
 Tumanov, An.A., 213
- Ubbels, H.J.C., C10
 Usón, R., 109, 121, 253
- Vallejo, M.C., 247
 Vania, M.I., 139
 Van Koten, G., C10
 Vedel, J., C43
 Volkov, O.G., 345
- Wachter, J., 183
 Walton, R.A., 359
 Weiss, E., 67
- Weiss, J., 159
 Weston, A.F., 261
 Whittaker, M.J., C30
 Wilhelm, E., 297
 Wong, E.H., 167
 Wright, M.E., 371
- Ye, C., 333
- Zakharov, L.N., 213
 Zapf, L., 321
 Zeuner, S., 201
 Zoet, R., C10
 Zsolnai, L., 321, C33

JOURNAL OF ORGANOMETALLIC CHEMISTRY, Vol. 263 (1984)

SUBJECT INDEX

Aluminium

- Ethylzinc hydroxide as intermediate in the reaction of zinc and water (W. Kuran, M. Czernecka), 1
- Trialkylaluminium and alkylaluminium chloride compounds, determination of molecular association determined from solubility parameters and related thermodynamic quantities in (J.E. House, Jr.), 267

Antimony

- Iridium(I) complexes with tetrafluorobenzobarrelene (R. Usón, L.A. Oro, D. Carmona, M.A. Esteruelas), 109

Arsenic

- Benzenedithiolateiron complexes, [AsPh₄]₂[Fe(S₂C₆H₄)₂] and [Fe(S₂C₆H₄)(PMe₃)₃], synthesis and structure of (D. Sellmann, U. Kleine-Kleffmann, L. Zapf, G. Huttner, L. Zsolnai), 321
- Iridium(I) complexes with tetrafluorobenzobarrelene (R. Usón, L.A. Oro, D. Carmona, M.A. Esteruelas), 109
- Nonacarbonyltris(μ -hydrido)(μ_3 -methyl-

- idene)triruthenium clusters, relative rates of ligand substitution on; crystal structure of (μ -H)₃Ru₃(μ_3 -CPh)(CO)₇-(AsPh₃)₂ (Z.A. Rahman, L.R. Beanan, L.M. Bavaro, S.P. Modi, J.B. Keister, M.R. Churchill), 75
- Organotin dimethyl- and diphenyl-dithioarsinates, preparation and properties of; crystal structure of (CH₃)₂Sn[S₂As(CH₃)₂]₂ (L.S. Dumitrescu, I. Haiduc, J. Weiss), 159
- Polymethylhydrogendisiloxane, polymer-supported catalysts for the reaction with ethanol of (R.V. Parish, M.I. Vania), 139

Boron

- Bis(diphenylphosphino)amine, behaviour of di- μ -chlorobis[dicarbonylrhodium(I)] in reactions with (J. Ellermann, G. Szucsányi, K. Geibel, E. Wilhelm), 297
- 2-Phenyl-1,3,2-diazaboracycloalkanes, mass spectral study of (R.H. Cragg, M. Nazery, A.F. Weston), 261
- Tin(II) acetylacetonate in reaction with mercuric derivatives of carboranes (V.I. Bregadze, G.Z. Suleimanov, V.Ts. Kampel, M.V. Petriashvili, S.G. Mamedova, P.V. Petrovskii, N.N. Godovikov), 131

Chromium

Bis(pentamethylcyclopentadienyl)-dichromium and -dimolybdenum complexes with bridging sulphur ligands, investigation of the disulphur ligands in (H. Brunner, H. Kauermann, W. Meier, J. Wachter), 183

4-Chromanonechromium(0) tricarbonyl, ^1H NMR and X-ray crystal structure of (K.R. Stewart, S.G. Levine, A.T. McPhail), 45

$[\text{Cr}(\text{CO})_5]_2\text{P}^t\text{Bu}$, phosphinidene complex with ^{31}P NMR shift outside the documented range (G. Huttner, J. Borm, L. Zsolnai), C33

Multimetal complexes, assemblage using diphosphoxane linkages (P—O—P) of (E.H. Wong, F.C. Bradley, L. Prasad, E.J. Gabe), 167

Phospholes, reactions with carbonylmetals under CO pressure of; formation of phosphole-2*H* derivatives (F. Mercier, F. Mathey), 55

Tricarbonyl(cyclopentadienyl)metallate anions of chromium, molybdenum and tungsten, improved synthesis of (U. Behrens, F. Edelmann), 179

Copper

Tetrahydrofuran adduct of lithium bis[tris(trimethylsilyl)methyl]cuprate, $[\text{Li}(\text{THF})_4][\text{Cu}\{\text{C}(\text{SiMe}_3)_3\}_2]$, preparation and crystal structure of (C. Eaborn, P.B. Hitchcock, J.D. Smith, A.C. Sullivan), C23

Dyspromium

Early lanthanocene chlorides, stabilisation using ring-bridged dicyclopentadiene ligand of (C. Qian, C. Ye, H. Lu, Y. Li, Y. Huang), 333

Erbium

Early lanthanocene chlorides, stabilisation using ring-bridged dicyclopentadiene ligand of (C. Qian, C. Ye, H. Lu, Y. Li, Y. Huang), 333

Tris[(1,2-dimethoxyethane)lithium] hexamethyltutetate(III), synthesis and structure of (H. Schumann, H. Lauke, E. Hahn, J. Pickardt), 29

Europium

Chiral ruthenium complexes, asymmetric synthesis by; enantioface discriminating isomerisation of olefins (U. Matteoli, M. Bianchi, P. Frediani, G. Menchi, C. Botteghi, M. Marchetti), 243

Gadolinium

Early lanthanocene chlorides, stabilisation using ring-bridged dicyclopentadiene ligand of (C. Qian, C. Ye, H. Lu, Y. Li, Y. Huang), 333

Germanium

3-(2,5-Dihydrofuryl)-silanes and -germanes, synthesis and transformations under catalytic hydrogenation conditions of (E. Lukevics, V.N. Gevorgyan, Y.S. Goldberg, M.V. Shymanska), 283

Germanium—manganese double bonds in $[(\eta^5\text{-C}_5\text{H}_5)\text{Mn}(\text{CO})_2]_2$ and $[(\eta^5\text{-C}_5\text{H}_5)\text{-Mn}(\text{CO})_2]_3\text{Ge}$; GeH_2 bridged compound: $[(\eta^5\text{-C}_5\text{H}_5)_2\text{V}]_2\text{GeH}_2$, preparations of (D. Meltzer, E. Weiss), 67

Germylemercury compounds, oxidative—reductive transmetallation reactions with bis(ethylbenzene)vanadium and vanadocene of (M.N. Bochkarev, L.V. Pankratov, V.K. Cherkasov, G.A. Razuvaev, V.N. Latyaeva, A.N. Lineva), 21

Gold

4,4'-Octafluorobiphenylgold(I) complexes (R. Usón, A. Laguna, I. Colera, E. De Jesús), 121

Holmium

Early lanthanocene chlorides, stabilisation using ring-bridged dicyclopentadiene ligand of (C. Qian, C. Ye, H. Lu, Y. Li, Y. Huang), 333

Iridium

Iridium(I) complexes with tetrafluorobenzobarrelene (R. Usón, L.A. Oro, D. Carmona, M.A. Esteruelas), 109

Polymethylhydrogendisiloxane, polymer-supported catalysts for the reaction with ethanol of (R.V. Parish, M.I. Vania), 139

Iron

Benzenedithiolateiron complexes, $[\text{AsPh}_4]_2 - [\text{Fe}(\text{S}_2\text{C}_6\text{H}_4)_2]$ and $[\text{Fe}(\text{S}_2\text{C}_6\text{H}_4)(\text{PMe}_3)_3]$, synthesis and structure of (D. Sellmann, U. Kleine-Kleffmann, L. Zapf, G. Huttner, L. Zsolnai), 321

$(\eta^5\text{-C}_5\text{R}_5)_2\text{Fe}_2(\text{CO})_2(\mu\text{-CO})(\mu\text{-CH}_3)$ (R = H, CH_3), convenient one-pot synthesis using chloromethyl pivalate of (M.E. Wright, G.O. Nelson), 371

Cryptands containing metallocene units, structure determination by polarisation transfer sequences and 2-D NMR (P.D. Beer, J. Elliot, P.J. Hammond, C. Dudman, C.D. Hall), C37

Diferrocenyl monocations and related species, stabilisation and electron transfer in (D. Bickar, B. Lukas, G. Neshvad, R.M.G. Roberts, J. Silver), 225

Ferrocene complexes, Mössbauer studies on; relationships between oxidation potentials and quadrupole splittings (R.M.G. Roberts, J. Silver), 235

Multimetal complexes, assemblage using diphosphoxane linkages (P—O—P) of (E.H. Wong, F.C. Bradley, L. Prasad, E.J. Gabe), 167

Phospholes, reactions with carbonylmetals under CO pressure of; formation of phosphole-2H derivatives (F. Mercier, F. Mathey), 55

Tricarbonyl(cyclohexadienyl)iron(I⁺) substituted salts, barriers to $\text{Fe}(\text{CO})_3$ rotation in (L. Harland, G.R. Stephenson, M.J. Whittaker), C30

Lithium

Tetrahydrofuran adduct of lithium bis[tris(trimethylsilyl)methyl]cuprate, $[\text{Li}(\text{THF})_4][\text{Cu}\{\text{C}(\text{SiMe}_3)_3\}_2]$, preparation and crystal structure of (C. Eaborn, P.B. Hitchcock, J.D. Smith, A.C. Sullivan), C23

β -Trimethylphosphonio(α -trimethylsiloxy)-vinyl complexes in cleavage reactions of carbonyl groups (H. Blau, K.-H. Griessmann, W. Malisch), C5

Tris[(1,2-methoxyethane)lithium]-hexamethyltetate(III), synthesis and structure of (H. Schumann, H. Lauke, E. Hahn, J. Pickardt), 29

Lutetium

Early lanthanocene chlorides, stabilisation using ring-bridged dicyclopentadiene ligand of (C. Qian, C. Ye, H. Lu, Y. Li, Y. Huang), 333

Tris[(1,2-dimethoxyethane)lithium]hexamethyltetate(III), synthesis and structure of (H. Schumann, H. Lauke, E. Hahn, J. Pickardt), 29

Manganese

Bis(pentamethylcyclopentadienyl)-dichromium and -dimolybdenum complexes with bridging sulphur ligands, investigation of the disulphur ligands in (H. Brunner, H. Kauermann, W. Meier, J. Wachter), 183

Germanium—manganese double bonds in $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Mn}(\text{CO})_2]$ and $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Mn}(\text{CO})_2]_2\text{Ge}$; GeH_2 bridged compound: $[(\eta^5\text{-C}_5\text{H}_5)_2\text{V}]_2\text{GeH}_2$, preparations of (D. Meltzer, E. Weiss), 67

β -Trimethylphosphonio(α -trimethylsiloxy)-vinyl complexes in cleavage reactions of carbonyl groups (H. Blau, K.-H. Griessmann, W. Malisch), C5

Mercury

Germylemercury compounds, oxidative—reductive transmetallation reactions with bis(ethylbenzene)vanadium and vanadocene of (M.N. Bochkarev, L.V. Pankratov, V.K. Cherkasov, G.A. Razuvaev, V.N. Latyaeva, A.N. Lineva), 21

Tin(II) acetylacetonate in reaction with mercuric derivatives of carboranes (V.I. Bregadze, G.Z. Suleimanov, V.Ts. Kampel, M.V. Petriashvili, S.G. Mamedova, P.V. Petrovskii, N.N. Godovikov), 131

Metallocenes

Bis(alkylcyclopentadienyl)tungsten dihalides, intermolecular interaction with tetracyanoethylene and tetracyanoquinodimethane studied by UV absorption spectroscopy of (A.A. Tumanov, L.N. Zakharov, P.G. Sennikov, A.N. Egorochkin, G.A. Razuvaev, A.S. Smirnov, V.A. Dodonov), 213

- $(\eta^5\text{-C}_5\text{R}_5)_2\text{Fe}_2(\text{CO})_2(\mu\text{-CO})(\mu\text{-CH}_2)$ (R = H, CH₃), convenient one-pot synthesis using chloromethyl pivalate of (M.E. Wright, G.O. Nelson), 371
- Cryptands containing metallocene units, structure determination by polarisation transfer sequences and 2-D NMR (P.D. Beer, J. Elliot, P.J. Hammond, C. Dudman, C.D. Hall), C37
- Cyclopentadienylcyclooctatetraene compounds of titanium, cyclic voltammetry of (E. Samuel, D. Guery, J. Vedel), C43
- Diferrocenyl monocations and related species, stabilisation and electron transfer in (D. Bickar, B. Lukas, G. Neshvad, R.M.G. Roberts, J. Silver), 225
- Early lanthanocene chlorides, stabilisation using ring-bridged dicyclopentadiene ligand of (C. Qian, C. Ye, H. Lu, Y. Li, Y. Huang), 333
- Ferrocene complexes, Mössbauer studies on; relationships between oxidation potentials and quadrupole splittings (R.M.G. Roberts, J. Silver), 235
- Germanium—manganese double bonds in $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Mn}(\text{CO})_2]_2$ and $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Mn}(\text{CO})_2]_3\text{Ge}$; GeH_2 bridged compound: $[(\eta^5\text{-C}_5\text{H}_5)_2\text{V}]_2\text{GeH}_2$, preparations of (D. Meltzer, E. Weiss), 67
- Germylemercury compounds, oxidative—reductive transmetallation reactions with bis(ethylbenzene)vanadium and vanadocene of (M.N. Bochkarev, L.V. Pankratov, V.K. Cherkasov, G.A. Razuvaev, V.N. Latyaeva, A.N. Lineva), 21
- Niobocene heteronuclear derivatives containing Nb—Sn bond, synthesis, molecular structures and PMR spectra of (Yu.V. Skripkin, O.G. Volkov, A.A. Pasynskii, A.S. Antsyshkina, L.M. Dikareva, V.N. Ostrikova, M.A. Porai-Koshits, S.L. Davydova, S.G. Sakharov), 345
- Molybdenum**
- Bis(pentamethylcyclopentadienyl)-dichromium and -dimolybdenum complexes with bridging sulphur ligands, investigation of the disulphur ligands in (H. Brunner, H. Kauermann, W. Meier, J. Wachter), 183
- 1,4-Diazabutadiene-tetracarbonyl-molybdenum and -triphenylphosphinedicarbonylmolybdenum complexes, reac-

- tions with molecular halogens of (M. Iglesias, A. Llorente, C. Del Pino, A. Santos), 193
- Molybdenum(II) and tungsten(II) seven-coordinate cations containing alkyl isocyanide and bidentate N-heterocyclic ligands, isolation of (A. Bell, R.A. Walton), 359
- Multimetal complexes, assemblage using diphosphoxane linkages (P—O—P) of (E.H. Wong, F.C. Bradley, L. Prasad, E.J. Gabe), 167
- Phospholes, reactions with carbonylmetals under CO pressure of; formation of phosphole-2H derivatives (F. Mercier, F. Mathey), 55
- Tricarbonyl(cyclopentadienyl)metallate anions of chromium, molybdenum and tungsten, improved synthesis of (U. Behrens, F. Edelmann), 179

Neodymium

- Early lanthanocene chlorides, stabilisation using ring-bridged dicyclopentadiene ligand of (C. Qian, C. Ye, H. Lu, Y. Li, Y. Huang), 333

Nickel

- Nickel(II) metalloformate, thermally stable compound and its platinum(II) analogue (D.M. Grove, G. van Koten, H.J.C. Ubbels, R. Zoet, A.L. Spek), C10

Niobium

- Niobocene heteronuclear derivatives containing Nb—Sn bond, synthesis, molecular structures and PMR spectra of (Yu.V. Skripkin, O.G. Volkov, A.A. Pasynskii, A.S. Antsyshkina, L.M. Dikareva, V.N. Ostrikova, M.A. Porai-Koshits, S.L. Davydova, S.G. Sakharov), 345

Palladium

- trans*-Bis(2H-azirine)palladium dichloride complexes, preparation and opening of their azirine rings in benzene of (P. Faria Dos Santos Filho, U. Schuchardt), 385

- Bis(pentafluorophenyl)palladium(II) derivatives with N-donor ligands (G. Lopez, G. Garcia, C. De Haro, G. Sanchez, M.C. Vallejo), 247
- Multimetal complexes, assemblage using diphosphoxane linkages (P—O—P) of (E.H. Wong, F.C. Bradley, L. Prasad, E.J. Gabe), 167

Phosphorus

- Benzenedithiolateiron complexes, $[\text{AsPh}_4]_2$ - $[\text{Fe}(\text{S}_2\text{C}_6\text{H}_4)_2]$ and $[\text{Fe}(\text{S}_2\text{C}_6\text{H}_4)(\text{PMe}_3)_3]$, synthesis and structure of (D. Sellmann, U. Kleine-Kleffmann, L. Zapf, G. Huttner, L. Zsolnai), 321
- Bis(diphenylphosphino)amine, behaviour of di- μ -chlorobis[dicarbonylrhodium(I)] in reactions with (J. Ellermann, G. Szucsányi, K. Geibel, E. Wilhelm), 297
- $[\text{Cr}(\text{CO})_5]_2\text{P}^t\text{Bu}$, phosphinidene complex with ^{31}P NMR shift outside the documented range (G. Huttner, J. Borm, L. Zsolnai), C33
- 1,4-Diazabutadiene-tetracarbonylmolybdenum and -triphenylphosphinedicarbonylmolybdenum complexes, reactions with molecular halogens of (M. Iglesias, A. Llorente, C. Del Pino, A. Santos), 193
- Iridium(I) complexes with tetrafluorobenzobarrelene (R. Usón, L.A. Oro, D. Carmona, M.A. Esteruelas), 109
- Methanol, homologation in the gas phase with supported liquid phase catalyst, $\text{RuCl}_2(\text{CO})_2(\text{PPh}_3)_2 + \text{CoI}_2$ of (W. Strohmeier, G. Herrlein), C1
- Multimetal complexes, assemblage using diphosphoxane linkages (P—O—P) of (E.H. Wong, F.C. Bradley, L. Prasad, E.J. Gabe), 167
- Polymethylhydrogendisiloxane, polymer-supported catalysts for the reaction with ethanol of (R. V. Parish, M.I. Vania), 139
- Rhenium dinuclear complex containing a λ^3 -diazadiphosphetidine, synthesis and structure of (O.J. Scherer, R. Anselmann, W.S. Sheldrick), C26
- Tricarbonyl(cyclopentadienyl)metallate anions of chromium, molybdenum and tungsten, improved synthesis of (U. Behrens, F. Edelmann), 179
- β -Trimethylphosphonio(α -trimethylsiloxy)vinyl complexes in cleavage reac-

- tions of carbonyl groups (H. Blau, K.-H. Griessmann, W. Malisch), C5
- Tris(pentafluorophenyl)platinate(II) complexes (R. Usón, J. Forniés, M. Tomás, R. Fandos), 253

Platinum

- Nickel(II) metalloformate, thermally stable compound and its platinum(II) analogue (D.M. Grove, G. van Koten, H.J.C. Ubbels, R. Zoet, A.L. Spek), C10
- Tris(pentafluorophenyl)platinate(II) complexes (R. Usón, J. Forniés, M. Tomás, R. Fandos), 253

Praseodymium

- Early lanthanocene chlorides, stabilisation using ring-bridged dicyclopentadiene ligand of (C. Qian, C. Ye, H. Lu, Y. Li, Y. Huang), 333

Rhenium

- Rhenium dinuclear complex containing a λ^3 -diazadiphosphetidine, synthesis and structure of (O.J. Scherer, R. Anselmann, W.S. Sheldrick), C26

Rhodium

- Bis(diphenylphosphino)amine, behaviour of di- μ -chlorobis[dicarbonylrhodium(I)] in reactions with (J. Ellermann, G. Szucsányi, K. Geibel, E. Wilhelm), 297

Ruthenium

- Alkoxo- and thioato-bridged areneruthenium(II) complexes, synthesis and reactions of; X-ray crystal structure determination of $[\text{Ru}_2(\eta\text{-C}_6\text{H}_6)_2(\text{OMe})_3][\text{BPh}_4]$ (R.O. Gould, T.A. Stephenson, D.A. Tocher), 375
- Cryptands containing metallocene units, structure determination by polarisation transfer sequences and 2-D NMR (P.D. Beer, J. Elliot, P.J. Hammond, C. Dudman, C.D. Hall), C37

Dodecacarbonyltriruthenium as catalyst in oxidation of alcohols to esters

(Y. Blum, Y. Shvo), 93

Methanol, homologation in the gas phase with supported liquid phase catalyst,

$\text{RuCl}_2(\text{CO})_2(\text{PPh}_3)_2 + \text{CoI}_2$ of

(W. Strohmeier, G. Herrlein), C1

Nonacarbonyltris(μ -hydrido)(μ_3 -methylidyne)triruthenium clusters, relative

rates of ligand substitution on; crystal structure of (μ -H) $_3\text{Ru}_3(\mu_3\text{-CPh})(\text{CO})_7$,

(AsPh $_3$) $_2$ (Z. A. Rahman, L. R. Beanan, L. M. Bavaro, S. P. Modi, J. B. Keister,

M. R. Churchill), 75

Silicon

Bis(trimethylsilyl)-butadienyl and

-methylbutadienyl acetals, preparation and application in synthesis of

(M. Bellassoué, M. Gaudemar), C21

3-(2,5-Dihydrofuryl)-silanes and

-germanes, synthesis and transformations under catalytic hydrogenation

conditions of (E. Lukevics, V. N. Gevorgyan, Y. S. Goldberg,

M. V. Shymanska), 283

(*Z*)-*N,N*-Dimethyl-*S*-trimethylsilyl-

ketene *S,N*-acetals, *erythro*- or *threo*-selective aldol-type reactions via

(C. Goasdoué, N. Goasdoué,

M. Gaudemar), 273

Polymethylhydrogendisiloxane, polymer-

supported catalysts for the reaction with ethanol of (R. V. Parish,

M. I. Vania), 139

Silyluretanes, (*p*-XC $_6$ H $_4$)Me $_2$ SiN(Ph)-

COOEt, kinetic investigations of the hydrolysis of (K. Hänig, H. Grosse-

Ruyken, K. Rühlmann, J. Schlapa), 145

Tetrahydrofuran adduct of lithium bis-

[tris(trimethylsilyl)methyl]cuprate, [Li(THF) $_4$][Cu{C(SiMe $_3$) $_3$ } $_2$], prepara-

tion and crystal structure of

(C. Eaborn, P. B. Hitchcock,

J. D. Smith, A. C. Sullivan), C23

β -Trimethylphosphonio(α -trimethylsilo-

xy)vinyl complexes in cleavage reactions of carbonyl groups (H. Blau,

K.-H. Griessmann, W. Malisch), C5

Sulphur

Alkoxy- and thioato-bridged arene-

ruthenium(II) complexes, synthesis

and reactions of; X-ray crystal structure

determination of [Ru $_2$ (η -C $_6$ H $_6$) $_2$ (OMe) $_3$][BPh $_4$] (R. O. Gould,

T. A. Stephenson, D. A. Tocher), 375

Benzenedithiolate iron complexes, [AsPh $_4$] $_2$ -[Fe(S $_2$ C $_6$ H $_4$) $_2$] and [Fe(S $_2$ C $_6$ H $_4$)(PMe $_3$) $_3$],

synthesis and structure of (D. Sellmann,

U. Kleine-Kleffmann, L. Zapf,

G. Huttner, L. Zsolnai), 321

Bis(pentamethylcyclopentadienyl)-dichromium and -dimolybdenum com-

plexes with bridging sulphur ligands, investigation of the disulphur ligands

in (H. Brunner, H. Kauermann, W. Meier, J. Wachter), 183

(*Z*)-*N,N*-Dimethyl-*S*-trimethylsilylketene

S,N-acetals, *erythro*- or *threo*-selective aldol-type reactions via (C. Goasdoué,

N. Goasdoué, M. Gaudemar), 273

[Diphenylmethyleneamino(organyloxy)carbene]- and [alkylthio(diphenylmethyleneamino)carbene] pentacarbonyl-

tungsten complexes, preparation by insertion reactions with tungsten-carbon

bonds of (H. Fischer, S. Zeuner, K. Ackermann, U. Schubert), 201

Iridium(I) complexes with tetrafluorobenzobarrelene (R. Usón, L. A. Oro,

D. Carmona, M. A. Esteruelas), 109

Mono- η -cyclopentadienylthiobenzamidatozirconium(IV) complexes, chiral properties of (K. Berg, G. Erker), 37

Organotin dimethyl- and diphenyl-dithioarsinates, preparation and properties of;

crystal structure of (CH $_3$) $_2$ Sn[S $_2$ As(CH $_3$) $_2$] $_2$ (L. S. Dumitrescu, I. Haiduc,

J. Weiss), 159

Tin

Iridium(I) complexes with tetrafluorobenzobarrelene (R. Usón, L. A. Oro,

D. Carmona, M. A. Esteruelas), 109

Niobocene heteronuclear derivatives containing Nb-Sn bond, synthesis, molecular structures and PMR spectra of

(Yu. V. Skripkin, O. G. Volkov,

A. A. Pasynskii, A. S. Antsyshkina,

L. M. Dikareva, V. N. Ostrikova,

M. A. Porai-Koshits, S. L. Davydova,

S. G. Sakharov), 345

Organotin dimethyl- and diphenyl-dithioarsinates, preparation and properties of;

crystal structure of (CH $_3$) $_2$ Sn[S $_2$ As(CH $_3$) $_2$] $_2$ (L. S. Dumitrescu, I. Haiduc,

J. Weiss), 159

Seven-coordinate organotin complexes with 2,6-diacetylpyridine bis(2-aminobenzoyl-hydrazone), synthesis and structural characterization of (C. Pelizzi, G. Pelizzi, G. Predieri), 9

Tin(II) acetylacetonate in reaction with mercuric derivatives of carboranes (V.I. Bregadze, G.Z. Suleimanov, V.Ts. Kampel, M.V. Petriashvili, S.G. Mamedova, P.V. Petrovskii, N.N. Godovikov), 131

Titanium

Bis(trimethylsilyl)-butadienyl and -methylbutadienyl acetals, preparation and application in synthesis of (M. Bellassoued, M. Gaudemar), C21

Cyclopentadienylcyclooctatetraene compounds of titanium, cyclic voltammetry of (E. Samuel, D. Guery, J. Vedel), C43

Tungsten

Bis(alkylcyclopentadienyl)tungsten dihalides, intermolecular interaction with tetracyanoethylene and tetracyanoquinodimethane studied by UV absorption spectroscopy of (A.A. Tumanov, L.N. Zakharov, P.G. Sennikov, A.N. Egorochkin, G.A. Razuvaev, A.S. Smirnov, V.A. Dodonov), 213

[Diphenylmethyleneamino(organyloxy)-carbene]- and [alkylthio(diphenylmethyleneamino)carbene] penta-carbonyltungsten complexes, preparation by insertion reactions with tungsten-carbon bonds of (H. Fischer, S. Zeuner, K. Ackermann, U. Schubert), 201

Molybdenum(II) and tungsten(II) seven-coordinate cations containing alkyl isocyanide and bidentate N-heterocyclic ligands, isolation of (A. Bell, R.A. Walton), 359

Phospholes, reactions with carbonylmetals under CO pressure of; formation of phosphole-2H derivatives (F. Mercier, F. Mathey), 55

Tricarbonyl(cyclopentadienyl)metallate anions of chromium, molybdenum and tungsten, improved synthesis of (U. Behrens, F. Edelmann), 179

Vanadium

Germanium-manganese double bonds in $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Mn}(\text{CO})_2]_2$ and $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Mn}(\text{CO})_2]_2\text{Ge}$; GeH_2 bridged compound: $[(\eta^5\text{-C}_5\text{H}_5)_2\text{V}]_2\text{GeH}_2$, preparations of (D. Meltzer, E. Weiss), 67

Germylemercury compounds, oxidative-reductive transmetallation reactions with bis(ethylbenzene)vanadium and vanadocene of (M.N. Bochkarev, L.V. Pankratov, V.K. Cherkasov, G.A. Razuvaev, V.N. Latyaeva, A.N. Lineva), 21

Ytterbium

Early lanthanocene chlorides, stabilisation using ring-bridged dicyclopentadiene ligand of (C. Qian, C. Ye, H. Lu, Y. Li, Y. Huang), 333

Zinc

Ethylzinc hydroxide as intermediate in the reaction of zinc and water (W. Kuran, M. Czernecka), 1

Zirconium

Mono- η -cyclopentadienylthiobenzamidato-zirconium(IV) complexes, chiral properties of (K. Berg, G. Erker), 37

Book reviews

- Current trends in organic synthesis; ed. by H. Nozaki (J.W. Cornforth), C14
- Elsevier's dictionary of chemistry including terms from biochemistry, in English, French, Spanish, Italian and German; by A.F. Dorian (C. Eaborn), C15
- Gmelin handbook of inorganic chemistry, 8th ed. B, Boron compounds, 2nd supplement, Volume 1. Boron and noble gases, hydrogen, oxygen, nitrogen. Formula index for 2nd suppl. Vol. 1; by L. Barton, K. Beeker, G. Heller and A. Meller (M.F. Lappert), C46
- Gmelin handbook of inorganic chemistry, 8th edit., S — Sulfur. Supplement Vol. 4a/b: Sulfanes (C. Eaborn), C16

Gmelin handbook of inorganic chemistry,
8th edit., Sn — Organotin compounds.
Part 10: Mono- and diorganotin-sulfur
compounds, organotin-selenium and
organotin-tellurium compounds
(C. Faborn), C16

Nuclear magnetic resonance spectroscopy;
by R.K. Harris (A. Pidcock), C17

Organometallic compounds: synthesis,
structure, and theory; ed. by
B.L. Shapiro (M.F. Lappert), C13
The multinuclear approach to NMR spectro-
scopy; edited by J.P. Lambert and
F.G. Riddell (A. Pidcock), C18