

SUBJECT INDEX

Aluminium

Hydrosilylation using tris(pentanedionato)-rhodium(III)-trialkylaluminium as catalyst (A.J. Cornish, M.F. Lappert), 153

Cadmium

Mercury(II), cadmium(II), cobalt(II), and nickel(II) complexes of ambidentate sulphonium ylides, preparation of and coordination in (R.S. Tewari, A.K. Awasthi), 403

Chromium

η^6 -[1-Methyl-1-(trimethylsilyl)dibenzosilacyclopentadiene]chromium tricarbonyl, synthesis and reactions of (M. Ishikawa, T. Tabohashi), C4

Cobalt

Mercury(II), cadmium(II), cobalt(II), and nickel(II) complexes of ambidentate sulphonium ylides, preparation of and coordination in (R.S. Tewari, A.K. Awasthi), 403

Germanium

Pentakis(methoxycarbonyl)cyclopentadienyl-substituted germanium(II) and tin(II) compounds, X-ray crystal structure of bis[pentakis(methoxycarbonyl)cyclopentadienyl]tin(II) (P. Jutzi, F.-X. Kohl, E. Schlüter, M.B. Hursthouse, N.P.C. Walker), 393

Silyl- and germyl-trifluoromethylacetylenes (1,1,1-trifluoro-4-silabut-2-yne and 1,1,1-trifluoro-4-germabut-2-yne), preparation and properties of; molecular structure of silyltrifluoromethylacetylene determined by electron diffraction (D.W.W. Anderson, S. Craddock, E.A.V. Ebsworth, A.R. Green, D.W.H. Rankin, A.G. Robiette), 235

Lithium

Methyl- and halo-substituted 1-silacyclo-2-hexenes, preparation of (R. Münstedt, D. Wrobel, U. Wannagat), 181
Silaethene tetrahydrofuranate, preparation and structure of (N. Wiberg, G. Wagner, G. Müller, J. Riede), 381
(*N*-Silyl)bis(diphenylphosphino)amines and bis(*N*-silyl)diphenylphosphinoamines, isomerism and conformation of (H. Schmidbaur, S. Lauteschläger, F.H. Köhler), 173

Magnesium

Methyl- and halo-substituted 1-silacyclo-2-hexenes, preparation of (R. Münstedt, D. Wrobel, U. Wannagat), 181

Mercury

Mercury(II), cadmium(II), cobalt(II), and nickel(II) complexes of ambidentate sulphonium ylides, preparation of and coordination in (R.S. Tewari, A.K. Awasthi), 403

Metalloenes

Pentakis(methoxycarbonyl)cyclopentadienyl-substituted germanium(II) and tin(II) compounds, X-ray crystal structure of bis[pentakis(methoxycarbonyl)cyclopentadienyl]tin(II) (P. Jutzi, F.-X. Kohl, E. Schlüter, M.B. Hursthouse, N.P.C. Walker), 393

Nickel

Mercury(II), cadmium(II), cobalt(II), and nickel(II) complexes of ambidentate sulphonium ylides, preparation and coordination in (R.S. Tewari, A.K. Awasthi), 403

Palladium

- 1,3-Bis(trimethylsilylallyl)propene, functionalised vinylsilanes prepared by reaction with tetrachlorodilithiumpalladium from (R.J.P. Corriu, N. Escudié, C. Guerin), C7
- Octamethyl-1,2-disilacyclobutane, chemistry and Si-Si cleavage and insertion reactions of (D. Seyferth, E.W. Goldman, J. Escudié), 337

Phosphorus

- (*N*-Silyl)bis(diphenylphosphino)amines and bis(*N*-silyl)diphenylphosphinoamines, isomerism and conformation of (H. Schmidbaur, S. Lauteschläger, F.H. Köhler), 173

Rhodium

- Hydrosilylation using tris(pentanedionato)rhodium(III)-trialkylaluminium as catalyst (A.J. Cornish, M.F. Lappert), 153

Silicon

- 2-Benzoyloxyethylsilanes, C₆H₅COOCH₂-SiX₃ (X = F, Cl), intramolecular coordination in molecules of (M.G. Voronkov, L.I. Gubanova, Yu.L. Frolov, N.F. Chernov, G.A. Gavrilova, N.N. Chipanina), 169
- Bicyclo[*n*.1.0]alkylsilanes, synthesis and reactivity of (M. Ahra, M. Grignon-Dubois, J. Dunoguès), 15
- Bis(trimethylsilylmethyl)methyl and related radicals, ESR study of conformational transmission in (M. Kira, M. Akiyama, H. Sakurai), 23
- 1,3-Bis(trimethylsilylallyl)propene, functionalised vinylsilanes prepared by reaction with tetrachlorodilithiumpalladium from (R.J.P. Corriu, N. Escudié, C. Guerin), C7

- Chlorosilanes, tertiary alcoholysis via tetra-coordinate silylated quaternary ammonium intermediates of (H.K. Chu, M.D. Johnson, C.L. Frye), 327
- Dichlorosilylene, gas phase reactions of (*Review*) (E.A. Chernyshev, N.G. Komalenkova, S.A. Bashkirova), 129
- Dimethoxymethylsilylbis(trimethylsilyl)amine and hexamethylcyclotrisiloxane, co-pyrolysis of; 1,3-sigmatropic rearrangements of silamine in intermediates (S.A. Kazoura, W.P. Weber), 47
- Dimethylsilylene addition to substituted 1,3-butadienes, rearrangements via di-radical intermediates (D. Lei, R.-J. Hwang, P.P. Gaspar), 1
- Disilabenzenes, theoretical studies of (K.K. Baldrige, M.S. Gordon), 369
- 2,4-Disilathietane ring system from [2+2] cycloaddition of 1,1-dimethyl-1-silathylene, Me₂Si=CH₂, to dimethylsilylanthione, Me₂Si=S (L.E. Gusel'nikov, V. V. Volkova, V.G. Avakyan, E.A. Volnina, V.G. Zaikin, N.S. Nametkin, A.A. Polyakova, M.I. Tokarev), 191
- Ethylmethylcyclosilanes, preparation of (A. Karti, C.W. Carlson, R. West), 353
- Functionalised silyltriflates, synthesis of (A.R. Bassindale, T. Stout), C1
- Halosilanes, experimental and theoretical study of electrochemical reduction of (P. Duchek, R. Ponec, V. Chvalovský), 101
- Hydrosilylation using tris(pentanedionato)rhodium(III)-trialkylaluminium as catalyst (A.J. Cornish, M.F. Lappert), 153
- Me_xSiCl_{4-x} (x = 3,2,1,0), equilibrium with alkyl carboxylate esters of (G.C. Mbah, J.L. Speier), 77
- α -Methyl- β -silylcarbonyl compounds produced by diastereoselective alkylation of β -silylenolates, relative stereochemistry of (W. Bernhard, I. Fleming), 281
- Methyl- and halo-substituted 1-silacyclo-2-hexenes, preparation of (R. Münstedt, D. Wrobel, U. Wannagat), 181
- η^6 -[1-Methyl-1-(trimethylsilyl)dibenzosilacyclopentadiene]chromium tricarbonyl, synthesis and reactions of (M. Ishikawa, T. Tabohashi), C4

- Octamethyl-1,2-disilacyclobutane, chemistry and Si—Si cleavage and insertion reactions of (D. Seyferth, E.W. Goldman, J. Escudíe), 337
- Organopolysilanes, reactions with organic peroxides of (*Review*) (G.A. Razuvaev, T.N. Brevnova, V.V. Semenov), 261
- Organosilicon intermediates, quantitative aspects of unimolecular isomerization reactions of (I.M.T. Davidson, R.J. Scampton), 249
- Organosilicon synthesis of isocyanates (*Review*) (V.F. Mironov), 207
- Peralkylcyclotrisilane, crystal and molecular structure of [(*t*-BuCH₂)₂Si]₃ (H. Watanabe, M. Kato, T. Okawa, Y. Nagai, M. Goto), 225
- 1-Phenyl-1-methyl-2-neopentylsilene, configurational stability under flash vacuum thermolysis conditions of (P.R. Jones, M.E. Lee), 299
- Silaanthrones and disilaanthracenes, simplified approaches to (J.Y. Corey, W.Z. McCarthy), 319
- Silabenzene, PES from 1-sila-2,5-hexadiene pyrolysis and assignment of valence ionisation energies (H. Bock, P. Rosmus, B. Solouki, G. Maier), 145
- Silaethene tetrahydrofuranate, preparation and structure of (N. Wiberg, G. Wagner, G. Müller, J. Riede), 381
- Silancarboxylate esters, attempted preparation of silaethylenes from (A.G. Brook, L. Yau), 9
- Silaolefins, direct spectroscopic study of; vibrational frequencies of R₂Si=CD₂ (R = CH₃, CD₃) in an argon matrix (A.K. Maltsev, V.N. Khabashesku, O.M. Nefedov), 55
- 1-Silaphenalenes, potential precursors to aromatic silylenium ions and aromatic silyl anions, spectroscopic and chemical studies of (R. Sooriyakumaran, P. Boudjouk), 289
- Silylation of hydroxyl-containing compounds with aryl- and heteroaryl-hydro-silanes in the presence of amines (*Review*) (E. Lukevics, M. Dzintara), 307
- (*N*-Silyl)bis(diphenylphosphino)amines and bis(*N*-silyl)diphenylphosphinoamines, isomerism and conformation of (H. Schmidbaur, S. Lauteschläger, F.H. Köhler), 173
- Silyl- and germyl-trifluoromethylacetylenes (1,1,1-trifluoro-4-silabut-2-yne and 1,1,1-trifluoro-4-germabut-2-yne), preparation and properties of; molecular structure of silyltrifluoromethylacetylene determined by electron diffraction (D.W.W. Andersen, S. Craddock, E.A.V. Ebsworth, A.R. Green, D.W.H. Rankin, A.G. Robiette), 235
- 1,1,3,3-Tetramethyl-2,4-bis(trimethylsilyl)-1,3-disilabicyclo[1.1.0]butane, formation and decomposition of (G. Fritz, J. Thomas), 107
- Tri-*t*-butyl- and tris(trimethylsilyl)methyl-silicon compounds, comparisons of (C. Eaborn, A.K. Saxena), 33
- Trimethylsilyl groups, effect on Beckmann rearrangements and fragmentations of (P.E. Hudrlik, M.A. Waugh, A.M. Hudrlik), 69
- Unsaturated organosilanes, ESR monitoring of transient radical anions from (J.J. Eisch, L.E. Smith), 83

Sulphur

- 2,4-Disilathietane ring system from [2+2] cycloaddition of 1,1-dimethyl-1-silaethylene, Me₂Si=CH₂, to dimethylsilanthione, Me₂Si=S (L.E. Gusel'nikov, V.V. Volkova, V.G. Avakyan, E.A. Volnina, V.G. Zaikin, N.S. Nametkin, A.A. Polyakova, M.I. Tokarev), 191
- Mercury(II), cadmium(II), cobalt(II), and nickel(II) complexes of ambidentate sulphonium ylides, preparation of and coordination in (R.S. Tewari, A.K. Awasthi), 403

Tin

- Pentakis(methoxycarbonyl)cyclopentadienyl-substituted germanium(II) and tin(II) compounds, X-ray crystal structure of bis[pentakis(methoxycarbonyl)cyclopentadienyl]tin(II) (P. Jutzi, F.-X. Kohl, E. Schlüter, M.B. Hursthouse, N.P.C. Walker), 393