

Tainturier, G., 299
Taube, R., 385, 395

Udupa, K., C36
Umland, H., 353
Ushakov, N.V., 5

Vdovin, V.M., 5
Veit, A., 263

Voss, E., 47

Walton, R.A., 25
Werner, H., 73
Whitmire, K.H., 13
Williard, P.G., 409
Winter, M.J., C1
Wormsbächer, D., 353

Yamamoto, Y., C45
Yonezawa, T., 337
Yoshida, J.-I., C33

Zagorevskii, D.V., 109
Zaikin, V.G., 5
Zanella, P., 213
Ziegler, M.L., 47

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 284 (1985)

SUBJECT INDEX

Aluminium

Diethylhydroxyborane, reaction with trialkylaluminium of (L. Synoradzki, M. Bolesławski, J. Lewiński), 1

Antimony

Thioketenehexacarbonyldiiron cluster complex, reactions with phosphanes and structure and properties of (H. Umland, D. Wormsbächer, U. Behrens), 353

Arsenic

Thioketenehexacarbonyldiiron cluster complex, reactions with phosphanes and structure and properties of (H. Umland, D. Wormsbächer, U. Behrens), 353

Bismuth

$(\mu_3\text{-Bi})_2\text{Fe}_2(\text{CO})_8$, synthesis and X-ray crystallographic characterisation of; reformulation of Hieber's $\text{Bi}_2\text{Fe}_2(\text{CO})_{10}$ (M.R. Churchill, J.C. Fettingler, K.H. Whitmire), 13

Boron

Boroxazines, synthesis of (R. Oesterle, W. Maringgele, A. Meller), 281
Diethylhydroxyborane, reaction with trialkylaluminium of (L. Synoradzki, M. Bolesławski, J. Lewiński), 1

Cadmium

Crotyl-organometallic compounds, reversal of diastereoselectivity in BF_3 -promoted addition of aldehydes to (Y. Yamamoto, K. Maruyama), C45

Chromium

Alkyl- and aryl-carbonyl derivatives of manganese, molybdenum and tungsten, photo-induced degradation reactions of (T.E. Gismondi, M.D. Rausch), 59
Sulphur and selenium bridges in dinuclear organochromium complexes, synthesis, structure and reactivity of (W.A. Herrmann, J. Rohrmann, H. Nöth, C.K. Nanila, I. Bernal, M. Draux), 189
Tricarbonylchromium-*meta*-diisopropylphenyllithium, reactions with carbon monoxide of (J.-C. Boutonnet, F. Rose-Munch, E. Rose, G. Precigoux), C25

Cobalt

Alkylcobalticinium salts, mass spectra of; fragmentation of alkylcobaltocenes by electron impact (D.V. Zagorevskii, Yu.S. Nekrasov, A.V. Malkov, E.V. Leonova), 109
 $(\eta^5\text{-C}_5\text{H}_5)_2\text{CoI}(\text{NC}_4\text{H}_9, \text{C}(\text{R})=\text{N}(\text{S})\text{-CH}(\text{CH}_3)(\text{C}_6\text{H}_5))$ (R = H, CH_3), stereochemistry and crystal structure of (I. Bernal, G.M. Reisner, H. Brunner, G. Riepl), 115

Phosphine-carbonylcobalt chiral complexes, asymmetric catalysis by; hydrogenation of α,β -unsaturated ketones (P. Le Maux, V. Massonneau, G. Simonneaux), 101

Copper

Crotyl-organometallic compounds, reversal of diastereoselectivity in BF_3 -promoted addition of aldehydes to (Y. Yamamoto, K. Maruyama), C45

Germanium

Alkoxysilanes, halosilanes and halogermanes, reduction with lithium aluminium hydride under phase-transfer conditions of (V.N. Gevorgyan, L.M. Ignatovich, E. Lukevics), C31

Hafnium

Thioalkyl-, selenoalkyl-, thioaryl- and selenoaryl-metallocenes (M = Ti, Zr, Hf), He(I) and He(II) photoelectron spectra of (C. Guimon, G. Pfister-Guillouzo, P. Meunier, B. Gautheron, G. Tainturier, S. Pouly), 299

Iron

μ -Alkylidene-tungsten and -iron complexes, carbonylation reactions of (D. Navarre, F. Rose-Munch, H. Rudler), C15

$(\mu_3\text{-Bi})_2\text{Fe}_3(\text{CO})_9$, synthesis and X-ray crystallographic characterisation of; reformulation of Hieber's $\text{Bi}_2\text{Fe}_5(\text{CO})_{20}$ (M.R. Churchill, J.C. Fettinger, K.H. Whitmire), 13

Di- η^5 -cyclopentadienylbis(thioanisyl)-titanium and sodium thioanisyl-phthalocyaninatoferrate(II)-4THF, preparation, characterisation and thermal decomposition of (D. Steinborn, R. Taube), 395

Pentamethylcyclopentadienyldialkyl-nitrosyliron complexes, preparation of (B.N. Diel), 257

Thioketenehexacarbonyldiiron cluster complex, reactions with phosphanes and structure and properties of (H. Umland, D. Wormsbäcker, U. Behrens), 353

Lithium

Chlorolithium as a synthon for chloroallylation or as an equivalent for vinylcarbene, regioselective synthesis of γ -ethylenyl- β -chloro alcohols and 2-vinyl oxetanes starting from epoxides (P. Ongoka, B. Mauzé, L. Miginiac), 139

Tricarbonylchromium-*meta*-diisopropylphenyllithium, reactions with carbon monoxide of (J.-C. Boutonnet, F. Rose-Munch, E. Rose, G. Precigoux), C25

Magnesium

Crotyl-organometallic compounds, reversal of diastereoselectivity in BF_3 -promoted addition of aldehydes to (Y. Yamamoto, K. Maruyama), C45

Phenylmagnesium bromide, reaction with diethyl ether during Grignard preparation (L.A. Jones, S.L. Kirby, D.M. Kean, G.L. Campbell), 159

Manganese

Alkyl- and aryl-carbonyl derivatives of manganese, molybdenum and tungsten, photo-induced degradation reactions of (T.E. Gismondi, M.D. Rausch), 59

Dodecahydrotriphenylene(tricarbonyl)-manganese(I) tetrafluoroborate, synthesis and X-ray analysis of (L.H.P. Gommans, L. Main, B.K. Nicholson), 345

Hydrido-bridged trimetal cluster, $\text{Mn}_3(\mu\text{-H})_3(\text{CO})_{12}^{--}$, ESR study of (T. Sowa, T. Kawamura, T. Yonezawa), 337

μ -Silylenebis(dicarbonyl(hydrido)-(η^5 -pentamethylcyclopentadienyl)-manganese], preparation and molecular structure of (W.A. Herrmann, E. Voss, E. Guggolz, M.L. Ziegler), 47

Mercury

Crotyl-organometallic compounds, reversal of diastereoselectivity in BF_3 -promoted addition of aldehydes to (Y. Yamamoto, K. Maruyama), C45

Metalloenes

Alkylcobalticinium salts, mass spectra of; fragmentation of alkylcobaltocenes by electron impact (D.V. Zagorevskii, Yu.S. Nekrasov, A.V. Malkov, E.V. Leonova), 109

Thioalkyl; selenoalkyl-, thioaryl- and selenoaryl-metalloenes (M = Ti, Zr, Hf), He(I) and He(II) photoelectron spectra of (C. Guimon, G. Pfister-Guillouzo, P. Meunier, B. Gautheron, G. Tainturier, S. Pouly), 299

Molybdenum

Alkyl- and aryl-carbonyl derivatives of manganese, molybdenum and tungsten, photo-induced degradation reactions of (T.E. Gismondi, M.D. Rausch), 59

Arene diazomolybdenum(II) complexes, reactions with neutral and anionic Lewis bases of (F.J. Lalor, D.M. Condon), 327

(η -Cyclopentadienyl)nitrosyl-molybdenum and -tungsten derivatives scrambling of dithioacid ligands in (W. De Oliveira, J.-L. Migot, M.B. Gomes De Lima, J. Sala-Pala, J.E. Guerschais, J.-Y. Le Gall), 313

cis-MoI {C(NMe)[CH₂]₂CH₂} (CO)₂ (η -C₅H₅), example of a sterically-blocked *cis-trans* isomerisation for [Mo(X)(L)(CO)₂(η -C₅H₅)] system, synthesis and X-ray structure of (H. Adams, N.A. Bailey, V.A. Osborn, M.J. Winter), C1

Molybdenum(II) isocyanide seven-coordinate complexes, ⁹⁹Mo NMR spectral studies on (M. Minelli, J.H. Enemark, A. Bell, R.A. Walton), 25

Mo(η^6 -PhPr₂)(L)(PPh₂CH₂CH₂PPh₂) (R = Et, L = PPhEt₂; R = Ph, L = PPh₃, PR₃, CO, CNR, N₂, H₂), influence of steric properties of ligands PR₂, Ph and L on formation and properties of (J.J. Frizzell, R.L. Luck, R.H. Morris, S.H. Peng), 243

Nickel

η^5 -Cyclopentadienyltriphenylphosphine-nickel- η^1 -thioanisoyl, preparation and characterisation and thermal decomposition to nickelthiophenolato complexes of (R. Taube, D. Steinborn, W. Höbold), 385

Dicyanopentasilphido nickelate(II) anion, synthesis of (K.N. Udupa, S. Sarkar), C36

Niobium

M(η^5 -C₅H₅)₂(H)CO and M(η^5 -C₅H₅)₂H₃ (M = Nb, Ta), photochemistry in low-temperature matrices of (R.F.G. Baynham, J. Chetwynd-Talbot, P. Grebenik, R.N. Perutz, M.H.A. Powell), 229

Osmium

Aryl(hydrido)-ruthenium(II) and -osmium(II) complexes, influence of ligands upon the formation from aromatic complexes of (H. Werner, J. Gotzig), 73

Heterobimetallic and multimetallic complexes containing η -arene-ruthenium(II), -osmium(II) and -pentamethylcyclopentadienylrhodium(III) moieties, synthesis and reactions of (J.S. Fotheringham, T.A. Stephenson), C12

¹H-¹⁸⁷Os satellite NMR spectra, observation and interpretation of H-H coupling in (J.S. Holmgren, J.R. Shapley, P.A. Belmonte), C5

Pentaphosphitoheptacarbonyltriosmium, Os₃(CO)₇[P(OMe)₃]₅, evidence for a trigonal twist mechanism involving a phosphite ligand of (R.F. Alex, R.K. Pomeroy), 379

Triosmium metal clusters derived from reactions of [Os₃(CO)₁₀(NCMe)₂] and amides (T.I. Odiaka), 95

Palladium

Palladium(II) complexes with functionally substituted cyclopentadienyl groups, synthesis and characterisation of (M. Onishi, K. Hiraki, Y. Ohama, A. Kurosaki), 403

Phosphorus

Aryl(hydrido)-ruthenium(II) and -osmium(II) complexes, influence of ligands upon the formation from aromatic complexes of (H. Werner, J. Gotzig), 73

- η^5 -Cyclopentadienyltriphenylphosphine-nickel- η^1 -thioanisoyl, preparation and characterisation and thermal decomposition to nickelthiophenolato complexes of (R. Taube, D. Steinborn, W. Höbold), 385
- Cyclopentadienyluranium(IV) complexes containing phosphido and/or amido ligands, access to $(C_5H_5)_3UP(C_6H_5)_2$ (G. Paolucci, G. Rossetto, P. Zanella, R.D. Fischer), 213
- η^5 -Dienylruthenium(II) cationic complexes, hydrogen transfer processes in formation of; X-ray structure of [Ru(1- η -cyclooctadienyl)-(PMe₂Ph)₃][PF₆] (T.V. Ashworth, A.A. Chalmers, D.C. Liles, E. Meintjies, H.E. Oosthuizen, E. Singleton), C19
- Diethylenyltricyclohexylphosphine-platinum-mediated activation of aldehyde bonds via chelate-assisted oxidative addition reactions (J.J. Koh, W.-H. Lee, P.G. Eilliard, W.M. Risen, Jr.), 409
- Mo(η^6 -PhPr₂)(L)(PPh₂CH₂CH₂PPh₂) (R = Et, L = PPhEt₂; R = Ph, L = PPh₃, PR'₃, CO, CNR, N₂, H₂), influence on steric properties of ligands PR₂Ph and L on formation and properties of (J.J. Frizzell, R.L. Luck, R.H. Morris, S.H. Peng), 243
- (2- η -1-Oxocyclohexadienyl)rhodium(I) complexes of the type (η^5 -2,6-t-Bu₂-4-MeC₆H₃O)RhL₂, preparation, spectroscopy and structural analysis of (L. Dahlenburg, N. Höck), 129
- Pentaphosphitoheptacarbonyltriosmium, Os₃(CO)₇[P(OMe)₃]₅, evidence for a trigonal twist mechanism involving a phosphite ligand of (R.F. Alex, R.K. Pomeroy), 379
- Phosphane addition to chelated bis-carbene ligands; route to carbene-ylid complexes (N.H.T. Huy, E.O. Fischer, H.G. Alt, K.H. Dötz), C9
- Phosphine-carbonylcobalt chiral complexes, asymmetric catalysis by; hydrogenation of α,β -unsaturated ketones (P. Le Maux, V. Massonneau, G. Simonneaux), 101
- Thioketenehexacarbonyldiiron cluster complex, reactions with phosphanes and structure and properties of (H. Umland, D. Wormsbächer, U. Behrens), 353

Platinum

- Diethylenyltricyclohexylphosphine-platinum-mediated activation of aldehyde bonds via chelate-assisted oxidative addition reactions (J.J. Koh, W.-H. Lee, P.G. Williard, W.M. Risen, Jr.), 409

Rhodium

- Heterobimetallic and multimetallic complexes containing η -arene-ruthenium(II)-osmium(II) and -pentamethylcyclopentadienylrhodium(III) moieties, synthesis and reactions of (J.S. Fotheringham, T.A. Stephenson), C12
- (2- η -1-Oxocyclohexadienyl)rhodium(I) complexes of the type (η^5 -2,6-t-Bu₂-4-MeC₆H₃O)RhL₂, preparation, spectroscopy and structural analysis of (L. Dahlenburg, N. Höck), 129
- Tetradecacarbonylhexarhodium anion, synthesis and chemical characterisation of (S. Martinengo, A. Fumagalli, P. Chini), 275

Ruthenium

- Aryl(hydrido)-ruthenium(II) and -osmium(II) complexes, influence of ligands upon the formation from aromatic complexes of (H. Werner, J. Gotzig), 73
- η^5 -Dienylruthenium(II) cationic complexes, hydrogen transfer processes in formation of; X-ray structure of [Ru(1- η -cyclooctadienyl)-(PMe₂Ph)₃][PF₆] (T.V. Ashworth, A.A. Chalmers, D.C. Liles, E. Meintjies, H.E. Oosthuizen, E. Singleton), C19
- Heterobimetallic and multimetallic complexes containing η -arene-ruthenium(II), -osmium(II) and -pentamethylcyclopentadienylrhodium(III) moieties, synthesis and reactions of (J.D. Fotheringham, T.A. Stephenson), C12
- Propionate complexes with the structural element [Ru(CO)₂(μ -OOCCH₃)₂]₂, preparation and characterisation of (G. Süß-Fink, G. Herrmann, P. Morys, J. Ellermann, A. Veit), 263

Selenium

- Sulphur and selenium bridges in dinuclear organochromium complexes,

synthesis, structure and reactivity of (W.A. Herrmann, J. Rohrmann, H. Nöth, C.K. Nanila, I. Bernal, M. Draux), 189

Silicon

Alkoxysilanes, halosilanes and halogermans, reduction with lithium aluminium hydride under phase-transfer conditions of (V.N. Gevorgyan, L.M. Ignatovich, E. Lukevics), C31

Boroxazines, synthesis of (R. Oesterle, W. Maringele, A. Meller), 281

Di-*t*-butylsilanediol, crystal structure of and its relevance to liquid crystallinity of diisobutylsilanediol (N.H. Buttruss, C. Eaborn, P.B. Hitchcock, A.K. Saxena), 291

Organosilicon compounds, electrochemical synthesis of (J.-I. Yoshida, K. Muraki, H. Funahashi, N. Kawabata), C33

Silicon-containing compounds, selective on-line deuteration in GC/MS for investigation of dissociative ionization of (A.I. Mikaya, V.G. Zaikin, N.V. Ushakov, V.M. Vdovin), 5

μ -Silylenebis[dicarbonyl(hydrido)-(η^5 -pentamethylcyclopentadienyl)manganese], preparation and molecular structure of (W.A. Herrmann, E. Voss, E. Guggolz, M.L. Ziegler), 47

Sodium

Di- η^5 -cyclopentadienylbis(thioanisoly)titanium and sodium thioanisolyphthalocyaninatoferrate(II)·4THF, preparation, characterisation and thermal decomposition of (D. Steinborn, R. Taube), 395

Sulphur

(η -Cyclopentadienyl)nitrosyl-molybdenum and -tungsten derivatives scrambling of dithioacid ligands in (W. De Oliveira, J.-L. Migot, M.B. Gomes De Lima, J. Sala-Pala, J.E. Guerchais, J.-Y. Le Gall), 313

η^5 -Cyclopentadienyltriphenylphosphine-nickel- η^1 -thioanisoly, preparation and characterisation and thermal decomposition to nickelthiophenolato complexes of (R. Taube, D. Steinborn, W. Höbold), 385

Dicyanopentasilphido nickelate(II) anion, synthesis of (K.N. Udupa, S. Sarkar), C36

Di- η^5 -cyclopentadienylbis(thioanisoly)titanium and sodium thioanisolyphthalocyaninatoferrate(II)·4THF, preparation, characterisation and thermal decomposition of (D. Steinborn, R. Taube), 395

Sulphur and selenium bridges in dinuclear organochromium complexes, synthesis, structure and reactivity of (W.A. Herrmann, J. Rohrman, H. Nöth, C.K. Nanila, I. Bernal, M. Draux), 189

Tantalum

$M(\eta^5-C_5H_5)_2(H)CO$ and $M(\eta^5-C_5H_5)_2H_3$ ($M = Nb, Ta$), photochemistry in low-temperature matrices of (R.F.G. Baynham, J. Chetwynd-Talbot, P. Grebenik, R.N. Perutz, M.H.A. Powell), 229

Thallium

Crotyl-organometallic compounds, reversal of diastereoselectivity in BF_3 -promoted addition of aldehydes to (Y. Yamamoto, K. Maruyama), C45

Tin

β -Carboalkoxyethyltin compounds, mercaptoester/chlorine exchange equilibria exhibited by (J.W. Burley, R.E. Hutton, R.D. Dworkin), 171
trans-Strengthening of Sn—O bonds in six-coordinated tin(IV) complexes; crystal and molecular structures of $SnI_4 \cdot 2DPSO$ and $C_2H_5SnI_3 \cdot 2DPSO$ (A.V. Jatsenko, S.V. Medvedev, K.A. Paseshnitchenko, L.A. Aslanov), 181

Titanium

Di- η^5 -cyclopentadienylbis(thioanisoly)titanium and sodium thioanisolyphthalocyaninatoferrate(II)·4THF, preparation, characterisation and thermal decomposition of (D. Steinborn, R. Taube), 395
Thioalkyl, selenoalkyl-, thioaryl- and selenoaryl-metalloenes ($M = Ti, Zr, Hf$), He(I) and He(II) photoelectron spectra of (C. Guimon, G. Pfister-Guillouzo, P. Meunier, B. Gautheron, G. Tainturier, S. Pouly), 299

Transition metals — general

Transition-metal activated magnesium, cleavage of tetrahydrofuran by (E. Bartmann), 149

Tungsten

Alkyl- and aryl-carbonyl derivatives of manganese, molybdenum and tungsten, photo-induced degradation reactions of (T.E. Gismondi, M.D. Rausch), 59

μ -Alkylidene-tungsten and iron complexes, carbonylation reactions of (D. Navarre, F. Rose-Munch, H. Rudler), C15

(η -Cyclopentadienyl)nitrosyl-molybdenum and -tungsten derivatives scrambling of dithioacid ligands in (W. De Oliveira, J.-L. Migot, M.B. Gomes De Lima, J. Sala-Pala, J.E. Guerschais, J.-Y. Le Gall), 313

Phosphane addition to chelated bis-carbene ligands; route to carbene-ylid complexes (N.H.T. Huy, E.O. Fischer, H.G. Alt, K.H. Dötz), C9

Tricarbonyl(cycloheptatrienyl)tungsten cation, mechanisms of addition of primary aromatic amines and cyclohexylamine to (T.I. Odiaka, L.A.P. Kane-Maguire), 35

Uranium

Cyclopentadienyluranium(IV) complexes containing phosphido and/or amido ligands, access to $(C_5H_5)_2UP(C_6H_5)_2$ (G. Paolucci, G. Rossetto, P. Zanella, R.D. Fischer), 213

Vanadium

Crotyl-organometallic compounds, reversal of diastereoselectivity in BF_3 -promoted addition of aldehydes to (Y. Yamamoto, K. Maruyama), C45

Zirconium

Crotyl-organometallic compounds reversal of diastereoselectivity in BF_3 -promoted addition of aldehydes to (Y. Yamamoto, K. Maruyama), C45

Thioalkyl-, selenoalkyl-, thioaryl- and selenoaryl-metallocenes (M = Ti, Zr, Hf), He(I) and He(II) photoelectron spectra of (C. Guimon, G. Pfister-Guillouzo, P. Meunier, B. Gautheron, G. Tainturier, S. Pouly), 299

Book reviews

Activation of saturated hydrocarbons by transition metal complexes; by A.E. Shilov (G.J. Leigh) C40

A treasure for word lovers; by M.S. Freeman (C. Eaborn) C41

Dictionary of chemistry and chemical technology: English—German; edited by H. Gross (J.D. Smith), C49

Gmelin handbook of inorganic chemistry. 8th edit., Ti - Organotitanium compounds: Part 3, Mononuclear compounds (F.G.N. Cloke), C50

Gmelin handbook of inorganic chemistry, Si - Silicon, Part A1. History (C. Eaborn) C39

Organoboron compounds in organic synthesis; by B.M. Mikhailov and Yu.N. Bubnov (C. Eaborn) C43

The chemistry of the catalyzed hydrogeneration of carbon monoxide; by G. Henrici-Olivé and S. Olivé (G.J. Leigh), C42