

- Sazonova, V.A., 197, 201
 Schat, G., 13
 Schemm, R., C9
 Schmid, G., 179
 Schumann, H., C51
 Scotti, M., 97
 Seitz, K., C47
 Servis, K.L., 269
 Setkina, V.N., 189
 Shaver, A., C33
 Sheldrick, G.M., 1, 249
 Shul'pina, L.S., 341
 Simonneaux, G., C59
 Singleton, E., C33
 Sinou, D., C37
 Smith, G., 109
 Solčániová, E., 331
 Sommer, H., 35
 Soye, P., C53
 Stelzer, O., 35
 Stoppioni, P., C44
- Struchkov, Yu.T., 119, 189
 Stufkens, D.J., 79
 Sümmerrmann, K., 237
 Sutherland, R.G., 89
 Suslova, E.N., 27
- Tagliavini, G., 283
 Tarasenko, N.A., 27
 Thewalt, U., 165
 Tiripicchio, A., 365, C13
 Tishenkov, A.A., 27
 Toma, Š., 331
 Trouvé, B., C6
- Usón, R., 249
- Valderrama, M., 97
 Van der Kelen, G.P., 289
 Van Meerssche, M., 139
 Verdonck, L., 289
 Vizi-Orosz, A., 179
- Vol'kenau, N.A., 341
 Volkova, V.V., 27
 Voronkov, M.G., 27
- Wakita, Y., 261
 Wasiucioneck, M., 63
 Weber, H., 359
 Weber, W.P., 269
 Wiege, M.B., C33
 Wild, F.R.W.P., 63
 Williams, M.L., C55
 Wochner, F., 69
 Woźniak, L., 275
- Yasunaga, T., 261
 Yoshikawa, S., 311
- Zagorevsky, D.V., 201
 Zaikin, V.G., 27
 Zinsser, F., 317
 Zsolnai, L., 69

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 288 (1985)

SUBJECT INDEX

Aluminium

- Palladium complex catalyzed carbonyl-
 ative cross-coupling reaction of aryl
 iodides with alkylaluminiums (Y.
 Wakita, T. Yasunaga, M. Kojima),
 261

Antimony

- 2-Chlorophenyl-Group V derivatives,
 synthesis of (N.A.A. Al-Jabar, A.G.
 Massey), 145
 Metallo-*t*-butylchlorostibine, forma-
 tion of (R. Schemm, W. Malisch),
 C9
 Selenostiborane stable complex,
 $[C_5H_5Fe(CO)_2(Me_3Sb=Se)]BF_4$,
 formation of (N. Kuhn, H.
 Schumann), C51

Arsenic

- 2-Chlorophenyl-Group V derivatives,
 synthesis of (N.A.A. Al-Jabar,
 A.G. Massey), 145

Bismuth

- 2-Chlorophenyl-Group V derivatives,
 synthesis of (N.A.A. Al-Jabar,
 A.G. Massey), 145

Boron

- 1,4-Dithia-2,6-diaza-3,5-diborinanes,
 structure and bonding in (C. Habben,
 A. Meller, M. Noltemeyer, G.M.
 Sheldrick), 1
 Selenostiborane stable complex,
 $[C_5H_5Fe(CO)_2(Me_3Sb=Se)]BF_4$,
 formation of (N. Kuhn, H. Schumann),
 C51

Chromium

- Carbonylmetal fragments, reaction with
 coordinated diphosphorus groups
 of; crystal structure of
 $[(CO)_5Cr][(CO)_5WIP_2Co_2(CO)_6]$
 (A. Vizi-Orosz, G. Pályi, L. Markó,
 R. Boese, G. Schmid), 179

Metallacyclic alkenyl ketone chromium, molybdenum and tungsten complexes, preparation and characterisation of; molecular structure of $C_3Me_3(CO)_2W[MeC=CMeC(O)Me]$ (H.G. Alt, H.E. Engelhardt, U. Thewalt, J. Riede), 165

Cobalt

Cobalt chiral catalysts used in asymmetric synthesis, homogeneous reduction of ketones to optically active alcohols by (V. Massonneau, P. Le Maux, G. Simonneaux), C59

$[Co(\eta^5-C_5H_5)(CO)(X)(SnX_3)]$ complexes, reactions with nucleophiles of (P.T. Murray, A.R. Manning), 219

Organocobaloximes, free radical rearrangements of; alkynyl rearrangement to cycloalkylidene and hexenyl to cyclopentylmethyl (P. Bougeard, C.J. Cooksey, M.D. Johnson, M.J. Lewin, S. Mitchell, P.A. Owens), 349

Tris(trimethylsilyl)heptaphosphanor-tricyclene, cleavage reactions with triphos-nickel and -cobalt species of (M. Peruzzini, P. Stoppioni), C44

Germanium

Main Group IV organometallic compounds, applications of the methylene di-Grignard reagent for (J.W. Bruin, G. Schat, O.S. Akkerman, F. Bickelhaupt), 13

Iron

η^6 -Arene- η^5 -cyclopentadienyliron cations, ligand exchange reactions under thermal or photochemical conditions with (C.C. Lee, M. Iqbal, U.S. Gill, R.G. Sutherland), 89

Arenecyclopentadienylruthenium cations, improved method for synthesis of (N.A. Vol'kenau, I.N. Bolesova, L.S. Shul'pina, A.N. Kitaigorodskii, D.N. Kravtsov), 341

Arylisocyanocarbonyliron complexes, reactions with dicyclopentadiene of (A.R. Manning, G. McNally, P. Soye), C53

1-Aza-1,3-butadienetricarbonyliron complexes, $[Fe(CO)_3(R^1N=CHCH=CHR^2)]$, He(I) and He(II) photoelectron spectra of (R.R. Andréa, P.C.J. Beentjes, D.J. Stufkens, A. Oskam), 79

Carbonylmetal fragments, reactions with coordinated diphosphorus groups of; crystal structure of $[(CO)_5Cr][(CO)_5W]P_2Co_2(CO)_6$ (A. Vizi-Orosz, G. Pályi, L. Markó, R. Boese, G. Schmid), 179

$(\eta^5-C_5H_5)_2Ni_2Fe_2(CO)_6(\mu_4, \eta^2-C_2Ph_2)$, crystal structure and cluster contraction and expansion reactions of; coordination of alkynes to 4 metal atoms in square planar clusters (E. Sappa, A.M.M. Lanfredi, G. Predieri, A. Tiripicchio, A.J. Carty), 365

β -Dicarbonyl monosubstituted compounds, $C_\alpha-C_\beta$ cleavage in (V.N. Postnov, Yu.N. Polivin, V.A. Sazonova, S.N. Grukhanova), 197

2-(Diphenyloxymethyl)azaferrocene, preparation and X-ray crystal structure of (N.I. Pyshnograeva, V.N. Setkina, A.S. Batsanov, Yu.T. Struchkov), 189

1,3-Dithia- and 1,3-diselena-[3]ferrocenophanes of phosphorus and arsenic, synthetic and structural studies of; crystal and molecular structure of 1,3-dithia-2-phenylarsino-[3]ferrocenophane at 163 K (A.G. Osborne, R.E. Hollands, R.F. Bryan, S. Lockhardt), 207

$[m]$ Ferrocenophane-1,*n*-diones, cyclic voltammetry ^{13}C NMR and Mössbauer study of (Š. Toma, E. Solčániová, A.G. Nagy), 331

Methylene-bridged disecundary phosphanes, formation of clusters with $Fe_2(CO)_9$ from (D.J. Brauer, S. Hietkamp, H. Sommer, O. Stelzer, G. Müller, C. Krüger), 35

Methyliodomagnesium, interaction with β -carbonyl compounds of (Yu.N. Polivin, V.N. Postnov, V.A. Sazonova, D.V. Zagorevsky, Yu.S. Nekrasov, A.P. Kharchevnikov), 201

trans-Pt $\{Fe(CO)_3(NO)\}_2(NCPh)_2$, synthesis and crystal structure of (P. Braunstein, G. Predieri, F.J. Lahoz, A. Tiripicchio), C13

Ruthenocene and osmocene and their decamethyl derivatives, high yield synthesis of; crystal structure of $[Ru(\eta^5-C_5Me_5)_2]$ (D.C. Liles, A. Shaver, E. Singleton, M.B. Wiege), C33

Tricarbonyl(amido-substituted-1,3-diene)iron complexes, formation of (T.I. Odiaka, J.I. Okogun), C30

Lithium

- 2-(Diphenyloxymethyl)azaferrocene, preparation and X-ray crystal structure of (N.I. Pyshnograeva, V.N. Setkina, A.S. Batsanov, Yu.T. Struchkov), 189
- $WCl_6/LiAlH_4$ promoted transformation of imines into secondary and tertiary amines (T. Ikariya, Y. Ishikawa, K. Hirai, S. Yoshikawa), 311
- ansa*-Zirconocene chiral derivative with ethylene-bridged tetrahydroindenyl ligands, synthesis and crystal structure of (F.R.W.P. Wild, M. Wasiucioneck, G. Huttner, H.H. Brintzinger), 63

Magnesium

- 1,4-Diiodotetrastannane, $I(t-Bu, Sn)_4I$, synthesis, mass, NMR and vibrational spectra of (S. Adams, M. Dräger), 295
- Main Group IV organometallic compounds, applications of the methylene di-Grignard reagent for (J.W. Bruin, G. Schat, O.S. Akkerman, F. Bickelhaupt), 13
- Methylodomagnesium, interaction with β -carbonyl compounds of (Yu.N. Polivin, V.N. Postnov, V.A. Sazonova, D.V. Zagorevsky, Yu.S. Nekrasov, A.P. Kharchevnikov), 201
- Nickel catalysts containing optically active P/N ligands, cross-coupling of 1-phenylethyl Grignard reagent and vinyl bromide with (H. Brunner, W. Li, H. Weber), 359

Manganese

- Mangana- and rhenia-cycloalkanes, synthesis, structure and chemical behaviour of (E. Lindner, F. Zinsser, W. Hiller, R. Fawzi), 317

Mercury

- Main Group IV organometallic compounds, applications of the methylene di-Grignard reagent for (J.W. Bruin, G. Schat, O.S. Akkerman, F. Bickelhaupt), 13

Metalloenes

- η^6 -Arene- η^5 -cyclopentadienyliron cations, ligand exchange reactions under thermal or photochemical conditions with (C.C. Lee, M. Iqbal, U.S. Gill, R.G. Sutherland), 89

β -Dicarbonyl monosubstituted compounds, $C_\alpha-C_\beta$ cleavage in (V.N. Postnov, Yu.N. Polivin, V.A. Sazonova, S.N. Grukhanova), 197

2-(Diphenyloxymethyl)azaferrocene, preparation and X-ray crystal structure of (N.I. Pyshnograeva, V.N. Setkina, A.S. Batsanov, Yu.T. Struchkov), 189

1,3-Dithia- and 1,3-diselena-[3]ferrocenophanes of phosphorus and arsenic, synthetic and structural studies of; crystal and molecular structure of 1,3-dithia-2-phenylarsino-[3]ferrocenophane at 163 K (A.G. Osborne, R.E. Hollands, R.F. Bryan, S. Lockhardt), 207

Ethylene-bridged titanocene and zirconocene derivatives with permethylated ring ligands, syntheses and crystal structures of (F. Wochner, L. Zsolnai, G. Huttner, H.H. Brintzinger), 69

[*m*]Ferrocenophane-1,*n*-diones, cyclic voltammetry, ^{13}C NMR and Mössbauer study of (Š. Toma, E. Solčániová, A.G. Nagy), 331

Methylodomagnesium, interaction with β -carbonyl compounds of (Yu.N. Polivin, V.N. Postnov, V.A. Sazonova, D.V. Zagorevsky, Yu.S. Nekrasov, A.P. Kharchevnikov), 201

Ruthenocene and osmocene and their decamethyl derivatives, high yield synthesis of; crystal structure of $[Ru(\eta^5-C_5Me_5)_2]$ (D.C. Liles, A. Shaver, E. Singleton, M.B. Wiege), C33

ansa-Zirconocene chiral derivative with ethylene-bridged tetrahydroindenyl ligands, synthesis and crystal structure of (F.R.W.P. Wild, M. Wasiucioneck, G. Huttner, H.H. Brintzinger), 63

Molybdenum

Allyl-molybdenum and -tungsten derivatives, fast atom bombardment mass spectrometry as technique for studying solution reactions of (B.J. Brisdon, A.J. Floyd), 305

Carbonylmetal fragments, reactions with coordinated diphosphorus groups of; crystal structure of $[(CO)_5Cr][(CO)_5W]P_2Co_2(CO)_6$ (A. Vizi-Orosz, G. Pályi, L. Markó, R. Boese, G. Schmid), 179

[Et₄N]₂[Mo(CO)₂(SR)₂] (R = Ph, Bz), potentially chelating bis-thiolate ligand, synthesis and characterisation of (L.D. Rosenhein, W.E. Newton, J.W. McDonald), C17

Metallacyclic alkenyl ketone chromium, molybdenum and tungsten complexes, preparation and characterisation of; molecular structure of C₅Me₅(CO)₂W[MeC=CMeC(O)Me] (H.G. Alt, H.E. Engelhardt, U. Thewalt, J. Riede), 165

Metallo-*t*-butylchlorostibine formation of (R. Schemm, W. Malisch), C9

Nickel

Azanickelacyclopentanones, formation from C—C coupling reactions of alkenes with isocyanates (H. Hoberg, K. Sümmermann, A. Milchereit), 237

(η^5 -C₅H₅)₂Ni₂Fe₂(CO)₆(μ_4 , η^2 -C₂Ph₂), crystal structure and cluster contraction and expansion reactions of; coordination of alkynes to 4 metal atoms in square planar clusters (E. Sappa, A.M.M. Lanfredi, G. Predieri, A. Tiripicchio, A.J. Carty), 365

Nickel catalysts containing optically active P/N ligands, cross-coupling of 1-phenylethyl Grignard reagent and vinyl bromide with (H. Brunner, W. Li, H. Weber), 359

Tris(trimethylsilyl)heptaphosphanor-tricyclicene, cleavage reactions with triphos-nickel and -cobalt species of (M. Peruzzini, P. Stoppioni), C44

Palladium

Di- μ -chlorobis(*N,N*-dialkylbenzylamine-2,*C,N*)dipalladium(II) isomeric complexes, crystal structure of the *ortho*-, *meta*- and *para*-methoxy complexes (N. Barr, S.F. Dyke, G. Smith, C.H.L. Kennard, V. McKee), 109

Palladium complex catalysed carbonylative cross-coupling reaction of aryl iodides with alkylaluminiums (Y. Wakita, T. Yasunaga, M. Kojima), 261

Pentafluorobenzimidoylpalladium(II) complexes preparation of; X-ray structure of *trans*-[Pd{C(C₆F₅)=NMe}-Cl(CNMe)₂] (R. Usón, J. Forníés, P. Espinet, E. Lalinde, P.G. Jones, G.M. Sheldrick), 249

(η^2 -1-Triphenylphosphonium-2-carbomethoxyethylene)(triphenylphosphine)iodopalladate, structure of (L.V. Rybin, E.A. Petrovskaya, M.I. Rubinskaya, L.G. Kuz'mina, Yu.T. Struchkov, V.V. Kaverin, N.Yu. Koneva), 119

Phosphorus

Acetylene-tungsten complexes, η^5 -ArW(CO)(R¹C₂R²)R and η^5 -ArW(CO)(R¹C₂R²)COR (Ar = C₅H₅, C₅H₄Me, C₅Me₂; R¹, R² = H, Me, Ph; R = Me, Et, *n*-Pr, *n*-Bu, Ph), preparation and characterisation of (H.G. Alt), 149

Azanickelacyclopentanones, formation from C—C coupling reactions of alkenes with isocyanates (H. Hoberg, K. Sümmermann, A. Milchereit), 237

Carbonylmetal fragments, reaction with coordinated diphosphorus groups of; crystal structure of [(CO)₂Cr]-(CO)₅WP₂Co₂(CO)₆ (A. Vizi-Orosz, G. Pályi, L. Markó, R. Boese, G. Schmid), 179

2-Chlorophenyl-Group V derivatives, synthesis of (N.A.A. Al-Jabar, A.G. Massey), 145

Mangana- and rhenacycloalkanes, synthesis, structure and chemical behaviour of (E. Lindner, F. Zinsser, W. Hiller, R. Fawzi), 317

Metallo-*t*-butylchlorostibine, formation of (R. Schemm, W. Malisch), C9

Methylene-bridged disecundary phosphanes, formation of clusters with Fe₂(CO)₉ from (D.J. Brauer, S. Hietkamp, H. Sommer, O. Stelzer, G. Müller, C. Krüger), 35

Nickel catalysts containing optically active P/N ligands, cross-coupling of 1-phenylethyl Grignard reagent and vinyl bromide with (H. Brunner, W. Li, H. Weber), 359

Rhodium complexes of asymmetric water-soluble diphosphine derived from 2-[(diphenylphosphino)methyl]-4-(diphenylphosphino)pyrrolidine, synthesis and applications of (R. Benhamza, Y. Amrani, D. Sinou), C37

Ru₃(μ , η^3 -C₃H₅)(μ_3 -PPhCH₂PPh₂)(CO)₈, new mode of allyl binding in and preparation and structure of (M.I. Bruce, M.L. Williams), C55

(η^2 -1-Triphenylphosphonium-2-carbo-methoxyethylene)(triphenylphosphine)iodopalladate, structure of (L.V. Rybin, E.A. Petrovskaya, M.I. Rubinskaya, L.G. Kuz'mina, Yu.T. Struchkov, V.V. Kaverin, N.Yu. Koneva), 119

Tris(trimethylsilyl)heptaphosphanor-tricyclene, cleavage reactions with triphos-nickel and -cobalt species of (M. Peruzzini, P. Stoppioni), C44

Rhenium

Mangana- and rhenia-cycloalkanes, synthesis, structure and chemical behaviour of (E. Lindner, F. Zinsser, W. Hiller, R. Fawzi), 317

Rhodium

Duroquinonerrhodium(I) complexes, crystal structure of [Rh(DQ)-(C₆H₅Me)]PF₆ (M. Valderrama, M. Scotti, R. Ganz, L.A. Oro, F.J. Lahoz, C. Foces-Foces, F.H. Cano), 97

Rhodium complexes of asymmetric water-soluble diphosphine derived from 2-[(diphenylphosphino)methyl]-4-(diphenylphosphino)pyrrolidine, synthesis and applications of (R. Benhamza, Y. Amrani, D. Sinou), C37

Tetrafluorobarrelene- and trimethyl-tetrafluorobenzobarrelene-rhodium complexes with arene ligands; crystal structures of (F.H. Cano, C. Foces-Foces, L.A. Oro), 225

Ruthenium

Arenecyclopentadienylruthenium cations, improved method for synthesis of (N.A. Vol'kenau, I.N. Bolesova, L.S. Shul'pina, A.N. Kitaigorodskii, D.N. Kravtsov), 341

Ru₃(μ , η^3 -C₃H₅)(μ_3 -PPhCH₂PPh₂)(CO)₃, new mode of allyl binding in and preparation and X-ray structure of (M.I. Bruce, M.L. Williams), C55

Ruthenocene and osmocene and their decamethyl derivatives, high yield synthesis of; crystal structure of [Ru(η^5 -C₃Me₃)₂] (D.C. Liles, A. Shaver, E. Singleton, M.B. Wiege), C33

Selenium

1,3-Dithia- and 1,3-diselena-[3]ferrocenophanes of phosphorus and arsenic, synthetic and structural studies of; crystal and molecular structure of 1,3-dithia-2-phenylarsino-[3]ferrocenophane at 163 K (A.G. Osborne, R.E. Hollands, R.F. Bryan, S. Lockhardt), 207

Selenostiborane stable complex, [C₅H₂Fe(CO)₂(Me₃Sb=Se)]BF₄, formation of (N. Kuhn, H. Schumann), C51

Silicon

Actinide-carbon σ bonds, insertion of carbonyl compounds into; reactivity of [(Me₂Si)₂M-CH₂Si(Me)₂NSiMe₃ (A. Dormond, A. El Bouadili, A. Aaliti, C. Moise), C1

4,4-Dimethyl-1-thia-4-silacyclohexane and 2,3,3-trimethyl-1-thia-3-silacyclopentane, thermochemistry of (N.A. Tarasenko, V.V. Volkova, V.G. Zaikin, A.I. Mikaya, A.A. Tishenkov, V.G. Avakyan, L.E. Gusel'nikov, M.G. Voronkov, S.V. Kirpichenko, E.N. Suslova), 27

1,4-Dithia-2,6-diaza-3,5-diborinanes, structure and bonding in (C. Habben, A. Meller, M. Noltemeyer, G.M. Sheldrick), 1

Main Group IV organometallic compounds, applications of the methylene di-Grignard reagent for (J.W. Bruin, G. Schat, O.S. Akkerman, F. Bickel-Haupt), 13

Phosphoryl nucleophiles, nature and consequences of interaction with triorganosilyl chloride (J. Chojnowski, M. Cypryk, J. Michalski, L. Woźniak), 275

Polymethylhydrosiloxanes, ²⁹Si NMR and spin-lattice relaxation time measurements (Y.-M. Pai, W.P. Weber, K.L. Servis), 269

Tetramethylsilane, application as methylation agent for chlorosilanes (M. Bordeau, S.M. Djamei, R. Calas, J. Dunoguès), 131

Trimethylsilyl trichloroacetate, formation of dichlorocarbene adducts from (E.V. Dehmlov, W. Leffers), C41

Tris(trimethylsilyl)heptaphosphanor-tricyclene, cleavage reactions with triphos-nickel and -cobalt species of (M. Peruzzini, P. Stoppioni), C44

Sulphur

- Dicyclopentadienyl(1,1,3,3-tetramethyl-2-thiocarbonylcyclohexane)titanium, synthesis and structure of (K. Seitz, U. Behrens), C47
- 4,4-Dimethyl-1-thia-4-silacyclohexane and 2,3,3-trimethyl-1-thia-3-silacyclopentane, thermochemistry of (N.A. Tarasenko, V.V. Volkova, V.G. Zaikin, A.I. Mikaya, A.A. Tishenkov, V.G. Avakyan, L.E. Gusel'nikov, M.G. Voronkov, S.V. Kirpichenko, E.N. Suslova), 27
- 1,4-Dithia-2,6-diaza-3,5-diborinanes, structure and bonding in (C. Habben, A. Meller, M. Noltemeyer, G.M. Sheldrick), 1
- 1,3-Dithia- and 1,3-diselena-[3]ferrocenophanes of phosphorus and arsenic, synthetic and structural studies of; crystal and molecular structure of 1,3-dithia-2-phenylarsino-[3]ferrocenophane at 163 K (A.G. Osborne, R.E. Hollands, R.F. Bryan, S. Lockhardt), 207
- [Et₄N]₂[Mo(CO)₄(SR)₂] (R = Ph, Bz), potentially chelating bis-thiolate ligand, synthesis and characterisation of (L.D. Rosenhein, W.E. Newton, J.W. McDonald), C17

Thorium

- Actinide-carbon σ bonds, insertion of carbonyl compounds into; reactivity of [(Me₂Si)₂M-CH₂Si(Me₂)NSiMe₃] (A. Dormond, A. El Bouadili, A. Aaliti, C. Moise), C1

Tin

- Bis(chlorodiphenylstannyl)methane, crystal and molecular structure of (J. Meunier-Piret, M. Van Meerssche, K. Jurkschat, M. Gielen), 139
- [Co(η -C₅H₅)(CO)(X)(SnX₃)] complexes, reactions with nucleophiles of (P.T. Murray, A.R. Manning), 219
- Cyclopentadienyltricarbonylvandium tetrahydrofuran, synthesis, and reactions of; observations of ⁵¹V-¹¹⁷,¹¹⁹Sn coupling (M. Hoch, D. Rehder), C25
- 4-n-Dibutylchlorostannoxy-1-alkenes and -1-alkynes, ester formation with acyl chlorides from (A. Boaretto, D. Marton, G. Tagliavini), 283

- 1,4-Diiodotetrastannane, I(t-Bu₂Sn)₄I, synthesis, mass, NMR and vibrational spectra of (S. Adams, M. Dräger), 295

Main Group IV organometallic compounds, applications of the methylene di-Grignard reagent for (J.W. Bruin, G. Schat, O.S. Akkerman, F. Bickelhaupt), 13

Trialkyltin iodides, mechanistic interpretation of homolytic substitution by photochemically generated iodine atoms in (L. Verdonck, P.H. De Ryck, S. Hoste, G.P. Van der Kelen), 289

Vinyltributyltin compounds, formation by flash pyrolysis of alkyltributyltin acetates of (J.G. Duboudin, M. Petraud, M. Ratier, B. Trouvé), C6

Titanium

Dicyclopentadienyl(1,1,3,3-tetramethyl-2-thiocarbonylcyclohexane)titanium, synthesis and structure of (K. Seitz, U. Behrens), C47

Ethylene-bridged titanocene and zirconocene derivatives with permethylated ring ligands, syntheses and crystal structures of (F. Wochner, L. Zsolnai, G. Huttner, H.H. Brintzinger), 69

Tungsten

Acetylene-tungsten complexes, η^5 -ArW(CO)(R¹C₂R²)R and η^5 -ArW(CO)(R¹C₂R²)COR (Ar = C₅H₅, C₅H₄Me, C₅Me₃; R¹, R² = H, Me, Ph; R = Me, Et, n-Pr, n-Bu, Ph), preparation and characterisation of (H.G. Alt), 149

Allyl-molybdenum and -tungsten derivatives, fast atom bombardment mass spectrometry as technique for studying solution reactions of (B.J. Brisdon, A.J. Floyd), 305

Carbonylmetal fragments, reaction with coordinated diphosphorus groups of; crystal structure of [(CO)₅Cr]-(CO)₅W₂Co₂(CO)₆ (A. Vizi-Orosz, G. Pályi, L. Markó, R. Boese, G. Schmid), 179

Metallacyclic alkenyl ketone chromium, molybdenum and tungsten complexes, preparation and characterisation of; molecular structure of C₅Me₃(CO)₂W[MeC=CMeC(O)Me] (H.G. Alt, H.E. Engelhardt, U. Thewalt, J. Riede), 165

Metallo-*t*-butylchlorostibine formation of
(R. Schemm, W. Malisch), C9

$WCl_6/LiAlH_4$ promoted transformation
of imines into secondary and tertiary
amines (T. Ikariya, Y. Ishikawa, K.
Hirai, S. Yoshikawa), 311

Uranium

Actinide-carbon σ bonds, insertion of
carbonyl compounds into; reactivity
of $[(Me_3Si)_2M-CH_2Si(Me_2)NSiMe_3]$
(A. Dormond, A. El Bouadili, A.
Aaliti, C. Moise), C1

Vanadium

Cyclopentadienyltricarbonylvandium
tetrahydrofuran, synthesis, and reac-
tions of; observation of $^{51}V-^{117,119}Sn$
coupling (M. Hoch, D. Rehder), C25

Zirconium

Ethylene-bridged titanocene and zir-
conocene derivatives with permethylated
ring ligands, syntheses and crystal
structures of (F. Wochner, L. Zsolnai,
G. Huttner, H.H. Brintzinger), 69
ansa-Zirconocene chiral derivative with
ethylene-bridged tetrahydroindenyl
ligands, synthesis and crystal structure
of (F.R.W.P. Wild, M. Wasiucioneck,
G. Huttner, H.H. Brintzinger), 63

Book reviews

The chemistry of ruthenium; by E.A.
Seddon and K.R. Seddon (B.L. Shaw),
C22

The chemistry of the metal-carbon
bond. Vol. 2. The nature and cleavage
of carbon-metal bonds; edited by
F.R. Hartley and S. Patai (C. Eaborn),
C61