

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 293 (1985)

---

SUBJECT INDEX

**Aluminium**

Dimethylalkynylaluminium, complex formation and reactions with ketones of (K.B. Starowieyski, A. Bećalska, A. Okniński), 7

**Antimony**

Diphenylantimony oxide bromide,  $(\text{Ph}_2\text{SbBrO})_2$ , preparation and crystal structure of (D.M. Wesolek, D.B. Sowerby, M.J. Begley), C5

**Boron**

Allylic diethylboranes and *B*-allylic borinanes, synthesis via metalation of olefins of; contrathermodynamic isomerisation of olefins (M. Zaidliwicz), 139  
 1,1'-Di-*t*-butylstannocene, synthesis and reactions with trifluoroborane of; crystal and molecular structure of  $\eta^5\text{-}(\text{CH}_3)_3\text{CC}_2\text{H}_5\text{Sn}^+\text{BF}_4^-$  (R. Hani, R.A. Geanangel), 197  
 1,2-Dihydro-*N*-phenyl-thieno[*b*]- and -thieno[*c*]-[1,2]azaborines, simple route to (P. Zanirato), 285

**Chromium**

Benchtrenyl acetylenes, synthesis catalysed by palladium of (D. Villemin, E. Schigeko), C10  
 Dicyclohexatrienechromium, hexacarbonylchromium and cyclohexatrienetricarbonylchromium, reassessment of electronic absorption spectra of (G.T.W. Wittmann, G.N. Krynauw, S. Lotz, W. Ludwig), C33  
 Tetraenopentylchromium(IV), spectroscopy and photochemistry of (K.L. Brandenburg, H.B. Abrahamson), 371  
 Tricarbonyl- $\eta^6$ -1,3,5-cycloheptatrienechromium(0), [4+6]-cycloaddition of tricyclo[6.3.0.0<sup>2,7</sup>]undeca-3,5-diene to (S. Özkar, C.G. Kreiter), 229

**Copper**

Benchtrenyl acetylenes, synthesis catalysed by palladium of (D. Villemin, S. Schigeko), C10  
 Methyl(tri-*t*-butylphosphine)copper, synthesis and thermal decomposition of (S. Pasynkiewicz, S. Pikul, J. Popławska), 125

**Gold**

Tetrabutylammonium tetraphenylaurate(III), crystal and molecular structure of (A.J. Markwell), 257

**Hafnium**

Halodicyclopentadienyl-zirconium(III) and -hafnium(III), preparation and chemical behaviour of (T. Cuenca, P. Royo), 61  
 ( $\eta^5$ -Pentamethylcyclopentadienyl)-( $\eta^5$ -cyclopentadienyl)dichloro-titanium-, zirconium and -hafnium, formation and crystal and molecular structures of (R.D. Rogers, M.M. Benning, L.K. Kurihara, K.J. Moriarty, M.D. Rausch), 51

**Iridium**

Dihydroiridium diolefin with sulphur ligands and related complexes (J.C. Rodriguez, C. Claver, A. Ruiz), 115  
 Iridium(III) metallacycles from electrophilic addition of dichlorocarbene ligands to triphenylphosphine ligands; crystal structures of  $\text{IrCl}_2(o\text{-PPh}_3\text{C}_6\text{H}_4\text{CO})(\text{PPh}_3)$  and  $\text{IrCl}_2(o\text{-PPh}_3\text{C}_6\text{H}_4\text{C}[\text{OH}]C_6\text{H}_4\text{PPh}_3\text{o})(\text{CO})$  (G.R. Clark, T.R. Greene, W.R. Roper), C25

**Iron**

$[\text{C}_5\text{H}_5\text{Fe}^{\text{II}}\text{C}_6\text{Me}_5\text{CH}_2\text{PPh}_3]^+$ , coordination to Rh<sup>I</sup> of; spectroscopic, electrochemical and catalytic properties of heterodinuclear Fe<sup>II</sup>-Rh<sup>I</sup> complexes (E. Román E., V. Castro W., M. Camus O.), 93

- Cyclopentadienyliron complexes with P(OR)<sub>3</sub> ligands, synthesis and spectroscopic characterisation of (H. Schumann), 75**
- Methylsiloles, synthesis by thermolysis of esters of silacyclopent-4-ene-3-ols and  $\eta^4$ -tricarbonyliron complexes of (J. Dubac, A. Laporterie, H. Iloughmane), 295**
- 2,4,6-Tri-t-butylphenylmethylenephosphane as ligand in transition metal complexes (R. Appel, C. Casser, F. Knoch), 213**
- Lead**
- Asymmetric substituted diplumbanes, synthesis of (N. Kleiner, M. Dräger), 323**
- Lithium**
- Ion-pairing effects on  $^1\text{H}$  NMR chemical shifts of cyclic conjugated carbanions (H. Vogler), 131**
- 2-Methylbenzothiazole, activation by metallation of (M.V. Costa, P. Lochon), 265**
- Magnesium**
- Cyclopentadienyl(2-methylallyl)magnesium, structure and NMR spectrum of (R. Benn, H. Lehmkuhl, K. Mehler, A. Rufińska), 1**
- "Dibutylmagnesium", convenient reagent in organo(metallic) synthesis; preparation of  $\text{Zr}(\text{C}_5\text{H}_5)_2\text{Cl}_2$ ; X-ray structure of  $[\text{Mg}(\mu\text{-N}(\text{SiMe}_3)\text{C}_6\text{H}_4\text{N}(\text{SiMe}_3)\text{o})\text{-}(\text{OEt}_2)]_2$  (A.W. Duff, P.B. Hitchcock, M.F. Lapper, R.G. Taylor, J.A. Segal), 271**
- Manganese**
- Carbonylmanganese(I) complexes with  $\sigma$ -bonded alkynyl ligands, synthesis of (D. Miguel, V. Riera), 379**
- Mercury**
- Phenylmercury 4-fluorothiophenoxyde, redox-demercuration by tetrakis-(triphenylphosphine)platinum(0) of (S.I. Pombrik, A.A. Bezrukova, L.S. Golovchenko, A.S. Peregudov, A.Z. Rubezhov, D.N. Kravtsov), C1**
- Metallocenes**
- $[\text{C}_5\text{H}_5\text{Fe}^{II}\text{C}_6\text{Me}_5\text{CH}_2\text{PPh}_3]^\bullet$ , coordination to Rh<sup>I</sup> of; spectroscopic, electrochemical and catalytic properties of heterodinuclear Fe<sup>II</sup>–Rh<sup>I</sup> complexes (E. Román E., V. Castro W., M. Camus O.), 93**
- ( $\eta^5\text{-C}_5\text{H}_5$ )<sub>2</sub>ReSn(CH<sub>3</sub>)<sub>2</sub>Cl and ( $\eta^5\text{-C}_5\text{H}_5$ )<sub>2</sub>ReSnCl<sub>2</sub>, molecular structure of (V.K. Belsky, A.N. Protsky, I.V. Molodnitskaya, B.M. Bulychev, G.L. Soloveichik), 69**
- Halodicyclopentadienyl-zirconium(III) and -hafnium(III), preparation and chemical behaviour of (T. Cuenca, P. Royo), 61**
- ( $\eta^5$ -Pentamethylcyclopentadienyl)-( $\eta^5$ -cyclopentadienyl)dichloro-titanium, -zirconium and -hafnium, formation and crystal and molecular structures of (R.D. Rogers, M.M. Benning, L.K. Kurihara, K.J. Moriarty, M.D. Rausch), 51**
- Tetramethylethylene-bridged titanocene dichloride and dicarbonyl derivatives, electrochemical reactions of (H. Schwemlein, W. Tritschler, H. Kiese, H.H. Brintzinger), 353**
- Molybdenum**
- Cycloheptatrienylmolybdenum vinylidene complex,  $[\text{Mo}(\text{C}=\text{CHPh})\text{-}(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)(\eta^7\text{-C}_7\text{H}_7)]\text{-}[\text{PF}_6]$ , synthesis and deprotonation of (J.S. Adams, M. Cunningham, M.W. Whiteley), C13**
- Nickel**
- Aryl- and acetylene-nickel(I) complexes (E. Hernandez, I. Saez, P. Royo), 249**
- Prediction of nucleophilic attacking sites via determinants of "active" frontier and near frontier orbitals (D.A. Brown, N.J. Fitzpatrick, M.A. McGinn), 235**
- 2,4,6-Tri-t-butylphenylmethylenephosphane as ligand in transition metal complexes (R. Appel, C. Casser, F. Knoch), 213**
- Palladium**
- Benzotrenyl acetylenes, synthesis catalysed by palladium of (D. Villemain, E. Schigeko), C10**

*trans*-Di-tertiary-phosphanedichloro-palladium, correlation of  $^{31}\text{P}$  chemical shifts and sterical parameters of the phosphanes on (T. Bartik, T. Himmeler), 343

Organopalladium salts, mechanism of reactions with vinylcyclopropanes of (W. Fischetti, R.F. Heck), 391

## Phosphorus

Benchrotrenyl acetylenes, synthesis catalysed by palladium of (D. Villemain, E. Schigeko), C10

Bis(amino)stannylenes, reactions with organylphosphanes, methylenephosphoranes, phosphane imines, phosphane oxide and phosphane sulphides of (M. Veith, V. Huch), 161

$[\text{C}_4\text{H}_5\text{Fe}^{\text{II}}\text{C}_6\text{Me}_5\text{CH}_2\text{PPh}_3]^+$ , coordination to  $\text{Rh}^{\text{I}}$  of; spectroscopic, electrochemical and catalytic properties of heterodinuclear  $\text{Fe}^{\text{II}}-\text{Rh}^{\text{I}}$  complexes (E. Román E., V. Castro W., M. Camus O.), 93

Cycloheptatrienylmolybdenum vinylidene complex,  $[\text{Mo}(\text{C}=\text{CHPh})-(\text{Ph}, \text{PCH}_2\text{CH}_2\text{PPh}_3)(\eta^5\text{-C}_7\text{H}_7)]\text{[PF}_6^-]$ , synthesis and deprotonation of (J.S. Adams, M. Cunningham, M.W. Whiteley), C13

Cyclopentadienyl(diphosphine)methoxy-carbeneruthenium(II) complexes, stereochemical investigation of reaction with  $\text{LiAlH}_4$  of (G. Consiglio, F. Bangerter, F. Morandini), C29

Cyclopentadienyliron complexes with  $\text{P}(\text{OR})_3$  ligands, synthesis and spectroscopic characterisation of (H. Schumann), 75

*trans*-Di-tertiary-phosphanedichloro-palladium, correlation of  $^{31}\text{P}$  chemical shifts and sterical parameters of the phosphanes on (T. Bartik, T. Himmeler), 343

Iridium(III) metallacycles from electrophilic addition of dichlorocarbene ligands to triphenylphosphine ligands; crystal structures of  $\text{IrCl}_4(o\text{-PPh}_2\text{C}_6\text{H}_4\text{CO})(\text{CO})(\text{PPh}_3)$  and  $\text{IrCl}_2(o\text{-PPh}_2\text{C}_6\text{H}_4\text{C}[\text{OH}]\text{C}_6\text{H}_4\text{PPh}_2\text{o})$  ( $\text{CO}$ ) (G.R. Clark, T.R. Greene, W.R. Roper), C25

Methyl(*tri-t*-butylphosphine)copper, synthesis and thermal decomposition of (S. Pasynkiewicz, S. Pikul, J. Popławska), 125

Phenylmercury 4-fluorothiophenoxyde, redox-demercuration by tetrakis-triphenylphosphine)platinum(0) of (S.I. Pombrik, A.A. Bezrukova, L.S. Golovchenko, A.S. Peregudov, A.Z. Rubezhov, D.N. Kravtsov), C1

2,4,6-Tri-*t*-butylphenylmethylenephosphane as ligand in transition metal complexes (R. Appel, C. Casser, F. Knoch), 213

## Platinum

Phenylmercury 4-fluorothiophenoxyde, redox-demercuration by tetrakis(triphenylphosphine)platinum(0) of (S.I. Pombrik, A.A. Bezrukova, L.S. Golovchenko, A.S. Peregudov, A.Z. Rubezhov, D.N. Kravtsov), C1

## Potassium

Ion-pairing effects on  $^1\text{H}$  NMR chemical shifts of cyclic conjugated carbanions (H. Vogler), 131

## Rhenium

$(\eta^5\text{-C}_5\text{H}_5)_2\text{ReSn}(\text{CH}_3)_2\text{Cl}$  and  $(\eta^5\text{-C}_5\text{H}_5)_2\text{ReSnCl}_3$ , molecular structure of (V.K. Belsky, A.N. Protsky, I.V. Molodnitskaya, B.M. Bulychev, G.L. Soloveichik), 69

## Rhodium

$[\text{C}_4\text{H}_5\text{Fe}^{\text{II}}\text{C}_6\text{Me}_5\text{CH}_2\text{PPh}_3]^+$ , coordination to  $\text{Rh}^{\text{I}}$  of; spectroscopic, electrochemical and catalytic properties of heterodinuclear  $\text{Fe}^{\text{II}}-\text{Rh}^{\text{I}}$  complexes (E. Román E., V. Castro W., M. Camus O.), 93

Cyclopentadienylrhodium(I) catalysed synthesis of tetramethyl-2,3,4,5-thiophenetetracarboxylate from elemental sulphur and  $\text{CH}_3\text{OOCC}\equiv\text{COOCH}_3$  (M. Kajitani, T. Suetsugu, R. Wakabayashi, A. Igarashi, T. Akiyama, A. Sugimori), C15

$(\eta^5\text{-Cyclopentadienyl(rhodium complexes as catalysts in cyclotrimerisation of acetylenes (K. Abdulla, B.L. Booth, C. Stacey), 103$

## Ruthenium

Cyclopentadienyl(diphosphine)methoxy-carbeneruthenium(II) complexes, stereochemical investigation of reaction with LiAlH<sub>4</sub> of (G. Consiglio, F. Bangerter, F. Morandini), C29

## Silicon

Acetoxy- and siloxy-dimethylhalosilanes, sterical substituent constants in (U. Scheim, H. Grosse-Ruyken, K. Rühlmann, A. Porzel), 29

Benchetroxyl acetylenes, synthesis catalysed by palladium of (D. Villemain, E. Schigeko), C10

Bis(amino)stannylenes, reactions with organylphosphanes, methylenephosphoranes, phosphane imines, phosphane oxide and phosphane sulphides of (M. Veith, V. Huch), 161

"Dibutylmagnesium", convenient reagent in organo(metallic) synthesis; preparation of Zr(C<sub>4</sub>H<sub>9</sub>)Cl<sub>2</sub>; X-ray structure of [Me{μ-N(SiMe<sub>3</sub>)C<sub>6</sub>H<sub>4</sub>N(SiMe<sub>3</sub>)O}- (OEt<sub>2</sub>)]<sub>2</sub>, (A.W. Duff, P.B. Hitchcock, M.F. Lappert, R.G. Taylor, J.A. Segal), 271

Methylsiloles, synthesis by thermolysis of esters of silacyclopent-4-ene-3-ols and η<sup>4</sup>-tricarbonyliron complexes of (J. Dubac, A. Laporterie, H. Iloughmane), 295

Perfluoroalkyl ether substituted silanes, synthesis and reactions of (G.J. Chen, C. Tamborski), 313

1-Phenylcarbasilatrane, crystal structure of (P. Hencsei, I. Kovács, L. Párkányi), 185

Silicon chiral groups, asymmetric induction by (G.L. Larson, E. Torres), 19

Silicon coordination, mapping the expansion from 4 to 5; crystal structure of 1,2,3,4-tetrahydro-1-trimethylsilyl-1,10-phenanthroline (G. Klebe), 147

3-Trimethylsilyl-1-pyrazoline, synthesis and thermal reactions of (R.T. Conlin, Y.-W. Kwak), 177

## Sulphur

Acetato(2-phenylazophenyl-C,N')tellurium(II) and (2-phenylazophenyl-C,N')thiocyanatotellurium(II), crystal and molecular structures of (M.A.K. Ahmed, W.R. McWhinnie, T.A. Hamor), 219

Bis(amino)stannylenes, reactions with organylphosphanes, methylenephosphoranes, phosphane imines, phosphane oxide and phosphane sulphides of (M. Veith, V. Huch), 161

Cyclopentadienylrhodium(I) catalysed synthesis of tetramethyl-2,3,4,5-thiophenetetracarboxylate from elemental sulphur and CH<sub>3</sub>OOC=CCOOCH<sub>3</sub>, (M. Kajitani, T. Suetsugu, R. Wakabayashi, A. Igarashi, T. Akiyama, A. Sugimori), C15

Dihydroiridium diolefin with sulphur ligands and related complexes (J.C. Rodriguez, C. Claver, A. Ruiz), 115

2-Methylbenzothiazole, activation by metallation of (M.V. Costa, P. Lochon), 265

Phenylmercury 4-fluorothiophenoxyde, redox-demercuration by tetrakis-(triphenylphosphine)platinum(0) of (S.I. Pombrík, A.A. Bezrukova, L.S. Golovchenko, A.S. Peregudov, A.Z. Rubezhov, D.N. Kravtsov), C1

## Tellurium

Acetato(2-phenylazophenyl-C,N')tellurium(II) and (2-phenylazophenyl-C,N')thiocyanatotellurium(II), crystal and molecular structures of (M.A.K. Ahmed, W.R. McWhinnie, T.A. Hamor), 219

p-Phenoxyphenyltellurium(IV) trichloride dimer, crystal structure of (R.K. Chadka, J.E. Drake), 37

## Tin

Bis(amino)stannylenes, reactions with organylphosphanes, methylenephosphoranes, phosphane imines, phosphane oxide and phosphane sulphides of (M. Veith, V. Huch), 161  
(η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>ReSnCl<sub>3</sub>, molecular structure of (V.K. Belsky, A.N. Protsky, I.V. Molodnitskaya, B.M. Bulychev, G.L. Soloveichik), 69

1,1'-Di-t-butylstannocene, synthesis and reactions with trifluoroborane of; crystal and molecular structure of η<sup>5</sup>-(CH<sub>3</sub>)<sub>2</sub>CC<sub>5</sub>H<sub>4</sub>Sn<sup>+</sup>BF<sub>4</sub><sup>-</sup> (R. Hani, R.A. Geanangel), 197

Mono-t-butyltin-element compounds, synthesis of (D. Hänsgen, H. Puff, N. Beckermann), 191

**Triphenylallyltin, crystal structure of**  
 (P. Ganis, D. Furlani, D. Marton,  
 G. Tagliavini, G. Valle), 207

## Titanium

( $\eta^5$ -Pentamethylcyclopentadienyl)-  
 ( $\eta^5$ -cyclopentadienyl)dichloro-  
 titanium, -zirconium and -hafnium,  
 formation and crystal and molecular  
 structures of (R.D. Rogers, M.M.  
 Benning, L.K. Kurihara, K.J.  
 Moriarty, M.D. Rausch), 51

Tetramethylethylene-bridged titanocene  
 dichloride and dicarbonyl deriv-  
 atives, electrochemical reactions  
 of (H. Schwemlein, W. Tritschler,  
 H. Kiese, H.H. Brintzinger), 353

## Tungsten

Dimetallacyclopropene complex, prepara-  
 tion by insertion of methylisonitrile  
 into W—H—W bridges (H.G. Alt,  
 T. Frister), C7

## Vanadium

Vanadium isonitrile complexes, syn-  
 thesis and characterisation of (N.J.  
 Coville, G.W. Harris, D. Rehder), 365

## Ytterbium

Dibromo- $\eta^5$ -cyclopentadienyltris(tetra-  
 hydrofuran)ytterbium(III), crystal  
 and molecular structure of (G.B.  
 Deacon, G.D. Fallon, D.L. Wilkinson),  
 45

## Zirconium

"Dibutylmagnesium", convenient reagent  
 in organo(metallic) synthesis; prepara-  
 tion of Zr(C<sub>4</sub>H<sub>9</sub>)Cl<sub>2</sub>; X-ray structure of  
 [Mg { $\mu$ -N(SiMe<sub>3</sub>)C<sub>6</sub>H<sub>4</sub>N(SiMe<sub>3</sub>)<sub>2</sub>}-  
 (OEt<sub>2</sub>)]<sub>2</sub> (A.W. Duff, P.B. Hitchcock,  
 M.F. Lappert, R.G. Taylor, J.A.  
 Segal), 271

Halodicyclopentadienyl-zirconium(III)  
 and -hafnium(III), preparation and  
 chemical behaviour of (T. Cuena,  
 P. Royo), 61

( $\eta^5$ -Pentamethylcyclopentadienyl)-  
 ( $\eta^5$ -cyclopentadienyl)dichloro-tita-  
 nium, -zirconium and -hafnium, forma-  
 tion and crystal and molecular struc-  
 tures of (R.D. Rogers, M.M. Benning,  
 L.K. Kurihara, K.J. Moriarty, M.D.  
 Rausch), 51

## Book reviews

Gmelin handbook of inorganic chemistry.  
 8th edition, Br — Bromine, Supplement  
 Vol. A, The Element (K.R. Seddon), C20

Gmelin handbook of inorganic chemistry.  
 8th edition, S — Sulfur—Nitrogen com-  
 pounds, Part 2. Compounds with sulfur  
 of oxidation number IV (K.R. Seddon)  
 C21

Gmelin handbook of inorganic chemistry.  
 8th edition, Th — Thorium, Supple-  
 ment Vol. E, Coordination Com-  
 pounds (K.R. Seddon) C19

Organotin compounds in modern technol-  
 ogy; by C.J. Evans and S. Karpel  
 (A.G. Davies) C22