

- | | | |
|-----------------------|---------------------------|-------------------------|
| Stelzer, O., 187 | Tuck, D.G., C47 | Werner, H., 317, C38 |
| Stone, F.G.A., C12 | Tzschach, A., 173 | Wilhelm, D., C17 |
| Struchkov, Yu.T., 349 | | Wu, M.-Y., C33 |
| Stufkens, D.J., 273 | | Ziller, J.W., 237 |
| Tarasconi, P., 403 | Van der Kerk, G.J.M., 123 | Zuckerman, J.J., C1, C8 |
| Togni, A., 365 | Van Meerssche, M., 173 | |
| Tsai, D.J.S., 15 | Venzo, A., 221 | |
| | Wend, W., C29 | |

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 281 (1985)

SUBJECT INDEX

Aluminium

- Bis(diphenylphosphino)methane fluxional complexes of alkyl-galliums and -indiums (H. Schmidbaur, S. Lauteschläger, G. Müller), 25
 μ -Chlorobis(diethylaluminium)bis(diphenylphosphino) ethanide, complex with windshield wiper fluxionality (H. Schmidbaur, S. Lauteschläger, G. Müller), 33

Arsenic

- Arsine-silver(I) complexes, synthesis and structural characterisation of (C. Pelizzi, G. Pelizzi, P. Tarasconi), 403
Organometallic compounds containing nitrogen, phosphorus, arsenic and sulphur (*Review*) (H.W. Roesky), 69

Boron

- 9-Borafluorenes, convenient route to (C.K. Narula, H. Nöth), 131
Boronic esters, directed asymmetric synthesis with (D.S. Matteson, K.M. Sadhu, R. Ray, P.K. Jesthi, M.L. Peterson, D. Majumdar, D.J.S. Tsai, G.D. Hurst, E. Erdik), 15
Cyclopentadienylcarbonylmanganese complexes with amines and aminyl ligands, stabilisation of unstable aminyl radicals in (D. Sellmann, J. Müller), 249

Chromium

- 2,2'-Bipyridyltetracarbonyl anionic radical complexes of Group VIB metals vs. 2,2'-bipyridine anionic radicals, solution thermodynamic studies of (A.E. Alegría, O. Lozada, H. Rivera, J. Sánchez), 229

1,4-Diaza-1,3-butadiene containing mono-nuclear carbonyl-transition metal complexes, He(I) and He(II) photoelectron spectra of (R.R. Andréa, J.N. Louwen, M.K. Kokkes, D.J. Stufkens, A. Oskam), 273

Lithium cyclopentadienide formation by reactions of $\text{Li}(\text{C}_5\text{H}_5)_2\text{BH}$ with cyclopentadiene and preparation of $[\text{M}(\text{CO})_3(\text{C}_5\text{H}_5)]^-$ ($\text{M} = \text{Cr}, \text{Mo}, \text{W}$) (M.A. El-Hinnawi, A.K. El-Qaseer), 119

Organometallic chemistry, photoelectron spectroscopy in (J.C. Maire), 45

Organometallic compounds containing nitrogen, phosphorus, arsenic and sulphur (*Review*) (H. W. Roesky), 69

Tricarbonylchromium-benzocycloheptatrienyl anion, haptotropic migration of the $\text{Cr}(\text{CO})_3$ group from the six- to the seven-membered ring in (A. Ceccon, A. Gambaro, A. Venzo), 221

Tris(triphenylphosphino)aminetetracarbonylchromium, synthesis of (J. Ellermann, W. Wend), C29

Cobalt

Carbonylmanganese complexes, $[\text{Mn}(\text{CO})_5\text{PR}_3]^+$ and $[\text{Mn}_2(\text{CO})_{10-n}(\text{PR}_3)_n]$, ligand rearrangement with bis(halodinitrosylcobalt) of (P. Oltmans, D. Rehder), 263

Dinuclear thiolato-bridged cobalt compounds, reaction with activated alkynes of; formation and X-ray structure of an unusual trinuclear cobalt complex, $[\text{Co}_3(\eta^5-\text{C}_5\text{H}_5)_3(\text{SMe})_2(\text{CF}_3\text{C}\equiv\text{CCF}_3)_2]^-$ (F.Y. Pétillon, J.L. Le Quéré, F. Le Floch-Pérennou, J.E. Guerchais, P. L'Haridon), 305

$[\text{HFeCo}_3(\text{CO})_{12}]$, anchoring to oxide supports of (E. Guglielminotti, D. Osella, P.L. Stanghellini), 291
Organometallic chemistry, photoelectron spectroscopy in (J.C. Maire), 45
 $[\text{Rh}_3(\mu_3\text{-CO})_2(\eta\text{-C}_5\text{Me}_5)_3]$, crystal structure of; reactions of the unsaturated metal clusters $[\text{MM}'_2(\mu_3\text{-CO})_2(\eta\text{-C}_5\text{Me}_5)_3]$ ($\text{M} = \text{M}' = \text{Rh}$; $\text{M} = \text{Co, Ir}$; $\text{M}' = \text{Rh}$) (A.C. Bray, M. Green, D.R. Hankey, J.A.K. Howard, O. Johnson, F.G.A. Stone), C12

Copper

Phenylethyne copper(I), $\text{C}_6\text{H}_5\text{C}\equiv\text{CCu}$, efficient electrochemical synthesis of (R. Kumar, D.G. Tuck), C47

Gallium

Bis(diphenylphosphino)methane fluxional complexes of alkyl-galliums and -indiums (H. Schmidbaur, S. Lauteschläger, G. Müller), 25
 μ -Chlorobis(diethylaluminium)bis(diphenylphosphino) ethanide, complex with windshield wiper fluxionality (H. Schmidbaur, S. Lauteschläger, G. Müller), 33

General

Organometallic chemistry, coordination chemistry, Main Group chemistry, where are the frontiers at present (J.G. Riess), 1

Germanium

Germanium—silicon—oxygen seven-membered ring, 1,1,2,2,4,4,6,6-octaphenyl-1,12-digermana-4,6-disila-3,5,7-trioxa-cycloheptane, synthesis and X-ray analysis of (H. Puff, T.R. Kök, P. Nauroth, W. Schuh), 141

Germyl acetate, molecular structure in the gas phase determined by electron diffraction of (E.A.V. Ebsworth, C.M. Huntley, D.W.H. Rankin), 63

Organometallic chemistry, photoelectron spectroscopy in (J.C. Maire), 45

Gold

Organometallic chemistry, photoelectron spectroscopy in (J.C. Maire), 45

Iridium

π -Cyclopentadienyl-ruthenium, -rhodium and -iridium substituted complexes, synthesis by intramolecular condensation of a π -allyl ligand and alkyne of; X-ray structure of $[\eta\text{-C}_5\text{H}_4\text{Ru}(\eta\text{-C}_5\text{H}_3\text{-Ph}_2\text{-1,2})]\text{BF}_4$ (Z.I. Lutsenko, G.G. Aleksandrov, P.V. Petrovskii, E.S. Shubina, V.G. Andrianov, Yu.T. Struchkov, A.Z. Rubezhov), 349

Hydrido-1,5-cyclooctadieneiridium(II) complexes stabilised by trichlorostannate ligands and structure of $[\text{IrH}_2(\text{SnCl}_3)\text{-}(\text{PPh}_3)_3]$ (M. Kretschmer, P.S. Pregosin, A. Albinati, A. Togni), 365

Hydrogen transfer reactions in the presence of carbonyl clusters, selective reduction of dienes to monoenes via (J. Kašpar, R. Spogliarich, M. Graziani), 299

$[\text{Rh}_3(\mu_3\text{-CO})_2(\eta\text{-C}_5\text{Me}_5)_3]$, crystal structure of; reactions of the unsaturated metal clusters $[\text{MM}'_2(\mu_3\text{-CO})_2(\eta\text{-C}_5\text{Me}_5)_3]$ ($\text{M} = \text{M}' = \text{Rh}$; $\text{M} = \text{Co, Ir}$; $\text{M}' = \text{Rh}$) (A.C. Bray, M. Green, D.R. Hankey, J.A.K. Howard, O. Johnson, F.G.A. Stone), C12

Iron

1,4-Diaza-1,3-butadiene containing mononuclear carbonyl-transition metal complexes, He(I) and He(II) photoelectron spectra of (R.R. Andréa, J.N. Louwen, M.W. Kokkes, D.J. Stufkens, A. Oskam), 273

$[\text{HFeCo}_3(\text{CO})_{12}]$, anchoring to oxide supports of (E. Guglielminotti, D. Osella, P.L. Stanghellini), 291

Organometallic chemistry photoelectron spectroscopy in (J.C. Maire), 45

Sulphur-bridged dimers obtained from μ -dithiobis(tricarbonyliron) (D. Seyferth, A.M. Kiwan), 111

Tertiary and secondary methylenebisphosphanes, bridging ligands and sources for phosphinidines in cluster synthesis (D.J. Brauer, S. Hietkamp, H. Sommer, O. Stelzer), 187

Lanthanides

Organometallic compounds of the rare earths elements (Review) (H. Schumann), 95

Lead

Organometallic chemistry, photoelectron spectroscopy in (J.C. Maire), 45

Lithium

Cycloheptatrienyl trianion, stabilisation by three lithium counterions of (P.v.R.

Schleyer, D. Wilhelm, T. Clark), C17
Lithium cyclopentadienide formation by reactions of $\text{Li}(\text{C}_2\text{H}_5)_3\text{BH}$ with cyclopentadiene and preparation of $[\text{M}(\text{CO})_3(\text{C}_5\text{H}_5)]^-$ ($\text{M} = \text{Cr}, \text{Mo}, \text{W}$) (M.A. El-Hinnawi, A.K. El-Qaseer), 119

α -Silyl- and α -stannyl-vinyllithiums, formation and reactions with aldehydes and ketones of (T.N. Mitchell, W. Reimann), 163

Tris(diphenylphosphino)aminetetracarbonylchromium, synthesis of (J. Ellermann, W. Wend), C29

Magnesium

cis-1,3,5-Tris(bromomethyl)cyclohexane, reaction with magnesium under formation of a tri-Grignard reagent of (P. Boudjouk, R. Sooriyakumaran, C.A. Kapfer), C21

Manganese

Carbonylmanganese complexes $[\text{Mn}(\text{CO})_5(\text{PR}_3)]^+$ and $[\text{Mn}_2(\text{CO})_{10-n}(\text{PR}_3)_n]$, ligand rearrangement with bis(halodinitrosylcobalt) of (P. Oltmanns, D. Rehder), 263

Cyclopentadienyldicarbonylmanganese complexes with amines and aminal ligands, stabilisation of unstable aminal radicals in (D. Sellmann, J. Müller), 249

Mercury

Organometallic chemistry, photoelectron spectroscopy in (J.C. Maire), 45

Metallocenes

η^5 -Acetyl- and alkoxy carbonyl-cyclopentadienyltin(II) derivatives, synthesis and characterisation of (T.S. Dory, J.J. Zuckerman, M.D. Rausch), C8

π -Cyclopentadienyl-ruthenium, -rhodium and -iridium substituted complexes, synthesis by intramolecular condensa-

tion of a π -allyl ligand and alkyne of; X-ray structure of $[\eta\text{-C}_6\text{H}_5\text{Ru}(\eta\text{-C}_5\text{H}_5\text{-Ph}_2\text{-1,2})]\text{BF}_4$ (Z.I. Lutsenko, G.G. Aleksandrov, P.V. Petrovskii, E.S. Shubina, V.G. Andrianov, Yu.T. Struchkov, A.Z. Rubezhov), 349

Niobium and tantalum polymer-attached complexes, synthesis and applications to catalysis of olefin hydrogenation, isomerisation and ethylene dimerisation of (B.-H. Chang, C.-P. Lau, R.H. Grubbs, C.H. Brubaker, Jr.), 213

Trifluoroboron adduct of stannocene, structure of; crystal and molecular structure of $[[\text{BF}_4]^- (\mu\text{-}\eta^5\text{-C}_5\text{H}_5)_2\text{Sn} [\mu\text{-}\eta^5\text{C}_5\text{H}_5\text{Sn}]^+\text{THF}]_n$ (T.S. Dory, J.J. Zuckerman, C.L. Barnes), C1

Molybdenum

2,2'-Bipyridyltetracarbonyl anionic radical complexes of Group VIIB metals vs. 2,2'-bipyridine anionic radicals, solution thermodynamic studies of (A.E. Alegría, O. Lozada, H. Rivera, J. Sánchez), 229

Bis(norbornadiene)dicarbonylmolybdenum, synthesis and characterisation of; intermediate in metal-assisted dimerisation of norbornadiene (T.J. Chow, M.-Y. Wu, L.-K. Liu), C33

1,4-Diaza-1,3-butadiene containing mononuclear carbonyl-transition metal complexes, He(I) and He(II) photoelectron spectra of (R.R. Andréa, J.N. Louwen, M.W. Kokkes, D.J. Stufkens, A. Oskam), 273

Lithium cyclopentadienide formation by reactions of $\text{Li}(\text{C}_2\text{H}_5)_3\text{BH}$ with cyclopentadiene and preparation of $[\text{M}(\text{CO})_3(\text{C}_5\text{H}_5)]^-$ ($\text{M} = \text{Cr}, \text{Mo}, \text{W}$) (M.A. El-Hinnawi, A.K. El-Qaseer), 119

Organometallic compounds containing nitrogen, phosphorus, arsenic and sulphur (Review) (H.W. Roesky), 69

Nickel

Carbamoylnickel novel complexes, structure and properties of (H. Hoberg, F.J. Fañanás, K. Angermund, C. Krüger, M.J. Ramão), 379

1,4-Diaza-1,3-butadiene containing mononuclear carbonyl-transition metal complexes, He(I) and He(II) photoelectron spectra of (R.R. Andréa, J.N. Louwen, M.W. Kokkes, D.J. Stufkens, A. Oskam), 273

Organometallic chemistry, photoelectron spectroscopy in (J.C. Maire), 45

Niobium

Niobium and tantalum polymer-attached complexes, synthesis and applications to catalysis of olefin hydrogenation, isomerisation and ethylene dimerisation of (B.-H. Chang, C.-P. Lau, R.H. Grubbs, C.H. Brubaker, Jr.), 213

Osmium

[C₆H₆Os(PR₃)] 16-electron fragment, precursors for and formation of aryl(hydrido)osmium(II) complexes by intermolecular C—H addition (H. Werner, K. Roder), C38

Hydrogen transfer reactions in the presence of carbonyl clusters, selective reduction of dienes to monoenes via (J. Kašpar, R. Spogliarich, M. Graziani), 299

Tertiary phosphine derivatives of dodecatriosmium, intramolecular exchange in (A.J. Deeming, S. Donovan-Mtunzi, S.E. Kabir), C43

Palladium

Cyclopalladated primary and secondary benzylamines, preparation of (P.W. Clark, S.F. Dyke), 389

Organometallic chemistry, photoelectron spectroscopy in (J.C. Maire), 45

Phosphorus

Bis(diphenylphosphino)methane fluxional complexes of alkyl-galliums and -indiums (H. Schmidbaur, S. Lauteschläger, G. Müller), 25

Carbamoylnickel novel complexes, structure and properties of (H. Hoberg, F.J. Fañanás, K. Angermund, C. Krüger, M.J. Ramão), 379

Carbonylmanganese complexes, [Mn(CO)₅-PR₃]⁺ and [Mn₂(CO)_{10-n}(PR₃)_n], ligand rearrangement with bis(halodinitrosylcobalt) of (P. Oltmanns, D. Rehder), 263

μ -Chlorobis(diethylaluminium)bis(diphenylphosphino) ethanide, complex with windshield wiper fluxionality (H. Schmidbaur, S. Lauteschläger, G. Müller), 33

[C₆H₆Os(PR₃)] 16-electron fragment, precursors for and formation of aryl(hydrido)osmium(II) complexes by intermolecular C—H addition (H. Werner, K. Roder), C38

Cyclopentadienyldiligrondrhodium compounds, used as synthons for carbenoide and carbenoidylid rhodium(III) complexes (H. Werner, L. Hoffmann, R. Feser, W. Paul), 317

Organometallic chemistry, photoelectron spectroscopy in (J.C. Maire), 45

Organometallic compounds containing nitrogen, phosphorus, arsenic and sulphur (Review) (H.W. Roesky), 69

Tertiary and secondary methylenebisphosphanes, bridging ligands and sources for phosphinidines in cluster synthesis (D.J. Brauer, S. Hietkamp, H. Sommer, O. Stelzer), 187

Tertiary phosphine derivatives of dodecatriosmium, intramolecular exchange in (A.J. Deeming, S. Donovan-Mtunzi, S.E. Kabir), C43

Tris(diphenylphosphino)aminetetracarbonylchromium, synthesis of (J. Ellermann, W. Wend), C29

Platinum

***exo*-Tricyclo[3.2.1.0^{2,4}] -6-octanone, reactions with Zeise's dimer of (R.A. Ekeland, P.W. Jennings), 397**

Rhenium

1,4-Diaza-1,3-butadiene containing mononuclear carbonyl-transition metal complexes, He(I) and He(II) photoelectron spectra of (R.R. Andréa, J.N. Louwen, M.W. Kokkes, D.J. Stufkens, A. Oskam), 273

Rhodium

Cyclopentadienyldiligrondrhodium compounds, used as synthons for carbenoide and carbenoidylid rhodium(III) complexes (H. Werner, L. Hoffmann, R. Feser, W. Paul), 317

π -Cyclopentadienyl-ruthenium, -rhodium and -iridium substituted complexes, synthesis by intramolecular condensation of a π -allyl ligand and alkyne of; X-ray structure of [η -C₆H₄Ru(η -C₄H₃Ph₂, 1,2)-BF₄ (Z.I. Lutsenko, G.G. Aleksandrov, P.V. Petrovskii, E.S. Shubina, V.G. An-

drianov, Yu.T. Struchkov, A.Z. Rubezhov), 349

Hydrogen transfer reactions in the presence of carbonyl clusters, selective reduction of dienes to monoenes via (J. Kašpar, R. Spogliarich, M. Graziani), 299

[Rh₃(μ₃-CO)₂(η-C₅Me₅)₃], crystal structure of; reactions of the unsaturated metal clusters [MM'₂(μ₃-CO)₂(η-C₅Me₅)₃] (M = M' = Rh; M = Co, Ir; M' = Rh) (A.C. Bray, M. Green, D.R. Hankey, J.A.K. Howard, O. Johnson, F.G.A. Stone), C12

Ruthenium

Hydrogen transfer reactions in the presence of carbonyl clusters, selective reduction of dienes to monoenes via (J. Kašpar, R. Spogliarich, M. Graziani), 299

Silicon

Allylsilanes, hydroperoxidation of and regioselectivity of reactions with dienes of (J. Dubac, A. Laporterie, H. Iloughmane, J.P. Pillot, G. Déléris, J. Dunguès), 149

Cyclopentadienyldicarbonylmanganese complexes with amines and aminyl ligands, stabilisation of unstable aminyl radicals in (D. Sellmann, J. Müller), 249

Enoxysilanes and trisenoxy silanes, regioselective in situ synthesis of β-alkoxyketones from (C. Rochin, O. Babot, F. Duboudin), C24

Germanium—silicon—oxygen seven-membered ring, 1,1,2,2,4,4,6,6-octaphenyl-1,12-digermano-4,6-disila-3,5,7-trioxacycloheptane, synthesis and X-ray analysis of (H. Puff, T.R. Kök, P. Nauroth, W. Schuh), 141

Organometallic chemistry, photoelectron spectroscopy in (J.C. Maire), 45

Organosilicon halides, pseudohalides and amides, additions to acetonitrile oxide of (R.F. Cunico, L. Bedell), 135

α-Silyl- and α-stannyl-vinyllithiums, formation and reactions with aldehydes and ketones of (T.N. Mitchell, W. Reimann), 163

cis-1,3,5-Tris(bromomethyl)cyclohexane, reaction with magnesium under formation of a tri-Grignard reagent of (P. Boudjouk, R. Sooriyakumaran, C.A. Kapfer), C21

Silver

Arsine-silver(I) complexes, synthesis and structural characterisation of (C. Pelizzi, G. Pelizzi, P. Tarasconi), 403

Sodium

[C₆H₆Os(PR₃)] 16-electron fragment, precursors for and formation of aryl(hydrido)osmium(II) complexes by intermolecular C—H addition (H. Werner, K. Roder), C38

Sulphur

5-t-Butyl-5-aza-2,8-dithia-1-stanna(II)-bicyclo[3.3.0^{1,5}]octane, crystal and molecular structure and geometric isomers of (K. Jurkschat, M. Scheer, A. Tzschach, J. Meunier-Piret, M. Van Meerssche), 173

Dinuclear thiolato-bridged cobalt compounds, reaction with activated alkynes of; formation and X-ray structure of an unusual trinuclear cobalt complex, [Co₃(η⁵-C₅H₅)₃(SMe)₂(CF₃C≡CCF₃)₂] (F.Y. Pétilion, J.L. Le Quéré, F. Le Floch-Pérennou, J.E. Guerchais, P. L'Haridon), 305

Stannanedithiocarboxylates, novel α-functional organotin ligands (U.R. Kunze), 79

Sulphur-bridged dimers obtained from μ-dithiobis(tricarbonyliron) (D. Seyforth, A.M. Kiwan), 111

Tellurium

Tellurated azobenzenes, crystal and molecular structure of (2-phenylazophenyl-C,N')tellurium(IV) trichloride (M.A.K. Ahmed, W.R. McWhinnie, T.A. Hamor), 205

Thallium

Niobium and tantalum polymer-attached complexes, synthesis and applications to catalysis of olefin hydrogenation, isomerisation and ethylene dimerisation of (B.-H. Chang, C.-P. Lau, R.H. Grubbs, C.H. Brubaker, Jr.), 213

Tin

η⁵-Acetyl- and alkoxy carbonyl-cyclopentadienyltin(II) derivatives, synthesis and

- characterisation of (T.S. Dory, J.J. Zuckerman, M.D. Rausch), C8
- 5-t-Butyl-5-aza-2,8-dithia-1-stanna(II)-bicyclo[3.3.0^{1,5}]octane, crystal and molecular structure and geometric isomers of (K. Jurkschat, M. Scheer, A. Tzschach, J. Meunier-Piret, M. Van Meerssche), 173
- Hydrido-1,5-cyclooctadieneiridium(III) complexes stabilised by trichlorostannate ligands and structure of $[\text{IrH}_2\text{-}(\text{SnCl}_3)(\text{PPh}_3)_3]$ (M. Kretschmer, P.S. Pregosin, A. Albinati, A. Togni), 365
- Organometallic chemistry, photoelectron spectroscopy in (J.C. Maire), 45
- α -Silyl- and α -stannyly-vinylolithiums, formation and reactions with aldehydes and ketones of (T.N. Mitchell, W. Reimann), 163
- Stannanedithiocarboxylates, novel α -functional organotin ligands (U.R. Kunze), 79
- Tetraalkylditin salts, electrochemical preparation of (M. Devaud, M. Engel, C. Feasson, J.-L. Lecat), 181
- Trifluoroboron adduct of stannocene, structure of; crystal and molecular structure of $\{[\text{BF}_4]^- (\mu-\eta^5\text{-C}_5\text{H}_5)_2\text{Sn} [\mu-\eta^5\text{-C}_5\text{H}_5\text{Sn}]^+\text{THF}\}_n$ (T.S. Dory, J.J. Zuckerman, C.L. Barnes), C1
- ### Tungsten
- 2,2'-Bipyridyltetracarbonyl anionic radical complexes of Group VIB metals vs. 2,2'-bipyridine anionic radicals, solution thermodynamic studies of (A.E. Alegría, O. Lozada, H. Rivera, J. Sánchez), 229
- 1,4-Diaza-1,3-butadiene containing mono-nuclear carbonyl-transition metal complexes, He(I) and He(II) photoelectron spectra of (R.R. Andréa, J.N. Louwen, M.W. Kokkes, D.J. Stufkens, A. Oskam), 273
- Lithium cyclopentadienide formation by reactions of $\text{Li}(\text{C}_2\text{H}_5)_3\text{BH}$ with cyclopentadiene and preparation of $[\text{M}(\text{CO})_3\text{-}(\text{C}_5\text{H}_5)]^-$ ($\text{M} = \text{Cr}, \text{Mo}, \text{W}$) (M.A. El-Hinnawi, A.K. El-Qaseer), 119
- Tungstenacyclobutadiene deprotonated complex, $(\eta^5\text{-C}_5\text{H}_5)\text{W}[\text{C}_5(\text{CMe}_3)_2]\text{Cl}$, crystal structure of and characterisation of an $\eta^3\text{-RCCCR}$ ligand in (M.R. Churchill, J.W. Ziller), 237
- ### Vanadium
- Organometallic chemistry, photoelectron spectroscopy in (J.C. Maire), 45
- ### Zinc
- Dicyclopentadienylzinc, structure of (P.H.M. Budzelaar, J. Boersma, G.J.M. van der Kerk, A.L. Spek, A.J.M. Duisenberg), 123