

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 282 (1985)

SUBJECT INDEX

Aluminium

CpTiCl₂OPhX (X = CH₃O, CH₃Cl, NO₂), Hammett relationship with BuLi(Et₂AlCl) catalytic systems in (W. Skupiński, A. Wasilewski), 69

Antimony

Monovalent organometallic groups as trigonally planar bridging substituents to (L_nM)₂MX compounds (M = P, As, Sb; X = halogen), formation and X-ray structure of (G. Huttner, U. Weber, B. Sigwart, O. Scheidsteiger, H. Lang, L. Zsolnai), 331

Arsenic

Dihalo(pentafluorophenyl) (bidentate ligand) gold(III) complexes, synthesis and ¹⁹⁷Au Mössbauer spectra of (R. Usón, A. Laguna, M.U. De La Orden, R.V. Parish, L.S. Moore), 145

Monovalent organometallic groups as trigonally planar bridging substituents to (L_nM)₂MX compounds (M = P, As, Sb; X = halogen), formation and X-ray structure of (G. Huttner, U. Weber, B. Sigwarth, O. Scheidsteiger, H. Lang, L. Zsolnai), 331

Beryllium

Cyclopentadienylberyllium chloride, crystal structure of (R. Goddard, J. Akhtar, K.B. Starowieyski), 149

Boron

Bis(arene-diazo) derivatives of hydrido-tris(1-pyrazolyl)boratotricarbonylmolybdenum anion, indirect synthesis of; crystal and molecular structure of hydrotris(1-pyrazolyl)borato-bis(p-toluenediazo)fluoromolybdenum(0), MoF(N₂C₆H₄Me-p)₂·[HB(C₃H₃N₂)₃] (G. Ferguson, B.L. Ruhl, F.J. Lalor, M.E. Deane), 75

Bis(η⁵-3,4-diethyl-2,5-dimethyl-1,2,5-thiadiborolene)monocarbonyliron, synthesis and crystal structure of (J. Edwin, W. Siebert, C. Krüger), 297

Caesium

Fluorescent tertiary silanes, formation and reactions of (L. Horner, J. Mathias), 175

Mono- and di-silyl ethers, selective formation from tertiary and secondary silanes of (L. Horner, J. Mathias), 155

Chromium

Diphosphene complexes, (CO)₂CrPhP=PPhCr(CO)₂, reactions of (J. Borm, G. Huttner, O. Orama, L. Zsolnai), 53

Chromium, molybdenum and tungsten zerovalent isocyanide complexes, preparation of; crystal structure of hexakis(2,6-xylyl isocyanide)molybdenum containing benzene as solvate (Y. Yamamoto, H. Yamazaki), 191

Metal-metal bonded complexes, [M(CO)₃C₅H₅]₂ (M = Cr, Mo, W), heats of formation of (J.T. Landrum, C.D. Hoff), 215

Monovalent organometallic groups as trigonally planar bridging substituents to (L_nM)₂MX compounds (M = P, As, Sb; X = halogen), formation and X-ray structure of (G. Huttner, U. Weber, B. Sigwarth, O. Scheidsteiger, H. Lang, L. Zsolnai), 331

Cobalt

(η⁵-Carboxycyclopentadienyl)dicarbonylcobalt, formation and reactions of (W.P. Hart, D. Shihua, M.D. Rausch), 111

Cobalt-catalysed synthesis of α-aryl-propionic and diarylacetic acids (F. Francalanci, A. Gardano, M. Foá), 277

Cyclopentadienylcobaltmetallacycle complexes, bonding in and structure of; crystal structures of [η⁵-C₅(CH₃)₅]Co[(NH)₂C₆H₄] and [η⁵-C₅(CH₃)₅]Co[(NH)SC₆H₄] (E.J. Miller, A.I. Rheingold, T.B. Brill), 399

Copper

- Cinnamic acid esters, reaction with lithium dimethylcuprate, NMR investigation of; initial formation of an olefin-copper π -complex (G. Hallnemo, T. Olsson, C. Ullenius), 133
- Methylcopper and methyl(tricyclohexylphosphine)copper, thermal decomposition of (S. Pasynkiewicz, J. Popławska), 427

Germanium

- 2,4-Digermathietanes and tetragermadi-thiocanes, precursors of germathiones and germaethylenes (J. Barrau, N. Ben Hamida, J. Satgé), 315

Gold

- Dihalo(pentafluorophenyl)(bidentate ligand)gold(III) complexes, synthesis and ^{197}Au Mössbauer spectra of (R. Usón, A. Laguna, M.U. De La Orden, R.V. Parish, L.S. Moore), 145

Iridium

- Mono- and di-nuclear rhodium(I) and iridium(I) complexes containing dienes, carbon monoxide, bipyridyl and $\text{OC}(\text{NMePF}_2)_2$, synthesis of (S. Morton, J.F. Nixon), 123

Iron

- Bis(η^5 -3,4-diethyl-2,5-dimethyl-1,2,5-thiadiborolene)monocarbonyliron, synthesis and crystal structure of (J. Edwin, W. Siebert, C. Krüger), 297
- Carbonyliron disubstituted complexes, chemical shifts in ^{13}C NMR spectra of (K.H. Whitmire, T.R. Lee), 95
- $[\eta^5\text{-C}_5\text{H}_5\text{Fe}(\text{CO})_2]_2 \{ \mu\text{-(CH}_2)_n \}$, $n = 3\text{--}12$, study by mass spectrometry and differential scanning calorimetry of (J.R. Moss, L.G. Scott, M.E. Brown, K.J. Hindson), 255
- Cycloheptatrienecyclopentadienyliron hexafluorophosphate, kinetic study of nucleophilic addition to (C.A. Camaioni, D.A. Sweigart), 107
- (η^4 -Cyclohepta-1,3,5-triene)tricarbonyliron, dienophile addition to (P. McArdle, S. Kavanagh), C1

- Dihalophosphane complexes as organometallic precursors (H. Lang, L. Zsolnai, G. Huttner), 23

- 1,*n*-Dithia[*n*]ferrocenophanes, specific change in electronic and ^{13}C NMR spectra and redox potentials of; interaction between the S atom and the ferrocene nucleus (M. Sato, S. Tanaka, S. Ebine, K. Morinaga, S. Akabori), 247

- Ferrocene analogues of stilbene, electron distribution in; interaction of substituents and molecular groups in ferrocene derivatives (A.G. Nagy, S. Toma), 267

- Glucopyranosyliron compound, chirality transfer to iron in photochemical reaction of (G.L. Trainor), C43

- Nitrosyliron clusters, $[(\text{Ph}_3\text{P})_2\text{N}]\text{-}[\text{Fe}_6\text{C}(\text{CO})_{15}\text{NO}]$ and $[\text{Fe}_6\text{C}(\text{CO})_{11}(\text{NO})_4]$, syntheses and X-ray structures of (A. Gourdon, Y. Jeannin), C39

- Tricarbonyl(η^4 -cycloheptatriene)iron and (carbomethoxy)maleic anhydride, perispecific Diels-Alder reaction controlled by secondary orbital overlap between (Z. Goldschmidt, S. Antebi, H.E. Gottlieb, D. Cohen, U. Shmueli, Z. Stein), 369

Lithium

- Cinnamic acid esters, reaction with lithium dimethylcuprate, NMR investigation of; initial formation of an olefin-copper π -complex (G. Hallnemo, T. Olsson, C. Ullenius), 133
- $\text{CpTiCl}_2\text{OPhX}$ ($\text{X} = \text{CH}_3\text{O}, \text{CH}_3, \text{Cl}, \text{NO}_2$), Hammett relationship with $\text{BuLi}(\text{Et}_2\text{AlCl})$ catalytic systems in (W. Skupiński, A. Wasilewski), 69
- Vinylidene-rhodium complexes, preparation of (W.A. Herrmann, C. Weber), C31

Manganese

- Indenyltricarbonyl-manganese and -rhenium complexes, metallotropic $\eta^5 \rightarrow \eta^6$ rearrangement in acidic medium of (M.G. Yezernitskaya, B.V. Lokshin, V.I. Zdanovich, I.A. Lobanova, N.E. Kolobova), 363
- Monovalent organometallic groups as trigonally planar bridging substituents to $(\text{L}_n\text{M})_2\text{MX}$ compounds ($\text{M} = \text{P}$,

As, Sb; X = halogen), formation and X-ray structure of (G. Huttner, U. Weber, B. Sigwarth, O. Scheidsteger, H. Lang, L. Zsolnai), 331

Mercury

Palladium-catalyzed conjugate addition of 2-bromoarylmercury compounds and 2-bromoaryl iodides with α,β -enones (S. Cacchi, G. Palmieri), C3

Metalloenes

Chloro(η^4 -cycloocta-1,5-diene)(η^5 -cyclopentadienyl)ruthenium(II), preparation and reactions of; versatile synthetic precursor for neutral and cationic cyclopentadienylruthenium(II) complexes (M.O. Albers, H.E. Oosthuizen, D.J. Robinson, A. Shaver, E. Singleton), C49

Cycloheptatrienecyclopentadienyliron hexafluorophosphate, kinetic study of nucleophilic addition to (C.A. Camaioni, D.A. Sweigart), 107

1,*n*-Dithia[*n*]ferrocenophanes, specific change in electronic and ^{13}C NMR spectra and redox potentials of; interaction between the S atom and the ferrocene nucleus (M. Sato, S. Tanaka, S. Ebine, K. Morinaga, S. Akabori), 247

Ferrocene analogues of stilbene, electron distribution in; interaction of substituents and molecular groups in ferrocene derivatives (A.G. Nagy, S. Toma), 267

Molybdenum

2,2'-Bipyridinetetracarbonylmolybdenum 4,4-disubstituted complexes, solvent influences on the IR absorption and NMR spectra of (J.A. Connor, C. Overton), 349

Bis(arene-diazo) derivative of hydridotris(1-pyrazolyl)boratotricarbonylmolybdenum anion, indirect synthesis of; crystal and molecular structure of hydrotris(1-pyrazolyl)boratobis(*p*-toluenediazo)fluoromolybdenum(0), $\text{MoF}(\text{N}_2, \text{C}_6\text{H}_4, \text{Me-}p)_2$, $[\text{NB}(\text{C}_6\text{H}_3\text{N}_2)_3]$ (G. Ferguson, B.L. Ruhl, F.J. Lalor, M.E. Deane), 75

Chromium, molybdenum and tungsten zerovalent isocyanide complexes, preparation of; crystal structure of

hexakis(2,6-xylyl isocyanide)molybdenum containing benzene as solvate (Y. Yamamoto, H. Yamazaki), 191

Metal-metal bonded complexes, $[\text{M}(\text{CO})_3\text{C}_6\text{H}_5]_2$ (M = Cr, Mo, W), heats of formation of (J.T. Landrum, C.D. Hoff), 215

$[\text{Mo}(\eta\text{-C}_6\text{H}_4\text{CH}_2\text{SR})_2(\text{SR})_2]$, (R = *n*-Pr, Ph), synthesis of hetero-binuclear derivatives with platinum, palladium and rhodium of (D. O'Hare, M.L.H. Green, F.G.N. Cloke), 225

Molybdenum tricarbonyl complexes of arenes and cyclic polyolefins, thermochemistry of (C.D. Hoff), 201

Monovalent organometallic groups as trigonally planar bridging substituents to $(L_nM)_2MX$ compounds (M = P, As, Sb; X = halogen), formation and X-ray structure of (G. Huttner, U. Weber, B. Sigwarth, O. Scheidsteger, H. Lang, L. Zsolnai), 331

Pentacarbonyl(phosphabenzene)molybdenum(0), molecular and crystal structure of (A.J. Ashe III, W. Butler, J.C. Colburn), 233

Pentamethylcyclopentadienyltricarbonylhydridomolybdenum, synthesis and thermochemistry of; comparison of cyclopentadienyl and pentamethylcyclopentadienyl ligands (S.P. Nolan, C.D. Hoff, J.T. Landrum), 357

Nickel

Bis(triphenylphosphine)-5-nickela-3,3,7,7-tetramethyl-*trans*-tricyclo[4.1.0.0^{2,4}]-heptane formation, NMR spectra and catalytic properties of (T.A. Peganova, P.V. Petrovskii, L.S. Isaeva, D.N. Kravtsov, D.B. Furman, A.V. Kudryashev, A.O. Ivanov, S.V. Zotova, O.V. Bragin), 283

Osmium

Alkoxy-carbene complexes, conversion to vinyl ether derivatives of; X-ray structure of $\text{Ru}\{\text{C}(\text{OPr}^t)=\text{CHPh}\}\{\text{CO}\}(\text{PPh}_3)_2(\eta\text{-C}_6\text{H}_5)$ (M.I. Bruce, D.N. Duffy, M.G. Humphrey, A.G. Swincer), 383

Palladium

$\text{C}(\text{C}_6\text{F}_4\text{PPh}_2\text{-}o)\text{NMe}$, C,P-chelate and C,N-bridging ligand; crystal structure of $[\{\text{Pd}\{\text{C}(\text{C}_6\text{F}_4\text{PPh}_2\text{-}o)\text{N}(\text{Me})\}\text{Cl}\}_2] \cdot 0.88(4)\text{Cl}_2 \cdot \text{CH}_2$ (R. Úsón, J. Fornies,

- P. Espinet, A. Garcia, M. Tomas, C. Foces-Foces, F.H. Cano) C35
- N,N*-Dimethylaminotoluene, metallation by palladium acetate of; evidence for a trinuclear species (M. Pfeffer, E. Wehman, G. van Koten), 127
- [Mo(η -C₅H₄CH₂CH₂SR)₂(SR)₂] (R = n-Pr, Ph), synthesis of hetero-binuclear derivatives with platinum, palladium and rhodium of (D. O'Hare, M.L.H. Green, F.G.N. Cloke), 225
- Palladium-catalyzed conjugate addition of 2-bromoarylmercury compounds and 2-bromoaryl iodides with α,β -enones (S. Cacchi, G. Palmieri), C3
- Palladium-catalysed reaction of acyl chlorides with Et₃Sn₂ as a route to symmetrical ketones and α -diketones (M.A. Bumagin, Yu.V. Gulevich, I.P. Beletskaya), 421
- Palladium(II) chloride complexes of 2,2,4,4-tetramethyl-3-buten-1-amine and 2,2-dimethyl-3-buten-1-yl methyl sulphide, reaction with diazomethane and carbene insertion of (R. McCrindle, D.W. Sneddon), 413
- ## Phosphorus
- Alkoxy carbene complexes, conversion to vinyl ether derivatives of; X-ray structure of Ru {C(OPrⁱ)=CHPh}-(CO)(PPh₃)(η -C₅H₅) (M.I. Bruce, D.N. Duffy, M.G. Humphrey, A.G. Swincer), 383
- Bis(triphenylphosphine)-5-nickela-3,3,7,7-tetramethyl-*trans*-tricyclo[4.1.0.0^{2,4}]-heptane formation, NMR spectra and catalytic properties of (T.A. Peganova, P.V. Petrovskii, L.S. Isaeva, D.N. Kravtsov, D.B. Furman, A.V. Kudryashev, A.O. Ivanov, S.V. Zotova, O.V. Bragin), 283
- C(C₆F₄PPh₂-*o*)NMe, C,P-chelate and C,N-bridging ligand; crystal structure of [{Pd[C(C₆F₄PPh₂-*o*)N(Me)]Cl }₂] · 0.88(4)Cl₂CH₂ (R. Usón, J. Fornies, P. Espinet, A. Garcia, M. Tomas, C. Foces-Foces, F.H. Cano), C35
- Cycloheptatrienecyclopentadienyliron hexafluorophosphate, kinetic study of nucleophilic addition to (C.A. Camaioni, D.A. Sweigart), 107
- Decacarbonyldirhenium, photochemical reaction with triphenyl phosphite of (C.S. Young, S.W. Lee, C.P. Cheng), 85
- Dihalophosphane complexes as organometallic precursors (H. Lang, L. Zsolnai, G. Huttner), 23
- Diphosphene complexes, (CO)₅CrPhP=PPhCr(CO)₅, reactions of (J. Borm, G. Huttner, O. Orama, L. Zsolnai), 53
- Methylcopper and methyl(tricyclohexylphosphine)copper, thermal decomposition of (S. Pasynkiewicz, J. Popławska), 427
- Monovalent organometallic groups as trigonally planar bridging substituents to (L_nM)₂MX compounds (M = P, As, Sb; X = halogen), formation and X-ray structure of (G. Huttner, U. Weber, B. Sigwart, O. Scheidsteger, H. Lang, L. Zsolnai), 331
- Nitrosyliron clusters, [(Ph₃P)₂N]-[Fe₂C(CO)_{1,5}NO] and [Fe₂C(CO)_{1,1}(NO)₄], syntheses and X-ray structures of (A. Gourdon, Y. Jeannin), C39
- Octahedral organometallic complexes chiral at the metal atom, synthesis and resolution of (S.I. Hommeltoft, A.D. Cameron, T.A. Shackleton, M.E. Fraser, S. Fortier, M.C. Baird), C17
- Pentacarbonyl(phosphabenzene)molybdenum(0), molecular and crystal structure of (A.J. Ashe III, W. Butler, J.C. Colburn), 233
- Ru₅ open cluster, excision of a carbonylruthenium fragment from; X-ray structure of Ru₄(μ -H)₃(μ_4 - η^2 -*P*-HC₂PPh₂)-(μ -PPh₂)(CO)₁₀ (M.I. Bruce, M.L. Williams, B.E. Skelton, A.H. White), C53
- [Ru₂(μ_5 -C₂PPh₂)(μ -PPh₂)(CO)_{1,5}], X-ray structures of two isomers of (M.I. Bruce, M.L. Williams), C11
- W(=CCMe₃)(PMe₃)₃Cl₃, crystal and molecular structure of; seven-coordinate tungsten(VI) alkylidyne complex with a regular capped octahedral (C_{3v}) stereochemistry (M.R. Churchill, Y.-J. Li), 239
- ## Platinum
- Bis(2,4,6-trimethylpyridinedichloro-platinum), formation of singly chloro-bridged diplatinic species from (R. Pichon, R. Rumin, J.Y. Salaün), C60
- [Mo(η -C₅H₄CH₂CH₂SR)₂(SR)₂] (R = n-Pr, Ph), synthesis of hetero-binuclear derivatives with platinum, palladium

and rhodium of (D. O'Hare, M.L.H. Green, F.G.N. Cloke), 225
Organoplatinum compounds, ^{195}Pt NMR of (R. Benn, R.-D. Reinhardt, A. Ruffińska), 291

Rhenium

Decacarbonylrhenium, photochemical reaction with triphenyl phosphite of (C.S. Young, S.W. Lee, C.P. Cheng), 85
Indenyltricarbonyl-manganese and -rhenium complexes, metallotropic $\eta^5 \rightarrow \eta^6$ rearrangement in acidic medium of (M.G. Yezernitskaya, B.V. Lokshin, V.I. Zdanovich, I.A. Lobanova, N.E. Kolobova), 363

Rhodium

$[\text{Mo}(\eta\text{-C}_5\text{H}_4\text{CH}_2\text{CH}_2\text{SR})_2(\text{SR})_2]$ (R = n-Pr, Ph), synthesis of hetero-binuclear derivatives with platinum, palladium and rhodium of (D. O'Hare, M.L.H. Green, F.G.N. Cloke), 225
Mono- and di-nuclear rhodium(I) and iridium(I) complexes containing dienes, carbon monoxide, bipyridyl and $\text{OC}(\text{NMePF}_2)_2$, synthesis of (S. Morton, J.F. Nixon), 123
Vinylidene-rhodium complexes, preparation of (W.A. Herrmann, C. Weber), C31

Ruthenium

Alkoxy-carbene complexes, conversion to vinyl ether derivatives of; X-ray structure to $\text{Ru}\{\text{C}(\text{OPr}^t)=\text{CHPh}\}-\text{(CO)}(\text{PPh}_3)(\eta\text{-C}_5\text{H}_5)$ (M.I. Bruce, D.N. Duffy, M.G. Humphrey, A.G. Swincer), 383
Chloro(η^4 -cycloocta-1,5-diene)(η^5 -cyclopentadienyl)ruthenium(II), preparation and reactions of; versatile synthetic precursor for neutral and cationic cyclopentadienylruthenium(II) complexes (M.O. Albers, H.E. Oosthuizen, D.J. Robinson, A. Shaver, E. Singleton), C49
Octahedral organometallic complexes chiral at the metal atom, synthesis and resolution of (S.I. Hommeltoft, A.D. Cameron, T.A. Shackleton, M.E. Fraser, S. Fortier, M.C. Baird), C17
 Ru_5 open cluster excision of a carbonyl-ruthenium fragment from; X-ray struc-

ture of $\text{Ru}_4(\mu\text{-H})_3(\mu_4\text{-}\eta^2\text{-P-HC}_2\text{PPh}_2)(\mu\text{-PPh}_2)(\text{CO})_{10}$ (M.I. Bruce, M.L. Williams, B.W. Skelton, A.H. White), C53

$[\text{Ru}_2(\mu_3\text{-C}_2\text{PPh}_2)(\mu\text{-PPh}_2)(\text{CO})_{15}]$, X-ray structures of two isomers of (M.I. Bruce, M.L. Williams), C11
(η^4 -Tetracyclone)dihydridodicarbonylruthenium and related catalytically reactive complexes, dehydrogenation of alcohols to esters with (Y. Blum, Y. Shvo), C7

Silicon

Di-*t*-butylsilyladienyl and tetra-*t*-butyldisilene, simultaneous formation and reactions of (A. Schäfer, M. Weidenbruch, S. Pohl), 305
Fluorescent tertiary silanes, formation and reactions of (L. Horner, J. Mathias), 175
Mono- and di-silyl ethers, selective formation from tertiary and secondary silanes of (L. Horner, J. Mathias), 155
Trimethylsiloxy substituent, electron-donating capability studied by photoelectron spectroscopy of; ESR of polysubstituted benzene derivatives (W. Kaim), 1

Sulphur

Bis(η^5 -3,4-diethyl-2,5-dimethyl-1,2,5-thiadiborolene)monocarbonyliron, synthesis and crystal structure of (J. Edwin, W. Siebert, C. Krüger), 297
Cyclopentadienylcobaltmetallacycle complexes, bonding in and structure of; crystal structures of $[\eta^5\text{-C}_5(\text{CH}_3)_5]\text{Co}[(\text{NH})_2\text{C}_6\text{H}_4]$ and $[\eta^5\text{-C}_5(\text{CH}_3)_5]\text{Co}[(\text{NH})\text{SC}_6\text{H}_4]$ (E.J. Miller, A.I. Rheingold, T.B. Brill), 399
2,4-Digermathietanes and tetragermathiothiocanes, precursors of germathiones and germaethylenes (J. Barrau, N. Ben Hamida, J. Satgé), 315
Dihalo(pentafluorophenyl)(bidentate ligand)gold(III) complexes, synthesis and ^{197}Au Mössbauer spectra of (R. Usón, A. Laguna, M.U. De La Orden, R.V. Parish, L.S. Moore), 145
1,*n*-Dithia[*n*]ferrocenophanes, specific change in electronic and ^{13}C NMR

spectra and redox potentials of; interaction between the S atom and the ferrocene nucleus (M. Sato, S. Tanaka, S. Ebine, K. Morinaga, S. Akabori), 247

Mo(η -C₅H₄CH₂CH₂SR)₂(SR)₂] (R = n-Pr, Ph), synthesis of hetero-binuclear derivatives with platinum, palladium and rhodium of (D. O'Hare, M.L.H. Green, F.G.N. Cloke), 225

Mono- and dialkyltin isoocetyl thioglycolate stabilisers of PVC, spectroscopic study of (S.J. Blunden, L.A. Hobbs, P.J. Smith, A.G. Davies, S.B. Teo), 9

Palladium(II) chloride complexes of 2,2-N-tetramethyl-3-buten-1-amine and 2,2-dimethyl-3-buten-1-yl methyl sulphide, reaction with diazomethane and carbene insertion of (R. McCrindle, D.W. Sneddon), 413

Tin

Mono- and di-alkyltin isoocetyl thioglycolate stabilisers of PVC, spectroscopic study of (S.J. Blunden, L.A. Hobbs, P.J. Smith, A.G. Davies, S.B. Teo), 9

Palladium-catalysed reaction of acyl chlorides with Et₃Sn₂ as a route to symmetrical ketones and α -diketones (N.A. Bumagin, Yu.V. Gulevich, I.P. Beletskaya), 421

Phenacyl esters, synthesis via an organotin route of (S.T. Vijayaraghavan, T.R. Balasubramanian), 17

Titanium

CpTiCl₂OPhX (X = CH₃O, CH₃, Cl, NO₂), Hammett relationship with BuLi(Et₂AlCl) catalytic systems in (W. Skupiński, A. Wasilewski), 69

Cyclopentadienyltitanium(IV)-1-norbornyl compounds, preparation and properties of (V. Dimitrov), 321

Tungsten

Chromium, molybdenum and tungsten zerovalent isocyanide complexes, preparation of; crystal structure of hexakis(2,6-xylyl isocyanide)molybdenum containing benzene as solvate (Y. Yamamoto, H. Yamazaki), 191

Metal-metal bonded complexes, [M(CO)₃C₅H₅]₂ (M = Cr, Mo, W),

heats of formation of (J.T. Landrum, C.D. Hoff), 215

Monovalent organometallic groups as trigonally planar bridging substituents to (L_nM)₂MX compounds (M = P, As, Sb; X = halogen), formation and X-ray structure of (G. Huttner, U. Weber, B. Sigwarth, O. Scheidsteger, H. Lang, L. Zsolnai), 331

W(=CCMe₃)(PMe₃)₃Cl₃, crystal and molecular structure of; seven-coordinate tungsten(VI) alkylidyne complex with a regular capped octahedral (C_{3v}) stereochemistry (M.R. Churchill, Y.-J. Li), 239

Zinc

Dihalophosphane complexes as organometallic precursors (H. Lang, L. Zsolnai, G. Huttner), 23

Book reviews

Bio-inorganic chemistry; by R.W. Hay (G.J. Leigh), C46

Chemistry of the elements; by N.N. Greenwood and A. Earnshaw (C. Eaborn), C27

Electrochemistry, Volume 9, A specialist periodical report of the Royal Society of Chemistry (K.R. Seddon), C47

Fourier transform N.M.R. Spectroscopy; by D. Shaw (P.D. Lickiss) C26

Gmelin handbook of inorganic chemistry, 8th ed. Formula index, 1st supplement, Vol. 1, Formula index Ac to Au (C. Eaborn), C23

Gmelin handbook of inorganic chemistry, 8th edit., Fe, Organoiron Compounds, Part B12. Mononuclear Compounds 12; by W. Petz and C. Siebert (M.F. Lappert), C22

Gmelin handbook of inorganic chemistry, 8th edit., W - Tungsten, Suppl. Vol. B6: Anhydrous Tungstates of Group IVA to VIB Metals (K.R. Seddon), C23

Mechanisms of inorganic and organometallic reactions, Vol. 2; edited by M.V. Twigg (M.F. Lappert), C25

Structural inorganic chemistry; by A.F. Wells (C. Eaborn), C29

Structures versus special properties (Structure and bonding 52) (K.R. Seddon), C24