

- Pakkanen, T.A., 85  
 Palyulin, V.A., 25  
 Pasynkiewicz, S., 15, 257  
 Paul, H., 277  
 Piórko, A., 387  
 Precigoux, G., 153  
 Pursiainen, J., 85  
  
 Rastogi, D.K., 353  
 Regitz, M., 33  
 Ries, W., 353  
 Riviere, P., C15  
 Robertson, G.B., 181  
 Rohrmann, J., 53  
 Rokitskaya, V.I., 25  
 Rose, E., 153  
 Rose-Munch, F., 153  
 Roznyatovsky, V.A., 301  
 Rühlmann, K., 277  
  
 Satgé, J., C15  
 Schilling, H., 277  
 Schmidt, B.M., 133  
 Schroeder, T., C19  
 Schumann, H., C34  
 Scordia, H., 321  
 Screttas, C.G., 1  
 Seitz, F., C31  
 Sereda, S.V., C27  
 Sheldrick, G.M., C19  
 Shklover, V.E., 25  
 Silvestri, A., 41  
 Simonsen, S.H., 387  
  
 Sinn, E., 291  
 Smith, G., C7  
 Soai, K., C23  
 Sobota, P., C1  
 Spogliarich, R., 213  
 Struchkov, Yu.T., 25, C27  
 Stufkens, D.J., 63  
 Sünkel, K., 211, 329  
 Sutherland, R.G., 387  
  
 Tainturier, G., C4  
 Takeuchi, R., 249  
 Traven', V.F., 25  
 Tschach, A., 285  
 Tsuji, Y., 249  
  
 Urazowski, I.F., 301  
 Urban, G., 231, 329  
 Usón, R., 125  
  
 Van Meerssche, M., 285  
 Veit, A., 307  
 Votinský, J., 147  
  
 Walton, R.A., 341  
 Watanabe, Y., 249  
 Wei, C., 291  
 Werner, H., 99  
 Werner, R., 99  
 Wickramasinghe, W.A., 181  
  
 Yamanoi, T., C23

## JOURNAL OF ORGANOMETALLIC CHEMISTRY, Vol. 290 (1985)

---

### SUBJECT INDEX

#### Aluminium

- Dialkylaluminium acetyl acetonates, reactions with Lewis bases of  
 (S. Pasynkiewicz, J. Lewiński), 15

#### Antimony

- 4-Methyl-1,2,6-tristibatricyclo[2.2.1.0<sup>2,6</sup>]-heptane (Sb<sub>3</sub>-nortricyclane), synthesis and reactivity towards hexacarbonylchromium, -molybdenum and -tungsten of (J. Ellermann, A. Veit), 307

#### Bismuth

- Methyl- and phenyl-oxadithia- and -trithia-bismocanes, preparations, spectra and crystal structures of (M. Dräger, B.M. Schmidt), 133

#### Boron

- Aromatic organocopper compounds, reactions with boron compounds of (E. Kalbarczyk, S. Pasynkiewicz), 257

## Chromium

Chromocene, reactions with carboxylic acids and acetic acid derivatives of (L. Beneš, J. Kalousová, J. Votinský), 147

$(\text{CO})_2\text{Cr}=\text{C}=\text{NCPPh}_2\text{N}=\text{C}=\text{Cr}(\text{CO})_5$ , unusual formation from reaction of  $[(\text{CO})_5\text{Cr}=\text{C}=\text{N}=\text{CPh}_2]^+\text{AlBr}_4^-$  with THF of (F. Seitz, H. Fischer), C31

4-Methyl-1,2,6-tristibatricyclo[2.2.1.0<sup>3,6</sup>]-heptane ( $\text{Sb}_3$ -nortricyclane), synthesis and reactivity towards hexacarbonylchromium, -molybdenum and -tungsten of (J. Ellermann, A. Veit), 307

Selenium and tellurium bridges in organometallic complexes, structure, protonation and methylation of (W.A. Herrmann, J. Rohrmann, C. Hecht), 53

Veratroletricarbonylchromium and related arene complexes, structure and regioselectivity of addition reactions of (J.-C. Boutonnet, J. Levisalles, F. Rose-Munch, E. Rose, G. Precigoux, F. Leroy), 153

## Cobalt

Dodecacarbonyltrirhodium-hydridoruthenium complex, synthesis and characterisation of; crystal structures of  $\text{HRuRh}_3(\text{CO})_{12}$ ,  $\text{HRuRh}_3(\text{CO})_{10}(\text{PPh}_3)_2$  and  $\text{HRuCo}_3(\text{CO})_{10}(\text{PPh}_3)_2$  (J. Pursiainen, T.A. Pakkanen, J. Jääskeläinen), 85

Ferricenium cation, activity in oxidative cleavage of metal-metal bonds in organometallic compounds (H. Schumann), C34

## Copper

Aromatic organocopper compounds, reactions with boron compounds of (E. Kalbarczyk, S. Pasynkiewicz), 257

## Germanium

Organochlorohydro-germanes and -polygermanes, dechlorohydration reactions of (P. Riviere, A. Castel, D. Guyot, J. Satgé), C15

$\Delta^{1,7}2,2,6,6$ -Tetramethyl-4-thia-8,8-di-

methyl-8-germabicyclo[5.1.0]octene, isolation and X-ray crystal structure of (M.P. Egorov, S.P. Kolesnikov, Yu.T. Struchkov, M.Yu. Antipin, S.V. Sereda, O.M. Nefedov), C27

## Hafnium

Bis( $\mu$ -chalcogeno complexes  $[(\eta^6\text{-RC}_5\text{H}_4)_2\text{-M}(\mu\text{-E})_2$  ( $\text{M} = \text{Zr, Hf}$ ;  $\text{R} = \text{H, t-Bu}$ ;  $\text{E} = \text{S, Se}$ ), preparation from metallocene dichlorides and isolation of the  $\mu$ -complexes  $[(\text{t-BuC}_5\text{H}_4)_2\text{Zr}_2](\mu\text{-O})(\mu\text{-E})$  (G. Tainturier, B. Gautheron, M. Fahim), C4

## Iridium

Group VIII metal complexes, hydrothermal reactions of lactic acid catalysed by (B. Odell, G. Earlam, D.J. Cole-Hamilton), 241

Hydrido-iridium(III) complexes with  $\text{PF}_6^-$  and  $\text{AlCl}_4^-$  anions and their reactions with water; X-ray structure of  $[(\text{PPh}_3)_2(\text{CO})(\text{Cl})(\text{H})\text{Ir}(\text{OH}_2)]^+\text{BF}_4^-$  and  $(\text{PPh}_3)_2(\text{CO})(\text{Cl})(\text{H})\text{IrOPOF}_2$  (H. Bauer, U. Nagel, W. Beck), 219

## Iron

$[\text{Fe}_5\text{C}(\text{CO})_{15}]$ ,  $[\text{N}(\text{PPh}_3)_2][\text{Fe}_5\text{N}(\text{CO})_{14}]$  and  $[\text{NBu}_4][\text{Fe}_5\text{C}(\text{CO})_{14}]$ , electrochemistry and electronic structures of (A. Gourdon, Y. Jeannin), 199

Ferricenium cations, activity in oxidative cleavage of metal-metal bonds in organometallic compounds (H. Schumann), C34

Iron and nickel half-sandwich complexes as reactive intermediates (U. Kölle, B. Fuss, F. Khouzami, J. Gersdorf), 77

Selenium and tellurium bridges in organometallic complexes, structure, protonation and methylation of (W.A. Herrmann, J. Rohrmann, C. Hecht), 53

$(\eta^6\text{-Xanthene})(\eta^5\text{-cyclopentadienyl})\text{-iron(II) hexafluorophosphate}$  and  $(\eta^6\text{-2-methylthianthrene})(\eta^5\text{-cyclopentadienyl})\text{-iron(II) hexafluorophosphate}$ , crystal and molecular structures of (S.H. Simonsen, V.M. Lynch, R.G. Sutherland, A. Piórko), 387

## Lead

Organotin, organolead, lead(IV) and lead(II) dithiolates, investigations of (K. Grätz, F. Huber, A. Silvestri, G. Alonzo, R. Barbieri), 41

## Lithium

Asymmetric synthesis of optically active halohydrins and oxiranes by enantioselective reduction of prochiral  $\alpha$ -halo ketones with chirally modified lithium borohydride (K. Soai, Y. Yamanoi, H. Hikima), C23

Diphenylmagnesium/alkali metal alkoxide system, hydrocarbon-soluble organo-alkali metal reagents (C.G. Screttas, M. Micha-Screttas), 1

Iron and nickel half-sandwich complexes as reactive intermediates (U. Kölle, B. Fuss, F. Khouzami, J. Gersdorf), 77

## Magnesium

Diphenylmagnesium/alkali metal alkoxide system, hydrocarbon-soluble organo-alkali metal reagents (C.G. Screttas, M. Micha-Screttas), 1

Grignard reagents in reaction with tetra-*N*-butylammonium cation; formation of  $[\text{Mg}(\text{THF})_6]^{2+}$ ,  $[\text{Mg}_2(\mu\text{-Cl})_3(\text{THF})_6]^+$  and  $[\text{MgCl}_4]^{2-}$  ions (P. Sobota), C1

## Manganese

Metal-metal bonded complexes,  $[(\text{CO})_5\text{-M-M}'(\text{CO})_3(1,4\text{-}i\text{-Pr-1,4\text{-}diaz\text{-}1,3\text{-}butadiene)]$  (M = Mn, Re; M' = Mn, Re) He(I) and He(II) photoelectron spectra of (R.R. Andréa, D.J. Stufkens, A. Oskam), 63

Selenium and tellurium bridges in organo-metallic complexes, structure, protonation and methylation of (W.A. Herrmann, J. Rohrmann, C. Hecht), 53

## Metalloenes

[Bis( $\mu$ -chalcogeno complexes  $[(\eta^5\text{-RC}_5\text{H}_4)_2\text{-M}(\mu\text{-E})]_2$  (M = Zr, Hf; R = H, *t*-Bu; E = S, Se), preparation from metallocene di-

chlorides and isolation of the  $\mu$ -complexes  $[(t\text{-BuC}_5\text{H}_4)_2\text{Zr}_2](\mu\text{-O})(\mu\text{-E})$  (G. Tainturier, B. Gautheron, M. Fahim), C4

Chromocene, reactions with carboxylic acids and acetic acid derivatives of (L. Beneš, J. Kalousová, J. Votinský), 147

Dicyclopentadienyl-molybdenum and -tungsten complexes, formation, NMR spectra and stereochemistry of (L. Gomes de Lima, M. Cariou, H. Scordia, R. Kergoat, M.M. Kubicki, J.E. Guerchais), 321

Ferricenium cation, activity in oxidative cleavage of metal-metal bonds in organometallic compounds (H. Schumann), C34

Niobocene and titanocene binuclear complexes containing fulvalene ligands,  $^1\text{H}$  NMR spectra and electronic structure of (D.A. Lemenovskii, I.F. Urazowski, Yu.K. Grishin, V.A. Roznyatovsky), 301

$(\eta^6\text{-Xanthene})(\eta^5\text{-cyclopentadienyl})\text{iron(II)}$  hexafluorophosphate and  $(\eta^6\text{-2-methylthianthrene})(\eta^5\text{-cyclopentadienyl})\text{iron(II)}$  hexafluorophosphate, crystal and molecular structures of (S.H. Simonsen, V.M. Lynch, R.G. Sutherland, A. Piórko), 387

## Molybdenum

$(\pi\text{-C}_5\text{H}_5)(\text{CO})_2\text{LM-X}$  (M = Mo, W; X = FBF<sub>3</sub>, FPF<sub>5</sub>, FAsF<sub>3</sub>, FSbF<sub>3</sub>), reactions with O-donors of (K. Sünkel, G. Urban, W. Beck), 231

$(+)_546\text{-}[\text{C}_5\text{H}_5\text{Mo}(\text{CO})_2\text{LL}^*]\text{PF}_6$  (LL\* = 2-benzoylpyridine-(*R*)-1-phenylethylimine), crystal structure of (I. Bernal, W. Ries, H. Brunner, D.K. Rastogi), 353

Cyclooctyne coupling with carbon monoxide on divalent molybdenum and tungsten; crystal and molecular structure of bis(hexamethylene)cyclopentadienonetungsten complex,  $\text{W}(\text{S}_2\text{CNMe}_2)_2(\text{CO})\{(\text{C}_6\text{H}_{12})_2\text{CO}\}$  (M.A. Bennett, I.W. Boyd, G.B. Robertson, W.A. Wickramasinghe), 181

Cyclopentadienyldicarbonylligand-molybdenum and -tungsten cationic complexes, reactions with sulphur-containing ligands of (G. Urban, K. Sünkel, W. Beck), 329

1,4-Diaza-1,3-butadiene mixed alkyl iso-

cyanide complexes of molybdenum(II) and tungsten(II) (A. Bell, W.A. Walton), 341

Dicyclopentadienyl-molybdenum and -tungsten complexes, formation, NMR spectra and stereochemistry of (L. Gomes de Lima, M. Cariou, H. Scordia, R. Kergoat, M.M. Kubicki, J.E. Guerschais), 321

4-Methyl-1,2,6-tristibatricyclo[2.2.1.0<sup>2,6</sup>]-heptane (Sb<sub>3</sub>-nortricyclane), synthesis and reactivity towards hexacarbonylchromium, -molybdenum and -tungsten of (J. Ellermann, A. Veit), 307

Monocyclooctyne complexes of divalent and tetravalent molybdenum and tungsten (M.A. Bennett, I.W. Boyd), 165

Phosphines and phosphites, heats of reactions with toluenetricarbonyl-molybdenum of; importance of steric and electronic factors in determining the Mo-PR<sub>3</sub> bond strength (S.P. Nolan, C.D. Hoff), 365

## Nickel

Ferricenium cation, activity in oxidative cleavage of metal-metal bonds in organometallic compounds (H. Schumann), C34

Group VIII metal complexes, hydrothermal reactions of lactic acid catalysed by (B. Odell, G. Earlam, D.J. Cole-Hamilton), 241

Iron and nickel half-sandwich complexes as reactive intermediates (U. Kölle, B. Fuss, F. Khouzami, J. Gersdorf), 77

## Niobium

Niobocene and titanocene binuclear complexes containing fulvalene ligands, <sup>1</sup>H NMR spectra and electronic structure of (D.A. Lemenovskii, I.F. Urazowski, Yu.K. Grishin, V.A. Roznyatovsky), 301

## Osmium

Osmium compounds supported on zeolites, water gas shift reaction catalysed by; evidence or formation of trapped hydrido-carbonyl catalyst (M. Lenarda, R. Ganzerla, M. Graziani,

R. Spogliarich), 213

Ruthenium and osmium complexes with dimethylphosphinomethanide anion as ligand (J. Gotzig, R. Werner, H. Werner), 99

## Palladium

Group VIII metal complexes, hydrothermal reactions of lactic acid catalysed by (B. Odell, G. Earlam, D.J. Cole-Hamilton), 241

Palladium(II) cationic complexes involving unprecedented O-coordination of acetylmethylenetriphenylphosphorane (R. Usón, J. Forniés, R. Navarro, P. Espinet, C. Mendívil), 125

## Phosphorus

( $\pi$ -C<sub>5</sub>H<sub>5</sub>)(CO)<sub>2</sub>LM-X (M = Mo, W; X = FBF<sub>3</sub>, FPF<sub>5</sub>, FAsF<sub>5</sub>, FSbF<sub>5</sub>), reactions with O-donors of (K. Sünkel, G. Urban, W. Beck), 231

( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)W[C<sub>5</sub>(CMe<sub>2</sub>)<sub>2</sub>Me](PMe<sub>3</sub>)Cl<sub>2</sub>, formation and crystal and molecular structure of (M.R. Churchill, J.C. Fettingler), 375

Dodecacarbonyltrirhodium-hydridoruthenium complex, synthesis and characterisation of; crystal structures of HRuRh<sub>3</sub>(CO)<sub>12</sub>, HRuRh<sub>3</sub>(CO)<sub>10</sub>(PPh<sub>3</sub>)<sub>2</sub> and HRuCo<sub>3</sub>(CO)<sub>10</sub>(PPh<sub>3</sub>)<sub>2</sub> (J. Pursiainen, T.A. Pakkanen, J. Jääskeläinen), 85

[Fe<sub>5</sub>C(CO)<sub>15</sub>], [N(PPh<sub>3</sub>)<sub>2</sub>][Fe<sub>5</sub>N(CO)<sub>14</sub>] and [NBu<sub>4</sub>]<sub>2</sub>[Fe<sub>5</sub>C(CO)<sub>14</sub>], electrochemistry and electronic structures of (A. Gourdon, Y. Jeannin), 199

Ferricenium cations, activity in oxidative cleavage of metal-metal bonds in organometallic compounds (H. Schumann), C34

Hydrido-iridium(III) complexes with PF<sub>6</sub><sup>-</sup> and AlCl<sub>4</sub><sup>-</sup> anions and their reactions with water; X-ray structure of [(PPh<sub>3</sub>)<sub>2</sub>(CO)(Cl)(H)Ir(OH<sub>2</sub>)]<sup>+</sup>BF<sub>4</sub><sup>-</sup> and (PPh<sub>3</sub>)<sub>2</sub>(CO)(Cl)(H)IrOPOF<sub>2</sub> (H. Bauer, U. Nagel, W. Beck), 219

Iron and nickel half-sandwich complexes as reactive intermediates (U. Kölle, B. Fuss, F. Khouzami, J. Gersdorf), 77

Nonacarbonyltris(triphenylphosphine)triruthenium and its derivatives, catalytic hydrogenation with; crystal structure of [Ru<sub>2</sub>(CO)<sub>9</sub>(PPh<sub>3</sub>)( $\mu$ -PPh<sub>2</sub>)( $\mu$ -O=CPh)]

(A. Basu, S. Bhaduri, H. Khwaja, P.G. Jones, T. Schroeder, G.M. Sheldrick), C19

**Palladium(II) cationic complexes involving unprecedented *O*-coordination of acetylmethylenetriphenylphosphorane** (R. Usón, J. Fornés, R. Navarro, P. Espinet, C. Mendivil), 125

**Phosphines and phosphites, heats of reactions with toluenetricarbonylmolybdenum of; importance of steric and electronic factors in determining the Mo-PR<sub>3</sub> bond strength** (S.P. Nolan, C.D. Hoff), 365

**Rhodium(I) nitrogen bonded unsaturated nitrile complexes, spectra, formation constants, reactions and catalytic activities of** (M.K. Lee, I.B. Kim, C.S. Chin), 115

**Ruthenium and osmium complexes with dimethylphosphinomethanide anion as ligand** (J. Gotzig, R. Werner, H. Werner), 99

**Selenium and tellurium bridges in organometallic complexes, structure, protonation and methylation of** (W.A. Herrmann, J. Rohrmann, C. Hecht), 53

**Silylation of  $\alpha$ -diazo-phosphonates and -carboxylates with silyl triflates of** (T. Allspach, H. Gümbel, M. Regitz), 33

## Platinum

**Group VIII metal complexes, hydrothermal reactions of lactic acid catalysed by** (B. Odell, G. Earlam, D.J. Cole-Hamilton), 241

**Platinum complex catalysed synthesis of urea derivatives from nitroarenes and amines under carbon monoxide** (Y. Tsuji, R. Takeuchi, Y. Watanabe), 249

**Tetrakis[trimethylthiomethylplatinum(IV)], [Pt(CH<sub>3</sub>)<sub>3</sub>(SCH<sub>3</sub>)<sub>4</sub>]<sub>4</sub>, crystal structure of** (G. Smith, C.H.L. Kennard, T.C.W. Mak), C7

## Potassium

**Diphenylmagnesium/alkali metal alkoxide system, hydrocarbon-soluble organoalkali metal reagents** (C.G. Screttas, M. Michal-Screttas), 1

## Rhenium

**Metal-metal bonded complexes, [(CO)<sub>5</sub>-M-M'(CO)<sub>3</sub>(1,4-i-Pr-1,4-diaza-1,3-butadiene)]** (M = Mn, Re; M' = Mn, Re) He(I) and He(II) photoelectron spectra of (R.R. Andréa, D.J. Stufkens, A. Oskam), 63

## Rhodium

**Dodecacarbonyltrirhodium-hydridoruthenium complex, synthesis and characterisation of; crystal structures of HRuRh<sub>3</sub>(CO)<sub>12</sub>, HRuRh<sub>3</sub>(CO)<sub>10</sub>(PPh<sub>3</sub>)<sub>2</sub> and HRuCo<sub>3</sub>(CO)<sub>10</sub>(PPh<sub>3</sub>)<sub>2</sub>** (J. Pursiainen, T.A. Pakkanen, J. Jääskeläinen), 85

**Rhodium(I) nitrogen bonded unsaturated nitrile complexes, spectra, formation constants, reactions and catalytic activities of** (M.K. Lee, I.B. Kim, C.S. Chin), 115

## Ruthenium

**Dodecacarbonyltrirhodium-hydridoruthenium complex, synthesis and characterisation of; crystal structures of HRuRh<sub>3</sub>(CO)<sub>12</sub>, HRuRh<sub>3</sub>(CO)<sub>10</sub>(PPh<sub>3</sub>)<sub>2</sub> and HRuCo<sub>3</sub>(CO)<sub>10</sub>(PPh<sub>3</sub>)<sub>2</sub>** (J. Pursiainen, T.A. Pakkanen, J. Jääskeläinen), 85

**H<sub>2</sub>Ru<sub>2</sub>( $\mu_3$ -CSEt)(CO)<sub>8</sub>, synthesis and reactions of; reductive elimination of C-H bonds and insertion of alkynes into Ru-C and Ru-H bonds** (D.M. Dalton, J.B. Keister), C37

**Nonacarbonyltris(triphenylphosphine)triruthenium and its derivatives, catalytic hydrogenation with; crystal structure of [Ru<sub>3</sub>(CO)<sub>9</sub>(PPh<sub>3</sub>)<sub>3</sub>( $\mu$ -PPh<sub>2</sub>)( $\mu$ -O=CPh)]** (A. Basu, S. Bhaduri, H. Khwaja, P.G. Jones, T. Schroeder, G.M. Sheldrick), C19

**Ruthenium and osmium complexes with dimethylphosphinomethanide anion as ligand** (J. Gotzig, R. Werner, H. Werner), 99

## Selenium

**Bis( $\mu$ -chalcogeno) complexes [( $\eta^5$ -RC<sub>5</sub>H<sub>4</sub>)<sub>2</sub>-M( $\mu$ -E)]<sub>2</sub> (M = Zr, Hf; R = H, t-Bu; E = S, Se), preparation from metallocene di-**

chlorides and isolation of the  $\mu$ -complexes  $[(t\text{-BuC}_5\text{H}_4)_2\text{Zr}_2](\mu\text{-O})(\mu\text{-E})$  (G. Tainturier, B. Gautheron, M. Fahim), C4

Selenium and tellurium bridges in organometallic complexes, structure, protonation and methylation of (W.A. Herrmann, J. Rohrmann, C. Hecht), 53

## Silicon

Bis- and tris-(trimethylsilyl)amine, rearrangement of benzophenone with (K. Rühlmann, H. Schilling, F. Frey, H. Paul), 277

13,13-Dimethyl-8,13-dihydro-5*H*-dibenzo- $[d,g]$ -1,2-diselena-6-siloinine, molecular and crystal structure of (Yu.E. Ovchinnikov, V.E. Shklover, Yu.T. Struchkov, V.A. Palyulin, V.I. Rokitskaya, M.Yu. Aismont, V.F. Traven), 25

Silylation of  $\alpha$ -diazo-phosphonates and -carboxylates with silyl triflates of (T. Allspach, H. Gumbel, M. Regitz), 33

[Tris(trimethylsilyl)methyl]silanetriol and related sterically hindered silanols, preparation and reactions of (R.I. Damja, C. Eaborn), 267

## Sodium

Diphenylmagnesium/alkali metal alkoxide system, hydrocarbon-soluble organo-alkali metal reagents (C.G. Screttas, M. Micha-Screttas), 1

## Sulphur

Bis( $\mu$ -chalcogeno complexes  $[(\eta^5\text{-RC}_5\text{H}_4)_2\text{M}(\mu\text{-E})]_2$  (M = Zr, Hf; R = H, *t*-Bu; E = S, Se), preparation from metallocene dichlorides and isolation of the  $\mu$ -complexes  $[(t\text{-BuC}_5\text{H}_4)_2\text{Zr}_2](\mu\text{-O})(\mu\text{-E})$  (G. Tainturier, B. Gautheron, M. Fahim), C4

Cyclooctyne coupling with carbon monoxide on divalent molybdenum and tungsten; crystal and molecular structure of bis(hexamethylene)cyclopentadienonetungsten complex,  $W(S_2\text{CNMe}_2)_2(\text{CO})\{(\text{C}_6\text{H}_{12})_2\text{CO}\}$  (M.A. Bennett,

I.W. Boyd, G.B. Robertson, W.A. Wickramasinghe), 181  
Cyclopentadienyldicarbonylligand-molybdenum and -tungsten cationic complexes, reactions with sulphur-containing ligands of (G. Urban, K. Sünkel, W. Beck), 329

Dicyclopentadienyl-molybdenum and -tungsten complexes, formation, NMR spectra and stereochemistry of (L. Gomes de Lima, M. Cariou, H. Scorida, R. Kergoat, M.M. Kubicki, J.E. Guerschais), 321

(*N,N*-Dimethyldithiocarbamato)(*n*-butyl)diphenyltin(IV), synthesis and X-ray structure of (V.G.K. Das, C. Wei, E. Sinn), 291

$\text{H}_3\text{Ru}_3(\mu_3\text{-CSEt})(\text{CO})_9$ , synthesis and reactions of; reductive elimination of C-H bonds and insertion of alkynes into Ru-C and Ru-H bonds (D.M. Dalton, J.B. Keister), C37

Methyl- and phenyl-oxadithia- and -trithia-bismocanes, preparations, spectra and crystal structures of (M. Dräger, B.M. Schmidt), 133

Organotin, organolead, lead(IV) and lead(II) dithiolates, investigations of (K. Grätz, F. Huber, A. Silvestri, G. Alonzo, R. Barbieri), 41

Tetrakis[trimethylthiomethylplatinum(IV)],  $[\text{Pt}(\text{CH}_3)_3(\text{SCH}_3)]_4$ , crystal structure of (G. Smith, C.H.L. Kennard, T.C.W. Mak), C7

$\Delta^{1,7}$  2,2,6,6-Tetramethyl-4-thia-8,8-dimethyl-8-germabicyclo[5.1.0]octene, isolation and X-ray crystal structure of (M.P. Egorov, S.P. Kolesnikov, Yu.T. Struchkov, M.Yu. Antipin, S.V. Sereda, O.M. Nefedov), C27

( $\eta^6$ -Xanthene)( $\eta^5$ -cyclopentadienyl)iron(II) hexafluorophosphate and ( $\eta^6$ -2-methylthianthrene)( $\eta^5$ -cyclopentadienyl)iron(II) hexafluorophosphate, crystal and molecular structures of (S.H. Simonsen, V.M. Lynch, R.G. Sutherland, A. Piórko), 387

## Tellurium

Selenium and tellurium bridges in organometallic complexes, structure, protonation and methylation of (W.A. Herrmann, J. Rohrmann, C. Hecht), 53

## Tin

- 1-Aza-5-stanna-5-chlorotricyclo[3.3.3.0<sup>1,5</sup>]-undecane, crystal and molecular structure of (K. Jurkschat, A. Tzschach, J. Meunier-Piret, M. Van Meerssche), 285
- (*N,N*-Dimethyldithiocarbamato)(*n*-butyl)-diphenyltin(IV), synthesis and X-ray structure of (V.G.K. Das, C. Wei, E. Sinn), 291
- Organotin, organolead, lead(IV) and lead(II) dithiolates, investigations of (K. Grätz, F. Huber, A. Silvestri, G. Alonzo, R. Barbieri), 41

## Titanium

- Niobocene and titanocene binuclear complexes containing fulvalene ligands, <sup>1</sup>H NMR spectra and electronic structure of (D.A. Lemenovskii, I.F. Urazowski, Yu.K. Grishin, V.A. Roznyatovsky), 301

## Tungsten

- ( $\pi$ -C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>(CO)<sub>2</sub>LM-X (M = Mo, W; X = FBF<sub>3</sub>, FPF<sub>5</sub>, FAsF<sub>5</sub>, FSbF<sub>6</sub>), reactions with O-donors of (K. Sünkel, G. Urban, W. Beck), 231
- ( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)W[C<sub>3</sub>(CMe<sub>3</sub>)<sub>2</sub>Me](PMe<sub>3</sub>)Cl<sub>2</sub>, formation and crystal and molecular structure of (M.R. Churchill, J.C. Fettinger), 375
- Cyclooctyne coupling with carbon monoxide on divalent molybdenum and tungsten; crystal and molecular structure of bis(hexamethylene)cyclopentadienonetungsten complex, W(S<sub>2</sub>CNMe<sub>2</sub>)<sub>2</sub>(CO){(C<sub>6</sub>H<sub>12</sub>)<sub>2</sub>CO} (M.A. Bennett, I.W. Boyd, G.B. Robertson, W.A. Wickramasinghe), 181
- Cyclopentadienyldicarbonylligand-molybdenum and -tungsten cationic complexes, reactions with sulphur-containing ligands of (G. Urban, K. Sünkel, W. Beck), 329
- 1,4-Diaza-1,3-butadiene mixed alkyl isocyanide complexes of molybdenum(II) and tungsten(II) (A. Bell, W.A. Walton), 341
- Dicyclopentadienyl-molybdenum and -tungsten complexes, formation, NMR spectra and stereochemistry of (L. Gomes de Lima, M. Cariou, H. Scordia, R. Kergoat, M.M. Kubicki, J.E. Guerschais), 321
- 4-Methyl-1,2,6-tristibatricyclo[2.2.1.0<sup>2,6</sup>]-heptane (Sb<sub>3</sub>-nortricyclane), synthesis and reactivity towards hexacarbonylchromium, -molybdenum and -tungsten of (J. Ellermann, A. Veit), 307
- Monocyclooctyne complexes of divalent and tetravalent molybdenum and tungsten (M.A. Bennett, I.W. Boyd), 165

## Zirconium

- Bis( $\mu$ -chalcogeno complexes)[( $\eta^5$ -RC<sub>5</sub>H<sub>4</sub>)<sub>2</sub>-M( $\mu$ -E)]<sub>2</sub> (M = Zr, Hf; R = H, *t*-Bu; E = S, Se), preparation from metallocene dichlorides and isolation of the complexes [(*t*-BuC<sub>5</sub>H<sub>4</sub>)<sub>2</sub>Zr<sub>2</sub>]( $\mu$ -O)( $\mu$ -E) (G. Tainturier, B. Gautheron, M. Fahim), C4

## Book reviews

- Chemical research faculties: an international directory; edited by G.L. Pollock (C. Eaborn), C43
- Gmelin handbook of inorganic chemistry, 8th edit., Sc, Y, La — Lu — Rare earth elements. Part D5: Complexes and salts of carboxylic acids, hydroxycarboxylic acids, and esters of carboxylic acids (K.R. Seddon), C41
- Gmelin handbook of inorganic chemistry, 8th edit., U — Uranium, Supplement Volume C4: Uranium dioxide (K.R. Seddon), C41
- Inorganic chemistry. Topics in current chemistry 124; edited by F.L. Boschke (K.R. Seddon), C44
- Inorganic electronic spectroscopy; by A.B.P. Lever (Studies in physical and theoretical chemistry 33) (2nd edit.) (K.R. Seddon), C11
- Organic reactions. Volume 33 (C. Eaborn) C42