

- Packer, K.J., 281  
 Panicheva, M.V., 81  
 Peppe, C., 17  
 Pestunovich, V.A., C17  
 Pete, J.P., 269  
 Petrov, E.S., C67  
 Pinillos, M.T., 261  
 Protskii, A.N., 45  
 Radine, K., C60  
 Raubenheimer, H.G., 241  
 Reams, P., 281  
 Redmill, K.A., 105  
 Rhodes, C.J., 173  
 Riahi, A., 269  
 Ricci, A., 177  
 Riess, J.G., 215  
 Rigo, P., 139  
 Rybakova, L.F., C67  
 Savoia, D., 307  
 Schilling, B.E.R., C43  
 Schleyer, P. v. R., C1, C6  
 Scotti, M., C26  
 Senda, Y., 441  
 Sennikov, P.G., 81  
 Shapley, J.R., C63  
 Shawkataly, O.bin., 289  
 Shvo, Y., 123  
 Sirotkin, N.I., 81  
 Sizov, A.I., 53, 67  
 Snow, M.R., 289  
 Soloveichik, G.L., 45, 53, 67  
 Sorokin, M.S., C17  
 Stein, P., C1  
 Süss-Fink, G., 129  
 Syutkina, O.P., C67  
 Taba, K.M., 27  
 Tagliavini, E., 307  
 Tanguy, G., C31  
 Tejel, C., 261  
 Thewalt, U., 203  
 Thorne, A.J., C43  
 Tombret, F., 1  
 Trombini, C., 307  
 Tuck, D.G., 17  
 Umani-Ronchi, A., 307  
 Valderrama, M., C26  
 Van, D. Le, 331  
 Van den Aardweg, G.C.N., 115  
 Van Dyk, M., 241  
 Van Engen, D., 253  
 Vesprémi, T., 39  
 Vidyapati, T.J., 31  
 Volden, H.V., C43  
 Von Ragué Schleyer, P.,  
 C1, C6  
 Voronkov, M.G., C17  
 Wachter, J., 215  
 Wan, J.K.S., C21  
 Weinberger, B., C31  
 Werner, H., C55  
 Wilhelm, D., C6  
 Wolf, J., C55  
 Wudl, F., 197  
 Zelenka, L., 147  
 Zhiltsova, Ye.Ye., 81

## JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 280 (1985)

### SUBJECT INDEX

#### Aluminium

- $[\{\eta^5\text{-C}_5(\text{CH}_3)_5\}_2\text{Ti}(\mu_2\text{-H})_2\text{Al}(\text{H})(\mu_2\text{-H})]$ ,  
 and  $[\eta^5\text{-C}_5(\text{CH}_3)_5\}_2\text{Ti}(\mu_2\text{-H})_2\text{Al}(\text{H})(\mu_2\text{-H})_2\text{Ti}[\eta^5\text{-C}_5(\text{CH}_3)_5]_2$ , molecular structures and properties of (V.M. Bel'skii, A.I. Sizov, B.M. Bulychev, G.L. Soloveichik), 67  
 $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Ti}(\mu_2\text{-H})_2\text{Al}(\mu_2\text{-H})(\eta^1\text{:}\eta^5\text{-C}_5\text{H}_4)\text{-Ti}(\eta^5\text{-C}_5\text{H}_5)(\mu_2\text{-H})]_2\cdot\text{C}_6\text{H}_5\text{CH}_3$ , synthesis, molecular structure and catalytic properties of (E.B. Lobkovsky, G.L. Soloveichik, A.I. Sizov, B.M. Bulychev), 53  
 Unsaturated nitrile metathesis catalysed by  $\text{WCl}_6/\text{Sn}(\text{CH}_3)_4$  or  $\text{Re}_2\text{O}_7/\text{Al}_2\text{O}_3/\text{SnR}_4$  systems (R.H.A. Bosma, G.C.N. van den Aardweg, J.C. Mol), 115  
 $\text{W}(\text{CO})_3\text{Cl}_2(\text{AsPh}_3)_2$ , in reaction with norbornene propagating homometathesis of linear alkenes (L. Bencze, A. Kraut-Vas), C14

#### Arsenic

- $\text{Me}_2\text{PP}(\text{CF}_3)_2$  and  $\text{Me}_2\text{AsP}(\text{CF}_3)_2$ , ligand properties of (J. Grobe, M. Köhne-Wächter, D. Le Van), 331  
 $\text{W}(\text{CO})_3\text{Cl}_2(\text{AsPh}_3)_2$ , in reaction with norbornene propagating homometathesis of linear alkenes (L. Bencze, A. Kraut-Vas), C14

#### Boron

- Dicarbonyl(1-methylborinato)cobalt, preparation from (borinato)(cyclobutadiene)cobalt complexes and from di- $\mu$ -carbonylbis(1-methylborinato)nickel (G.E. Herberich, H.J. Becker, B. Hessner, L. Zelenka), 147

#### Cerium

- Thienyl- and perfluorophenyl-lanthanide-(II) derivatives (O.P. Syutkina, L.F. Rybakova, E.S. Petrov, I.P. Beletskaya), C67

## Chromium

- Arenetricarbonyl derivatives of Group VI metals with phenyl- and diphenyl-acetylene, complex formation at low temperatures of (P.G. Sennikov, M.V. Panicheva, A.N. Egorochkin, N.I. Sirotkin, Ye.Ye. Zhiltsova), 81
- (Benzophenone)tricarbonylchromium and (fluorenone)tricarbonylchromium, electroreduction in the presence of electrophiles of (C. Degrand, F. Gasquez, P.-L. Compagnon), 87
- $\text{Me}_2\text{PP}(\text{CF}_3)_2$  and  $\text{Me}_2\text{AsP}(\text{CF}_3)_2$ , ligand properties of (J. Grobe, M. Köhne-Wächter, D. Le Van), 331
- Tricarbonyl- $\eta^6$ -naphthalenechromium(0),  $[\text{Cr}(\text{CO})_3(\eta^6-\text{C}_{10}\text{H}_8)]$ , mechanism of addition of haloalkanes to alkenes in the presence of (W.J. Bland, R. Davis, J.L.A. Durrant), 95

## Cobalt

- $(\mu_3\text{-CCH}_3)\text{Co}_3(\text{CO})_7\text{-}\mu\text{-}(\text{Ph}_2\text{PCH}_2\text{PPh}_2)$ , synthesis, catalytic activity and molecular structure of (G. Balavoine, J. Collin, J.J. Bonnet, G. Lavigne), 429
- ( $\eta^5\text{-C}_5\text{H}_5$ ) $\text{Ru}[(\text{C}_6\text{H}_5)_3\text{P}]_2(\text{CO})_3\text{Co}\cdot\text{THF}$ , preparation and crystal structure of (G. Doyle, D. Van Engen), 253
- Dicarbonyl (1-methylborinato)cobalt, preparation from (borinato)(cyclobutadiene)cobalt complexes and from di- $\mu$ -carbonylbis(1-methylborinato)nickel (G.E. Herberich, H.J. Becker, B. Hessner, L. Zelenka), 147
- $\mu$ -Hydrido- $\mu$ -phosphido heterotrimetal alkylidyne clusters; X-ray structure of  $[\text{Co}_2\text{W}(\mu\text{-H})(\mu_3\text{-CMe})(\mu\text{-PPh}_2)_2(\text{CO})_6(\eta^5\text{-C}_5\text{H}_5)]$  (J.C. Jeffery, J.G. Lawrence-Smith), C34

- Thio- and seleno-acetaldehyde-metal complexes, preparation of; crystal structure of  $\text{C}_5\text{H}_5\text{Rh}(\eta^2\text{-CH}_3\text{CHSe})\text{P-i-Pr}_3$  (H. Werner, L. Hofmann, J. Wolf, G. Müller), C55

## Copper

- Palladium-catalysed regioselective oxidation of allylsulphones; formation of  $\alpha, \beta$ -ethylenylsulphonyl aldehydes and alcohols (J. Muzart, A. Riahi, J.P. Pete), 269

## Europium

- Thienyl- and perfluorophenyl-lanthanide-(II) derivatives (O.P. Syutkina, L.F. Rybakova, E.S. Petrov, I.P. Beletskaya), C67

## General

- Four-connected polyhedral molecules, general theoretical analysis of (R.L. Johnston, D.M.P. Mingos), 419

- Three-connected polyhedral molecules and their capped derivatives, general theoretical analysis of (R.L. Johnston, D.M.P. Mingos), 407

## Germanium

- Bis[bis(trimethylsilyl)methyl]germanium, molecular structure determined by gas diffraction of; SCFMO calculations on stannane and distannene (T. Fjeldberg, A. Haaland, B.E.R. Schilling, H.V. Volden, M.F. Lappert, A.J. Thorne), C43

- Pergerma analogues of dioxane  $\text{Ph}_2\text{Ge}_4\text{X}_2$  and ethyleneacetal  $\text{Ph}_2\text{Ge}_4\text{X}_2$  ( $\text{X} = \text{O}, \text{S}, \text{Se}$ ) (M. Dräger, K. Häberle), 183

## Gold

- [ $\{\text{Au}(\text{PPh}_3)\}_2\text{O}]^+$ , reactions with  $[\text{Ru}_3(\mu_3\text{-C}_2\text{Bu}^t)(\text{CO})_6]^-$ ; X-ray structure of  $[\text{Ru}_3\text{Au}_2(\mu_3\text{-C=CHBu}^t)(\text{CO})_6(\text{PPh}_3)_2]$ , containing trigonal-bipyramidal  $\text{Ru}_3\text{Au}_2$  core (M.I. Bruce, E. Horn, O. bin Shawkatally, M.R. Snow), 289

## Hafnium

- (Alkylideneamido)zirconocene mono- and di-nuclear complexes, formation of (W. Frömberg, G. Erker), 343

- Zirconocene and hafnocene supported complexes, preparation and catalytic applications of (B.-H. Chang, R.H. Grubbs, C.H. Brubaker, Jr.), 365

## Indium

- Dibromoethylindium tetramethylenediamine solvate and ethyltriiodoindium tetraphenylphosphorus solvate, struc-

tures of (M.A. Khan, C. Peppe, D.G. Tuck), 17

## Iridium

( $\eta^5\text{-C}_5\text{H}_5$ )<sub>2</sub>W<sub>2</sub>Ir<sub>2</sub>(CO)<sub>7</sub>(CHCO<sub>2</sub>Et)<sub>2</sub>, synthesis and structure of (M.R. Churchill, L.V. Biondi, J.R. Shapley, C.H. McAteer), C63

## Iron

(CO)<sub>4</sub>FeCH<sub>2</sub>P(C<sub>6</sub>H<sub>5</sub>)<sub>3</sub>, mild phase transfer synthesis from iron pentacarbonyl and dichloromethane of; evidence for transient generation of tetracarbonyl ferrate anion, Fe(CO)<sub>4</sub><sup>2-</sup> (B. Weinberger, G. Tanguy, H. Des Abbayes), C31

Disulphur hexacarbonyldiiron containing complexes, synthesis of; crystal and molecular structure of [Fe<sub>2</sub>CO)<sub>6</sub>{ $\mu$ -S<sub>2</sub>P(C<sub>6</sub>H<sub>4</sub>OMe-p)Fe(CO)<sub>4</sub>}], determined from two different crystal modifications (G.J. Kruger, S. Lotz, L. Linford, M. Van Dyk, H.G. Raubenheimer), 241

1,1',2,2',4,4'-Tris(trimethylene)ferrocenium perchlorate, crystal and molecular structure of (M. Hillman, A.C. Larson), 389

## Lithium

Alkylarenelithium complexes in aromatic solvents, AC conductivity of (L. Assadourian, G. Gau), 299

Alkylarenelithium salts, <sup>7</sup>Li NMR studies of (L. Assadourian, R. Faure, G. Gau), 153

Allyllithium  $\gamma$ , $\gamma'$ -disubstituted compounds, preparation and <sup>13</sup>C NMR characterization of (S. Bywater, P. Lachance, P. Black), 159

t-Butyllithium in reactions with  $\beta$ -bromo-enol ethers (L. Duhamel, F. Tombret, Y. Mollier), 1

1,4-Dilithio-*cis*-2-butene, double bridged structure of (A.J. Kos, P. Stein, P.v.R. Schleyer), C1

1,4-Dilithio-1,4-diphenyl-*cis*-2-butene, structure of (D. Wilhelm, T. Clark, P.v.R. Schleyer, H. Dietrich, W. Mahdi), C6

## Manganese

Bis(ethoxythiocarbonyl)sulphide, <sup>13</sup>C hyperfine splitting in radical complex with decacarbonyldimanganese of (A. Alberti, M.C. Depew, A. Hudson, W.G. McGimpsey, J.K.S. Wan), C21

Tetracarbonyl- $\eta^3$ -*E*-2,4-pentadien-1-ylmanganese(I) complexes, photochemical synthesis and thermal decarbonylation (C.G. Kreiter, M. Leyendecker), 225

Tricarbonyl-manganese and -rhenium complexes with (*O,O*)-donor ligands, synthesis and characterisation of (W. Kläui, J. Okuda, M. Scotti, M. Valderama), C26

## Metallocenes

(Alkylideneamido)zirconocene mono- and di-nuclear complexes, formation of (W. Frömlberg, G. Erker), 343

{[ $\eta^5\text{-C}_5\text{(CH}_3)_5$ ]<sub>2</sub>Ti( $\mu_2\text{-H}$ )<sub>2</sub>Al(H)( $\mu_2\text{-H}$ )<sub>2</sub>} and {[ $\eta^5\text{-C}_5\text{(CH}_3)_5$ ]<sub>2</sub>Ti( $\mu_2\text{-H}$ )<sub>2</sub>Al(H)( $\mu_2\text{-H}$ )<sub>2</sub>Ti[ $\eta^5\text{-C}_5\text{(CH}_3)_5$ ]<sub>2</sub>}, molecular structures and properties of (V.M. Bels'kii, A.I. Sizov, B.M. Bulychev, G.L. Soloveichik), 67

[( $\eta^5\text{-C}_5\text{H}_5$ )<sub>2</sub>Ti( $\mu_2\text{-H}$ )<sub>2</sub>Al( $\mu_2\text{-H}$ )( $\eta^1\text{:}\eta^5\text{-C}_5\text{H}_4$ )-Ti( $\eta^5\text{-C}_5\text{H}_5$ )( $\mu_2\text{-H}$ )<sub>2</sub>•C<sub>6</sub>H<sub>5</sub>CH<sub>3</sub>], synthesis, molecular structure and catalytic properties of (E.B. Lobkovsky, G.L. Soloveichik, A.I. Sizov, B.M. Bulychev), 53

Dicyclopentadienylzirconium hydrides, reactions with (iminoacyl)zirconocene complexes of (W. Frömlberg, G. Erker), 355

1,1',2,2',4,4'-Tris(trimethylene)ferrocenium perchlorate, crystal and molecular structure of (M. Hillman, A.C. Larson), 389

Zirconocene and hafnocene supported complexes, preparation and catalytic applications of (B.-H. Chang, R.H. Grubbs, C.H. Brubaker, Jr.), 365

## Molybdenum

Arenetricarbonyl derivatives of Group VI metals with phenyl- and diphenyl-acetylene, complex formation at low temperatures of (P.G. Sennikov, M.V. Panicheva, A.N. Egorochkin, N.I. Sirokin, Ye.Ye. Zhiltsova), 81

Bis(pentamethyldicarbonylmolybdenum)-  
( $Mo \equiv Mo$ ), reaction with phosphorus  
ligands under formation of  $(C_5Me_5)_2$ -  
 $Mo_2PR_3$ - $(Mo \equiv Mo)$  ( $PR_3 = P(OMe)_3$ ,  
 $PhP(OCH_2CH_2)_2NH$ ) and  $C_5Me_5(CO)_2$ -  
[ $P(OMe)_3$ ]Me of; crystal structure of  
 $(C_5Me_5)_2Mo_2(CO)_3[PhP(OCH_2CH_2)_2$ -  
 $NH]$  (J.G. Riess, U. Klement, J.  
Wachter), 215

Intramolecular secondary Cl---Sn bond;  
crystal and molecular structure of  
 $(\eta^5-C_5H_5)_2Mo[(CH_3)_2SnCl]_2$  (V.K.  
Bel'skii, A.N. Protskij, B.M. Bulychev,  
G.L. Soloveichik), 45

$Me_2PP(CF_3)_2$  and  $Me_2AsP(CF_3)_2$ , ligand  
properties of (J. Grobe, M. Köhne-  
Wächter, D. Le Van), 331

$\eta^3$ -1',2,3-(2 $\gamma$ -Methylene-butyrolacton-3-  
yl)( $\eta^5$ -cyclopentadienyl)carbonyl-  
nitrosymolybdenum cationic com-  
plexes, synthesis and stereoselective  
nucleophilic addition reactions of (C.  
Benamou, J. Benaim), 377

$Mo(CO)_4((PPh_2O)_2Y(R)R')$  ( $Y(R) = P(O)$ ,  
 $Si(Me)$ ;  $R' =$  alkyl, haloalkyl, aryl) and  
[ $Mo(CO)_4(PPh_2O)_2$ ] $_2Si$  complexes,  
chemical shift correlations in  $^{13}C$ ,  $^{17}O$   
and  $^{31}P$  NMR spectra of (G.M. Gray,  
K.A. Redmill), 105

## Nickel

Dicarbonyl(1-methylborinato)cobalt,  
preparation from (borinato)(cyclobuta-  
diene)cobalt complexes and from di- $\mu$ -  
carbonylbis(1-methylborinato)nickel  
(G.E. Herberich, H.J. Becker, B. Hessner,  
L. Zelenka), 147

Nickel(0)-induced coupling of phenyliso-  
cyanate molecules with C—C bond  
formation (H. Hoberg, K. Radine, A.  
Milchereit), C60

## Osmium

Trinuclear osmium clusters in rearrange-  
ment reactions with sulphur diimides;  
synthesis, solid state structure and  
dynamic properties of ( $\mu$ -H) $Os_3(CO)_{10}$ -  
[ $\mu$ -N(H)SN(SiMe<sub>3</sub>)<sub>2</sub>] (G. Süss-Fink, W.  
Bühlmeyer, M. Herberhold, A. Gieren,  
T. Hübner), 129

## Palladium

$\pi$ -Allylpalladium, stereochemistry of the  
formation from dialkylcyclohexa-1,3-  
dienes of (S. Imaizumi, T. Matsuhisa, Y.  
Senda), 441

Cyclopalladated complexes of *N,N*-di-  
methylneopentylamine, synthesis and  
characterisation of (Y. Fuchita, K.  
Hiraki, Y. Matsumoto), C51

Palladium-catalysed regioselective oxida-  
tion of allylsulphones; formation of  
 $\alpha,\beta$ -ethylenylsulphonyl aldehydes and  
alcohols (J. Muzart, A. Riahi, J.P. Pete),  
269

## Phosphorus

[ $\{Au(PPh_3)\}_3O$ ]<sup>+</sup>, reactions with [ $Ru_3(\mu_3$ -  
 $C_2Bu^t)(CO)_3$ ]<sup>-</sup>; X-ray structure of  
[ $Ru_3Au_2(\mu_3-C=CHBu^t)(CO)_2(PPh_3)_2$ ]  
containing trigonal-bipyramidal Ru<sub>3</sub>Au<sub>2</sub>  
core (M.I. Bruce, E. Horn, O. bin  
Shawkataly, M.R. Snow), 289

Bis(pentamethyldicarbonylmolybdenum)-  
( $Mo \equiv Mo$ ), reaction with phosphorus  
ligands under formation of  $(C_5Me_5)_2$ -  
 $Mo_2PR_3$ - $(Mo \equiv Mo)$  ( $PR_3 = P(OMe)_3$ ,  
 $PhP(OCH_2CH_2)_2NH$ ) and  $C_5Me_5(CO)_2$ -  
[ $P(OMe)_3$ ]Me of; crystal structure of  
 $(C_5Me_5)_2Mo_2(CO)_3[PhP(OCH_2CH_2)_2$ -  
 $NH]$  (J.G. Riess, U. Klement, J.  
Wachter), 215

Bis(tertiary alkylphosphine)rhodium(I)  
cationic complex, NMR study of  
hydrogenation of (I.R. Butler, W.R.  
Cullen, B.E. Mann, C.R. Nurse), C47

( $\mu_3-CCH_3$ ) $CO_3(CO)$ - $\mu$ -( $Ph_2PCH_2PPh_2$ ), syn-  
thesis, catalytic activity and molecular  
structure of (G. Balavoine, J. Collin,  
J.J. Bonnet, G. Lavigne), 429  
( $\eta^5-C_5H_5$ ) $Ru[(C_6H_5)_3P]$  $_2(CO)_5Co \cdot THF$ ,  
preparation and crystal structure of  
(G. Doyle, D. van Engen), 253

Dibromoethylindium tetramethylenedi-  
amine solvate and ethyltriodoindium  
tetraphenylphosphorus solvate, struc-  
tures of (M.A. Khan, C. Peppe, D.G.  
Tuck), 17

Dichlorotris(triphenylphosphine)rutheni-  
um(II), [ $RuCl_2(PPh_3)_3$ ], as catalyst in  
addition reactions of haloalkanes to  
alkenes (W.J. Bland, R. Davis, J.L.A.  
Durrant), 397

$\mu$ -Hydrido- $\mu$ -phosphido heterotrimetal  
alkylidyne clusters; X-ray structure of

- [Co<sub>2</sub>W(μ-H)(μ<sub>3</sub>-CMe)(μ-PPPh<sub>2</sub>)(CO)<sub>6</sub>(η-C<sub>5</sub>H<sub>5</sub>)] (J.C. Jeffery, J.R. Lawrence-Smith), C34
- Me<sub>2</sub>PP(CF<sub>3</sub>)<sub>2</sub> and Me<sub>2</sub>AsP(CF<sub>3</sub>)<sub>2</sub>, ligand properties of (J. Grobe, M. Köhne-Wächter, D. Le Van), 331
- Mo(CO)<sub>4</sub>((PPPh<sub>2</sub>O)<sub>2</sub>Y(R)R' (Y(R) = P(O), Si(Me); R' = alkyl, haloalkyl, aryl) and [Mo(CO)<sub>4</sub>(PPPh<sub>2</sub>O)<sub>2</sub>]<sub>2</sub>Si complexes, chemical shift correlations in <sup>13</sup>C, <sup>17</sup>O and <sup>31</sup>P NMR spectra of (G.M. Gray, K.A. Redmill), 105
- Nickel(0)-induced coupling of phenyl-isocyanate molecules with C—C bond formation (H. Hoberg, K. Radine, A. Milchereit), C60
- Phosphaalkeneplatinum(0) complexes, η<sup>1</sup>- and η<sup>2</sup>-coordination in; high resolution solid state <sup>31</sup>P NMR spectrum of mesityl(diphenylmethylene)phosphine-bis(triphenylmethylene)platinum(0) (H.W. Kroto, S.I. Klein, M.F. Meidine, J.F. Nixon, R.K. Harris, K.J. Packer, P. Reams), 281
- Thio- and seleno-acetaldehyde-metal complexes, preparation of; crystal structure of C<sub>5</sub>H<sub>5</sub>Rh(η<sup>2</sup>-CH<sub>3</sub>CHSe)P-i-Pr<sub>3</sub> (H. Werner, L. Hofmann, J. Wolf, G. Müller), C55
- ## Platinum
- Phosphaalkeneplatinum(0) complexes, η<sup>1</sup>- and η<sup>2</sup>-coordination in; high resolution solid state <sup>31</sup>P NMR spectrum of mesityl(diphenylmethylene)phosphine-bis(triphenylmethylene)platinum(0) (H.W. Kroto, S.I. Klein, M.F. Meidine, J.F. Nixon, R.K. Harris, K.J. Packer, P. Reams), 281
- ## Potassium
- Alkyl dichloroacetates, application in preparation of highly functionalised aziridines from imines (P. Coutrot, A. El Gadi), C11
- Potassium-graphite route, highly reactive metals from; preparation and use of titanium-graphite and tin-graphite (G.P. Boldrini, D. Savoia, E. Tagliavini, C. Trombini, A. Umani-Rochi), 307
- ## Rhenium
- Tricarbonyl-manganese and -rhenium complexes with (O,O,O)-donor ligands, synthesis and characterisation of (W. Kläui, J. Okuda, M. Scotti, M. Valderama), C26
- Unsaturated nitrile metathesis catalysed by WCl<sub>6</sub>/Sn(CH<sub>3</sub>)<sub>4</sub> or Re<sub>2</sub>O<sub>7</sub>/Al<sub>2</sub>O<sub>3</sub>/SnR<sub>4</sub> systems (R.H.A. Bosma, G.C.N. van den Aardweg, J.C. Mol), 115
- ## Rhodium
- Benzotriazole and benzotriazolate complexes of rhodium(I), preparation and properties of (L.A. Oro, M.T. Pinillos, C. Tejel), 261
- Bis(tertiary alkylphosphine)rhodium(I) cationic complex, NMR study of hydrogenation of (I.R. Butler, W.R. Cullen, B.E. Mann, C.R. Nurse), C47
- Rhodium(I) cationic complexes as catalysts in homogeneous O<sub>2</sub>-oxidation of terminal alkenes of methyl ketones (M. Bressan, F. Morandini, A. Morville, P. Rigo), 139
- Thio- and seleno-acetaldehyde-metal complexes, preparation of; crystal structure of C<sub>5</sub>H<sub>5</sub>Rh(η<sup>2</sup>-CH<sub>3</sub>CHSe)P-i-Pr<sub>3</sub> (H. Werner, L. Hofmann, J. Wolf, G. Müller), C55
- ## Ruthenium
- [{Au(PPPh<sub>3</sub>)<sub>3</sub>O]<sub>n</sub>}<sup>+</sup>, reactions with [Ru<sub>3</sub>(μ<sub>3</sub>-C<sub>5</sub>But<sup>t</sup>)(CO)<sub>9</sub>]<sup>-</sup>; X-ray structure of [Ru<sub>3</sub>-Au<sub>2</sub>(μ<sub>3</sub>-C=CHBut<sup>t</sup>)(CO)<sub>9</sub>(PPPh<sub>3</sub>)<sub>2</sub>] containing trigonal-bipyramidal Ru<sub>3</sub>Au<sub>2</sub> core (M.I. Bruce, E. Horn, O. bin Shawkataly, M.R. Snow), 289
- (η<sup>5</sup>-C<sub>5</sub>H<sub>5</sub>)Ru{[(C<sub>6</sub>H<sub>5</sub>)<sub>3</sub>P]}<sub>2</sub>(CO)<sub>5</sub>Co·THF, preparation and crystal structure of (G. Doyle, D. Van Engen), 253
- Dichlorotris(triphenylphosphine)ruthenium(II), [RuCl<sub>2</sub>(PPPh<sub>3</sub>)<sub>3</sub>], as catalyst in addition reactions of haloalkanes to alkenes (W.J. Bland, R. Davis, J.L.A. Durrant), 397
- ## Samarium
- Thienyl- and perfluorophenyl-lanthanide(II) derivatives (O.P. Syutkina, L.F. Rybakova, E.S. Petrov, I.P. Beletskaya), C67

## Selenium

Dimethylselenadiazole, reactions with alkyltin derivatives (R. Arad-Yellin, F. Wudl), 197

Pergerma analogues of dioxane  $\text{Ph}_3\text{Ge}_2\text{X}_2$  and ethylene acetal  $\text{Ph}_3\text{Ge}_2\text{X}_2$  ( $\text{X} = \text{O}$ , S, Se) (M. Dräger, K. Häberle), 183

Thio- and seleno-acetaldehyde-metal complexes, preparation of; crystal structure of  $\text{C}_5\text{H}_5\text{Rh}(\eta^2\text{-CH}_3\text{CHSe})\text{P-i-Pr}_3$  (H. Werner, L. Hofmann, J. Wolf, G. Müller, C53

## Silicon

Bis(acetylacetone)silicon(IV) isomer-free hexacoordinate complex, formation of (K.M. Taba, W.V. Dahlhoff), 27

Bis[bis(trimethylsilyl)methyl]germanium, molecular structure determined by gas diffraction of; SCFMO calculations on stannane and distannene (T. Fjelberg, A. Haaland, B.E.R. Schilling, H.V. Volden, M.F. Lappert, A.J. Thorne), C43

Bis(trimethylsilyl)bicyclo[n.1.0]alkanes, reactivity towards acids of (M. Grignon-Dubois, M. Ahra), 313

$\alpha,\beta$ -Epoxycyclosilanes, effect of ring size on the acid-catalysed hydrolysis of (G. Nagendrappa, T.J. Vidyapati), 31

$\beta$ -Ketosilanes, mechanism of solvolysis of (M. Fiorenza, A. Mordini, A. Ricci), 177

$\text{Mo}(\text{CO})_4((\text{PPH}_3\text{O})_2\text{Y}(\text{R})\text{R}')$  ( $\text{Y}(\text{R}) = \text{P}(\text{O}), \text{Si}(\text{Me})$ ; R' = alkyl, haloalkyl, aryl) and  $[\text{Mo}(\text{CO})_4(\text{PPH}_3\text{O})_2]\text{Si}$  complexes, chemical shift correlations in  $^{13}\text{C}$ ,  $^{17}\text{O}$  and  $^{31}\text{P}$  NMR spectra of (G.M. Gray, K.A. Redmill), 105

Organyl[ $\beta$ -(trifluorosilyl)]sulphoxide molecules, diastereotopy of equatorial fluorines at the silicon atom in (V.A. Pestunovich, M.F. Larin, M.S. Sorokin, A.I. Albanov, M.G. Voronkov), C17

Silazanes, photoelectron and Penning ionization electron spectroscopy of (T. Veszprémi, L. Biháti, Y. Harada, K. Ohno, H. Mutoh), 39

Silyl radicals and their parent silanes, structural correlations between (A. Hudson, R.A. Jackson, C.J. Rhodes, A.L. Del Vecchio), 173

Trinuclear osmium clusters in rearrangement reactions with sulphur diimides; synthesis, solid state structure and dynamic properties of  $(\mu\text{-H})\text{Os}_3(\text{CO})_{10} - [\mu\text{-N}(\text{H})\text{SN}(\text{SiMe}_3)_2]$  (G. Süss-Fink, W. Bühlmeyer, M. Herberhold, A. Gieren, T. Hübner), 129

Bühlmeyer, M. Herberhold, A. Giersen, T. Hübner), 129

## Sulphur

Bis(ethoxythiocarbonyl)sulphide,  $^{13}\text{C}$  hyperfine splitting in radical complex with decacarbonyldimanganese of (A. Alberti, M.C. Depew, A. Hudson, W.G. McGimpsey, J.K.S. Wan), C21

Disulphur hexacarbonyldiiron containing complexes, synthesis of; crystal and molecular structure of  $[\text{Fe}_2(\text{CO})_6\{\mu\text{-S}_2\text{P}(\text{C}_6\text{H}_4\text{OMe}-p)\}\text{Fe}(\text{CO})_4]$ , determined from two different crystal modifications (G.J. Krüger, S. Lotz, L. Linford, M. Van Dyk, H.G. Raubenheimer), 241

Organyl[ $\beta$ -(trifluorosilyl)ethyl]sulphoxide molecules, diastereotopy of equatorial fluorines at the silicon atom in (V.A. Pestunovich, M.F. Larin, M.S. Sorokin, A.I. Albanov, M.G. Voronkov), C17

Palladium-catalysed regioselective oxidation of allylsulphones; formation of  $\alpha,\beta$ -ethylenylsulphonyl aldehydes and alcohols (J. Muzart, A. Riahi, J.P. Pete), 269

Pergerma analogues of dioxane  $\text{Ph}_3\text{Ge}_2\text{X}_2$  and ethylene acetal  $\text{Ph}_3\text{Ge}_2\text{X}_2$  ( $\text{X} = \text{O}$ , S, Se) (M. Dräger, K. Häberle), 183

Thio- and seleno-acetaldehyde-metal complexes, preparation of; crystal structure of  $\text{C}_5\text{H}_5\text{Rh}(\eta^2\text{-CH}_3\text{CHSe})\text{P-i-Pr}_3$  (H. Werner, L. Hofmann, J. Wolf, G. Müller), C55

Trinuclear osmium clusters in rearrangement reactions with sulphur diimides; synthesis, solid state structure and dynamic properties of  $(\mu\text{-H})\text{Os}_3(\text{CO})_{10} - [\mu\text{-N}(\text{H})\text{SN}(\text{SiMe}_3)_2]$  (G. Süss-Fink, W. Bühlmeyer, M. Herberhold, A. Gieren, T. Hübner), 129

## Tin

Dimethylselenadiazole, reactions with alkyltin derivatives (R. Arad-Yellin, F. Wudl), 197

Intramolecular secondary  $\text{Cl}=\text{Sn}$  bond; crystal and molecular structure of  $(\eta^5\text{-C}_5\text{H}_5)_2\text{Mo}[(\text{CH}_3)_2\text{SnCl}]_2$  (V.K. Bel'skii, A.N. Protskij, B.M. Bulychev, G.L. Soloveichik), 45

Potassium-graphite route, highly reactive metals from; preparation and use of titanium-graphite and tin-graphite

- (G.P. Boldrini, D. Savoia, E. Tagliavini, C. Trombini, A. Umani-Rochi), 307  
 Tin five-coordination in triorganotin(IV) oxinates,  $^{13}\text{C}$ ,  $^{15}\text{N}$  and  $^{119}\text{Sn}$  NMR spectral evidence for (A. Lyčka, J. Holeček, M. Nádvorník, K. Handlštejn), 323  
 Unsaturated nitrile metathesis catalysed by  $\text{WCl}_6/\text{Sn}(\text{CH}_3)_4$  or  $\text{Re}_2\text{O}_7/\text{Al}_2\text{O}_3/\text{SnR}_4$  systems (R.H.A. Bosma, G.C.N. van den Aardweg, J.C. Mol), 115

## Titanium

- Bis(fumarato)bis[di- $\pi$ -cyclopentadienyl-titanium(IV), preparation and properties of; structural investigation of (H.-P. Klein, K. Döppert, U. Thewalt), 203  
 $\{[\eta^5\text{-C}_5(\text{CH}_3)_5]_2\text{Ti}(\mu_2\text{-H})_2\text{Al}(\text{H})(\mu_2\text{-H})_2$  and  $[\eta^5\text{-C}_5(\text{CH}_3)_5]_2\text{Ti}(\mu_2\text{-H})_2\text{Al}(\text{H})(\mu_2\text{-H})_2\text{Ti}(\eta^5\text{-C}_5(\text{CH}_3)_5)_2$ , molecular structures and catalytic properties of (V.K. Bel'skii, A.I. Sizov, B.M. Bulychev, G.L. Soloveichik), 67  
 $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Ti}(\mu_2\text{-H})_2\text{Al}(\mu_2\text{-H})(\eta^1\text{:}\eta^5\text{-C}_5\text{H}_4)\text{Ti}(\eta^5\text{-C}_5\text{H}_5)(\mu_2\text{-H})]_2 \cdot \text{C}_6\text{H}_5\text{CH}_3$ , synthesis, molecular structure and catalytic properties of (E.S. Lobkovskii, G.L. Soloveichik, A.I. Sizov, B.M. Bulychev), 53  
 Potassium-graphite route, highly reactive metals from; preparation and use of titanium-graphite and tin-graphite (G.P. Boldrini, D. Savoia, E. Tagliavini, C. Trombini, A. Umani-Rochi), 307

## Tungsten

- Arenetricarbonyl derivatives of Group VI metals with phenyl- and diphenyl-acetylene, complex formation at low temperatures of (P.G. Sennikov, M.V. Panicheva, A.N. Egorochkin, N.I. Sirotkin, Ye.Ye. Zhiltsova), 81  
 $(\eta^5\text{-C}_5\text{H}_5)_2\text{W}_2\text{Ir}_2(\text{CO})_2(\text{CHCO}_2\text{Et})_2$ , synthesis and structure of (M.R. Churchill, L.V. Biondi, J.R. Shapley, C.H. McAtee), C63  
 Iminecarbonyltungsten stable complexes, formation of (D. Czarkie, Y. Shvo), 123

$\text{Me}_2\text{PP}(\text{CF}_3)_2$  and  $\text{Me}_2\text{AsP}(\text{CF}_3)_2$ , ligand properties of (J. Grobe, M. Köhne-Wächter, D. Le Van), 331

- Unsaturated nitrile metathesis catalysed by  $\text{WCl}_6/\text{Sn}(\text{CH}_3)_4$  or  $\text{Re}_2\text{O}_7/\text{Al}_2\text{O}_3/\text{SnR}_4$  systems (R.H.A. Bosma, G.C.N. van den Aardweg, J.C. Mol), 115  
 $\text{W}(\text{CO})_3\text{Cl}_2(\text{AsPh}_3)_2$ , in reaction with norbornene propagating homometathesis of linear alkenes (L. Bencze, A. Kraut-Vas), C14

## Ytterbium

- Thienyl- and perfluorophenyl-lanthanide-(II) derivatives (O.P. Syutkina, L.F. Rybakova, E.S. Petrov, I.P. Beletskaya), C67

## Zinc

- $\gamma$ -Bromocrotonic and  $\gamma$ -bromosenecioic trimethylsilyl esters, regioselectivity in reactions with benzaldehyde of the reaction product of (M. Bellassoued, M. Gaudemar, A. El Borgi, B. Baccar), 165

## Zirconium

- (Alkylideneamido)zirconocene mono- and di-nuclear complexes, formation of (W. Frömberg, G. Erker), 343  
 Dicyclopentadienylzirconium hydrides, reactions with (iminoacyl)zirconocene complexes of (W. Frömberg, G. Erker), 355  
 Zirconocene and hafnocene supported complexes, preparation and catalytic applications of (B.-H. Chang, R.H. Grubbs, C.H. Brubaker, Jr.), 365

## Book reviews

- Complex chemistry. Structure and bonding 57 (K.R. Seddon), C40  
 Gmelin handbook of inorganic chemistry, 8th edit., Sc, Y, La—Lu, Rare earth elements. Vol. A8: Y, La and the lanthanoids: minerals (silicates), deposits, Mineral index (K.R. Seddon), C39