

JOURNAL OF ORGANOMETALLIC CHEMISTRY

CUMULATIVE SUBJECT INDEX: VOL. 276 (1984)—300 (1986)

Aluminium

Alkylidene-bridged heterobimetallic complexes, activation toward electrophilic attack (S.M. Clift, J. Schwartz), (285) C5

Allylic organometallic way to control acyclic stereochemistry and its application to the synthesis of carbohydrates (Y. Yamamoto, T. Komatsu, K. Murayama), (285) 31

Aluminium and indium nitrogen compounds with intra- and inter-molecular donor-acceptor bonds, structural investigations of (M. Veith, H. Lange, O. Recktenwald, W. Frank), (294) 273

Azacymantrene, CO substitution in and reactions of (η^5 -C₄H₄N)Mn(CO)₂PPh₃ with electrophiles; X-ray crystal structure of [(PPh₃)₂(CO)₂Mn(η^5 -C₄H₄N)]₂PdCl₂ (N.I. Pyshnograeva, A.S. Batsanov, Yu.T. Struchkov, A.G. Ginzburg, V.N. Setkina), (297) 69

Bis(diphenylphosphino)methane fluxional complexes of alkyl-galliums and -indiums (H. Schmidbaur, S. Lauteschläger, G. Müller), (281) 25
{[η^5 -C₅(CH₃)₅]₂Ti(μ_2 -H)₂Al(H)(μ_2 -H)}₂ and { η^5 -C₅(CH₃)₅]₂Ti(μ_2 -H)₂Al(H)-(μ_2 -H), Ti{ η^5 -C₅(CH₃)₅}₂, molecular structures and properties of (V.K. Bel'sky, A.I. Sizov, B.M. Bulychev, G.L. Soloveichik), (280) 67

μ -Chlorobis(diethylaluminium)bis(diphenylphosphino) ethanide, complex with windshield wiper fluxionality (H. Schmidbaur, S. Lauteschläger, G. Müller), (281) 33

C₅H₅TiCl₂OPhX (X = CH₃O, CH₃Cl, NO₂), Hammett relationship with BuLi-(Et₂AlCl) catalytic systems in (W. Skupiński, A. Wasilewski), (282) 69

{(η^5 -C₅H₅)₂Ti(μ_2 -H)₂Al(μ_2 -H)}(η^1 : η^5 -C₅H₄)Ti(η^5 -C₅H₅)(μ_2 -H)]₂ · C₆H₅CH₃, synthesis, molecular structure and catalytic properties of (E.B. Lobkovsky, G.L. Soloveichik, A.I. Sizov, B.M. Bulychev), (280) 53

Cyclopentadienyldicarbonylphosphine-iron Lewis acid adducts, reactivity with nucleophiles of (J.J. Weers, D.P. Eyman), (286) 47

Dialkylaluminium acetyl acetonates, reactions with Lewis bases of (S. Pasynkiewicz, J. Lewiński), (290) 15

Dicyclopentadienylsilenes and related compounds, structures of (C. Glidewell), (286) 289

Diethylhydroxyborane, reaction with trialkylaluminium of (L. Synoradzki, M. Bolesławski, J. Lewiński), (284) 1

Dimethylalkynylaluminium, complex formation and reactions with ketones of (K.B. Starowieyski, A. Begalska, A. Okniński), (293) 7

Organoauminium and organotitanium reagents used in nucleophilic cleavage of acetals (A. Mori, J. Fujiwara, K. Maruoka, H. Yamamoto), (285) 83

Organoaluminium compounds, synthesis of vinyl- and di-allenes assisted by (G.A. Tolstikov, T. Yu. Romanova, A.V. Kuchin), (285) 71

Organolithium, -magnesium and -aluminium compounds in selective C or N alkylation of C=N bonds (L. Stamp, H. tom Dieck), (277) 297

Organometallic "metal-tuning", influence on stereo- and regio-chemical convergence in reactions of allylic carbanions with aldehydes of (Y. Yamamoto, Y. Saito, K. Maruyama), (292) 311

Organosilicon-substituted π -systems, oxidation potentials for the one-electron system AlCl₃/H₂CCl₂ (H. Bock, U. Lechner-Knoblauch), (294) 295

Palladium and nickel catalysed aryl- and acyl-demetallation of organometallic compounds (N.A. Bumagin, A.B. Ponomaryov, I.P. Beletskaya), (291) 129

Palladium-catalysed cyclisation via intramolecular allylation of alkenyl-metals (S. Chatterjee, E.-I. Negishi), (285) C1

- Palladium complex catalysed carbonylative cross-coupling reaction of aryl iodides with alkylaluminums (Y. Wakita, T. Yasunaga, M. Kojima), (288) 261
- Sulphonyl- and silyl-substituted hydrocarbons as versatile carbanion precursors in organic synthesis (J.J. Eisch, M. Behrooz, S.K. Dua), (285) 121
- Transition-metal catalysed stannylmetalation of acetylenes and conversion of enol triflates and vinyl iodides into vinylstannanes (S. Matsubara, J.-I. Hibino, Y. Morizawa, K. Oshima, H. Nozaki), (285) 163
- Transition metals and olefins, a promising land (B.M. Trost), (300) 263
- Trialkylalanes, dialkyl- and diaryl-magnesium derivatives, cross-coupling reactions with allyl, homoallyl and homopropargyl substrates of (G.A. Tolstikov, U.M. Dzemilev), (292) 133
- Triethylborane synthesis from ethyl bromide via ethylaluminium sesquibromide, ultrasonic irradiation in (K.-F. Liou, P.-H. Yang, Y.-T. Lin), (294) 145
- Trifluoromethyl-Group III compounds, metal vapour synthesis of (T.R. Bierschenk, T.J. Juhlke, W.I. Bailey, Jr., R.J. Lagow), (277) 1
- Unsaturated nitrile metathesis catalysed by $\text{WCl}_6/\text{Sn}(\text{CH}_3)_4$ or $\text{Re}_2\text{O}_7/\text{Al}_2\text{O}_3/\text{SnR}_4$ systems (R.H.A. Bosma, G.C.N. van den Aardweg, J.C. Mol), (280) 115
- $\text{W}(\text{CO})_3\text{Cl}_3(\text{AsPh}_3)_2$, in reaction with norbornene propagating homometathesis of linear alkenes (L. Bencze, A. Kraut-Vas), (280) C14
- Zirconium and titanium complexes as catalysts in olefin carbometallation assisted by alkyl-magnesium and aluminium derivatives (U.M. Dzhemilev, O.S. Vostrikova), (285) 43
- ### Antimony
- Antimony; Annual survey 1984 (L.D. Freedman, G.O. Doak), (298) 37
- ArXH and ArXM ($\text{X} = \text{O}, \text{S}, \text{NR}; \text{M} = \text{Hg}, \text{Sn}, \text{Pb}, \text{Sb}$) type compounds, polarity of XH and XM bonds and their capacity for coordination and dissociation in (L.M. Epstein, Ye.S. Shubina, L.D. Ashkinadze, D.N. Kravtsov), (277) 153
- $[(\text{C}_5\text{H}_5(\text{CO})_2\text{Mn})_2\text{TePh}]^x$ ($x = +1, -1$), synthesis and structure of; valence tautomerism in dinuclear complexes (G. Huttner, S. Schuler, L. Zsolnai, M. Gottlieb, H. Braunwarth, M. Minelli), (299) C4
- 2-Chlorophenyl-Group V derivatives, synthesis of (N.A.A. Al-Jabar, A.G. Massey), (288) 145
- Diphenylantimony oxide bromide, $(\text{Ph}_2\text{SbBrO})_2$, preparation and crystal structure of (D.M. Wesolek, D.B. Sowerby, M.J. Begley), (293) C5
- Distiba-selenanes, -telluranes and a tellurostibane, syntheses of (H.J. Breunig, H. Jawad), (277) 257
- 1,6-Distibatriptycene (5,10-o-benzenostibanthrene, $\text{Sb}_2(\text{C}_6\text{H}_4)_3$), synthesis of (N.A.A. Al-Jabar, D. Bowen, A.G. Massey), (295) 29
- Dodecafluoro- and dodecachloro-5,10-o-benzenostibanthrene, synthesis and characterisation of (N.A.A. Al-Jabar, A.G. Massey), (276) 331
- Metallo-t-butylchlorostibine, formation of (R. Schemm, W. Malisch), (288) C9
- 4-Methyl-1,2,6-tristibatricyclo[2.2.1.0^{2,6}]heptane (Sb_3 -nortricyclane), synthesis and reactivity towards hexacarbonylchromium, -molybdenum and -tungsten of (J. Ellermann, A. Veit), (290) 307
- Monovalent organometallic groups as trigonally planar bridging substituents to $(\text{L}_n\text{M})_2\text{MX}$ compounds ($\text{M} = \text{P}, \text{As}, \text{Sb}; \text{X} = \text{halogen}$), formation and X-ray structure of (G. Huttner, U. Weber, B. Sigwart, O. Scheidsteiger, H. Lang, L. Zsolnai), (282) 331
- Perfluoro-1,6-disubstituted triptycenes containing Group IV and Group V elements, synthesis of (N.A.A. Al-Jabar, A.G. Massey), (287) 57
- Phenyl-substituted stibocene, ψ -octahedral 5- and ψ -monocapped octahedral 6-coordination at antimony(III) in (H.M. Hoffmann, M. Dräger), (295) 33
- Selenostiborane stable complex, $[\text{C}_5\text{H}_5\text{Fe}(\text{CO})_2(\text{Me}_3\text{Sb}=\text{Se})]\text{BF}_4^-$, formation of (N. Kuhn, H. Schumann), (288) C51
- Stibinidene complexes, valence tautomerism in; synthesis of stibane and distibene complexes (U. Weber, G. Huttner, O. Scheidsteiger, L. Zsolnai), (289) 357
- Tetraphenylstibonium alkyl- and aryl-sulphonates, synthesis of; crystal structure of tetraphenylstibonium

- benzenesulphonate hydrate (R. Rüther, F. Huber, H. Preut), (295) 21
- Thioketenehexacarbonyldiiron cluster complex, reactions with phosphanes and structure and properties of (H. Umland, D. Wormsbächer, U. Behrens), (284) 353
- ### Arsenic
- Arsenic containing cryptands or spherands, synthesis of (J. Ellermann, A. Veit, M. Moll), (299) 51
- Arsine-silver(I) complexes, synthesis and structural characterisation of (C. Pelizzi, G. Pelizzi, P. Tarasconi), (281) 403
- Aryldiazo ligand-containing ruthenium cluster complexes, preparation of; crystal structure of $[\text{HRu}_4(\mu\text{-N}_2\text{C}_6\text{H}_4)(\mu_3\text{-PhAsCH}_2\text{AsPh}_2)(\text{CO})_8]$ (M.I. Bruce, E. Horn, M.R. Snow, M.L. Williams), (276) C53
- But-3-enylbis(3-dimethylarsinopropyl)-arsine and 3-dimethylarsinopropylbis-(but-3-enyl)arsine, preparation and reactions with nickel(II) salts of (F.M. Ashmawy, F.R. Benn, C.A. McAuliffe, D.G. Watson), (287) 65
- $[(\text{C}_5\text{H}_5\text{CO})_2\text{Mn}_2\text{TePh}]^x$ ($x = +1, -1$), synthesis and structure of; valence tautomerism in dinuclear complexes (G. Huttner, S. Schuler, L. Zsolnai, M. Gottlieb, H. Braunwarth, M. Minelli), (299) C4
- 2-Chlorophenyl-Group V derivatives, synthesis of (N.A.A. Al-Jabar, A.G. Massey), (288) 145
- Dihalo(pentafluorophenyl) (bidentate ligand) gold(III) complexes, synthesis and ^{197}Au Mössbauer spectra of (R. Usón, A. Laguna, M.U. De la Orden, R.V. Parish, L.S. Moore), (282) 145
- $\text{Me}_2\text{PP}(\text{CF}_3)_2$ and $\text{Me}_2\text{AsP}(\text{CF}_3)_2$, ligand properties of (J. Grobe, M. Köhne-Wächter, D. Le Van), (280) 331
- Monovalent organometallic groups as trigonally planar bridging substituents to $(\text{L}_n\text{M})_2\text{MX}$ compounds ($\text{M} = \text{P, As, Sb}$; X = halogen), formation and X-ray structure of (G. Huttner, U. Weber, B. Sigwarth, O. Scheidsteiger, H. Lang, L. Zsolnai), (282) 331
- Organometallic compounds containing nitrogen, phosphorus, arsenic and sulphur (Review) (H.W. Roesky), (281) 69
- Palladium and platinum asymmetric metallacyclic complexes, synthesis and reactivity of (H.-P. Abicht, K. Issleib), (289) 201
- Perfluoro-1,6-disubstituted triptycenes containing Group IV and Group V elements, synthesis of (N.A.A. Al-Jabar, A.G. Massey), (287) 57
- Phosphino- and arsino-substituted sulphur diimide addition to $\text{H}_2\text{Os}_3(\text{CO})_{10}$; crystal structure and dynamic structural effects of $\text{H}_2\text{Os}_3(\text{CO})_{10}(\text{tBu}_2\text{PNSNAs}^{\text{tBu}}_2)$; fragmentation of the NSN system $\text{H}_2\text{Os}_3(\text{CO})_{10}(\text{tBu}_2\text{PNSNP}^{\text{tBu}}_2)$ (W. Ehrenreich, M. Herberhold, G. Herrmann, G. Süß-Fink, A. Gieren, T. Hübner), (294) 183
- Ruthenium clusters, cleavage reactions with hydrogen of element—carbon bonds in (M.I. Bruce, O. bin Shaw-kaly, M.L. Williams), (287) 127
- Sulphur diimide rearrangement with trinuclear osmium clusters; synthesis, crystal structure and stereochemistry of $(\mu\text{-H})\text{Os}_3(\text{CO})_8(\mu_3\text{As}^{\text{tBu}})[\mu(\text{N, As})\text{NSNAs}^{\text{tBu}}_2]$ (G. Süß-Fink, G. Guldner, M. Herberhold, A. Gieren, T. Hübner), (279) 447
- Thioketenehexacarbonyldiiron cluster complex, reactions with phosphanes and structures and properties of (H. Umland, D. Wormsbächer, U. Behrens), (284) 353
- $\text{W}(\text{CO})_4\text{Cl}_2(\text{AsPh}_3)_2$, in reaction with norbornene propagating homometathesis of linear alkenes (L. Bencze, A. Kraut-Vas), (280) C14
- ### Beryllium
- Cyclopentadienylberyllium chloride, crystal structure of (R. Goddard, J. Akhtar, K.B. Starowieyski), (282) 149
- Pentadienylmetal compounds, structural analysis and applications in organic synthesis of (H. Yasuda, A. Nakamura), (285) 15
- ### Bismuth
- $(\mu_3\text{-Bi})_2\text{Fe}_3(\text{CO})_9$, synthesis and X-ray crystallographic characterisation of; reformulation of Hieber's $\text{Bi}_2\text{Fe}_5(\text{CO})_{10}$ (M.R. Churchill, J.C. Fettinger, K.H. Whitmire), (284) 13

- Bismuth; Annual survey 1984 (G.O. Doak, L.D. Freedman), (298) 67
- 2-Chlorophenyl-Group V derivatives, synthesis of (N.A.A. Al-Jabar, A.G. Massey), (288) 145
- Methyl- and phenyl-oxadithia- and -trithia-bismocanes, preparations, spectra and crystal structures of (M. Dräger, B.M. Schmidt), (290) 133
- Perfluoro-1,6-disubstituted triptycenes containing Group IV and Group V elements, synthesis of (N.A.A. Al-Jabar, A.G. Massey), (287) 57
- ### Boron
- Alkali metal trialkylborohydride intermediates in hydride-induced carbonylation of organoboranes (J.L. Hubbard, K. Smith), (276) C41
- Allylboron/acetylene condensation used for synthesis of bicyclo[3.3.1]-non-6-ene and bicyclo[3.3.1]nonane compounds of (Yu.N. Bubnov, A.I. Grandberg, M.Sh. Grigorian, V.G. Kiselev, M.I. Struchkova, B.M. Mikhailov), (292) 93
- Allylic diethylboranes and *B*-allylic borinanes, synthesis via metalation of olefins of; contrathermodynamic isomerisation of olefins (M. Zaldiewicz), (293) 139
- Allylic organometallic way to control acyclic stereochemistry and its application to the synthesis of carbohydrates (Y. Yamamoto, T. Komatsu, K. Murayama), (285) 31
- Aminoboranes, activation parameters for restricted rotation about the B—N bond in (C. Brown, R.H. Cragg, T.J. Miller, D. O'N Smith), (296) C17
- Aromatic organocupper compounds, reactions with boron compounds of (E. Kalbarczyk, S. Pasynkiewicz), (290) 257
- σ -Arylplatinum(IV) complexes, formation and reactions with PtCl_6^{2-} of (G.B. Shul'pin, G.V. Nizova), (276) 109
- Bis(arenediazo) derivative of hydridotris-(1-pyrazolyl)boratotricarbonylmolybdenum anion, indirect synthesis of; crystal and molecular structure of hydrotris(1-pyrazolyl)boratobis-(*p*-toluenediazo)fluoromolybdenum(0), $\text{MoF}(\text{N}_2\text{C}_6\text{H}_4\text{Me}-p)_2[\text{HB}(\text{C}_3-\text{H}_3\text{N}_2)_3]$ (G. Ferguson, B.L. Ruhl, F.J. Lalor, M.E. Deane), (282) 75
- Bis(η^5 -3,4-diethyl-2,5-dimethyl-1,2,5-thiadiborolene)monocarbonyliron, synthesis and crystal structure of (J. Edwin, W. Siebert, C. Krüger), (282) 297
- clos*-Bis(triphenylphosphine)hydrido-rhodacboranes, reactions at the rhodium vertex of; alkenyl acetate cleavage and subsequent reactions (R.E. King III, D.C. Bussy, M.F. Hawthorne), (279) 103
- 9-Borafluorenes, convenient route to (C.K. Narula, H. Nöth), (281) 131
- Borane analogy; CH ligand orientation in *arachno*- and *clos*-butterfly clusters (C.E. Housecroft), (276) 297
- Boron: boranes in organic synthesis; Annual survey 1983 (G.W. Kabalka), (298) 1
- Boronic esters, directed asymmetric synthesis with (D.S. Matteson, K.M. Sadhu, R. Ray, P.K. Jethi, M.L. Peterson, D. Majumdar, D.J.S. Tsai, G.D. Hurst, E. Erdik), (281) 15
- Boroxazines, synthesis of (R. Oesterle, W. Maringgele, A. Meller), (284) 281
- B*-t-Butyl-borazine and -diazadiboretidine, preparation and spectral characterisation of (H.-A. Steuer, A. Meller, G. Elter), (295) 1
- Carbocations stabilised by 1-[*clos*-3,3,3-(CO)₃-3,1,2-ReC₂B, H₁₀]⁺; structure of *clos*-3,3,3-(CO)₃-3,1,2-ReC₂B, H₁₀-1-C¹⁴Me₂ (L.I. Zakharkin, V.V. Kobak, I.V. Pisareva, V.A. Antonovich, V.A. Ol'shevskaya, A.I. Yanovsky, Yu.T. Struchkov), (297) 77
- Carboranylmercury salts, electrochemical symmetrisation of (A.Ya. Usiatsinsky, V.A. Shreider, T.M. Shcherbina, V.I. Bregadze, N.N. Godovikov, I.L. Knuniants), (289) 17
- Cyclic chiral triarylboranes with a B—N bond, preparation of (L. Horner, U. Kaps, G. Simons), (287) 1
- Cyclopentadienyldicarbonylmanganese complexes with amines and aminyl ligands, stabilisation of unstable aminyl radicals in (D. Sellmann, J. Müller), (281) 249
- Cyclopentadienyldicarbonylmetallo-phosphanes, boron complexes of (R. Maisch, E. Ott, W. Buchner, W. Malisch, I.J. Colquhoun, W. McFarlane), (286) C31
- Diarylboron chelates of *N*-(2-hydroxyal-

- kyl)-*N,N*-dialkylamine *N*-oxides, synthesis and thermically-induced rearrangements of (W. Kliegel, E. Ahlenstiel), (277) 173
- 1,1'-Di-*t*-butylstannocene, synthesis and reactions with trifluoroborane of; crystal and molecular structure of $\eta^3\text{-}(\text{CH}_3)_3\text{CC}_5\text{H}_4\text{Sn}^+\text{BF}_4^-$ (R. Hani, R.A. Geanangel), (293) 197
- Dicarbonyl(1-methylborinato)cobalt, preparation from (borinato)(cyclobutadiene)cobalt complexes and from di- μ -carbonylbis(1-methylborinato)nickel (G.E. Herberich, H.J. Becker, B. Hessner, L. Zelenka), (280) 147
- Diethylhydroxyborane, reaction with trialkylaluminium of (L. Synoradzki, M. Bolesławski, J. Lewiński), (284) 1
- 1,2-Dihydro-*N*-phenyl-thieno[*b*]- and -thieno[*c*]-[1,2]azaborines, simple route to (P. Zanirato), (293) 285
- 1,4-Dithia-2,6-diaza-3,5-diborinanes, structure of and bonding in (C. Habben, A. Meller, M. Noltemeyer, G.M. Sheldrick), (288) 1
- Fluoro(hydroxy) {tris(dimethylphenylsilyl)methyl}borane, crystal and molecular structure of (J.L. Atwood, S.G. Bott, C. Eaborn, M.N.A. El-Kheli, J.D. Smith), (294) 23
- Heterocyclic organoboranes containing tertiary nitrogen, preparation and interaction with organic isocyanides of (R.H. Cragg, T.J. Miller), (294) 1
- Hexamethylborazinerhodium cationic complexes with carbonyl, ethylene and diolefins as ligands, synthesis and reactivity of (M. Scotti, M. Valderama, R. Ganz, H. Werner), (286) 399
- Hydroboration of unsaturated amines, role of a P^{IV}-N bond on complexation of (Z. Benmaarouf-Khallaayoun, M. Baboulène, V. Spéziale, A. Lattes), (289) 309
- Lithium tris(phenylthio)methane for homologation of trialkylboranes, convenient syntheses of ketones and *t*-carbinols (A. Pelter, J.M. Rao), (285) 65
- ¹⁵N-¹³C, ¹⁵N-M, ²⁹Si-X (M = ¹¹B, ²⁹Si, ¹¹⁹Sn, X = ¹H, ¹³C) nuclear spin-spin one-bond coupling constants with the structure of metallatrane in solution, correlation of (E. Kupče, E. Liepinš, A. Lapsīna, I. Urtāne, G. Zelčāns, E. Lukevics), (279) 343
- Nickel(II) complex salts of bis(3,1,2-dicarbollyl)nickel(III), synthesis and transformations of; preparation of 3-(2,2'-bipyridyl)-*clos*o-3,1,2-nickel-adicarbadodecarborane (N.A. Maier, A.A. Erdman, Z.P. Zubreichuk, V.P. Prokopovich, Yu.A. Ol'dekop), (292) 297
- Organoborates containing C₆H₄CH₂-NMe₂ ligands, synthesis and features of (E. Kalbarczyk, S. Pasynkiewicz), (292) 119
- Organometallic "metal-tuning", influence on stereo- and regio-chemical convergence in reactions of allylic carbanions with aldehydes of (Y. Yamamoto, Y. Saito, K. Maruyama), (292) 311
- Palladium and nickel catalysed aryl- and acyl-demetallation of organometallic compounds (N.A. Bumagin, A.B. Ponomaryov, I.P. Beletskaya), (291) 129
- Pentadienylmetal compounds, structural analysis and applications in organic synthesis of (H. Yasuda, A. Nakamura), (285) 15
- PhB(NMe₂)NHBu and PhB(NMe₂)NHSi-Me₃, ¹³C NMR study of (R.H. Cragg, T.J. Miller, D. O'N Smith), (291) 273
- Phenyl(*B*-carboranyl)iodonium salts, reactions with nucleophiles of (V.V. Grushin, T.M. Shcherbina, T.P. Tol'staya), (292) 105
- Selenostiborane stable complex, [C₅H₅-Fe(CO)₂(Me₃Sb=Se)]BF₄, formation of (N. Kuhn, H. Schumann), (288) C51
- Tetraethylammonium hydrotris(3-methylpyrazolyl)boratotricarbonylmolybdenum(0), [NEt₄][Mo(CO)₃HB-(C₅H₅N₂)₃], crystal and molecular structure of (T.J. Desmond, F.J. Lalor, G. Ferguson, M. Parvez), (277) 91
- Thallation of carboranes (V.I. Bregadze, A.Ya. Usiatinsky, N.N. Godovikov), (292) 75
- Triethylborane synthesis from ethyl bromide via ethylaluminium sesquibromide, ultrasonic irradiation in (K.-F. Liou, P.-H. Yang, Y.-T. Lin), (294) 145
- Trimethylsilyl-substituted air-stable trivinylboranes and carboranes, formation and characterisation of (N.S. Hosmane, N.N. Sirmokadam, M.N. Mollenhauer), (279) 359
- Triphenylborane, reactions with photo-

- excited ketones and diazodiarylmethanes of (A. Alberti, G.F. Pedulli), (297) 13
 Vinylboronic acid, reaction with vinylmercuric acetates; synthesis of divinylmercurials (R.S. Varma, S.A. Kunda, G.W. Kabalka), (276) 311

Cadmium

- Azacymantrene, CO substitution in and reactions of ($\eta^5\text{-C}_5\text{H}_5\text{N}$) $\text{Mn}(\text{CO})_3\text{-PPh}_3$, with electrophiles; X-ray crystal structure of $[(\text{PPh}_3)(\text{CO})_2\text{Mn}(\eta^5\text{-C}_5\text{H}_5\text{N})]\text{PdCl}_2$ (N.I. Pyshnograeva, A.S. Batsanov, Yu.T. Struchkov, A.G. Ginzburg, V.N. Setkina), (297) 69
 Crotyl-organometallic compounds, reversal of diastereoselectivity in BF_3 -promoted addition of aldehydes to (Y. Yamamoto, K. Murayama), (284) C45
 Non-transition alkylmetal compounds, radical formation on exchange interaction of (Yu.A. Alexandrov, S.A. Lebedev, N.V. Kuznetsova), (292) 39
 Palladium and nickel catalysed aryl- and acyl-demettallation of organometallic compounds (N.A. Bumagin, A.B. Ponomaryov, I.P. Beletskaya), (291) 129

Caesium

- Fluorescent tertiary silanes, formation and reactions of (L. Horner, J. Mathias), (282) 175
 Mono- and di-silyl ethers, selective formation from tertiary and secondary silanes of (L. Horner, J. Mathias), (282) 155
 Pentadienylmetal compounds, structural analysis and applications in organic synthesis of (H. Yasuda, A. Nakamura), (285) 15

Cerium

- Organocerium reagents from iodine activated cerium metal and organic iodides, reactions with carbonyl compounds of (S.-I. Fukuzawa, T. Fujinami, S. Sakai), (299) 179
 Organocerium(III) reagents, selective 1,2-addition to α,β -unsaturated carbonyl compounds of (T. Imamoto,

- Y. Sugiura), (285) C21
 Thienyl- and perfluorophenyl-lanthanide (II) derivatives (O.P. Syutkina, L.F. Rybakova, E.S. Petrov, I.P. Beletskaya), (280) C67

Chromium

- $[\text{AgL}(\mu\text{-PR}_2)\text{M}(\text{CO})_5]$ (L = 1,10-phenanthroline or tricyclohexylphosphine, M = Cr, Mo, W), synthesis and characterisation of (D. Obendorf, P. Peringer), (299) 127
 1-Alkoxy-2-azaallenyl-chromium and -tungsten complexes, preparation and X-ray analysis of (F. Seitz, H. Fischer, J. Riede), (287) 87
 Alkyl- and aryl-carbonyl derivatives of manganese, molybdenum and tungsten, photo-induced degradation reactions of (T.E. Gismondi, M.D. Rausch), (284) 59
 (9-Alkylfluorene)tricarbonylchromium complexes, geometric configuration determination by ASIS effect in ^1H NMR spectra of (N.A. Ustyryuk, L.N. Novikova, V.K. Belski, Yu.F. Oprunenko, S.G. Malyugina, O.I. Trifonova, Yu.A. Ustyryuk), (294) 31
 μ -Alkylidene-transition metal complexes, comparison of thermolysis reactions of (A. Schäfer, W.A. Herrmann), (297) 229
 Antiferromagnetic heterometallospirane clusters, $[(\text{CH}_3\text{C}_6\text{H}_4)_2\text{Cr}_2(\mu\text{-SCMe}_3)(\mu_3\text{-S})_2]_2\text{M}$ (M = Mn II , Fe II), synthesis and molecular structure of (A.A. Pasynskii, I.L. Eremenko, G.Sh. Gasanov, Yu.T. Struchkov, V.E. Shklover), (276) 349
 Aqueous ion-radicals containing metal-to-carbon bonds, formation and reactivity of (D. Kataxis, J. Konstantatos, E. Vrachnou-Astra), (279) 131
 π -Arenedicarbonyl(thioether)chromium(0) complexes, synthesis characterisation and reactivity towards arene and thioether substitution of; crystal structure of *cis*-tetracarbonyl(methyl-1,3-dithian-2-methyl-2-dithiocarboxylate)chromium(0) (S. Lotz, M. Schindelhutte, M.M. Van Dyk, J.L.M. Dillen, P.H. Van Rooyen), (295) 51
 $(\eta^6\text{-Arene})$ tricarbonylchromium complexes and (benzophenone)bis(tricarbonylchromium), electrochemical reductive acylation of (C. Degrand,

- M. Bikrani, B. Gautheron), (299) 111
 (Arene)tricarbonylchromium stabilised carbocations, reactions with aromatics and β -dicarbonyl compounds of (M. Uemura, T. Minami, Y. Hayashi), (299) 119
- Arenetricarbonyl-Group VI metal derivatives with phenyl- and diphenyl-acetylene, complex formation at low temperatures of (P.G. Sennikov, M.V. Panicheva, A.N. Egorochkin, N.I. Sirokin, Ye.Ye. Zhiltsova), (280) 81
- Benchrotenyl acetylenes, synthesis catalysed by palladium of (D. Villemin, E. Schigeko), (293) C10
- (Benzophenone)tricarbonylchromium and (fluorenone)tricarbonylchromium, electroreduction in the presence of electrophiles of (C. Degrand, F. Gasquez, P.-L. Compagnon), (280) 87
- 2,2'-Bipyridyltetracarbonyl anionic radical complexes of Group VIB metals vs. 2,2'-bipyridine anionic radicals, solution thermodynamic studies of (A.E. Alegría, O. Lozada, H. Rivera, J. Sánchez), (281) 228
- 2,2-Bipyridyltetracarbonyl-chromium, -molybdenum and -tungsten, electrode-catalysed substitution initiated by reduction of (D. Miholová, A.A. Vlček), (279) 317
- Bis(η^6 -chlorobenzotrifluoride)chromium-(0), nucleophilic substitution with thiophenoxyde of (R.L. Harris), (299) 105
- Bis[methylcyclopentadienyl]tricarbonylchromium, [η^5 -CH₃C₅H₄Cr(CO)₃]₂, syntheses and reactions of (R.M. Medina, A. Alvarez-Valdés, J.R. Masaguer), (294) 209
- Bis(tetraethylammonium)tricarbonyl-1,2-benzenedithiolatochromium(0), (NEt₄)₂[Cr(CO)₃(S₂C₆H₄)], X-ray structure analysis and reactions of (D. Sellmann, W. Ludwig, G. Huttner, L. Zsolnai), (294) 199
- trans*-Bromomethyl(tetracarbonyl)-carbynechromium, synthesis and properties of partially deuterated derivatives of (N.Q. Dao, M. Jouan, G.P. Fonseca, N.H.T. Huy, E.O. Fischer), (287) 215
- Carbonylchromium photocatalysed water gas shift reaction, mechanism of (H. Nagorski, M.J. Mirbach, M.F. Mirbach), (297) 171
- Carbonyl-Group VI binuclear dianions, generation by ion-pair extraction of (D.H. Gibson, K.R. Phillips, F.U. Ahmed), (276) 363
- Carbonylmetal fragments, reaction with coordinated diphosphorus groups of; crystal structures of [(CO)₅Cr][(CO)₅W]P₂Co₂(CO)₆ (A. Vizi-Orosz, G. Pályi, L. Markó, R. Boese, G. Schmid), (288) 179
- Chromium-mediated annulation of 1,4-dimethoxy-2-naphthyl(methoxy)-carbene with methyl 3-carbomethoxy-5-hexynoate and carbon monoxide with formation of 4-demethoxydaunomycinone (K.H. Dötz, M. Popall), (291) C1
- Chromium, molybdenum and tungsten zerovalent isocyanide complexes, preparation of; crystal structure of hexakis(2,6-xylyl isocyanide)molybdenum containing benzene as solvate (Y. Yamamoto, H. Yamazaki), (282) 191
- Chromocene, reactions with carboxylic acids and acetic acid derivatives of (L. Beneš, J. Kalousová, J. Votinský), (290) 147
- (η^5 -C₅H₄R)₂Ta(CO)(μ -H)MLn (M = Cr, Mo, W, Mn), synthesis of (J.D. Reynoud, J.C. Leblanc, C. Moise), (296) 377
- (CO)₅Cr=C=NCPh₂N=C=Cr(CO)₅, unusual formation from reaction of [(CO)₅Cr=C=N-CPh₂]⁺AlBr₄⁻ with THF of (F. Seitz, H. Fischer), (290) C31
- Cyclopentadienepentacarbonyl[methoxy-(phenylethyanyl)carbene-chromium and -tungsten complexes, [4+2] cycloaddition to (K.H. Dötz, W. Kuhn), (286) C28
- Cyclopentadienyl-chromium, -molybdenum and -tungsten complexes, photochemical reactions with allyl and crotyl halides of (J.L. Davidson, G. Vasapollo), (291) 43
- 1,4-Diaza-1,3-butadiene containing mononuclear carbonyl-transition metal complexes, He(I) and He(II) photoelectron spectra of (R.R. Andréa, J.N. Louwen, M.W. Kokkes, D.J. Stufkens, A. Oskam), (281) 273
- Dicarbonyl(η^4 -diene)-1,2-bis(dimethylphosphino)ethanechromium(0),

- synthesis and dynamic behaviour of (C.G. Kreiter, M. Kotzian), (289) 295
- Dicyclohexatrienechromium, hexa-carbonylchromium and cyclohexa-trienetricarbonylchromium, reassessment of electronic absorption spectra of (G.T.W. Wittmann, G.N. Krynauw, S. Lotz, W. Ludwig), (293) C33
- Diphenylbenchotrenylphosphine, a two-electron ligand in carbonyl-containing π -aromatic chromium and manganese complexes and in Group VIB carbonyls (V.I. Losilkina, M.N. Estekhina, N.K. Baranetskaya, V.N. Setkina), (299) 187
- Diphosphene complexes, $(CO)_nCrPhP=PPhCr(CO)_n$, reactions of (J. Born, G. Huttner, O. Orama, L. Zsolnai), (282) 53
- 1,3,2-Dithiaphospholane as ligands in tetracarbonyl- and pentacarbonyl-chromium complexes (J. Grobe, D. Le Van, J. Szameitat), (289) 341
- Fluorenyltricarbonylchromium anions, intramolecularity of $\eta^6 \leftrightarrow \eta^5$ rearrangements by crossover experiments in (N.A. Ustynyuk, L.N. Novikova, Yu.F. Oprunenko, S.G. Malyugina, Yu.A. Ustynyuk), (277) 75
- Gold-carbene complexes, exchange reactions of carbene ligands in (E.O. Fischer, M. Böck), (287) 279
- Heterometal dinuclear complexes with vinylidene as bridging ligand, synthesis and crystal structure of (H. Werner, F.J. Garcia Alonso, H. Otto, K. Peters, H.G. von Schnerring), (289) C5
- Hexacarbonylchromium as catalyst precursor in homogeneous hydrogenation of ketones in the presence of bases (L. Markó, Z. Nagy-Magos), (285) 193
- Hexacarbonyl-chromium, -molybdenum and -tungsten, photochemical substitution with phosphinothioformamide ligands on (U. Kunze, H. Jawad), (277) C31
- Lithium cyclopentadienide formation by reactions of $Li(C_5H_5)_3BH$ with cyclopentadiene and preparation of $[M(CO)_3(C_5H_5)]^-$ ($M = Cr, Mo, W$) (M.A. El-Hinnawi, A.K. El-Qaseer), (281) 119
- $Me_2PP(CF_3)_2$ and $Me_2AsP(CF_3)_2$, ligand properties of (J. Grobe, M. Köhne-Wächter, D. Le Van), (280) 331
- Metallacyclic alkenyl ketone chromium, molybdenum and tungsten complexes, preparation and characterisation of; molecular structure of $C_5Me_5(CO)_2W[MeC=CMeC(O)Me]$ (H.G. Alt, H.E. Engelhardt, U. Thewalt, J. Riede), (288) 165
- Metallocenes, stereochemistry of (K. Schlögl), (300) 219
- Metallocenyl fulvenes as six-electron ligands in chromium complexes (S.P. Dolgov, V.N. Setkina, D.N. Kursov), (292) 229
- Metal-metal bonded complexes, $[M(CO)_3C_5H_5]_2$ ($M = Cr, Mo, W$), heats of formation of (J.T. Landrum, C.D. Hoff), (282) 215
- Methylaminobis(difluorophosphine)-metal(0) complexes, structures of (R.B. King, M. Chang, M.G. Newton), (296) 15
- Methyl- and t-butyl-substituted (η^6 -benzene)tricarbonylchromium(0) complexes, relevance to the nature of the Cr-arene bond of electric dipole moments and anisotropic optical polarisabilities of (M.J. Aroney, M.K. Cooper, R.K. Pierens, S.J. Pratten, S.W. Filipczuk), (295) 333
- 4-Methyl-1,2,6-tristibatricyclo[2.2.1.0^{2,6}]heptane (Sb_3 -nortricyclane), synthesis and reactivity towards hexacarbonyl-chromium, -molybdenum and -tungsten of (J. Ellermann, A. Veit), (290) 307
- Molybdenum- and tungsten-sulphane complexes, $(\mu-S_x)[M(\eta^5-C_5H_5)(CO)_3]_2$ ($M = Mo$ ($x = 2, 3$); $M = W$ ($x = 2$)), synthesis and characterisation of; routes to $[Cr(\eta^5-C_5H_5)(CO)_2]_2S$ (M.A. El-Hinnawi, A.K. El-Qaseer), (296) 393
- Monovalent organometallic groups as trigonally planar bridging substituents to $(L_nM)_2MX$ compounds ($M = P, As, Sb$; X = halogen), formation and X-ray structure of (G. Huttner, U. Weber, B. Sigwarth, O. Scheidsteiger, H. Lang, L. Zsolnai), (282) 331
- Naphthalenechromium complexes, arene exchange in (E.P. Kündig, C. Perret, S. Spichiger, G. Bernardinelli), (286) 183
- Naphthalenetricarbonylchromium, kinetic investigation of arene exchange and substitution in (J.A.S. Howell, D.T. Dixon, J.C. Kola, N.F. Ashford), (294) C1

- (Naphthalene)(tricarbonyl)chromium, selective catalytic hydrogenation of 1,4-dienes to *cis*-monoenes (J.R. Tucker, D.P. Riley), (279) 49
- Organometallic chemistry, photoelectron spectroscopy in (J.C. Maire), (281) 45
- Organometallic compounds containing nitrogen, phosphorus, arsenic and sulphur (*Review*) (H.W. Roesky), (281) 69
- Oxo-metal complexes with high and low valency states of the metal (W.A. Herrmann), (300) 111
- Pentacarbonylcarbenechromium complexes, reactions with 1-alkynols of (K.H. Dötz, W. Sturm), (285) 205
- Pentacarbonylchromium benzoliso-cyanide, vibrational spectra and valence force fields of (P. Caillet, J.Y. Le Marouille, P. Lemaux), (291) 191
- Pentacarbonyl-chromium, -molybdenum and -tungsten complexes with amine and benzochinonediimine ligands, synthesis and behaviour on oxidation of (D. Sellmann, J. Müller), (277) 379
- Pentacarbonyl(diphenylcarbene)-chromium and -tungsten complexes, reactions with trimethylsilylazide of (H. Fischer, S. Zeuner), (286) 201
- Pentacarbonyl[methoxy(1-methoxy-2-aryl)carbene]chromium, preparation and rearrangement of (K.H. Dötz, W. Sturm, M. Popall, J. Riede), (277) 267
- Pentacarbonyl[methoxy(phenyl)carbene]-chromium, -molybdenum and -tungsten complexes, reactions with RC=N-containing complexes of (H. Fischer, R. Märkl, S. Zeuner), (286) 17
- Phosphinidenes and diphosphenes, pentacarbonylmetal derivatives of (H. Lang, O. Obama, G. Huttner), (291) 293
- Selenium and tellurium bridges in organometallic complexes, structure, protonation and methylation of (W.A. Herrmann, J. Rohrmann, C. Hecht), (290) 53
- Silyl vinyl ketenes, [2+2] cycloaddition to (K.H. Dötz, J. Mühlmeier, B. Trenkle), (289) 257
- Stibinidene complexes, valence tautomerism in; synthesis of stibane and distibene complexes (U. Weber, G. Huttner, O. Scheidsteiger, L. Zsolnai), (289) 357
- Sulphur and selenium bridges in dinuclear organochromium complexes, synthesis, structure and reactivity of (W.A. Herrmann, J. Rohrmann, H. Nöth, C.K. Nanila, I. Bernal, M. Draux), (284) 189
- 3,3',4,4'-Tetramethyl-1,1'-diphosphaferrocene bonded to pentacarbonyl-chromium, -molybdenum and -tungsten fragments, electrochemical formation of heterometallic complexes with multiple redox centres from (P. Lemoine, M. Gross, P. Braunstein, F. Mathey, B. Deschamps, J.H. Nelson), (295) 189
- Tetraneopentylchromium(IV), spectroscopy and photochemistry of (K.L. Brandenburg, H.B. Abrahamson), (293) 371
- μ -(Tetraphenyldiphosphoxane)bis-[pentacarbonylmetal(0)] complexes, $[(CO)_5MP(C_6H_5)_2]_2O$ (M = Cr, Mo, W), synthesis, properties and structure of (C. Zeiher, J. Mohyla, I.-P. Lorenz, W. Hiller), (286) 159
- Tolylmethyldyne(dicarbonyl) (cyclopentadienyl)-tungsten, C—C bond formation in reactions with organochromium and -zinc compounds of (J.C. Jeffery, A.L. Ratermann, F.G.A. Stone), (289) 367
- Tricarbonylchromium-benzocycloheptatrienyl anion, haptotropic migration of the Cr(CO)₃ group from the six- to the seven-membered ring in (A. Ceccon, A. Gambaro, A. Venzo), (281) 221
- Tricarbonylchromium-complexed aromatic hydrocarbons, condensation products and Oppenauer-Woodward oxidation of (M.-C. Seneschal-Tocquer, D. Seneschal, J.-Y. Le Bihan, D. Gentric, B. Caro), (291) C5
- Tricarbonylchromium-*meta*-diisopropyl-phenyllithium, reactions with carbon monoxide of (J.-C. Boutonnet, F. Rose-Munch, E. Rose, G. Precigoux), (284) C25
- Tricarbonyl- η^6 -1,3,5-cycloheptatriene-chromium(0), [4+6]-cycloaddition of tricyclo[6.3.0.0^{2,7}]undeca-3,5-diene to (S. Özkar, C.G. Kreiter), (293) 229
- Tricarbonylcyclopentadienylethylchromium, substitution and insertion reactions of (R.M. Medina, J.R. Masaguer), (299) 341

- Tricarbonyl(η -methoxytropylium)-chromium tetrafluoroborate, crystal and molecular structure of (U. Behrens, J. Kopf, K. Lal, W.E. Watts), (276) 193
- Tricarbonyl[(8,9,11,12,13,14- η)-methyl-12-methoxypodocarpa-8,11,13-trien-19-oate]chromium, synthesis and crystal structures of the α - and β -isomers of (R.C. Cambie, G.P. Clark, A.C. Gourdie, P.S. Rutledge, P.D. Woodgate), (297) 177
- Tricarbonyl- η^6 -naphthalenechromium(0), [Cr(CO)₃(η^6 -C₁₀H₈)], mechanism of addition of haloalkanes to alkenes in the presence of (W.J. Bland, R. Davis, J.L.A. Durrant), (280) 95
- Tricarbonyl(1-trimethylsilylveratrole)-chromium, new conformation of the tricarbonylchromium entity with respect to a bulky substituent (J.C. Boutonnet, F. Rose-Munch, E. Rose, Y. Jeannin, F. Robert), (297) 185
- Tris[bis-1,2-(dimethylphosphino)ethane] zerovalent derivatives of chromium, molybdenum, tungsten, vanadium, niobium and tantalum, synthesis, crystal structures and reactions of (F.G.N. Cloke, P.J. Fyne, V.C. Gibson, M.L.H. Green, M.J. Ledoux, R.N. Perutz, A. Dix, A. Gourdon, C.K. Prout), (271) 61
- Tris(triphenylphosphino)aminetetracarbonylchromium, synthesis of (J. Ellermann, W. Wend), (281) C29
- Veratroletricarbonylchromium and related arene complexes, structure and regioselectivity of addition reactions of (J.-C. Boutonnet, J. Levisalles, F. Rose-Munch, E. Rose, G. Precigoux, F. Leroy), (290) 153
- ### Cobalt
- Acetyliodotricarbonylcobaltate, product from reactions of methyl iodide with tetracarbonylcobaltate, preparation and reactions of (M. Röper, M. Schieren, B.T. Heaton), (299) 131
- Alkylcobaltinium salts, mass spectra of; fragmentation of alkylcobaltocenes by electron impact (D.V. Zagorevskii, Yu.S. Nekrasov, A.V. Malkov, E.V. Leonova), (284) 109
- μ -Alkylidene-transition metal complexes, comparison of thermolysis reactions of (A. Schäfer, W.A. Herrmann), (297) 229
- 1,1'-Bis(*N,N*-dimethylamino)-ferrocene, -cobalticenium hexafluorophosphate, and -titanocene dichloride, preparation and crystal structure of the titanocene dichloride (K.-P. Stahl, G. Boche, W. Massa), (277) 113
- Bis(μ -dimethylphosphido)dicobalt nucleophilic complex, synthesis and reactions of; crystal and molecular structure of [C₅H₅Co(μ -PMe₂)₂]₂ and [(C₅H₅Co)₂(μ -H)(μ -PMe₂)₂]BPh₄ (H. Werner, W. Hofmann, R. Zolk, L.F. Dahl, J. Kocal, A. Kühn), (289) 173
- Carbenoid- and ylide-cobalt(III) complexes, synthesis by ligand substitution of cyclopentadienylcobalt(I) compounds of (L. Hofmann, H. Werner), (289) 141
- Carbonyl-cobalt, -rhodium and -iridium clusters, use in double deoxygenation of PPN(NO₃) (PPN = bis(triphenylphosphine)iminium) of (R.E. Stevens, P.C.C. Liu, W.L. Gladfelter), (287) 133
- Carbonylmanganese complexes, [Mn-(CO)₃PR₃]⁺ and [Mn_n(CO)_{10-n}(PR₃)_n], ligand rearrangement with bis(halo-dinitrosylcobalt) of (P. Oltmans, D. Rehder), (281) 263
- Carbonylmetal complexes as stabilisers in reactions of free and surface-anchored phosphines with multi-dentate ligands (D.F. Foster, J. Harrison, B.S. Nicholls, A.K. Smith), (295) 99
- Carbonylmetal derivatives of lanthanum, samarium and ytterbium, synthesis and structure of (I.P. Beletskaya, G.Z. Suleimanov, R.R. Shifrina, R.Yu. Mekhdiev, T.A. Agdamskii, B.N. Khandozhko, N.E. Kolobova), (299) 239
- (η^5 -Carboxycyclopentadienyl)dicarbonylcobalt, formation and reactions of (W.P. Hart, D. Shihua, M.D. Rausch), (282) 111
- (μ ,CCH₃)Co₃(CO)₇, μ -(Ph₂PCH₂PPh₂), synthesis, catalytic activity and molecular structure of (G. Balavoine, J. Collin, J.J. Bonnet, G. Lavigne), (280) 429
- C₅H₄CH₃Co(CO)L (L = CO, PPh₃, tetra-cyanoethylene), oxidative addition

- reactions with BrCN and ICN of (M.J. Macazaga, M.S. Delgado, J.R. Masaguer), (299) 377
- $\eta^5\text{-C}_5\text{H}_5\text{Co}(\text{CO})(\text{maleoyl})$ and $\eta^5\text{-C}_5\text{H}_5\text{Co}(\text{CO})(\text{phthaloyl})$ complexes, chemistry of (L.S. Liebeskind, C.F. Jewell), (285) 305
- ($\eta^5\text{-C}_5\text{H}_5\text{)}\text{CoI}(\text{NC}_4\text{H}_3\text{C(R)=N(S)-CH-}$ ($\text{CH}_3\text{(C}_6\text{H}_5\text{)}$) ($\text{R} = \text{H}, \text{CH}_3$), stereochemistry and crystal structure of (I. Bernal, G.M. Reisner, H. Brunner, G. Riepl), (284) 115
- $\text{C}_5\text{H}_5(\text{CO})_2\text{Mo}(\mu\text{-O=CCH}_3\text{)}\text{-FeC}_5\text{H}_5(\text{CO)}$, synthesis and molecular structure of (T.S. Targos, G.L. Geoffroy, A.L. Rheingold), (299) 223
- ($\eta^5\text{-C}_5\text{H}_5\text{)}\text{Ru}[(\text{C}_6\text{H}_5)_3\text{P}]_2(\text{CO})_2\text{Co}\cdot\text{THF}$, preparation and crystal structure of (G. Doyle, D. Van Engen), (280) 253
- Cobalt and rhodium half-sandwich complexes, UV photoelectronic spectra of (C. Cauletti, C. Furlani, C. Puliti, H. Werner), (289) 417
- Cobalt-catalysed carbonylation of aryl halides (M. Foà, F. Francalanci, E. Bencini, A. Gardano), (285) 293
- Cobalt-catalysed synthesis of α -aryl-propionic and diarylacetic acids (F. Francalanci, A. Gardano, M. Foà), (282) 277
- Cobalt chiral catalysts used in asymmetric synthesis, homogeneous reduction of ketones to optically active alcohols by (V. Massonneau, P. Le Maux, G. Simonneaux), (288) C59
- Cobalt(II) complexed centres, gas-phase oxidative-addition reactions of alkyl radicals at (G.W. Dillow, I.K. Gregor, M. Guilhaus), (294) 131
- Cobalt, rhodium and iridium; Annual Survey covering the year 1983 (J.T. Mague), (278) 1
- [$\text{Co}(\eta^5\text{-C}_5\text{H}_5\text{)}(\text{CO})(\text{X})(\text{SnX}_3\text{)}$] complexes, reactions with nucleophiles of (P.T. Murray, A.R. Manning), (288) 219
- $\text{Co}^{\text{II}}, \text{Co}^{\text{-I}}$ homonuclear ion pairs as catalysts in formation of acyltetra-carbonyls from hexene and CO/H_2 mixtures (G. Fachinetti, F. Del Cima, G. Shrana, T. Funaioli), (287) C23
- $\text{Co}_2(\text{CO})_8(\eta^4\text{-norbornadiene})$, kinetics and equilibrium formation from $\text{Co}_2(\text{CO})_8$ and norbornadiene under CO of (F. Ungvary, J. Shanshool, L. Markó), (296) 155
- [$\text{Co}_3\text{Ni}_1(\text{CO})_{16}\text{C}_2\text{)}^{2-}$ and [$\text{Co}_3\text{Ni}_7(\text{CO})_{15}\text{C}_2\text{)}^{3-}$] dicarbide clusters, synthesis and chemical behaviour of; X-ray crystal structure of [$\eta^5\text{-C}_5(\text{CH}_3)_5\text{Co}[(\text{NH})_2\text{C}_5\text{H}_4]$] and [$\eta^5\text{-C}_5(\text{CH}_3)_5\text{Co}[(\text{NH})\text{SC}_6\text{H}_4]$] (A. Arrigoni, A. Ceriotti, R. Della Pergola, G. Longoni, M. Manassero, M. Sansoni), (296) 243
- Cyclopentadienylcobaltmetallacyclic complexes, bonding in and structure of; crystal structures of [$\eta^5\text{-C}_5(\text{CH}_3)_5\text{Co}[(\text{NH})_2\text{C}_5\text{H}_4]$] and [$\eta^5\text{-C}_5(\text{CH}_3)_5\text{Co}[(\text{NH})\text{SC}_6\text{H}_4]$] (E.J. Miller, A.I. Rheingold, T.B. Brill), (282) 399
- Cyclopentadienyldiazadienecobalt(I) complexes, preparation and characterisation of (H. tom Dieck, M. Haarich), (291) 71
- Cyclopentane and tetrahydrofuran derivatives of hex-5-enyl- and hex-3-oxo-5-enyl-cobaloximes, intramolecular homolytic displacement as a route to (C. Bongars, P. Bougeard, A. Bury, C.J. Cooksey, M.D. Johnson, S. Mitchell, P.A. Owens, F. Rajah), (289) 163
- Dicarbonyl(1-methylborinato)cobalt, preparation from (borinato)(cyclobutadiene)cobalt complexes and from di- μ -carbonylbis(1-methylborinato)-nickel (G.E. Herberich, H.J. Becker, B. Hessner, L. Zelenka), (280) 147
- Dinuclear thiolato-bridged cobalt compounds, reaction with activated alkynes of; formation and X-ray structure of an unusual trinuclear cobalt complex, [$\text{Co}_3(\eta^5\text{-C}_5\text{H}_5)_3\text{-(SMe)}_2(\text{CF}_3\text{C=CCF}_3)_2$] (F.Y. Pétilon, J.L. Le Quéré, F. Le Floch-Pérennou, J.E. Guerchais, P. L'Haridon), (281) 305
- Diolefins-indenyl-cobalt and -rhodium complexes, new routes to (A. Salzer, C. Täschler), (294) 261
- 3,3-Diphenyl-1-propanol, cobalt-catalysed hydroformylation and its reversibility of (C. Kim, Y. Matsui, M. Orchin), (279) 159
- Dirhodium complex, ($\eta\text{-C}_5\text{H}_5\text{)}_2\text{Rh}_2(\mu\text{-CO})\text{-(}\mu\text{-CF}_3\text{C}_2\text{CF}_3\text{)}$, metal nucleophile, ($\eta\text{-C}_5\text{R}_5\text{)}\text{M(CO)L}$, addition to; crystal structure of ($\eta\text{-C}_5\text{H}_5\text{)}_2(\eta\text{-C}_5\text{Me}_5)\text{-Rh}_3(\text{CO})(\mu\text{-CO})\{\mu\text{-Cl(O)C}_2\text{(CF}_3\text{)}_2\}$ (R.S. Dickson, G.S. Evans, G.D. Fallon, G.N. Pain), (295) 109
- Dodecacarbonyltrirhodium-hydrido-ruthenium complex, synthesis and characterisation of; crystal structures

- of $\text{HRuRh}_3(\text{CO})_{12}$, $\text{HRuRh}_3(\text{CO})_{10}(\text{PPh}_3)_2$ and $\text{HRuCo}_3(\text{CO})_{10}(\text{PPh}_3)_2$ (J. Pursiainen, T.A. Pakkanen, J. Jääskeläinen), (290) 85
- Electron transfer and transient radicals in organometallic chemistry (J.K. Kochi), (300) 139
- Enantioselective catalysis with transition metal complexes (H. Brunner), (300) 39
- Ethylenebis(salicylideneiminato)cobalt derivatives, electrochemistry of; reduction of organohalogen derivatives (J.-M. Duprilot, F. Bedioui, J. Devynck, J.-C. Folest, C. Bied-Charreton), (286) 77
- Ferricinium cation, activity in oxidative cleavage of metal—metal bonds in organometallic compounds (H. Schumann), (290) C34
- $\text{HCo}(\text{CO})_4/\text{CO}$, CIDNP evidence for radical intermediates in hydroformylation and reduction of styrene by (T.M. Bockman, J.F. Garst, R.B. King, L. Markó, F. Ungváry), (279) 165
- Heterometallic dinuclear complexes prepared from the tripledecker sandwich complex $[\text{Ni}_2(\text{C}_5\text{H}_4\text{R})_3]\text{BF}_4$ and cyclopentadienylmetal bis(thiolates); crystal structure of $[(\text{C}_5\text{H}_5)_2\text{Mo}(\mu\text{-SBu}^t)_2\text{Ni}(\text{C}_5\text{H}_4\text{R})]\text{BF}_4$ ($\text{R} = \text{H}, \text{Me}$) (H. Werner, B. Ulrich, U. Schubert, P. Hofmann, B. Zimmer-Gasser), (297) 27
- $[\text{HFeCo}_3(\text{CO})_{12}]$, anchoring to oxide supports of (E. Guglielminotti, D. Osella, P.L. Stanghellini), (281) 291
- Homogeneous and phase transfer catalysed carbonylation reactions (H. Alper), (300) 1
- Homogeneous binary catalyst systems, used in synthetic routes to *N*-acyl- α -amino acids via amidocarbonylation (I. Ojima, K. Hirai, M. Fujita, T. Fuchikami), (279) 203
- μ -Hydrido- μ -phosphido heterotrifmetal alkylidyne clusters; X-ray structure of $[\text{Co}_2\text{W}(\mu\text{-H})(\mu_3\text{-CMe})(\mu\text{-PPh}_3)_2(\text{CO})_6(\eta\text{-C}_5\text{H}_5)]$ (J.C. Jeffery, J.G. Lawrence-Smith), (280) C34
- 2-Hydroxyethyl- and 2-alkoxyethyl-cobaloximes, mechanism of acid-induced decomposition of (K.L. Brown, S.A. Ramamurthy, D.S. Marynick), (287) 377
- "Linear" unsaturated ligands, reactions with clusters involving metal carbonyl species of; synthesis and crystal structures of $(\eta^5\text{-C}_5\text{H}_5)\text{NiOs}_3(\mu\text{-H})_3(\text{CO})_8(\text{Ph}_2\text{PC}\equiv\text{CPr}^1)$ and $(\eta^5\text{-C}_5\text{H}_5)_2\text{NiOs}_3(\mu\text{-H})_3(\text{CO})_8\{(\text{Ph}_2\text{PC}\equiv\text{CPr}^1)\text{Co}_2(\text{CO})_6\}(\sigma\text{-P}, \eta^2\text{-C}_2)$ (E. Sappa, G. Predieri, A. Tiripicchio, M. Tiripicchio Camellini), (297) 103
- Methylaminobis(difluorophosphine)-metal(0) complexes, structures of (R.B. King, M. Chang, M.G. Newton), (296) 15
- (Methylcyclopentadienyl)dicarbonyl-cobalt, oxidative addition reactions to and preparation of mono- μ -hydrido complexes from (S. Delgado, J. Macazaga, C. Moreno, J.R. Masaguer), (289) 397
- $(\text{NCCH}_2\text{Co}(\text{COOCH}_3)(\text{CO})_3)^-$ anionic carbonylation catalyst, determination of the coordination environment of the metal in (G. Vlaic, J.C.J. Bart, M. Foà, F. Francalanci, R. Clement), (287) 369
- Organocobaloximes, free radical rearrangements of; alkynyl rearrangement to cycloalkylidene and hexenyl to cyclopentylmethyl (P. Bougeard, C.J. Cooksey, M.D. Johnson, M.J. Lewin, S. Mitchell, P.A. Owens), (288) 349
- Organocobaloximes, thermodynamic and kinetic effects of the organic group in electrochemical reduction of (G. Costa, A. Puxeddu, C. Tavanaco), (296) 161
- Organocobaloximes with an acetoxy-substituted tertiary carbon to cobalt bond derived from enolpyruvic acid (Z. Szeverényi, L.I. Simándi), (279) 259
- Organocobalt(IV) and organorhodium(IV) chemistry, current state of (M.E. Vol'pin, I.Ya. Levitin, A.L. Sigan, A.T. Nikitaev), (279) 263
- Organocobalt(III) chelates with tridentate ligands, kinetics and mechanism of acid-induced homolysis of the metal-carbon bond in (A.D. Ryabov, I.Ya. Levitin, A.T. Nikitaev, A.N. Kitaygorodskii, V.I. Bakhmutov, I.Yu. Gromov, A.K. Yatsimirsky, M.E. Vol'pin), (292) C4
- Organometallic chemistry, photoelectron spectroscopy in (J.C. Maire), (281) 45
- Oxovanadium complexes coordinated to *fac*-tridentate organometallic ligand; role in oxidative catalysis of;

- X-ray crystal structure of $[\eta^5\text{C}_5\text{H}_5\text{Co}\{\text{P}(\text{O})(\text{OC}_2\text{H}_5)_2\}_2\text{VO}(\text{acac})]$, (E. Roman, F. Tapia, M. Barrera, M.-T. Garland, J.-Y. Le Marouille, C. Giannotti), (297) C8
- Pentamethylcyclopentadienylchloropyridinecobalt, $[\eta^5\text{C}_5\text{Me}_5\text{Co}(\mu\text{-Cl})_2]$, preparation and molecular structure of (E. Raabe, U. Koelle), (279) C29
- Pentamethylcyclopentadienylcobalt, mono- μ -hydrido complexes of (J. Macazaga, S. Delgado, R.M. Medina, J.R. Masaguer), (277) 423
- Phosphine-carbonylcobalt chiral complexes, asymmetric catalysis by; hydrogenation of α,β -unsaturated ketones (P. Le Maux, V. Massonneau, G. Simonneaux), (284) 101
- Propargylic silylamines, routes to functional protected primary amines from (R.J.P. Corriu, V. Huynh, J. Iqbal, J.E.E. Moreau), (276) C61
- $[\text{RhCl}(\text{COD})(\text{C}_5\text{H}_{11}\text{N}_2)]$, $[\text{RhCl}(\text{COD})\cdot(\text{C}_5\text{H}_{16}\text{N}_2)]$, $[\text{RhCl}(\text{PPh}_3)(\text{C}_5\text{H}_{18}\text{N}_2)]$ and $[\text{Co}(\text{CO})(\text{NO})(\text{PPh}_3)(\text{C}_5\text{H}_{12}\text{N}_2)]$, crystal structures of (A.W. Coleman, P.B. Hitchcock, M.F. Lappert, R.K. Maskell, J.H. Müller), (296) 173
- $[\text{Rh}_3(\mu_3\text{-CO})_2(\eta^5\text{C}_5\text{Me}_5)_3]$, crystal structure of; reactions of the unsaturated metal clusters $[\text{MM}'_2(\mu_3\text{-CO})_2(\eta^5\text{C}_5\text{Me}_5)_3]$ ($\text{M} = \text{M}' = \text{Rh}$; $\text{M} = \text{Co}$, Ir; $\text{M}' = \text{Rh}$) (A.C. Bray, M. Green, D.R. Hankey, J.A.K. Howard, O. Johnson, F.G.A. Stone), (281) C12
- Silyl- and stannyln-tricobalt cluster compounds, cyclic voltammetry of (A.M. Bonny, T.J. Crane, N.A.P. Kane-Maguire), (289) 157
- Sulphur dioxide insertion into carbon—metal bonds, non-chain free radical mechanism for (M.D. Johnson, S. Derenne), (286) C47
- Terminal epoxides, selective catalysed rearrangement to methyl ketones (J. Prandi, J.L. Namy, G. Menoret, H.B. Kagan), (285) 449
- Tetrapentadienyltetracobalt derivatives, synthesis of; crystal structure of $[(\eta^5\text{C}_5\text{H}_5)_4\text{Co}_4(\mu\text{-CO})_2]$ (S. Gambarrotta, C. Floriani, A. Chiesi-Villa, C. Guastini), (296) C6
- Thio- and seleno-acetaldehyde-metal complexes, preparation of; crystal structure of $\text{C}_5\text{H}_5\text{Rh}(\eta^2\text{-CH}_3\text{CHSe})\text{P-i-Pr}_3$ (H. Werner, L. Hofmann, J. Wolf, G. Müller), (280) C55
- (\pm)-3-p-Toluenesulphinyl-2-pyrone, organometallic route to (G.H. Posner, W. Harrison), (285) C27
- Toluenesulphonyl radicals, formation of alkanyl- and cycloalkanyl-4-tolyl sulphones from organocobaloximes with (M.R. Ashcroft, P. Bougeard, A. Bury, C.J. Cooksey, M.D. Johnson), (289) 403
- Transient coordinatively unsaturated cobalt complex, absolute rate constants for coordination of olefins to (S. Oishi, N. Kihara, A. Hosaka), (276) C33
- Transition metal alkyls, a personal perspective (A. Yamamoto), (300) 347
- Transition metal heteronuclear carbonyl carbide clusters, synthesis via vertex replacement in a metal polyhedron of: X-ray crystal structures of $[\text{Fe}_4\text{CoC}(\text{CO})_{14}]^-$ and $\text{Fe}_4\text{CoRhC}(\text{CO})_{16}$ clusters (V.E. Lopatin, S.P. Gubin, N.M. Mikova, M.Ts. Tsybenov, Yu.L. Slovokhotov, Yu.T. Struchkov), (292) 275
- Transition metal mixed clusters containing coordinated ${}^t\text{BuC}\equiv\text{P}$, synthesis of (R. Bartsch, J.F. Nixon, N. Sarjudeen), (294) 267
- (Triphos)Ni($\eta^2\text{-CS}_2$), reactivity towards Group VIB elements, HBF_4 and MeOSO_2F of; crystal structure of dithiocarbonate complex $[\text{O}=\text{PPh}_2-\text{CH}_2\text{C}(\text{CH}_3)(\text{CH}_2\text{PPh}_2)_2]\cdot\text{Ni}(\text{S}_2\text{CO})\cdot 0.5\text{THF}$ (C. Bianchini, C.A. Ghilardi, A. Meli, A. Orlandini), (286) 261
- Tris(trimethylsilyl)heptaphosphanor-tricyclene, cleavage reactions with triphos-nickel and -cobalt species of (M. Peruzzini, P. Stoppioni), (288) C44
- Vinylidene-transition metal complexes, synthesis and diazoalkene precursors of (W.A. Herrmann, C. Weber, M.L. Ziegler, O. Serhardli), (297) 245

Copper

- Aromatic organocupper compounds, reactions with boron compounds of (E. Kalbarczyk, S. Pasynkiewicz), (290) 257
- Benchrotenyl acetylenes, synthesis catalysed by palladium of (D. Villemain, S. Schigekko), (293) C10

- Bis{2-[(dimethylamino)methyl]phenyl}-copperlithium, formation of a lithium enolate from; X-ray structure of $\text{Li}_4[\text{OC}(\text{CH}_2)\text{C}_6\text{H}_4\text{CH}_2\text{NMe}_2 \cdot 2]$, (J.T.B.H. Jastrzebski, G. van Koten, M.J.N. Christophersen, C.H. Stam), (292) 319
- $\{[\eta^2\text{-Bu}^4\text{C}_2\text{Mn}(\text{CO})_3(\text{dppe})]\text{Cu}\}(\text{PF}_6^-)$, synthesis and X-ray crystal structure of (G.A. Carriero, D. Miguel, V. Riera, X. Solans, M. Font-Altaba, M. Coll), (299) C43
- Carbido cluster anion $[\text{Re}_7\text{C}(\text{CO})_{11}]^{3-}$, reactions with Group IB metals of; X-ray crystal structure of the heterometallic carbide $[\text{Re}_7\text{AgC}(\text{CO})_{11} \cdot \text{Br}]^{5-}$ (T. Beringhelli, G. D'Alfonso, M. Freni, G. Ciani, A. Sironi), (295) C7
- Chloro(diethyl telluride)copper(I) polymer, synthesis, characterisation and crystal structure of (R.K. Chadha, J.E. Drake), (286) 121
- Cinnamic acid esters, reaction with lithium dimethylcuprate, NMR investigation of; initial formation of an olefin-copper π -complex (G. Hallnemo, T. Olsson, C. Ullénus), (282) 133
- Copper(I) trifluoromethanesulphonate cyclohexene complex, crystal and molecular structure of (P.J.J.A. Timmermans, A. Mackor, A.L. Spek, B. Kojić-Prodić), (276) 287
- Crotyl-organometallic compounds, reversal of diastereoselectivity in BF_3 -promoted addition of aldehydes to (Y. Yamamoto, K. Maruyama), (284) C45
- $[\text{CuPPPh}_3\text{C}\equiv\text{CPh}]_n$, electron-deficient molecule with μ -bridging phenyl-acetylidy ligands, synthesis and X-ray structure of (L. Naldini, F. Demartin, M. Manassero, M. Sansoni, G. Rassu, M.A. Zoroddu), (279) C42
- Cyanocuprates "R_t(2-thienyl)Cu(CN)-Li_t", efficient reagents promoting selective ligand transfer (R_t = vinyl, Bu, Ph) (B.H. Lipshutz, J.A. Kozlowski, D.A. Parker, S. Nguyen, K.E. McCarthy), (285) 437
- Enantioselective catalysis with transition metal complexes (H. Brunner), (300) 39
- $\text{M}(\text{C}_2\text{R})(\text{PR}'_3)$ (M = Cu, Ag, Au; R = Ph, C₆F₅; R' = Me, Ph), reactions with H₂O₂(CO)₁₀ of; X-ray structures of Os, Au(μ -CH=CHR)(CO)₁₀(PPh₃) (R = Ph, C₆F₅) (M.I. Bruce, E. Horn, J.G. Matisons, M.R. Snow), (286) 278
- Methylcopper and methyl(tricyclohexylphosphine)copper, thermal decomposition of (S. Pasynkiewicz, J. Popławska), (282) 427
- Methyl(tri-t-butylphosphine)copper, synthesis and thermal decomposition of (S. Pasynkiewicz, S. Pikul, J. Popławska), (293) 125
- Organocopper(I)-Lewis acid reagents, reactions with electron-deficient olefins of; evidence for a dianionic equivalent (T. Ibuka, T. Aoyagi, K. Kitada, F. Yoneda, Y. Yamamoto), (287) C18
- Organocopper(I) mediated synthesis of 1-alkenylsilanes and 1,3-alkadienylsilanes from ethynylsilanes (H. Westmijze, H. Kleijn, P. Vermeer), (276) 317
- Organocopper(I) species, behaviour of functionally substituted α -allenic alcohol derivatives toward (H. Kleijn, P. Vermeer), (292) 437
- Organo-lithium, -magnesium and -aluminium compounds in selective C or N alkylation of C=N bonds (L. Stamp, H. tom Dieck), (277) 297
- Palladium and nickel catalysed aryl- and acyl-demetallation of organometallic compounds (N.A. Bumagin, A.B. Ponomaryov, I.P. Beletskaya), (291) 129
- Palladium-catalysed regioselective oxidation of allylsulphones; formation of α,β -ethylenylsulphonyl aldehydes and alcohols (J. Muzart, A. Riahi, J.P. Pete), (280) 269
- Pentadienylmetal compounds, structural analysis and applications in organic synthesis of (H. Yasuda, A. Nakamura), (285) 15
- Phenylethylnylcopper(I), C₆H₅C≡CCu, efficient electrochemical synthesis of (R. Kumar, D.G. Tuck), (281) C47
- Polymer-supported 2,2'-dipyridylmethane, synthesis and formation of transition metal complexes (B. Elman, C. Moberg), (294) 117
- Sulphonyl- and silyl-substituted hydrocarbons as versatile carbanion precursors in organic synthesis (J.J. Eisch, M. Behrooz, S.K. Dua), (285) 121
- Thallium(I) carboxylates, formation of

- thallium complexes with carbon dioxide during mass spectrometry of (Yu.S. Nekrasov, T.V. Lysyak, Yu.Ya. Kharitonov, I.S. Kolomnikov), (279) 337
- Transition metal alkyls, a personal perspective (A. Yamamoto), (300) 347
- Trialkylalanes, dialkyl- and diaryl-magnesium derivatives, cross-coupling reactions with allyl, homoallyl and homopropargyl substrates of (G.A. Tolstikov, U.M. Dzemilev), (292) 133
- Trialkylmagnesium mixed cuprates, regiospecific and regioselective addition reactions with α,β -enones and -enals of (J. Drouin, G. Rousseau), (289) 223
- (Triphenyl)germyl and (triphenyl)-stannyll substituted allenes, convenient synthesis of (K. Ruitenberg, H. Westmijze, H. Kleijn, P. Vermeer), (277) 227
- ### Erbium
- Carbonylmetal derivatives of lanthanum, samarium and ytterbium, synthesis and structure of (I.P. Beletskaya, G.A. Suleimanov, R.R. Shifrina, R.Yu. Mekhdiev, T.A. Agdamskii, B.N. Khandozhko, N.E. Kolobova), (299) 239
- ### Europium
- Thienyl- and perfluorophenyl-lanthanide(II) derivatives (O.P. Syutkina, L.F. Rybakova, E.S. Petrov, I.P. Belets-kaya), (280) C67
- ### Gallium
- Azacymantrene, CO substitution in and reactions of (η^5 -C₄H₄N)Mn(CO)₂·PPh₃ with electrophiles; X-ray crystal structure of [(PPh₃)(CO)₂Mn(η^5 -C₄H₄N)]₂PdCl₂ (N.I. Pyshnograeva, A.S. Batsanov, Yu.T. Struchkov, A.G. Ginzburg, V.N. Setkina), (297) 69
- Bis(diphenylphosphino)methane fluxional complexes of alkyl-galliums and -indiums (H. Schmidbaur, S. Lauteschläger, G. Müller), (281) 25
- μ -Chlorobis(diethylaluminium)bis-(diphenylphosphino) ethanide, complex with windshield wiper fluxio-
- nality (H. Schmidbaur, S. Lauteschläger, G. Müller), (281) 33
- Diiodo(methylthio)gallane, preparation and reactivity of (G. Hoffmann, P. Resch), (295) 137
- Phenyl(diorganylthio)- and triorganylthio-gallanes, preparation from triphenylgallane and thiolene of (G.G. Hoffmann), (277) 189
- Trifluoromethyl-Group III compounds, metal vapour synthesis of (T.R. Bierschenk, T.J. Juhlik, W.I. Bailey, Jr., R.J. Lagow), (277) 1
- ### General
- Four-connected polyhedral molecules, general theoretical analysis of (R.L. Johnston, D.M.P. Mingos), (280) 419
- Organometallic chemistry, coordination chemistry, Main Group chemistry, where are the frontiers at present (J.G. Riess), (281) 1
- Three-connected polyhedral molecules and their capped derivatives, general theoretical analysis of (R.L. Johnston, D.M.P. Mingos), (280) 407
- ### Germanium
- Alkoxy silanes, halosilanes and halo-germanes, reduction with lithium aluminium hydride under phase-transfer conditions of (V.N. Gevorgyan, L.M. Ignatovich, E. Lukevics), (284) C31
- Allyltriorgano-silanes and -germanes, photoinitiated reactions with polyhaloidalkanes of (T.V. Leshina, V.I. Valyaev, M.B. Taraban, V.I. Maryasova, V.I. Raklin, S.Kh. Khangazheez, R.G. Mirskov, M.G. Voronkov), (299) 271
- Bis[bis(trimethylsilyl)methyl]germanium, molecular structure determined by gas diffraction of; SCFMO calculations on stannene and distannene (T. Fjeldberg, A. Haaland, B.E.R. Schilling, H.V. Volden, M.F. Lappert, A.J. Thorne), (276) C1; (280) C43
- (CH₃)₃SnM(CH₃)₃ (M = Si, Ge), reactions with chlorotrimethylstannane and dichlorodimethylstannane in methanol solution of (M.J. Cuthbertson, P.R. Welles), (287) 25
- (CH₃)₃SnM(CH₃)₃ (M = Sn, Ge, Si, C),

- pyrolysis of (M.J. Cuthbertson, D.W. Hawker, P.R. Welles), (287) 7
- Cyclopentadienylgermylene-transition metal complexes, X-ray structure of (Me_3C_5)₂(Me_2Si)₂ CH]Ge \rightarrow W(CO)₅ (P. Jutzi, B. Hampel, M.B. Hursthouse, A.J. Howes), (299) 19
- 2,4-Digermathietanes and tetragerma-dithiocanes, precursors of germathiones and germaethylenes (J. Barrau, N. Ben Hamida, J. Satgé), (282) 315
- [2-(4,5-Dihydrofuryl)]-silanes and -germanes, conversions under catalytic hydrogenation conditions of (E. Lukevics, V.N. Gevorgyan, Y.S. Goldberg, M.V. Shymanska), (294) 163
- 1,4-Dihydropyrazine "antiaromatic" systems, structural flexibility and molecular structures of organometallic derivatives of (H.D. Hausen, O. Mundt, W. Kaim), (296) 321
- 2,7-Dimethyl-5-germaspiro[4.4]nona-2,7-diene, synthesis and characterization by IR, NMR and mass spectroscopy of (P. Mazerolles, F. Gregoire, G. Manuel), (277) C4
- Dioxa- and dithia-germoles, synthesis and reactivity of (H. Lavayssiere, G. Dousse), (297) C17
- 1,3-Diselena- and 1,3-dithia-[3]ferrocenophanes of germanium and tin; crystal and molecular structure of 1,3-diselena-2,2-dichlorogermyl-[3]ferrocenophane (A.G. Osborne, A.J. Blake, R.E. Hollands, R.F. Bryan, S. Lockhart), (287) 39
- Germacyclobutanes, synthesis of (J.W. F.L. Seetz, B.J.J. van de Heisteege, G. Schat, O.S. Akkerman, F. Bickelhaupt), (277) 319
- Germanium-silicon-oxygen seven-membered ring, 1,1,2,2,4,4,6,6-octaphenyl-1,12-digerma-4,6-disila-3,5,7-trioxacycloheptane, synthesis and X-ray analysis of (H. Puff, T.R. Kök, P. Nauroth, W. Schuh), (281) 141
- Germyl acetate, molecular structure in the gas phase determined by electron diffraction of (E.A.V. Ebsworth, C.M. Huntley, D.W.H. Rankin), (281) 63
- Group IVB metallocenes, new approach to (P. Jutzi, B. Hielscher), (291) C25
- α -Halosubstituted alkyl groups, base cleavage from germanium of (W. Stańczyk), (299) 15
- Heterobimetallic (Pd/Pt—Ge/Sn) trinuclear clusters containing a planar $\text{M}_3(\text{CO})_3(\mu_2\text{-M}')$, core, spectroscopy, cyclic voltammetry and ESR characterisation of electrochemical reduction products of; crystal structures of [$\text{M}[\mu_2\text{-Sn}(\text{NR}_2)_2](\text{CO})_3$] ($\text{M} = \text{Pd}, \text{Pt}; \text{R} = \text{SiMe}_3$) (G.K. Campbell, P.B. Hitchcock, M.F. Lappert, M.C. Misra), (289) C1
- Hexamethylgermane and halopenta-methyldermane, transmission of substituent effects through the Ge—Ge bond in (C.H. Yoder, J.E. Crouse, D.A. Wilson), (276) 9
- Main Group IV organometallic compounds, applications of the methylene di-Grignard reagent for (J.W. Bruin, G. Schat, O.S. Akkerman, F. Bickelhaupt), (288) 13
- 1-Methyl-1-germaadamantane, synthesis of (P. Boudjouk, C.A. Kapfer), (296) 339
- ^{15}N — ^{13}C , ^{15}N —M, ^{29}Si —X (M = ^{11}B , ^{29}Si , ^{119}Sn , X = ^1H , ^{13}C) nuclear spin—spin one-bond coupling constants with the structure of metallatranes in solution, correlation of (E. Kupčé, E. Liepiņš, A. Lapsīpa, I. Urtāne, G. Zelčāns, E. Lukevics), (279) 343
- Organochlorohydro-germanes and -poly-germanes, dechlorohydration reactions of (P. Riviere, A. Castel, D. Guyot, J. Satgé), (290) C15
- Organometallic chemistry, photoelectron spectroscopy in (J.C. Maire), (281) 45
- η^5 -Pentamethylcyclopentadienyl-Group IV complexes, electronic structure from He(I) and He(II) photoelectron spectroscopy of (G. Bruno, E. Ciliberto, I.L. Fragalà, P. Jutzi), (289) 263
- Pergerma analogues of dioxane $\text{Ph}_5\text{Ge}_4\text{X}_2$ and ethyleneacetal $\text{Ph}_6\text{Ge}_3\text{X}_2$ (X = O, S, Se) (M. Dräger, K. Häberle), (280) 183
- Polygermapolythianes, thermolysis and photolysis of; formation of germylenes and germathiones (J. Barrau, M. El Amine, G. Rima, J. Satgé), (277) 323
- $\Delta^{17}2,2,6,6$ -Tetramethyl-4-thia-8,8-dimethyl-8-germabicyclo[5.1.0]octene, isolation and X-ray crystal structure of (M.P. Egorov, S.P. Kolesnikov, Yu.T. Struchkov, M.Yu. Antipin,

- S.V. Sereda, O.M. Nefedov), (290)
C27
- 2-Triethylsilyl- and 2-triethylgermyl-
1,3-di-t-butyl-1,3,2-diazaphosphor-
anes, synthesis, structure and chemical
properties of (E.E. Nifantiev, N.S.
Vyazankin, S.F. Sorokina, L.A.
Vorobieva, O.A. Vyazankina, D.A.
Bravo-Zhivotovsky, A.R. Bekker),
(277) 211
- (Trifluoromethyl)germanes, preparation
and properties of $(CF_3)_2GeHC$ ($X =$
H, D, F, Cl, Br, I, CH_3) and CF_3-
 GeH_nX_{3-n} ($X = H, D, CF_2H, CH_3$)
(R. Eujen, R. Mellies, E. Petrauskas),
(299) 29
- Trimethylsilylated germanocenes, syn-
thesis of, X-ray structure and steric
effects in hexakis(trimethylsilyl)-
germanocene (P. Jutzi, E. Schlüter,
M.B. Hursthouse, A.M. Arif, R.L.
Short), (299) 285
- Triosmium and triruthenium Main-Group
metal clusters, $M_3(H)(CO)_{11}(M'R_3)$
and $Os_3(H)(CO)_{10}(CH_3CN)(M'R_3)$
($M = Os, Ru; M' = Ge, Sn; R = aryl,$
alkyl) (K. Burgess, C. Guerin, B.F.G.
Johnson, J. Lewis), (295) C3
- (Triphenyl)germyl and (triphenyl)-
stannyly substituted allenes, convenient
synthesis of (K. Ruitenberg, H. West-
mijze, H. Kleijn, P. Vermeer), (277)
227
- Tris(trimethylsilyl)germyl compounds
(A.G. Brook, F. Abdesaken, H. Söll-
radl), (299) 9
- Gold**
- [$\{Au(PPPh_3)_3O\}^+$, reactions with $[Ru_3-$
 $(\mu_3-C_6Bu^t)(CO)_9]^-$; X-ray structure
of $[Ru_3Au_2(\mu_3-C=CHBu^t)(CO)_9-$
 $(PPPh_3)_2]$, containing trigonal-bi-
pyramidal Ru_3Au_2 core (M.I. Bruce,
E.Horn, O. bin Shawkataly, M.R.
Snow), (280) 289
- Aurated derivatives of dicyclopropyl
ketone, synthesis, structure and
properties of (E.G. Perevalova, I.G.
Bolesov, Yu.T. Struchkov, I.F. Le-
schova, Ye.S. Kalyuzhnaya, T.I.
Voyevodskaya, Yu.L. Slovokhotov,
K.I. Grandberg), (286) 129
- Carbido cluster anion $[Re_2C(CO)_{11}]^{3-}$,
reactions with Group IB metals of;
X-ray crystal structure of the hetero-
- metallic carbide [$\{Re_2AgC(CO)_{11}\}_2-$
 $Br\}^{5-}$ (T. Beringhelli, G. D'Alfonso,
M. Freni, G. Ciani, A. Sironi), (295)
C7
- Cyclometallations and cyclic acetylenes,
recollections of (M.A. Bennett),
(300) 7
- Dihalo(pentafluorophenyl)(bidentate
ligand)gold(III) complexes, syn-
thesis and ^{197}Au Mössbauer spectra
of (R. Usón, A. Laguna, M.U. De la
Orden, R.V. Parish, L.S. Moore),
(282) 145
- Dimethylmetal(II) pyrazolides, syn-
thesis and characterisation of (P.K.
Byers, A.J. Canty, K. Mills, L. Tit-
combe), (295) 401
- Distorted tetrahedral cluster in $[(Ph_3P)_4-$
 $Au_3N]^+BF_4^-$, X-ray crystal structure
of (Yu.L. Slovokhotov, Yu.T. Struch-
kov), (277) 143
- Gold–carbene complexes, exchange
reactions of carbene ligands in (E.O.
Fischer, M. Böck), (287) 279
- Gold(III) complexes containing
2-[(phenylazo)phenyl] as chelating
ligand (J. Vicente, M.T. Chicote,
M.D. Bermudez, M. Garcia-Garcia),
(295) 125
- Gold–ruthenium clusters with sulphur
ligands; synthesis and structure of
 $HRu_3Au(\mu_3-S)(CO)_9(PPPh_3)$, Ru_3-
 $Au(\mu_3-SBu^t)(CO)_9(PPPh_3)$ and Ru_3-
 $Au_2(\mu_3-S)(CO)_9(PPPh_3)_2$ (M.I. Bruce,
O. bin Shawkataly, B.K. Nicholson),
(286) 427
- $M(C_6R)(PR'_3)$ ($M = Cu, Ag, Au; R =$
 $Ph, C_6F_5; R' = Me, Ph$), reactions
with $H_2Os_3(CO)_{10}$ of; X-ray struc-
tures of $Os_3Au(\mu_3-CH=CHR)(CO)_{10}-$
 $(PPPh_3)$ ($R = Ph, C_6F_5$) (M.I. Bruce,
E. Horn, J.G. Matisons, M.R. Snow),
(286) 273
- Organometallic chemistry, photoelectron
spectroscopy in (J.C. Maire), (281) 45
- Penta- and hepta-nuclear gold tertiary
phosphine clusters, molecular analysis
of (D.G. Evans, D.M.P. Mingos),
(295) 389
- (Tertiary phosphine)gold(I) derivatives
of 2-pyridones (F. Bonati, A. Burini,
B.R. Pietroni, B. Bovio), (296) 301
- Tetrabutylammonium tetraphenyl-
aurate(III), crystal and molecular
structure of (A.J. Markwell), (293)
257

Hafnium

- Alkenyl- and alkynyl-permethylzirconocene and -permethylhafnocene, synthesis and reactivity of; rearrangement of alkenyl derivatives via β -H elimination from and sp^2 -hybridized carbon (C. McDade, J.E. Bercaw), (279) 281
- (Alkylideneamido)zirconocene mono- and di-nuclear complexes, formation of (W. Frömberg, G. Erker), (280) 343
- Bis(μ -chalcogeno complexes [$(\eta^5$ -
RC₅H₄)₂M(μ -E)]₂, (M = Zr, Hf; R = H, t-Bu; E = S, Se), preparation from metallocene dichlorides and isolation of the μ -complexes [(t-BuC₅H₄)₂Zr] $(\mu$ -O)(μ -E) (G. Tainturier, B. Gautheron, M. Fahim), (290) C4
- (C₅H₅)₂TiCl(PMe₃)(CO) (M = Ti, Zr, Hf), (C₅H₅)₂Ti(PMe₃)(CO) and (C₅H₅)₂-TiCl(PMe₃), structural and spectroscopic comparison of; X-ray structures of (C₅H₅)₂Ti(PMe₃)(CO) and (C₅H₅)₂-TiCl(PMe₃) (L.B. Kool, M.D. Rausch, H.G. Alt, M. Herberhold, B. Wolf, U. Thewalt), (297) 159
- Cyclopentadienyl-Group IIIA and -Group IVA compounds, steric factor dependence of structures of (E.B. Lobkovsky), (277) 58
- Dicyclopentadienyldicarbonyl- and dicyclopentadienylcarbonyltriphosphine-zirconium and -hafnium, reactions with acetylenes and formation of metallacyclopentadiene complexes of (D.J. Sikora, M.D. Rausch), (276) 21
- Halodicyclopentadienyl-zirconium(III) and -hafnium(III), preparation and chemical behaviour of (T. Cuenca, P. Royo), (293) 61
- (η^5 -Pentamethylcyclopentadienyl)-(η^5 -cyclopentadienyl)dichloro-titanium, -zirconium and -hafnium, formation and crystal and molecular structures of (R.D. Rogers, M.M. Benning, L.K. Kurihara, K.J. Moriarty, M.D. Rausch), (293) 51
- Pentamethylcyclopentadienyl-titanium, -zirconium and -hafnium cycloheptatrienyl and cyclooctatetraenyl complexes, synthesis of (J. Blenkins, P. Bruin, J.H. Teuben), (297) 61
- Thioalkyl-, selenoalkyl-, thioaryl- and

selenoaryl-metallocenes (M = Ti, Zr, Hf), He(I) and He(II) photo-electron spectra of (C. Guimon, G. Pfister-Guillouzo, P. Meunier, B. Gautheron, G. Tainturier, S. Pouly), (284) 299

Zirconocene and hafnocene supported complexes, preparation and catalytic applications of (B.-H. Chang, R.H. Grubbs, C.H. Brubaker, Jr.), (280) 365

Indium

Aluminium and indium nitrogen compounds with intra- and inter-molecular donor-acceptor bonds, structural investigations of (M. Veith, H. Lange, O. Recktenwald, W. Frank), (294) 273

Dibromoethylindium tetramethylene-diaminesolvate and ethyltriodoindium tetraphenylphosphorus solvate, structures of (M.A. Khan, C. Peppe, D.G. Tuck), (280) 17

Dimethylmetal(II) pyrazolides, synthesis and characterisation of (P.K. Byers, A.J. Canty, K. Mills, L. Titcombe), (295) 401

Trifluoromethyl-Group III compounds, metal vapour synthesis of (T.R. Bierschenk, T.J. Juhlik, W.I. Bailey, Jr., R.J. Lagow), (277) 1

Iridium

n-Alkyl[bis(triphenylphosphine)]- (carbonyl)iridium(I) complexes, thermal decomposition of (A.A. Vitale, J. San Filippo, Jr.), (286) 91

μ -Alkylidene-transition metal complexes, comparison of thermolysis reactions of (A. Schäfer, W.A. Herrmann), (297) 229

Arene-iridium(I) complexes; crystal structure of [Ir(Me₃TFB)(C₆Me₆)]-ClO₄ (TFB = tetrafluorobenzobarrelene) (F.H. Cano, C. Foces-Foces), (291) 363

Bis(1,4-diphenylphosphino)butanerhodium and pyridine(tricyclohexylphosphine)iridium, stereochemical control by carboxylate groups in homogeneous hydrogenation catalysed by (J.M. Brown, S.A. Hall), (285) 333

Carbonyl-cobalt, -rhodium and -iridium

- clusters, use in double deoxygenation of PPN(NO_2) ($\text{PPN} = \text{bis}(\text{triphenylphosphine})\text{iminium}$) of (R.E. Stevens, P.C.C. Liu, W.L. Gladfelter), (287) 138
- Carbonylmetal complexes as stabilisers in reactions of free surface-anchored phosphines with multidentate ligands (D.F. Foster, J. Harrison, B.S. Nicholls, A.K. Smith), (295) 99
- ($\eta^5\text{C}_5\text{H}_5$)₂W₂Ir₂(CO)₂(CHCO₂Et)₂, synthesis and structure of (M.R. Churchill, L.V. Biondi, J.R. Sharpley, C.H. McAtee), (280) C63
- [C₅Me₅MMe₂(Me₂SO)] ($\text{M} = \text{Rh, Ir}$), reactions with aldehydes of (M. Gómez, J.M. Kisenyl, G.J. Sunley, P.M. Maitlis), (296) 197
- Cobalt, rhodium and iridium; Annual Survey covering the year 1983 (J.T. Mague), (278) 1
- Cyclometallations and cyclic acetylenes, recollections of (M.A. Bennett), (300) 7
- π -Cyclopentadienyl-ruthenium, -rhodium and -iridium substituted complexes, synthesis by intramolecular condensation of a π -allyl ligand and alkyne of; X-ray structure of [η -C₅H₅Ru-(η -C₅H₅Ph₂-1,2)]BF₄ (Z.I. Lutsenko, G.G. Aleksandrov, P.V. Petrovskii, E.S. Shubina, V.G. Andrianov, Yu.T. Struchkov, A.Z. Rubezhov), (281) 349
- Diamine- and dihydroxy-naphthalene bis-bridged dirhodium and diiridium complexes, preparation of (L.A. Oro, M.J. Fernandez, J. Modrego, J.M. Lopez), (287) 409
- Dihydridobis(triethylsilyl)pentamethyl-cyclopentadienyliridium(V), neutron diffraction and photoelectron studies of (J.S. Ricci, Jr., T.F. Koetzle, M.-J. Fernandez, P.M. Maitlis, J.C. Green), (299) 383
- Dihydroiridium diolefin with sulphur ligands and related complexes (J.C. Rodriguez, C. Claver, A. Ruiz), (293) 115
- Group VIII metal complexes, hydro-metal reactions of lactic acid catalysed by (B. Odell, G. Earlam, D.J. Cole-Hamilton), (290) 241
- Hydrido-1,5-cyclooctadieneiridium(II) complexes stabilised by trichlorostannate ligands and structure of [IrH₂(SnCl₃)(PPh₃)₃] (M. Kretschmer, P.S. Pregosin, A. Albinati, A. Togni), (281) 365
- Hydrido-iridium(III) and -rhodium(III) complexes with triisopropylphosphane ligands, reactions and behaviour as metal bases of (H. Werner, J. Wolf, A. Höhn), (287) 395
- Hydridoiridium(III) complexes with PF₆⁻ and AlCl₄⁻ anions and their reactions with water; X-ray structure of [(PPh₃)₂(CO)(Cl)(H)Ir(OH₂)]⁺ BF₄⁻ and (PPh₃)₂(CO)(Cl)(H)IrOPOF₂ (H. Bauer, U. Nagel, W. Beck), (290) 219
- Hydrogen transfer reactions in the presence of carbonyl clusters, selective reduction of dienes to monoenes via (J. Kašpar, R. Spogliarich, M. Graziani), (281) 299
- Ir₂Cl₂(C₅H₅)₂/PR, (PR₃ = P(CH₂CMe₃)₃, t-BuP(CH₂CMe₃)₂, t-Bu₂PCH₂CMe₃, i-Pr₂P), C—H metallation and hydride formation in (L. Dahlenburg, A. Yardimcioglu), (291) 371
- Iridium(I) and iridium(III) complexes with tripod-like ligands; X-ray crystal structure of [IrCl(CO)(triphos)] (P. Janser, L.M. Venanzi, F. Bachechi), (296) 229
- Iridium(I) and rhodium(I) complexes with chloro- and penta-2,4-dionato ligands, reactions with a secondary phosphite of (M.A. Bennett, T.R.B. Mitchell), (295) 223
- Iridium complexes with cyclometallated t-Bu₂P, t-Bu₂PCH₂SiMe₂ and t-BuP(CH₂SiMe₃)₂ ligands, preparation and stereochemistry of (L. Dahlenburg, A. Yardimcioglu), (299) 149
- Iridium(III) metallacycles from electrophilic addition of dichlorocarbene ligands to triphenylphosphine ligands; crystal structures of IrCl₂(*o*-PPh₃-C₆H₄CO)(CO)(PPh₃) and IrCl₂(*o*-PPh₂C₆H₄C[OH]C₆H₄PPh₂-*o*)(CO) (G.R. Clark, T.R. Greene, W.R. Roper), (293) C25
- Iridium(II) monomeric organometallic complexes, [Ir(R)(CO)(PPh₃)₃]⁺, electrogeneration and characterisation of (S. Zecchin, G. Zotti), (294) 379
- Mixed-metal carbonyl cluster anion, [RuIr₂(CO)₉(μ -CO)₃]⁻, isolation of and crystal structure of its bis-(triphenylphosphine)iminium salt of (A. Fumagalli, F. Demartin, A. Sironi), (279) C33

- Mono- and di-nuclear rhodium(I) and iridium(I) complexes containing dienes, carbon monoxide, bipyridyl and OC(NMePF₂)₂, synthesis of (S. Morton, J.F. Nixon), (282) 123
- Organoiridium(I) pentacoordinate chelatephosphane-stabilized complexes, Ir(R)(CO)(chel-P₃), preparation of (E. Arpac, L. Dahlenburg), (277) 127
- Phosphineiridium neutral and cationic complexes, observations on olefin oxidation by (J.M. Brown, R.A. John, A.R. Lucy), (279) 245
- Platinum group metals in the formation of metal-carbon multiple bonds (W.R. Roper), (300) 167
- [Rh₃(μ₃-CO)₂(η-C₅Me₅)₃], crystal structure of; reactions of the unsaturated metal clusters [MM'₂(μ₃-CO)₂(η-C₅Me₅)₃] (M = M' = Rh; M = Co, Ir; M' = Rh) (A.C. Bray, M. Green, D.R. Hankey, J.A.K. Howard, O. Johnson, F.G.A. Stone), (281) C12
- Rhodium and iridium cationic complexes, azulene as a ligand in; crystal structure of [Rh(TFB)(az)]PF₆ (L.A. Oro, M. Valderrama, P. Cifuentes, C. Foces-Foces, F.H. Cano), (276) 67
- Rhodium and iridium complexes in aromatic metallation reactions unusual reactivity of iodobenzene (M. Gomez, P.I.W. Yarrow, D.J. Robinson, P.M. Maitlis), (279) 115
- Rhodium(I) and iridium(I) olefin complexes, ¹H NMR, mass spectral and extended Hückel study of; crystal and molecular structure of η⁴-2,4-dimethylpenta-1,4-diene(η⁵-formylcyclopentadienyl)rhodium(I) (M. Arthur, H. Karodia, M. Sedgwick, D.A. Morton-Blake, C.J. Cardin, H. Parge), (291) 231
- Ruthenium(II)-rhodium(I), iridium-(III)-rhodium(I) and rhodium(III)-iridium(I) heterobinuclear pyrazolate-bridged complexes; crystal structure of [(*p*-cymene)Ru(μ-Cl)₂(μ-pz)-Rh(tetrafluorobenzo[5.6]bicyclo-[2.2.2]octane-2,5,7-triene)] (L.A. Oro, D. Carmona, M.P. Garcia, F.J. Lahoz, J. Reyes, C. Foces-Foces, F.H. Cano), (296) C43
- Silicon-hydrogen and carbon-hydrogen activation (W.A.G. Graham), (300) 81
- Sulphene-transition metal complexes from SO₂ addition to terminal methyl-ene complexes of osmium(0) and iridium(I); structure of Os(CH₂-S[O]O)Cl(NO)(PPh₃)₂ (W.R. Roper, J.M. Waters, A.H. Wright), (276) C13
- Tetrairidium cluster with bridging SO₂, Ir₄(CO)₉(μ₂-CO)₂(μ₂-SO₂), synthesis, fluxional behaviour and crystal structure of (D. Braga, R. Ros, R. Roulet), (286) C8
- Trifluoromethyl- and mixed hydrido-trifluoromethyl-iridium(III) complexes as potential precursors of a trifluoromethyliridium(I) complex (T.R. Greene, W.R. Roper), (299) 245
- ### Iron
- Acyliron-phosphorus ylides, ambidentate behaviour towards methyl fluorosulphonic acid ester and rearrangements of (W. Malisch, H. Blau, K. Blank, C. Krüger, L.K. Liu), (296) C32
- N*-Acyl isocyanide complexes of deutero-porphyriniron(II), IR and ¹³C NMR studies of *cis*-ligand effect in haemes (A. Bondon, P. Sodano, G. Simonneau), (292) C28
- μ-Alkylidene-transition metal complexes, comparison of thermolysis reactions of (A. Schäfer, W.A. Herrmann), (297) 229
- μ-Alkylidene-tungsten and -iron complexes, carbonylation reactions of (D. Navarre, F. Rose-Munch, H. Rudler), (284) C15
- π-Allyltricarbonyliron lactone complexes, synthesis of parasorbic acid, the carpenter bee pheromone and malyngolide via (A.M. Horton, S.V. Ley), (285) C17
- Antiferromagnetic heterometallospirane clusters, [(CH₃C₅H₄)₂Cr₂(μ-SCMe₃)₂(μ₃-S)₂]M (M = Mn^{II}, Fe^{II}), synthesis and molecular structure of (A.A. Pasynskii, I.L. Eremenko, G.Sh. Gasanov, Yu.T. Struchkov, V.E. Shklover), (276) 349
- η⁶-Arene-η⁵-cyclopentadienyliron cations, ligand exchange reactions under thermal or photochemical conditions with (C.C. Lee, M. Iqbal, U.S. Gill, R.G. Sutherland), (288) 89
- Arenecyclopentadienylruthenium cations, improved method for synthesis of (N.A. Vol'kenau, I.N. Bolesova, L.S. Shul'pina, A.N. Kitaygorodskii, D.N. Kravtsov), (288) 341

- Arylisocyanocarbonyliron complexes, reactions with dicyclopentadiene of (A.R. Manning, G. McNally, P. Soye), (288) C53
- 1-Aza-1,3-butadienetricarbonyliron complexes, $[\text{Fe}(\text{CO})_3(\text{R}^1\text{N}=\text{CHCH}=\text{CHR}^2)]$, He(I) and He(II) photoelectron spectra of (R.R. Andréa, P.C.J. Beentjes, D.J. Stukens, A. Oskam), (288) 79
- $(\mu_{\text{s}}\text{-Bi})_2\text{Fe}_3(\text{CO})_9$, synthesis and X-ray crystallographic characterisation of; reformulation of Hieber's $\text{Bi}_2\text{Fe}_3 \cdot (\text{CO})_{20}$ (M.R. Churchill, J.C. Fettinger, K.H. Whitmire), (284) 13
- Bipyridineisocyanidoiron borate complexes in acetonitrile, photochemistry of (L.L. Costanzo, S. Giuffrida, G. De Guidi, V. Cucinotta, G. Condorelli), (289) 81
- 1,3-Bis(η^5 -cyclopentadienyldicarbonyliron)-1-cyano-2,4-diphenylcyclobut-2-ene, preparation and transformation into 1,3-bis(η^5 -cyclopentadienyl-dicarbonyliron)-1-cyano-2,4-diphenylbuta-1,3-diene of (N.E. Kolobova, T.V. Rozantseva, Yu.T. Struchkov, A.S. Batsanov, V.I. Bakhmutov), (292) 247
- Bis(η^5 -3,4-diethyl-2,5-dimethyl-1,2,5-thiadiborolene)monocarbonyliron, synthesis and crystal structure of (J. Edwin, W. Siebert, C. Krüger), (282) 297
- 1,1'Bis(*N,N*-dimethylamino)-ferrocene, -cobalticenium hexafluorophosphate, and -titanocene dichloride, preparation and crystal structure of the titanocene dichloride (K.-P. Stahl, G. Boche, W. Massa), (277) 113
- Bis(dimethylaminoethyl)(1-mercurio)-ferrocenophane triphenylcyano-boronate, structures of the salt and its cation (L.G. Kuz'mina, Yu.T. Struchkov, D.A. Lemenovsky, I.F. Urazowsky), (277) 147
- Borane analogy; CH ligand orientation in *arachno*- and *closو*-butterfly clusters (C.E. Housecroft), (276) 297
- Butadiene(dicarbonyl)(ethoxyarylcarbene)iron isomeric complexes, synthesis and crystal structure of (C. Jiabi, L. Guixin, X. Weihua, J. Xianglin, S. Meicheng, T. Youqi), (286) 55
- Carbonylation of an optically active organopalladium, asymmetric induction during (L.L. Trotskaya, V.I. Sokolov), (285) 389
- Carbonylcyclopentadienyl(triphenylphosphine)iron, $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})\cdot(\text{PPh}_3)]$, synthesis of α,β -unsaturated acyl ligands bound to (S.G. Davies, R.J.C. Easton, J.C. Walker, P. Warner), (296) C40
- Carbonylferrate anions, multiple pathways in reactions with chalcogens and chalcogen-containing anions of (C. Glidewell), (295) 73
- Carbonyliron S-bonded derivatives of monothiocarboxylic acids, preparation of (D. Seyferth, A.M. Kiwan), (286) 219
- Carbonyliron disubstituted complexes, chemical shifts in ^{13}C NMR spectra of (K.H. Whitmire, T.R. Lee), (282) 95
- Carbonyliron polymer-supported complex, reduction of acid chlorides to aldehydes by (G. Cainelli, F. Manescalchi, A. Umani-Ronchi), (276) 205
- Carbonylmetal fragments, reactions with coordinated diphosphorus groups of; crystal structure of $[(\text{CO})_5\text{Cr}][(\text{CO})_5\cdot\text{W}]_2\text{Co}_2(\text{CO})_6$ (A. Vizi-Orosz, G. Pályi, L. Markó, R. Boese, G. Schmid), (288) 179
- Chalcone derivatives, ferrocene analogues of chalcone, stilbene, ferrocene analogues of stilbene, and styrene derivatives, ^{13}C NMR study of polarisations, and polarisation ranges of vinylene groups in (A.G. Nagy), (291) 335
- $\text{C}_5\text{H}_5(\text{CO})_2\text{MnFe}_2(\text{CO})_6\text{PR}$, kinetics and mechanism of reversible metal–metal bond opening in (J. Schneider, M. Minelli, G. Huttner), (294) 75
- $\text{C}_5\text{H}_5(\text{CO})_2\text{MnXR}^\bullet$ ($X = \text{S}, \text{Se}$) radical complexes, synthesis, electrochemistry and organometallic reactions of (A. Winter, G. Huttner, M. Gottlieb, I. Jibril), (286) 317
- $\text{C}_5\text{H}_5(\text{CO})_2\text{Mo}(\mu\text{-O}=\text{CCH}_3)(\mu\text{-PPPh}_2)\text{Fe-C}_5\text{H}_5(\text{CO})$, synthesis and molecular structure of (T.S. Targos, G.L. Geoffroy, A.L. Rheingold), (299) 223
- $[\text{C}_5\text{H}_5\text{Fe}^{\text{II}}\text{C}_6\text{Me}_5\text{CH}_2\text{PPh}_2]^\bullet$, coordination to Rh^I of; spectroscopic, electrochemical and catalytic properties of heterodinuclear Fe^{II}–Rh^I complexes (E. Román E., V. Castro W., M. Camus O.), (293) 93

- $[\eta^5\text{-C}_5\text{H}_5\text{Fe}(\text{CO})_2]_2 \{\mu\text{-(CH)}_2\}_n\}$ ($n = 3-12$), study by mass spectrometry and differential scanning calorimetry of (J.R. Moss, L.G. Scott, M.E. Brown, K.J. Hindson), (282) 255
- Chiral acetate enolate equivalent for the synthesis of β -hydroxy acids and esters; X-ray crystal structure of $RR,SS\text{-}[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})(\text{PPh}_3)_2(\text{COCH}_2\text{CH}(\text{OH})\text{CH}_2\text{CH}_3)]$ (S.G. Davies, I.M. Dordor-Hedgecock, P. Warner, R.H. Jones, K. Prout), (285) 213
- ($\eta^5\text{-C}_5\text{H}_5\right)_2\text{Ni}_2\text{Fe}_2(\text{CO})_6(\mu_4,\eta^2\text{-C}_2\text{Ph}_2)$, crystal structure and cluster contraction and expansion reactions of; coordination of alkynes to 4 metal atoms in square planar clusters (E. Sappa, A.M. Manotti Lanfredi, G. Predieri, A. Tiripicchio, A.J. Carty), (288) 365
- ($\eta^5\text{-C}_5\text{H}_5\right)_2\text{Ni}_2\text{Fe}_2(\text{CO})_6(\mu\text{-PPPh}_2)(\mu_4\text{-}\eta^2\text{-C=CPH})$, synthesis, and X-ray crystal structure of (C. Weatherell, N.J. Taylor, A.J. Carty, E. Sappa, A. Tiripicchio), (291) C9
- (CO)₄FeCH₂P(C₆H₅)₃, mild phase transfer synthesis from iron pentacarbonyl and dichloromethane of; evidence for transient generation of tetracarbonyl ferrate anion, Fe(CO)₄²⁻ (B. Weinberger, G. Tanguy, H. Des Abbayes), (280) C31
- Cyclic coordinated polyolefins, kinetics of pericyclic [3,3]-sigmahaptotropic rearrangement of (Z. Goldschmidt, H.E. Gottlieb, D. Cohen), (294) 219
- Cycloneptatrienecyclopentadienyliron hexafluorophosphate, kinetic study of nucleophilic addition to (C.A. Camioni, D.A. Sweigart), (282) 107
- ($\eta^4\text{-Cyclohepta-1,3,5-triene})$ tricarbonyl-iron, dienophile addition to (P. McArdle, S. Kavanagh), (282) C1
- Cyclohexa-1,3-dienetricarbonyliron series, replacement of CO by R,₃P in (A.J. Birch, L.F. Kelly), (286) C5
- Cyclopentadienyl-acyl- and -carboxy-alkyl-metal complexes, base-promoted rearrangements of (S. Abbott, G.J. Baird, S.G. Davies, I.M. Dordor-Hedgecock, T.R. Maberly, J.C. Walker, P. Warner), (289) C13
- Cyclopentadienyldicarbonylphosphine-iron Lewis acid adducts, reactivity with nucleophiles of (J.J. Weers, D.P. Eyman), (286) 47
- $\eta^5\text{-Cyclopentadienyl-}\eta^1\text{-hexadiyne-2,4-yl-tricarbonylmolybdenum and -dicarbonyliron, 1,5-methanol addition to}$ (F. Giulieri, J. Benaim), (276) 367
- Cyclopentadienyliron complexes with ER, ligands (E = S, Se, Te), synthesis and spectroscopic characterisation of (N. Kuhn, H. Schumann), (276) 55
- Cyclopentadienyliron complexes with P-N ligands, (C₆H₅)_{3-n}P(NR₂)_n ($n = 0-3$, R = CH₃, C₂H₅), synthesis and spectroscopic characterisation of (H. Schumann), (299) 169
- Cyclopentadienyliron complexes with P(OR)₃ ligands, synthesis and spectroscopic characterisation of (H. Schumann), (293) 75
- Cyclopentadienyliron complexes with REER ligands (E = S, Se, Te; R = alkyl), synthesis and spectroscopic investigations of (N. Kuhn, H. Schumann), (287) 345
- Decacarbonylphosphinetriiron clusters, addition to and elimination of ligands in (K. Knoll, G. Huttner, L. Zsolnai, I. Jibril, M. Wasiucionek), (294) 91
- Desulphurisation of benzylic mercaptans by dodecacarbonyltriiron under acidic and biphasic conditions (H. Alper, F. Sibtain), (285) 225
- Di- and tri-nuclear anionic iron complexes derived from diphenylacetylene, reactivity towards electrophiles of (R. Yanez, J. Ros, R. Mathieu, J. Suades), (299) 357
- 1,4-Diaza-1,3-butadiene containing mononuclear carbonyl-transition metal complexes, He(I) and He(II) photoelectron spectra of (R.R. Andréa, J.N. Louwen, M.W. Kokkes, D.J. Stufkens, A. Oskam), (281) 273
- 1,4-Diaza-1,3-diene-hexacarbonyliron and -heptacarbonyldiiron, formation and ¹³CO labeling experiments of (H.-W. Frühauf, J. Breuer), (277) C13
- (Diazadiene)(trialkylphosphite)penta-carbonyldiiron, preparation of and intramolecular photochemical rearrangement in (H.-W. Frühauf, D. Meyer, J. Breuer), (297) 211
- Diazanorbornenepentacarbonyltriiron and related compounds, electrochemical investigation of (P. Lahuerta, J. Latorre, M. Sanau, H. Kisch), (286) C27

- β -Dicarbonyl monosubstituted compounds, $C_{\alpha}-C_{\beta}$ cleavage in (V.N. Postnov, Yu.N. Polivin, V.A. Sazonova, S.N. Grukhanova), (288) 197
- Dicarbonylcyclopentadienyliron complexes, progress and prospects of the chemistry of (M. Rosenblum), (300) 191
- Di- η^5 -cyclopentadienylbis(thioanisyl) titanium and sodium thioanisolyphthalocyaninatoferrate(II) · 4THF, preparation, characterisation and thermal decomposition of (D. Steinborn, R. Taube), (284) 395
- 1,3-Dienetricarbonyliron complexes, formation from dipotassium tetracarbonylferrate and allylic compounds (Y. Butsugan, A. Yamashita, S. Araki), (287) 103
- Dihalophosphane complexes as organometallic precursors (H. Lang, L. Zsolnai, G. Huttner), (282) 23
- 5,13-Dimethyl[2.2]metacyclophane and [3-8- η -5,13-dimethyl[2.2]metacyclophane (η^5 -cyclopentadienyl)-iron] hexafluorophosphate, crystal and molecular structures of (A.R. Koray, T. Zahn, M.L. Ziegler), (291) 53
- 2-(Diphenyloxymethyl)azaferrocene, preparation and X-ray crystal structure of (N.I. Pyshnograeva, V.N. Setkina, A.S. Batsanov, Yu.T. Struchkov), (288) 189
- 1,3-Diselena- and 1,3-dithia-[3]ferrocenophanes of germanium and tin; crystal and molecular structure of 1,3-diselena-2,2-dichlorogermyl-[3]-ferrocenophane (A.G. Osborne, A.J. Blake, R.E. Hollands, R.F. Bryan, S. Lockhart), (287) 39
- Disulphur hexacarbonyldiiron containing complexes, synthesis of; crystal and molecular structure of $[\text{Fe}_2(\text{CO})_6 \cdot [\mu\text{-S}_2\text{P}(\text{C}_6\text{H}_4\text{OMe}-p)\text{Fe}(\text{CO})_4]]$ determined from two different crystal modifications (G.J. Kruger, S. Lotz, L. Linford, M. Van Dyk, H.G. Raubenheimer), (280) 241
- 1,3-Dithia- and 1,3-diselena-[3]ferrocenophanes of phosphorus and arsenic, synthetic and structural studies of; crystal and molecular structure of 1,3-dithia-2-phenylarsino-[3]-ferrocenophane at 163 K (A.G. Osborne, R.E. Hollands, R.F. Bryan, S. Lockhart), (288) 207
- 1, n -Dithia[n]ferrocenophanes, specific change in electronic and ^{13}C NMR spectra and redox potentials of; interaction between the S atom and the ferrocene nucleus (M. Sato, S. Tanaka, S. Ebine, K. Morinaga, S. Akabori), (282) 247
- μ -Dithiobis(tricarbonyliron), nucleophilic S-S bond cleavage by organolithium and organomagnesium reagents (D. Seyferth, R.S. Henderson, L.-C. Song, G.B. Womack), (292) 9
- Dithiophosphate monodentate complexes $\text{Cp}'\text{Fe}(\text{CO})_2(\eta^1\text{-SP}(\text{S})(\text{OR})_2)$ ($\text{Cp}' = \eta\text{-C}_5\text{H}_5, \eta\text{-C}_5\text{H}_4\text{Me}, \eta\text{-C}_5\text{Me}_5$), preparation of (M. Morán, I. Cuadrado), (295) 353
- Dodecacarbonyltriiron and elemental sulphur, structure of products of reaction with norbornadiene of (A.I. Nekhaev, S.D. Alekseeva, N.S. Nametkin, V.D. Tyurin, B.I. Kolobkov, G.G. Aleksandrov, N.A. Parpiev, M.T. Tashev, H.B. Dustov), (297) C33
- Dodecacarbonyltriruthenium, chemisorption, reactivity and decomposition of (G.M. Zanderighi, C. Dossi, R. Ugo, R. Psaro, A. Theolier, A. Choplin, L. D'Ornelas, J.M. Bassat), (296) 127
- Electron transfer and transient radicals in organometallic chemistry (J.K. Kochi), (300) 139
- Enantioselective catalysis with transition metal complexes (H. Brunner), (300) 39
- $[\text{Fe}_4(\mu_3\text{-CCH}_3)(\text{CO})_{12}]^-$, reactions with alkynes of; ethylidyne-alkyne coupling on a tetrานuclear iron cluster anion (M. Kalam-Alami, R. Mathieu), (299) 363
- $[\text{Fe}_5\text{C}(\text{CO})_{15}], [\text{N}(\text{PPh}_3)_2][\text{Fe}_5\text{N}(\text{CO})_{14}]$ and $[\text{NBu}_4]_2[\text{Fe}_5\text{C}(\text{CO})_{14}]$, electrochemistry and electronic structures of (A. Gourdon, Y. Jeannin), (290) 199
- $\text{Fe}_2[\mu_2\text{-}\eta^1\text{-o-C}_6\text{H}_4\text{CH}_2\text{NC}_6\text{H}_3](\text{CO})_6$, synthesis and X-ray crystal structure of (N.S. Nametkin, V.D. Tyurin, V. V. Trusov, A.I. Nekhaev, G.G. Aleksandrov, N.A. Papiev, M.T. Tashev, H.B. Dustov), (276) 199
- Ferra- and rhena-azetidines, preparation and reactions of (W.P. Fehlhammer, P. Hirschmann, A. Völkl), (294) 251
- Ferraenolates, $\text{Li}[\text{C}_5\text{H}_5\text{Fe}(\text{CO})_2\text{COCR}'\text{-R}^2]$, selective generation and reac-

- tions with electrophiles of (M. Akita, A. Kondoh), (299) 369
- Ferricenium cations, activity in oxidative cleavage of metal-metal bonds in organometallic compounds (H. Schumann), (290) C34
- Ferricinium polyiodides, preparation and characterisation of (E.W. Neuse, M.S. Loonat), (286) 329
- Ferrocene analogues of stilbene, electron distribution in; interaction of substituents and molecular groups in ferrocene derivatives (A.G. Nagy, S. Toma), (282) 267
- Ferrocene; Annual Survey covering the year 1983 (B.W. Rockett, G. Marr), (278) 255
- Ferrocene; Annual survey covering the year 1984 (G. Marr, B.W. Rockett), (298) 133
- Ferrocene β -lactamic antibiotics, mono- and heterodi-substituted derivatives of (C. Simionescu, T. Lixandru, D. Scutaru, M. Vătă) (292) 269
- Ferrocene monosubstituted derivatives, mass-analysed ion kinetic energy spectra of (N. Filipović-Marinić, V. Rapić, V. Kramer, B. Kralj), (296) 405
- [3] Ferrocenophane-1,3-dione, crystal and molecular structure of (E. Gyepes, T. Glowik, Š. Toma, J. Soldánová), (276) 209
- [m] Ferrocenophane-1, *n*-diones, cyclic voltammetry, ^{13}C NMR and Mössbauer study of (Š. Toma, E. Solčaniová, A.G. Nagy), (288) 331
- [3] Ferrocenophanes, carbenium ions and ketones of (B. Lukas, C.W. Patterson, R.M.G. Roberts, J. Silver), (286) 209
- Ferrocenophanes containing aromatic or heteroaromatic rings in the bridging chain, syntheses of (M. Sato, S. Tanaka, S. Ebine, K. Morinaga, S. Akabori), (289) 91
- (2-Ferrocenylethyl)methyl substituted ethers, preparation, NMR spectra and reactions of (J.-H. Youn, R. Herrmann, B. Floris), (291) 355
- Ferrocenylphosphinierhodium(I) complexes as efficient asymmetric catalysts; structure of $\text{Fe}(\eta^5\text{-C}_5\text{H}_5\text{P}(\text{CMe}_3)_2\text{-1},3)(\eta^5\text{-C}_5\text{H}_4(\text{CHMeNMe}_2)\text{-P}(\text{CMe}_3)_2\text{-1},2)$ (T.D. Appleton, W.R. Cullen, S.V. Evans, T.-J. Kim, J. Trotter), (279) 5
- Ferrocenylsulphide-palladium(II) and -platinum(II) complexes, dynamic NMR studies of (K.G. Orrell, V. Šík, C.H. Brubaker, Jr., B. McCulloch), (276) 267
- Glucopyranosyliron compound, chirality transfer to iron in photochemical reaction of (G.L. Trainor), (282) C43
- Heptacarbonyldithiodiiron, synthesis and structure of (N.S. Nametkin, B.I. Kolobkov, V.D. Tyurin, A.N. Muratov, A.I. Nekhaev, M. Mavlonov, A.Ya. Sideridu, G.G. Aleksandrov, A.V. Lebedev, M.T. Tashev, H.B. Dustov), (276) 393
- Heterodienemetal complexes, advances in the chemistry of (K. Vrieze), (300) 307
- Heterometal dinuclear complexes with vinylidene as bridging ligand, synthesis and crystal structure of (H. Werner, F.J. Garcia Alonso, H. Otto, K. Peters, H.G. von Schnerring), (289) C5
- [HFeCo₃(CO)₁₂], anchoring to oxide supports of (E. Guglielminotti, D. Osella, P.L. Stanghellini), (281) 291
- HFe_xRh(μ , $\eta^2\text{-C=CHR}$)(CO)₁₁ clusters ($\text{R} = \text{H, C}_6\text{H}_5$), synthesis and catalytic activity under hydroformylation and hydrogenation conditions of (S. Attali, R. Mathieu), (291) 205
- Homogeneous and phase transfer catalysed carbonylation reactions (H. Alper), (300) 1
- Homogeneous binary catalyst systems, used in synthetic routes to *N*-acyl- α -amino acids via amidocarbonylation (I. Ojima, K. Hirai, M. Fujita, T. Fuchikami), (279) 203
- Iron and nickel half-sandwich complexes as reactive intermediates (U. Kölle, B. Fuss, F. Khouzami, J. Gersdorf), (290) 77
- Iron; Annual Survey covering the year 1982 (J.H. Alexander), (283) 415
- Iron-catalysed allylic alkylation (S.J. Ladoulis, K.M. Nicholas), (285) C13
- $\text{Li}_3[\text{FeNp}_3\text{N}_2]\cdot n\text{Et}_2\text{O}$ (Np = naphthyl), isolation and investigation of (T.A. Bazhenova, I.N. Ivleva, L.M. Kachapina, A.K. Shilova, A.E. Shilov, B. Tchoubar), (296) 95
- Metallocenes, stereochemistry of (K. Schlögl), (300) 219
- Metallocenyl fulvenes as six-electron ligands in chromium complexes (S.P.

- Dolgova, V.N. Setkina, D.N. Kursanov), (292) 229
- Metallocenyl thioketones with $C_5H_5^-$ and $[(C_5H_5)Fe(CO)_2]^-$ anions, reactions of; preparation and crystal structures of dimeric cymantrenyl-phenylfulvene derivatives (A.S. Batsanov, S.P. Dolgova, V.I. Bakhmutov, Yu.T. Struchkov, V.N. Setkina, D.N. Kursanov), (291) 341
- η^1 -Methoxymethyl- and ethyl-iron and -molybdenum complexes, reactions with the Lewis acid $(\eta-C_5H_5)(CO)_3^-Mo^+PF_6^-$ of (J. Markham, W. Tolman, K. Menard, A. Cutler), (294) 45
- Methylaminobis(difluorophosphine)-metal(0) complexes, structures of (R.B. King, M. Chang, M.G. Newton), (296) 15
- Methylene-bridged disecondary phosphanes, formation of clusters with $Fe_2(CO)_9$ from (D.J. Brauer, S. Hietkamp, H. Sommer, O. Stelzer, G. Müller, C. Krüger), (288) 35
- Methyliodomagnesium, interaction with β -carbonyl compounds of (Yu.N. Polivin, V.N. Postnov, V.A. Sazonova, D.V. Zagorevsky, Yu.S. Nekrasov, A.P. Kharchevnikov), (288) 201
- Methyliron σ -bonded porphyrins; conversion of iron(III) to magnesium(II) porphyrins by methyl-Grignards (C.E. Castro, D. Kishore), (287) C27
- Methyliron complex formation by protonation of methoxymethyliron complexes, mechanism of (S.G. Davies, T.R. Maberly), (296) C37
- Methylsiloles, synthesis by thermolysis of esters of silacyclopent-4-ene-3-ols and η^4 -tricarbonyliron complexes of (J. Dubac, A. Laporterie, H. Iloughmane), (293) 295
- 4a-Methyl-1,3,9-triphenyl-4a-H-fluorene and its $Fe(CO)_3$ complex, X-ray comparison of the molecular structures of (M.A.A.F.C.T. Carrondo, D. Rogers), (276) 219
- Nitrosyliron clusters, $[(Ph_3P)_2N][Fe_6(CO)_{15}NO]$ and $[Fe_6C(CO)_{11}(NO)_4]$, syntheses and X-ray structures of (A. Gourdon, Y. Jeannin), (282) C39
- Nonamethylferrocenylcarbenium diamagnetic salts, conversion into bis-(nonamethylferroceniumyl)ethane paramagnetic salts of (E.I. Fedin, A.L. Blumenfeld, P.V. Petrovskii, A.Z. Kreindlin, S.S. Fadeeva, M.I. Rybinskaya), (292) 257
- Octahedral iron(II) cationic complexes with isocyanides and diphosphines (V. Riera, J. Ruiz, F. Mayor), (276) 47
- Organoiron chemistry; Annual Survey for the year 1983 (R.C. Kerber), (278) 205
- Organoiron chemistry; Annual survey for the year 1984 (R.C. Kerber), (298) 77
- Organoiron complexes used in the synthesis of sterically crowded spirocyclic compounds; approach to acorane and cedrol synthesis (A.J. Pearson, T.R. Perrior), (285) 253
- Organoiron ethylidene reagent used as transfer reagent in direct conversions of alkenes into methyl-substituted cyclopropanes (K.A.M. Kremer, P. Helquist), (285) 231
- Organoiron metalloalkadienes, cycloaddition reactions of (P.S. Waterman, J.E. Belmonte, T.E. Bauch, P.A. Belmonte, W.P. Giering), (294) 235
- Organometallic chemistry photoelectron spectroscopy in (J.C. Maire), (281) 45
- Organometallic route to tetrahydrocarbazolones (G.R. Stephenson), (286) C41
- Pentacarbonyliron photochemical hydrogenation of octenes, radical mechanism for (H. Nagorski, M.J. Mirbach), (291) 199
- Pentadienylmetal compounds, structural analysis and applications in organic synthesis of (H. Yasuda, A. Nakamura), (285) 15
- Pentamethylcyclopentadienyldialkyl-nitrosyliron complexes, preparation of (B.N. Diel), (284) 257
- Phosphine hydride complexes of the iron group metals, photochemistry of (P. Bergamini, S. Sostero, O. Traverso), (299) C11
- Phosphine-nickel and -palladium complexes, regio- and stereo-chemistry in allylation of aryl-Grignard reagents catalysed by (T. Hayashi, M. Konishi, K.-I. Yokota, M. Kummada), (285) 359
- Polymer-supported 2,2'-dipyridylmethane, synthesis and formation of transition metal complexes (B. Elman, C. Moberg), (294) 117

- trans*-Pt[Fe(CO)₃(NO)]₃(NCPPh)₂, synthesis and crystal structure of (P. Braunstein, G. Predieri, F.J. Lahoz, A. Tiripiechio), (288) C13
- Pyrrolidinylmethylferrocene, facile one-step synthesis of (M.-T. Wu, G.-S. Shaw, S.-J. Jong, J.-J. Liang, C.-S. Hsu), (297) 205
- Ruthenocene and osmocene and their decamethyl derivatives, high yield synthesis of; crystal structure of [Ru(η^5 C₅Me₅)₂] (D.C. Liles, A. Shaver, E. Singleton, M.B. Wiege), (288) C33
- Selenido heterometallic complexes, synthesis and chemical behaviour of (W.A. Herrmann, J. Rohrmann, M.L. Ziegler, T. Zahn), (295) 175
- Selenium and tellurium bridges in organometallic complexes, structure, protonation and methylation of (W.A. Herrmann, J. Rohrmann, C. Hecht), (290) 53
- Sulphur-bridged dimers obtained from μ -dithiobis(tricarbonyliron) (D. Seyferth, A.M. Kiwan), (281) 111
- Tertiary and secondary methylene-bisphosphanes, bridging ligands and sources for phosphinidines in cluster synthesis (D.J. Brauer, S. Hietkamp, H. Sommer, O. Stelzer), (281) 187
- 3,3'4,4'-Tetramethyl-1,1'-diphosphaferrocene bonded to pentacarbonyl-chromium, -molybdenum and -tungsten fragments, electrochemical formation of heterometallic complexes with multipleredox centres from (P. Lemoine, M. Gross, P. Braunstein, F. Mathey, B. Deschamps, J.H. Nelson), (295) 189
- Thioacyl- and thioaldehyde-iron dinuclear complexes, preparation, structure and properties of (H. Umland, U. Behrens), (287) 109
- Thiocetenehexacarbonyldiiron cluster complex, reactions with phosphanes and structure and properties of (H. Umland, D. Wormsbächer, U. Behrens), (284) 353
- Transition metal alkyls, a personal perspective (A. Yamamoto), (300) 347
- Transition metal heteronuclear carbonyl-carbide clusters, synthesis via vertex replacement in a metal polyhedron of; X-ray crystal structures of [Fe₄CoC(CO)₁₄]⁻ and Fe₄CoRhC(CO)₁₆ clusters (V.E. Lopatin, S.P. Gubin, N.M. Mikova, M.Ts. Tsybenov, Yu.L. Slovokhotov, Yu.T. Struchkov), (292) 275
- 2,4,6-Tri-*t*-butylphenylmethylenephosphane as ligand in transition metal complexes (R. Appel, C. Casser, F. Knoch), (293) 213
- Tricarbonyl(amido-substituted-1,3-diene)iron complexes, formation of (T.I. Odiaka, J.I. Okogun), (288) C30
- Tricarbonyl(η^4 -cycloheptatriene)iron and (carbomethoxy)-maleic anhydride, perispecific Diels-Alder reaction controlled by secondary orbital overlap between (Z. Goldschmidt, S. Antebi, H.E. Gottlieb, D. Cohen, U. Shmueli, Z. Stein), (282) 369
- Tricarbonyl(η^5 -cyclohexadienyl)iron(1+) salts, addition of cyanide to (R.P. Alexander, G.R. Stephenson), (299) C1
- Tricarbonylcyclohexadieneiron compounds, removal of OMe from under formation of tricarbonylcyclohexadienyliron salts (A.J. Birch, B. Chauncy, L.F. Kelly, D.J. Thompson), (286) 37
- Tricarbonylmethoxycyclohexadiene- and -dienyl-iron complexes, preparation, properties and applications of (*Review*) (A.J. Birch, L.F. Kelly), (285) 267
- Trimethylsilyl- μ -S,S'-ethylenedithiolatohexacarbonyldiiron, reduction of (A.V. Lebedev, E.A. Chernyshev, O.V. Kuz'min, N.S. Nametkin, V.D. Tyurin, A.I. Nekhaev), (276) 215
- Triphosphaalkanes with P—C—P—C—P donor skeleton, ligands for formation of polynuclear complexes (D.J. Brauer, S. Hietkamp, H. Sommer, O. Stelzer, G. Müller, M.J. Romão, C. Krüger), (296) 411
- 1,1',2,2',4,4'-Tris(trimethylene)ferrocenium perchlorate, crystal and molecular structure of (M. Hillman, A.C. Larson), (280) 389
- (η^6 -Xanthene)(η^5 -cyclopentadienyl)-iron(II) hexafluorophosphate and (η^6 -2-methylthianthrene)(η^5 -cyclopentadienyl)iron(II) hexafluorophosphate, crystal and molecular structures of (S.H. Simonsen, V.M. Lynch, R.G. Sutherland, A. Piórko), (290) 387

Lanthanides

- Carbonylmetal derivatives of lanthanum, samarium and ytterbium, synthesis and structure of (I.P. Beletskaya, G.A. Suleimanov, R.R. Shifrina, R.Yu. Mekhdiev, T.A. Agdamskii, B.N. Khandozhko, N.E. Kolobova), (299) 239
- Dicyclopentadienyl-early lanthanide complexes, formation and cleavage of carbon—metal bonds of (C. Qian, Y. Ge), (299) 97
- $[Li(tmed)_2][C_5Me_5Lu(CH_3)_3]$, synthesis and structure of (H. Schumann, I. Albrecht, J. Pickardt, E. Hahn), (276) C5
- Organometallic compounds of the rare earths elements (*Review*) (H. Schumann), (281) 95

Lead

- $ArXH$ and $ArXM$ ($X = O, S, NR; M = Hg, Sn, Pb, Sb$) type compounds, polarity of XH and XM bonds and their capacity for coordination and dissociation in (L.M. Epstein, Ye.S. Shubina, L.D. Ashkinadze, D.N. Kravtsov), (277) 153
- σ -Arylplatinum(IV) complexes, formation and reactions with $PtCl_6^{2-}$ of (G.B. Shul'pin, G.V. Nizova), (276) 109
- Asymmetric substituted diplumbanes, synthesis of (N. Kleiner, M. Dräger), (293) 323
- Organometallic chemistry, photoelectron spectroscopy in (J.C. Maire), (281) 45
- Organotin, organolead, lead(IV) and lead(II) dithiolates, investigations of (K. Grätz, F. Huber, A. Silvestri, G. Alonzo, R. Barbieri), (290) 41
- Tin—element exchange, formation and multinuclear NMR characterisation of mixtures of the type $C(SnMe_3)_n \cdot (MMe_3)_{4-n}$ ($M = Si, Pb; n = 0-3$) (T.N. Mitchell, R. Wickenkamp), (291) 179
- Tri- and di-phenylhaloplumbanes, synthesis and vibrational spectra of (I. Wharf, R. Cuenca, E. Besso, M. Onyszchuk), (277) 245
- Triphenyllead benzenethiolate, Ph_3PbSPh , triphenyllead O,O' -diethyl-dithiophosphate, $Ph_3PbS_2P(OEt)_2$,

and diphenyllead bis(O,O' -dibenzyl-dithiophosphate), $Ph_2Pb[S_2P(OCH_2Ph)_2]_2$, crystal and molecular structures of (M.G. Begley, C. Gaffney, P.G. Harrison, A. Steel), (289) 281

Triphenyl-tin and -lead halides, preparation and spectroscopic studies of cyclic urea adducts of (C.T. Aitken, M. Onyszchuk), (295) 149

Lithium

- Alkali metal cyclopentadienides, vibrational spectra of (I.A. Garbuzova, O.G. Garkusha, B.V. Lokshin, G.K. Borisov, T.S. Morozova), (279) 327
- Alkylarenelithium complexes in aromatic solvents, AC conductivity of (L. Assadourian, G. Gau), (280) 299
- Alkylarenelithium salts, 7Li NMR studies of (L. Assadourian, R. Faure, G. Gau), (280) 153
- Alkynylmetal complexes with pyridinones, regioselectivity in reactions of (F. Rise, K. Undheim), (291) 139
- Allyllithium γ,γ' -disubstituted compounds, preparation and ^{13}C NMR characterisation of (S. Bywater, P. Lachance, P. Black), (280) 159
- Asymmetric synthesis of optically active halohydrins and oxiranes by enantioselective reduction of prochiral α -haloketones with chirally modified lithium borohydride (K. Soai, T. Yamanoi, H. Hikima), (290) C23
- Aurated derivatives of dicyclopropyl ketone, synthesis, structure and properties of (E.G. Perevalova, I.G. Bolesov, Yu.T. Struchkov, I.F. Lebedeva, Ye.S. Kalyuzhnaya, T.I. Voyevodskaya, Yu.L. Slovokhotov, K.I. Grandberg), (286) 129
- 1,1'-Bis(*N,N*-dimethylamino)-ferrocene, -cobalticenium hexafluorophosphate, and -titanocene dichloride, preparation and crystal structure of the titanocene dichloride (K.-P. Stahl, G. Boche, W. Massa), (277) 113
- Bis[2-[(dimethylamino)methyl]phenyl]copperlithium, formation of a lithium-enolate from; X-ray structure of $Li_4[OC(=CH_2)C_6H_4CH_2NMe_2 \cdot 2]$ (J.T.B.H. Jastrzebski, G. van Kotem, M.J.N. Christophersen, C.H. Stam), (292) 319
- Bis(diphenylphosphino)methylolithium (N,N,N',N' -tetramethylenediamine,

- crystal structure of (D.J. Brauer, S. Hietkamp, O. Stelzer), (299) 137
- t*-Butyllithium in reactions with β -bromo-enol ethers (L. Duhamel, F. Tombret, Y. Mollier), (280) 1
- α -Chloro- α -lithiated phosphonate carbanions, condensation reactions of (M.P. Teulade, P. Savignac, E.E. Aboujaoude, N. Collignon), (287) 145
- Chlorolithium as a synthon for chloroallylation or as an equivalent for vinylcarbene, regioselective synthesis of γ -ethylenyl- β -chloro alcohols and 2-vinyl oxethanes starting from epoxides (P. Ongoka, B. Mauzé, L. Miginiac), (284) 139
- $C_5H_5TiCl_2OPhX$ ($X = CH_3O, CH_3, Cl, NO_2$), Hammett relationship with BuLi(Et₂AlCl) catalytic systems in (W. Skupiński, A. Wasilewski), (282) 69
- Cinnamic acid esters, reaction with lithium dimethylcuprate, NMR investigation of; initial formation of an olefin-copper π -complex (G. Hallnemo, T. Olsson, C. Ullénus), (282) 133
- Cyanocuprates " $R_t(2\text{-thienyl})Cu(CN)-Li_2$ ", efficient reagents promoting selective ligand transfer (R_t = vinyl, Bu, Ph) (B.H. Lipshutz, J.A. Kozlowski, D.A. Parker, S. Nguyen, K.E. McCarthy), (285) 437
- Cyclic chiral triarylboranes with a B-N bond, preparation of (L. Horner, U. Kaps, G. Simons), (287) 1
- Cycloheptatrienyl trianion, stabilisation by three lithium counterions of (P.v.R. Schleyer, D. Wilhelm, T. Clark), (281) C17
- ω, ω' -Dicarbanionic oligomers with elemental sulphur, electron transfer in and nucleophilic addition reactions of (J.M. Catala, J.F. Boscato, J. Brossas), (276) 155
- Dihydridotungstenocene ring-substituted derivative, formation by the reaction of Cp₂WC₂ with Li[Si(SiMe₃)₃] (U. Schubert, A. Schenkel, J. Müller), (292) C11
- 1,4-Dilithio-*cis*-2-butene, double bridged structure of (A.J. Kos, P. Stein, P.v.R. Schleyer), (280) C1
- 1,4-Dilithio-1,4-diphenyl-*cis*-2-butene, structure of (D. Wilhelm, T. Clark, P.v.R. Schleyer, H. Dietrich, W. Mahdi), (280) C6
- Diphenylmagnesium/alkali metal alkoxide system, hydrocarbon-soluble organo-alkali metal reagents (C.G. Scettas, M. Micha-Scettas), (290) 1
- 2-(Diphenyloxymethyl)azaferrocene, preparation and X-ray crystal structure of (N.I. Pyshnograeva, V.N. Setkina, A.S. Batsanov, Yu.T. Struchkov), (288) 189
- μ -Dithiobis(tricarbonyliron), nucleophilic S-S bond cleavage by organolithium and organomagnesium reagents (D. Seyferth, R.S. Henderson, L.-C. Song, G.B. Womack), (292) 9
- α -Ethoxybutenyltributyltins, precursors of α -ethoxybutenyllithiums, application to the synthesis of enones via homoallylic α -glycolic ethers (J.-P. Quintard, B. Elisondo, T. Hattich, M. Pereyre), (285) 149
- Ferraenolates, $Li[C_5H_5Fe(CO)_2COCR^1-R^2]$, selective generation and reactions with electrophiles of (M. Akita, A. Kondoh), (299) 369
- Group IVB metallocenes, new approach to (P. Jutzi, B. Hielscher), (291) C25
- Ion-pairing effects on ¹H NMR chemical shifts of cyclic conjugated carbanions (H. Vogler), (293) 131
- Iron and nickel half-sandwich complexes as reactive intermediates (U. Kölle, B. Fuss, F. Khouzami, J. Gersdorf), (290) 77
- (LiCH₂CH₂CH₂NMe₂)₄, structure of (K.S. Lee, P.G. Williard, J.W. Suggs), (299) 311
- 1-Lithio- and 1-magnesio-2-pivaloyl-1,2,3,4-tetrahydroisoquinoline, steric course of addition to aldehydes and ketones of; X-ray structure of the organomagnesium reagent (D. Seebach, J. Hansen, P. Seiler, J.M. Gromek), (285) 1
- Lithium cyclopentadienide formation by reactions of $Li(C_5H_5)_3BH$ with cyclopentadiene and preparation of [M(CO)₃(C₅H₅)]⁻ (M = Cr, Mo, W) (M.A. El-Hinnawi, A.K. El-Qaseer), (281) 119
- Lithium tris(phenylthio)methane for homologation of trialkylboranes, convenient syntheses of ketones and *t*-carbinols (A. Pelter, J.M. Rao), (285) 65
- [Li(tmde)₂]⁻ [C₅Me₅Lu(CH₃)₃]⁺, synthesis and structure of (H. Schumann, I. Albrecht, J. Pickardt, E. Hahn), (276) C5

- 2-Methylbenzothiazole, activation by metallation of (M.V. Costa, P. Lochon), (293) 265**
- Organoborates containing $C_6H_4CH_2-$ NMe_2 -2 ligands, synthesis and features of (E. Kalbartszyk, S. Pasynkiewicz), (292) 119**
- Organocerium(III) reagents, selective 1,2-addition to α,β -unsaturated carbonyl compounds of (T. Imamoto, Y. Sugiura), (285) C21**
- Organo-lithium, -magnesium and -aluminum compounds in selective C or N alkylation of C=N bonds (L. Stamp, H. tom Dieck), (277) 297**
- Palladium and nickel catalysed aryl- and acyl-demetallation of organometallic compounds (N.A. Bumagin, A.B. Ponomaryov, I.P. Beletskaya), (291) 129**
- Palladium and platinum asymmetric metalla-cyclic complexes, synthesis and reactivity of (H.-P. Abicht, K. Issleib), (289) 201**
- Pentadienylmetal compounds, structural analysis and applications in organic synthesis of (H. Yasuda, A. Nakamura), (285) 15**
- Pentamethylcyclopentadienyl-substituted diphosphene, bicyclo[1.1.0]tetraphosphane, cyclotetraphosphane and cyclotriphosphanes, preparation from dihalogeno(pentamethylcyclopentadienyl)phosphanes of (P. Jutzi, T. Wippermann), (287) C5**
- α -Silyl- and α -stannyl-vinyllithiums, formation and reactions with aldehydes and ketones of (T.N. Mitchell, W. Reimann), (281) 163**
- Stereoselectively-fluorinated conjugated dienes, preparation by palladium catalysed cross coupling reactions of (F. Tellier, R. Sauvêtre, J.-F. Normant), (292) 19**
- Sulphonyl- and silyl-substituted hydrocarbons as versatile carbanion precursors in organic synthesis (J.J. Eisch, M. Behrooz, S.K. Dua), (285) 121**
- (\pm)-3-p-Toluenesulphanyl-2-pyrone, organometallic route to (G.H. Posner, W. Harrison), (285) C27**
- Trialkylmagnesium mixed cuprates, regiospecific and regioselective addition reactions with α,β -enones and -enals of (J. Drouin, G. Rousseau), (289) 223**
- 2,4,6-Tri-t-butylphenyllithium, reaction with elementary tellurium of (L. Lange, W.-W. Du Mont), (286) C1**
- Tricarbonylchromium-*meta*-diisopropylphenyllithium, reactions with carbon monoxide of (J.-C. Boutonnet, F. Rose-Munch, E. Rose, G. Precigoux), (284) C25**
- Trimethylsilyl-4,4-ethylenedioxyphenyl-anatoate-lithium, reactions with aldehydes and ketones of (J.-L. Moreau, R. Couffignal), (297) 1**
- Trimethylsilyl-4,4-ethylenedioxyphenyl-anatoate-organolithium reagent, reactions with mixed carboxylic carbonic anhydrides of (J.-L. Moreau, R. Couffignal), (294) 139**
- (Triphenyl)germyl and (triphenyl)stannyly substituted allenes, convenient synthesis of (K. Ruitenberg, H. Westmijze, H. Kleijn, P. Vermeer), (277) 227**
- Tris(diphenylphosphino)aminetetracarbonyl-chromium, synthesis of (J. Ellermann, W. Wend), (281) C29**
- Tris(trimethylsilylamino)silanes, $RSi-(NHSiMe_3)_3$, synthesis, crystal and molecular structure of dimeric trilithio derivatives of (D.J. Brauer, H. Bürger, G.R. Liewald, J. Wilke), (287) 305**
- Vinylidene-rhodium complexes, preparation of (W.A. Herrmann, C. Weber), (282) C31**
- $WCl_6/LiAlH_4$ promoted transformation of imines into secondary and tertiary amines (T. Ikariya, Y. Ishikawa, K. Hirai, S. Yoshikawa), (288) 311**
- ansa*-Zirconocene chiral derivative with ethylene-bridged tetrahydroindenyl ligands, synthesis and crystal structure of (F.R.W.P. Wild, M. Wasiucionek, G. Huttner, H.H. Brintzinger), (288) 63**
- Lutetium**
- Cyclopentadienylhydridolutetium compounds, synthesis and molecular structure of (H. Schumann, W. Genthe, E. Hahn, M.B. Hossain, D. Van der Helm), (299) 67**
- Dicyclopentadienyl(dimethylphosphino-methyl)lutetium, intramolecular stabilisation via a Lu—C—P three-membered ring (H. Schumann, F.-W. Reier, E. Palamidis), (297) C30**
- [Li(tmed)₂] [$C_5Me_5Lu(CH_3)_3$], synthesis**

- and structure of (H. Schumann, I. Albrecht, J. Pickardt, E. Hahn), (276) C5
- ### Magnesium
- Alkynylmetal complexes with pyrimidinones, regioselectivity in reactions of** (F. Rise, K. Undheim), (291) 139
- Allylic organometallic way to control acyclic stereochemistry and its application to the synthesis of carbohydrates** (Y. Yamamoto, T. Komatsu, K. Murayama), (285) 31
- Crotyl-organometallic compounds, reversal of diastereoselectivity in BF_3 -promoted addition of aldehydes to** (Y. Yamamoto, K. Maruyama), (284) C45
- Cyclopentadienyl(2-methylallyl)magnesium, structure and NMR spectrum of** (R. Benn, H. Lehmkuhl, K. Mehler, A. Rufińska), (293) 1
- Diarylmagnesium solvated and/or unsolvated simple and mixed compounds, preparation of** (C.G. Scettas, M. Micha-Scettas), (292) 325
- "Dibutylmagnesium", convenient reagent in organo(metallic) synthesis; preparation of $\text{Zr}(\text{C}_2\text{H}_5)_2\text{Cl}_2$; X-ray structure of $[\text{Mg}\{\mu\text{-N}(\text{SiMe}_3)_2\text{C}_6\text{H}_4\text{N}(\text{SiMe}_3)_2\text{-o}\}(\text{OEt}_2)]_2$** (A.W. Duff, P.B. Hitchcock, M.F. Lappert, R.G. Taylor, J.A. Segal), (293) 271
- 1,4-Diodotetrastannane, $\text{I}(\text{t-Bu}_2\text{Sn})_4\text{I}$, synthesis, mass, NMR and vibrational spectra of** (S. Adams, M. Dräger), (288) 295
- Dimethylbis(diethylphenylphosphine)-palladium(II), *trans-cis* isomerisation catalysed by methylmagnesium compounds of** (F. Ozawa, K. Kurihara, T. Yamamoto, A. Yamamoto), (279) 233
- Diolefin-indenyl-cobalt and -rhodium complexes, new routes to** (A. Salzer, C. Täschler), (294) 261
- Diorganosilacyclopent-3-ene derivatives from diorganodichlorosilanes and butadienemagnesium, evidence for crotyl-Grignard intermediates** (W.J. Richter), (289) 45
- Diphenylmagnesium/alkali metal alkoxide system, hydrocarbon-soluble organo-alkali metal reagents** (C.G. Scettas, M. Micha-Scettas), (290) 1
- μ -Dithiobis(tricarbonyliron), nucleophilic S-S bond cleavage by organolithium and organomagnesium reagents** (D. Seyerth, R.S. Henderson, L.-C. Song, G.B. Womack), (292) 9
- Grignard reagents, evidence for single electron transfer in reactions with ketones of** (Y. Zhang, B. Wenderoth, W.-Y. Su, E.C. Ashby), (292) 29
- Grignard reagents in reaction with tetra-N-butylammonium cation; formation of $[\text{Mg}(\text{THF})_6]^{2+}$, $[\text{Mg}_2(\mu\text{-Cl})_3\text{-}(\text{THF})_6]^{+}$ and $[\text{MgCl}_4]^{2-}$ ions** (P. Sobota), (290) C1
- Hydromagnesation reaction, preparation of Grignard reagents from and their uses in organic synthesis** (F. Sato), (285) 53
- 1-Lithio- and 1-magnesio-2-pivaloyl-1,2,3,4-tetrahydroisoquinoline, steric course of addition to aldehydes and ketones of; X-ray structure of the organomagnesium reagent** (D. Seebach, J. Hansen, P. Seiler, J.M. Gromek), (285) 1
- Magnesiation of carbon Brønsted acids with electrophilic, donor-free alkyl-magnesium compounds** (J.J. Eisch, R. Sanchez), (296) C27
- Main Group IV organometallic compounds, applications of the methylene di-Grignard reagent for** (J.W. Bruin, G. Schat, O.S. Akkerman, F. Bickelhaupt), (288) 13
- Methyliodomagnesium, interaction with β -carbonyl compounds of** (Yu.N. Polivin, V.N. Postnov, V.A. Sazonova, D.V. Zagorevsky, Yu.S. Nekrasov, A.P. Kharchevnikov), (288) 201
- Methyliron σ -bonded porphyrins; conversion of iron(III) to magnesium(II) porphyrins by methyl-Grignards** (C.E. Castro, D. Kishore), (287) C27
- Nickel catalysts containing optically active P/N ligands, cross-coupling of 1-phenylethyl Grignard reagent and vinyl bromide with** (H. Brunner, W. Li, H. Weber), (288) 359
- Organocerium(III) reagents, selective 1,2-addition to α,β -unsaturated carbonyl compounds of** (T. Imamoto, Y. Sugiura), (285) C21
- Organo-lithium, -magnesium and -aluminium compounds in selective C or N alkylation of C=N bonds** (L. Stamp, H. tom Dieck), (277) 297
- Organomagnesium 2,2'-bipyridine halidic adducts and organodihalomagnesium(II)**

- salts, electrochemical synthesis of (P.C. Hayes, A. Osman, N. Seudeal, D.G. Tuck), (291) 1
- Palladium and nickel catalysed aryl- and acyl-demetallation of organometallic compounds (N.A. Bumagin, A.B. Ponomaryov, I.P. Beletskaya), (291) 129
- Pentadienylmetal compounds, structural analysis and applications in organic synthesis of (H. Yasuda, A. Nakamura), (285) 15
- Pentamethylcyclopentadienyl-substituted diphosphene, bicyclo[1.1.0]-tetraphosphane, cyclotetraphosphane and cyclotriphenophanes, preparation from dihalogeno(pentamethylcyclopentadienyl)phosphanes of (P. Jutzi, T. Wippermann), (287) C5
- Phenylmagnesium bromide, reaction with diethyl ether during Grignard preparation (L.A. Jones, S.L. Kirby, D.M. Kean, G.L. Campbell), (284) 159
- Phosphine-nickel and -palladium complexes, regio- and stereo-chemistry in allylation of aryl-Grignard reagents catalysed by (T. Hayashi, M. Konishi, K.-I. Yokota, M. Kumada), (285) 359
- Tetrachlorotitanium/magnesium system under nitrogen, influence of $MgCl_2$ on N_2 reduction in and formation of N—C bonds from N_2 and CO (P. Sobota, Z. Janas), (276) 171
- Titanocene-tolane complex, reactions with carbonyl compounds of; synthesis of titanadihydrofuran metalacycles (V.B. Shur, V.V. Burlakov, A.I. Yanovsky, P.V. Petrovsky, Yu.T. Struchkov, M.E. Vol'pin), (297) 51
- Transition-metal catalysed stannyl-metallation of acetylenes and conversion of enol triflates and vinyl iodides into vinylstannanes (S. Matsubara, J.-I. Hibino, Y. Morizawa, K. Oshima, H. Nozaki), (285) 163
- Trialkylalanes, dialkyl- and diaryl-magnesium derivatives, cross-coupling reactions with allyl, homoallyl and homopropargyl substrates of (G.A. Tolstikov, U.M. Dzemilev), (292) 133
- Trialkylmagnesium mixed cuprates, regiospecific and regioselective addition reactions with α,β -enones and -enals of (J. Drouin, G. Rousseau), (289) 223
- cis*-1,3,5-Tris(bromomethyl)cyclohexane, reaction with magnesium under formation of a tri-Grignard reagent of (P. Boudjouk, R. Sooriyakumaran, C.A. Kapfer), (281) C21
- Zirconium and titanium complexes as catalysts in olefin carbometallation assisted by alkyl-magnesium and -aluminium derivatives (U.M. Dzhemilev, O.S. Vostrikova), (285) 43
- ### Manganese
- Alkyl- and aryl-carbonyl derivatives of manganese, molybdenum and tungsten, photo-induced degradation reactions of (T.E. Gismondi, M.D. Rausch), (284) 59
- μ -Alkylidene-transition metal complexes, comparison of thermolysis reactions of (A. Schäfer, W.A. Herrmann), (297) 229
- Allylcyclopentadienylmanganese cationic complexes, synthesis and reactivity of (B. Buchmann, A. Salzer), (295) 63
- Allyl-manganese and -tungsten complexes, photochemistry in frozen gas matrices at ca. 12 K of; IR evidence for photodecarbonylation and $\sigma \rightarrow \pi$ conversion processes in (R.B. Hitam, K.A. Mahmoud, A.J. Rest), (291) 321
- Antiferromagnetic heterometallospiran clusters, $[(CH_3)_2C_5H_4]_2Cr(\mu-SMe_3)_2(\mu_3-S)_2M$ ($M = Mn^{II}$, Fe^{II}), synthesis and molecular structure of (A.A. Pasynskii, I.L. Eremenko, G.Sh. Gasanov, Yu.T. Struchkov, V.E. Shklover), (276) 349
- Azacymantrene, CO substitution in and reactions of $(\eta^5-C_5H_4N)Mn(CO)_2-PPPh_3$ with electrophiles of; X-ray crystal structure of $[(PPPh_3)(CO)_2Mn(\eta^5-C_5H_4N)]_2PdCl_2$ (N.I. Pyshnograeva, A.S. Batsanov, Yu.T. Struchkov, A.G. Ginzburg, V.N. Setkina), (297) 69
- cis*-(Benzodioxyl)₂PMn(CO)₄P(OPh)₃, carbonyl substitution reactions and X-ray crystal structure of (S.K. Chopra, S.S.C. Chu, P. De Meester, D.E. Geyer, M. Lattman, S.A. Morse), (294) 347
- Bis(ethoxythiocarbonyl)sulphide, ^{13}C hyperfine splitting in radical complex with decacarbonyldimanganese of (A. Alberti, M.C. Depew, A. Hudson, W.G. McGimpsey, J.K.S. Wan), (280) C21

- $\{[\eta^2\text{-Bu}^t\text{C}_2\text{Mn}(\text{CO})_3(\text{dppe})]_2\text{Cu}\}(\text{PF}_6)$, synthesis and X-ray crystal structure of (G.A. Carriero, D. Miguel, V. Riera, X. Solans, M. Font-Altaba, M. Coll), (299) C43
- $\mu(1,4)\text{-Butanediylbis(pentacarbonyl-manganese)}$, synthesis and reactivity of (S.F. Mapolie, J.R. Moss, L.G. Scott), (297) C1
- $\mu_2\text{-Carbomethoxyvinylidene chelating ligand containing heterometallic complexes, preparation of; X-ray crystal structure of } \text{Cp}(\text{OC})_2\text{MnW}(\text{CO})_4\text{-}(\mu\text{-C=CHCOOMe}) \text{ and } [\text{Cp}(\text{CO})_2\text{-Mn}(\mu_2\text{-C=CHCOOMe})_2\text{Mo}(\text{CO})_2$ (N.E. Kolobova, L.L. Ivanov, O.S. Zhvanko, A.S. Batsanov, Yu.T. Struchkov), (279) 419
- Carbonylmanganese complexes, $[\text{Mn}(\text{CO})_3\text{PR}_3]^+$ and $[\text{Mn}_2(\text{CO})_{10-n}(\text{PR}_3)_n]$, ligand rearrangement with bis(halo-dinitrosylcobalt of (P. Oltmanns, D. Rehder), (281) 263
- Carbonylmanganese(I) complexes with σ -bonded alkynyl ligands, synthesis of (D. Miguel, V. Riera), (293) 379
- Carbonylmanganese(I) complexes with chelating phosphino-alkyl or -acyl ligands; crystal and molecular structure of $[\text{Ph}_2\text{PCH}_2\text{CH}_2(\text{O})\overline{\text{CMn}}(\text{CO})_2\text{-}(\text{dppm})]$ (G.A. Carriero, J.B. Parra Soto, V. Riera, X. Solans, C. Mavitiles), (297) 193
- Carbonyl- μ -thiolatomanganese complexes, $\text{Et}_4\text{N}[\text{Mn}_2\text{-}(\mu\text{-SR})_3(\text{CO})_6]$, synthesis and reactivity of (P.M. Treichel, M.H. Tegen), (292) 385
- $(\eta^5\text{CH}_3\text{C}_5\text{H}_4)(\text{CO})(\text{PR}_3)\text{Mn}(\text{H})\text{SiHPh}_2$ complexes, reductive elimination of diphenylsilanes from (G. Kraft, C. Kalbas, U. Schubert), (289) 247
- $\text{C}_5\text{H}_5(\text{CO})_2\text{MnFe}_2(\text{CO})_6\text{PR}$, kinetics and mechanism of reversible metal-metal bond opening in (J. Schneider, M. Minelli, G. Huttner), (294) 75
- $[(\text{C}_5\text{H}_5(\text{CO})_2\text{Mn})_2\text{TePh}]^x$ ($x = +1, -1$), synthesis and structure of; valence tautomerism in dinuclear complexes (G. Huttner, S. Schuler, L. Zsolnai, M. Gottlieb, H. Braunwarth, M. Minelli), (299) C4
- $\text{C}_5\text{H}_5(\text{CO})_2\text{MnXR}^*$ ($X = \text{S, Se}$) radical complexes, synthesis, electrochemistry and organometallic reactions of (A. Winter, G. Huttner, M. Gottlieb, I. Jibril), (286) 317
- $\text{cis-CH}_3\text{Mn}(\text{CO})_4\text{L}$, carbonylation and hydrogenation of; substitution reactivity of *cis*- $\text{HMn}(\text{CO})_4\text{L}$ and bi-nuclear elimination between *cis*- $\text{CH}_3\text{Mn}(\text{CO})_4\text{P(OPh)}_3$ and *cis*- $\text{HMn}(\text{CO})_4\text{P(OPh)}_3$ ($\text{L} = \text{CO, PPh}_3$, P(OPh)_3 , PBu_3 , P(OMe)_3) (R.J. Ruszczyk, B.-L. Huang, J.D. Atwood), (299) 205
- $(\eta^5\text{C}_5\text{H}_4\text{R})_2\text{Ta}(\text{CO})(\mu\text{-H})\text{MLn}$ ($\text{M} = \text{Cr, Mo, W, Mn}$), synthesis of (J.D. Reynaud, J.C. Leblanc, C. Moise), (296) 377
- $(\text{CO})_2\text{MM}'(\text{CO})_3(\alpha\text{-diimine})$ ($\text{M, M}' = \text{Mn, Re}$) in 2-Me-THF and THF at 293 K, MLCT photolysis of (M.W. Kokkes, W.G.J. de Lange, D.J. Stufkens, A. Oskam), (294) 59
- Cyclopentadienyldicarbonylmanganese complexes with amines and aminyl ligands, stabilisation of unstable aminyl radicals in (D. Sellmann, J. Müller), (281) 249
- Dicarbonyl(methylcyclopentadienyl)-(tetrahydrofuran)manganese, reaction with 4-cyanopyridine of (R. Gross, W. Kaim), (292) C21
- Dichlororuthenium complexes, metathetical reactions of carboxylate anions with; preparation and characterisation of ruthenium-molybdenum and ruthenium-manganese complexes (S. Sabo, B. Chaudret, D. Gervais), (292) 411
- Diphenylbenchrotenylphosphine, a two-electron ligand in carbonyl-containing π -aromatic chromium and manganese complexes and in Group VIB carbonyls (V.I. Losilkina, M.N. Estekhina, N.K. Baranetskaya, V.N. Setkinina), (299) 187
- Dodecahydrotriphenylene(tricarbonyl)-manganese(I) tetrafluoroborate, synthesis and X-ray analysis of (L.H.P. Gommans, L. Main, B.K. Nicholson), (284) 345
- Electron transfer and transient radicals in organometallic chemistry (J.K. Kochi), (300) 139
- $\eta^5\text{-N-Heterocycle tricarbonylmanganese}$ complexes, synthesis and CO substitution reactions of (L.-N. Ji, D.L. Kershner, M.E. Rerek, F. Basolo), (292) 83
- Heterodienemetal complexes, advances in the chemistry of (K. Vrieze), (300) 307
- Heterometal dinuclear complexes with

- vinylidene as bridging ligand, synthesis and crystal structure of (H. Werner, F.J. Garcia Alonso, H. Otto, K. Peters, H.G. von Schnerring), (289) C5
- Hydrido-bridged trimetal cluster, $Mn_3\cdot(\mu-H)_3(CO)_{12}^-$, ESR study of (T. Sowa, T. Kawamura, T. Yonezawa), (284) 337
- η^5 -Indenyl- and η^5 -cyclopentadienyl-tricarbonyl-manganese and -rhenium complexes, competitive metallation of (I.A. Lobanova, V.I. Zdanovich, P.V. Petrovskii, N.E. Kolobova), (292) 395
- Indenyltricarbonyl-manganese and -rhenium complexes, metallotropic $\eta^5 \rightarrow \eta^6$ rearrangement in acidic medium of (M.G. Yezernitskaya, B.V. Lokshin, V.I. Zdanovich, I.A. Lobanova, N.E. Kolobova), (282) 363
- Mangana- and rhena-cycloalkanes, synthesis, structure and chemical behaviour of (E. Lindner, F. Zinsser, W. Hiller, R. Fawzi), (288) 317
- Metallocenyl fulvenes as six-electron ligands in chromium complexes (S.P. Dolgova, V.N. Setkina, D.N. Kursanov), (292) 229
- Metallocenyl thioketones with $C_5H_5^-$ and $[(C_5H_5)Fe(CO)_2]^-$ anions, reactions of; preparation and crystal structures of dimeric cymantrenyl-phenylfulvene derivatives (A.S. Batsanov, S.P. Dolgova, V.I. Bakhmutov, Yu.T. Struchkov, V.N. Setkina, D.N. Kursanov), (291) 341
- Metal—metal bonded complexes, $[(CO)_5M—M'(CO)_3(1,4-i-Pr-1,4-diaza-1,3-butadiene)]$ ($M = Mn, Re; M' = Mn, Re$), He(I) and He(II) photoelectron spectra of (R.R. Andréa, D.J. Stufkens, A. Oskam), (290) 63
- Monovalent organometallic groups as trigonally planar bridging substituents to $(L_nM)_2MX$ compounds ($M = P, As, Sb$; $X = \text{halogen}$) formation and X-ray structure of (G. Huttner, U. Weber, B. Sigwarth, O. Scheidsteiger, H. Lang, L. Zsolnai), (282) 331
- Octacarbonylbis(diphenylphosphine)-dimanganese, photochemical decarbonylation with formation of $Mn_2\cdot(\mu-PPh_2)_2(\mu-CO)(CO)_6$ with a semi-bridging carbonyl of (T. Kawamura, T. Sowa, T. Yonezawa, T. Yamabe, H. Masuda, T. Taga, K. Machida), (276) C10
- Octacarbonyl- μ - $\eta^{3:3}$ -2,5-hexadiene-1,4-diyl dimanganese isomeric complexes, photosynthesis of (C.G. Kreiter, M. Leyendecker), (292) C18
- Phosphamettallacycloalkanes, correlation between chemical shifts and torsion angles in (E. Lindner, R. Fawzi), (299) C47
- Selenido heterometallic complexes, synthesis and chemical behaviour of (W.A. Herrmann, J. Rohrmann, M.L. Ziegler, T. Zahn), (295) 175
- Selenium and tellurium bridges in organometallic complexes, structure, protonation and methylation of (W.A. Herrmann, J. Rohrmann, C. Hecht), (290) 53
- Silicon—hydrogen and carbon—hydrogen activation (W.A.G. Graham), (300) 81
- μ -Silylenebis[dicarbonyl(hydrido)(η^5 -pentamethylcyclopentadienyl)manganese], preparation and molecular structure of (W.A. Herrmann, E. Voss, E. Guggolz, M.L. Ziegler), (284) 47
- Terminal epoxides, selective catalysed rearrangement to methyl ketones (J. Prandi, J.L. Namy, G. Menoret, H.B. Kagan), (285) 449
- Tetracarbonyl- η^3 -E-2,4-pentadien-1-ylmanganese(I) complexes, photochemical synthesis and thermal decarbonylation (C.G. Kreiter, M. Leyendecker), (280) 225
- Tetracarbonyl(phosphinothioformimidate)-manganese and -rhenium complexes, substitution reactions with organophosphorus ligands of (U. Kunze, A. Bruns), (292) 349
- Tetracarbonyl(η^4 -tetramethylcyclobutadiene)manganese(I) tetrafluoroborate, preparation of (K. Raab, M. Appel, W. Beck), (291) C28
- Transition metal alkyls, a personal perspective (A. Yamamoto), (300) 347
- Transition metal mixed clusters containing coordinated $^tBuC \equiv P$, synthesis of (R. Bartsch, J.F. Nixon, N. Sarudeen), (294) 267
- Tricarbonyl-manganese and -rhenium complexes with (O, O, O)-donor ligands, synthesis and characterisation of (W. Kläui, J. Okuda, M. Scotti, M. Valderrama), (280) C26
- mer-Tricarbonylmanganese(I) complexes

- with *N*-donor chelate ligands, synthesis of (F.J. García Alonso, V. Riera, F. Villafañe, M. Vivanco), (276) 39
- ### Mercury
- ArXH and ArXM ($X = \text{OS, NR; M} = \text{Hg, Sn, Pb, Sb}$) type compounds, polarity of XH and XM bonds and their capacity for coordination and dissociation in (L.M. Epstein, Ye.S. Shubina, L.D. Ashkinadze, D.N. Kravtsov), (277) 153
- σ -Arylplatinum(IV) complexes, formation and reactions with PtCl_6^{2-} of (G.B. Shul'pin, G.V. Nizova), (276) 109
- Azacymantrene, CO substitution in and reactions of $(\eta^5\text{-C}_5\text{H}_4\text{N})\text{Mn}(\text{CO})_3\text{PPh}_3$ with electrophiles of; X-ray crystal structure of $[(\text{PPh}_3)(\text{CO})_2\text{Mn}(\eta^5\text{-C}_5\text{H}_4\text{N})_2]\text{PdCl}_2$ (N.I. Pyshnograeva, A.S. Batsanov, Yu.T. Struchkov, A.G. Ginzburg, V.N. Setkina), (297) 69
- Bis[α,β -bis[(trifluoromethanesulphonyloxy]styryl]mercury, synthesis and crystal structure of (G. Maas, R. Brückmann, W. Lorenz), (289) 9
- Bis(dimethylaminoethyl)(1-mercurio)-ferrocenophane, triphenylcyanoboronate, structures of the salt and its cation (L.G. Kuz'mina, Yu.T. Struchkov, D.A. Lemenovsky, I.F. Urazowsky), (277) 147
- 2-Bromomercuri-4-dimethylaminobutane, synthesis, NMR, partial resolution and redox demercuration of (V.V. Bashilov, E.V. Maskaeva, P.V. Petrovskii, V.I. Sokolov), (292) 89
- Carbonylmetal derivatives of lanthanum, samarium and ytterbium, synthesis and structure of (I.P. Beletskaya, G.Z. Suleimanov, R.R. Shifrina, R.Yu. Mekhdiev, T.A. Agdamskii, B.N. Khandozhko, N.E. Kolobova), (299) 239
- Carboranylmercury salts, electrochemical symmetrization (A.Ya. Usiatinsky, V.A. Shreider, T.M. Shcherbina, V.I. Bregadze, N.N. Godovikov, I.L. Knunians), (289) 17
- $(\eta^5\text{-C}_5\text{H}_4\text{CH}_3)(\text{CO})_3\text{MoHgX}$ ($X = \text{Cl, Br, I, SCN}$) complexes, synthesis of; crystal structure of ($\eta^5\text{-C}_5\text{H}_4\text{CH}_3$)-(CO), MoHgCl (M. Cano, R. Criado, E. Gutierrez-Puebla, A. Monge, M.P. Pardo), (292) 375
- Crotyl-organometallic compounds, reversal of diastereoselectivity in BF_3 -promoted addition of aldehydes to (Y. Yamamoto, K. Maruyama), (284) C45
- Dicarbonylmolybdenum(II) complexes, reaction with mercury(II) halides and pseudohalides of (M.A. Lobo, M.F. Perpiñan, M.P. Pardo, M. Cano), (299) 197
- Ethyl α -bromomercury-*p*-nitrophenylacetate, bromide-ion catalysed $S_E 1$ solvolysis in ethanol of (K.P. Butin, T.V. Magdesieva), (292) 47
- Main Group IV organometallic compounds, applications of the methylene di-Grignard reagent for (J.W. Bruin, G. Schat, O.S. Akkerman, F. Bickelhaupt), (288) 13
- Mercuretin as condensation polymer of tri(acetoxymercuri)acetic acid; crystal structure of $(\text{ClHg})_3\text{CCOOH}\cdot\text{DMSO}$ (D. Grdenić, B. Korpar-Čolig, M. Sikirica), (276) 1
- Metal-containing binuclear bridging groups, ^{19}F NMR study of (S.I. Pombrik, L.S. Golovchenko, E.V. Polunkin, A.S. Peregudov, D.N. Kravtsov), (292) 81
- 2-Methoxy-1-nitro-3,5-bis(trifluoroacetato)mercurio)benzene, mercury—mercury spin—spin coupling in (G.B. Deacon, G.N. Stretton, M.J. O'Connor), (277) C1
- Non-transition alkylmetal compounds, radical formation on exchange interactions of (Yu.A. Alexandrov, S.A. Lebedev, N.V. Kuznetsova), (292) 39
- Organomercury compounds, photoelectron spectra of (V.N. Baidin, M.M. Timoshenko, Yu.V. Chizhov, Yu.A. Ustynyuk, I.I. Kritskaya), (292) 55
- Organometallic chemistry, photoelectron spectroscopy in (J.C. Maire), (281) 45
- Organosilatrane, direct transfer of aliphatic and aromatic substituents to mercury(II) species from (J.D. Nies, J.M. Bellama, N. Ben-Zvi), (296) 315
- Oxymercurials derived from cyclopropane, preparation of (A.J. Bloodworth, C.J. Cooksey), (295) 131
- Palladium and nickel catalysed aryl- and acyl-demettallation of organometallic compounds (N.A. Bumagin, A.B.

- Ponomaryov, I.P. Beletskaya), (291) 129
- Palladium-catalysed conjugate addition of 2-bromoarylmercury compounds and 2-bromoaryl iodides with α,β -enones (S. Cacchi, G. Palmieri), (282) C3
- Palladium-catalysed oxidative carbonylation of arylmercury compounds (A. Chiesa, R. Ugo), (279) 215
- Phenyl(*B*-carboranyl)iodonium salts, reactions with nucleophiles of (V.V. Grushin, T.M. Shcherbina, T.P. Tolstaya), (292) 105
- Phenylmercury 4-fluorothiophenoxyde, redox-demercuration by tetrakis-(triphenylphosphine)platinum(0) of (S.I. Pombrik, A.A. Bezrukova, L.S. Golovchenko, A.S. Peregudov, A.Z. Rubezhov, D.N. Kravtsov), (293) C1
- Quinone-organomercury paramagnetic complexes, ESR of TQHgR radicals (TQ = benzo[2,1-*b*;3,4-*b'*]dithiophene-4,5-dione) (A. Alberti, F.P. Colonna, M.C. Depew, X. Li), (292) 335
- Thallation of carboranes (V.I. Bregadze, A.Ya. Usiatinsky, N.N. Godovikov), (292) 75
- Thiocyanatomercuration of acetylenic compounds, synthesis of β -isothiocyanatoalkenymercury compounds, α -halo- β -thiocyanatoalkenes and 1-thiocyanatoalkynes (M. Giffard, J. Cousseau, L. Gouin), (287) 287
- Vinylboronic acid, reaction with vinylmercuric acetates; synthesis of di-vinylmercurials (R.S. Varma, S.A. Kunda, G.W. Kabalka), (276) 311
- ### Metallocenes
- η^5 -Acetyl- and alkoxy carbonyl-cyclopentadienyltin(II) derivatives, synthesis and characterisation of (T.S. Sory, J.J. Zuckerman, M.D. Rausch), (281) C8
- Acetylenic titanium compounds, reactivity towards molecular hydrogen of; formation of titanocene from (B. Demerseman, P. Le Coupanec, P.H. Dixneuf), (287) C35
- Alkenyl- and alkynyl-permethylzirconocene and -permethylhafnocene, synthesis and reactivity of; rearrangement of alkenyl derivatives via β -H elimination from and sp^2 -hybridized carbon (C. McDade, J.E. Bercaw), (279) 281
- Alkylcobaltinium salts, mass spectra of; fragmentation of alkylcobaltoncenes by electron impact (D.V. Zagorevskii, Yu.S. Nekrasov, A.V. Malkov, E.V. Leonova), (284) 109
- (Alkylideneamido)zirconocene mono- and di-nuclear complexes, formation of (W. Frömberg, G. Erker), (280) 343
- Alkylzirconium-(III) and -(IV) complexes, synthesis and reactions of (T. Cuenca, P. Royo), (295) 159
- η^6 -Arene- η^5 -cyclopentadienyliron cations, ligand exchange reactions under thermal or photochemical conditions with (C.C. Lee, M. Iqbal, U.S. Gill, R.G. Sutherland), (288) 89
- Bis(μ -chalco geno) complexes [$(\eta^5$ -RC₅-H₄)₂M(μ -E)]₂ (M = Zr, Hf; R = H, t-Bu; E = S, Se), preparation from metallocene dichlorides and isolation of the μ -complexes [(t-BuC₅H₄)₂Zr₂] $(\mu$ -O)(μ -E) (G. Tainturier, B. Gautheron, M. Fahim), (290) C4
- 1,1'-Bis(*N,N*-dimethylamino)-ferrocene, -cobalticenium hexafluorophosphate, and -titanocene dichloride, preparation and crystal structure of the titanocene dichloride (K.-P. Stahl, G. Boche, W. Massa), (277) 113
- Bis(dimethylaminomethyl)(1-mercurio)-ferrocenophane triphenylcyano-boronate, structures of the salt and its cation (L.G. Kuz'mina, Yu.T. Struchkov, D.A. Lemenovsky, I.F. Urazowsky), (277) 147
- Carbonylation of an optically active organopalladium, asymmetric induction during (L.L. Trotskaya, V.I. Sokolov), (285) 389
- Carbonylvinylnickel compounds, coupling and ethylene insertion into (H. Lehmkühl, C. Naydowski), (277) C18
- Carbylanadocenes, reactions with carbon monoxide, xylyl isocyanide and carbon dioxide of (J. Nieman, J.H. Teuben), (287) 207
- [$(\eta^5$ -C₅(CH₃)₅)₂Ti(μ ,₂-H)₂Al(H)(μ ,₂-H)]₂ and [$(\eta^5$ -C₅(CH₃)₅)₂Ti(μ ,₂-H)₂Al(H)-(μ ,₂-H)₂Ti[$(\eta^5$ -C₅(CH₃)₅)₂], molecular structures and properties of (V.K. Bel'sky, A.I. Sizov, B.M. Bulychev, G.L. Soloveichik), (280) 67
- Chalcone derivatives, ferrocene analogues of chalcone, stilbene, ferrocene analogues of stilbene, and styrene derivatives, ¹³C NMR study of polarized

- sations, and polarisation ranges of vinylene groups in (A.G. Nagy), (291) 335
- $[\text{C}_5\text{H}_5\text{Fe}^{\text{II}}\text{C}_6\text{Me}_5\text{CH}_2\text{PPh}_3]^+$, coordination to Rh^I of; spectroscopic, electrochemical and catalytic properties of heterodinuclear Fe^{II}-Rh^I complexes (E. Román E., V. Castro, W., M. Camus O.), (293) 93
- Chloro(η^4 -cycloocta-1,5-diene)(η^5 -cyclopentadienyl)ruthenium(II), preparation and reactions of; versatile synthetic precursor for neutral and cationic cyclopentadienylruthenium(II) complexes (M.O. Albers, H.E. Oosthuizen, D.J. Robinson, A. Shaver, E. Singleton), (282) C49
- $[(\text{C}_5\text{H}_5)_2\text{Ni}\{\text{P}(\text{S})\text{R}_2\}_2\text{Ni}(\text{C}_5\text{H}_5)]$, dinuclear spin-crossover complexes, synthesis, electronic structure and kinetics and mechanism of isomerisation of (W. Kläui, K. Schmidt, A. Bockmann, P. Hofmann, H.R. Schmidt, P. Stauffert), (286) 407
- ($\eta^5\text{C}_5\text{H}_5$)₂ReSn(CH₃)₂Cl and ($\eta^5\text{C}_5\text{H}_5$)₂ReSnCl₃, molecular structure of (V.K. Bel'sky, A.N. Protsky, I.V. Molodnitskaya, B.M. Bulychev, G.L. Soloveichik), (293) 69
- Chromocene, reactions with carboxylic acids and acetic acid derivatives of (L. Beneš, J. Kalousová, J. Votinský), (290) 147
- (C_5H_5)₂TiCl(PMe₃)(CO) (M = Ti, Zr, Hf), (C_5H_7)₂Ti(PMe₃)(CO) and (C_5H_5)₂TiCl(PMe₃), structural and spectroscopic comparison of; X-ray structures of (C_5H_5)₂Ti(PMe₃)(CO) and (C_5H_5)₂TiCl(PMe₃) (L.B. Kool, M.D. Rausch, H.G. Alt, M. Herberhold, B. Wolf, U. Thewalt), (297) 159
- [($\eta^5\text{C}_5\text{H}_5$)₂Ti(μ_2 -H)₂Al(μ_2 -H)(η^1 : η^5 -C₅H₄)Ti(η^5 -C₅H₅)₂(μ_2 -H)]₂·C₆H₅CH₃, synthesis, molecular structure and catalytic properties of (E.B. Lobkovsky, G.L. Soloveichik, A.I. Sizov, B.M. Bulychev), (280) 53
- Cobalt and rhodium half-sandwich complexes, UV photoelectronic spectra of (C. Cauletti, C. Furlani, C. Puliti, H. Werner), (289) 417
- Cycloheptatrienecyclopentadienyliron hexafluorophosphate, kinetic study of nucleophilic addition to (C.A. Camioni, D.A. Sweigart), (282) 107
- Cyclopentadienyldiazadienecobalt(I) complexes, preparation and characterisation of (H. tom Dieck, M. Haarich), (291) 71
- Cyclopentadienylnickel complexes, preparation and reactive behaviour of (E. Hernandez, P. Royo), (291) 387
- π -Cyclopentadienyl-ruthenium, -rhodium and -iridium substituted complexes, synthesis by intramolecular condensation of a π -allyl ligand and alkyne of; X-ray structure of [η -C₆H₆Ru-(η -C₃H₃Ph₂-1,2)]BF₄ (Z.I. Lutsenko, G.G. Aleksandrov, P.V. Petrovskii, E.S. Shubina, V.G. Andrianov, Yu.T. Struchkov, A.Z. Rubezhov), (281) 349
- Decamethylruthenecinium cations, reactions of (U. Kölle, J. Grub), (289) 133
- β -Dicarbonyl monosubstituted compounds, C_α-C_β cleavage in (V.N. Postnov, Yu.N. Polivin, V.A. Sazonova, S.N. Grukhanova), (288) 197
- Dicyclopentadienyldicarbonyl- and dicyclopentadienylcarbonyltriphenylphosphine-zirconium and -hafnium, reactions with acetylenes and formation of metallacyclopentadiene complexes of (D.J. Sikora, M.D. Rausch), (276) 21
- Dicyclopentadienyldichloroniobium, one-electron oxidation of (A. Fakhr, Y. Mugnier, R. Broussier, B. Gautheron), (279) C15
- Dicyclopentadienyl-early lanthanide complexes, formation and cleavage of carbon—metal bonds of (C. Qian, Y. Ge), (299) 97
- Dicyclopentadienyl-molybdenum and tungsten complexes, formation, NMR spectra and stereochemistry of (L. Gomes de Lima, M. Cariou, H. Scordia, R. Kerfoot, M.M. Kubicki, J.E. Guerchais), (290) 321
- Dicyclopentadienylzirconium hydrides, reactions with (iminoacyl)zirconocene complexes of (W. Frömberg, G. Erker), (280) 355
- Dihydridotungstenocene ring-substituted derivative, formation by the reaction of Cp₂WCl₂ with Li[Si(SiMe₃)₃] (U. Schubert, A. Schenkel, J. Müller), (292) C11
- Dimethylidicyclopentadienylvanadium, photolysis with formation of ethane of (D.F. Foust, M.D. Rausch), (287) 195
- 5,13-Dimethyl[2.2]metacyclophane and [3-8- η -5,13-dimethyl[2.2]meta-

- cyclophane (η^5 -cyclopentadienyl)-iron] hexafluorophosphate, crystal and molecular structures of (A.R. Koray, T. Zahn, M.L. Ziegler), (291) 53
- 2-(Diphenyloxymethyl)azaferrocene, preparation and X-ray crystal structure of (N.I. Pyshnograeva, V.N. Setkina, A.S. Batsanov, Yu.T. Struchkov), (288) 189
- 1,3-Diselena- and 1,3-dithia-[3]ferrocenophanes of germanium and tin; crystal and molecular structure of 1,3-diselena-2,2-dichlorogermyl-[3]ferrocenophane (A.G. Osborne, A.J. Blake, R.E. Hollands, R.F. Bryan, S. Lockhart), (287) 39
- 1,3-Dithia- and 1,3-diselena-[3]ferrocenophanes of phosphorus and arsenic, synthetic and structural studies of crystal and molecular structure of 1,3-dithia-2-phenylarsino[3]ferrocenophane at 163 K (A.G. Osborne, R.E. Hollands, R.F. Bryan, S. Lockhardt), (288) 207
- 1,*n*-Dithia[*n*]ferrocenophanes, specific change in electronic and ^{13}C NMR spectra and redox potentials of; interaction between the S atom and the ferrocene nucleus (M. Sato, S. Tanaka, S. Ebine, K. Morinaga, S. Akabori), (282) 247
- 1,3-Dithia[3]ruthenocenophane derivatives, preparation of and bridge reversal energy barriers in (S. Akabori, T. Kumagai, M. Sato), (286) 69
- Dithiolenedicyclopentadienyliobium complexes, synthesis and electrochemistry of (B. Viard, J. Amaudrut, J. Sala-Pala, A. Fakhr, Y. Mugnier, C. Moise), (292) 403
- Ethylene-bridged titanocene and zirconocene derivatives with permethylated ring ligands, syntheses and crystal structures of (F. Wochner, L. Zsolnai, G. Huttner, H.H. Brintzinger), (288) 69
- Ferricinium cation, activity in oxidative cleavage of metal—metal bonds in organometallic compounds of (H. Schumann), (290) C34
- Ferricinium polyiodides, preparation and characterisation of (E.W. Neuse, M.S. Loonat), (286) 329
- Ferrocene analogues of stilbene, electron distribution in; interaction of substituents and molecular groups in ferro-
- cene derivatives (A.G. Nagy, S. Toma), (282) 267
- Ferrocene; Annual Survey covering the year 1983 (B.W. Rockett, G. Marr), (278) 255
- Ferrocene; Annual survey covering the year 1984 (G. Marr, B.W. Rockett), (298) 133
- Ferrocene β -lactamic antibiotics, mono- and heterodi-substituted derivatives of (C. Simionescu, T. Lixandru, D. Scutaru, M. Vătă), (292) 269
- Ferrocene monosubstituted derivatives, mass-analysed ion kinetic energy spectra of (N. Filipović-Marinić, V. Rapić, V. Kramer, B. Kralj), (296) 405
- [3]Ferrocenophane-1,3-dione, crystal and molecular structure of (E. Gyepes, T. Glowiaik, Š. Toma, J. Soldánová), (276) 209
- [*m*]Ferrocenophane-1,*n*-diones, cyclic voltammetry, ^{13}C NMR and Mössbauer study of (Š. Toma, E. Solčániová, A.G. Nagy), (288) 331
- [3]Ferrocenophanes, carbenium ions and ketones of (B. Lukas, C.W. Patterson, R.M.G. Roberts, J. Silver), (286) 209
- Ferrocenophanes containing aromatic or heteroaromatic rings in the bridging chain, syntheses of (M. Sato, S. Tanaka, S. Ebine, K. Morinaga, S. Akabori), (289) 91
- (2-Ferrocenylethyl)methyl substituted ethers, preparation, NMR spectra and reactions of (J.-H. Youn, R. Herrmann, B. Floris), (291) 355
- Ferrocenylphosphinerhodium(I) complexes as efficient asymmetric catalysts; structure of $\text{Fe}(\eta^5\text{C}_5\text{H}_5\text{P}-(\text{CMe}_3)_2-1,3)(\eta^5\text{C}_5\text{H}_5(\text{CHMeNMe}_2)-\text{P}(\text{CMe}_3)_2-1,2)$ (T.D. Appleton, W.R. Cullen, S.V. Evans, T.-J. Kim, J. Trotter), (279) 5
- Ferrocenylsulphide-palladium(II) and -platinum(II) complexes, dynamic NMR studies of (K.G. Orrell, V. Šík, C.H. Brubaker, Jr., B. McCulloch), (276) 267
- Groups IV A and VA dimeric metallocene derivatives, synthesis and structures of (E.G. Perevalova, I.F. Urazowski, D.A. Lemenovskii, Yu.L. Slovokhotov, Yu.T. Struchkov), (289) 319
- Group IVB metallocenes, new approach to (P. Jutzi, B. Hielscher), (291) C25
- Halodicyclopentadienyl-zirconium(III)

- and -hafnium(III), preparation and chemical behaviour of (T. Cuenca, P. Royo), (293) 61
- Heterometallic dinuclear complexes prepared from the tripledecker sandwich complex $[\text{Ni}_2(\text{C}_5\text{H}_4\text{R})_3]\text{BF}_4^-$ and cyclopentadienylmetal bis(thiolates); crystal structure of $[(\text{C}_5\text{H}_4)_2\text{Mo}(\mu\text{-SBu}^t)\text{Ni}(\text{C}_5\text{H}_4\text{R})]\text{BF}_4^-$ ($\text{R} = \text{H}$, Me) (H. Werner, B. Ulrich, U. Schubert, P. Hofmann, B. Zimmer-Gasser), (297) 27
- Metallocenes, stereochemistry of (K. Schlögl), (300) 219
- Metallocenyl fulvenes as six-electron ligands in chromium complexes (S.P. Dolgova, V.N. Setkina, D.N. Kursanov), (292) 229
- Metallocenyl thioketones with C_5H_5^- and $[(\text{C}_5\text{H}_4)\text{Fe}(\text{CO})_2]^-$ anions, reactions of; preparation and crystal structures of dimeric cymantrenyl phenylfulvene derivatives (A.S. Batsanov, S.P. Dolgova, V.I. Bakhtutov, Yu.T. Struchkov, V.N. Setkina, D.N. Kursanov), (291) 341
- Methyliodomagnesium, interaction with β -carbonyl compounds of (Yu.N. Polivin, V.N. Postnov, V.A. Sazonova, D.V. Zagorevsky, Yu.S. Nekrasov, A.P. Kharchevnikov), (288) 201
- Naphthalenechromium complexes, arene exchange in (E.P. Kündig, C. Perret, S. Spichiger, G. Bernardinelli), (286) 183
- Niobium and tantalum polymer-attached complexes, synthesis and applications to catalysis of olefin hydrogenation, isomerisation and ethylene dimerisation of (B.-H. Chang, C.-P. Lau, R.H. Grubbs, C.H. Brubaker, Jr.), (281) 213
- Niobocene and titanocene binuclear complexes containing fulvalene ligands, ^1H NMR spectra and electronic structure of (D.A. Lemenovskii, I.F. Urazowski, Yu.K. Grishin, V.A. Roznyatovsky), (290) 301
- Nonamethylferrocenylcarbenium diamagnetic salts, conversion into bis-(nonamethylferroceniumyl)ethane, paramagnetic salts of (E.I. Fedin, A.L. Blumenfeld, P.V. Petrovskii, A.Z. Kreindlin, S.S. Fadeeva, M.I. Rybinskaya), (292) 257
- (η^5 -Pentamethylcyclopentadienyl)-(η^5 -cyclopentadienyl)-dichloro-titanium, -zirconium and -hafnium, formation and crystal and molecular structures of (R.D. Rogers, M.M. Benning, L.K. Kurihara, K.J. Moriarty, M.D. Rausch), (293) 51
- Pentamethylcyclopentadienyl-titanium, -zirconium and -hafnium cyclohepta-trienyl and cyclooctatetraenyl complexes, synthesis of (J. Blenkins, P. Bruin, J.H. Teuben), (297) 61
- Phosphine-nickel and -palladium complexes, regio- and stereo-chemistry in allylation of aryl-Grignard reagents catalysed by (T. Hayashi, M. Konishi, K.-I. Yokota, M. Kumada), (285) 359
- Primary silane polymerisation to linear polysilanes catalysed by titanocene derivatives (C. Aitken, J.F. Harrod, E. Samuel), (279) C11
- Pyrrolidinylmethylferrocene, facile one-step synthesis of (M.-T. Wu, G.-S. Shaw, S.-J. Jong, J.-J. Liang, C.-S. Hsu), (297) 205
- Rhenocene, synthesis and reactivity of (P. Pasman, J.J.M. Snel), (276) 387
- Rhodium(I) and iridium(I) olefin complexes, ^1H NMR, mass spectral and extended Hückel study of; crystal and molecular structure of $\eta^5\text{-}2\text{-}4\text{-dimethylpenta-1,4-diene}(\eta^5\text{-formylcyclopentadienyl})\text{rhodium(I)}$ (M. Arthurs, H. Karodia, M. Sedgwick, D.A. Morton-Blake, C.J. Cardin, H. Parge), (291) 231
- Ruthenocene and osmocene and their decamethyl derivatives, high yield synthesis of; crystal structure of $[\text{Ru}(\eta^5\text{-C}_5\text{Me}_5)_2]$ (D.C. Liles, A. Shaver, E. Singleton, M.B. Wiege), (288) C33
- 3,3',4,4'-Tetramethyl-1,1'-diphosphaferrocene bonded to pentacarbonyl-chromium, -molybdenum and -tungsten fragments, electrochemical formation of heterometallic complexes with multiple redox centres from (P. Lemoine, M. Gross, P. Braunstein, F. Mathey, B. Deschamps, J.H. Nelson), (295) 189
- Tetramethylethylene-bridged titanocene dichloride and dicarbonyl derivatives, electrochemical reactions of (H. Schwemlein, W. Tritschler, H. Kiese, H.H. Brintzinger), (293) 353
- Thioalkyl; selenoalkyl-, thioaryl- and selenoaryl-metallocenes ($\text{M} = \text{Ti}, \text{Zr}, \text{Hf}$), He(I) and He(II) photoelectron spectra of (C. Guimon, G. Pfister-

- Guillouzo, P. Meunier, B. Gautheron, G. Tainturier, S. Pouly), (284) 299
- Titanocene dithiocyanate, (η -C₅H₅)₂Ti(NCS)₂, electrochemical study of (J. Losada, M. Morán), (276) 13
- Titanocene-tolane complex, reactions with carbonyl compounds of; synthesis of titanadihydrofuran metallocycles (V.B. Shur, V.V. Burlakov, A.I. Yanovsky, P.V. Petrovsky, Yu.T. Struchkov, M.E. Vol'pin), (297) 51
- Trifluoroboron adduct of stannocene, structure of; crystal and molecular structure of $[(BF_4)^-](\mu-\eta^5-C_5H_5)_2Sn[\mu-\eta^5-C_5H_5Sn]^+THF\}_n$ (T.S. Dory, J.J. Zuckerman, C.L. Barnes), (281) C1
- Trimethylsilylated germanocenes, synthesis of; X-ray structure and steric effects in hexakis(trimethylsilyl)-germanocene (P. Jutzi, E. Schlüter, M.B. Hursthouse, A.M. Arif, R.L. Short), (299) 285
- Trioxo(η^5 -pentamethylcyclopentadienyl)-rhenium, reduction reactions of (W.A. Herrmann, R. Serrano, U. Küsthhardt, E. Guggolz, B. Nuber, M.L. Ziegler), (287) 329
- 1,1',2,2',4,4'-Tris(trimethylene)ferrocenium perchlorate, crystal and molecular structure of (M. Hillman, A.C. Larson), (280) 389
- Vanadocene, olefin complexes of (M. Morán, J.J. Santos-García, J.R. Masaguer, V. Fernández), (295) 327
- Vanadocenes, synthesis, substitution, and characterisation of halogen and pseudohalogen derivatives of (M. Morán, J.R. Masaguer, V. Fernández), (291) 311
- (η^6 -Xanthene)(η^5 -cyclopentadienyl)-iron(II) hexafluorophosphate and (η^6 -2-methylthianthrene)(η^5 -cyclopentadienyl)iron(II) hexafluorophosphate, crystal and molecular structures of (S.H. Simonsen, V.M. Lynch, R.G. Sutherland, A. Piórko), (290) 387
- Zirconocene and hafnocene supported complexes, preparation and catalytic applications of (B.-H. Chang, R.H. Grubbs, C.H. Brubaker, Jr.), (280) 365
- ansa*-Zirconocene chiral derivative with ethylene-bridged tetrahydroindenyl ligands, synthesis and crystal structure of (F.R.W.P. Wild, M. Wasiucionek, G. Huttner, H.H. Brintzinger), (288) 63
- Molybdenum
- [AgL(μ -PR₂)M(CO)₄] (L = 1,10-phenanthroline or tricyclohexylphosphine, M = Cr, Mo, W), synthesis and characterisation of (D. Obendorf, P. Peringer), (299) 127
- Alkyl- and aryl-carbonyl derivatives of manganese, molybdenum and tungsten, photo-induced degradation reactions of (T.E. Gismondi, M.D. Rausch), (284) 59
- μ -Alkylidene-transition metal complexes, comparison of thermolysis reactions of (A. Schäfer, W.A. Herrmann), (297) 229
- Allylation of carbon nucleophiles and decarboxylation-dehydrogenation catalysed by palladium, rhodium, ruthenium, molybdenum and nickel complexes (I. Minami, I. Shimizu, J. Tsuji), (296) 269
- (π -Allyl)dicarbonylcyclopentadienyl-molybdenum, convenient synthesis of (T.-Y. Luh, C.S. Wong), (287) 231
- Allyl-molybdenum and -tungsten derivatives, fast atom bombardment mass spectrometry as technique for studying solution reactions of (B.J. Brisdon, A.J. Floyd), (288) 305
- Aqueous allylmolybdenum(II) chemistry (B.J. Brisdon, M. Cartwright, A.G. Hudson), (277) 85
- Arenediazomolybdenum(II) complexes, reactions with neutral and anionic Lewis bases of (F.J. Lalor, D.N. Condon), (284) 327
- Arenetricarbonyl derivatives of Group VI metals with phenyl- and diphenyl-acetylene, complex formation at low temperatures of (P.G. Sennikov, M.V. Panicheva, A.N. Egorochkin, N.I. Sirotkin, Ye.Ye. Zhiltsova), (280) 81
- 1,2-Benzodithiolatomolybdenum complexes, alkylation of; synthesis of nitrosymolybdenum complexes with organosulphur ligands (D. Sellmann, L. Zapf, J. Keller, M. Moll), (289) 71
- 2,2'-Bipyridinetetracarbonylmolybdenum disubstituted complexes, electronic spectra and electrochemistry of; solvent and substituent effects (J.A. Connor, C. Overton, N. El Murr), (277) 277

- 2,2'-Bipyridinetetracarbonylmolybdenum**
4,4-disubstituted complexes, solvent influences on the IR absorption and NMR spectra of (J.A. Connor, C. Overton), (282) 349
- 2,2'-Bipyridyltetracarbonyl anionic radical complexes of Group VIB metals vs. 2,2'-bipyridine anionic radicals, solution thermodynamic studies of (A.E. Alegria, O. Lozada, H. Rivera, J. Sanchez), (281) 229**
- 2,2-Bipyridyltetracarbonyl-chromium, -molybdenum and -tungsten, electrode-catalysed substitution initiated by reduction of (D. Miholová, A.A. Vlček), (279) 317**
- Bis(arenediazo) derivative of hydrotris(1-pyrazolyl)boratotricarbonylmolybdenum anion, indirect synthesis of; crystal and molecular structure of hydrotris(1-pyrazolyl)boratobis-(*p*-toluenediazo)fluoromolybdenum (0), MoF(N₂C₆H₄Me-p)₂[HB(C₃H₃N₂)₃] (G. Ferguson, B.L. Ruhl, F.J. Lalor, M.E. Deane), (282) 75**
- Bis(7-t-butoxynorbornadiene)dicarbonylmolybdenum isomers, isolation and characterisation as intermediates of metal-mediated dimerisation of 7-t-butoxynorbornadiene (T.J. Chow, Y.-S. Chao), (296) C23**
- Bis[dicarbonyl(μ -trifluoromethyl isocyanide)(η -pentamethylcyclopentadienyl)molybdenum], synthesis, crystal structure and isomerisation of (D. Lentz, I. Brüdgam, H. Hartl), (299) C38**
- Bis(norbornadiene)dicarbonylmolybdenum, synthesis and characterisation of; intermediate in metal-assisted dimerisation of norbornadiene (T.J. Chow, M.-Y. Wu, L.-K. Liu), (281) C38**
- Bis(pentamethyldicarbonylmolybdenum)-($Mo \equiv Mo$), reaction with phosphorus ligands under formation of (C₅Me₅)₂Mo₂PR₃-($Mo \equiv Mo$) (PR₃ = P(OMe)₃, PhP(OCH₂CH₂)₂NH) and C₅Me₅-(CO)₂[P(OMe)₃]Me of; crystal structure of (C₅Me₅)₂Mo₂(CO)₃[PhP(OCH₂CH₂)₂NH] (J.G. Riess, U. Klement, J. Wachter), (280) 215**
- Bis-phosphitediiodotricarbonyl-molybdenum(II) and -tungsten(II) complexes, preparation of (P.K. Baker, S.G. Fraser), (299) C23**
- μ -Carbomethoxyvinylidene chelating ligand containing heterometallic complexes, preparation of; X-ray crystal structure of Cp(OC)₂MnW(CO)₄-(μ -C=CHCOOMe) and [Cp(CO)₂Mn(μ -C=CHCOOMe)]₂Mo(CO)₂ (N.E. Kolobova, L.L. Ivanov, O.S. Zhvanko, A.S. Batsanov, Yu.T. Struchkov), (279) 419
- Carbon-molybdenum tetrahedral cluster, stabilisation of a carbocation by (O.A. Reutov, I.V. Barinov, V.A. Chertkov, V.I. Solokov), (297) C25
- Carbonylmetal derivatives of lanthanum, samarium and ytterbium, synthesis and structure of (I.P. Beletskaya, G.Z. Suleimanov, R.R. Shifrina, R.Yu. Mekhdiev, T.A. Agdamskii, B.N. Khandozhko, N.E. Kolobova), (299) 239
- Carbonylmetal fragments, reactions with coordinated diphosphorus groups of; crystal structure of [(CO)₅Cr][(CO)₅W]P₂Co₂(CO)₆ (A. Vizi-Orosz, G. Pályi, L. Markó, R. Boese, G. Schmid), (288) 179
- Carbonylmolybdenum(0) complexes, reactions with uninegative (X, Y) donor complexes of (X, Y = S, N, O) (A.E. Sánchez-Peláez, M.F. Perpiñán, A. Santos), (296) 367
- Carbonylmolybdenum complexes with polydentate thioether-thiol ligands, substitution and redox reactions of (D. Sellmann, L. Zapf), (289) 57
- (η^5 -C₅H₄CH₃)(CO)₃MoHgX (X = Cl, Br, I, SCN) complexes, synthesis of; crystal structure of (η^5 -C₅H₄CH₃)-(CO)₃MoHgCl (M. Cano, R. Criado, E. Gutierrez-Puebla, A. Monge, M.P. Pardo), (292) 375
- (π -C₅H₅)(CO)₂LM-X (M = Mo, W; X = FBF₅, PF₅, FAsF₅, FSbF₅), reactions with O-donors of (K. Sünkel, G. Urban, W. Beck), (290) 231
- [C₅H₅(CO)₂Mo]₂(μ , η^2 -C≡NC₆H₅), crystal and molecular structure in triclinic and monoclinic form of (I. Bernal, H. Brunner, J. Wachter), (277) 395
- C₅H₅(CO)₂Mo(μ -O=CCH₃)(μ -PPh₂)FeC₅H₅(CO), synthesis and molecular structure of (T.S. Targos, G.L. Geofroy, A.L. Rheingold), (299) 223
- (+)₅₄₆-[C₅H₅Mo(CO)₂LL[★]]PF₆ (LL[★] = 2-benzoylpypyridine-(R)-1-phenylethyl-

- imine), crystal structure of (I. Bernal, W. Ries, H. Brunner, D.K. Rastogi), (290) 353
- Chromium, molybdenum and tungsten zerovalent isocyanide complexes, preparation of; crystal structure of hexakis (2,6-xylidyl isocyanide)molybdenum containing benzene as solvate (Y. Yamamoto, H. Yamazaki), (282) 191
- $(\eta^5\text{-C}_5\text{H}_4\text{R})_2\text{Ta}(\text{CO})$ (μ -H)MLn (M = Cr, Mo, W, Mn), synthesis of (J.D. Reynaud, J.C. Leblanc, C. Moise), (296) 377
- Cycloheptatrienylmolybdenum vinylidene complex, $[\text{Mo}(\text{C}=\text{CHPh})(\text{Ph}_2\text{-PCH}_2\text{CH}_2\text{PPh}_2)(\eta^5\text{-C}_5\text{H}_4)]$ $[\text{PF}_6^-]$, synthesis and deprotonation of (J.S. Adams, M. Cunningham, M.W. Whitley), (293) C13
- Cyclooctyne coupling with carbon monoxide on divalent molybdenum and tungsten; crystal and molecular structure of bis(hexamethylene)-cyclopentadienonetungsten complex, $\text{W}(\text{S}_2\text{CNMe}_2)_2(\text{CO})\{\text{(C}_8\text{H}_{12})_2\text{CO}\}$ (M.A. Bennett, I.W. Boyd, G.B. Robertson, W.A. Wickramasinghe), (290) 181
- Cyclopentadienyl-chromium, -molybdenum and -tungsten complexes, photochemical reactions with allyl and crotyl halides of (J.L. Davidson, G. Vasapollo), (291) 43
- Cyclopentadienyldicarbonylligand-molybdenum and -tungsten cationic complexes, reactions with sulphur-containing ligands of (G. Urban, K. Sünkel, W. Beck), (290) 329
- Cyclopentadienyldicarbonylmetallophosphanes, boron complexes of (R. Maisch, E. Ott, W. Buchner, W. Malisch, I.J. Colquhoun, W. McFarlane), (286) C31
- η^5 -Cyclopentadienyl- η^1 -hexadiyne-2,4-yl-tricarbonylmolybdenum and -dicarbonyliron, 1,5-methanol addition to (F. Giulieri, J. Benaim), (276) 367
- Cyclopentadienylmolybdenum substituted complexes, carbon monoxide insertion reactions of (J.D. Cotton, H.A. Kimlin), (294) 213
- $(\eta^5\text{-Cyclopentadienyl})$ nitosyl-molybdenum and -tungsten derivatives, scrambling of dithioacid ligands in (W. De Oliveira, J.-L. Migot, M.B. Gomes De Lima, J. Sala-Pala, J.E. Guerchais, J.-Y. Le Gall), (284) 313
- $(\eta^5\text{-Cyclopentadienyl})$ tricarbonyl(σ -phenylethyanyl)molybdenum, thermal decomposition of; molecular structure of $[(\eta^5\text{-C}_5\text{H}_4)(\text{CO})_3\text{Mo}]_2(\mu\text{-1,2-}\eta^5\text{-C}_6\text{H}_5\text{C=C-C=CC}_6\text{H}_5)$ (N.A. Ustynyuk, V.N. Vinogradova, V.N. Korneva, D.N. Kravtsov, V.G. Andrianov, Yu.T. Struchkov), (277) 285
- 1,4-Diaza-1,3-butadiene containing mono-nuclear carbonyl-transition metal complexes, He(I) and He(II) photo-electron spectra of (R.R. Andréa, J.N. Louwen, M.W. Kokkes, D.J. Stukens, A. Oskam), (281) 273
- 1,4-Diaza-1,3-butadiene mixed alkyl isocyanide complexes of molybdenum(II) and tungsten(II) (A. Bell, W.A. Walton), (290) 341
- Dicarbonylmolybdenum(II) complexes, reactions with mercury(II) halides and pseudohalides of (M.A. Lobo, M.F. Perpiñan, M.P. Pardo, M. Cano), (299) 197
- Dicyclopentadienyl-molybdenum and -tungsten complexes, formation, NMR spectra and stereochemistry of (L. Gomes de Lima, M. Cariou, H. Scordia, R. Kercoat, M.M. Kubicki, J.E. Guerchais), (290) 321
- Di- η^5 -cyclopentadienyltetra carbonyl- μ -(3-dimethyl-1-phosphabutyne-dimolybdenum, $[\text{Mo}_2(\text{CO})_4(\eta^5\text{-C}_5\text{H}_4)_2(\text{tBuCP})]$, synthesis and ^{31}P NMR spectra of platinum(II), palladium(II) and rhodium(I) complexes of (M.F. Meidine, C.J. Meir, S. Morton, J.F. Nixon), (297) 255
- Dioxomolybdenum complexes in reactions with triphenylphosphonium ylides; crystal structures of $[\text{PPh}_3\text{-CH}_2\text{COOEt}]^+ \cdot [\text{NH}_2\text{Et}]^+ \cdot [\text{Mo}_6\text{O}_{26}]^{4-}$, $[\text{PPh}_3\text{CH}_2\text{COOEt}]^+ \cdot [\text{Mo}_6\text{O}_{19}]^{2-}$ and $[\text{PPh}_3\text{CH}_2\text{Ph}]^+ \cdot [\text{Mo}_6\text{O}_{19}]^{2-}$ (H. Arzoumanian, A. Baldy, R. Lai, A. Odeman, J. Metzger, M. Pierrot), (295) 343
- Diphenylbenzotrenylphosphine, a two-electron ligand in carbonyl-containing π -aromatic chromium and manganese complexes and in Group VI B carbonyls (V.I. Losilkina, M.N. Estekhina, N.K. Baranetskaya, V.N. Setkina), (299) 187
- Enantioselective catalysis with transition metal complexes (H. Brunner), (300) 39

- $[\text{Et}_4\text{N}]_2[\text{Mo}(\text{CO})_4(\text{SR})_2]$ ($\text{R} = \text{Ph}, \text{Bz}$), potentially chelating bis-thiolate ligand, synthesis and characterisation of (L.D. Rosenheim, W.E. Newton, J.W. McDonald), (288) C17
- Gold–carbene complexes, exchange reactions of carbene ligands in (E.O. Fischer, M. Böck), (287) 279
- Group VI binuclear metal carbonyl dianions, generation by ion-pair extraction of (D.H. Gibson, K.R. Phillips, F.U. Ahmed), (276) 363
- Heteroatom nucleophiles with cationic molybdenum complexes (W.E. Vanarsdale, R.E.K. Winter, J.K. Kochi), (296) 31
- Heterometallic dinuclear complexes prepared from the tripledecker sandwich complex $[\text{Ni}_2(\text{C}_5\text{H}_4\text{R})_3]\text{BF}_4^-$ and cyclopentadienylmetal bis(thiolates); crystal structure of $[(\text{C}_5\text{H}_5)_2\text{Mo}-(\mu-\text{SBu}^t)_2\text{Ni}(\text{C}_5\text{H}_4\text{R})]\text{BF}_4^-$ ($\text{R} = \text{H}, \text{Me}$) (H. Werner, B. Ulrich, U. Schubert, P. Hofmann, B. Zimmer-Gasser), (297) 27
- Hexacarbonyl-chromium, -molybdenum and -tungsten, photochemical substitution with phosphinothioformamide ligands on (U. Kunze, H. Jawad), (277) C31
- Intramolecular secondary $\text{Cl}\cdots\text{Sn}$ bond; crystal and molecular structure of $(\eta^5\text{C}_5\text{H}_5)_2\text{Mo}[(\text{CH}_3)_2\text{SnCl}]_2$ (V.K. Bel'skii, A.N. Protskij, B.M. Bulychev, G.L. Soloveichik), (280) 45
- Lithium cyclopentadienide formation by reactions of $\text{Li}(\text{C}_2\text{H}_5)_3\text{BH}$ with cyclopentadiene and preparation of $[\text{M}(\text{CO})_3(\text{C}_5\text{H}_5)]^-$ ($\text{M} = \text{Cr}, \text{Mo}, \text{W}$) (M.A. El-Hinnawi, A.K. El-Qaseer), (281) 119
- $\text{Me}_2\text{PP}(\text{CF}_3)_2$ and $\text{Me}_2\text{AsP}(\text{CF}_3)_2$ ligand properties of (J. Grobe, M. Köhne-Wächter, D. Le Van), (280) 331
- Metallacyclic alkenyl ketone chromium, molybdenum and tungsten complexes, preparation and characterisation of; molecular structure of $\text{C}_5\text{Me}_5(\text{CO})_2\text{W}[\text{MeC}=\text{CMeC}(\text{O})\text{Me}]$ (H.G. Alt, H.E. Engelhardt, U. Thewalt, J. Riede), (288) 165
- Metallo-t-butylchlorostibine formation of (R. Schemm, W. Malisch), (288) C9
- Metal–metal bonded complexes, $[\text{M}(\text{CO})_3\text{C}_5\text{H}_5]_2$ ($\text{M} = \text{Cr}, \text{Mo}, \text{W}$), heats of formation of (J.T. Landrum, C.D. Hoff), (282) 215
- Metathesis catalysts (R.R. Schrock), (300) 249
- η^1 -Methoxymethyl- and ethyl-iron and -molybdenum complexes, reactions with the Lewis acid $(\eta^5\text{C}_5\text{H}_5)(\text{CO})_3\text{Mo}^+\text{PF}_6^-$ of (J. Markham, W. Tolman, K. Menard, A. Cutler), (294) 45
- $\eta^3\cdot 1',2,3\cdot(2\gamma\text{-Methylenebutyrolacton-3-yl})(\eta^5\text{-cyclopentadienyl})\text{carbonylnitrosylmolybdenum cationic complexes, synthesis and stereoselective nucleophilic addition reactions of}$ (C. Benamou, J. Benaim), (280) 377
- 4-Methyl-1,2,6-tristibatricyclo[2.2.1.0^{2,6}]heptane (Sb_3 -nortricyclane), synthesis and reactivity towards hexacarbonyl-chromium, -molybdenum and -tungsten of (J. Ellerman, A. Veit), (290) 307
- $[\text{Mo}(\eta^5\text{C}_5\text{H}_4\text{CH}_2\text{SR})_2(\text{SR})_2]$ ($\text{R} = \text{n-Pr}, \text{Ph}$), synthesis of hetero-binuclear derivatives with platinum, palladium and rhodium of (D. O'Hare, M.L.H. Green, F.G.N. Cloke), (282) 225
- $\text{Mo}(\text{CO})_4(\text{PPh}_3\text{O})_2\text{Y}(\text{R})\text{R}'$ ($\text{Y}(\text{R}) = \text{P}(\text{O}), \text{Si}(\text{Me})$; $\text{R}' = \text{alkyl, haloalkyl, aryl}$) and $[\text{Mo}(\text{CO})_4(\text{PPh}_3\text{O})_2]_2\text{Si}$ complexes, chemical shift correlations in ^{13}C , ^{17}O and ^{31}P NMR spectra of (G.M. Gray, K.A. Redmill), (280) 105
- $\text{cis-MoI}\{\text{C}(\text{NMe})[\text{CH}_2]_2\text{CH}_2\}(\text{CO})_2$ ($\eta^5\text{C}_5\text{H}_5$), example of a sterically-blocked *cis-trans* isomerisation for $[\text{Mo}(\text{X})(\text{L})(\text{CO})_2(\eta^5\text{C}_5\text{H}_5)]$ system, synthesis and X-ray structure of (H. Adams, N.A. Bailey, V.A. Osborn, M.J. Winter), (284) C1
- Molybdenum and tungsten M_2C_2 tetrahedral clusters containing cyclopentadienyldicarbonylmetal vertices, fluxionality of (P. Bougeard, S. Peng, M. Mlekuz, M.J. McGlinchey), (296) 383
- Molybdenum- and tungsten-sulphane complexes, $(\mu-\text{S}_x)[\text{M}(\eta^5\text{C}_5\text{H}_5)(\text{CO})_3]_2$ ($\text{M} = \text{Mo}$ ($x = 2, 3$); $\text{M} = \text{W}$ ($x = 2$)), synthesis and characterisation of; routes to $[\text{Cr}(\eta^5\text{C}_5\text{H}_5)(\text{CO})_2]_2\text{S}$ (M.A. El-Hinnawi, A.K. El-Qaseer), (296) 393
- Molybdenum–carbon multiple bonds, formation of (M. Green), (300) 93
- Molybdenum(II) isocyanide seven-coordinate complexes, ^{99}Mo NMR spectral studies on (M. Minelli, J.H. Enemark, A. Bell, R.A. Walton), (284) 25

- Molybdenum-molybdenum triple bonded compounds with Group VIII peroxy-transition metal complexes (H. Arzoumanian, A. Baldy, M. Pierrot, J.-F. Petrignani), (294) 327
- Molybdenum(II) thiolate-hydride complexes, preparation of (C. Shortman, R.L. Richards), (286) C3
- Molybdenum tricarbonyl complexes of arenes and cyclic polyolefins, thermochemistry of (C.D. Hoff), (282) 201
- Monocyclooctyne complexes of divalent and tetravalent molybdenum and tungsten (M.A. Bennett, I.W. Boyd), (290) 165
- Monovalent organometallic groups as trigonally planar bridging substituents to $(L_nM)_2MX$ compounds ($M = P, As, Sb; X = halogen$), formation and X-ray structure of (G. Huttner, U. Weber, B. Sigwarth, O. Scheidsteiger, H. Lang, L. Zsolnai), (282) 331
- $Mo(\eta^6\text{-PhPr}_2)(L)(PPh_3CH_2CH_2PPh_3)$ ($R = Et, L = PPhEt_2; R = Ph, L = PPh_3, PR_3, CO, CNR, N_2, H_2$), influence of steric properties of ligands PR_2Ph and L on formation and properties of (J.J. Frizzell, R.L. Luck, R.H. Morris, S.H. Peng), (284) 243
- Organometallic compounds containing nitrogen, phosphorus, arsenic and sulphur (*Review*) (H.W. Roesky), (281) 69
- Oxo-metal complexes with high and low valency states of the metal (W.A. Herrmann), (300) 111
- Pentacarbonyl-chromium, -molybdenum and -tungsten complexes with amine and benzochinonediimine ligands, synthesis and behaviour on oxidation of (D. Sellmann, J. Müller), (277) 379
- Pentacarbonyl[methoxy(phenyl)carbene]-chromium, -molybdenum and -tungsten complexes, reactions with $RC\equiv N$ -containing complexes of (H. Fischer, R. Märkl, S. Zeuner), (286) 17
- Pentacarbonyl(phosphabenzene)molybdenum(0), molecular and crystal structure of (A.J. Ashe III, W. Butler, J.C. Colburn), (282) 233
- Pentamethylcyclopentadienyltricarbonylhydromolybdenum, synthesis and thermochemistry of; comparison of cyclopentadienyl and pentamethylcyclopentadienyl ligands (S.P. Nolan, C.D. Hoff, J.T. Landrum), (282) 357
- Phosphines and phosphites, heats of reactions with toluenetetricarbonyl-molybdenum of; importance of steric and electronic factors in determining the $Mo-\text{PR}_3$ bond strength (S.P. Nolan, C.D. Hoff), (290) 365
- Phosphinidenes and diphosphenes, pentacarbonylmetal derivatives of (H. Lang, O. Orama, G. Huttner), (291) 293
- Tetraethylammonium hydrotris(3-methylpyrazolyl)boratotricarbonyl-molybdenum(0), $[\text{NEt}_4][\text{Mo}(\text{CO})_3\text{HB}(\text{C}_3\text{H}_5\text{N}_2)_3]$, crystal and molecular structure of (T.J. Desmond, F.J. Lalor, G. Ferguson, M. Parvez), (277) 91
- $3,3',4,4'$ -Tetramethyl-1,1'-diphosphaferrocene bonded to pentacarbonyl-chromium, -molybdenum and -tungsten fragments, electrochemical formation of heterometallic complexes with multiple redox centres from (P. Lemoine, M. Gross, P. Braunstein, F. Mathey, B. Deschamps, J.H. Nelson), (295) 189
- μ -(Tetraphenyldiphosphoxane)bis[penta-carbonylmetal(0)] complexes, $[(\text{CO})_5\text{MP}(\text{C}_6\text{H}_5)_2]_2\text{O}$ ($M = Cr, Mo, W$), synthesis, properties and structure of (C. Zeiher, J. Mohyla, I.-P. Lorenz, W. Hiller), (286) 159
- Thioether dealkylation and redox reactions in coordination of tetradentate thioether-thiolato ligands to molybdenum(II) centres (D. Sellmann, W. Reisser), (294) 333
- Transition metals and olefins, a promising land (B.M. Trost), (300) 263
- Tricarbonyl-fluorene-molybdenum and -tungsten and tricarbonyl- η^6 -indene-molybdenum, synthesis and deprotonation of (L.N. Novikova, N.A. Ustyuk, V.E. Zvorykin, L.S. Dneprovskaya, Yu.A. Ustyuk), (292) 237
- Tricarbonylphosphinemolybdenum complexes, reactions with tin(IV) derivatives of (M. Panizo, M. Cano), (287) 221
- Trimethylphosphine complexes of molybdenum and tungsten; synthesis and chemical properties of $\text{MoCl}_4 \cdot (\text{PMe}_3)_3$ and crystal and molecular structures of $\text{WCl}_4(\text{PMe}_3)_3$ and $\text{MoO}(\text{acac})_2\text{PMe}_3$ (R.D. Rogers, E. Carmona, A. Galindo, J.L. Atwood, L.G. Canada), (277) 403

- Tris[bis-1,2-(dimethylphosphino)ethane] zerovalent derivatives of chromium, molybdenum, tungsten, vanadium, niobium and tantalum, synthesis, crystal structures and reactions of (F.G.N. Cloke, P.J. Fyne, V.C. Gibson, M.L.H. Green, M.J. Ledoux, R.N. Perutz, A. Dix, A. Gourdon, C.K. Prout), (277) 61
- Tris(butadiene)-molybdenum and -tungsten, substituted derivatives of; molecular structures of ($\text{CH}_2=\text{CMeCMe}=\text{CH}_2)_3\text{M}$ ($\text{M} = \text{Mo, W}$) (B. Bogdanović, H. Bönnemann, R. Goddard, A. Startsev, J.M. Wallis), (299) 347

Neodymium

- Cyclopentadienyl-Group IIIA and -Group IVA compounds, steric factor dependence of structures of (E.B. Lobkovsky), (277) 53
- Dicyclopentadienyl-early lanthanide complexes, formation and cleavage of carbon–metal bonds of (C. Qian, Y. Ge), (299) 97
- Lanthanoid-catalysed Tishchenko condensation of aldehydes to esters (K. Yokoo, N. Mine, H. Taniguchi, Y. Fujiwara), (279) C19

Nickel

- Allylation of carbon nucleophiles and decarboxylation-dehydrogenation catalysed by palladium, rhodium, ruthenium, molybdenum and nickel complexes (I. Minami, I. Shimizu, J. Tsuji), (296) 269
- η^3 -Allylbis-ligand-nickel(II) cationic complexes, catalysis of 1,4-polymerisation of butadiene depending on electronic properties of the ligands of (R. Taube, J.-P. Gehrke, U. Schmidt), (292) 287
- η^3 -Allylbis(triarylphosphite)nickel(II) hexafluorophosphate C(3) substituted complexes, ^{31}P NMR characterisation of *anti* and *syn* structures of; mechanism of $[\text{C}_3\text{H}_5\text{Ni}(\text{P}(\text{OPh})_3)_2]\text{PF}_6$ catalysed 1,4-*trans*-polymerisation of butadiene (R. Taube, J.-P. Gehrke, R. Radeglia), (291) 101
- Aryl- and acetylene-nickel(I) complexes (E. Hernandez, I. Saez, P. Royo), (293) 249

Azanickelacyclopentanones, formation from C–C coupling reactions of alkenes with isocyanates (H. Hoburg, K. Sümmermann, A. Milchereit), (288) 237

Bis(2,2'-bipyridine-2-methylpent-2-enalnickel)- H_2O , crystal and molecular structure of (E. Dinjus, H. Görls, E. Uhlig, D. Walther, J. Sieler, O. Lindqvist, L. Andersen), (276) 257

Bis(triphenylphosphine)-5-nickel-a-3,3,7,7-tetramethyl-*trans*-tricyclo-[4.1.0.0^{2,4}]heptane formation, NMR spectra and catalytic properties of (T.A. Peganova, P.V. Petrovskii, L.S. Isaeva, D.N. Kravtsov, D.B. Furman, A.V. Kudryashev, A.O. Ivanov, S.V. Zotova, O.V. Bragin), (282) 283

But-3-enylbis(3-dimethylarsinopropyl)-arsine and 3-dimethylarsinopropylbis-(but-3-enyl)arsine, preparation and reactions with nickel(II) salts of (F.M. Ashmawy, F.R. Benn, C.A. McAuliffe, D.G. Watson), (287) 65

Carbamoylnickel novel complexes, structure and properties of (H. Hoberg, F.J. Farfánás, K. Angermund, C. Krüger, M.J. Ramão), (281) 379

Carbonylvinylnickel compounds, coupling and ethylene insertion into (H. Lehmkuhl, C. Naydowski), (277) C18

($\eta^5\text{-C}_5\text{H}_5$)₂Ni₂Fe₂(CO)₆(μ_4 , η^2 -C₂Ph₂), crystal structure and cluster contraction and expansion reactions of; coordination of alkynes to 4 metal atoms in square planar clusters (E. Sappa, A.M.M. Lanfredi, G. Predieri, A. Tiripicchio, A.J. Carty), (288) 365

($\eta^5\text{-C}_5\text{H}_5$)₂Ni₂Fe₂(CO)₆(μ -PPPh₃)(μ , η^2 -C=CPh), synthesis and X-ray crystal structure of (C. Weatherell, N.J. Taylor, A.J. Carty, E. Sappa, A. Tiripicchio), (291) C9

[(C_5H_5)₂Ni{P(S)R₂}₂Ni(C_5H_5)], dinuclear spin-crossover complexes, synthesis, electronic structure and kinetics and mechanism of isomerisation of (W. Kläui, K. Schmidt, A. Bockmann, P. Hofmann, H.R. Schmidt, P. Stauffert), (286) 407

[Co₃Ni₇(CO)₁₆C₂]²⁺ and [Co₃Ni₇(CO)₁₅-C₂]³⁻ dicarbide clusters, synthesis and chemical behaviour of; X-ray crystal structure of [PPPh₄]₂[Co₃Ni₇(CO)₁₅-C₂]³⁻

- (CO)₁₆C₂] (A. Arrigoni, A. Ceriotti, R. Della Pergola, G. Longoni, M. Manassero, M. Sansoni), (296) 243
- Cyclometallations and cyclic acetylenes, recollections of (M.A. Bennett), (300) 7
- Cyclopentadienylnickel complexes, preparation and reactive behaviour of (E. Hernandez, P. Royo), (291) 387
- Cyclopentadienylnickel complexes with amine ligands, synthesis and properties of (N. Kuhn, M. Winter), (276) C16
- η^5 -Cyclopentadienyl- η^2 -propenealkyl-nickel complexes, thermal decomposition of (S. Pasynkiewicz, H. Lehmkühl), (289) 189
- η^5 -Cyclopentadienyltriphenylphosphine-nickel- η^1 -thioanisoyl, preparation and characterisation and thermal decomposition to nickelthiophenoato complexes of (R. Taube, D. Steinborn, W. Höbold), (284) 385
- η^3 -Cyclopropenylnickel(0) dimeric complex, [(C₃Ph₃)Ni(CO)Br]₂, X-ray crystal structure of (C.A. Ghilardi, S. Midollini, A. Orlandini), (295) 377
- Cyclotrimerisation of 3-hexyne catalysed by cyclobutadienenickel (P. Mauret, P. Alphonse), (276) 249
- 1,4-Diaza-1,3-butadiene containing mononuclear carbonyl-transition metal complexes, He(I) and He(II) photoelectron spectra of (R.R. Andréa, J.N. Louwen, M.W. Kokkes, D.J. Stufkens, A. Oskam), (281) 273
- Dicarbonyl(1-methylborinato)cobalt, preparation from (borinato)(cyclobutadiene)cobalt complexes and from di- μ -carbonylbis(1-methylborinato)-nickel (G.E. Herberich, H.J. Becker, B. Hessner, L. Zelenka), (280) 147
- Dicyanopentasulphido nickelate(II) anion, synthesis of (K.N. Udupa, S. Sarkar), (284) C36
- Diisopropylamino(ethoxy)carbene, preparation by acylation and alkylation of tetracarbonylnickel stabilised by triphenylphosphine substitution (E.O. Fischer, J.D. Schneider), (295) C29
- Enantioselective catalysis with transition metal complexes (H. Brunner), (300) 39
- Ferriinium cation, activity in oxidative cleavage of metal-metal bonds in organometallic compounds (H. Schumann), (290) C34
- Group VIII metal-catalysed C-C bond forming sequences (G.P. Chiusoli), (300) 57
- Group VIII metal complexes, hydrothermal reactions of lactic acid catalysed by (B. Odell, G. Earlam, D.J. Cole-Hamilton), (290) 241
- Heterometallic dinuclear complexes prepared from the tripledecker sandwich complex [Ni₂(C₅H₄R)₃]BF₄, and cyclopentadienylmetal bis(thiolates); crystal structure of [(C₅H₅)₂Mo(μ -SBu^t)₂Ni(C₅H₄)]BF₄ (R = H, Me) (H. Werner, B. Ulrich, U. Schubert, P. Hofmann, B. Zimmer-Gasser), (297) 27
- Iron and nickel half-sandwich complexes as reactive intermediates (U. Kölle, B. Fuss, F. Khouzami, J. Gersdorf), (290) 77
- Ligand-modified zerovalent-nickel systems, stoichiometric reaction of 1,3-dienes with (R. Benn, B. Büssemeier, S. Holle, P.W. Jolly, R. Mynott, I. Tkatchenko, G. Wilke), (279) 63
- "Linear" unsaturated ligands, reactions with clusters involving metal carbonyl species of; synthesis and crystal structures of (η^5 -C₅H₅)NiOs₃(μ -H)₃-(CO)₈(Ph₂PC≡CPr^t) and (η^5 -C₅H₅)-NiOs₃(μ -H)₃(CO)₈[(Ph₂PC≡CPr^t)-Co₂(CO)₆](σ -P, η^2 -C₂) (E. Sappa, G. Predieri, A. Tiripicchio, M. Tiripicchio Camellini), (297) 103
- Metal-induced synthesis of 3-methyl-E-4-hexen-2-one, influence of achiral substituents on optical induction of (T. Bartik, I. Gerdes), (291) 253
- Metallacyclic compounds derived from CO₂ and dimethylbutadiene oxidatively coupled to (L)Ni⁰, structures and reactivity as a function of the neutral L ligands in (D. Walther, E. Dinjus, H. Görsl, J. Sieler, O. Lindqvist, L. Andersen), (286) 103
- Methylenephosphane and phosphino-methylenephosphane as η^2 ligands of nickel(0) complexes (R. Appel, C. Casser, F. Knoch), (297) 21
- Methyl(methoxy)carbene-nickel(II) complex, trans-[Ni(C₆Cl₅)(PMe₂Ph)₂-{C(OMe)Me}]BF₄, crystal structure of (D. Xu, K. Miki, Y. Kai, N. Kasai, M. Wada), (287) 265
- Molybdenum-molybdenum triple bonded compounds with Group VIII peroxy-transition metal complexes

- (H. Arzoumanian, A. Baldy, M. Pierrot, J.-F. Petrignani), (294) 327
- $[\mu\text{-Ni}(\text{C}_5\text{H}_5)\text{P}(\text{C}_6\text{H}_5)_3][\mu\text{-C}_5\text{H}_5][\text{ZnC}_5\text{-H}_5]_2$, nickel-bridged cyclopentadienylzinc dimer, preparation and crystal structure of (P.H.M. Budzelaar, J. Boersma, G.J.M. van der Kerk, A.L. Spek, A.J.M. Duisenberg), (287) C13
- Nickel(0)-catalysed cooligomerisation of 1,3-butadienes with vinylsilanes controlled by concentration and added P ligands (T. Bartik, P. Heimbach, T. Himmler), (276) 399
- Nickel-catalysed hydrocyanation of silylalkynes, regio- and stereo-chemical control in (N.J. Fitzmaurice, W.R. Jackson, P. Perlmutter), (285) 375
- Nickel-catalysed oligomerisation of functionalised conjugated dienes (A. Tenaglia, P. Brun, B. Waegell), (285) 343
- Nickel catalysts containing optically active P/N ligands, cross-coupling of 1-phenylethyl Grignard reagent and vinyl bromide with (H. Brunner, W. Li, H. Weber), (288) 359
- Nickel(II) complex salts of bis(3,1,2-dicarbollyl)nickel(III), synthesis and transformations of; preparation of 3-(2,2'-bipyridyl)-*cis*-3,1,2-nickeladcarbadodecaborane (N.A. Maier, A.A. Erdman, Z.P. Zubreichuk, V.P. Prokopovich, Yu.A. Ol'dekop), (292) 297
- Nickel(0)-induced coupling of phenyl-isocyanate molecules with C—C bond formation (H. Hoberg, K. Radine, A. Milchereit), (280) C60
- Nickel(II) salts induced carbamoylation of alkynes (F.J. Fañanás, H. Hoberg), (277) 135
- Nickelacyclopentadienyl group formation from dicyclopentadiene and electron-rich nickel(0) nuclei by topo- and stereo-selective reactions (D. Walther, E. Dinjus, J. Sieler, L. Andersen, O. Lindqvist), (276) 99
- Organometallic chemistry, photoelectron spectroscopy in (J.C. Maire), (281) 45
- Palladium and nickel catalysed aryl- and acyl-demetallation of organometallic compounds (N.A. Bumagin, A.B. Ponomaryov, I.P. Beletskaya), (291) 129
- Phosphine-nickel and -palladium complexes, regio- and stereo-chemistry in allylation of aryl-Grignard reagents catalysed by (T. Hayashi, M. Konishi, K.-I. Yokota, M. Kumada), (285) 359
- $\text{Ph}_3\text{PNi}(\text{Ph})(\text{Ph}, \text{PCHCOPh})$ and *cis*-Ni-($\text{Ph}, \text{PCHCOPh}$) $\cdot 0.5\text{C}_6\text{H}_5$, crystal and molecular structures of (H. Qichen, X. Minzhi, Q. Vanlong, X. Weihua, S. Meicheng, T. Yougi), (287) 419
- Platinum, palladium and nickel containing zerovalent mixed ligand complexes containing a chelating olefinic tertiary phosphine (M.A. Bennett, C. Chiraratvathan), (296) 255
- Polymer-supported 2,2'-dipyridylmethane, synthesis and formation of transition metal complexes (B. Elman, C. Moberg), (294) 117
- Prediction of nucleophilic attacking sites via determinants of "active" frontier and near frontier orbitals (D.A. Brown, N.J. Fitzpatrick, M.A. McGinn), (293) 235
- Sulphonyl- and silyl-substituted hydrocarbons as versatile carbanion precursors in organic synthesis (J.J. Eisch, M. Behrooz, S.K. Dua), (285) 121
- Transition metal alkyls, a personal perspective (A. Yamamoto), (300) 347
- Transition-metal catalysed stannyll metallation of acetylenes and conversion of enol triflates and vinyl iodides into vinylstannanes (S. Matsubara, J.-I. Hibino, Y. Morizawa, K. Ohshima, H. Nozaki), (285) 163
- Transition metal mixed clusters containing coordinated $^t\text{BuC}\equiv\text{P}$, synthesis of (R. Bartsch, J.F. Nixon, N. Sar-judeen), (294) 267
- Transition metals and olefins, a promising land (B.M. Trost), (300) 263
- 2,4,6-Tri-t-butylphenylmethyleneephosphane as ligand in transition metal complexes (R. Appel, C. Casser, F. Knoch), (293) 213
- (Triphos) $\text{Ni}(\eta^2\text{-CS}_2)$, reactivity towards Group VIIB elements, HBF_4 and MeOSO_2F of; crystal structure of the dithiocarbonate complex $[\text{O}=\text{PPh}_2\text{-CH}_2\text{C}(\text{CH}_3)(\text{CH}_2\text{PPh}_2)_2]\text{Ni}(\text{S}_2\text{CO})\cdot 0.5\text{THF}$ (C. Bianchini, C.A. Ghilardi, A. Meli, A. Orlanini), (286) 261
- Triphosphaalkanes with $\text{P}-\text{C}-\text{P}-\text{C}-\text{P}$ donor skeleton, ligands for formation of polynuclear complexes (D.J. Brauer, S. Hietkamp, H. Sommer, O. Stelzer, G. Müller, M.J. Romão, C. Krüger), (296) 411

Tris[(2-diphenylphosphinoethyl)amino]-ethoxycarbonylnickel tetrafluoroborate complex, synthesis and reactivity towards reducing agents of (C. Bianchini, A. Meli), (276) 413

Tris(trimethylsilyl)heptaphosphanortricyclene, cleavage reactions with triphos-nickel and -cobalt species of (M. Peruzzini, P. Stoppioni), (288) C44

Niobium

$(C_6H_5)_2M(CO)H$ ($M = Nb, Ta$) complexes, reactions with acyl chlorides of (J.C. Leblanc, C. Moise, J. Tirouflet), (292) 225

Dicyclopentadienylcarbonylhido-niobium and -tantalum, insertion of activated acetylenes into the M—H bond of (J. Amaudrut, J.-C. Leblanc, C. Moise, J. Sala-Pala), (295) 167

Dicyclopentadienyldichloroniobium, one-electron oxidation of (A. Fakhr, Y. Mugnier, R. Broussier, B. Gautheron), (279) C15

Di- η^2 -cyclopentadienylniobium, mercapto polymer of (W. Douglas), (287) C39

Dicyclopentadienylniobium neutral and cationic complexes, preparation and reactions of (F.A. Urbanos, M. Mena, P. Royo, A. Antiñolo), (276) 185

Dicyclopentadienyl(thioketene)niobium complexes, synthesis and structure of (K. Seitz, U. Behrens), (294) C9

Dithiolenedicyclopentadienylniobium complexes, synthesis and electrochemistry of (B. Viard, J. Amaudrut, J. Sala-Pala, A. Fakhr, Y. Mugnier, C. Moise), (292) 403

Groups IVA and VA dimeric metallocene derivatives, syntheses and structures of (E.G. Perevalova, I.F. Urazowski, D.A. Lemenovskii, Yu.L. Slovokhotov, Yu.T. Struchkov), (289) 319

Hexacarbonylniobium derivatives stabilised by oligodentate phosphines (K. Bachmann, D. Rehder), (276) 177

μ -Hydrido- μ -halogenodicyclopentadienyl-fulvaleneniobium, synthesis and chemical properties of (D.A. Lemenovskii, I.F. Urazowski, I.E. Nifantev, E.G. Perevalova), (292) 217

$M(\eta^5-C_5H_5)_2(H)CO$ and $M(\eta^5-C_5H_5)_2H_3$ ($M = Nb, Ta$), photochemistry in low-temperature matrices of (R.T.G. Baynham, J. Chetwynd-Talbot, P.

Grebénik, R.N. Perutz, M.H.A. Powell), (284) 229

Niobium and tantalum polymer-attached complexes, synthesis and applications to catalysis of olefin hydrogenation, isomerisation and ethylene dimerisation of (B.-H. Chang, C.-P. Lau, R.H. Grubbs, C.H. Brubaker, Jr.), (281) 213

Niobocene and titanocene binuclear complexes containing fulvalene ligands, 1H NMR spectra and electronic structure of (D.A. Lemenovskii, I.F. Urazowski, Yu.K. Grishin, V.A. Roznyatovsky), (290) 301

Tris[bis-1,2-(dimethylphosphino)ethane] zerovalent derivatives of chromium, molybdenum, tungsten, vanadium, niobium and tantalum, synthesis, crystal structures and reactions of (F.G.N. Cloke, P.J. Fyne, V.C. Gibson, M.L.H. Green, M.J. Ledoux, R.N. Perutz, A. Dix, A. Gourdon, C.K. Prout), (277) 61

Osmium

Alkoxy carbene complexes, conversion to vinyl ether derivatives of; X-ray structure of $Ru[C(OPr^4)=CHPh]-$ ($CO)(PPh_3)(\eta^5-C_5H_5)$ (M.I. Bruce, D.N. Duffy, M.G. Humphrey, A.G. Swincer), (282) 383

η^3 -Allylhydridoosmium mononuclear complexes, preparation of; X-ray crystal structure of the solvato complex $[OsH(H_2O)(CO)_2(PPh_3)_2]BF_4^-$ EtOH (C. Conway, R.D.W. Kemmitt, A.W.G. Platt, D.R. Russell, L.J.S. Sherry), (292) 419

Aryldiazo ligand-containing ruthenium cluster complexes, preparation of; crystal structure of $[HRu_3(\mu-N_2C_6H_4)-(\mu_3-PhAsCH_2AsPh_2)(CO)_8]$ (M.I. Bruce, E. Horn, M.R. Snow, M.L. Williams), (276) C53

Aryl(hydrido)-ruthenium(II) and -osmium(II) complexes, influence of ligands upon the formation from aromatic complexes of (H. Werner, J. Gotzig), (284) 73

Carbonylmethyl complexes as stabilisers in reactions of free and surface-anchored phosphines with multi-dentate ligands (D.F. Foster, J. Harrison, B.S. Nichols, A.K. Smith), (295) 99

$[C_6H_6Os(PR_3)]$ 16-electron fragment, precursors for and formation of

- aryl(hydrido)osmium(II) complexes by intermolecular C—H addition (H. Werner, K. Roder), (281) C38
- $C_5H_5WOS_3(CO)_9(\mu\text{-H})(\mu\text{-O})(\mu\text{-CHCH}_2\text{-}C_6H_4Me)$, hydro-alkylidene compound produced by hydrogenation of a μ_3 -alkylidene, crystal and molecular structure of (M.R. Churchill, Y.-J. Li), (291) 61
- $C_5H_5WOS_3(CO)_9(\mu\text{-H})(\mu\text{-O})[\mu\text{-C}\equiv CH\text{-}(p\text{-tolyl})]$, crystal and molecular structure produced by rearrangement of a μ_3 -alkylidyne cluster of (M.R. Churchill, Y.-J. Li), (294) 367
- $C_5H_5WOS_3(CO)_9(\mu\text{-O})(\mu_3\text{-CCH}_2\text{-}p\text{-CH}_3\text{-}C_6H_4)$, tetrahedral oxoalkylidene complex derived from a planar $\mu_3\text{-}\eta^2\text{-acyl}$ complex, crystal structure of (M.R. Churchill, J.W. Ziller, L.R. Beanan), (287) 235
- Decacarbonyldihydridotriosmium, stabilisation of alkyl compounds formed by alkene insertion into (E. Boyar, A.J. Deeming, A.J. Arche, Y. De Sanctis), (276) C45
- Decacarbonyl(diphosphine)triosmium clusters, bridging versus chelating diphosphine in isomers of (A.J. Deeming, S. Donovan-Mtunzi, S.E. Kabir), (276) C65
- Dodecacarbonyltriruthenium, chemisorption, reactivity and decomposition of (G.M. Zanderighi, C. Dossi, R. Ugo, R. Psaro, A. Theolier, A. Choplín, L. D'Ornelas, J.M. Bassat), (296) 127
- Heterobimetallic and multimetallic complexes containing η -arene-ruthenium(II), -osmium(II) and -penta-methylcyclopentadienylrhodium(III) moieties, synthesis and reactions of (J.S. Fotheringham, T.A. Stephenson), (284) C12
- 1H — ^{187}Os satellite NMR spectra, observation and interpretation of H—H coupling in (J.S. Holmgren, J.R. Shapley, P.A. Belmonte), (284) C5
- Hydrogen transfer reactions in the presence of carbonyl clusters, selective reduction of dienes to monoenes via (J. Kašpar, R. Spogliarich, M. Graziani), (281) 299
- "Linear" unsaturated ligands, reactions with clusters involving metal carbonyl species of; synthesis and crystal structures of ($\eta^5\text{-}C_5H_5$) $NiOs_3(\mu\text{-H})_3$ — $(CO)_8(Ph_2PC\equiv CPr^I)$ and ($\eta^5\text{-}C_5H_5$) $NiOs_3(\mu\text{-H})_3(CO)_8$ { $(Ph_2PC\equiv CPr^I)$ — $Co_4(CO)_6\}$ ($\sigma\text{-P}, \eta^2\text{-}C_2$) (E. Sappa, G. Predieri, A. Tiripicchio, M. Tiripicchio Camellini), (297) 103
- $M(C_2R)(PR'_3)$ ($M = Cu, Ag, Au$; $R = Ph, C_6F_5$; $R' = Me, Ph$), reactions with $H_2Os_3(CO)_{10}$ of; X-ray structures of $Os_3Au(\mu\text{-CH=CHR})(CO)_{10}(PPh_3)_2$ ($R = Ph, C_6F_5$) (M.I. Bruce, E. Horn, J.G. Matisons, M.R. Snow), (286) 273
- Metal-bonded alkynyl groups, formation of a C_4 ligand by oxidative coupling of (J. Gotzig, H. Otto, H. Werner), (287) 247
- Osmium cluster, reversible C—C bond formation by interconversion of CO and μ -acyl ligands on the face of (A.A. Koridze, O.A. Kizas, N.E. Kolobova, P.V. Petrovskii), (292) C1
- Osmium compounds supported on zeolites, water gas shift reaction catalysed by; evidence or formation of trapped hydrido-carbonyl catalyst (M. Lenarda, R. Ganzerla, M. Graziani, R. Spogliarich), (290) 213
- Osmium(II) hydrazine and hydrazone cationic complexes derived from the polymer $[OsCl_2(COD)]_x$; crystal structure of $[Os(COD)(CNBu^t)_2\text{-}(NH_2N=CMe_2)_2][BPh_4]_2$ ·(acetone) $_2$ (H.E. Oosthuizen, E. Singleton, J.S. Field, G.C. Van Niekerk), (279) 433
- Pentaphosphitoheptacarbonyltriosmium, $Os_3(CO)_5[P(OMe)_3]_5$, evidence for a trigonal twist mechanism involving a phosphite ligand of (R.F. Alex, R.K. Pomeroy), (284) 379
- Phosphido-bridged triosmium carbonyl clusters, systematic synthesis and characterisation of (S.B. Colbran, B.F.G. Johnson, J. Lewis, R.M. Sorrell), (296) C1
- Phosphine hydride complexes of the iron group metals, photochemistry of (P. Bergamini, S. Sostero, O. Traverso), (299) C11
- Phosphino- and arsino-substituted diimide addition to $H_2Os_3(CO)_{10}$; crystal structure and dynamic structural effects of $H_2Os_3(CO)_{10}(^tBu_2PNSNAst\cdot Bu_2)$; fragmentation of the NSN system $H_2Os_3(CO)_{10}(^tBu_2PNSNP^tBu_2)$ (W. Ehrenreich, M. Herberhold, G. Herrmann, G. Süss-Fink, A. Gieren, T. Hübner), (294) 183
- Platinum group metals in the formation of metal—carbon multiple bonds (W. R. Roper), (300) 167

- Ruthenium and osmium complexes with dimethylphosphinomethanide anion as ligand (J. Gotzig, R. Werner, H. Werner), (290) 99
- Silicon—hydrogen and carbon—hydrogen activation (W.A.G. Graham), (300) 81
- Sulphene-transition metal complexes from SO₂ addition to terminal methylene complexes of osmium(0) and iridium(I); structure of Os(CH₂S-[O]O)Cl(NO)(PPh₃)₂ (W.R. Roper, J.M. Waters, A.H. Wright), (276) C13
- Sulphur diimide rearrangement with trinuclear osmium clusters; synthesis, crystal structure and stereochemistry of (μ -H)Os₃(CO)₆(μ -As^tBu)[μ (N,As)-NSNAs^tBu₂] (G. Süss-Fink, K. Guldner, M. Herberhold, A. Gieren, T. Hübner), (279) 447
- Tertiary phosphine derivatives of dodecatriosmium, intramolecular exchange in (A.J. Deeming, S. Donovan-Mtunzi, S.E. Kabir), (281) C43
- Trinuclear osmium clusters in rearrangement reactions with sulphur diimides; synthesis, solid state structure and dynamic properties of (μ -H)Os₃(CO)₁₀[μ -N(H)SN(SiMe₃)₂] (G. Süss-Fink, W. Bühlmeyer, M. Herberhold, A. Gieren, T. Hübner), (280) 129
- Triosmium and triruthenium Main-Group metal clusters, M₃(H)(CO)₁₁(M'R₃) and Os₃(H)(CO)₁₀(CH₃CN)(M'R₃) (M = Os, Ru; M' = Ge, Sn; R = aryl, alkyl) (K. Burgess, C. Guerin, B.F.G. Johnson, J. Lewis), (295) C3
- Triosmium clusters, activation of C—N triple bond of benzonitrile in the presence of acetic acid; crystal structure of (μ -H)Os₃(CO)₁₀(μ -O₂CCH₃) (P.M. Lausarot, G.A. Vaglio, M. Valle, A. Tiripicchio, M. Tiripicchio Camelini, P. Gariboldi), (291) 221
- Triosmium clusters derived from α,β -unsaturated aldehydes (A.J. Arce, Y. De Sanctis, A.J. Deeming), (295) 365
- Triosmium clusters, kinetics and mechanisms of addition and elimination of hydrogen and ligand substitution on (L.M. Bavaro, J.B. Keister), (287) 357
- Triosmium metal clusters derived from reactions of [Os₃(CO)₁₀(NCMe)₂] and amides (T.I. Odiaka), (284) 95
- Vinylidene metal complexes, reaction products with benzoylazide of (H. Werner, A. Höhn, R. Weinand), (299) C15
- ### Palladium
- Alkynylstannanes and 1,2-bis(diphenyl)-phosphino)ethane palladium(II) chloride, alkynyl—halogen exchange between (C. Stader, B. Wrackmeyer), (295) C11
- Allylation of carbon nucleophiles and decarboxylation-dehydrogenation catalysed by palladium, rhodium, ruthenium, molybdenum and nickel complexes (I. Minami, I. Shimuzu, J. Tsuji), (296) 269
- π -Allylpalladium complexes, regioselective substitution of carbanions and ligands in primary and tertiary terpene derivatives by (T. Cuvigny, M. Julia, C. Rolando), (285) 395
- π -Allylpalladium(II) complexes, variable pressure and temperature ¹H NMR studies on (R.L. Batstone-Cunningham, H.W. Dodgen, J.P. Hunt, D.M. Roundhill), (289) 431
- η^3 -Allylpalladium complexes with phosphorus—sulphur hydride ligands and their reduction to palladium(0) derivatives (M. Bressan, L. Dal Mas, F. Morandini, B. Prozza), (287) 275
- π -Allylpalladium, stereochemistry of the formation from dialkylcyclohexa-1,3-dienes of (S. Imaizumi, T. Matsuhisa, Y. Senda), (280) 441
- Aromatic acid derivatives, palladium-catalysed synthesis by carbonylation of aryl iodides and Alk₃SnNu (Nu = MeO, Et₂N, PhS, EtS) (N.A. Bumagin, Yu.V. Gulevich, I.P. Beletskaya), (285) 415
- Azacymantrene, CO substitution in and reactions of (η^5 -C₄H₄N)Mn(CO)₂PPh₃ with electrophiles; X-ray crystal structure of [(PPh₃)(CO)₂Mn-(η^5 -C₄H₄N)]₂PdCl₂ (N.I. Pyshno-graeva, A.S. Batsanov, Yu.T. Struchkov, A.G. Ginzburg, V.N. Setkina), (297) 69
- Benchrotenyl acetylenes, synthesis catalysed by palladium of (D. Villemain, E. Schigeko), (293) C10
- Binuclear mixed metal cyclometallated complexes, preparation of (R.M. Ceder, J. Sales), (276) C31

- [1,2-Bis(diphenylphosphino)ethane]-
(2-norbornanone)palladium(II)
chloride, electrophilic attack on
(E. Rotondo, F. Priolo Cusmano,
G. Neri, A. Donato, R. Pietropaolo),
(292) 429
- 2-Bromomercuri-4-dimethylaminobutane,
synthesis, NMR, partial resolution
and redox demercuration of (V.V.
Bashilov, E.V. Maskaeva, P.V. Petrovskii,
V.I. Sokolov), (292) 89
- 1-Bromo-3-[3-(2-methylenecyclohex-
5-en-1-yl)bicyclo[2.2.1]hept-2-yl]-
4-bicyclo[2.2.1]hept-2-ylbenzene,
aspects of aromatic substitution
catalysed by palladium complexes
and structure of (G. Bocelli, M.
Catellani, G.P. Chiusoli), (279) 225
- Carbamoyl- and alkoxy carbonyl-pal-
ladium(II) and -platinum(II), prepara-
tion and reactions of (G. Vasapollo,
C.F. Nobile, A. Sacco), (296) 435
- Carbon—tin bond cleavage directed by
palladium (J.W. Suggs, K.S. Lee),
(299) 297
- Carbonylation of an optically active
organopalladium, asymmetric induction
during (L.L. Trotskaya, V.I.
Sokolov), (285) 389
- $C(C_6F_4PPh_2-O)NMe$, C,P-chelate and
C,N-bridging ligand; crystal structure
of [$Pd[C(C_6F_4PPh_2-O)N(Me)]Cl_2$] ·
0.88(4) Cl_2CH_2 (R. Usón, J. Fornies,
P. Espinet, A. García, M. Tomás,
C. Foces-Foces, F.H. Cano), (282) C35
- Cyclopalladated benzylamines, preparation
of (P.W. Clark, S.F. Dyke), (276) 421
- Cyclopalladated complexes of *N,N*-
dimethylneopentylamine, synthesis
and characterisation of (Y. Fuchita,
K. Hiraki, Y. Matsumoto), (280) C51
- Cyclopalladated primary and secondary
benzylamines, preparation of (P.W.
Clark, S.F. Dyke), (281) 389
- Di- μ -chlorobis(*N,N*-dialkylbenzylamine-
2, *C,N*)dipalladium(II) isomeric
complexes, crystal structure of the
ortho-, *meta*- and *para*-methoxy
complexes (N. Barr, S.F. Dyke, G.
Smith, C.H.L. Kennard, V. McKee),
(288) 109
- Di- η^5 -cyclopentadienyltetracarbonyl-
 μ -(3,3-dimethyl-1-phosphabutyne-
dimolybdenum, $[Mo_2(CO)_4$ -
($\eta^5-C_5H_5$)₂(^tBuCP)], synthesis and
³¹P NMR spectra of platinum(II),
palladium(II) and rhodium(I) com-
plexes of (M.F. Meidine, C.J. Meir,
S. Morton, J.F. Nixon), (297) 255
- N,N*-Dimethylaminotoluene, metallation
by palladium acetate of; evidence for
a trinuclear species (M. Pfeffer, E. Weh-
man, G. van Koten), (282) 127
- Dimethylbis(diethylphenylphosphine)-
palladium(II), *trans*—*cis* isomerisation
catalysed by methylmagnesium
compounds of (F. Ozawa, K. Kuri-
hara, T. Yamamoto, A. Yamamoto),
(279) 233
- trans*-Dinitrobis(tri-*N*-propylphosphine)-
palladium(II), thermally-reversible
photoisomerisation of (G. Guglielmo,
V. Ricevuto, P. Bergamini, S. Sostero,
O. Traverso), (276) 281
- trans*-Di-tertiary-phosphanedichloro-
palladium, correlation of ³¹P chemical
shifts and sterical parameters of the
phosphanes on (T. Bartik, T. Himm-
ler), (293) 343
- Ferrocenylsulphide-palladium(II) and
-platinum(II) complexes, dynamic
NMR studies of (K.G. Orrell, V. Šík,
C.H. Brubaker, Jr., B. McCulloch),
(276) 267
- Group VIII metal-catalysed C—C bond-
forming sequences (G.P. Chiusoli),
(300) 57
- Group VIII metal complexes, hydro-
thermal reactions of lactic acid cata-
lysed by (B. Odell, G. Earlam, D.J.
Cole-Hamilton), (290) 241
- Heterobimetallic (Pd/Pt—Ge/Sn) tri-
nuclear clusters containing a planar
 $M_3(CO)_6(\mu_2-M')$, core, spectroscopy,
cyclic voltammetry and ESR charac-
terisation of electrochemical reduction
products of; crystal structures of
[(M₂-Sn(NR₂)₂)(CO)], (M = Pd,
Pt; R = SiMe₃) (G.K. Campbell,
P.B. Hitchcock, M.F. Lappert, M.C.
Misra), (289) C1
- 1,2,3,4,4a,8b-Hexahydro-1,4-methanobi-
phenylenes and 2-phenylbicyclo-
[2.2.1]hept-2-enes, palladium-cata-
lysed synthesis of (M. Catellani,
G.P. Chiusoli, S. Ricotti), (296) C11
- Homogeneous and phase transfer cata-
lysed carbonylation reactions (H.
Alper), (300) 1
- Homogeneous binary catalyst systems,
used in synthetic routes to *N*-acyl-
 α -amino acids via amidocarbonylation
(I. Ojima, K. Hirai, M. Fujita, T.
Fuchikami), (279) 203

- Hydroxypalladation in acyclic and cyclic η^2 -diene complexes, mechanism of (H.M. Asfour, M. Green), (292) C25
- N-Methylpentachlorobenzimidoyl-palladium(II) bridged and terminal complexes; insertion of MeNC into Pd—C₆Cl₅ bonds (R. Usón, J. Forniés, P. Espinet, L. Pueyo, E. Lalinde), (299) 251
- [Mo(η -C₅H₄CH₂CH₂SR)₂(SR)₂] (R = n-Pr, Ph), synthesis of hetero-binuclear derivatives with platinum, palladium and rhodium of (D. O'Hare, M.L.H. Green, F.G.N. Cloke), (282) 225
- Nitrosobenzene complexes of transition metals, catalytic reduction of nitroso-benzene by CO (P. Giannoccaro, F. Allegretta, G. Vasapollo, C.F. Nobile), (277) 417
- η^1,η^3 -Octadienediylpalladium complexes, reactions with alkynes and activated alkenes of (R. Benn, G. Gabor, P.W. Jolly, R. Mynott, B. Raspel), (296) 443
- Octadienyldipalladium bridged complex, reaction with carbon dioxide of (A. Behr, G. von Ilsemann), (276) C77
- Organometallic chemistry, photoelectron spectroscopy in (J.C. Maire), (281) 45
- Organopalladium salts, mechanism of reactions with vinylcyclopropanes of (W. Fischetti, R.F. Heck), (293) 391
- Palladium activated with 1,10-phenanthroline derivatives, catalysis of reductive carbonylation of aromatic nitro compounds to urethanes by (E. Alessio, G. Mestroni), (291) 117
- Palladium and nickel catalysed aryl- and acyl-demetallation of organometallic compounds (N.A. Bumagin, A.B. Ponomaryov, I.P. Beletskaya), (291) 129
- Palladium and platinum asymmetric metallacyclic complexes, synthesis and reactivity of (H.-P. Abicht, K. Issleib), (289) 201
- Palladium and platinum complexes of α -ketoesters; crystal structure of *trans*-[Pt{P(C₆H₅)₃}₂(H){OC=CHC(Me)(COOEt)OCO}] (A. Grassi, P. Longo, A. Musco, W. Porzio, A. Scrivanti), (289) 439
- Palladium(0;II) and platinum(0;II) coordination polymers as catalysts in hydrogenation of alkenes and alkynes (I. Jaffe, M. Segal, A. Efraty), (294) C17
- Palladium-catalysed asymmetric coupling reactions between allylic acetates and organozinc reagents (J.-C. Fiaud, L. Aribi-Zouïoueché), (295) 383
- Palladium-catalysed conjugate addition of 2-bromoarylmercury compounds and 2-bromoaryl iodides with α,β -enones (S. Cacchi, G. Palmieri), (282) C3
- Palladium-catalysed cyclisation via intramolecular allylation of alkenyl-metals (S. Chatterjee, E.-I. Negishi), (285) C1
- Palladium(0) catalysed (3 + 2) cyclo-addition used in synthesis of a precursor to pentalenene (R. Baker, R.B. Keen), (285) 419
- Palladium-catalysed cyclocarbonylation reaction leading to synthons for cyclopentanoid chemistry (E. Amari, M. Catellani, G.P. Chiusoli), (285) 383
- Palladium-catalysed oxidative carbonylation of arylmercury compounds (A. Chiesa, R. Ugo), (279) 215
- Palladium-catalysed reaction of acyl chlorides with Et₂Sn₂ as a route to symmetrical ketones and α -diketones (M.A. Bumagin, Yu.V. Gulevich, I.P. Beletskaya), (282) 421
- Palladium-catalysed reactions of allylic substrates, stereocontrol in (R.E. Nordberg, J.-E. Bäckvall), (285) C24
- Palladium-catalysed regioselective oxidation of allylsulphones; formation of α,β -ethylenylsulphonyl aldehydes and alcohols (J. Muzart, A. Riahi, J.P. Pete), (280) 269
- Palladium-catalysed synthesis of 1,2,3,4,-4a,12b-hexahydro-1,4-methanotriphenylenes (M. Catellani, G.P. Chiusoli), (286) C13
- Palladium-catalysed synthesis of substituted cyclopentadienes and indenes from allylic esters (J.-C. Fiaud, B. Denner, J.-L. Malleron), (291) 393
- Palladium(II) cationic complexes involving unprecedented *O*-coordination of acetylmethylenetriphenylphosphorane (R. Usón, J. Forniés, R. Navarro, P. Espinet, C. Mendivil), (290) 125
- Palladium(II) chloride complexes of 2,2,N,N-tetramethyl-3-buten-1-amine and 2,2-dimethylbuten-1-yl methyl sulphide, reaction with diazomethane and carbene insertion of (R. McCrindle, D.W. Sneddon), (282) 413

- Palladium complex catalysed carbonylative cross-coupling reaction of aryl iodides with alkylaluminums (Y. Wakita, T. Yasunaga, M. Kojima), (288) 261
- Palladium(II) complexes with functionally substituted cyclopentadienyl groups, synthesis and characterisation of (M. Onishi, K. Hiraki, Y. Ohama, A. Kurosaki), (284) 403
- Palladium hydride complexes in aqueous trifluoroacetic acid solutions, formation reactivity of (V.N. Zudin, V.D. Chinakov, V.M. Nekipelov, V.A. Likhobolov, Yu.I. Yermakov), (289) 425
- Palladium organic chemistry, 25 years in (J. Tsuji), (300) 281
- η^5 -[Pd(CH₂=CH=CMeCH₂CH₂CH=CM₂)- (MeCN)](BF₄), cationic π -allylpalladium complex with almost in-plane intramolecular olefin coordination, molecular structure of (R. Ciajolo, M.A. Jama, A. Tuzi, A. Vitagliano), (295) 233
- [PdXMe(PEt₃)₂], non-radical methyl elimination from (A. Morvillo, A. Turco), (276) 431
- Pentafluorobenzimidoylpalladium(II) complexes preparation of; X-ray structure of *trans*-[Pd{C(C₆F₅)=NMe}]Cl(CNMe)₂] (R. Usón, J. Forriés, P. Espinet, E. Lalinde, P.G. Jones, G.M. Sheldrick), (288) 249
- Phosphine-nickel and -palladium complexes, regio- and stereo-chemistry in allylation of aryl-Grignard reagents catalysed by (T. Hayashi, M. Konishi, K.-I. Yokota, M. Kumada), (285) 359
- Platinum, palladium and nickel containing zerovalent mixed ligand complexes containing a chelating olefinic tertiary phosphine (M.A. Bennett, C. Chirarvatana), (296) 255
- Polymer-supported 2,2'-dipyridylmethane: synthesis and formation of transition metal complexes (B. Elman, C. Moberg), (294) 117
- 2-Pyrimidyl- and 2-pyrazyl-palladium(II) complexes, preparation and protonation of (B. Crociani, F. Dibianca, A. Giovenco, A. Scrivanti), (291) 259
- Stereoselectively-fluorinated conjugated dienes, preparation by palladium catalysed cross coupling reactions of (F. Tellier, R. Sauvêtre, J.-F. Normant), (292) 19
- Transition metal alkyls, a personal perspective (A. Yamamoto), (300) 347
- Transition-metal catalysed stannyll metallation of acetylenes and conversion of enol triflates and vinyl iodides into vinylstannanes (S. Matsubara, J.-I. Hibino, Y. Morizawa, K. Oshima, H. Nozaki), (285) 163
- Transition metal heteronuclear carbonyl-carbide clusters, synthesis via vertex replacement in a metal polyhedron of; X-ray crystal structures of [Fe₄CoC(CO)₁₄]⁻ and Fe₄CoRhC-(CO)₁₆ clusters (V.E. Lopatin, S.P. Gubin, N.M. Mikova, M.Ts.Tsybenov, Yu.L. Slovokhotov, Yu.T. Struchkov), (292) 275
- Transition metals and olefins, a promising land (B.M. Trost), (300) 263
- (η^2 -1-Triphenylphosphonium-2-carbo-methoxyethylene)(triphenylphosphine)iodopalladate, structure of (L.V. Rybin, E.A. Petrovskaya, M.I. Rubinskaya, L.G. Kuz'mina, Yu.T. Struchkov, V.V. Kaverin, N.Yu. Koneva), (288) 119
- ## Phosphorus
- Acetylene-tungsten complexes, η^5 -ArW(CO)(R¹C₂R²)R and η^5 -ArW-(CO)(R¹C₂R²)COR (Ar = C₅H₅, C₅H₄Me, C₅Me₅; R¹, R² = H, Me, Ph; R = Me, Et, n-Pr, n-Bu, Ph), preparation and characterisation of (H.G. Alt), (288) 149
- Acyliron-phosphorus ylides, ambidentate behaviour towards methyl fluorosulphonic acid ester and rearrangements of (W. Malisch, H. Blau, K. Blank, C. Krüger, L.K. Liu), (296) C32
- [AgL(μ -PR₂)M(CO)₅] (L = 1,10-phenanthroline or tricyclohexylphosphine, M = Cr, Mo, W), synthesis and characterisation of (D. Obendorf, P. Peringer), (299) 127
- Alkoxy carbene complexes, conversion to vinyl ether derivatives of; X-ray structure of Ru{C(OPr')=CHPh}-(CO)(PPh₃)(η -C₅H₅) (M.I. Bruce, D.N. Duffy, M.G. Humphrey, A.G. Swincer), (282) 383
- Alkyl, aryl and acyl trichlorostannate complexes of platinum(II), ¹⁹⁵Pt, ¹¹⁹Sn and ³¹P NMR studies of; crystal structure of *trans*-[Pt(SnCl₃)(CO₂C₆H₅)-

- ($\text{PEt}_3)_2$] (A. Albinati, U. von Gunten, P.S. Pregosin, H.J. Ruegg), (295) 239
- Alkylated methylenebis-phosphonates, synthesis via organothallium intermediates of (D.W. Hutchinson, G. Semple), (291) 145
- μ -Alkylidene nonacarbonyl ditungsten, reaction with diphosphino alkyne of (J. Levisalles, F. Rose-Munch, H. Rudler, J.C. Daran, Y. Jeannin), (279) 413
- Alkynylstannanes and 1,2-bis(diphenylphosphino)ethane palladium(II) chloride, alkynyl-halogen exchange between (C. Stader, B. Wrackmeyer), (295) C11
- η^3 -Allylbis(triarylphosphite)nickel(II) hexafluorophosphate C(3) substituted complexes, ^{31}P NMR characterisation of *anti* and *syn* structures of; mechanism of [$\text{C}_3\text{H}_5\text{Ni}(\text{P}(\text{OPh})_3)_2\text{JPF}_6$, catalysed 1,4-*trans*-polymerisation of butadiene (R. Taube, J.-P. Gehrke, R. Radeglia), (291) 101
- Allylcyclopentadienylmanganese cationic complexes, synthesis and reactivity of (B. Buchmann, A. Salzer), (295) 63
- η^3 -Allylhydrido osmium mononuclear complexes, preparation of; X-ray crystal structure of the solvato complex [$\text{OsH}(\text{H}_2\text{O})(\text{CO})_2(\text{PPh}_3)_2\text{BF}_4 \cdot \text{EtOH}$ (C. Conway, R.D.W. Kemmitt, A.W.G. Platt, D.R. Russell, L.J.S. Sherry), (292) 419
- η^3 -Allylpalladium complexes with phosphorus-sulphur hydride ligands and their reduction to palladium(0) derivatives (M. Bressan, L. Dal Mas, F. Morandini, B. Prozza), (287) 275
- Aryldiazo ligands-containing ruthenium cluster complexes, preparation of; crystal structure of [$\text{HRu}_3(\mu\text{-N}_2\text{C}_6\text{H}_4)(\mu_3\text{-PhAsCH}_2\text{AsPh}_2)(\text{CO})_8$] (M.I. Bruce, E. Horn, M.R. Snow, M.L. Williams), (276) C53
- Aryldiazovinylidene and cyclohepta-triene vinylidene complexes, synthesis of; X-ray structures of [$\text{Ru}(\text{C}=\text{CPhN=NC}_6\text{H}_3\text{Me}_2\text{-3,4})(\text{PPh}_3)_2(\eta\text{-C}_5\text{H}_5)\text{-}[BF}_4\text{] \cdot 0.67\text{ CH}_2\text{Cl}_2$ and [$\text{Ru}[\text{C=CPh}(\text{C}_5\text{H}_5)](\text{DPPE})(\eta\text{-C}_5\text{H}_5)\text{-}[PF}_6\text{] \cdot 0.63\text{ CH}_2\text{Cl}_2$] (M.I. Bruce, C. Dean, D.N. Duffy, M.G. Humphrey, G.A. Koutsantonis), (295) C40
- Aryl(hydrido)-ruthenium(II) and -osmium(II) complexes, influence of ligands upon the formation from aromatic complexes of (H. Werner, J. Gotzig), (284) 73
- [$\{\text{Au}(\text{PPh}_3)\}_3\text{O}]^+$, reactions with [$\text{Ru}_{\text{2}}(\mu_3\text{-C}_2\text{But})(\text{CO})_6$]⁻; X-ray structure of [$\text{Ru}_{\text{2}}\text{Au}_{\text{2}}(\mu_3\text{-C}=\text{CHBut})(\text{CO})_{10}(\text{PPh}_3)_2$] containing trigonal-bipyramidal $\text{Ru}_{\text{2}}\text{Au}_{\text{2}}$ core (M.I. Bruce, E. Horn, O. bin Shawkataly, M.R. Snow), (280) 289
- Azacymantrene, CO substitution in and reactions of ($\eta^5\text{-C}_4\text{H}_4\text{N}$) $\text{Mn}(\text{CO})_2\text{PPh}_3$ with electrophiles; X-ray crystal structure of [$(\text{PPh}_3)_2\text{Mn}(\eta^5\text{-C}_4\text{H}_4\text{N})_2\text{PdCl}_2$ (N.I. Pyshnograeva, A.S. Batsanov, Yu.T. Struchkov, A.G. Ginzburg, V.N. Setkina), (297) 69
- Azanickelacyclopentanones, formation from C-C coupling reactions of alkenes with isocyanates (H. Hoberg, K. Sümmermann, A. Milchereit), (288) 237
- Benchrotrenyl acetylenes, synthesis catalysed by palladium of (D. Villemain, E. Schigeko), (293) C10
- cis*-(Benzodioxyl)₂ $\text{PMn}(\text{CO})_4\text{P}(\text{OPh})_3$, carbonyl substitution reactions and X-ray crystal structure of (S.K. Chopra, S.S.C. Chu, P. De Meester, D.E. Geyer, M. Lattman, S.A. Morse), (294) 347
- Bidentate, P,N ligand-modified rhodium(I) complexes, impact of nitrogen ligands on isomerisation capability of (M.C. Bonnet, B. Stitou, I. Tkatchenko), (279) C1
- Bis(amino)stannylenes, reactions with organylphosphanes, methylenephosphoranes, phosphane imines, phosphane oxide and phosphane sulphides of (M. Veith, V. Huch), (293) 161
- trans*-Bis[1,2-bis(diphenylphosphino)ethane]chloro(t-butylisocyanide)-rhenium(I) tetrahydrofuran solvate, molecular structure of (M.A.A.F. De C.T. Carondo, A.M.T.S. Domingos, G.A. Jeffrey), (289) 377
- Bis(μ -dimethylphosphido)dicobalt nucleophilic complex, synthesis and reactions of; crystal and molecular structure of [$\text{C}_5\text{H}_5\text{Co}(\mu\text{-PMe}_2)_2$], and [$(\text{C}_5\text{H}_5\text{Co})_2(\mu\text{-H})(\mu\text{-PMe}_2)_2\text{BPh}_4$] (H. Werner, W. Hofmann, R. Zolk, L.F. Dahl, J. Kocal, A. Kühn), (289) 173
- Bis{2-[$(\text{diphenoxypyrophosphino})\text{oxy}$]-phenyl- C,P }bis(triphenylphosphite-

- P*)ruthenium, $[(\text{C}_6\text{H}_5\text{O})_2\text{POC}_6\text{H}_5]_2\text{-Ru}[\text{P}(\text{OC}_6\text{H}_5)_3]_2$, synthesis and structure of (M.F. Garbauskas, J.S. Kasper, L.N. Lewis), (276) 241
- Bis(1,4-diphenylphosphino)butane-rhodium and pyridine(tricyclohexylphosphine)iridium, stereochemical control by carboxylate groups in homogeneous hydrogenation catalysed by (J.M. Brown, S.A. Hall), (285) 333
- [1,2-Bis(diphenylphosphino)ethane]-
(2-norbornanone)palladium(II), chloride, electrophilic attack on (E. Rotondo, F. Priolo Cusmano, G. Neri, A. Donato, R. Pietropaolo), (292) 429
- Bis(diphenylphosphino)methane fluxional complexes of alkyl-galliums and -indiums (H. Schmidbaur, S. Lauteschläger, G. Müller), (281) 25
- Bis(diphenylphosphino)methylolithium-(*N,N,N',N'*-tetramethylenediamine, crystal structure of (D.J. Brauer, S. Hietkamp, O. Stelzer), (299) 137
- 2,4-Bis(diphenylphosphino)pentane enantiomers, preparation and application in asymmetric hydrogenation of (J. Bakos, I. Tóth, B. Heil, L. Markó), (279) 23
- Bis(di-tertiary-phosphine)rhodium chiral complexes, catalytic decarbonylation, hydroacylation and resolution of racemic pent-4-enals by (B.R. James, C.G. Young), (285) 321
- Bis(halophenylstannyl)methanes, their hexamethylphosphotriamide complexes and related compounds, Mössbauer spectroscopy of (M. Gielen, K. Jurkschat, B. Mahieu, D. Apers), (286) 145
- Bis(pentamethylidicarbonylmolybdenum)-(Mo=Mo), reaction with phosphorus ligands under formation of $(\text{C}_5\text{Me}_5)_2\text{Mo}_2\text{PR}_3$ -(Mo=Mo) ($\text{PR}_3 = \text{P}(\text{OMe})_3$, PhP(OCH₂CH₂)₂NH) and $\text{C}_5\text{Me}_5\text{(CO)}_2\text{[P}(\text{OMe})_3\text{]}_2\text{Me}$ of; crystal structure of $(\text{C}_5\text{Me}_5)_2\text{Mo}_2\text{(CO)}_3\text{[PhP}(\text{OCH}_2\text{CH}_2)_2\text{NH]}$ (J.G. Riess, U. Klement, J. Wachter), (280) 215
- cis*- and *trans*-Bis(phenyl)bis(tri-*n*-butylphosphine)platinum(II) compounds, IR and ¹H NMR spectroscopic criteria for determination of the configuration of (W.-D. Müller, H.A. Brune), (299) 391
- cis*-Bis(phenyl)platinum(II) compounds, mechanism of light-induced elimina-
- tion of the biphenyl system from (R. Klotzbücher, H.A. Brune), (299) 399
- Bis-phosphitediiodotricarbonyl-molybdenum(II) and -tungsten(II) complexes, preparation of (P.K. Baker, S.G. Fraser), (299) C23
- Bis(tertiary alkylphosphine)rhodium(I) cationic complex, NMR study of hydrogenation of (I.R. Butler, W.R. Cullen, B.E. Mann, C.R. Nurse), (280) C47
- 1,2-Bis(2,4,6-tri-*t*-butylphenyl)-3,3-di-*t*-butyl-1,2,3-diphosphasilirane, synthesis and molecular structure of (M. Weidenbruch, M. Herrndorf, A. Schäfer, K. Peters, H.G. von Scheiring), (295) 7
- Bis(trimethylsilyl)decacarbonylhydridotri-ruthenium anionic cluster, $[\text{HRu}_3(\text{CO})_{10}(\text{SiEt}_3)_2]^-$, solid state structure, dynamic structural effects and electrochemical characteristics of (H.-P. Klein, U. Thewalt, G. Herrmann, G. Süss-Fink, C. Moinet), (286) 225
- Bis(trifluoromethyl)phosphine, ³¹P, ¹⁹F and ¹H NMR spectroscopy of the reaction with solid KOH of (H.E. Hosseini, H.W. Kroto, J.F. Nixon, O. Ohashi), (296) 351
- Bis(triphenylphosphine)heptahydrido-rhenium, reactions with propene of (D. Baudry, J.-M. Cormier, M. Ephritikine, H. Felkin), (277) 99
- clos*-Bis(triphenylphosphine)hydrido-rhodacboranes, reactions at the rhodium vertex of; alkenyl acetate cleavage and subsequent reactions (R.E. King, III, D.C. Bussy, M.F. Hawthorne) (279) 103
- Bis(triphenylphosphine)-5-nickela-3,3,7,7-tetramethyl-*trans*-tricyclo[4.4.0.0^{2,4}]heptane formation, NMR spectra and catalytic properties of (T.A. Peganova, P.V. Petrovskii, L.S. Isaeva, D.N. Kravtsov, D.B. Furman, A.V. Kudryashev, A.O. Ivanov, S.V. Zotova, O.V. Bragin), (282) 283
- Bromovinylidene complex, $[\text{Ru} \{ \text{C}=\text{CBr} \cdot (\text{C}_6\text{H}_5\text{Br}-4) \} (\text{PPH}_3)_2(\eta\text{-C}_5\text{H}_5)] \cdot [\text{Br}_3]\text{CHCl}_3$, synthesis and X-ray structure of (M.I. Bruce, M.G. Humphrey, G.A. Koutsantonis, B.K. Nicholson), (296) C47
- Carbamoylnickel novel complexes, structure and properties of (H. Holberg, F.J. Fañanás, K. Angermund, C. Krüger, M.J. Ramão), (281) 379

- Carbenoid- and ylide-cobalt(III) complexes, synthesis by ligand substitution of cyclopentadienylcobalt(I) compounds of (L. Hoffmann, H. Werner), (289) 141
- Carbonyl-cobalt, -rhodium and -iridium clusters, use in double deoxygenation of PPN(NO_2) (PPN = bis(triphenylphosphine)iminium) of (R.E. Stevens, P.C.C. Liu, W.L. Gladfelter), (287) 133
- Carbonylcyclopentadienyl(triphenylphosphine)iron, [$(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})(\text{PPh}_3)$], synthesis of α,β -unsaturated acyl ligands bound to (S.G. Davies, R.J.C. Easton, J.C. Walker, P. Warner), (296) C40
- Carbonylmanganese complexes, $[\text{Mn}(\text{CO})_5\text{PR}_3]^+$ and $[\text{Mn}_2(\text{CO})_{10-n}(\text{PR}_3)_n]$, ligand rearrangement with bis(halodinitrosylcobalt) of (P. Oltmans, D. Rehder), (281) 263
- Carbonylmanganese(I) complexes with chelating phosphino-alkyl or -acyl ligands; crystal and molecular structure of $[\text{Ph}_2\text{PCH}_2\text{CH}_2(\text{O})\text{CMn}(\text{CO})_2(\text{dppm})]$ (G.A. Carriero, J.B. Parra Soto, V. Riera, X. Solans, C. Miravitles), (297) 193
- Carbonylmetal complexes as stabilisers in reactions of free and surface-anchored phosphines with multidentate ligands (D.F. Foster, J. Harrison, B.S. Nicholls, A.K. Smith), (295) 99
- Carbonylmetal fragments, reaction with coordinated diphosphorus groups of; crystal structure of $[(\text{CO})_5\text{Cr}-[(\text{CO})_5\text{W}]_2\text{Co}_2(\text{CO})_6$ (A. Vizi-Orosz, G. Pályi, L. Markó, R. Boese, G. Schmid), (288) 179
- Carbonylmolybdenum complexes with polydentate thioether-thiol ligands, substitution and redox reactions of (D. Sellmann, L. Zapf), (289) 57
- $\text{C}(\text{C}_6\text{F}_5\text{PPh}_2\text{-}\text{o})\text{NMe}$, C,P-chelate and C,N-bridging ligand; crystal structure of $[\text{Pd}[\text{C}(\text{C}_6\text{F}_5\text{PPh}_2\text{-}\text{o})\text{N}(\text{Me})]\text{Cl}]_2$; 0.88(4) Cl_2CH_2 (R. Usón, J. Forniés, P. Espinet, A. García, M. Tomás, C. Foces-Foces, F.H. Cano), (282) C35
- $(\mu\text{-CCH}_3)\text{CO}_3(\text{CO})\text{-}\mu\text{-}(\text{Ph}_2\text{PCH}_2\text{PPh}_2)$, synthesis, catalytic activity and molecular structure of (G. Balavoine, J. Collin, J.J. Bonnet, G. Lavigne), (280) 429
- $\text{C}_5\text{H}_4\text{CH}_3\text{Co}(\text{CO})\text{L}$ ($\text{L} = \text{CO}, \text{PPh}_3$, tetra-
- cyanoethylene), oxidative addition reactions with BrCN and ICN of (M.J. Macazaga, M.S. Delgado, J.R. Masaguer), (299) 377
- $(\eta^5\text{-C}_5\text{H}_4)(\text{CO})(\text{PR}_3)\text{Mn}(\text{H})\text{SiHPh}_2$, complexes, reductive elimination of diphenylsilanes from (G. Kraft, C. Kalbas, U. Schubert), (289) 247
- $(\pi\text{-C}_5\text{H}_5)(\text{CO})_2\text{LM-X}$ ($\text{M} = \text{Mo}, \text{W}$; $\text{X} = \text{FBF}_3, \text{FPF}_5, \text{FAsF}_5, \text{FSbF}_5$), reactions with O-donors of (K. Sünkel, G. Urban, W. Beck), (290) 231
- $\text{C}_5\text{H}_5(\text{CO}), \text{MnFe}_2(\text{CO})_6\text{PR}$, kinetics and mechanism of reversible metal-metal bond opening in (J. Schneider, M. Minelli, G. Huttner), (294) 75
- $[(\text{C}_5\text{H}_5(\text{CO})_2\text{Mn})_2\text{TePh}]^x$ ($x = +1, -1$), synthesis and structure of; valence tautomerism in dinuclear complexes (G. Huttner, S. Schuler, L. Zsolnai, M. Gottlieb, H. Braunwarth, M. Minelli), (299) C4
- $[\text{C}_5\text{H}_5\text{Fe}^{\text{II}}\text{C}_6\text{Me}, \text{CH}_2\text{PPh}_2]^+$, coordination to Rh^{I} of; spectroscopic, electrochemical and catalytic properties of heterodinuclear $\text{Fe}^{\text{II}}\text{-Rh}^{\text{I}}$ complexes (E. Román E., V. Castro W., M. Camus O.), (293) 93
- cis*- and *trans*-Chloro(n-alkyl)bis(triethylphosphine)platinum(II) complexes, differential scanning calorimetry study of β -hydride elimination from (G. Alibrandi, G. Cum, D. Minniti, R. Romeo), (291) 133
- μ -Chlorobis(diethylaluminium)bis(diphenylphosphino) ethanide, complex with windshield wiper fluxionality (H. Schmidbaur, S. Lauteschläger, G. Müller), (281) 33
- α -Chloro- α -lithiated phosphonate carbanions, condensations reactions of (M.P. Teulade, P. Savignac, E.E. Aboujaoude, N. Collignon), (287) 145
- 2-Chlorophenyl-Group V derivatives, synthesis of (N.A.A. Al-Jabar, A.G. Massey), (288) 145
- cis*- $\text{CH}_3\text{Mn}(\text{CO})_4\text{L}$, carbonylation and hydrogenation of, substitution reactivity of *cis*- $\text{HMn}(\text{CO})_4\text{L}$ and binuclear elimination between *cis*- $\text{CH}_3\text{Mn}(\text{CO})_4\text{P}(\text{OPh})_3$ and *cis*- $\text{HMn}(\text{CO})_4\text{P}(\text{OPh})_3$ ($\text{L} = \text{CO}, \text{PPh}_3, \text{P}(\text{OPh})_3, \text{PBu}_3, \text{P}(\text{OMe})_3$) (R.J. Ruszczyk, B.-L. Huang, J.D. Atwood), (299) 205
- $(\eta^5\text{-C}_5\text{H}_5)_2\text{Ni}_2\text{Fe}_2(\text{CO})_5(\mu\text{-PPh})_2$ ($\mu_4\text{-}\eta^2\text{-C}=\text{CPh}$), synthesis and X-ray

- crystal structure of (C. Weatherell, N.J. Taylor, A.J. Carty, E. Sappa, A. Tiripicchio), (291) C9
- $[(C_6H_5)_2Ni\{P(S)R_2\}_2Ni(C_6H_5)]$, dinuclear spin-crossover complexes, synthesis, electronic structure and kinetics and mechanism of isomerisation of (W. Kläui, K. Schmidt, A. Bockmann, P. Hofmann, H.R. Schmidt, P. Stauffert), (286) 407
- $[C_6H_6Os(PR_3)]$ 16-electron fragment, precursors for and formation of aryl(hydrido)osmium(II) complexes by intermolecular C—H addition (H. Werner, K. Roder), (281) C38
- $(\eta^2-C_6H_5)_2Ru[(C_6H_5)_3P]_2(CO)_2Co\cdot THF$, preparation and crystal structure of (G. Doyle, D. van Engen), (280) 253
- $(C_5H_5)_2TiCl(PMe_3)(CO)$ ($M = Ti, Zr, Hf$), $(C_5H_5)_2Ti(PMe_3)(CO)$ and $(C_5H_5)_2TiCl(PMe_3)$, structural and spectroscopic comparison of; X-ray structures of $(C_5H_5)_2Ti(PMe_3)(CO)$ and $(C_5H_5)_2TiCl(PMe_3)$ (L.B. Kool, M.D. Rausch, H.G. Alt, M. Herberhold, B. Wolf, U. Thewalt), (297) 159
- $(\eta^5-C_6H_5)_2W[C_5(CMe_3)_2Me](PMe_3)Cl_2$, formation and crystal and molecular structure of (M.R. Churchill, J.C. Fettinger), (290) 375
- $[Co_3Ni_7(CO)_{16}C_2]^{1-}$ and $[Co_3Ni_7(CO)_{15}C_2]^{3-}$ dicarbide clusters, synthesis and chemical behaviour of; X-ray crystal structure of $[PPPh_3]_2[Co_3Ni_7(CO)_{16}C_2]$ (A. Arrigoni, A. Ceriotti, R. Della Pergola, G. Longoni, M. Manassero, M. Sansoni), (296) 243
- $[CuPPh_3C=CPh]_4$, electron-deficient molecule with μ_3 -bridging phenyl-acetylidy ligands, synthesis and X-ray structure of (L. Naldini, F. Demartin, M. Manassero, M. Sansoni, G. Rassu, M.A. Zoroddu), (279) C42
- Cycloheptatrienecyclopentadienyliron hexafluorophosphate, kinetic study of nucleophilic addition to (C.A. Camaioni, D.A. Sweigart), (282) 107
- Cycloheptatrienylmolybdenum vinylidene complex, $[Mo(C=CHPh)\cdot(Ph_2PCH_2CH_2PPh_2)(\eta^5-C_6H_5)]\cdot[PF_6]$, synthesis and deprotonation of (J.S. Adams, M. Cunningham, M.W. Whitley), (293) C13
- Cyclohexa-1,3-dienetricarbonyliron series, replacement of CO by R_2P in (A.J. Birch, L.F. Kelly), (286) C5
- Cyclooctatetraene in reaction with ruthenium(II) hydride complex; molecular structure of $[Ru(2-6-\eta^5\text{-bicyclo}[5.1.0]\text{octadienyl})(PMe_2Ph)_3]PF_6$ (T.V. Ashworth, A.A. Chalmers, D.C. Liles, E. Meintjes, H.E. Oosthuizen, E. Singleton), (276) C49
- Cyclopentadienylcarbonylruthenium complexes with Group V donor ligands, catalyzed synthesis of (N.J. Coville, E.A. Darling), (277) 105
- Cyclopentadienyldicarbonylmetallo-phosphanes, boron complexes of (R. Maisch, E. Ott, W. Buchner, W. Malisch, I.J. Colquhoun, W. McFarlane), (286) C31
- Cyclopentadienyldicarbonylphosphine-iron Lewis acid adducts, reactivity with nucleophiles of (J.J. Weers, D.P. Eyman), (286) 47
- Cyclopentadienyldiligradrhodium compounds, used as synthons for carbenoid- and carbénoidylid-rhodium(III) complexes (H. Werner, L. Hoffmann, R. Feser, W. Paul), (281) 317
- Cyclopentadienyl(diphosphine)methoxy-carbeneruthenium(II) complexes, stereochemical investigation of reaction with $LiAlH_4$ of (G. Consiglio, F. Bangerter, F. Morandini), (293) C29
- Cyclopentadienyliron complexes with P—N ligands, $(C_6H_5)_{3-n}P(NR_2)_n$ ($n = 0-3$, R = CH_3, C_2H_5), synthesis and spectroscopic characterisation of (H. Schumann), (299) 169
- Cyclopentadienyliron complexes with $P(OR)_3$ ligands, synthesis and spectroscopic characterisation of (H. Schumann), (293) 75
- η^5 -Cyclopentadienyltriphenylphosphine-nickel- η^1 -thioanisoly, preparation and characterisation and thermal decomposition to nickelthiopheno-lato complexes of (R. Taube, D. Steinborn, W. Höbold), (284) 385
- Cyclopentadienyluranium(IV) complexes containing phosphido and/or amido ligands, access to $(C_6H_5)_3UP(C_6H_5)_2$ (G. Paolucci, G. Rossetto, P. Zanella, R.D. Fischer), (284) 213
- Decacarbonyl(diphosphine)triosmium clusters, bridging versus chelating diphosphine in isomers of (A.J. Deeming, S. Donovan-Mtunzi, S.E. Kabir), (276) C65

- Decacarbonyldirhenium, photochemical reaction with triphenyl phosphite of (C.S. Young, S.W. Lee, C.P. Cheng), (282) 85
- Decacarbonylphosphinetriiron clusters, addition and elimination of ligands in (K. Knoll, G. Huttner, L. Zsolnai, I. Jibril, M. Wasiucionek), (294) 91
- Diaromatic ruthenium complexes with π -bonded triphenylphosphane ligands, synthesis and structure of (H. Werner, H. Kletzin, C. Burschka), (276) 231
- (Diazadiene)(trialkylphosphite)penta-carbonyldiiron, preparation of and intramolecular photochemical rearrangement in (H.-W. Frühauf, D. Meyer, J. Breuer), (297) 211
- Diazanorbornenepentacarbonyltriiron and related compounds, electrochemical investigation of (P. Lahuerta, J. Latorre, M. Sanau, H. Kirsch), (286) C27
- Dibromoethylindium tetramethylenediamine solvate and ethyltriodoindium tetraphenylphosphorus solvate, structures of (M.A. Khan, C. Peppe, D.G. Tuck), (280) 17
- Dicarbonyl(η^4 -diene)-1,2-bis(dimethylphosphino)ethanechromium(0), synthesis and dynamic behaviour of (C.G. Kreiter, M. Kotzian), (289) 295
- Dichlorotris(triphenylphosphine)ruthenium(II), [RuCl₂(PPh₃)₃], as catalyst in addition reactions of haloalkanes to alkanes (W.J. Bland, R. Davis, J.L.A. Durrant), (280) 397
- Dicyclopentadienyl(dimethylphosphinomethyl)lutetium, intramolecular stabilisation via a Lu—C—P three-membered ring (H. Schumann, F.-W. Reier, E. Palamidis), (297) C30
- Dicyclopentadienylniobium neutral and cationic complexes, preparation and reactions of (F.A. Urbanos, M. Mena, P. Royo, A. Antíñolo), (276) 185
- Dicyclopentadienylsilenes and related compounds, structures of (C. Glidewell), (286) 289
- Di- η^5 -cyclopentadienyltetracarbonyl- μ -(3,3-dimethyl-1-phosphabutynedi-molybdenum, [Mo₂(CO)₄(η^5 -C₅H₅)₂-(^tBuCP)], synthesis and ³¹P NMR spectra of platinum(II), palladium(II) and rhodium(I) complexes of (M.F. Meidine, C.J. Meir, S. Morton, J.F. Nixon), (297) 255
- η^5 -Dienylruthenium(II) cationic complexes, hydrogen transfer processes in formation of; X-ray structure of [Ru(1—5- η -cyclooctadienyl)-(PMe₂Ph)₃][PF₆] (T.V. Ashworth, A.A. Chalmers, D.C. Liles, E. Meintjes, H.E. Oosthuizen, E. Singleton), (284) C19
- Diethylenyltricyclohexylphosphine-platinum-mediated activation of aldehyde bonds via chelate-assisted oxidative addition reactions (J.J. Koh, W.-H. Lee, P.G. Eilliard, W.M. Risen, Jr.), (284) 409
- Dihalophosphane complexes as organometallic precursors (H. Lang, L. Zsolnai, G. Huttner), (282) 23
- Dihydrogen bonding by bis(ditertiary phosphine)rhodium(I) tetrafluoroborate complexes, kinetic and mechanistic aspects of; activity of the dihydrides for catalytic hydrogenation of prochiral olefinic acids (B.R. James, D. Mahajan), (279) 31
- Diiodo(methylthio)gallane, preparation and reactivity of (G. Hoffmann, P. Resch), (295) 137
- Diisopropylamino(ethoxy)carbene, preparation by acylation and alkylation of tetracarbonylnickel stabilised by triphenylphosphine substitution (E.O. Fischer, J.D. Schneider), (295) C29
- Dimethylbis(diethylphenylphosphine)-palladium(II) *trans*—*cis* isomerisation catalysed by methylmagnesium compounds of (F. Ozawa, K. Kurihara, T. Yamamoto, A. Yamamoto), (279) 233
- 3-(Dimethylphenylphosphorane)indolidin 2-ylidene complexes of platinum(II), synthesis from metal-coordinated phosphonium-substituted isocyanide ligands of (G. Facchin, R. Campostriani, R.A. Michelin), (294) C21
- Dimethylruthenium(II) compounds, C₆Me₆Ru(CH₃)₂PR₃, protonation of and metal-centred formation of 2-styryldiphenylphosphanes (H. Kletzin, H. Werner), (291) 213
- trans*-Dinitrobis(tri-*N*-propylphosphine)-palladium(II), thermally-reversible photoisomerisation of (G. Guglielmo, V. Ricevuto, P. Bergamini, S. Sostero, O. Traverso), (276) 281
- Dioxomolybdenum complexes in reactions with triphenylphosphonium ylides; crystal structures of [PPh₃·-

- $\text{CH}_2\text{COOEt}]^+, [\text{NH}_2\text{Et}]^+, [\text{Mo}_{6-\text{O}}]^{4-}, [\text{PPh}_3\text{CH}_2\text{COOEt}]^+$, $[\text{Mo}_6\text{O}_{19}]^{2-}$ and $[\text{PPh}_3\text{CH}_2\text{Ph}]^{2-}$ (H. Arzoumanian, A. Baldy, R. Lai, A. Odreman, J. Metzger, M. Pierrot), (295) 343
- Diphenylbenchrotenylphosphine, a two-electron ligand in carbonyl-containing π -aromatic chromium and manganese complexes and in Group VIB carbonyls (V.I. Losilkina, M.N. Estekhina, N.K. Baranetskaya, V.N. Setkina), (299) 187
- 1-Diphenylphosphino-2-, *m*- and *p*-fluorophenylphosphinoethane and *m*-trifluoromethylphenylphosphinoethane, synthesis of (P.N. Kapoor, D.D. Pathak, G. Gaur, M. Kutty), (276) 167
- (*o*-Diphenylphosphinobenzyl)dimethylsilane, synthesis and coordination properties of (H.G. Ang, P.T. Lau), (291) 285
- Diphosphene complexes, $(\text{CO})_5\text{CrPhP}=\text{PPh}_3\text{Cr}(\text{CO})_5$, reactions of (J. Borm, G. Huttner, O. Orama, L. Zsolnai), (282) 53
- Distorted tetrahedral cluster in $[(\text{Ph}_3\text{P})_4\text{Au}_3\text{N}]^+\text{BF}_4^-$, X-ray crystal structure of (Yu.L. Slovokhotov, Yu.T. Struchkov), (277) 143
- trans*-Di-tertiary-phosphanedichloropalladium, correlation of ^{31}P chemical shifts and sterical parameters of the phosphanes on (T. Bartik, T. Himmer), (293) 343
- 1,3,2-Dithiaphospholane as ligands in tetracarbonyl- and pentacarbonylchromium complexes (J. Grobe, D. Le Van, J. Szameitat), (289) 341
- Dithiophosphate monodentate complexes $\text{Cp}'\text{Fe}(\text{CO})_2(\eta^1\text{-SP}(\text{S})(\text{OR}))_2$ ($\text{Cp}' = \eta\text{-C}_5\text{H}_5, \eta\text{-C}_5\text{H}_4\text{Me}, \eta\text{-C}_5\text{Me}_5$), preparation of (M. Morán, I. Cuadrado), (295) 353
- Dodecacarbonyltrirhodium-hydrido-ruthenium complex, synthesis and characterisation of; crystal structures of $\text{HRuRh}_3(\text{CO})_{12}$, $\text{HRuRh}_3(\text{CO})_{10}(\text{PPh}_3)_2$ and $\text{HRuCo}_3(\text{CO})_{10}(\text{PPh}_3)_2$ (J. Pursiainen, T.A. Pakkanen, J. Jääskeläinen), (290) 85
- Ethylenetherhodium cationic complexes, synthesis and electrophilicity of (H. Werner, R. Feser, L. Hofmann), (292) 361
- $[\text{Fe}_5\text{C}(\text{CO})_{15}]$, $[\text{N}(\text{PPh}_3)_2][\text{Fe}_5\text{N}(\text{CO})_{14}]$ and $[\text{NBu}_4]_2[\text{Fe}_5\text{C}(\text{CO})_{14}]$, electrochemistry and electronic structures of (A. Gourdon, Y. Jeannin), (290) 199
- Ferricenium cations, activity in oxidative cleavage of metal-metal bonds in organometallic compounds (H. Schumann), (290) C34
- Ferrocenylphosphinierhodium(I) complexes as efficient asymmetric catalysts; structure of $\text{Fe}(\eta^5\text{-C}_5\text{H}_3\text{-}(\text{P}(\text{CMe}_3)_2\text{-}1,3)\eta^5\text{-C}_5\text{H}_3(\text{CHMeNMe}_2)\text{P}(\text{CMe}_3)_2\text{-}1,2)$ (T.D. Appleton, W.R. Cullen, S.V. Evans, T.-J. Kim, J. Trotter), (279) 5
- Gold-ruthenium clusters with sulphur ligands; synthesis and structure of $\text{HRu}_3\text{Au}(\mu_3\text{-S})(\text{CO})_9(\text{PPh}_3)$, $\text{Ru}_3\text{Au}(\mu_3\text{-SBu}^t)(\text{CO})_9(\text{PPh}_3)$ and $\text{Ru}_3\text{Au}_2(\mu_3\text{-S})(\text{CO})_9(\text{PPh}_3)_2$ (M.I. Bruce, O. bin Shawkataly, B.K. Nicholson), (286) 427
- Heterometal dinuclear complexes with vinylidene as bridging ligand, synthesis and crystal structure of (H. Werner, F.J. Garcia Alonso, H. Otto, K. Peters, H.G. von Schnering), (289) C5
- Heterometallic dinuclear complexes prepared from the tripledecker sandwich complex $[\text{Ni}_2(\text{C}_5\text{H}_4\text{R})_3]\text{BF}_4$ and cyclopentadienylmetal bis(thiolates); crystal structure of $[(\text{C}_5\text{H}_4)_2\text{Mo}(\mu\text{-SBu}^t)_2\text{Ni}(\text{C}_5\text{H}_4\text{R})]\text{BF}_4$ ($\text{R} = \text{H, Me}$) (H. Werner, B. Ulrich, U. Schubert, P. Hofmann, B. Zimmer-Gasser), (297) 27
- Hexacarbonyl-chromium, -molybdenum and -tungsten, photochemical substitution with phosphinothioformamide ligands on (U. Kunze, H. Jawad), (277) C31
- Hexacarbonylniobium derivatives stabilised by oligodentate phosphines (K. Bachmann, D. Rehder), (276) 177
- Highly substituted alkene coordination, stabilisation by chelation of; preparation and crystal and molecular structure of $[\text{Rh}(\text{Ph}_2\text{PO}_2\text{CC}(\text{H})=\text{CMe}_2\text{Cl})_2$ (D.D. Cupertino, M.M. Harding, D.J. Cole-Hamilton), (294) C29
- Hydrido(cycloocta-1,5-diene)tris(phosphine)ruthenium(II) cations, reactions with 1,3-dienes of; formation of agostic η^3 -enyl species $[\text{Ru}(\eta^3\text{-enyl})\text{L}_3]^+$ (T.V. Ashworth, A.A. Chalmers, E. Meintjes, H. Oosthuizen, E. Singleton), (286) 237

- Hydrido-iridium(III) and -rhodium(III) complexes with triisopropylphosphane ligands, reactions and behaviour as metal bases of (H. Werner, J. Wolf, A. Höhn), (287) 395
- Hydrido-iridium(III) complexes with PF_6^- and AlCl_4^- anions and their reactions with water; X-ray structure of $[(\text{PPh}_3)_2(\text{CO})(\text{Cl})(\text{H})\text{Ir}(\text{OH}_2)]^+$ BF_4^- and $(\text{PPh}_3)_2(\text{CO})(\text{Cl})(\text{H})\text{IrOPOF}_2$, (H. Bauer, U. Nagel, W. Beck), (290) 219
- μ -Hydrido- μ -phosphido heterotrimetal alkylidyne clusters; X-ray structure of $[\text{Co}_2\text{W}(\mu\text{-H})(\mu_3\text{-CMe})(\mu\text{-PPh}_2)\text{-}(\text{CO})_6(\eta\text{-C}_5\text{H}_5)]$ (J.C. Jeffery, J.G. Lawrence-Smith), (280) C34
- Hydrido(phosphine)ruthenate complexes and their role in catalytic hydrogenation of arenes (W.A. Fordyce, R. Wilczynski, J. Halpern), (296) 115
- Hydroboration of unsaturated amines, role of a PIV-N bond on complexation of (Z. Benmaarouf-Khalayoun, M. Baboulène, V. Speziale, A. Lattes), (289) 309
- Hydroperoxorhodium complex, oxidation of the coordinated triphenylphosphine in (H. Suzuki, S. Matsuura, Y. Moro-Oka, T. Ikawa), (286) 247
- Indenyl-ruthenium(II) complexes, crystal structure of $[\text{Ru}(\text{CO})(\text{PPh}_3)_2\text{-}(\eta^5\text{-C}_5\text{H}_5)]\text{ClO}_4 \cdot 1/2 \text{CH}_2\text{Cl}_2$ (L.A. Oro, M.A. Ciriano, M. Campo, C. Foces-Foces, F.H. Cano), (289) 117
- $\text{Ir}_2\text{Cl}_2(\text{C}_6\text{H}_{14})_4/\text{PR}_3$ ($\text{PR}_3 = \text{P}(\text{CH}_2\text{CMe}_3)_3$, t-BuP(CH_2CMe_3)₂, t-Bu₂PCH₂CMe₃, i-Pr₃P), C—H metallation and hydride formation in (L. Dahlenburg, A. Yardimcioglu), (291) 371
- Iridium(I) and rhodium(I) complexes with chloro- and penta-2,4-dionato ligands, reactions with a secondary phosphite of (M.A. Bennett, T.R.B. Mitchell), (295) 223
- Iridium(I) and iridium(III) complexes with tripod-like ligands; X-ray crystal structure of $[\text{IrCl}(\text{CO})(\text{triphos})]$ (P. Janser, L.M. Venanzi, F. Bachetti), (296) 229
- Iridium complexes with cyclometallated t-Bu₃P, t-Bu₂PCH₂SiMe₂ and t-BuP(CH_2SiMe_3)₂ ligands, preparation and stereochemistry of (L. Dahlenburg, A. Yardimcioglu), (299) 149
- Iridium(III) metallacycles from electrophilic addition of dichlorocarbene ligands to triphenylphosphine ligands; crystal structures of $\text{IrCl}(\text{o-PPh}_3\text{C}_6\text{H}_4\text{-CO})(\text{CO})(\text{PPh}_3)$ and $\text{IrCl}(\text{o-PPh}_3\text{C}_6\text{H}_4\text{C}(\text{OH})\text{C}_6\text{H}_4\text{PPh}_2\text{-o})(\text{CO})$ (G.R. Clark, T.R. Greene, W.R. Roper), (293) C25
- Iridium(II) monomeric organometallic complexes, $[\text{Ir}(\text{R})(\text{CO})(\text{PPh}_3)_3]^+$, electrogeneration and characterisation of (S. Zecchin, G. Zotti), (294) 379
- Iron and nickel half-sandwich complexes as reactive intermediates (U. Kölle, B. Fuss, F. Khouzami, J. Gersdorf), (290) 77
- Ligand-modified zerovalent-nickel systems, stoichiometric reaction of 1,3-dienes with (R. Benn, B. Büssemeier, S. Holle, P.W. Jolly, R. Mynott, I. Tkatchenko, G. Wilke), (279) 63
- "Linear" unsaturated ligands, reactions with clusters involving metal carbonyl species of; synthesis and crystal structures of $(\eta^5\text{-C}_5\text{H}_5)\text{NiOs}_3(\mu\text{-H})_3\text{-}(\text{CO})_6(\text{Ph}, \text{PC}\equiv\text{CPr}^1)$ and $(\eta^5\text{-C}_5\text{H}_5)\text{NiOs}_3(\mu\text{-H})_3\text{-}(\text{CO})_6$ [($\text{Ph}_2\text{PC}\equiv\text{CPr}^1\text{Co}_2\text{-}(\text{CO})_6$) \cdot ($\sigma\text{-P}, \eta^2\text{-C}_2$) (E. Sappa, G. Predieri, A. Tiripicchio, M. Tiripicchio Camellini), (297) 103
- Mangana- and rhena-cycloalkanes, synthesis, structure and chemical behaviour of (E. Lindner, F. Zinsser, W. Hiller, R. Fawzi), (288) 317
- $\text{M}(\text{C}_2\text{R})(\text{PR}'_3)$ ($\text{M} = \text{Cu}, \text{Ag}, \text{Au}; \text{R} = \text{Ph}, \text{C}_6\text{F}_5$; $\text{R}' = \text{Me}, \text{Ph}$), reactions with $\text{H}_2\text{Os}_3(\text{CO})_{10}$ of; X-ray structures of $\text{Os}_3\text{Au}(\mu\text{-CH=CHR})(\text{CO})_{10}(\text{PPh}_3)$ ($\text{R} = \text{Ph}, \text{C}_6\text{F}_5$) (M.I. Bruce, E. Horn, J.G. Matson, M.R. Snow), (286) 273
- $\text{Me}_2\text{PP}(\text{CF}_3)_2$ and $\text{Me}_2\text{AsP}(\text{CF}_3)_2$, ligand properties of (J. Grobe, M. Köhne-Wächter, D. Le Van), (280) 331
- Metal-bonded alkynyl groups, formation of a C_4 ligand by oxidative coupling of (J. Gotzig, H. Otto, H. Werner), (287) 247
- Metal complex catalysts, transformation of unsaturated alcohols with (K. Felföldi, M. Bartók), (297) C37
- Metal-induced synthesis of 3-methyl-E-4-hexen-2-one, influence of achiral substituents on optical induction of (T. Bartik, I. Gerdes), (291) 253
- Metallacyclic compounds derived from CO_2 and dimethylbutadiene oxidatively coupled to (L) NI^0 , structures

- and reactivity as a function of the neutral L ligands in (D. Walther, E. Dinjus, H. Görls, J. Sieler, O. Lindqvist, L. Andersen), (286) 103
- Metallo-t-butylchlorostibine, formation of (R. Schemm, W. Malisch), (288) C9
- Methylaminobis(difluorophosphine)-metal(0) complexes, structures of (R.B. King, M. Chang, M.G. Newton), (296) 15
- Methylcopper and methyl(tricyclohexylphosphine)copper, thermal decomposition of (S. Pasynkiewicz, J. Poplawka), (282) 427
- Methylene-bridged disecondary phosphanes, formation of clusters with $\text{Fe}_2(\text{CO})_9$ from (D.J. Brauer, S. Hietkamp, H. Sommer, O. Stelzer, G. Müller, C. Krüger), (288) 35
- Methylenephosphane and phosphino-methylenephosphane as η^2 ligands of nickel(0) complexes (R. Appel, C. Casser, F. Knoch), (297) 21
- Methyl(methoxy)carbenenickel(II) complex, *trans*- $[\text{Ni}(\text{C}_6\text{Cl}_5)(\text{PMe}_2\text{Ph})_2\text{C}(\text{OMe})]\text{BF}_4^-$, crystal structure of (D. Xu, K. Miki, Y. Kai, N. Kasai, M. Wada), (287) 265
- Methyltantalum derivatives, facile preparation from dimethylphenylphosphane by $\text{P}-\text{CH}_3$, cleavage (N. Hovnanian, L.G. Hubert-Pfalzgraf), (299) C29
- Methyl(tri-*t*-butylphosphine)copper, synthesis and thermal decomposition of (S. Pasynkiewicz, S. Pikul, J. Poplawka), (293) 125
- Mixed-metal carbonyl cluster anion, $[\text{RuIr}(\text{CO})_5(\mu-\text{CO})_3]^-$, isolation of and crystal structure of its bis-(triphenylphosphine)iminium salt (A. Fumagalli, F. Demartin, A. Sironi), (279) C33
- $\text{Mo}(\text{CO})_4((\text{PPh}_2\text{O})_2\text{Y}(\text{R})\text{R}')$ ($\text{Y}(\text{R}) = \text{P}(\text{O}), \text{Si}(\text{Me})$; $\text{R}' = \text{alkyl}, \text{haloalkyl}, \text{aryl}$) and $[\text{Mo}(\text{CO})_4(\text{PPh}_2\text{O})_2]_2\text{Si}$ complexes, chemical shift correlations in ^{13}C , ^{17}O and ^{31}P NMR spectra of (G.M. Gray, K.A. Redmill), (280) 105
- Mono-, di- and tri-organotin(IV) dialkyldithiophosphates, ^{119}Sn , ^{31}P , ^{13}C and ^1H NMR and Mössbauer studies of (H.C. Clark, V.K. Jain, R.C. Mehrotra, B.P. Singh, G. Srivastava, T. Birchall), (279) 385
- Monovalent organometallic groups as trigonally planar bridging substituents to $(\text{L}_n\text{M})_2\text{MX}$ compounds ($\text{M} = \text{P}$, As, Sb; X = halogen), formation and X-ray structure of (G. Huttner, U. Weber, B. Sigwart, O. Scheidsteiger, H. Lang, L. Zsolnai), (282) 331
- $\text{Mo}(\eta^6\text{-PhPr}_2)(\text{L})(\text{PPh}_2\text{CH}_2\text{CH}_2\text{PPh}_2)$ ($\text{R} = \text{Et}, \text{L} = \text{PPhEt}_2$; $\text{R} = \text{Ph}, \text{L} = \text{PPh}_3, \text{PR}'_3, \text{CO}, \text{CNR}, \text{N}_2, \text{H}_2$), influence on steric properties of ligands PR_2Ph and L on formation and properties of (J.J. Frizzell, R.L. Luck, R.H. Morris, S.H. Peng), (284) 243
- $[\mu\text{-Ni}(\text{C}_5\text{H}_5)\text{P}(\text{C}_6\text{H}_5)_3][\mu\text{-C}_5\text{H}_5]$ - $[\text{ZnC}_5\text{H}_5]_2$, nickel-bridged cyclopentadienylzinc dimer, preparation and crystal structure of (P.H.M. Budzelaar, J. Boersma, G.J.M. van der Kerk, A.L. Spek, A.J.M. Duisenberg), (287) C13
- Nickel(0)-catalysed cooligomerisation of 1,3-butadienes with vinylsilanes controlled by concentration and added P ligands (T. Bartik, P. Heimbach, T. Himmeler), (276) 399
- Nickel catalysts containing optically active P/N ligands, cross-coupling of 1-phenylethyl Grignard reagent and vinyl bromide with (H. Brunner, W. Li, H. Weber), (288) 359
- Nickel(0)-induced coupling of phenyl-isocyanate molecules with C-C bond formation (H. Hoberg, K. Radine, A. Milchereit), (280) C60
- Nitrosyliron clusters, $[(\text{Ph}_3\text{P})_2\text{N}][\text{Fe}_6\text{C}(\text{CO})_{11}\text{NO}]$ and $[\text{Fe}_6\text{C}(\text{CO})_{11}(\text{NO})_4]$, syntheses and X-ray structures of (A. Gourdon, Y. Jeannin), (282) C39
- Nonacarbonyltris(triphenylphosphine)-triruthenium and its derivatives, catalytic hydrogenation with; crystal structure of $[\text{Ru}_3(\text{CO})_9(\text{PPh}_3)_2(\mu-\text{PPh}_2)_2(\mu-\text{O}=\text{CPh})]$ (A. Basu, S. Bhaduri, H. Khwaja, P.G. Jones, T. Schroeder, G.M. Sheldrick), (290) C19
- Octacarbonylbis(diphenylphosphine)-dimanganese, photochemical decarbonylation with formation of $\text{Mn}_2(\mu-\text{PPh}_2)_2(\mu-\text{CO})(\text{CO})_6$ with a semi-bridging carbonyl of (T. Kawamura, T. Sowa, T. Yonezawa, T. Yamabe, H. Masuda, T. Taga, K. Machida), (276) C10
- Octahedral organometallic complexes chiral at the metal atom, synthesis and resolution of (S.I. Hommeltoft, A.D. Cameron, T.A. Shackleton,

- M.E. Fraser, S. Fortier, M.C. Baird), (282) C17
- Organoiridium(I) pentacoordinate chelatephosphane-stabilized complexes, Ir(R)(CO)(chel-P₃), preparation of (E. Arpac, L. Dahlenburg), (277) 127
- Organometallic chemistry, photoelectron spectroscopy in (J.C. Maire), (281) 45
- Organometallic compounds containing nitrogen, phosphorus, arsenic and sulphur (*Review*) (H.W. Roesky), (281) 69
- Organometallic route to tetrahydrocarbazolones (G.R. Stephenson), (286) C41
- (2-6-*n*-1-Oxocyclohexadienyl)rhodium(I) complexes of the type (*n*⁵-2,6-t-Bu₂-4-MeC₆H₃O)RhL₂, preparation, spectroscopy and structural analysis of (L. Dahlenburg, N. Höck), (284) 129
- Oxo-titanium and -zirconium diphosphines, [(*n*-C₅H₅)₂M(CH₂PPPh₂)]₂O (M = Ti, Zr), as building blocks for heterobimetallic complexes (F. Senocq, M. Basso-Bert, R. Choukroun, D. Gervais), (297) 155
- Oxovanadium complexes coordinated to *fac*-tridentate organometallic ligand; role in oxidative catalysis of; X-ray crystal structure of [*n*-C₅H₅Co{P-(O)(OC₂H₅)₂}₃VO-(acac)] (E. Roman, F. Tapia, M. Barrera, M.-T. Garland, J.-Y. Le Marouille, C. Giannotti), (297) C8
- Palladium and platinum asymmetric metallacyclic complexes, synthesis and reactivity of (H.-P. Abicht, K. Issleib), (289) 201
- Palladium and platinum complexes of α -ketoester; crystal structure of *trans*-[Pt{P(C₆H₅)₃}₂(H){OC=CHC(Me)(COOEt)OCO}] (A. Grassi, P. Longo, A. Musco, W. Porzio, A. Scrivanti), (289) 439
- Palladium(II) cationic complexes involving unprecedented *O*-coordination of acetylmethylenetriphenylphosphorane (R. Usón, J. Forniés, R. Navarro, P. Espinet, C. Mendivil), (290) 125
- [PdXMe(PEt₃)₂], non-radical methyl elimination from (A. Morville, A. Turco), (276) 431
- Penta- and hepta-nuclear gold tertiary phosphine clusters, molecular analysis of (D.G. Evans, D.M.P. Mingos), (295) 389
- Pentacarbonyl(phosphabenzene)-molybdenum(0), molecular and crystal structure of (A.J. Ashe III, W. Butler, J.C. Colburn), (282) 233
- Pentamethylcyclopentadienyl-substituted diphosphene, bicyclo[1.1.0]tetraphosphane, cyclotetraphosphane and cyclotriphosphanes, preparation from dihalogeno(pentamethylcyclopentadienyl)phosphanes of (P. Jutzi, T. Wippermann), (287) C5
- Pentaphosphitoheptacarbonyltriosmium, Os₃(CO)₅[P(OMe)₃]₂, evidence for a trigonal twist mechanism involving a phosphite ligand of (R.F. Alex, R.K. Pomeroy), (284) 379
- Perfluoro-1,6-disubstituted triptycenes containing Group IV and Group V elements, synthesis of (N.A.A. Al-Jabar, A.G. Massey), (287) 57
- Phenylalkynylplatinum complexes, formation from reaction of diphosphineplatinum(II) oxalate complexes and phenylacetylene (G.K. Anderson, G.J. Lumetta), (295) 257
- Phenylmercury 4-fluorothiophenoxyde, redox-demercuration by tetrakis(triphenylphosphine)platinum(0) of (S.I. Pombrik, A.A. Bezrukova, L.S. Golovchenko, A.S. Peregudov, A.Z. Rubezhov, D.N. Kravtsov), (293) C1
- Phosphaalkeneplatinum(0) complexes, η^1 and η^2 -coordination in; high resolution solid state ³¹P NMR spectrum of mesityl(diphenylmethylene)-phosphinebis(triphenylmethylene)-platinum(0) (H.W. Kroto, S.I. Klein, M.F. Meidine, J.F. Nixon, R.K. Harris, K.J. Packer, P. Reams), (280) 281
- Phosphametallacycloalkanes, correlation between chemical shifts and torsion angles in (E. Lindner, R. Fawzi), (299) C47
- Phosphane addition to chelated bis-carbene ligands; route to carbene-ylid complexes (N.H.T. Huy, E.O. Fischer, H.G. Alt, K.H. Dötz), (284) C9
- Phosphido-bridged triosmium carbonyl clusters, systematic synthesis and characterisation of (S.B. Colbran, B.F.G. Johnson, J. Lewis, R.M. Sorrell), (296) C1
- Phosphine basicity effect on stereo-selectivity of transfer hydrogenation of alkylcyclohexanones in the presence of rhodium complexes (K. Felföldi, I. Kapocsi, M. Bartók), (277) 443

- Phosphine-substituted carbonylruthenium carboxylates, asymmetric hydrogenation of tiglic acid in the presence of (U. Matteoli, G. Menchi, P. Frediani, M. Bianchi, F. Piacenti), (285) 281
- Phosphine-carbonylcobalt chiral complexes, asymmetric catalysis by; hydrogenation of α,β -unsaturated ketones (P. Le Maux, V. Massonneau, G. Simonneaux), (284) 101
- Phosphine hydride complexes of the iron group metals, photochemistry of (P. Bergamini, S. Sostero, O. Traverso), (299) C11
- Phosphineiridium neutral and cationic complexes, observations on olefin oxidation by (J.M. Brown, R.A. John, A.R. Lucy), (279) 245
- Phosphine-nickel and -palladium complexes, regio- and stereo-chemistry in allylation of aryl-Grignard reagents catalysed by (T. Hayashi, M. Konishi, K.-I. Yokota, M. Kumada), (285) 359
- Phosphines and phosphites, heats of reactions with toluenetricarbonyl-molybdenum of; importance of steric and electronic factors in determining the Mo—PR₃ bond strength (S.P. Nolan, C.D. Hoff), (290) 365
- Phosphinidenes and diphosphenes, pentacarbonylmethyl derivatives of (H. Lang, O. Orama, G. Huttner), (291) 293
- Phosphino- and arsino-substituted sulphur diimide addition to H₂O₃(CO)₁₀; crystal structure and dynamic structural effects of H₂O₃(CO)₁₀⁻(²Bu₂PNSNAs^tBu₂)⁻; fragmentation of the NSN system H₂O₃(CO)₁₀⁻(²Bu₂PNSNP^tBu₂)⁻ (W. Ehrenreich, M. Herberhold, G. Herrmann, G. Süss-Fink, A. Gieren, T. Hübner), (294) 183
- Ph₃PNi(Ph)(Ph₂PCHCOPh) and *cis*-Ni(Ph₂PCHCOPh)₂·0.5C₆H₆, crystal and molecular structures of (H. Qichen, X. Minzhi, Q. Vanlong, X. Weihua, S. Meicheng, T. Yougi), (287) 419
- Platinum dicarboxylate cyclic and acyclic complexes, decarboxylation of (O.J. Scherer, K. Hussong, G. Womershäuser), (289) 215
- Platinum, palladium and nickel containing zerovalent mixed ligand complexes containing a chelating
- olefinic tertiary phosphine (M.A. Bennett, C. Chiraratvatana), (296) 255
- trans*-[ReCl(N₃)(Ph₂PCH₂CH₂PPh₂)₂], reactions with terminal acetylenes of (A.J.L. Pombeiro, J.C. Jeffery, C.J. Pickett, R.L. Richards), (277) C7
- [Rh(η^5 -arene)P(OPh)₃]4, NMR studies in the presence of acetone-*d*₆ of (E. Bittersmann, K. Hildenbrand, A. Cervilla, P. Lahuerta), (287) 255
- Rhodium and iridium cationic complexes, azulene as a ligand in; crystal structure of [Rh(TFB)(az)]PF₆ (L.A. Oro, M. Valderrama, P. Cifuentes, C. Foces-Foces, F.H. Cano), (276) 67
- Rhodium- and platinum-catalysed asymmetric hydroformylation with (2S,3S)-2,3-bis(diphenylphosphino)-butane as the chiral ligand (G. Consiglio, F. Morandini, M. Scalzone, P. Pino), (279) 193
- Rhodium(I) and rhodium(III) complexes with tripod-like ligands RC-(CH₂PPh₂)₃ (R = Me, triphos; R = Et, triphos-I); X-ray crystal structure of [RhH₃(triphos-I)] (J. Ott, L.M. Venanzi, C.A. Ghilardi, S. Midolini, A. Orlandini), (291) 89
- Rhodium anionic complexes, aspects of and ligand effects in (A.S.C. Chan, H.-S. Shieh, J.R. Hill), (279) 171
- Rhodium complexes of asymmetric water-soluble diphosphine derived from 2-[diphenylphosphino]-methyl]-4-(diphenylphosphino)-pyrrolidine, synthesis and applications of (R. Benhamza, Y. Amrani, D. Sinou), (288) C37
- Rhodium(I) nitrogen bonded unsaturated nitrile complexes, spectra, formation constants, reactions and catalytic activities of (M.K. Lee, I.B. Kim, C.S. Chin), (290) 115
- Rhodium(I)-peralkyldiphosphine complexes, mechanistic aspects of catalytic hydrogenation of ketones by (K. Tani, E. Tanigawa, Y. Tatsuno, S. Otsuka), (279) 87
- Ru(η^5 -C₅H₅)L₂H (L₂ = chelating phosphine), facile synthesis of (C. White, E. Cesariotti), (287) 123
- Ru₃(μ , η^3 C₅H₅)₂(μ , η^3 PPhCH₂PPh₂)(CO)₈, new mode of allyl binding in and preparation and structure of (M.I. Bruce, M.L. Williams), (288) C55

- [$\text{Ru}(\text{CO})_2(\text{PPh}_3)(\eta^2, \eta^3-\text{C}_8\text{H}_8\text{R})][\text{PF}_6]$]
 $0.5\text{CH}_2\text{Cl}_2$ ($\text{R} = \text{CH}_2\text{C}(\text{Me})=\text{CH}_2$),
X-ray crystal structure of (N.G.
Connelly, A.G. Orpen, I.C. Quarmby,
J.B. Sheridan), (299) C51
- [$\text{Ru}_5(\mu_s-\text{C}_2\text{PPh}_2)(\mu-\text{PPh}_2)(\text{CO})_{15}$], X-ray
structures of two isomers of (M.I.
Bruce, M.L. Williams), (282) C11
- Ru_n , open cluster, excision of a carbonyl-
ruthenium fragment from; X-ray
structure of $\text{Ru}_4(\mu-\text{H})_3(\mu_4-\eta^2-\text{P}-\text{HC}_2-\text{PPh}_2)(\mu-\text{PPh}_2)(\text{CO})_{10}$ (M.I. Bruce,
M.L. Williams, B.E. Skelton, A.H.
White), (282) C53
- Ruthenium and osmium complexes
with dimethylphosphinomethanide
anion as ligand (J. Gotzig, R. Werner,
H. Werner), (290) 99
- Ruthenium-catalysed conversion of
methanol into methyl formate (T.A.
Smith, R.P. Aplin, P.M. Maitlis),
(291) C13
- Ruthenium clusters, cleavage reactions
with hydrogen of element-carbon
bonds in (M.I. Bruce, O. bin Shawka-
taly, M.L. Williams), (287) 127
- Selenium and tellurium bridges in organo-
metallic complexes, structure, pro-
tonation and methylation of (W.A.
Herrmann, J. Rohrmann, C. Hecht),
(290) 53
- Silver-tin complex salt, [$\text{Ag}(\text{PPh}_3)_4$]-
[$\text{SnPh}_3(\text{NO}_3)_2(\text{Cl}, \text{NO}_2)$], synthesis
and crystal and molecular structure
of (C. Pelizzi, G. Pelizzi, P. Tarasconi),
(277) 29
- Silylation of α -diazo-phosphonates and
-carboxylates with silyl triflates of
(T. Allspach, H. Gümbel, M. Regitz),
(290) 33
- Stibinidene complexes, valence tautome-
rism in; synthesis of stibane and
distibene complexes (U. Weber, G.
Huttner, O. Scheidsteiger, L. Zsol-
nai), (289) 357
- Sulphene-transition metal complexes
from SO_2 addition to terminal
methylene complexes of osmium(0)
and iridium(I); structure of $\text{Os}-(\text{CH}_2\text{S}[\text{O}] \text{O})\text{Cl}(\text{NO})(\text{PPh}_3)_2$ (W.R.
Roper, J.M. Waters, A.H. Wright),
(276) C13
- Tertiary and secondary methylene-
bisphosphanes, bridging ligands and
sources for phosphinidines in
cluster synthesis (D.J. Brauer, S.
Hietkamp, H. Sommer, O. Stelzer),
(281) 187
- Tertiary phosphine derivatives of dodeca-
triosmium, intramolecular exchange
in (A.J. Deeming, S. Donovan-
Mtunzi, S.E. Kabir), (281) C43
- (Tertiary phosphine)gold(I) derivatives
of 2-pyridones (F. Bonati, A. Burini,
B.R. Pietroni, B. Bovio), (296) 301
- Tetracarbonyl(phosphinothioformimidate)-manganese and -rhenium com-
plexes, substitution reactions with
organophosphorus ligands of (U.
Kunze, A. Bruns), (292) 349
- 3,3',4,4'-Tetramethyl-1,1'-diphospha-
ferrocene bonded to pentacarbonyl-
chromium, -molybdenum and
-tungsten fragments, electrochemical
formation of heterometallic com-
plexes with multiple redox centres
from (P. Lemoine, M. Gross, P.
Braunstein, F. Mathey, B. Deschamps,
J.H. Nelson), (295) 189
- μ -(Tetraphenyldiphosphoxane)bis-[pentacarbonylmetal(0)] complexes,
[(CO)₅MP(C₆H₅)₂]O (M = Cr, Mo,
W), synthesis, properties and struc-
ture of (C. Zeiher, J. Mohyla, I.-P.
Lorenz, W. Hiller), (286) 159
- Tetrasulphur tetranitride reactivity
towards d^{10} phosphine complexes,
crystal structure of (PPh_3) $\text{Pt}(\mu-\text{S}, \text{N}_2)\text{Pt}(\text{PPh}_3)$ (C.A. Ghilardi, S.
Midollini, S. Moneti, A. Orlandini),
(286) 419
- Thioacyl- and thioaldehyde-iron dinuclear
complexes, preparation, structure and
properties of (H. Umland, U. Behrens),
(287) 109
- Thio- and seleno-acetaldehyde-metal
complexes, preparation of; crystal
structure of C₅H₅Rh($\eta^2-\text{CH}_3\text{CHSe}$)-
P-i-Pr₃ (H. Werner, L. Hofmann,
J. Wolf, G. Müller), (280) C55
- Thioether dealkylation and redox re-
actions in coordination of tetra-
dentate thioether-thiolato ligands to
molybdenum(II) centres (D. Sell-
mann, W. Reisser), (294) 333
- Thioketenehexacarbonyldiiron cluster
complex, reactions with phosphanes
and structure and properties of (H.
Umland, D. Wormsbächer, U. Behrens),
(284) 353
- Triarylphosphaphaethene, intermediates in
reactions with sulphur of (T.A. van
der Knaap, F. Bickelhaupt), (277) 351

- 2,4,6-Tri-t-butylphenylimethylenephosphane as ligand in transition metal complexes (R. Appel, C. Casser, F. Knöch), (293) 213
- Tricarbonylphosphinomolybdenum complexes, reactions with tin(IV) derivatives of (M. Panizo, M. Cano), (287) 221
- Trichlorocyclopentadienyldi-ligand-uranium complexes, $C_5H_5\text{UCl}_3L$, (L = hexamethylphosphoramide, tetrahydrofuran, triphenylphosphine oxide), structure and ligand exchange reactions in solution of (J.F. Le Maréchal, M. Ephritikhine, G. Folcher), (299) 85
- 2-Triethylsilyl- and 2-triethylgermyl-1,3-di-t-butyl-1,3,2-diazaphosphoranes, synthesis, structure and chemical properties of (E.E. Nifantiev, N.S. Vyazankin, S.F. Sorokina, L.A. Vorobieva, O.V. Vyazankina, D.A. Bravo-Zhivotovsky, A.R. Bekker), (277) 211
- Trimethylphosphine complexes of molybdenum and tungsten; synthesis and chemical properties of $\text{MoCl}_4 \cdot (\text{PMe}_3)_3$ and crystal and molecular structures of $\text{WCl}_4(\text{PMe}_3)_3$ and $\text{MoO}(\text{acac})_2\text{PMe}_3$ (R.D. Rogers, E. Carmona, A. Galindo, J.L. Atwood, L.G. Canada), (277) 403
- Triphenylead benzenethiolate, Ph_3PbSPh , triphenylead O,O' -diethyl-dithiophosphate, $\text{Ph}_3\text{PbS}_2(\text{OEt})_2$, and diphenylead bis(O,O' -dibenzyl-dithiophosphate), $\text{Ph}_2\text{Pb}[\text{S}_2\text{P}(\text{OCH}_2\text{Ph})_2]_2$, crystal and molecular structures of (M.G. Begley, C. Gaffney, P.G. Harrison, A. Steel), (289) 281
- (η^2 -1-Triphenylphosphonium-2-carbomethoxyethylene)(triphenylphosphine)iodopalladate, structure of (L.V. Rybin, E.A. Petrovskaya, M.I. Rubinskaya, L.G. Kuz'mina, Yu.T. Struchkov, V.V. Kaverin, N.Yu. Koneva), (288) 119
- Triphosphaalkanes with $\text{P}-\text{C}-\text{P}-\text{C}-\text{P}$ donor skeleton, ligands for formation of polynuclear complexes (D.J. Brauer, S. Hietkamp, H. Sommer, O. Stelzer, G. Müller, M.J. Romão, C. Krüger), (296) 411
- Triis[bis-1,2-(dimethylphosphino)-ethane] zerovalent derivatives of chromium, molybdenum, tungsten, vanadium, niobium and tantalum, synthesis, crystal structures and reactions of (F.G.N. Cloke, P.J. Fyne, V.C. Gibson, M.L.H. Green, M.J. Ledoux, R.N. Perutz, A. Dix, A. Gourdon, C.K. Prout), (277) 61
- Tris(diphenylphosphino)aminetetracarbonylchromium, synthesis of (J. Ellermann, W. Wend), (281) C29
- Tris[(2-diphenylphosphinoethyl)amino]-ethoxycarbonylnickel tetrafluoroborate complex, synthesis and reactivity towards reducing agents of (C. Bianchini, A. Meli), (276) 413
- Tris(trimethylsilyl)heptaphosphanortricyclene, cleavage reactions with triphos-nickel and -cobalt species of (M. Peruzzini, P. Stoppioni), (288) C44
- Tris(trimethylsilyl)methylditellurodit-butylphosphine, $(\text{Me}_3\text{Si})_3\text{CTeTeP-t-Bu}_2$, formation of (S. Sladky, B. Bildstein, D. Obendorf), (295) C1
- Vinylidenemetal complexes, reaction products with benzoylazide of (H. Werner, A. Höhn, R. Weinand), (299) C15
- $W(=CC\text{M}_3)(\text{PMe}_3)_3\text{Cl}_3$, crystal and molecular structure of; seven-coordinate tungsten(VI) alkylidyne complex with a regular capped octahedral (C_{3v}) stereochemistry (M.R. Churchill, Y.-J. Li), (282) 239
- ## Platinum
- Alkyl, aryl and acyl trichlorostannate complexes of platinum(II), ^{195}Pt , ^{119}Sn and ^{31}P NMR studies of; crystal structure of *trans*-[$\text{Pt}(\text{SnCl}_3)(\text{COC}_6\text{H}_5)_2(\text{PEt}_3)_2$] (A. Albinati, U. von Gunten, P.S. Pregosin, H.J. Ruegg), (295) 239
- Alkyl-platinum and -rhodium derivatives as intermediates in homogeneous reactions of olefin hydrogenation and isomerisation of (V.S. Petrosyan, A.B. Permin, V.I. Bogdashkina, D.P. Krutko), (292) 303
- Arenes and arylmercury compounds, kinetics and mechanisms of thermal, photochemical and γ -induced reactions with PtCl_6^{2-} of (G.B. Shul'pin, G.V. Nizova, A.T. Nikitaev), (276) 115
- σ -Arylplatinum(IV) complexes, formation and reactions with PtCl_6^{2-} of (G.B. Shul'pin, G.V. Nizova), (276) 109
- Asymmetric hydroformylation of linear butenes by [(*R,R*)-Diop] $\text{Pt}(\text{SnCl}_3)\text{Cl}$

- (P. Haelg, G. Consiglio, P. Pino), (296) 281
- Binuclear mixed metal cyclometallated complexes, preparation of** (R.M. Ceder, J. Sales), (276) C31
- cis- and trans-Bis(phenyl)bis(tri-n-butylphosphine)platinum(II) compounds, IR and ^1H NMR spectroscopic criteria for determination of the configuration of** (W.-D. Müller, H.A. Brune), (299) 391
- cis-Bis(phenyl)platinum(II) compounds, mechanism of light-induced elimination of the biphenyl system from** (R. Klotzbücher, H.A. Brune), (299) 399
- Bis(2,4,6-trimethylpyridinedichloroplatinum), formation of singly chloro-bridged diplatinic species from** (R. Pichon, R. Rumin, J.Y. Salaün), (282) C60
- Carbamoyl- and alkoxy carbonyl-palladium(II) and -platinum(II), preparation and reactions of** (C. Vasapollo, C.F. Nobile, A. Sacco), (296) 435
- cis- and trans-Chloro(n-alkyl)bis(tritylphosphine)-platinum(II) complexes, differential scanning calorimetry study of β -hydride elimination from** (G. Alibrandi, G. Cum, D. Minniti, R. Romeo), (291) 133
- Cyclometallations and cyclic acetylenes, recollections of** (M.A. Bennett), (300) 7
- Cyclopropane transformation into rigid hydrocarbon systems catalysed by platinum(II)** (P.W. Jennings, R.E. Ekeland, M.D. Waddington, T.W. Hanks), (285) 429
- Dichloro- and diiodo-(1,5-cyclooctadiene)-platinum(II), reaction with diazomethane of; route to bis(halomethyl)-platinum(II) complexes** (R. McGrindle, G.J. Arsenault, R. Farwaha), (296) C51
- cis-Dichloro(*p*-toluidine)(olefin)platinum(II) complexes, stereoselective coordination of the vinyl ligand in** (R. Lazzaroni, G. Ucello-Barretta, S. Bertozzi, P. Salvadori), (297) 117
- Di- η^5 -cyclopentadienyltetracarbonyl- μ -(3,3-dimethyl-1-phosphabutyne)dimolybdenum, $[\text{Mo}_2(\text{CO})_4(\eta^5\text{-C}_5\text{H}_5)_2 \cdot (^3\text{BuCp})]$, synthesis and ^{31}P NMR spectra of platinum(II), palladium(II) and rhodium(I) complexes of** (M.F. Meidine, C.J. Meir, S. Morton, J.F. Nixon), (297) 255
- Diethylenyltricyclohexylphosphine-platinum-mediated activation of aldehyde bonds via chelate-assisted oxidative addition reactions** (J.J. Koh, W.-H. Lee, P.G. Williard, W.M. Risen, Jr.), (284) 409
- 3-(Dimethylphenylphosphorane)indolidin 2-ylidene complexes of platinum(II), synthesis from metal-coordinated phosphonium-substituted isocyanide ligands of** (G. Facchin, R. Campostrini, R.A. Michelin), (294) C21
- Ferrocenylsulphide-palladium(II) and -platinum(II) complexes, dynamic NMR studies of** (K.G. Orrell, V. Šík, C.H. Brubaker, Jr., B. McCulloch), (276) 267
- Group VIII metal complexes, hydrothermal reactions of lactic acid catalysed by** (B. Odell, G. Earlam, D.J. Cole-Hamilton), (290) 241
- Heterobimetallic (Pd/Pt—Ge/Sn) tri-nuclear clusters containing a planar $\text{M}_3(\text{CO})_6(\mu_2\text{-M}')$ core, spectroscopy, cyclic voltammetry and ESR characterisation of electrochemical reduction products of; crystal structures of $[(\text{M}(\mu_2\text{-Sn}(\text{NR}_2)_2)(\text{CO}))_3]$ ($\text{M} = \text{Pd}$, Pt; R = SiMe₃)** (G.K. Campbell, P.B. Hitchcock, M.F. Lappert, M.C. Misra), (289) C1
- Hydridoplatinum(II) carbene derivatives from hydridofluoromethyl complexes** (R.A. Michelin, G. Facchin, R. Ros), (279) C25
- Mercapto-bridged dinuclear platinum(II) complexes, preparation and characterisation of; catalytic activity of $[(\text{PEt}_3)\text{PtCl}(\mu\text{-SEt})]_2/\text{SnCl}_2 \cdot 2\text{H}_2\text{O}$ system in hydrogenation and hydroformylation of styrene** (H.C. Clark, V.K. Jain, G.S. Rao), (279) 181
- $[\text{Mo}(\eta\text{-C}_5\text{H}_4\text{CH}_2\text{SR})_2(\text{SR})_2]$, (R = n-Pr, Ph), synthesis of hetero-binuclear derivatives with platinum, palladium and rhodium of** (D. O'Hare, M.L.H. Green, F.G.N. Cloke), (282) 225
- Mono- and di-cycloplatinated derivatives of benzalazines** (R.M. Ceder, J. Sales), (294) 389
- Organoplatinum compounds, ^{195}Pt NMR of** (R. Benn, R.-D. Reinhardt, A. Rufińska), (282) 291
- Palladium and platinum asymmetric metallacyclic complexes, synthesis and reactivity of** (H.-P. Abicht, K. Issleib), (289) 201

- Palladium and platinum complexes of α -ketoesters; crystal structure of trans -[Pt{P(C₆H₁₁)₃}₂(H){OC=CHCMe)(COOEt)OCO}] (A. Grassi, P. Longo, A. Musco, W. Porzio, A. Scrivanti), (289) 439
- Palladium(0;II) and platinum(0;II) coordination polymers as catalysts in hydrogenation of alkenes and alkynes (I. Jaffe, M. Segal, A. Efraty), (294) C17
- Phenylalkynylplatinum complexes, formation from reaction of diphosphineplatinum(II) oxalate complexes and phenylacetylene (G.K. Anderson, G.J. Lumetta), (295) 257
- Phenylmercury 4-fluorothiophenoxyde, redox-demercuration by tetrakis(triphenylphosphine)platinum(0) of (S.I. Pombrik, A.A. Bezrukova, L.S. Golovchenko, A.S. Peregudov, A.Z. Rubezhov, D.N. Kravtsov), (293) C1
- Phosphaalkeneplatinum(0) complexes, η^1 - and η^2 -coordination in; high resolution solid state ³¹P NMR spectrum of mesityl(diphenylmethylene)phosphinebis(triphenylmethylene)platinum(0) (H.W. Kroto, S.I. Klein, M.F. Meidine, J.F. Nixon, R.K. Harris, K.J. Packer, P. Reams), (280) 281
- 1-Platina-3-silacyclobutane, new route to (H. Suzuki, T. Tsukui, Y. Moro-Oka), (299) C35
- Platinum complex catalysed synthesis of urea derivatives from nitroarenes and amines under carbon monoxide (Y. Tsuji, R. Takeuchi, Y. Watanabe), (290) 249
- Platinum dicarboxylate cyclic and acyclic complexes, decarboxylation of (O.J. Scherer, K. Hussong, G. Wolmershäuser), (289) 215
- Platinum group metals in the formation of metal—carbon multiple bonds (W.R. Roper), (300) 167
- Platinum, palladium and nickel containing zerovalent mixed ligand complexes containing chelating olefinic tertiary phosphine (M.A. Bennett, C. Chiraratvatana), (296) 255
- Polyamide-bound metal complex catalysts, synthesis, characterisation and catalytic properties of (Z.M. Michalska, B. Ostaszewski), (299) 259
- Polyfluorphenylplatinum(II) compounds, formation by sulphur dioxide elimination reactions of (G.B. Deacon, I.L. Grayson), (292) 1
- trans -[PtCl(CO-n-hexyl)(PPh₃)₂]/SnCl₂, ³¹P NMR and reactivity studies of this active intermediate in catalytic hydroformylation of 1-hexene (A. Scrivanti, G. Cavinato, L. Toniolo, C. Botteghi), (286) 115
- trans -[PtCl₂Py^{subst.}(CH₃COCH₃)], ¹H and ¹³C NMR spectroscopy showing mobility of the acetone molecule in (P. Courtot, P. Richon, J.Y. Salaun), (286) C17
- PtR₂(NBD) (R = Me, CF₃), displacement of norbornadiene (NBD) by weak ligands from (T.G. Appleton, J.R. Hall, D.W. Neale, M.A. Williams), (276) C73
- Rhodium- and platinum-catalysed asymmetric hydroformylation with (2S, 3S)-2,3-bis(diphenylphosphino)-butane as the chiral ligand (G. Consiglio, F. Morandini, M. Scalone, P. Pino), (279) 193
- Tetrakis(trimethylthiomethylplatinum(IV)), [Pt(CH₃)₃(SCH₃)]₄, crystal structure of (G. Smith, G.H.L. Kennard, T.C.W. Mak), (290) C7
- Tetrasulphur tetranitride reactivity towards d^{10} phosphine complexes, crystal structure of (PPh₃)Pt(μ -S₂N₂)₂·Pt(PPh₃) (C.A. Ghilardi, S. Midollini, S. Moneti, A. Orlandini), (286) 419
- Transition metal alkyls, a personal perspective (A. Yamamoto), (300) 347
- Transition metal peroxy complexes, reactions with amines and related species of (S. Cenini, F. Porta, M. Pizzotti), (296) 291
- exo*-Tricyclo[3.2.1.0^{2,4}]octanone, reactions with Zeise's dimer of (R.A. Ekeland, P.W. Jennings), (281) 397
- Potassium**
- Alkali metal cyclopentadienides, vibrational spectra of (I.A. Garbuzova, O.G. Garkusha, B.V. Lokshin, G.K. Borisov, T.S. Morozova), (279) 327
- Alkyl dichloroacetates, application in preparation of highly functionalised aziridines from imines (P. Coutrot, A. El Gadi), (280) C11
- Diphenylmagnesium/alkali metal alkoxide system, hydrocarbon-soluble organo-

- alkali metal reagents (C.G. Screttas, M. Micha-Screttas), (290) 1
- Group IVB metallocenes, new approach to (P. Jutzi, B. Hielscher), (191) C25
- 1,4,7,10,13,16-Hexaoxacyclooctadecane, synthesis and properties of 1/1 complex with potassium perchlorotriphenylmethide of (J. Veciana, J. Riera, J. Castañer, N. Ferrer), (297) 131
- Ion-pairing effects on ^1H NMR chemical shifts of cyclic conjugated carbanions (H. Vogler), (293) 131
- Pentadienylmetal compounds, structural analysis and applications in organic synthesis of (H. Yasuda, A. Nakamura), (285) 15
- Pentamethylcyclopentadienyl-substituted diphosphene, bicyclo[1.1.0]tetraphosphane, cyclotetraphosphane and cyclotriphosphanes, preparation from dihalogeno(pentamethylcyclopentadienyl)phosphanes of (P. Jutzi, T. Wippermann), (287) C5
- Potassium-graphite route, highly reactive metals from; preparation and use of titanium-graphite and tin-graphite (G.P. Boldrini, D. Savoia, E. Tagliavini, C. Trombini, A. Umani-Rochi), (280) 307
- Praseodymium**
- Lanthanoid-catalysed Tishchenko condensation of aldehydes to esters (K. Yokoo, N. Mine, H. Taniguchi, Y. Fujiwara), (279) C19
- Rhenium**
- trans*-Bis[1,2-bis(diphenylphosphino)-ethane]chloro(t-butylisocyanide)-rhenium(I) tetrahydrofuran solvate, molecular structure of (M.A.A.F. De C.T. Carrondo, A.M.T.S. Domingos, G.A. Jeffrey), (289) 377
- Bis(triphenylphosphine)heptahydrido-rhenium, reactions with propene of (D. Baudry, J.-M. Cormier, M. Ephritikhine, H. Felkin), (277) 99
- Carbido cluster anion $[\text{Re}_3\text{C}(\text{CO})_{11}]^{3-}$, reactions with Group IB metals of; X-ray crystal structure of the heterometallic carbide $[\{\text{Re}, \text{AgC}(\text{CO})_{11}\}_2 \text{Br}]^{5-}$ (T. Beringhelli, G. D'Alfonso, M. Freni, G. Ciani, A. Sironi), (295) C7
- Carbocations stabilised by 1-[*closo*-3,3,3-(CO)₃-3,1,2-ReC₂B₉H₁₀]⁻; structure of *closo*-3,3,3-(CO)₃-3,1,2-ReC₂B₉H₁₀-1-C⁴Me₂ (L.I. Zakharkin, V.V. Kobak, I.V. Pisareva, V.A. Antonovich, V.A. Ol'shevskaya, A.I. Yanovsky, Yu.T. Struchkov), (297) 77
- ($\eta^5\text{-C}_5\text{H}_5$)₂ReSn(CH₃)₂Cl and ($\eta^5\text{-C}_5\text{H}_5$)₂ReSnCl₃, molecular structure of (V.K. Belsky, A.N. Protsky, I.V. Molodnitskaya, B.M. Bulychev, G.L. Soloveichik), (293) 69
- (CO)₅MM'(CO)₃(α -diimine) (M, M' = Mn, Re) in 2-Me-THF and THF at 293 K, MLCT photolysis of (M.W. Kokkes, W.G.J. de Lange, D.J. Stufkens, A. Oskam), (294) 59
- Cyclopentadienyl-acyl- and -carboxy-alkyl-metal complexes, base-promoted rearrangements of (S. Abbott, G.J. Baird, S.G. Davies, I.M. Dordor-Hedgecock, T.R. Maberly, J.C. Walker, P. Warner), (289) C13
- Decacarbonyldirhenium, photochemical reaction with triphenyl phosphite of (C.S. Young, S.W. Lee, C.P. Cheng), (282) 85
- 1,4-Diaza-1,3-butadiene containing mononuclear carbonyl-transition metal complexes, He(I) and He(II) photoelectron spectra of (R.R. Andréa, J.N. Louwen, M.W. Kokkes, D.J. Stufkens, A. Oskam), (281) 273
- Electron transfer and transient radicals in organometallic chemistry (J.K. Kochi), (300) 139
- Ferra- and rhena-azetidines, preparation and reactions of (W.P. Fehlhammer, P. Hirschmann, A. Völk), (294) 251
- Heterodienemetal complexes, advances in the chemistry of (K. Vrieze), (300) 307
- η^5 -Indenyl- and η^5 -cyclopentadienyl-tricarbonyl-manganese and -rhenium complexes, competitive metallation of (I.A. Lobanova, V.I. Zdanovich, P.V. Petrovskii, N.E. Kolobova), (292) 395
- Indenyltricarbonyl-manganese and -rhenium complexes, metallooptropic $\eta^5 \rightarrow \eta^6$ rearrangement in acidic medium of (M.G. Yezernitskaya, B.V. Lokshin, V.I. Zdanovich, I.A. Lobanova, N.E. Kolobova), (282) 363
- Mangana- and rhena-cycloalkanes, synthesis, structure and chemical be-

- haviour of (E. Lindner, F. Zinsser, W. Hiller, R. Fawzi), (288) 317
- Metal—metal bonded complexes, $[(CO)_5M-M'(CO)_5(1,4-i-Pr-1,4-diaza-1,3-butadiene)]$ ($M = Mn$, Re ; $M' = Mn$, Re), He(I) and He(II) photoelectron spectra of (R.R. Andréa, D.J. Stufkens, A. Oskam), (290) 63
- Oxo-metal complexes with high and low valency states of the metal (W.A. Herrmann), (300) 111
- η^5 -Pentamethylcyclopentadienylrhenium dinuclear complexes with chalcogen bridges, molecular structure of $[(\eta^5-C_5Me_5Re(CO)_2)_2(\mu-Se)]$ (M. Herberhold, B. Schmidkonz, U. Thewalt, A. Razavi, H. Schöllhorn, W.A. Herrmann, C. Hecht), (299) 213
- trans*-[$ReCl(N_3)(Ph_3PCH_2CH_2PPh_3)_2$] $_2$, I, reactions with terminal acetylenes of (A.J.L. Pombeiro, J.C. Jefferey, C.J. Pickett, R.L. Richards), (277) C7
- [$Re_3(\mu-H)_3(CO)_10$] $^{2-}$ in solution, ^{13}C NMR investigation of properties of (T. Beringhelli, G. D'Alfonso, H. Molinari), (295) C35
- Rhenocene, synthesis and reactivity of (P. Pasman, J.J.M. Snel), (276) 387
- Silicon—hydrogen and carbon—hydrogen activation (W.A.G. Graham), (300) 81
- Tetracarbonyl(phosphinothioformimidate)-manganese and -rhenium complexes, substitution reactions with organophosphorus ligands of (U. Kunze, A. Bruns), (292) 349
- Tricarbonyl-manganese and -rhenium complexes with (O,O,O)-donor ligands, synthesis and characterisation of (W. Kläui, J. Okuda, M. Scotti, M. Valderrama), (280) C26
- Trioxo- and tetraoxo-(pentamethylcyclopentadienyl)rhenium complexes, syntheses and molecular structures of (W.A. Herrmann, U. Küsthhardt, E. Herdtweck), (294) C33
- Trioxo(η^5 -pentamethylcyclopentadienyl)rhenium, efficient synthesis of (W.A. Herrmann, E. Voss, M. Flöel), (297) C5
- Trioxo(η^5 -pentamethylcyclopentadienyl)rhenium, reduction reactions of (W.A. Herrmann, R. Serrano, U. Küsthhardt, E. Guggolz, B. Nuber, M.L. Ziegler), (287) 329
- Trioxo(η^5 -pentamethylcyclopentadienyl)rhenium(VII), substitution reactions of (W.A. Herrmann, E. Voss, U. Küsthhardt, B. Herdtweck), (294) C37
- Unsaturated nitrile metathesis catalysed by $WCl_6/Sn(CH_3)_4$ or $Re_2O_7/Al_2O_3/-SnR_4$ systems (R.H.A. Bosma, G.C.N. van den Aardweg, J.C. Mol), (280) 115
- ### Rhodium
- μ -Alkylidene-transition metal complexes, comparison of thermolysis reactions of (A. Schäfer, W.A. Herrmann), (297) 229
- Alkyl-platinum and -rhodium derivatives as intermediates in homogeneous reactions of olefin hydrogenation and isomerisation of (V.S. Petrosyan, A.B. Permin, V.I. Bogdashkina, D.P. Krutko), (292) 303
- Allylation of carbon nucleophiles and decarboxylation-dehydrogenation catalysed by palladium, rhodium, ruthenium, molybdenum and nickel complexes (I. Minami, I. Shimizu, J. Tsuji), (296) 269
- Benzotriazole and benzotriazolate complexes of rhodium(I), preparation and properties of (L.A. Oro, M.T. Pinillos, C. Tejel), (280) 261
- Bidentate P,N ligand-modified rhodium(I) complexes, impact of nitrogen ligands on isomerisation capability of (M.C. Bonnet, B. Stitou, I. Tkatchenko), (279) C1
- Bis(1,4-diphenylphosphino)butane-rhodium and pyridine(tricyclohexylphosphine)iridium, stereochemical control by carboxylate groups in homogeneous hydrogenation catalysed by (J.M. Brown, S.A. Hall), (285) 333
- 2,4-Bis(diphenylphosphino)pentane enantiomers, preparation and application in asymmetric hydrogenation of (J. Bakos, I. Tóth, B. Heil, L. Markó), (279) 23
- Bis(di-tertiary-phosphine)rhodium chiral complexes, catalytic de-carbonylation, hydroacylation and resolution of racemic pent-4-enals by (B.R. James, C.G. Young), (285) 321
- Bis(pyrazolyl)methanerhodium(I) complexes, crystal structure of $[\text{Rh}(\text{COD})(\text{CH}_3(\text{Pz}))_2]\text{ClO}_4 \cdot 0.5\text{C}_2\text{H}_4$

- Cl_2 (L.A. Oro, M. Esteban, R.M. Claramunt, J. Elguero, C. Foces-Foces, F.H. Cano), (276) 79
- Bis(tertiary alkylphosphine)rhodium(I) cationic complex, NMR study of hydrogenation of (I.R. Butler, W.R. Cullen, B.E. Mann, C.R. Nurse), (280) C47
- c_{loso}-Bis(triphenylphosphine)hydrido-rhodacarboranes, reactions at the rhodium vertex of; alkenyl acetate cleavage and subsequent reactions (R.E. King, III, D.C. Bussey, M.F. Hawthorne), (279) 103
- Carbenoid- and ylide-cobalt(III) complexes, synthesis by ligand substitution of cyclopentadienylcobalt(I) compounds of (L. Hofmann, H. Werner), (289) 141
- Carbonyl-cobalt, -rhodium and -iridium clusters, use in double deoxygenation of PPN(NO_3^-) (PPN = bis(triphenylphosphine)iminium) of (R.E. Stevens, P.C.C. Liu, W.L. Gladfelter), (287) 133
- Carbonylmetal complexes as stabilisers in reactions of free surface-anchored phosphines with multidentate ligands (D.F. Foster, J. Harrison, B.S. Nicholls, A.K. Smith), (295) 99
- $[\text{C}_5\text{H}_5\text{Fe}^{\text{II}}\text{C}_6\text{Me}_5\text{CH}_2\text{PPh}_3]^{+}$, coordination to Rh^I of; spectroscopic, electrochemical and catalytic properties of heterodinuclear Fe^{II}-Rh^I complexes (E. Román E., V. Castro W., M. Camus O.), (293) 93
- Chlorocarbonylrhodium(I) dimer, monodentate pyridine-2-thiol and chelating and bridging pyridine-2-thiolate complexes derived from (A.J. Deeming, M.N. Meah, H.M. Dawes, M.B. Hursthouse), (299) C25
- $[\text{C}_5\text{Me}_5\text{MMe}_2(\text{Me}_2\text{SO})]$ (M = Rh, Ir), reactions with aldehydes of (M. Gómez, J.M. Kisenyl, G.J. Sunley, P.M. Maitlis), (296) 197
- Cobalt and rhodium half-sandwich complexes, UV photoelectronic spectra of (C. Cauletti, C. Furlani, C. Puliti, H. Werner), (289) 417
- Cobalt, rhodium and iridium; Annual Survey covering the year 1983 (J.T. Mague), (278) 1
- Cyclometallations and cyclic acetylenes, recollections of (M.A. Bennett), (300) 7
- Cyclopentadienyldiligandrhodium compounds, used as synthons for carbenoid and carbonylid rhodium(III) complexes (H. Werner, L. Hoffmann, R. Feser, W. Paul), (281) 317
- Cyclopentadienylrhodium(I) catalysed synthesis of tetramethyl-2,3,4,5-thiophenetetracarboxylate from elemental sulphur and $\text{CH}_3\text{OOC}\equiv\text{CCOOCH}_3$ (M. Kajitani, T. Suetsugu, R. Wakabayashi, A. Igarashi, T. Akiyama, A. Sugimori), (293) C15
- (η^5 -Cyclopentadienyl)rhodium complexes as catalysts in cyclotrimerisation of acetylenes (K. Abdulla, B.L. Booth, C. Stacey), (293) 103
- Cyclopentadienylrhodium-triruthenium cluster complexes and ($\eta\text{-C}_5\text{Me}_5$)₂Rh₂Ru₃(CO)₆, reversible syntheses of; crystal and molecular structures of CpRhRu₃{μ-H}₂{μ-CO}(CO)₆ (Cp = $\eta\text{-C}_5\text{H}_5$ or $\eta\text{-C}_5\text{Me}_5$) and ($\eta\text{-C}_5\text{Me}_5$)Rh{μ-H}₂Ru₃{μ-H}₂(CO)₆ (W.E. Lindsell, C.B. Knobler, H.D. Haesz), (296) 209
- π-Cyclopentadienyl-ruthenium, -rhodium and -iridium substituted complexes, synthesis by intramolecular condensation of a π-allyl ligand and alkyne of; X-ray structure of [$\eta\text{-C}_5\text{H}_5\text{Ru}(\eta\text{-C}_5\text{H}_5\text{Ph}_2\text{-1},2)\text{BF}_4^-$] (Z.I. Lutsenko, G.G. Aleksandrov, P.V. Petrovskii, E.S. Shubina, V.G. Andrianov, Yu.T. Struchkov, A.Z. Rubezhov), (281) 349
- Diamine- and dihydroxy-naphthalene bis-bridged dirhodium and diiridium complexes, preparation of (L.A. Oro, M.J. Fernandez, J. Modrego, J.M. Lopez), (287) 409
- Di- η^5 -cyclopentadienyltetracarbonyl- μ -(3-dimethyl-l-phosphabutynedi-molybdenum, [Mo₂(CO)₄($\eta^5\text{-C}_5\text{H}_5$)₂(^tBuCP)], synthesis and ³¹P NMR spectra of platinum(II), palladium(II) and rhodium(I) complexes of (M.F. Meidine, C.J. Meir, S. Morton, J.F. Nixon), (297) 255
- Dihydrogen bonding by bis(ditertiary-phosphine)rhodium(I) tetrafluoroborate complexes, kinetic and mechanistic aspects of; activity of the dihydrides for catalytic hydrogenation of prochiral olefinic acids (B.R. James, D. Mahajan), (279) 31
- Diolefin-indenyl-cobalt and -rhodium complexes, new routes to (A. Salzer, C. Täschler), (294) 261

- Dirhodium complex, $(\eta\text{-C}_5\text{H}_5)_2\text{Rh}_2$** -
 $(\mu\text{-CO})(\mu\text{-CF}_3\text{C}_2\text{CF}_3)$, metal nucleophile, $(\eta\text{-C}_5\text{R}_5)\text{M}(\text{CO})\text{L}$ addition to; crystal structure of $(\eta\text{-C}_5\text{H}_5)_2$ -
 $(\eta\text{-C}_5\text{Me}_5)\text{Rh}_2(\text{CO})(\mu\text{-CO})$ -
 $\{\mu\text{-Cl}(\text{O})\text{C}_2(\text{CF}_3)_2\}$ (R.S. Dickson, G.S. Evans, G.D. Fallon, G.N. Pain), (295) 109
- Dodecacarbonyltrirhodium-hydridoruthenium complex**, synthesis and characterisation of; crystal structures of $\text{HRuRh}_3(\text{CO})_{12}$, $\text{HRuRh}_3(\text{CO})_{10}$ -
 $(\text{PPh}_3)_2$ and $\text{HRuCo}_3(\text{CO})_{10}(\text{PPh}_3)_2$ (J. Pursiainen, T.A. Pakkanen, J. Jääskeläinen), (290) 85
- Duroquinonederhodium(I) complexes**, crystal structure of $[\text{Rh}(\text{DQ})\text{-}(\text{C}_5\text{H}_5\text{Me})]\text{PF}_6$ (M. Valderrama, M. Scotti, R. Ganz, L.A. Oro, F.J. Lahoz, C. Foces-Foces, F.H. Cano), (288) 97
- Enantioselective catalysis with transition metal complexes** (H. Brunner), (300) 39
- Ethylenerhodium cationic complexes**, synthesis and electrophilicity of (H. Werner, R. Feser, L. Hofmann), (292) 361
- Ferrocenylphosphinederhodium(I) complexes** as efficient asymmetric catalysts; structure of $\text{Fe}(\eta^5\text{-C}_5\text{H}_5\text{P}-(\text{CMe}_3)_2\text{-}1,3)(\eta^5\text{-C}_5\text{H}_3(\text{CHMeNMe}_2)\text{P}-(\text{CMe}_3)_2\text{-}1,2)$ (T.D. Appleton, W.R. Cullen, S.V. Evans, T.J. Kim, J. Trotter), (279) 5
- Group VIII metal-catalysed C-C bond-forming sequences** (G.P. Chiusoli), (300) 57
- Heterobimetallic and multimetallic complexes containing η -arene-ruthenium(II), -osmium(II) and -pentamethylcyclopentadienylrhodium(III) moieties**, synthesis and reactions of (J.S. Fotheringham, T.A. Stephenson), (284) C12
- Heterometal dinuclear complexes with vinylidene as bridging ligand**, synthesis and crystal structure of (H. Werner, F.J. García Alonso, H. Otto, K. Peters, H.G. von Schnerring), (289) C5
- Heteronuclear organometallic cluster containing ruthenium and rhodium**; crystal and molecular structure of $[(\text{Rh}(\eta\text{-C}_5\text{Me}_5))_3(\text{Ru}(\text{CO})_3(\mu_3\text{-CO})_2)]$ (R.P. Hughes, A.L. Rheingold, W.A. Herrmann, J.L. Hubbard), (286) 361
- Hexadecacarbonylhexarhodium and bis(chlorodicarbonylrhodium) adsorbed on alumina, Na-Y zeolite and H-Y zeolite**, water gas shift reaction catalysed by (J.M. Basset, A. Theolier, D. Commereuc, Y. Chauvin), (279) 147
- Hexamethylborazinerhodium cationic complexes with carbonyl, ethylene and diolefins as ligands**, synthesis and reactivity of (M. Scotti, M. Valderrama, R. Ganz, H. Werner), (286) 399
- $\text{HFe}_3\text{Rh}(\mu_4\text{-}\eta^2\text{-C=CHR})(\text{CO})_1$ clusters** ($\text{R} = \text{H}, \text{C}_6\text{H}_5$), synthesis and catalytic activity under hydroformylation and hydrogenation conditions of (S. Attali, R. Mathieu), (291) 205
- Highly substituted alkene coordination, stabilisation by chelation of**; preparation and crystal and molecular structure of $[\text{Rh}(\text{Ph}_2\text{PO}_2\text{CC}(\text{H})=\text{CMe}_2\text{Cl}]_2$ (D.D. Cupertino, M.M. Harding, D.J. Cole-Hamilton), (294) C29
- Homogeneous and phase transfer catalysed carbonylation reactions** (H. Alper), (300) 1
- Homogeneous binary catalyst systems**, used in synthetic routes to N -acyl- α -amino acids via amidocarbonylation (I. Ojima, K. Hirai, M. Fujita, T. Fuchikami), (279) 203
- Hydrido-iridium(III) and -rhodium(III) complexes with triisopropylphosphane ligands**, reactions and behaviour as metal bases of (H. Werner, J. Wolf, A. Höhn), (287) 395
- Hydrogen transfer reactions in the presence of carbonyl clusters**, selective reduction of dienes to monoenes via (J. Kašpar, R. Spogliarich, M. Graiani), (281) 299
- Hydroperoxorhodium complex**, oxidation of the coordinated triphenylphosphine in (H. Suzuki, S. Matsuura, Y. Moro-Oka, T. Ikawa), (286) 247
- Iridium(I) and rhodium(I) complexes with chloro- and penta-2,4-dionato ligands**, reactions with a secondary phosphite of (M.A. Bennett, T.R.B. Mitchell), (295) 223
- Metal complex catalysts**, transformation of unsaturated alcohols with (K. Felföldi, M. Bartók), (297) C37
- $[\text{Mo}(\eta\text{-C}_5\text{H}_4\text{CH}_2\text{CH}_2\text{SR})_2(\text{SR})_2]$ ($\text{R} = \text{n-Pr, Ph}$)**, synthesis of hetero-binuclear derivatives with platinum, palladium and rhodium of (D. O'Hare, M.L.H. Green, F.G.N. Cloke), (282) 225

- Mono- and di-nuclear rhodium(I) and iridium(I) complexes containing dienes, carbon monoxide, bipyridyl and OC(NMePF₂)₂, synthesis of (S. Morton, J.F. Nixon), (282) 123
- Nitrosobenzene complexes of transition metals, catalytic reduction of nitroso-benzene by CO (P. Giannoccaro, F. Allegretta, G. Vasapollo, C.F. Nobile), (277) 417
- Octacarbonyldirhodium and dodecacarbonyltetrarhodium, quantitative study of the equilibrium under carbon monoxide pressure between (F. Oldani, G. Bor), (279) 459
- Octaethylporphyrinrhodium dimer, activation of C—H bonds by (B.B. Wayland, K.J. Del Rossi), (276) C27
- Organocobalt(IV) and organorhodium(IV) chemistry, current state of (M.E. Vol'pin, I.Ya. Levitin, A.L. Sigan, A.T. Nikitaev), (279) 263
- Osmium cluster, reversible C—C bond formation by interconversion of CO and μ -acyl ligands on the face of (A.A. Koridze, O.A. Kizas, N.E. Kolobova, P.V. Petrovskii), (292) C1
- (2-6- η -1-Oxocyclohexadienyl)rhodium(I) complexes of the type (η^5 -2,6-t-Bu₂-4-MeC₆H₂O)RhL₂, preparation, spectroscopy and structural analysis of (L. Dahlenburg, N. Höck), (284) 129
- Phosphine basicity effect on stereo-selectivity of transfer hydrogenation of alkylcyclohexanones in the presence of rhodium complexes (K. Feldföldi, I. Kapocsi, M. Bartók), (277) 443
- Polyamide-bound metal complex catalysts, synthesis, characterisation and catalytic properties of (Z.M. Michalska, B. Ostaszewski), (299) 259
- [Rh(η^6 -arene)P(OPh)₃]ClO₄, NMR studies in the presence of acetone-*d*₆ of (E. Bittersmann, K. Hildenbrand, A. Cervilla, P. Lahuerta), (287) 255
- [RhCl(COD)(C₆H₁₂N₂)], [RhCl(COD)-(C₆H₁₆N₂)], [RhCl(PPh₃)(C₆H₁₂N₂)] and [Co(CO)(NO)(PPh₃)(C₆H₁₂N₂)], crystal structures of (A.W. Coleman, P.B. Hitchcock, M.F. Lappert, R.K. Maskell, J.H. Müller), (296) 173
- [Rh₃(μ_3 -CO)₂(η -C₅Me₅)₃], crystal structure of; reactions of the unsaturated metal clusters [MM'₂(μ_3 -CO)₂-(η -C₅Me₅)₃] (M = M' = Rh; M = Co, Ir; M' = Rh) (A.C. Bray, M. Green, D.R. Hankey, J.A.K. Howard, O. Johnson, F.G.A. Stone), (281) C12
- Rhodium and iridium cationic complexes, azulene as a ligand in; crystal structure of [Rh(TFB)(az)]PF₆ (L.A. Oro, M. Valderrama, P. Cifuentes, C. Foces-Foces, F.H. Cano), (276) 67
- Rhodium and iridium complexes in aromatic metallation reactions; unusual reactivity of iodobenzene (M. Gomez, P.I.W. Yarrow, D.J. Robinson, P.M. Maitlis), (279) 115
- Rhodium(I) and iridium(I) olefin complexes, ¹H NMR, mass spectral and extended Hückel study of; crystal and molecular structure of η^4 -2,4-dimethylpenta-1,4-diene(η^5 -formylcyclopentadienyl)rhodium(I) (M. Arthurs, H. Karodia, M. Sedgwick, D.A. Morton-Blake, C.J. Cardin, H. Parge), (291) 231
- Rhodium- and platinum-catalysed asymmetric hydroformylation with (2*S*,3*S*)-2,3-bis(diphenylphosphino)butane as the chiral ligand (G. Consiglio, F. Morandini, M. Scalone, P. Pino), (279) 193
- Rhodium(I) and rhodium(III) complexes with tripod-like ligands RC-(CH₂PPh₂)₃ (R = Me, triphos; R = Et, triphos-I); X-ray crystal structure of [RhH₄(triphos-I)] (J. Ott, L.M. Venanzi, C.A. Ghilardi, S. Midollini, A. Orlandini), (291) 89
- Rhodium anionic complexes, aspects of and ligand effects in (A.S.C. Chan, H.-S. Shieh, J.R. Hill), (279) 171
- Rhodium-assisted carbonylation of tetrahydrofuran; formation of C₅-lactones (G. Jenner, H. Kheradmand, A. Kiennemann), (277) 427
- Rhodium(I) catalysed cooligomerisation of carbon monoxide with ethylene; direct evidence for a single mode of stepwise chain growth (A. Sen, J.S. Brumbaugh), (279) C5
- Rhodium-catalysed hydroformylation of vinyl ethers, factors affecting the regioselectivity in (R. Lazzaroni, S. Bertozzi, P. Pocai, F. Troiani, P. Salvadori), (295) 371
- Rhodium-catalysed reaction of butadiene and carbon dioxide (A. Behr, R. He), (276) C69
- Rhodium(I) cationic complexes as catalysts in homogeneous O₂-oxidation

- of terminal alkenes of methyl ketones (M. Bressan, F. Morandini, A. Morvil-
lo, P. Rigo), (280) 139
- Rhodium(I) complexes as catalysts in reduction of alkyl-substituted cyclohexanones via hydrogen-transfer reactions (K. Felföldi, I. Kapocsi,
M. Bartók), (277) 439
- Rhodium complexes of asymmetric water-soluble diphosphine derived from 2-[(diphenylphosphino)methyl]-4-(diphenylphosphino)pyrrolidine, synthesis and applications of (R. Benhamza, Y. Amrani, D. Sinou), (288) C37
- Rhodium complexes with optically active tropolone ligands (H. Brunner,
A. Knott, R. Benn, A. Rufińska), (295) 211
- Rhodium hydroformylation and carbonylation catalysis (J.F. Roth), (279) 1
- Rhodium(I) nitrogen bonded unsaturated nitrile complexes, spectra, formation constants, reactions and catalytic activities of (M.K. Lee, I.B. Kim,
C.S. Chin), (290) 115
- Rhodium(I)-peralkyldiphosphine complexes, mechanistic aspects of catalytic hydrogenation of ketones by (K.
Tani, E. Tanigawa, Y. Tatsuno, S.
Otsuka), (279) 87
- Rhodium(III) species as catalysts in homogeneous oxidation of 1-octene by t-butyl hydroperoxide (M. Faraj,
J.-M. Brégault, J. Martin, C. Martin), (276) C23
- Ruthenium and rhodium complexes as catalysts in reactions of methanol as hydrogen donor (R.A. Smith, P.M.
Maitlis), (289) 385
- Ruthenium(II)—rhodium(I), iridium-III—rhodium(I) and rhodium(III)—iridium(I) heterobinuclear pyrazolate-bridged complexes; crystal structure of [(*p*-cymene)Ru(μ -Cl),(μ -pz)Rh(tetrafluorobenzo[5.6]bicyclo[2.2.2]-octane-2,5,7-triene)] (L.A. Oro,
D. Carmona, M.P. García, F.J. Lahoz,
J. Reyes, C. Foces-Foces, F.H. Cano), (296) C43
- Tetradecacarbonylhexarhodium anion, synthesis and chemical characterisation of (S. Martinengo, A. Fumagalli,
P. Chini), (284) 275
- Tetrafluorobarrelene- and trimethyl-tetrafluorobenzobarrelene-rhodium complexes with arene ligands; crystal structures of (F.H. Cano, C. Foces-
Foces, L.A. Oro), (288) 225
- Thio- and seleno-acetaldehyde-metal complexes, preparation of; crystal structure of $C_5H_5Rh(\eta^2\text{-CH}_3CHSe)P-iPr_3$ (H. Werner, L. Hofmann, J.
Wolf, G. Müller), (280) C55
- Transition metal heteronuclear carbonyl-carbide clusters, synthesis via vertex replacement in a metal polyhedron of; X-ray crystal structures $[Fe_4CoC(CO)_{14}]^-$ and $Fe_4CoRhC-(CO)_{16}$ clusters (V.E. Lopatin, S.P.
Gubin, N.M. Mikova, M.Ts. Tsybenov,
Yu.L. Slovokhotov, Yu.T. Struchkov), (292) 275
- Vinylidene-metal complexes, reaction products with benzoylazide of (H.
Werner, A. Höhn, R. Weinand), (299) C15
- Vinylidene-rhodium complexes, preparation of (W.A. Herrmann, C. Weber), (282) C31
- Vinylidene-transition metal complexes, synthesis and diazoalkene precursors of (W.A. Herrmann, C. Weber, M.L.
Ziegler, O. Serhardli), (297) 245
- ## Rubidium
- Pentadienylmetal compounds, structural analysis and applications in organic synthesis of (H. Yasuda, A. Nakamura), (285) 15
- ## Ruthenium
- Alkoxy carbene complexes, conversion to vinyl ether derivatives of; X-ray structure of $Ru[C(OPr')=CHPh]\text{-}(CO)(PPh_3)(\eta\text{-C}_5H_5)$ (M.I. Bruce,
D.N. Duffy, M.G. Humphrey, A.G.
Swincer), (282) 383
- Allylation of carbon nucleophiles and decarboxylation-dehydrogenation catalysed by palladium, rhodium, ruthenium, molybdenum and nickel complexes (I. Minami, I. Shimizu,
J. Tsuji), (296) 269
- Aqueous ion-radicals containing metal-to-carbon bonds, formation and reactivity of (D. Katakis, J. Konstantatos, E. Vrachnou-Astra), (279) 131
- Arenecyclopentadienylruthenium cations, improved method for synthesis of

- (N.A. Vol'kenau, I.N. Bolesova, L.S. Shul'pina, A.N. Kitaigorodskii, D.N. Kravtsov), (288) 341
- Aryldiazo ligands, containing ruthenium cluster complexes, preparation; crystal structure of $[\text{HRu}_3(\mu\text{-N}_2\text{C}_6\text{H}_4)(\mu\text{-PhAsCH}_2\text{AsPh}_2)(\text{CO})_6]$ (M.I. Bruce, E. Horn, M.R. Snow, M.L. Williams), (276) C53
- Aryldiazovinylidene and cyclohepta-trienevinylidene complexes, synthesis of; X-ray structures of $[\text{Ru}(\text{C}=\text{CPhN=NC}_6\text{H}_3\text{Me}_2\cdot 3,4)(\text{PPh}_3)_2(\eta\text{-C}_5\text{H}_5)]\cdot [\text{BF}_4]\cdot 0.67 \text{CH}_2\text{Cl}_2$ and $[\text{Ru}(\text{C}=\text{CPh}(\text{C}_6\text{H}_5))(\text{DPPE})(\eta\text{-C}_5\text{H}_5)]\cdot [\text{PF}_6]\cdot 0.63 \text{CH}_2\text{Cl}_2$ (M.I. Bruce, C. Dean, D.N. Duffy, M.G. Humphrey, G.A. Koutsantonis), (295) C40
- Aryl(hydrido)-ruthenium(II) and -osmium(II) complexes, influence of ligands upon the formation from aromatic complexes of (H. Werner, J. Gotzig), (284) 73
- $[\{\text{Au}(\text{PPh}_3)\}_3\text{O}]^+$, reactions with $[\text{Ru}_3(\mu\text{-C}_2\text{But})(\text{CO})_9]^-$; X-ray structure of $[\text{Ru}_3\text{Au}_2(\mu\text{-C}=\text{CHBut})(\text{CO})_9(\text{PPh}_3)_2]$ containing trigonal-bipyramidal Ru_3Au_2 core (M.I. Bruce, E. Horn, O. bin Shawkataly, M.R. Snow), (280) 289
- Bis[2-[diphenoxypyrophosphino]oxy]-phenyl-C,P]bis(triphenylphosphite-P)-ruthenium, $[(\text{C}_6\text{H}_5\text{O})_2\text{POC}_6\text{H}_4]_2\text{Ru}[\text{P}(\text{OC}_6\text{H}_5)_3]_2$, synthesis and structure of (M.F. Garbauskas, J.S. Kasper, L.N. Lewis), (276) 241
- Bis(triethylsilyl)decacarbonylhydridotr Ruthenium anionic cluster, $[\text{HRu}_3(\text{CO})_{10}(\text{SiEt}_3)_2]^-$, solid state structure, dynamic structural effects and electrochemical characteristics of (H.-P. Klein, U. Thewalt, G. Herrmann, G. Süss-Fink, C. Moinet), (286) 225
- Bromovinylidene complex, $[\text{Ru}(\text{C}=\text{CBr}(\text{C}_6\text{H}_4\text{Br}-4))(\text{PPh}_3)_2(\eta\text{-C}_5\text{H}_5)]\cdot [\text{Br}_3]\cdot \text{CHCl}_3$, synthesis and X-ray structure of (M.I. Bruce, M.G. Humphrey, G.A. Koutsantonis, B.K. Nicholson), (296) C47
- Carbonylmetal complexes as stabilisers in reactions of free and surface-anchored phosphines with multi-dentate ligands (D.F. Foster, J. Harrison, B.S. Nicholls, A.K. Smith), (295) 99
- Carbonylruthenium anionic clusters, reduction of (B.-H. Chang), (291) C31
- Chloro(η^4 -cycloocta-1,5-diene)(η^5 -cyclopentadienyl)ruthenium(II), preparation and reactions of; versatile synthetic precursor for neutral and cationic cyclopentadienylruthenium(II) complexes (M.O. Albers, H.E. Oosthuizen, D.J. Robinson, A. Shaver, E. Singleton), (282) C49
- ($\eta^5\text{-C}_5\text{H}_5\text{Ru}[(\text{C}_6\text{H}_5)_2\text{P}]_2(\text{CO})_2\text{Co}\cdot \text{THF}$; preparation and crystal structure of (G. Doyle, D. van Engen), (280) 253
- Cyclooctatetraene in reaction with ruthenium(II) hydride complex; molecular structure of $[\text{Ru}(2\text{-}\eta\text{-bicyclo}[5.1.0]\text{octadienyl})(\text{PMe}_2\text{Ph})_3]\text{PF}_6$ (T.V. Ashworth, A.A. Chalmers, D.C. Liles, E. Meintjies, H.E. Oosthuizen, E. Singleton), (276) C49
- Cyclopentadienyl-acyl- and -carboxy-alkyl-metal complexes, base-promoted rearrangements of (S. Abbott, G.J. Baird, S.G. Davies, I.M. Dordor-Hedgecock, T.R. Maberly, J.C. Walker, P. Warner), (289) C13
- Cyclopentadienyl- and pentamethyl-cyclopentadienyl-diligand-ruthenium bromide and chloride, route from allylmethylruthenium complexes to (H. Nagashima, K. Yamaguchi, K. Mukai, K. Itoh), (291) C20
- Cyclopentadienylcarbonylruthenium complexes with Group V donor ligands, catalysed synthesis of (N.J. Coville, E.A. Darling), (277) 105
- Cyclopentadienyl(diphosphine)methoxy-carbeneruthenium(II) complexes, stereochemical investigation of reaction with LiAlH_4 of (G. Consiglio, F. Bangerter, F. Morandini), (293) C29
- Cyclopentadienylrhodium-triruthenium cluster complexes and $(\eta\text{-C}_5\text{Me}_5)_2\text{Rh}_2\text{Ru}_2(\text{CO})_6$, reversible syntheses of; crystal and molecular structures of $\text{CpRhRu}_3\{\mu\text{-H}\}_2\{\mu\text{-CO}\}(\text{CO})_6$, ($\text{Cp} = \eta\text{-C}_5\text{H}_5$ or $\eta\text{-C}_5\text{Me}_5$) and $(\eta\text{-C}_5\text{Me}_5)_2\text{Rh}\{\mu\text{-H}\}_2\text{Ru}_3\{\mu\text{-H}\}_2(\text{CO})_6$, (W.E. Lindsell, C.B. Knobler, H.D. Kaesz), (296) 209
- Decamethylruthenium cations, reactions of (U. Kölle, J. Grub), (289) 133
- Diaromatic ruthenium complexes with

- π -bonded triphenylphosphane ligands, synthesis and structure of (H. Werner, H. Kletzin, C. Burschka), (276) 281
- Dichlororuthenium complexes, metathetical reactions of carboxylate anions with; preparation and characterisation of ruthenium-molybdenum and ruthenium-manganese complexes (S. Sabo, B. Chaudret, D. Gervais), (292) 411
- Dichlorotris(triphenylphosphine)-ruthenium(II), $[\text{RuCl}_2(\text{PPh}_3)_3]$, as catalyst in addition reactions of haloalkanes to alkenes (W.J. Bland, R. Davis, J.L.A. Durrant), (280) 397
- η^5 -Dienylruthenium(II) cationic complexes, hydrogen transfer processes in formation of; X-ray structure of $[\text{Ru}(1-5-\eta\text{-cyclooctadienyl})(\text{PMe}_2\text{Ph})_3][\text{PF}_6]$ (T.V. Ashworth, A.A. Chalmers, D.C. Liles, E. Meintjes, H.E. Oosthuizen, E. Singleton), (284) C19
- Dimethylruthenium(II) compounds, $\text{C}_6\text{Me}_6\text{Ru}(\text{CH}_3)_2\text{PR}_3$, protonation of and metal-centred formation of 2-styryldiphenylphosphanes (H. Kletzin, H. Werner), (291) 213
- 1,3-Dithia[3]ruthenocenophane derivatives, preparation of and bridge reversal energy barriers in (S. Akabori, T. Kumagai, M. Sato), (286) 69
- Dodecacarbonyltriruthenium-hydrido-ruthenium complex, synthesis and characterisation of; crystal structures of $\text{HRuRh}_3(\text{CO})_{12}$, $\text{HRuRh}_3(\text{CO})_{10}(\text{PPh}_3)_2$ and $\text{HRuCo}_3(\text{CO})_{10}(\text{PPh}_3)_2$ (J. Pursiainen, T.A. Pakkanen, J. Jääskeläinen), (290) 85
- Dodecacarbonyltriruthenium, chemisorption, reactivity and decomposition of (G.M. Zanderighi, C. Dossi, R. Ugo, R. Psaro, A. Theolier, A. Choplin, L. D'Ornelas, J.M. Basset), (296) 127
- Gold-ruthenium clusters with sulphur ligands; synthesis and structure of $\text{HRu}_3\text{Au}(\mu_3\text{-S})(\text{CO})_6(\text{PPh}_3)$, $\text{Ru}_3\text{Au}(\mu_3\text{-SBu}^t)(\text{CO})_6(\text{PPh}_3)$ and $\text{Ru}_3\text{Au}_2(\mu_3\text{-S})(\text{CO})_6(\text{PPh}_3)_2$ (M.I. Bruce, O. bin Shawkataly, B.K. Nicholson), (286) 427
- Heterobimetallic and multimetallic complexes containing η -arene-ruthenium(II), -osmium(II) and -pentamethylcyclopentadienyl-rhodium(III) moieties, synthesis and reactions of (J.D. Fotheringham, T.A. Stephenson), (284) C12
- Heterodienemetal complexes, advances in the chemistry of (K. Vrieze), (300) 307
- Heteronuclear organometallic cluster containing ruthenium and rhodium; crystal and molecular structure of $[(\text{Rh}(\eta\text{-C}_5\text{Me}_5))_3[\text{Ru}(\text{CO})_3](\mu_3\text{-CO})_2]$ (R.P. Hughes, A.L. Rheingold, W.A. Herrmann, J.L. Hubbard), (286) 361
- Homogeneous and phase transfer catalysed carbonylation reactions (H. Alper), (300) 1
- Homogeneous binary catalyst systems, used in synthetic routes to *N*-acyl- α -amino acids via amidocarbonylation (I. Ojima, K. Hirai, M. Fujita, T. Fuchikami), (279) 203
- (μ -H) $\text{Ru}_3(\text{CO})_{10}(\mu\text{-SEt})$, crystal structure of (M.R. Churchill, J.W. Ziller, J.B. Keister), (297) 93
- $\text{H}_3\text{Ru}_3(\mu_3\text{-CSEt})(\text{CO})_9$, synthesis and reactions of; reductive elimination of C—H bonds and insertion of alkynes into Ru—C and Ru—H bonds (D.M. Dalton, J.B. Keister), (290) C37
- Hydrido(cyclo-1,5-octadiene)tris(phosphine)ruthenium(II) cations, reactions with 1,3-dienes of; formation of agostic η^3 -enyl species $[\text{Ru}(\eta^3\text{-enyl})\text{L}_3]^+$ (T.V. Ashworth, A.A. Chalmers, E. Meintjes, H. Oosthuizen, E. Singleton), (276) C19; (286) 237
- Hydrido(phosphine)ruthenate complexes and their role in catalytic hydrogenation of arenes (W.A. Fordyce, R. Wilczynski, J. Halpern), (296) 115
- Hydrogen transfer reactions in the presence of carbonyl clusters, selective reduction of dienes to monoenes via (J. Kašpar, R. Spogliarich, M. Graziani), (281) 299
- Indenyl-ruthenium(II) complexes, crystal structure of $[\text{Ru}(\text{CO})(\text{PPh}_3)_2(\eta^5\text{-C}_5\text{H}_5)]\text{ClO}_4 \cdot 1/2 \text{CH}_2\text{Cl}_2$ (L.A. Oro, M.A. Ciriano, M. Campo, C. Foces-Foces, F.H. Cano), (289) 117
- Metal complex catalysts, transformation of unsaturated alcohols with (K. Felföldi, M. Bartók), (297) C37
- ortho*-Metallation of substituted methylpyridines, quinoline, isoquinoline, diazines and 2,2'-bipyri-

- dine with $[\text{Ru}_3(\text{CO})_{10}(\text{NCMe})_2]$ (G.A. Foulds, B.F.G. Johnson, J. Lewis), (294) 123
- Mixed-metal carbonyl cluster anion, $[\text{RuIr}_3(\text{CO})_3(\mu\text{-CO})_3]$, isolation of and crystal structure of its bis(tri-phenylphosphine)iminium salt (A. Fumagalli, F. Demartin, A. Sironi), (279) C33
- Nitrosobenzene complexes of transition metals, catalytic reduction of nitrobenzene by CO (P. Giannoccaro, F. Allegretta, G. Vasapollo, C.F. Nobile), (277) 417
- Nonacarbonyltris(triphenylphosphine)-triruthenium and its derivatives, catalytic hydrogenation with; crystal structure of $[\text{Ru}_2(\text{CO})_5(\text{PPh}_3)_3(\mu\text{-PPh}_2)(\mu\text{-O=CPH})]$ (A. Basu, S. Bhaduri, H. Khwaja, P.G. Jones, T. Schroeder, G.M. Sheldrick), (290) C19
- Octahedral organometallic complexes chiral at the metal atom, synthesis and resolution of (S.I. Hommeltuft, A.D. Cameron, T.A. Shackleton, M.E. Fraser, S. Fortier, M.C. Baird), (282) C17
- Organoruthenium complexes with open chain and carbocyclic alkylidene bridges, synthesis, conformation, isomerisation, protonation and thermolysis of (W.A. Herrmann, M. Flöel, C. Weber, J.L. Hubbard, A. Schäfer), (286) 369
- Phosphine hydride complexes of the iron group metals, photochemistry of (P. Bergamini, S. Sostero, O. Traverso), (299) C11
- Phosphine-substituted carbonylruthenium carboxylates, asymmetric hydrogenation of tiglic acid in the presence of (U. Matteoli, G. Menchi, P. Frediani, M. Bianchi, F. Piacenti), (285) 281
- Platinum group metals in the formation of metal–carbon multiple bonds (W.R. Roper), (300) 167
- Propargylic silylamines, routes to functional protected primary amines from (R.J.P. Corriu, V. Huynh, J. Iqbal, J.J.E. Moreau), (276) C61
- Propionato complexes with the structural element $[\text{Ru}(\text{CO})_2(\mu\text{-OOCC}_2\text{H}_5)]_2$, preparation and characterisation of (G. Süss-Fink, G. Herrmann, P. Morys, J. Ellermann, A. Veit), (284) 263
- $\text{Ru}(\eta^5\text{-C}_5\text{H}_5)\text{L}_1\text{H}$ (L_1 = chelating phosphine), facile synthesis of (C. White, E. Cesariotti), (287) 123
- $\text{Ru}_3(\mu, \eta^3\text{-C}_3\text{H}_5)(\mu_3\text{-PPhCH}_2\text{PPh}_2)(\text{CO})_8$, new mode of allyl binding in and preparation and X-ray structure of (M.I. Bruce, M.L. Williams), (288) C55
- (R)- $[\text{Ru}(\eta^5\text{-C}_5\text{H}_4\text{R}^*)(\text{CO})(\text{PPh}_3)\text{NCCH}_3]$ - PF_6 (R^* = neomenthyl), crystal structure and substitution reactions at a chiral ruthenium atom of (E. Cesariotti, M. Angioletta, N.P.C. Walker, M.B. Hursthouse, R. Vefghi, P.A. Schofield, C. White), (286) 343
- $\text{Ru}(\text{CO})_2(\text{CH}_3\text{COO})_2(\text{PBu}_3)_2$ as catalyst in homogeneous hydrogenation of dicarboxylic acid esters (U. Matteoli, G. Menchi, M. Bianchi, F. Piacenti), (299) 233
- $[\text{Ru}_2(\text{CO})_{11}(\text{NCMe})]$ and $[\text{Ru}_3(\text{CO})_{10}(\text{NCMe})_2]$, preparation, characterisation and reactions of (G.A. Foulds, B.F.G. Johnson, J. Lewis), (296) 147
- $[\text{Ru}_5(\mu_5\text{-C}_2\text{PPh}_2)(\mu\text{-PPh}_2)(\text{CO})_5]$, X-ray structures of two isomers of (M.I. Bruce, M.L. Williams), (282) C11
- Ru , open cluster, excission of a carbonylruthenium fragment from; X-ray structure of $\text{Ru}_3(\mu\text{-H})_3(\mu_4\text{-}\eta^2\text{-P-HC}_2\text{PPh}_2)(\mu\text{-PPh}_2)(\text{CO})_{10}$ (M.I. Bruce, M.L. Williams, B.W. Skelton, A.H. White), (282) C53
- Ruthenium and osmium complexes with dimethylphosphinomethanide anion as ligand (J. Gotzig, R. Werner, H. Werner), (290) 99
- Ruthenium and rhodium complexes as catalysts in reactions of methanol as hydrogen donor (T.A. Smith, P.M. Maitlis), (289) 385
- Ruthenium-catalysed conversion of methanol into methyl formate (T.A. Smith, R.P. Aplin, P.M. Maitlis), (291) C13
- Ruthenium-catalysed heterocyclization under non-acidic conditions of quinoline derivatives from 1,3-propanediol and aminoarene (Y. Tsuji, H. Nishimura, K.-T. Huh, Y. Watanabe), (286) C44
- Ruthenium-catalysed rearrangements of deuterated azobenzenes to 1-phenylbenzimidazole and *N*-phenyl-1,2-phenylenediamine derivatives (A. Spencer), (295) 199
- Ruthenium catalysts, stepwise hydrogenation and carbonylation reactions of

- ethyl orthoformate, CO and H₂ catalysed by (G. Braca, A.M. Raspoldi Galletti, G. Sbrana, R. Lazzaroni), (289) 107
- Ruthenium(II) cationic complexes containing 1,4-bis(diphenylphosphino)butane and coordinated solvent molecules (I.S. Thorburn, S.J. Rettig, B.R. James), (296) 103
- Ruthenium clusters, cleavage reactions with hydrogen of element—carbon bonds in (M.I. Bruce, O. bin Shawkataly, M.L. Williams), (287) 127
- Ruthenium complexes as catalysts in preparation of 1-phenylbenzimidazoles from azobenzene derivatives and primary alcohols (A. Spencer), (295) 79
- Ruthenium complexes as catalysts in preparation of 1-phenylbenzimidazoles from azobenzenes and tertiary amines (A. Spencer), (294) 357
- Ruthenium complexes as catalysts in preparation of *N*-phenyl-1,2-phenylenediamine and *N*¹-phenyl-*N*²-(sec-alkyl)-1,2-phenylenediamine and derivatives (A. Spencer), (295) 91
- Ruthenium/iodine catalysts, activity for carbonylation of esters to give carboxylic esters of (M. Lütgendörff, E.O. Ellevoll, M. Röper), (289) 97
- Ruthenium(II)—rhodium(I), iridium(III)—rhodium(I) and rhodium(III)—iridium(I) heterobinuclear pyrazolate-bridged complexes; crystal structure of [(*p*-cymene)Ru(μ -Cl),(μ -pz)Rh(tetrafluorobenzo[5.6]bicyclo[2.2.2]-octane-2,5,7-triene)] (L.A. Oro, D. Carmona, M.P. Garcia, F.J. Lahoz, J. Reyes, C. Foces-Foces, F.H. Cano), (296) C43
- Ruthenocene and osmocene and their decamethyl derivatives, high yield synthesis of; crystal structure of [Ru(η^5 -C₅Me₅)₂] (D.C. Liles, A. Shaver, E. Singleton, M.B. Wiege), (288) C33
- Tetra- and penta-ruthenium complexes from linking of ethylidyne and vinylidene ligands (D.L. Davies, J.A.K. Howard, S.A.R. Knox, K. Marsden, K.A. Mead, M.J. Morris, M.C. Rendle), (279) C37
- (η^4 -Tetracyclone)dihydridodicarbonyl-ruthenium and related catalytically reactive complexes, dehydrogenation of alcohols to esters with (Y. Blum, Y. Shvo), (282) C7
- Transition metal mixed clusters containing coordinated ³BuC=P, synthesis of (R. Bartsch, J.F. Nixon, N. Sarjudeen), (294) 267
- Triosmium and triruthenium Main-Group metal clusters, M₃(H)(CO)₁₁-(M'R₃) and Os₃(H)(CO)₁₀(CH₃CN)-(M'R₃) (M = Os, Ru; M' = Ge, Sn; R = aryl, alkyl) (K. Burgess, C. Guerin, B.F.G. Johnson, J. Lewis), (295) C3
- ### Samarium
- Carbonylmetal derivatives of lanthanum, samarium and ytterbium, synthesis and structure of (I.P. Beletskaya, G.A. Suleimanov, R.R. Shifrina, R.Yu. Mekhdiev, T.A. Agdamskii, B.N. Khandozhko, N.E. Kolobova), (299) 239
- Cyclopentadienyl-Group IIIA and -Group IVA compounds, steric factor dependence of structures of (E.B. Lobkovsky), (277) 53
- Lanthanoid-catalysed Tishchenko condensation of aldehydes to esters (K. Yokoo, N. Mine, H. Taniguchi, Y. Fujiwara), (279) C19
- Thienyl- and perfluorophenyl-lanthanide(II) derivatives (O.P. Syutkina, L.F. Rybakova, E.S. Petrov, I.P. Beletskaya), (280) C67
- ### Scandium
- Cyclopentadienyl-Group IIIA and -Group IVA compounds, steric factor dependence of structures of (E.B. Lobkovsky), (277) 53
- Scandium trifluoride, reaction with cyclopentadienyl salts of; crystal and molecular structure of fluorodicyclopentadienylscandium (F. Bottomley, D.E. Paez, P.S. White), (291) 35
- ### Selenium
- Benzo[*b*]selenophene, solvent effects on the structure oriented in liquid crystals of (N. Suryaprakash, S. Raghothama, A.C. Kunwar, C.L. Khetrapal, M. Baiwir, G. Llabres), (277) 359

- Bis(μ -chalcogeno) complexes $[(\eta^5\text{-RC}_5\text{H}_4)_2\text{M}(\mu\text{-R})]_2$ ($\text{M} = \text{Zr}, \text{Hf}; \text{R} = \text{H}, \text{t-Bu}; \text{E} = \text{S}, \text{Se}$), preparation from metallocene dichlorides and isolation of the μ -complexes $[(\text{t-BuC}_5\text{H}_4)_2\text{Zr}_2](\mu\text{-O})(\mu\text{-E})$ (G. Tainturier, B. Gautier, M. Fahim), (290) C4**
- Carbonylferrate anions, multiple pathways in reactions with chalcogens and chalcogen-containing anions of (C. Glidewell), (295) 73**
- Chalcogenochromones, synthesis of (A.J. Luxen, L.E.E. Christiaens, M.J. Renson), (287) 81**
- $\text{C}_5\text{H}_5(\text{CO})_2\text{MnXR}'$ ($\text{X} = \text{S}, \text{Se}$) radical complexes, synthesis electrochemistry and organometallic reactions of (A. Winter, G. Huttner, M. Gottlieb, I. Jibril), (286) 317**
- Cyclopentadienyliron complexes with ER₂ ligands ($\text{E} = \text{S}, \text{Se}, \text{Te}$), synthesis and spectroscopic characterisation of (N. Kuhn, H. Schumann), (276) 55**
- Cyclopentadienyliron complexes with REER ligands ($\text{E} = \text{S}, \text{Se}, \text{Te}; \text{R} = \text{alkyl}$), synthesis and spectroscopic investigations of (N. Kuhn, H. Schumann), (287) 345**
- Diazo insertion reactions with selenium-(II) electrophiles (T.G. Back, R.G. Kerr), (286) 171**
- Diido(methylthio)gallane, preparation and reactivity of (G. Hoffmann, P. Resch), (295) 137**
- Dimethylselenadiazole, reactions with alkyltin derivatives of (R. Arad-Yellin, G. Wudl), (280) 197**
- 1,3-Diselena- and 1,3-dithia-[3]ferrocenophanes of germanium and tin; crystal and molecular structure of 1,3-diselena-2,2-dichlorogermyl-[3]ferrocenophane (A.G. Osborne, A.J. Blake, R.E. Hollands, R.F. Bryan, S. Lockhart), (287) 39**
- Distiba-selenanes, -telluranes and a tellurostibane, syntheses of (H.J. Breunig, H. Jawad), (277) 257**
- 1,3-Dithia- and 1,3-diselena-[3]ferrocenophanes of phosphorus and arsenic, synthetic and structural studies of; crystal and molecular structure of 1,3-dithia-2-phenylarsino-[3]ferrocenophane at 163 K (A.G. Osborne, R.E. Hollands, R.F. Bryan, S. Lockhart), (288) 207**
- Methylthio-, methylseleno- and methyltelluro-substituted aromatic com-**
- pounds, general procedure for synthesis of (L. Engman, J.S.E. Hellberg), (296) 357**
- $\eta^5\text{-Pentamethylcyclopentadienylrhodium}$ dinuclear complexes with chalcogen bridges, molecular structure of $[(\eta^5\text{-C}_5\text{Me}_5)\text{Rh}(\text{CO})_2]_2(\mu\text{-Se})$ (M. Herberhold, B. Schmidkonz, U. Thewalt, A. Razavi, H. Schöllhorn, W.A. Herrmann, C. Hecht), (299) 213**
- Pergermane analogues of dioxane $\text{Ph}_3\text{Ge}_4\text{X}_2$, and ethyleneacetal $\text{Ph}_3\text{Ge}_4\text{X}_2$ ($\text{X} = \text{O}, \text{S}, \text{Se}$) (M. Dräger, K. Häberle), (280) 183**
- Selenido heterometallic complexes, synthesis and chemical behaviour of (W.A. Herrmann, J. Rohrmann, M.L. Ziegler, T. Zahn), (295) 175**
- Selenium and tellurium bridges in organometallic complexes, structure, protonation and methylation of (W.A. Herrmann, J. Rohrmann, C. Hecht), (290) 53**
- Selenobenzaldehyde-bridged dinuclear complexes, $[(\text{CO})_5\text{W}]_2(\mu_2, \eta^2\text{-Se}=\text{C}(\text{H})\text{C}_6\text{H}_4\text{R})$ from $(\text{CO})_5\text{W}[\text{Se}=\text{C}(\text{H})\text{C}_6\text{H}_4\text{R}]$ (H. Fischer, S. Zeuner, H.G. Alt), (289) C21**
- Selenostiborane stable complex, $[\text{C}_5\text{H}_5\text{Fe}(\text{CO})_2(\text{Me}_3\text{Sb}=\text{Se})]\text{BF}_4^-$, formation of (N. Kuhn, H. Schumann), (288) C51**
- Sulphur and selenium bridges in dinuclear organochromium complexes, synthesis, structure and reactivity of (W.A. Herrmann, J. Rohrmann, H. Nöth, C.K. Nanila, I. Bernal, M. Draux), (284) 189**
- Thio- and seleno-acetaldehyde-metal complexes, preparation of; crystal structure of $\text{C}_5\text{H}_5\text{Rh}(\eta^2\text{-CH}_3\text{CHSe})\text{P-i-Pr}_3$ (H. Werner, L. Hofmann, J. Wolf, G. Müller), (280) C55**
- Triorganotin aryl selenides, reactions of (D.W. Grant, J.L. Wardell), (276) 161**
- Silicon**
- Acetoxy- and siloxy-dimethylhalosilanes, sterical substituent constants in (U. Scheim, H. Grosse-Ruyken, K. Rühlmann, A. Porzel), (293) 29**
- Actinide—carbon σ bonds, insertion of carbonyl compounds into; reactivity of $[(\text{Me}_3\text{Si})_2\text{M}-\text{CH}_2\text{Si}(\text{Me}_3)_2\text{NSiMe}_3]$ (A. Dormond, A. El Bouadili, A. Aaliti, C. Moise), (288) C1**

- Alkenyltrimethylsilanes, olefin metathesis of** (M. Berglund, C. Andersson, R. Larsson), (292) C15
- Alkoxy silanes, halosilanes and halo-germanes, reduction with lithium aluminium hydride under phase-transfer conditions of** (V.N. Gevorgyan, L.M. Ignatovich, E. Lukevics), (284) C31
- Allylic organometallic way to control acyclic stereochemistry and its application to the synthesis of carbohydrates** (Y. Yamamoto, T. Komatsu, K. Murayama), (285) 31
- Allylsilanes and allylstannanes, allyl coupling reactions with allylic halides, ethers and acetates of** (A. Hosomi, T. Imai, M. Endo, H. Sakurai), (285) 95
- Allylsilanes, hydroperoxidation of and regioselectivity of reactions with dienes of** (J. Dubac, A. Laporterie, H. Iloughmane, J.P. Pillot, G. Déléris, J. Dunoguès), (281) 149
- Allyltriorgano-silanes and -germanes, photoinitiated reactions with polyhaloidalkanes of** (T.V. Leshina, V.I. Valyaev, M.B. Taraban, V.I. Maryasova, V.I. Rakhlis, S.Kh. Khangazheez, R.G. Mirskov, M.G. Voronkov), (299) 271
- Aluminium and indium nitrogen compounds with intra- and inter-molecular donor-acceptor bonds, structural investigations of** (M. Veith, H. Lange, O. Recktenwald, W. Frank), (294) 273
- Benchrotrenyl acetylenes, synthesis catalysed by palladium of** (D. Villemain, E. Schigeko), (293) C10
- Bis(acetylacetone)silicon(IV) isomer-free hexacoordinate complex, formation of** (K.M. Taba, W.V. Dahlhoff), (280) 27
- Bis(amino)stannylenes, reactions with organylphosphanes, methylenephosphoranes, phosphane imines, phosphane oxide and phosphane sulphides of** (M. Veith, V. Huch), (293) 161
- Bis- and tris(trimethylsilyl)amine, rearrangement of benzophenone with** (K. Rühlmann, H. Schilling, F. Frey, H. Paul), (290) 277
- Bis[bis(trimethylsilyl)methyl]germanium, molecular structure determined by gas diffraction of; SCFMO calculations on stannene and distannene**
- (T. Fjeldberg, A. Haaland, B.E.R. Schilling, H.V. Volden, M.F. Lappert, A.J. Thorne), (276) C1; (280) C43
- cis- and trans-Bis(phenyl)bis(tri-n-butylphosphine)platinum(II) compounds, IR and ^1H NMR spectroscopic criteria for determination of the configuration of** (W.-D. Müller, H.A. Brune), (299) 391
- Bis(o-phenylenedioxy)dimethylsilanes, structure of** (J.A. Hawari, E.J. Gabe, F.L. Lee, M. Lesage, D. Griller), (299) 279
- 1,2-Bis(2,4,6-tri-t-butylphenyl)-3,3-di-t-butyl-1,2,3-diphosphasilirane, synthesis and molecular structure of** (M. Weidenbruch, M. Herrndorf, A. Schäfer, K. Peters, H.G. von Schering), (295) 7
- Bis(trimethylsilyl)decacarbonylhydridotri-ruthenium anionic cluster, $[\text{HRu}_3(\text{CO})_{10}(\text{SiEt}_3)_2]^-$, solid state structure, dynamic structural effects and electrochemical characteristics of** (H.-P. Klein, U. Thewalt, G. Herrmann, G. Süss-Fink, C. Moinet), (286) 225
- Bis(trimethylsilyl)bicyclo[n.1.0]alkanes, reactivity towards acids of** (M. Grignon-Dubois, M. Ahra), (280) 313
- Boroxazines, synthesis of** (R. Oesterle, W. Maringgele, A. Meller), (284) 281
- B-t-Butyl-borazine and -diazadiboretidine, preparation and spectral characterisation of** (H.-A. Steuer, A. Meller, G. Elter), (295) 1
- ($\eta^5\text{-CH}_3\text{C}_5\text{H}_4$)(CO)(PR₃)Mn(H)SiHPh, complexes, reductive elimination of diphenylsilanes from** (G. Kraft, C. Kalbas, U. Schubert), (289) 247
- (CH₃)₃SnM(CH₃)₃ (M = Si, Ge), reactions with chlorotrimethylstannane and dichlorodimethylstannane in methanol solution of** (M.J. Cuthbertson, P.R. Welles), (287) 25
- (CH₃)₃SnM(CH₃)₃ (M = Sn, Ge, Si, C), pyrolysis of** (M.J. Cuthbertson, D.W. Hawker, P.R. Welles), (287) 7
- Chlorosiloxanes, hydrolysis of** (K. Rühlmann, J. Brumme, U. Scheim, H. Grossé-Ruyken), (291) 165
- Cyclopentadienyldicarbonylmanganese complexes with amines and aminyl ligands, stabilisation of unstable aminyl radicals in** (D. Sellmann, J. Müller), (281) 249
- n-Decamethyltetrasilanes, oxidations with peroxybenzoic acid of** (G.A.

- Razvaev, V.V. Semenov, T.N. Brevnova, A.N. Kornev), (287) C31
- Di-t-butylhydroxyfluorosilicon, t-Bu₂Si(OH)F, crystal structure of tetramer of (N.B. Buttrus, C. Eaborn, P.B. Hitchcock, A.K. Saxena), (287) 157
- "Dibutylmagnesium", convenient reagent in organo(metallic) synthesis, preparation of Zr(C₄H₉)Cl₃; X-ray structure of [Mg {μ-N(SiMe₃)C₆H₄N(SiMe₃)o}-(OEt₂)₂] (A.W. Duff, P.B. Hitchcock, M.F. Lappert, R.G. Taylor, J.A. Segal), (293) 271
- Di-t-butylsiladienyl and tetra-t-butyl-disilene simultaneous formation and reactions of (A. Schäfer, M. Weidenbruch, S. Pohl), (282) 305
- Di-t-butylsilanediol, crystal structure of and its relevance to liquid crystallinity of diisobutylsilanediol (N.H. Buttruss, C. Eaborn, P.B. Hitchcock, A.K. Saxena), (284) 291
- Dichloro- η^5 -cyclopentadienyltris(tetrahydrofuran)ytterbium(III), structure and reactivity of (M. Adam, X.-F. Li, W. Oroschin, R.D. Fischer), (296) C19
- Dicyclopentadienylsilenes and related compounds, structures of (C. Glidewell), (286) 289
- Dihydridobis(triethylsilyl)pentamethylcyclopentadienyliridium(V), neutron diffraction and photoelectron studies of (J.S. Ricci, Jr., T.F. Koetzle, M.-J. Fernandez, P.M. Maitlis, J.C. Green), (299) 383
- Dihydridotungstenocene ring-substituted derivative, formation by the reaction of Cp₂WCl₃ with Li[Si(SiMe₃)₃] (U. Schubert, A. Schenkel, J. Müller), (292) C11
- [2-(4,5-Dihydrofuryl)]-silanes and -germanes, conversions under catalytic hydrogenation conditions of (E. Lukevics, V.N. Gevorgyan, Y.S. Goldberg, M.V. Shymanska), (294) 163
- 1,4-Dihydropyrazine "antiaromatic" systems, structural flexibility and molecular structures of organometallic derivatives of (H.D. Hausen, O. Mundt, W. Kaim), (296) 321
- 13,18-Dimethyl-8,13-dihydro-5H-dibenzo[d,g]-1,2-diselena-6-siloxane, molecular and crystal structure of (Yu.E. Ovchinnikov, V.E. Shklover, Yu.T. Struchkov, V.A. Palyulin,
- V.I. Rokitskaya, M.Yu. Aismont, V.F. Traven), (290) 25
- 4,4-Dimethyl-1-thia-4-silacyclohexane and 2,3,3-trimethyl-1-thia-3-silacyclopentane, thermochemistry of (N.A. Tarasenko, V.V. Volkova, V.G. Zaikin, A.I. Mikaya, A.A. Tishenkov, V.G. Avakyan, L.E. Gusei'nikov, M.G. Voronkov, S.V. Kirpichenko, E.N. Suslova), (288) 27
- Diorganosilacyclopent-3-ene derivatives from diorganodichlorosilanes and butadienemagnesium, evidence for crotyl-Grignard intermediates (W.J. Richter), (289) 45
- (*o*-Diphenylphosphinobenzyl)dimethylsilane, synthesis and coordination properties of (H.G. Ang, P.T. Lau), (291) 285
- 1,4-Disilabenzene and its valence isomers, relative stabilities of (J. Chandrasekhar, P.v.R. Schleyer), (289) 51
- Disilatranylalkanes, preparation of (L. Birkhofer, K. Grafen), (299) 143
- 1,4-Dithia-2,6-diaza-3,5-diborinanes, structure and bonding in (C. Habben, A. Meller, M. Noltemeyer, G.M. Sheldrick), (288) 1
- Dodecacarbonyltriruthenium, chemisorption, reactivity and decomposition of (G.M. Zanderighi, C. Dossi, R. Ugo, R. Psaro, A. Theolier, A. Choplin, L. D'Ornelas, J.M. Basset), (296) 127
- Enoxysilanes and tris-enoxy-silanes, regioselective in situ synthesis of β -alkoxyketones from (C. Rochin, O. Babot, F. Duboudin), (281) C24
- α,β -Epoxycyclosilanes, effect of ring size on the acid-catalysed hydrolysis of (G. Nagendrappa, T.J. Vidya-pati), (280) 31
- Fluorescent tertiary silanes, formation and reactions of (L. Horner, J. Mathias), (282) 175
- Fluoro(hydroxy){tris(dimethylphenylsilyl)methyl}borane, crystal and molecular structure of (J.L. Atwood, S.G. Bott, C. Eaborn, M.N.A. El-Kheli, J.D. Smith), (294) 23
- Germanium—silicon—oxygen seven-membered ring, 1,1,2,2,4,4,6,6-octaphenyl-1,12-digerma-4,6-disila-3,5,7-trioxacycloheptane, synthesis and X-ray analysis of (H. Puff, T.R. Kök, P. Nauroth, W. Schuh), (281) 141

- Hexacarbonyl-chromium, -molybdenum and -tungsten, photochemical substitution with phosphinothioformamide ligands on (U. Kunze, H. Jawad), (277) C31**
- Hexamethylcyclodisilazane, electron diffraction and molecular structure of (E. Gergö, G. Schultz, I. Hargittai), (292) 343**
- 1,1,1,5,5,5-Hexamethyltrisiloxane, preparation and reactions of (D. Seyferth, C.C. Prud'homme, W.-L. Wang), (277) 203**
- Hydrosilanes, alcoholysis of (Review) (E. Lukevics, M. Dzintara), (295) 265**
- Hydrosilylation of the C≡C triple bond by phenyl- and trienyl-silanes (E. Lukevics, R.Ya. Sturkovich, O.A. Pudova), (292) 151**
- Iridium complexes with cyclometallated t-Bu₂P, t-Bu₂PCH₂SiMe₂ and t-BuP-(CH₂SiMe₂)₂ ligands, preparation and stereochemistry of (L. Dahlenburg, A. Yardimcioglu), (299) 149**
- β-Ketosilanes, mechanism of solvolysis of (M. Fiorenza, A. Mordini, A. Ricci), (280) 177**
- [Li(tmed)₂][C₅Me₅Lu(CH₃)₃], synthesis and structure of (H. Schumann, I. Albrecht, J. Pickardt, E. Hahn), (276) C5**
- Main Group IV organometallic compounds, applications of the methylene di-Grignard reagent for (J.W. Bruin, G. Schat, O.S. Akkerman, F. Bickelhaupt), (288) 13**
- [(Me₃Si)₂C]PhSi(OH)₂ and [(Me₃Si)₂C]-PhSi(OMe)OH, preparation and crystal structures of (Z.H. Aiube, N.H. Buttrus, C. Eaborn, P.B. Hitchcock, J.A. Zora), (292) 177**
- (Me₃Si)₂CSiMe₂R (R = CH=CH₂, CH₂CH=CH₂, C≡CPh, Ph, CH₂Ph), reactions with electrophiles of (R.I. Damja, C. Eaborn, W.-C. Sham), (291) 25**
- 1-Methyl-1-germaadamantane, synthesis of (P. Boudjouk, C.A. Kapfer), (296) 339**
- Methylphenylsilanes with F, Cl, NR₂ and OR groups, effect of electronegativity on substituent shifts in ²⁹Si NMR of (R.H. Cragg, R.D. Lane), (277) 199**
- Methylsiloles, synthesis by thermolysis of esters of silacyclopent-4-ene-3-ols and η^4 -tricarbonyliron complexes of (J. Dubac, A. Laporterie, H. Iloughmane), (293) 295**
- Mo(CO)₄(PPh₃O)₂Y(R)R' (Y(R) = P(O), Si(Me); R' = alkyl, haloalkyl, aryl) and [Mo(CO)₄(PPh₃O)₂]₂Si complexes, chemical shift correlations in ¹³C, ¹⁷O and ³¹P NMR spectra of (G.M. Gray, K.A. Redmill), (280) 105**
- Mono- and di-silyl ethers, selective formation from tertiary and secondary silanes of (L. Horner, J. Mathias), (282) 155**
- Monosilacyclobutanes, mass spectroscopic investigations of (N. Auner, M. Binnewies, J. Grobe), (277) 311**
- ¹⁵N—¹³C, ¹⁵N—M, ²⁹Si—X (M = ¹¹B, ²⁹Si, ¹¹⁹Sn, X = ¹H, ¹³C) nuclear spin—spin one-bond coupling constants with the structure of metal-latrane in solution, correlation of (E. Kupče, E. Liepiņš, A. Lapsiņa, I. Urtāne, G. Zelčāns, E. Lukevics), (279) 343**
- Nickel(0)-catalysed cooligomerisation of 1,3-butadienes with vinylsilanes controlled by concentration and added P ligands (T. Bartik, P. Heimbach, T. Himmerl), (276) 399**
- Nickel-catalysed hydrocyanation of silylalkynes, regio- and stereo-chemical control in (N.J. Fitzmaurice, W.R. Jackson, P. Perlmutter), (285) 375**
- Optically active silanes, influence of nucleophiles on asymmetric synthesis of (W.J. Richter), (286) 1**
- Organochlorosilanes, silyl and silyl-methyl radicals, silylenes, silaalkenes and small-ring silacycles as intermediates in reactions with metal vapours of (L.E. Gusel'nikov, Yu.P. Polyakov, E.A. Volnina, N.S. Nametkin), (292) 189**
- Organocopper(I) mediated synthesis of 1-alkenylsilanes and 1,3-alkadienyl-silanes from ethynylsilanes (H. Westmijze, H. Kleijn, P. Vermeer), (276) 317**
- Organo-1,3,2-diazasilacycloalkanes, preparation, properties and NMR spectra of (R.H. Cragg, R.D. Lane), (294) 7**
- Organo-1,3,2-dioxasilacycloheptanes and their cyclic dimers, preparation and properties of (R.H. Cragg, R.D. Lane), (289) 23**
- Organoiridium(I) pentacoordinate chelatephosphane-stabilised com-**

- plexes, Ir(R)(CO)(chel-P₃), preparation of (E. Arpac, L. Dahlenburg), (277) 127
- Organometallic chemistry, photoelectron spectroscopy in (J.C. Maire), (281) 45
- Organometallic "metal-tuning", influence on stereo- and regio-chemical convergence in reactions of allylic carbanions with aldehydes of (Y. Yamamoto, Y. Saito, K. Maruyama), (292) 311
- Organosilatrane, direct transfer of aliphatic and aromatic substituents to mercury(II) species from (J.D. Nies, J.M. Bellama, N. Ben-Zvi), (296) 315
- Organosilicon compounds, electrochemical synthesis of (J.-I. Yoshida, K. Muraki, H. Funahashi, N. Kawabata), (284) C33
- Organosilicon halides, pseudohalides and amides, additions to acetonitrile oxide of (R.F. Cunico, L. Bedell), (281) 135
- Organosilicon-substituted π -systems, oxidation potentials for the one-electron system AlCl₃/H₂CCl₂ (H. Bock, U. Lechner-Knoblauch), (294) 295
- Organyl[β -(trifluorosilyl)ethyl]sulphoxide molecules, diastereotopy of equatorial fluorines at the silicon atom in (V.A. Pestunovich, M.F. Larin, M.S. Sorokin, A.I. Albanov, M.G. Voronkov), (280) C17
- Pentacarbonyl(diphenylcarbene)-chromium and -tungsten complexes, reactions with trimethylsilylazide of (H. Fischer, S. Zeuner), (286) 201
- Pentacarbonyl[methoxy(phenyl)carbene]-chromium, -molybdenum and -tungsten complexes, reactions with RC≡N-containing complexes of (H. Fischer, R. Märkl, S. Zeuner), (286) 17
- Pentacoordinate silicon compounds, pseudorotation at silicon (R.J.P. Corriu, A. Kpton, M. Poirier, G. Royo, J.Y. Corey), (277) C25
- Pentadienylmetal compounds, structural analysis and applications in organic synthesis of (H. Yasuda, A. Nakamura), (285) 15
- Pentafluorophenyltrimethylsilane, cyanide-catalysed reactions with substituted acetophenones of (O.A. Vyazankina, B.A. Gostevskii, N.S. Vyazankin), (292) 145
- Perfluoroalkyl ether substituted silanes and reactions of (G.J. Chen, C. Tamborski), (293) 313
- PhB(NMe₂)NHBu and PhB(NMe₂)-NHSiMe₃, ¹³C NMR study of (R.H. Cragg, T.J. Miller, D. O'N Smith), (291) 273
- 1-Phenylcarbasilatrane, crystal structure of (P. Hencsei, I. Kovács, L. Párkányi), (293) 185
- Phenylfluorodisilanes, Si₂Ph_{6-n}F_n, preparation and characterization of (E. Hengge, F. Schrank), (299) 1
- Phosphinidenes and diphosphenes, pentacarbonylmetal derivatives of (H. Lang, O. Orama, G. Huttner), (291) 293
- Phosphoryl nucleophiles, nature and consequences of interaction with triorganosilyl chloride (J. Chojnowski, M. Cypryk, J. Michalski, L. Woźniak), (288) 275
- 1-Platina-3-silacyclobutane, new route to (H. Suzuki, T. Tsukui, Y. Morooka), (299) C1
- Polymethylhydrosiloxanes, ²⁹Si NMR and spin-lattice relaxation time measurements (Y.-M. Pai, W.P. Weber, K.L. Servis), (288) 269
- Polysilane high polymers (R. West), (300) 327
- Polysilanes, electronic transitions and photochemistry of (E.A. Halevi, G. Winkelhofer, M. Meisl, R. Janoschek), (294) 151
- Primary silane polymerisation to linear polysilanes catalysed by titanocene derivatives (C. Aitken, J.F. Harrod, E. Samuel), (279) C11
- Propargylic silylamines, routes to functional protected primary amines from (R.J.P. Corriu, V. Huynh, J. Iqbal, J.J.E. Moreau), (276) C61
- 7-Silabicyclo[2.2.1]heptadienes, properties and thermolysis of (H. Appler, L.W. Gross, B. Mayer, W.P. Neumann), (291) 9
- Silaethane bulky functional compounds, THF cleavage and silyl group migration by lithium salts on (U. Klingebiel, S. Pohlmann, L. Skoda), (291) 277
- Silazanes, photoelectron and Penning ionization electron spectroscopy of (T. Veszprémi, L. Bihátsi, Y. Harada, K. Ohno, H. Mutoh), (280) 39
- Silicon-atom pentacoordination, quantum-chemical analysis of (Yu.L.

- Frolov, S.G. Sevchenko., M.G. Voronkov), (292) 159
- Silicon chiral groups, asymmetric induction by (G.L. Larson, E. Torres), (293) 19
- Silicon-containing compounds, selective on-line deuteration in GC/MS for investigation of dissociative ionization of (A.I. Mikaya, V.G. Zaikin, N.V. Ushakov, V.M. Vdovin), (284) 5
- Silicon-containing cyclic polysulphides, pyrolysis of (E.A. Chernyshev, O.V. Kuz'min, A.V. Lebedev, V.G. Zaikin, A.I. Mikaya), (289) 231
- Silicon coordination, mapping the expansion from 4 to 5; crystal structure of 1,2,3,4-tetrahydro-1-trimethylsilyl-1,10-phenanthroline (G. Klebe), (293) 147
- Silicon heterocycles, effect of ring size on ^{29}Si NMR shifts in (R.H. Cragg, R.D. Lane), (291) 153
- Silicon—hydrogen and carbon—hydrogen activation (W.A.G. Graham), (300) 81
- Silyl- and stannyl-tricobalt cluster compounds, cyclic voltammetry of (A.M. Bonny, T.J. Crane, N.A.P. Kane-Maguire), (289) 157
- α -Silyl- and α -stannyl-vinylolithiums, formation and reactions with aldehydes and ketones of (T.N. Mitchell, W. Reimann), (281) 163
- Silylation of α -diazo-phosphonates and -carboxylates with silyl triflates of (T. Allspach, H. GÜMBEL, M. Regitz), (290) 33
- Silylcarbinols and silaethylenes (A.G. Brook), (300) 21
- μ -Silylenebis[dicarbonyl(hydrido)(η^5 -pentamethylcyclopentadienyl)manganese], preparation and molecular structure of (W.A. Herrmann, E. Voss, E. Guggolz, M.L. Ziegler), (284) 47
- Silyl group rearrangement, synthetic organic reactions by means of reactive nucleophiles generated through (I. Kuwajima), (285) 137
- Silyl radicals and their parent silanes, structural correlations between (A. Hudson, R.A. Jackson, C.J. Rhodes, A.L. Del Vecchio), (280) 173
- Si*-Silyl substituted polysilacycloalkanes, synthesis and photochemical behaviour of (M. Ishikawa, T. Yamanaka, M. Kumada), (292) 167
- Silyl vinyl ketenes, [2+2] cycloaddition to (K.H. Dötz, J. Mühlmeier, B. Trenkle), (289) 257
- Stereoselectively-fluorinated conjugated dienes, preparation by palladium catalysed cross coupling reactions of (F. Tellier, R. Sauvêtre, J.-F. Normant), (292) 19
- Sulphonyl- and silyl-substituted hydrocarbons as versatile carbanion precursors in organic synthesis (J.J. Eisch, M. Behrooz, S.K. Dua), (285) 121
- Tellurium(IV) chlorides, reactions with organosilicon hydrides of (R.K. Chadha, J.E. Drake, M.K.H. Neo), (277) 47
- Tetramethylsilane, application as methylating agent for chlorosilanes (M. Bordeau, S.M. Djamei, R. Calas, J. Dunoguès), (288) 131
- Tetrasilylmethane derivatives, preparations of (C. Eaborn, P.D. Lickiss), (294) 305
- Tin—element exchange, formation and multinuclear NMR characterisation of mixtures of the type $\text{C}(\text{SnMe}_3)_n(\text{MMe}_3)_{4-n}$ ($\text{M} = \text{Si, Pb}$; $n = 0-3$) (T.N. Mitchell, R. Wickenkamp), (291) 179
- Titantium-catalysed Diels—Adler cycloaddition of conjugated dienes containing trimethylsilyl groups (K. Mach, H. Antropiusová, L. Petrusová, F. Tureček, V. Hanuš, P. Sedmera, J. Schraml), (289) 331
- Trialkylsilylallyl anion, alkylation applied to stereoselective synthesis of some insect sex pheromones of (T.H. Chan, K. Koumaglo), (285) 109
- 2,4,6-Tri-*t*-butylphenyl-substituted silanes, preparation and reactions of (W. Weidenbruch, K. Kramer), (291) 159
- Tricarbonyl(η^5 -cyclohexadienyl)iron(1+) salts, addition of cyanide to (R.P. Alexander, G.R. Stephenson), (299) C1
- Tricarbonyl(1-trimethylsilylveratrole)-chromium, new conformation of the tricarbonylchromium entity with respect to a bulky substituent (J.C. Boutonnet, F. Rose-Munch, E. Rose, Y. Jeannin, F. Robert), (297) 185
- 2-Triethylsilyl- and 2-triethylgermyl-1,3-di-*t*-butyl-1,3,2-diazaphosphorinanes,

- synthesis, structure and chemical properties of (E.E. Nifantiev, N.S. Vyazankin, S.F. Sorokina, L.A. Vorobieva, O.A. Vyazankina, D.A. Bravo-Zhivotovsky, A.R. Bekker), (277) 211
- Triisopropylsilyl and tri-t-butylsilyl radicals, ESR study of (R.A. Jackson, H. Weston), (277) 13
- 1,5,5-Trimethyl-1-aza-5-silabicyclo-[3.3.0^{1,5}]octane and 1-aza-5-sila-5-methyltricyclo[3.3.3^{1,5}]undecane pentacoordinated tetraorganosilicon compounds, synthesis of (K. Jurkschat, C. Mugge, J. Schmidt, A. Tzschach), (287) C1
- Trimethylsiloxy substituent, electron-donating capability studies by photo-electron spectroscopy of; ESR of polysubstituted benzene derivatives (W. Kaim), (282) 1
- Trimethylsilylated germanocenes, synthesis of; X-ray structure and steric effects in hexakis(trimethylsilyl)-germanocene (P. Jutzi, E. Schlüter, M.B. Hursthouse, A.M. Arif, R.L. Short), (299) 285
- Trimethylsilyl-4,4-ethylenedioxypentanoatolithium, reactions with aldehydes and ketones of (J.-L. Moreau, R. Couffignal), (297) 1
- Trimethylsilyl-4,4-ethylenedioxypentanoate-organolithium reagent, reactions with mixed carboxylic carbonic anhydrides of (J.-L. Moreau, R. Couffignal), (294) 139
- Trimethylsilyl- μ_{S},S' -ethylenedithiolato-hexacarbonyldiiron, reduction of (A.V. Lebedev, E.A. Chernyshev, O.V. Kuz'min, N.S. Nametkin, V.D. Tyurin, A.I. Nekhaev), (276) 215
- 3-Trimethylsilyl-1-pyrazoline, synthesis and thermal reactions of (R.T. Conlin, Y.-W. Kwak), (293) 177
- Trimethylsilyl-substituted air-stable trivinylboranes and carboranes, formation and characterisation of (N.S. Hosmane, N.N. Sirmokadam, M.N. Mollenhauer), (279) 359
- Trimethylsilyl-substituted enamines and imines, comparison of the reactivity of isomers of; enantioselective synthesis of methyl 2-oxo-3-cyclohexylpropionate (M. Fourtalon, B. De Jeso, J.-C. Pommier), (289) 239
- Trimethylsilyl trichloroacetate, formation of dichlorocarbene adducts from (E.V. Dehmlov, W. Leffers), (288) C41
- Trinuclear osmium clusters in rearrangement reactions with sulphur diimides; synthesis, solid state structure and dynamic properties of (μ -H)Os₃(CO)₁₀[μ -N(H)SN(SiMe₃)₂] (G. Süss-Pink, W. Bühlmeyer, M. Herberhold, A. Gieren, T. Hübner), (280) 129
- cis-1,3,5-Tris(bromomethyl)cyclohexane, reaction with magnesium under formation of a tri-Grignard reagent of (P. Boudjouk, R. Sooriakumaran, C.A. Kapfer), (281) C21
- Tri(trimethylsilylamino)silanes, RSi(NHSiMe₃)₃, synthesis, crystal and molecular structure of dimeric tri-lithio derivatives (D.J. Brauer, H. Bürger, G.R. Liewald, J. Wilke), (287) 305
- Tris(trimethylsilyl)germyl compounds (A.G. Brook, F. Abdesaken, H. Söllradl), (299) 9
- Tris(trimethylsilyl)heptaphosphor-tracyclene, cleavage reactions with triphos-nickel and -cobalt species of (M. Peruzzioni, P. Stoppioni), (288) C44
- Tris(trimethylsilyl)methylditellurodi-t-butylphosphine, (Me₃Si)₃CTeTeP(t-Bu)₂, formation of (F. Sladky, B. Bildstein, D. Obendorf), (295) C1
- [Tris(trimethylsilyl)methyl]silanetriol and related sterically hindered silanols, preparation and reactions of (R.I. Damja, C. Eaborn), (290) 267
- ## Silver
- [AgL(μ -PR₂)M(CO)₅] (L = 1, 10-phenanthroline or tricyclohexylphosphine, M = Cr, Mo, W), synthesis and characterisation of (D. Obendorf, P. Peringer), (299) 127
- Arsine-silver(I) complexes, synthesis and structural characterisation of (C. Pelizzi, G. Pelizzi, P. Tarasconi), (281) 403
- Carbido cluster anion [Re₂C(CO)₁₁]³⁻, reactions with Group IB metals of; X-ray crystal structure of the heterometallic carbide [{Re₂AgC(CO)₁₁}₂Br]⁵⁻ (T. Beringhelli, G. D'Alfonso, M. Freni, G. Cianci, A. Sironi), (295) C7

- Dimethylmetal(II) pyrazolides, synthesis and characterisation of (P.K. Byers, A.J. Canty, K. Mills, L. Titcombe), (295) 401
- $M(C_2R)(PR'_3)$ ($M = Cu, Ag, Au; R = Ph, C_6F_5; R' = Me, Ph$), reactions with $H_2Os(CO)_10$ of; X-ray structures of $Os_3Au(\mu\text{-CH=CHR})(CO)_10 \cdot (PPh_3)$ ($R = Ph, C_6F_5$) (M.I. Bruce, E. Horn, J.G. Matisons, M.R. Snow), (286) 273
- Pentacarbonylfulminatotungsten, $NEt_4 \cdot [W(CNO)(CO)_5]$, preparation and isomerisation at the metal atom of (F. Beck, W.P. Fehlhammer, W. Beck), (279) C22
- Silver-tin complex salt, $[Ag(PPh_3)_4] \cdot [SnPh_4(NO_3)_2(Cl,NO_3)]$, synthesis and crystal and molecular structure of (C. Pelizzi, G. Pelizzi, P. Tarasconi), (277) 29
- ## Sodium
- Alkali metal cyclopentadienides, vibrational spectra of (I.A. Garbuzova, O.G. Garkusha, B.V. Lokshin, G.K. Borisov, T.S. Morozova), (279) 327
- n-Butylsodium, preparation, properties and NMR spectra of a hydrocarbon- and tetrahydrofuran-soluble reagent of (C. Schade, W. Bauer, P.v.R. Schleyer), (295) C25
- Carbonyliron polymer-supported complex, reduction of acid chlorides to aldehydes by (G. Cainelli, F. Manescalchi, A. Umani-Ronchi), (276) 205
- Carbonylmetal derivatives of lanthanum, samarium and ytterbium, synthesis and structure of (I.P. Beletskaya, G.A. Suleimanov, R.R. Shifrina, R.Yu. Mekhdiev, T.A. Agdamskii, B.N. Khandozhko, N.E. Kolobova), (299) 239
- $[C_6H_6Os(PR_3)_2]$ 16-electron fragment, precursors for and formation of aryl(hydrido)osmium(II) complexes by intermolecular C—H addition (H. Werner, K. Roder), (281) C38
- ω, ω' -Dicarbanionic oligomers with elemental sulphur, electron transfer in and nucleophilic addition reactions of (J.M. Catala, J.F. Boscato, J. Brossas), (276) 155
- Di- τ^5 -cyclopentadienylbis(thioanisolyl)-titanium and sodium thioanisolyl-phthalocyaninatoferrate(II)·4THF,
- preparation, characterisation and thermal decomposition of (D. Steinborn, R. Taube), (284) 395
- Diphenylmagnesium/alkali metal alkoxide system, hydrocarbon-soluble organoalkali metal reagents (C.G. Screttas, M. Micha-Screttas), (290) 1
- $[Li(tmed)_2][C_5Me_5Lu(CH_3)_3]$, synthesis and structure of (H. Schumann, I. Albrecht, J. Pickardt, E. Hahn), (276) C5
- Pentamethylcyclopentadienyl-substituted diphosphene, bicyclo[1.1.0]-tetraphosphane, cyclotetraphosphane and cyclotriphosphanes, preparation from dihalogeno(pentamethylcyclopentadienyl)phosphanes of (P. Jutzi, T. Wippermann), (287) C5
- ## Sulphur
- Acetato(2-phenylazophenyl-C,N')tellurium(II) and (2-phenylazophenyl-C,N')thiocyanatotellurium(II), crystal and molecular structures of (M.A.K. Ahmed, W.R. McWhinnie, T.A. Hamor), (293) 219
- Acyliiron-phosphorus ylides, ambidentate behaviour towards methyl fluorosulphonic acid ester and rearrangements of (W. Malisch, H. Blau, K. Blank, C. Krüger, L.K. Liu), (296) C32
- η^3 -Allylpalladium complexes with phosphorus-sulphur hydride ligands and their reduction to palladium(0) derivatives (M. Bressan, L. Dal Mas, F. Morandini, B. Prozza), (287) 275
- π -Arenedicarbonyl(thioether)chromium(0) complexes, synthesis, characterisation and reactivity towards arene and thioether substitution of; crystal structure of cis-tetracarbonyl(methyl-1,3-dithian-2-methyl-2-dithiocarboxylate)chromium(0) (S. Lotz, M. Schindehutte, M.M. Van Dyk, J.L.M. Dillen, P.H. Van Rooyen), (295) 51
- 1,2-Benzodithiolatomolybdenum complexes, alkylation of; synthesis of nitrosylmolybdenum complexes with organosulphur ligands (D. Sellmann, L. Zapf, J. Keller, M. Moll), (289) 71
- Bis(amino)stannylenes, reactions with organylphosphanes, methylenephosphoranes, phosphane imines, phosphane oxide and phosphane sul-

- phides of (M. Veith, V. Huch), (293) 161
- Bis[α , β -bis[(trifluoromethanesulphonyl)-oxy]styryl]mercury, synthesis and crystal structure of (G. Maas, R. Brückmann, W. Lorenz), (289) 9
- Bis(μ -chalcogeno) complexes [$(\eta^5$ - $\text{RC}_5\text{H}_4)_2\text{M}(\mu\text{-E})_2$] ($\text{M} = \text{Zr}, \text{Hf}; \text{R} = \text{H}, \text{t-Bu}; \text{E} = \text{S}, \text{Se}$), preparation from metallocene dichlorides and isolation of the μ -complexes [$(\text{t-BuC}_5\text{H}_4)_2\text{Zr}_2](\mu\text{-O})(\mu\text{-E})$ (G. Tainturier, B. Gautheron, M. Fahim), (290) C4
- Bis(η^6 -chlorobenzotrifluoride)chromium(0), nucleophilic substitution with thiophenoxyde of (R.L. Harris), (299) 105
- Bis(η^5 -3,4-diethyl-2,5-dimethyl-1,2,5-thiadiborole)monocarbonyl-iron, synthesis and crystal structure of (J. Edwin, W. Siebert, C. Krüger), (282) 297
- Bis(ethoxythiocarbonyl)sulphide, ^{13}C hyperfine splitting in radical complex with decacarbonyldimanganese of (A. Alberti, M.C. Depew, A. Hudson, W.G. McGimpsey, J.K.S. Wan), (280) C21
- Bis(halophenylstannyl)methanes, their hexamethylphosphotriamide complexes and related compounds, Mössbauer spectroscopy of (M. Gielen, K. Jurkschat, B. Mahieu, D. Apers), (286) 145
- Bis(tetraethylammonium)tricarbonyl-1,2-benzenedithiolatochromium(0), (NEt_4)₂[Cr(CO)₃(S₂C₆H₄)], X-ray structure analysis and reactions of (D. Sellmann, W. Ludwig, G. Huttner, L. Zsolnai), (294) 199
- 5-t-Butyl-5-aza-2,8-dithia-1-stanna(II)-bicyclo[3.3.0^{1,5}]octane, crystal and molecular structure and geometric isomers of (K. Jurkschat, M. Scheer, A. Tzschach, J. Meunier-Piret, M. Van Meerssche), (281) 173
- Carbonylferrate anions, multiple pathways in reactions with chalcogens and chalcogen-containing anions of (C. Glidewell), (295) 73
- Carbonyliron S-bonded derivatives of monothiocarboxylic acids, preparation of (D. Seyferth, A.M. Kiwan), (286) 219
- Carbonylmolybdenum(0) complexes, reactions with uninegative (X,Y) donor complexes of (X,Y = S, N, O) (A.E. Sánchez-Peláez, M.F. Perpiñán, A. Santos), (296) 367
- Carbonylmolybdenum complexes with polydentate thioether-thiol ligands, substitution and redox reactions of (D. Sellmann, L. Zapf), (289) 57
- Carbonyl- μ -thiolatomanganese complexes, $\text{Et}_3\text{N}[\text{Mn}_2(\mu\text{-SR})_3(\text{CO})_6]$, synthesis and reactivity of (P.M. Treichel, M.H. Tegen), (292) 385
- Chalcogenochromones, synthesis of (A.J. Luxen, L.E.E. Christiaens, M.J. Renson), (287) 81
- $\text{C}_5\text{H}_5(\text{CO})_2\text{MnXR}'$ (X = S, Se) radical complexes, synthesis, electrochemistry and organometallic reactions of (A. Winter, G. Huttner, M. Gottlieb, I. Jibril), (286) 317
- Chlorocarbonylrhodium(I) dimer, monodentate pyridine-2-thiol and chelating and bridging pyridine-2-thiolato complexes derived from (A.J. Deeming, M.N. Meah, H.M. Dawes, M.B. Hursthouse), (299) C25
- [$(\text{C}_5\text{H}_5)_2\text{Ni}[\text{P}(\text{S})\text{R}_2]_2\text{Ni}(\text{C}_5\text{H}_5)$], dinuclear spin-crossover complexes, synthesis, electronic structure and kinetics and mechanism of isomerisation of (W. Kläui, K. Schmidt, A. Bockmann, P. Hofmann, H.R. Schmidt, P. Stauffert), (286) 407
- [$\text{C}_5\text{Me}_5\text{MMe}_2(\text{Me}_2\text{SO})$] ($\text{M} = \text{Rh}, \text{Ir}$), reactions with aldehydes of (M. Gómez, J.M. Kisenyl, G.J. Sunley, P.M. Maitlis), (296) 197
- Copper(I) trifluoromethanesulphonate cyclohexene complex, crystal and molecular structure of (P.J.J.A. Timmermans, A. Mackor, A.L. Spek, B. Kojić-Prodić), (276) 287
- Cyanocuprates " $\text{R}_t(2\text{-thienyl})\text{Cu}(\text{CN})\text{Li}_2$ " efficient reagents promoting selective ligand transfer (R_t = vinyl, Bu, Ph) (B.H. Lipshutz, J.A. Kozlowski, D.A. Parker, S. Nguyen, K.E. McCarthy), (285) 437
- Cyclooctyne coupling with carbon monoxide on divalent molybdenum and tungsten; crystal and molecular structure of bis(hexamethylene)-cyclopentadienonetungsten complex, $\text{W}(\text{S}_2\text{CNMe}_2)_2(\text{CO})[(\text{C}_8\text{H}_{12})_2\text{-CO}]$ (M.A. Bennett, I.W. Boyd, G.B. Robertson, W.A. Wickramasinghe), (290) 181
- Cyclopentadienylcobaltmetallacyclic complexes, bonding in and structure

- of; crystal structures of $[\eta^5\text{-C}_5(\text{CH}_3)_5\text{-Co}[(\text{NH})_2\text{C}_6\text{H}_4]]$ and $[\eta^5\text{-C}_5(\text{CH}_3)_5\text{-Co}[(\text{NH})\text{SC}_6\text{H}_4]]$ (E.J. Miller, A.I. Rheingold, T.B. Brill), (282) 399
- Cyclopentadienyldicarbonylligand-molybdenum and -tungsten cationic complexes, reactions with sulphur-containing ligands of** (G. Urban, K. Sünkel, W. Beck), (290) 329
- Cyclopentadienyldicarbonylphineiron Lewis acid adducts, reactivity with nucleophiles of** (J.J. Weers, D.P. Eyman), (286) 47
- Cyclopentadienyliron complexes with REER ligands** ($\text{E} = \text{S}, \text{Se}, \text{Te}; \text{R} = \text{alkyl}$), synthesis and spectroscopic investigations of (N. Kuhn, H. Schumann), (287) 345
- (η -Cyclopentadienyl)nitrosyl-molybdenum and -tungsten derivatives scrambling of dithioacid ligands in (W. De Oliveira, J.-L. Migot, M.B. Gomes De Lima, J. Sala-Pala, J.E. Guerchais, J.-Y. Le Gall), (284) 313
- Cyclopentadienylrhodium(I) catalysed synthesis of tetramethyl-2,3,4,5-thiophenetetracarboxylate from elemental sulphur and $\text{CH}_3\text{OOC-COOCH}_3$ (M. Kajitani, T. Suet-sugu, R. Wakabayashi, A. Igarashi, T. Akiyama, A. Sugimori), (293) C15
- η^5 -Cyclopentadienyltriphenylphosphinickel- η^1 -thioanisolyl, preparation and characterisation and thermal decomposition to nickel-thiophenolato complexes of (R. Taube, D. Steinborn, W. Höbold), (284) 385
- Desulphurisation of benzylic mercaptans by dodecacarbonyltriiron under acidic and biphasic conditions (H. Alper, F. Sibtain), (285) 225
- ω, ω' -Dicarbanionic oligomers with elemental sulphur, electron transfer in and nucleophilic addition reactions of (J.M. Catala, J.F. Boscatto, J. Brossas), (276) 155
- Dicyanopentasulphido nickelate(II) anion, synthesis of (K.N. Udupa, S. Sarkar), (284) C36
- Di- η^5 -cyclopentadienylbis(thioanisolyl)-titanium and sodium thioanisolyl-phthalocyaninatoferrate(II) · 4THF, preparation, characterisation and thermal decomposition of (D. Steinborn, R. Taube), (284) 395
- Dicyclopentadienyl-molybdenum and tungsten complexes, formation, NMR spectra and stereochemistry of (L. Gomes de Lima, M. Cariou, H. Scorida, R. Kercoat, M.M. Kubicki, J.E. Guerchais), (290) 321
- Di- η^2 -cyclopentadienylniobium, mercapto polymer of (W. Douglas), (287) C39
- Dicyclopentadienyl(1,1,3,3-tetramethyl-2-thiocarbonylcyclohexane)titanium, synthesis and structure of (K. Seitz, U. Behrens), (288) C47
- Dicyclopentadienyl(thioketene)niobium complexes, synthesis and structure of (K. Seitz, U. Behrens), (294) C9
- Di- η^5 -cyclopentadienyltitana(IV)cyclohexasulphane, convenient preparation of (A.R. Koray, V. Ahsen, F. Gökceli, E. Yilmazer, Ö. Bekaroğlu), (295) 47
- 2,4-Digermathietanes and tetragerm-dithiocanes, precursors of germathiones and germaethylenes (J. Barrau, N. Ben Hamida, J. Satgé), (282) 315
- Dihalo(pentafluorophenyl)bidentate ligand(gold(III) complexes, synthesis and ^{197}Au Mössbauer spectra of (R. Usón, A. Laguna, M.U. De La Orden, R.V. Parish, L.S. Moore), (282) 145
- Dihydroiridium diolefin with sulphur ligands and related complexes (J.C. Rodriguez, C. Claver, A. Ruiz), (293) 115
- (*N,N*-Dimethyldithiocarbamato) (n -butyl)diphenyltin(IV), synthesis and X-ray structure of (V.G.K. Das, C. Wei, E. Sinn), (290) 291
- 4,4-Dimethyl-1-thia-4-silacyclohexane and 2,3,3-trimethyl-1-thia-3-silacyclopentane, thermochemistry of (N.A. Tarasenko, V.V. Volkova, V.G. Zaikin, A.I. Mikaya, A.A. Tishenkov, V.G. Avakyan, L.E. Gusel'nikov, M.G. Voronkov, S.V. Kirpichenko, E.N. Suslova), (288) 27
- Dinuclear thiolato-bridged cobalt compounds, reaction with activated alkynes of; formation and X-ray structure of an unusual trinuclear cobalt complex, $[\text{Co}_3(\eta^5\text{-C}_5\text{H}_5)_3 \cdot (\text{SMe})_2 \cdot (\text{CF}_3\text{C}\equiv\text{CCF}_3)_2]$ (F.Y. Péillon, J.L. Le Quéré, F. Le Floch-Pérennou, J.E. Guerchais, P. L'Hardenon), (281) 305
- Dioxa- and dithia-germoles, synthesis and reactivity of (H. Lavayssiére, G. Dousse), (297) C17

- 1,3-Diselena- and 1,3-dithia-[3]ferrocenophanes of germanium and tin; crystal and molecular structure of 1,3-diselena-2,2-dichlorogermyl-[3]ferrocenophane (A.G. Osborne, A.J. Blake, R.E. Hollands, R.F. Bryan, S. Lockhart), (287) 39
- Disulphur hexacarbonyldiiron containing complexes, synthesis of; crystal and molecular structure of $[Fe_2(CO)_6(\mu-S_2P(C_6H_4OMe-p)Fe(CO)_4)]$, determined from two different crystal modifications (G.J. Krügger, S. Lotz, L. Linford, M. Van Dyk, H.G. Raubenheimer), (280) 241
- 1,3-Dithia- and 1,3-diselena-[3]ferrocenophanes of phosphorus and arsenic, synthetic and structural studies of; crystal and molecular structure of 1,3-dithia-2-phenylarsino[3]ferrocenophane at 163 K (A.G. Osborne, R.E. Hollands, R.F. Bryan, S. Lockhart), (288) 207
- 1,4-Dithia-2,6-diaza-3,5-diborinanes, structure and bonding in (C. Habben, A. Meller, M. Noltemeyer, G.M. Sheldrick), (288) 1
- 1,*n*-Dithia[*n*]ferrocenophanes, specific change in electronic and ^{13}C NMR spectra and redox potentials of; interaction between the S atom and the ferrocene nucleus (M. Sato, S. Tanaka, S. Ebine, K. Morinaga, S. Akabori), (282) 247
- 1,3,2-Dithiaphospholane as ligands in tetracarbonyl- and pentacarbonyl-chromium complexes (J. Grobe, D. Le Van, J. Szameit), (289) 341
- 1,3-Dithia[3]ruthenocenophane derivatives, preparation of and bridge reversal energy barriers in (S. Akabori, T. Kumagai, M. Sato), (286) 69
- μ -Dithiobis(tricarbonyliron), nucleophilic S—S bond cleavage by organolithium and organomagnesium reagents (D. Seyerth, R.S. Henderson, L.-C. Song, G.B. Womack), (292) 9
- Dithiolenedicyclopentadienylniobium complexes, synthesis and electrochemistry of (B. Viard, J. Amaudrut, J. Sala-Pala, A. Fakhr, Y. Mugnier, C. Moise), (292) 403
- Dithiophosphate monodentate complexes $Cp'Fe(CO)_2(\eta^1-SP(S)(OR)_2)(Cp' = \eta-C_5H_5, \eta-C_5H_4Me, \eta-C_5Me_5)$, preparation of (M. Morán, I. Cuadrado), (295) 353
- Dodecacarbonyltriiron and elemental sulphur, structure of products of reactions with norbornadiene of (A.I. Nekhaev, S.D. Alekseeva, N.S. Nametkin, V.D. Tyurin, B.I. Kolobkov, G.G. Aleksandrov, N.A. Parpiev, M.T. Tashev, H.B. Dustov), (297) C33
- $[Et_2N]_2[Mo(CO)_4(SR)_2]$ ($R = Ph, Bz$), potentially chelating bis-thiolate ligand, synthesis and characterisation of (L.D. Rosenhein, W.E. Newton, J.W. McDonald), (288) C17
- Ferrocene β -lactamic antibiotics, mono- and heterodi-substituted derivatives of (C. Simionescu, T. Lixandru, D. Scutaru, M. Vătă), (292) 269
- Ferrocenophanes containing aromatic or heteroaromatic rings in the bridging chain, syntheses of (M. Sato, S. Tanaka, S. Ebine, K. Morinaga, S. Akabori), (289) 91
- Ferrocenylsulphide-palladium(II) and -platinum(II) complexes, dynamic NMR studies of (K.G. Orrell, V. Šík, C.H. Brubaker, Jr., B. McCulloch), (276) 267
- Gold—ruthenium clusters with sulphur ligands; synthesis and structure of $HRu_3Au(\mu_3-S)(CO)_9(PPh_3)$, $Ru_3Au(\mu_3-SBu^t)(CO)_9(PPh_3)$ and $Ru_3Au_2(\mu_3-S)(CO)_9(PPh_3)_2$ (M.I. Bruce, O. bin Shwakataly, B.K. Nicholson), (286) 427
- Heptacarbonyldithiodiiron, synthesis and structure of (N.S. Nametkin, B.I. Kolobkov, V.D. Tyurin, A.N. Muratov, A.I. Nekhaev, M. Mavlonov, A.Ya. Sideridu, G.G. Aleksandrov, A.V. Lebedev, M.T. Tashev, H.B. Dustov), (276) 393
- Heteroatom nucleophiles with cationic molybdenum complexes (W.E. Vanarsdale, R.E.K. Winter, J.K. Kochi), (296) 31
- Heterometallic dinuclear complexes prepared from the tripledecker sandwich complex $[Ni_2(C_5H_4R)_3]BF_4$ and cyclopentadienylmetalbis(thiolates); crystal structure of $[(C_5H_5)_2Mo(\mu-SBu^t)_2Ni(C_5H_4R)]BF_4$ ($R = H, Me$) (H. Werner, B. Ulrich, U. Schubert, P. Hofmann, B. Zimmer-Gasser), (297) 27
- Hexacarbonyl-chromium, -molybdenum and tungsten, photochemical substitution with phosphinothioformamide ligands on (U. Kunze, H. Jawad), (277) C31

- (μ -H)Ru₃(CO)₁₀(μ -SEt), crystal structure of (M.R. Churchill, J.W. Ziller, J.B. Keister), (297) 93
- H₃Ru₃(μ_3 -CSEt)(CO)₉, synthesis and reactions of; reductive elimination of C—H bonds and insertion of alkynes into Ru—C and Ru—H bonds (D.M. Dalton, J.B. Keister), (290) C37
- Hydrosilylation of the C≡C triple bond by phenyl- and thiienyl-silanes (E. Lukevics, R.Ya. Sturkovich, O.A. Pudova), (292) 151
- Lithiumtris(phenylthio)methane for homologation of trialkylboranes, convenient syntheses of ketones and t-carbinols (A. Pelter, J.M. Rao), (285) 65
- Mercapto-bridged dinuclear platinum(II) complexes, preparation and characterisation of; catalytic activity of [(PEt₃)PtCl(μ -SEt)]₂/SnCl₂ · 2H₂O system in hydrogenation and hydroformylation of styrene (H.C. Clark, C.K. Jain, G.S. Rao), (279) 181
- Metallocenyl thionektones with C₅H₅⁻ and [(C₅H₅)Fe(CO)₂]⁻ anions, reactions of; preparation and crystal structures of dimeric cymantrenylphenylfulvene derivatives (A.S. Batsanov, S.P. Dolgov, V.I. Bakhmutov, Yu.T. Struchkov, V.N. Setkina, D.N. Kursanov), (291) 341
- Methyl- and phenyl-oxadithia- and -trithia-bismocanes, preparations, spectra and crystal structures of (M. Dräger, B.M. Schmidt), (290) 133
- 2-Methylbenzothiazole, activation by metallation of (M.V. Costa, P. Lochon), (293) 265
- (Methylcyclopentadienyl)dicarbonyl-cobalt, oxidative addition reactions to and preparation of mono- μ -hydrido complexes from (S. Delgado, J. Macazaga, C. Moreno, J.R. Masaguer), (289) 397
- Methyltantalum derivatives, facile preparation from dimethylphenylphosphane by P—CH₃, cleavage (N. Hovanian, L.G. Hubert-Pfalzgraf), (299) C29
- Methylthio-, methylseleno- and methyltelluro-substituted aromatic compounds, general procedure for synthesis of (L. Engman, J.S.E. Hellberg), (296) 357
- Mo(η -C₅H₄CH₂CH₂SR)₂(SR₂)₂ (R = n-Pr, Ph), synthesis of hetero-binu-
- clear derivatives with platinum, palladium and rhodium of (D. O'Hare, M.L.H. Green, F.G.N. Cloke), (282) 225
- Molybdenum- and tungsten-sulphane complexes, (μ -S_x)[M(η^5 -C₅H₅)(CO)₃]₂ (M = Mo (x = 2, 3); M = W (x = 2)), synthesis and characterisation of; routes to [Cr(η^5 -C₅H₅)(CO)₂]₂S (M.A. El-Hinnawi, A.K. El-Qaseer), (296) 393
- Molybdenum(II) thiolate-hydride complexes, preparation of (C. Shortman, R.L. Richards), (286) C3
- Mono- and di-alkyltin isoctyl thioglycolate stabilisers of PVC, spectroscopic study of (S.J. Blunden, L.A. Hobbs, P.J. Smith, A.G. Davies, S.B. Teo), (282) 9
- Mono- and di-cyclopentadienylzirconium-(IV) derivatives with heterocyclic thiones, synthesis and spectroscopic studies of (V. Srivastava, O.P. Pandey, S.K. Sengupta, S.C. Tripathi), (279) 395
- Mono-, di- and tri-organotin(IV) dialkyldithiophosphates, ¹¹⁹Sn, ³¹P, ¹³C and ¹H NMR and Mössbauer studies of (H.C. Clark, V.K. Jain, R.C. Mehrotra, B.P. Singh, G. Srivastava, T. Birchall), (279) 385
- Organometallic "metal-tuning", influence on stereo- and regio-chemical convergence in reactions of allylic carbanions with aldehydes of (Y. Yamamoto, Y. Saito, K. Maruyama), (292) 311
- Organotin, organolead, lead(IV) and lead(II) dithiolates, investigations of (K. Grätz, F. Huber, A. Silvestri, G. Alonzo, R. Barbieri), (290) 41
- Organyl[β -(trifluorosilyl)ethyl] sulphoxide molecules, diastereotopy of equatorial fluorines at the silicon atom in (V.A. Pestunovich, M.F. Larin, M.S. Sorokin, A.I. Albanov, M.G. Voronkov), (280) C17
- Palladium-catalysed regioselective oxidation of allylsulphones; formation of α,β -ethylenylsulphonyl aldehydes and alcohols (J. Muzart, A. Riahi, J.P. Pete), (280) 269
- Palladium(II) chloride complexes of 2,2,N,N-tetramethyl-3-buten-1-amine and 2,2-dimethyl-3-buten-1-yl methyl sulphide, reaction with diazomethane and carbene insertion

- of (R. McCrindle, D.W. Sneddon), (282) 413
- Pergerma analogues of dioxane $\text{Ph}_5\text{Ge}_2\text{X}_2$ and ethyleneacetal $\text{Ph}_6\text{Ge}_3\text{X}_2$ ($\text{X} = \text{O}, \text{S}, \text{Se}$) (M. Dräger, K. Häberle), (280) 183
- Phenyl(diorganylthio)- and triorganylthio-gallanes, preparation from triphenylgallane and thiolene of (G.G. Hoffmann), (277) 189
- Phenylmercury 4-fluorothiophenoxyde, redox-demercuration by tetrakis-(triphenylphosphine)platinum(0) of (S.I. Pombrik, A.A. Bezrukova, L.S. Golovchenko, A.S. Peregovodov, A.Z. Rubezhov, D.N. Kravtsov), (293) C1
- Polyfluorophenylplatinum(II) compounds, formation by sulphur dioxide elimination reactions of (G.B. Deacon, I.L. Grayson), (292) 1
- Polygermapolythianes, thermolysis and photolysis of; formation of germylenes and germathiones (J. Barrau, M. El Amini, G. Rima, J. Satgé), (277) 323
- Ruthenium clusters, cleavage reactions with hydrogen of element—carbon bonds in (M.I. Bruce, O. bin Shaw-kataly, M.L. Williams), (287) 127
- Silicon-containing cyclic polysulphides, pyrolysis of (E.A. Chernyshev, O.V. Kuz'min, A.V. Lebedev, V.G. Zaikin, A.I. Makaya), (289) 231
- Stannanedithiocarboxylates, novel α -functional organotin ligands (U.R. Kunze), (281) 79
- Sulphonyl- and silyl-substituted hydrocarbons as versatile carbanion precursors in organic synthesis (J.J. Eisch, M. Behrooz, S.K. Dua), (285) 121
- Sulphur and selenium bridges in dinuclear organochromium complexes, synthesis, structure and reactivity of (W.A. Herrmann, J. Rohrmann, H. Nöth, C.K. Nanila, I. Bernal, M. Draux), (284) 189
- Sulphur-bridged dimers obtained from μ -dithiobis(tricarbonyliron) (D. Seyferth, A.M. Kiwan), (281) 111
- Sulphur dioxide insertion into carbon—metal bonds, non-chain free radical mechanism for (M.D. Johnson, S. Derenne), (286) C47
- Tetracarbonyl(phosphinothioformimi-
- date)-manganese and -rhenium complexes, substitution reactions with organophosphorus ligands of (U. Kunze, A. Bruns), (292) 349
- Tetrairidium cluster with bridging SO_2 , $\text{Ir}_4(\text{CO})_9(\mu_2\text{-CO})_2(\mu_2\text{-SO}_2)$, synthesis, fluxional behaviour and crystal structure of (D. Braga, R. Ros, R. Roulet), (286) C8
- Tetrakis[trimethylthiomethylplatinum(IV)], $[\text{Pt}(\text{CH}_3)_3(\text{SCH}_3)]_4$, crystal structure of (G. Smith, C.H.L. Kenward, T.C.W. Mak), (290) C7
- $\Delta^{1,7}\text{-}2,2,6,6\text{-Tetramethyl-4-thia-8,8-dimethyl-8-germabicyclo[5.1.0]-octene}$, isolation and X-ray crystal structure of (M.P. Egorov, S.P. Kolesnikov, Yu. T. Struchkov, M.Yu. Antipin, S.V. Sereda, O.M. Nefedov), (290) C27
- Tetraphenylstibonium alkyl- and aryl-sulphonates, synthesis of; crystal structure of tetraphenylstibonium benzenesulphonate hydrate (R. Rüther, F. Huber, H. Preut), (295) 21
- Tetrasulphur tetranitride reactivity towards d^{10} phosphine complexes, crystal structure of $(\text{PPh}_3)\text{Pt}(\mu\text{-S}_2\text{N}_2)_2$, $-\text{Pt}(\text{PPh}_3)_2$ (C.A. Ghilardi, S. Midollini, S. Moneti, A. Orlandini), (286) 419
- Thio- and seleno-acetaldehyde-metal complexes, preparation of; crystal structure of $\text{C}_6\text{H}_5\text{Rh}(\eta^2\text{-CH}_2\text{CHSe})\text{-P-i-Pr}_3$ (H. Werner, L. Hofmann, J. Wolf, G. Müller), (280) C55
- Thioacyl- and thioaldehyde-iron dinuclear complexes, preparation, structure and properties of (H. Umland, U. Behrens), (287) 109
- Thiocyanatomercuration of acetylenic compounds, synthesis of β -isothiocyanatoalkenylmercury compounds, α -halo- β -thiocyanatoalkenes and 1-thiocyanatoalkynes (M. Giffard, J. Cousseau), (287) 287
- Thioether dealkylation and redox reactions in coordination of tetradentate thioether-thiolato ligands to molybdenum(II) centres (D. Sellmann, W. Reisser), (294) 333
- Titanocene dithiocyanate, $(\eta\text{-C}_5\text{H}_5)_2\text{Ti}(\text{NCS})_2$, electrochemical study of (J. Losada, M. Morán), (276) 13
- Toluenesulphonyl radicals, formation of alkanyl- and cycloalkanyl-4-tolylsulphones from organocobaloximes

- with (M.R. Ashcroft, P. Bougeard, A. Bury, C.J. Cooksey, M.D. Johnson), (289) 403
- Triarylphosphaethane, intermediates in reactions with sulphur of (T.A. van der Knaap, F. Bickelhaupt), (277) 351
- Trimethylsilyl- μ_3 -S, S' -ethylenedithiolatohexacarbonyldiiron, reduction of (A.V. Lebedev, E.A. Chernyshev, O.V. Kuz'min, N.S. Nametkin, V.D. Tyurin, A.I. Nekhaev), (276) 215
- Trinuclear osmium clusters in rearrangement reactions with sulphur diimides; synthesis, solid state structure and dynamic properties of (μ -H)-Os₃(CO)₁₀[μ -N(H)SN(SiMe₃)₂] (G. Süss-Fink, W. Bühlmeyer, M. Herberhold, A. Gieren, T. Hübner), (280) 129
- Triorganotin aryl selenides, reactions of (D.W. Grant, J.L. Wardell), (276) 161
- Triphenyllead benzenethiolate, Ph₃PbSPh, triphenyllead O,O'-diethyl-dithiophosphate, Ph₃PbS₂P(OEt)₂, and diphenyllead bis(O,O'-dibenzyl-dithiophosphate), Ph₂Pb[S₂P(OCH₂-Ph)₂]₂, crystal and molecular structures of (M.G. Begley, C. Gaffney, P.G. Harrison, A. Steel), (289) 281
- (η^6 -Xanthene) (η^5 -cyclopentadienyl)-iron(II) hexafluorophosphate and (η^6 -2-methylthianthrene) (η^5 -cyclopentadienyliron(II)) hexafluorophosphate, crystal and molecular structures of (S.H. Simonsen, V.M. Lynch, R.G. Sutherland, A. Piórko), (290) 387
- ### Tantalum
- (C₅H₅)₂M(CO)H (M = Nb, Ta) complexes, reactions with acyl chlorides of (J.C. Leblanc, C. Moise, J. Tirouflet), (292) 225
- (η^5 -C₅H₄R)₂Ta(CO)(μ -H)MLn (M = Cr, Mo, W, Mn), synthesis of (J.F. Reynoud, J.C. Leblanc, C. Moise), (296) 377
- Dicyclopentadienylcarbonylhido-niobium and -tantalum, insertion of activated acetylenes into the M—H bond of (J. Amaudrut, J.-C. Leblanc, C. Moise, J. Sala-Pala), (295) 167
- Dicyclopentadienylniobium neutral and cationic complexes, preparation and reactions of (F.A. Urbanos, M. Mena, P. Royo, A. Antónolo), (276) 185
- M(η^5 -C₅H₅)₂(H)CO and M(η^5 -C₅H₅)₂H₃ (M = Nb, Ta), photochemistry in low-temperature matrices of (R.F.G. Baynham, J. Chetwynd-Talbot, P. Grebenik, R.N. Perutz, M.H.A. Powell), (284) 229
- Metathesis catalysts (R.R. Schrock), (300) 249
- Niobium and tantalum polymer-attached complexes, synthesis and applications to catalysis of olefin hydrogenation, isomerisation and ethylene dimerisation of (B.-H. Chang, C.-P. Lau, R.H. Grubbs, C.H. Brubaker, Jr.), (281) 213
- Tris[bis-1,2-(dimethylphosphino)ethane] zerovalent derivatives of chromium, molybdenum, tungsten, vanadium, niobium and tantalum synthesis, crystal structures and reactions of (F.G.N. Cloke, P.J. Fyne, V.C. Gibson, M.L.H. Green, M.J. Ledoux, R.N. Perutz, A. Dix, A. Gourdon, C.K. Prout), (277) 61
- ### Tellurium
- Acetato(2-phenylazophenyl-C,N')tellurium(II) and (2-phenylazophenyl-C,N')thiocyanatotellurium(II), crystal and molecular structures of (M.A. Ahmed, W.R. McWhinnie, T.A. Hamor), (293) 219
- Chalcogenochromones, synthesis of (A.J. Luxen, L.E.E. Christiaens, M.J. Renson), (287) 81
- [C₅H₅(CO)₂Mn]_xTePh]^x (x = +1, -1), synthesis and structure of; valence tautomerism in dinuclear complexes (G. Huttner, S. Schuler, L. Zsolnai, M. Gottlieb, H. Braunwarth, M. Minelli), (299) C4
- C₅H₅(CO)₂MnXR' (X = S, Se) radical complexes, synthesis, electrochemistry and organometallic reactions of (A. Winter, G. Huttner, M. Gottlieb, I. Jibril), (286) 317
- Chloro(diethyl telluride)copper(I) polymer, synthesis, characterisation and crystal structure of (R.K. Chadha, J.E. Drake), (286) 121
- Cyclopentadienyliron complexes with ER₂ ligands (E = S, Se, Te) synthesis

- and spectroscopic characterisation of (N. Kuhn, H. Schumann), (276) 55
- Cyclopentadienyliron complexes with REER ligands (E = S, Se, Te; R = alkyl), synthesis and spectroscopic investigations of (N. Kuhn, H. Schumann), (287) 345
- Diaryl ditellurides, alkaline hydrolysis under phase transfer conditions of; synthesis of alkyl aryl tellurides (J.V. Comasseto, J.T.B. Ferreira, J.A. Fontanillas Val), (277) 261
- Distiba-selenanes, -telluranes and a tellurostibane, syntheses of (H.J. Breunig, H. Jawad), (277) 257
- 2-Methyl-1-organo-1-halo-1-telluracyclopentanes, synthesis and configurations of (A.Z. Al-Rubaie, H.A. Al-Shirayda), (294) 315
- Methylthio-, methylseleno- and methyltelluro-substituted aromatic compounds, general procedure for synthesis of (L. Engman, J.S.E. Hellberg), (296) 357
- 1-Organo-1-halo-1-telluracyclopentane, synthesis and spectroscopic investigations of (A.Z. Al-Rubaie, H.A.Y. Alshirayda, P. Granger, S. Chapelle), (287) 321
- Organyltellurium(IV) carboxylates, maleates, β -mercaptopropionates and related compounds, characterisation by IR, NMR and mass spectra of (S.S. Abed-Ali, W.R. McWhinnie), (277) 365
- p*-Phenoxyphenyltellurium(IV) trichloride dimer, crystal structure of (R.K. Chadha, J.E. Drake), (293) 37
- Selenium and tellurium bridges in organometallic complexes, structure, protonation and methylation of (W.A. Herrmann, J. Rohrmann, C. Hecht), (290) 53
- Tellurated azobenzenes, crystal and molecular structure of (2-phenylazo-phenyl-C,N')tellurium(IV) trichloride (M.A.K. Ahmed, W.R. McWhinnie, T.A. Hamor) (281) 205
- Tellurium(IV) chlorides, reactions with organosilicon hydrides of (R.K. Chadha, J.E. Drake, M.K.H. Neo), (277) 47
- Transition metal coordinated diphenyl telluroketone, [4+2] cycloaddition to (H. Fischer, U. Gerbing), (299) C7
- 2,4,6-Tri-*t*-butylphenyllithium, reaction with elementary tellurium of (L. Lange, W.-W. Du Mont), (286) C1
- Triethyltelluronium chloride and iodide, preparation and crystal structures of (R.K. Chadha, J.E. Drake), (299) 331
- Triphenyltelluronium β -diketonates, synthesis and spectra of (B.L. Khandelwal, A.K. Singh, K.M. Prasad, N.S. Bhandari, W.R. McWhinnie), (291) 185
- Tris(trimethylsilyl)methylditellurodi-*t*-butylphosphine, (Me_3Si)₃CTe-TeP-*t*-Bu₂, formation of (F. Sladky, B. Bildstein, D. Obendorf), (295) C1

Thallium

- Alkylated methylenebis-phosphonates, synthesis via organothallium intermediates of (D.W. Hutchinson, G. Semple), (291) 145
- Crotyl-organometallic compounds, reversal of diastereoselectivity in BF_3 -promoted addition of aldehydes to (Y. Yamamoto, K. Maruyama), (284) C45
- Cyclopentadienylnickel complexes, preparation and reactive behaviour of (E. Hernandez, P. Royo), (291) 387
- Dimethylmetal(II) pyrazolides, synthesis and characterisation of (P.K. Byers, A.J. Canty, K. Mills, L. Titcombe), (295) 401

- Electrophilic thallation of electron-rich arenes (E.C. Taylor, A.H. Katz, S.I. Alvarado, A. McKillop), (285) C9

- (2-Ferrocenylethyl)methyl substituted ethers, preparation, NMR spectra and reactions of (J.-H. Youn, R. Herrmann, B. Floris), (291) 355

- Thallation of carboranes (V.I. Bregadze, A.Ya Usiatinsky, N.N. Godovikov), (292) 75

- Trifluoromethyl-Group III compounds, metal vapour synthesis of (T.R. Bierschenk, T.J. Juhlke, W.I. Bailey, Jr. R.J. Lagow), (277) 1

Thorium

- Actinide—carbon σ bonds, insertion of carbonyl compounds into; reactivity of [$(\text{Me}_3\text{Si})_2\text{M}-\text{CH}_2\text{Si}(\text{Me}_2)-$

- NSiMe_3 , (A. Dormond, A. El Bouadili, A. Aaliti, C. Moise), (288) C1
- Cyclopentadienyl-Group IIIA and -Group IVA compounds, steric factor dependence of structures of (E.B. Lobkovsky), (277) 53
- Dicyclopentadienyl-uranium(IV) and thorium(IV) compounds with bulky ligands, synthesis of (G. Paolucci, P. Zanella, A. Berton), (295) 317
- Tin**
- η^5 -Acetyl- and alkoxy carbonyl-cyclopentadienyltin(II) derivatives, synthesis and characterisation of (T.S. Dory, J.J. Zuckerman, M.D. Rausch), (281) C8
- Alkenyltrimethylsilanes, olefin metathesis of (M. Berglund, C. Andersson, R. Larsson), (292) C15
- Alkyl, aryl and acyl trichlorostannate complexes of platinum(II), ^{195}Pt , ^{119}Sn and ^{31}P NMR studies of; crystal structure of *trans*-[Pt(SnCl₃)-(COC₆H₅)(PEt₃)₂] (A. Albinati, U. von Gunten, P.S. Pregosin, H.J. Ruegg), (295) 239
- Alkyl-platinum and -rhodium derivatives as intermediates in homogeneous reactions of olefin hydrogenation and isomerisation (V.S. Petrosyan, A.B. Permin, V.I. Bogdashkina, D.P. Krutko), (292) 303
- Alkynylstannanes and 1,2-bis(diphenylphosphino)ethane palladium(II) chloride, alkynyl-halogen exchange between (C. Stader, B. Wrackmeyer), (295) C11
- α -Allenic and β -acetylenic alcohols prepared from a mixture of Bu₂SnCH=CH₂ and RCHO with Bu₂SnCl₂ and water (A. Boaretto, D. Marton, G. Tagliavini), (297) 149
- Allyl- and allenyl-tin chlorides, allylation and allenylation of aldehydes and ketones in the presence of water of (A. Boaretto, D. Marton, G. Tagliavini, A. Gambaro), (286) 9
- Allylic organometallic way to control acyclic stereochemistry and its application to the synthesis of carbohydrates (Y. Yamamoto, T. Komatsu, K. Murayama), (285) 31
- Allylsilanes and allylstannanes, allyl coupling reactions with allylic halides, ethers and acetates of (A. Hosomi, T. Imai, M. Endo, H. Sakurai), (285) 95
- Aromatic acid derivatives, palladium-catalysed synthesis by carbonylation of aryl iodides and Alk₂SnNu (Nu = MeO, Et₂N, PhS, EtS) (N.A. Bumagin, Yu.V. Gulevich, I.P. Beletskaya), (285) 415
- ArXH and ArXM (X = O, S, NR; M = Hg, Sn, Pb, Sb) type compounds, polarity of XH and XM bonds and their capacity for coordination and dissociation in (L.M. Epstein, Ye.S. Shubina, L.D. Ashkinadze, D.N. Kravtsov), (277) 153
- σ -Arylplatinum(IV) complexes, formation and reactions with PtCl₆²⁻ of (G.B. Shul'pin, G.V. Nizova), (276) 109
- Asymmetric hydroformylation of linear butenes by [(R,R)-Diop]Pt(SnCl₃)Cl (P. Haelg, G. Consiglio, P. Pino), (296) 281
- Azacymantrene, CO substitution in and reactions of (η^5 -C₄H₄N)Mn(CO)₂-PPh₃ with electrophiles; X-ray crystal structure of [(PPPh₃)(CO)₂Mn(η^5 -C₄H₄N)]₂PdCl₂ (N.I. Pyshnograeva, A.S. Batsanov, Yu.T. Struchkov, A.G. Ginzburg, V.N. Setkina), (297) 69
- 1-Aza-5-stanna-chlorotricyclo[3.3.3.0^{1,5}]undecane, crystal and molecular structure of (K. Jurkschat, A. Tzsachach, J. Meunier-Piret, M. Van Meerssche), (290) 285
- 2,2'-Bipyridyl dichlorodi(*p*-tolyl)tin(IV), crystal and molecular structure of (V.G. Kumar Das, C. Wei, Y.C. Keong, T.C.W. Mak), (299) 41
- Bis(amino)stannylene, reactions with organylphosphanes, methylenephosphoranes, phosphane imines, phosphane oxide and phosphane sulphides of (M. Veith, V. Huch), (293) 161
- Bis[bis(trimethylsilyl)methyl]germanium, molecular structure determined by gas diffraction of; SCFMO calculations on stannene and distannene (T. Fjeldberg, A. Haaland, B.E.R. Schilling, H.V. Volden, M.F. Lappert, A.J. Thorne), (276) C1
- Bis(chlorodiphenylstannyl)methane, crystal and molecular structure of (J. Meunier-Piret, M. Van Meerssche, K. Jurkschat, M. Gielsen), (288) 139
- Bis(halophenylstannyl)methanes, their

- hexamethylphosphotriamide complexes and related compounds, Mössbauer spectroscopy of (M. Gielen, K. Jurkschat, B. Mahieu, D. Apers), (286) 145
- 5-t-Butyl-5-aza-2,8-dithia-1-stanna(II)-bicyclo[3.3.0^{1,5}]octane, crystal and molecular structure and geometric isomers of (K. Jurkschat, M. Scheer, A. Tzschach, J. Meunier-Piret, M. Van Meerssche), (281) 173
- β -Carboalkoxyethyltin compounds, mercaptoester/chlorine exchange equilibria exhibited by (J.W. Burley, R.E. Hutton, R.D. Dworkin), (284) 171
- Carbon–tin bond cleavage directed by palladium (J.W. Suggs, K.S. Lee), (299) 297
- $\text{CH}_2[(\text{C}_6\text{H}_5)\text{Sn}(\text{SCH}_2\text{CH}_2)_2\text{NCH}_3]_2$, synthesis, crystal and molecular structure and dynamic stereochemistry of (R. Willem, M. Gielen, J. Meunier-Piret, M. Van Meerssche, K. Jurkschat, A. Tzschach), (277) 335
- Chiral organotin enamines, synthesis and structure of (B. Nebout, B. De Jeso, A. Marchand), (299) 319
- 4-Chloro-2,6-dialkyl-, 4-bromo-2,6-dialkyl-, (*E/Z*)-4-chloro-2,6-dialkyl-3-methyl and (*E/Z*)-4-bromo-2,6-dialkyl-3-methyl-tetrahydropyrans, preparation by condensation of aldehydes with di- and tri-halides of allyltin of (A. Boaretto, D. Furlan, D. Marton, G. Tagliavini, A. Gambaro), (299) 157
- (3-Chloropropyl)trichlorostannane, asymmetry parameters of the electric field gradient at the ^{35}Cl nuclei of (V.P. Feshin, G.V. Dolgushin, M.G. Voronkov, Ju.E. Sapozhnikov, Ja.B. Jasman, V.I. Shirjaev), (295) 15
- $(\eta^5\text{C}_5\text{H}_5)_2\text{ReSn}(\text{CH}_3)_2\text{Cl}$ and $(\eta^5\text{C}_5\text{H}_5)_2\text{ReSnCl}_3$, molecular structure of (V.K. Belsky, A.N. Protsky, I.V. Molodnitskaya, B.M. Bulychev, G.L. Soloveichik), (293) 69
- $(\text{CH}_3)_3\text{SnM}(\text{CH}_3)_3$ ($\text{M} = \text{Si, Ge}$), reactions with chlorotrimethylstannane and dichlorodimethylstannane in methanol solution of (M.J. Cuthbertson, P.R. Wells), (287) 25
- $(\text{CH}_3)_3\text{SnM}(\text{CH}_3)_3$ ($\text{M} = \text{Sn, Ge, Si, C}$), pyrolysis of (M.J. Cuthbertson, D.W. Hawker, P.R. Welles), (287) 7
- $[\text{Co}(\eta\text{-C}_5\text{H}_5)(\text{CO})(\text{X})(\text{SnX}_3)]$ complexes, reactions with nucleophiles of (P.T. Murray, A.R. Manning), (288) 219
- Cyclopentadienyltricarbonylvanadium tetrahydrofuran, synthesis and reactions of; observation of $^{51}\text{V}-^{117,119}\text{Sn}$ coupling (M. Hoch, D. Rehder), (288) C25
- Di- and tri-n-butyltin(IV) carboxylates, ^{17}O NMR study of (A. Lyčka, J. Holeček), (294) 179
- 4-n-Dibutylchlorostannoxy-1-alkenes and -1-alkynes, ester formation with acyl chlorides from (A. Boaretto, D. Marton, G. Tagliavini), (288) 283
- Di-t-butylhydroxyhalotin, t-Bu₂Sn-(OH)X (X = F, Cl, Br), X-ray analysis of (H. Puff, H. Hevendehl, K. Höfer, H. Reuter, W. Schuh), (287) 163
- 1,1'-Di-t-butylstannocene, synthesis and reactions with trifluoroborane of; crystal and molecular structure of $\eta^5\text{(CH}_3)_3\text{CC}_5\text{H}_4\text{Sn}^+\text{BF}_4^-$ (R. Hani, R.A. Geanangel), (293) 197
- Dichlorobis(4-chlorophenyl)tin(IV)-4,4'-dimethyl-2,2'-bipyridyl, isolation of *cis*- and *trans*-[SnR₂]₂ configurational isomers of (V.G.K. Das, C.K. Yap, P.J. Smith), (291) C17
- Dicyclohexyltin dichloride, structure of (K.C. Molloy, K. Quill, I.W. Nowell), (289) 271
- 1,4-Diodotetrastannane, I(t-Bu₂Sn)I, synthesis, mass, NMR and vibrational spectra of (S. Adams, M. Dräger), (288) 295
- (*N,N*-Dimethyldithiocarbamato)(n-butyl)diphenyltin(IV), synthesis and X-ray structure of (V.G.K. Das, C. Wei, E. Sinn), (290) 291
- Dimethylselenadiazole, reactions with alkyltin derivatives (R. Arad-Yellin, F. Wudl), (280) 197
- Diorganotin(IV) derivatives of *N*-phthaloyl amino acids, formation and characterisation of (G.K. Sandhu, R. Gupta, S.S. Sandhu, R.V. Parish, K. Brown), (279) 373
- Di- μ -oxobis(μ -monochloroacetato- O, O')bis(monochloroacetato)tetrakis-[dimethyltin(IV)], crystal structure of (G. Valle, V. Peruzzo, G. Tagliavini, P. Ganis), (276) 325
- 1,3-Diselena- and 1,3-dithia-[3]ferrocenophanes of germanium and tin; crystal and molecular structure of 1,3-diselena-2,2-dichlorogermyl-[3] ferro-

- cenophane (A.G. Osborne, A.J. Blake, R.E. Hollands, R.F. Bryan, S. Lockhart), (287) 39
- Dodecaphenylcyclohexastannane and dodecabenzylecyclohexastannane dimethylformamide, crystal structures of (H. Puff, C. Bach, H. Reuter, W. Schuh), (277) 17
- α -Ethoxybutenyltributyltins, precursors of α -ethoxybutenyllithiums, application to the synthesis of enones via homoallylic α -glycolic ethers (J.-P. Quintard, B. Elisondo, T. Hattich, M. Pereyre), (285) 149
- Group IVB metallocenes, new approach to (P. Jutzi, B. Hielscher), (291) C25
- Heterobimetallic (Pd/Pt—Ge/Sn) tri-nuclear clusters containing a planar $M_3(CO)_3(\mu_2\text{-}M')_3$ core, spectroscopy, cyclic voltammetry and ESR characterisation of electrochemical reduction products of; crystal structures of $[(M\{\mu_2\text{-}Sn(NR_2)_2\}(CO))_3]$ ($M = Pd, Pt; R = SiMe_3$) (G.K. Campbell, P.B. Hitchcock, M.F. Lappert, M.C. Misra), (289) C1
- Hexaalkylditins, preparation of; ^{119}Sn NMR and chromatographic data on linear polytins (B. Jousseau, E. Chanson, M. Bevilocqua, A. Sauz, M. Pereyre, B. Barbe, M. Petraud), (294) C41
- Hexaorganodistannoxyanes, influence of structure and solvent on $^2J(^{119}Sn, ^{119}Sn)$ in ^{119}Sn NMR of (T.P. Lockhart, W.F. Manders, F.E. Brinckman), (286) 153
- Hydrido-1,5-cyclooctadieneiridium(III) complexes stabilised by trichlorostannate ligands and structure of $[IrH_2(SnCl_3)(PPh_3)_3]$ (M. Kretschmer, P.S. Pregosin, A. Albinati, A. Togni), (281) 365
- Intramolecular secondary Cl—Sn bond; crystal and molecular structure of $(\eta^5\text{-}C_5H_5)_2Mo[(CH_3)_2SnCl_2]$, (V.K. Bel'skii, A.N. Protskij, B.M. Bulychev, G.L. Soloveichik), (280) 45
- Ketoalkytin chlorides, synthesis via *in situ* condensation and hydrostannation of ketonic substrates of (J.W. Burley, P. Hope, A.G. Mack), (277) 37
- Main Group IV organometallic compounds, applications of the methylene di-Grignard reagent for (J.W. Bruin,
- G. Schat, O.S. Akkerman, F. Bickelhaupt), (288) 13
- Mercapto-bridged dinuclear platinum(II) complexes, preparation and characterisation of; catalytic activity of $[(PEt_3)PtCl(\mu\text{-SEt})]_2/SnCl_2 \cdot 2H_2O$ system in hydrogenation and hydroformylation of styrene (H.C. Clark, C.K. Jain, G.S. Rao), (279) 181
- Metal-containing binuclear bridging groups, ^{19}F NMR study of (S.I. Pombrik, L.S. Golovchenko, E.V. Polumkin, A.S. Peregudov, D.N. Kravtsov), (292) 81
- 1-Methyl-1-germaadamantane, synthesis of (P. Boudjouk, C.A. Kapfer), (296) 339
- Mono- and di-alkyltin isoctyl thio-glycollate stabilisers of PVC, spectroscopic study of (S.J. Blunden, L.A. Hobbs, P.J. Smith, A.G. Davies, S.B. Teo), (282) 9
- Mono-t-butyltin-element compounds, synthesis of (D. Hänssgen, H. Puff, N. Beckermann), (293) 191
- Mono-, di- and tri-organotin(IV) dialkyl-dithiophosphates, ^{119}Sn , ^{31}P , ^{13}C and 1H NMR and Mössbauer studies of (H.C. Clark, V.K. Jain, R.C. Mehratra, B.P. Singh, G. Srivastava, T. Birchall), (279) 385
- ^{15}N — ^{13}C , ^{15}N —M, ^{29}Si —X ($M = ^{11}B$, ^{29}Si , ^{119}Sn , X = 1H , ^{13}C) nuclear spin—spin one-bond coupling constants with the structure of metallatranes in solution, correlation of (E. Kupče, E. Liepiņš, A. Lapsīpa, I. Urtāne, G. Zelčāns, Ē. Lukevics), (279) 343
- Neophyltin(IV) chemistry, steric effects in (T.P. Lockhart), (287) 179
- Organometallic chemistry, photo-electron spectroscopy in (J.C. Maire), (281) 45
- Organometallic “metal-tuning”, influence on stereo- and regio-chemical convergence in reactions of allylic carbanions with aldehydes of (Y. Yamamoto, Y. Saito, K. Maruyama), (292) 311
- Organometallic solids, *J* coupling to tin observed in high resolution CPMAD ^{13}C NMR of (W.F. Manders, T.P. Lockhart), (297) 143
- Organotin, organolead, lead(IV) and lead(II) dithiolates, investigations

- of (K. Grätz, F. Huber, A. Silvestri, G. Alonzo, R. Barbieri), (290) 41
- Palladium and nickel catalysed aryl- and acyl-demetallation of organometallic compounds (N.A. Bumagin, A.B. Ponomaryov, I.P. Beletskaya), (291) 129
- Palladium and platinum asymmetric metallacyclic complexes, synthesis and reactivity of (H.-P. Abicht, K. Issleib), (289) 201
- Palladium-catalysed reaction of acyl chlorides with Et_3Sn_2 as a route to symmetrical ketones and α -diketones (N.A. Bumagin, Yu.V. Gulevich, I.P. Beletskaya), (282) 421
- η^5 -Pentamethylcyclopentadienyl-Group IV complexes, electronic structure from He(I) and He(II) photoelectron spectroscopy of (G. Bruno, E. Ciliberto, I.L. Gragàla, P. Jutzi), (289) 263
- Phenacyl esters, synthesis via an organotin route of (S.T. Vijayaraghavan, T.R. Balasubramanian), (282) 17
- Potassium-graphite route, highly reactive metals from; preparation and use of titanium-graphite and tin-graphite (G.P. Boldrini, D. Savoia, E. Tagliavini, C. Trombini, A. Umani-Ronchi), (280) 307
- trans -[PtCl(CO-n-hexyl)(PPh₃)₂]/SnCl₄, ³¹P NMR and reactivity studies of this active intermediate in catalytic hydroformylation of 1-hexene (A. Scrivanti, G. Cavinato, L. Toniolo, C. Botteghi), (286) 115
- Silver-tin complex salt, [Ag(PPh₃)₄]-[SnPh₄(NO₂)₂(Cl,NO₂)], synthesis and crystal and molecular structure of (C. Pelizzi, G. Pelizzi, P. Tarasconi), (277) 29
- Silyl- and stannyl-tricobalt cluster compounds, cyclic voltammetry of (A.M. Bonny, T.J. Crane, N.A.P. Kane-Maguire), (289) 157
- α -Silyl- and α -stannyl-vinyllithium, formation and reactions with aldehydes and ketones of (T.N. Mitchell, W. Reimann), (281) 163
- Stannanedithiocarboxylates, novel α -functional organotin ligands (U.R. Kunze), (281) 79
- γ -Stannyl alcohols, stereospecific cyclopropane synthesis from (I. Fleming, C.J. Urch), (285) 173
- Stannylated carboxylic acid derivatives, addition reactions to the carbonyl group of aldehydes in (A.N. Kashin, M.L. Tulchinsky, I.P. Beletskaya), (292) 205
- $trans$ -Strengthening of Sn—O bonds in six-coordinated tin(IV) complexes; crystal and molecular structures of SnI₄·2DPSO and C₆H₅SnI₄·2DPSO (A.V. Jatsenko, S.V. Medvedev, K.A. Paseshnitchenko, L.A. Aslanov), (284) 181
- Terminal epoxides, selective catalysed rearrangement to methyl ketones (J. Prandi, J.L. Namy, G. Menoret, H.B. Kagan), (285) 449
- Tetraalkyltin salts, electrochemical preparation of (M. Devaud, M. Engel, C. Feasson, J.-L. Lecat), (281) 181
- Tetramethyltin and hexamethyltin radical cations, SCF-MO study of molecular and electronic structure of (C. Glidewell), (294) 173
- Tin(IV) anionic complexes, $trans$ -strengthening in (K.A. Paseshnitchenko, L.A. Aslanov, A.V. Jatsenko, S.V. Medvedev), (287) 187
- Tin—element exchange, formation and multinuclear NMR characterisation of mixtures of the type C(SnMe_n)_n-(MMe_{4-n}) (M = Si, Pb; n = 0—3) (T.N. Mitchell, R. Wickenkamp), (291) 179
- Tin five-coordination in triorganotin(IV) oximates, ¹³C, ¹⁵N and ¹¹⁹Sn NMR spectral evidence for (A. Lyčka, J. Holeček, M. Nádvorník, K. Handl), (280) 323
- Transition-metal catalysed stannylation of acetylenes and conversion of enol triflates and vinyl iodides into vinylstannanes (S. Matsubara, J.-I. Hibino, Y. Morizawa, K. Oshima, H. Nozaki), (285) 163
- Trialkyltin iodides, mechanistic interpretation of homolytic substitution by photochemically generated iodine atoms in (L. Verdonck, P.H. De Ryck, S. Hoste, G.P. Van der Kelen), (288) 289
- Tributylhydridotin, high pressure reactions with chloro ketones of (M. Degueil-Castaing, B. Maillard, A. Rahm), (287) 49
- Tricarbonylphosphinemolybdenum complexes, reactions with tin(IV) derivatives of (M. Panizo, M. Cano), (287) 221

- Trifluoroboron adduct of stannocene, structure of; crystal and molecular structure of $\{[BF_4]^- (\mu-\eta^5-C_5H_5)_2 \cdot Sn[\mu-\eta^5-C_5H_5Sn]^+THF\}_n$ (T.S. Dory, J.J. Zuckerman, C.L. Barnes), (281) C1
- exo*- and *endo*-2-Triorganostannylnorbornanes, brominolysis of and stereochemistry of the Sn—C bond in (A. Rahm, J. Grimeau, M. Pereyre), (286) 305
- exo*- and *endo*-2-Triorganostannylnorboranes, synthesis and characterisation by ^{13}C and ^{119}Sn NMR of and stereochemistry of the Sn—C bond in (A. Rahm, J. Grimeau, M. Petraud, B. Barbe), (286) 297
- Triorganotin aryl selenides, reactions of (D.W. Grant, J.L. Wardell), (276) 161
- Triosmium and triruthenium Main-Group metal clusters, $M_3(H)(CO)_{11} \cdot (M'R_3)$ and $Os_3(H)(CO)_{10}(CH_3CN) \cdot (M'R_3)$ ($M = Os, Ru; M' = Ge, Sn; R = aryl, alkyl$) (K. Burgess, C. Guerin, B.F.G. Johnson, J. Lewis), (295) C3
- Triphenylallyltin, crystal structure of (P. Ganis, D. Furlani, D. Marton, G. Tagliavini, G. Valle), (293) 207
- (Triphenyl)germyl and (triphenyl)-stannyl substituted allenes, convenient synthesis of (K. Ruitenberg, H. Westmijze, H. Kleijn, P. Vermeer), (277) 227
- Triphenyl-tin and -lead halides, preparation and spectroscopic studies of cyclic urea adducts of (C.T. Aitken, M. Onyszchuk), (295) 149
- Trivinyltin chloride, bromide and iodide, IR, Raman and NMR spectra of (E. Vincent, L. Verdonck, L. Naessens, G.P. Van der Kelen), (277) 235
- Unsaturated nitrile metathesis catalysed by $WCl_6/Sn(CH_3)_4$ or $Re_2O_7/Al_2O_3/SnR_4$ systems (R.H.A. Bosma, G.C.N. van den Aardweg, J.C. Mol), (280) 115
- Vinyltributyltin compounds, formation by flash pyrolysis of alkyltributyltin acetates of (J.G. Duboudin, M. Petraud, M. Ratier, B. Trouvé), (288) C6
- Titanium
- Acetylenic titanium compounds, reactivity towards molecular hydrogen of; formation of titanocene from $(B. Demerseman, P. Le Coupanec, P.H. Dixneuf)$, (287) C35
- Alkylidene-bridged heterobimetallic complexes, activation toward electrophilic attack (S.M. Clift, J. Schwartz), (285) C5
- Alkynylmetal complexes with pyrimidinones, regioselectivity in reactions of (F. Rise, K. Undheim), (291) 139
- Aqueous ion-radicals containing metal-to-carbon bonds, formation and reactivity of (D. Katakis, J. Konstatatos, E. Vrachnou-Astra), (279) 131
- 1,1'-Bis(*N,N*-dimethylamino)-ferrocene, -cobalticenium hexafluorophosphate, and -titanocene dichloride, preparation and crystal structure of the titanocene dichloride (K.-P. Stahl, G. Boche, W. Massa), (277) 113
- Bis(fumarato)bis[di- π -cyclopentadienyl-titanium(IV)], preparation and properties of; structural investigation of (H.-P. Klein, K. Döppert, U. Thewalt), (280) 203
- $\{[\eta^5-C_5(CH_3)_5]_2 Ti(\mu_2-H)_2 Al(H)(\mu_2-H)\}_2$ and $[\eta^5-C_5(CH_3)_5]_2 Ti(\mu_2-H)_2 Al(H)(\mu_2-H)_2 Ti[\eta^5-C_5(CH_3)_5]_2$, molecular structures and catalytic properties of (V.K. Bel'sky, A.I. Sizov, B.M. Bulychev, G.L. Soloveichik), (280) 67
- $C_5H_5TiCl_2OPhX$ ($X = CH_3O, CH_3, Cl, NO_2$), Hammett relationship with $BuLi(Et_2AlCl)$ catalytic systems in (W. Skupiński, A. Wasilewski), (282) 69
- $(C_5H_5)_2TiCl(PMe_3)(CO)$ ($M = Ti, Zr, Hf$), $(C_5H_5)_2Ti(PMe_3)(CO)$ and $(C_5H_5)_2TiCl(PMe_3)$, structural and spectroscopic comparison of; X-ray structures of $(C_5H_5)_2Ti(PMe_3)(CO)$ and $(C_5H_5)_2TiCl(PMe_3)$ (L.B. Kool, M.D. Rausch, H.G. Alt, M. Herberhold, B. Wolf, U. Thewalt), (297) 159
- $[(\eta^5-C_5H_5)_2Ti(\mu_2-H)_2 Al(\mu_2-H)(\eta^1:\eta^5-C_5H_4)Ti(\eta^5-C_5H_5)(\mu_2-H)]_2 \cdot C_6H_5CH_3$, synthesis, molecular structure and catalytic properties of (E.B. Lobkovskii, G.L. Soloveichik, A.I. Sizov, B.M. Bulychev), (280) 53
- Cyclopentadienyldichlorotitanium radical photogenerated from $(C_5H_5)_2TiCl_2$, mechanism of oxidative addition of quinones to (A. Vlček, Jr.), (297) 43

- Cyclopentadienyl-Group IIIA and -Group IVA compounds, steric factor dependence of structures of (E.B. Lobkovsky), (277) 53
- Cyclopentadienyltitanium(IV)-1-norbornyl compounds, preparation and properties of (V. Dimitrov), (282) 321
- Di- η^5 -cyclopentadienylbis(thioanisolyl)-titanium and sodium thioanisolyl-phthalocyaninatoferrate(II)·4THF, preparation, characterisation and thermal decomposition of (D. Steinborn, R. Taube), (284) 395
- Dicyclopentadienyl(1,1,3,3-tetramethyl-2-thiocarbonylcyclohexane)titanium, synthesis and structure of (K. Seitz, U. Behrens), (288) C47
- Di- η^5 -cyclopentadienyltitana(IV)-cyclohexasulphane, convenient preparation of (A.R. Koray, V. Ahsen, F. Gökceli, E. Yilmazer, Ö. Bekär-oğlu), (295) 47
- Ethylene-bridged titanocene and zirconocene derivatives with permethylated ring ligands, syntheses and crystal structures of (F. Wochner, L. Zsolnai, G. Huttner, H.H. Brintzinger), (288) 69
- Groups IVA and VA dimeric metallocene derivatives, synthesis and structures of (E.G. Perevalova, I.F. Urazowski, D.A. Lemenovskii, Yu.L. Slovokhotov, Yu. T. Struchkov), (289) 319
- Heterometallic dinuclear complexes prepared from the tripledecker sandwich complex $[\text{Ni}_3(\text{C}_5\text{H}_4\text{R})_3]\text{BF}_4$, and cyclopentadien metal bis(thiolates); crystal structure of $[(\text{C}_5\text{H}_4)_2\text{Mo}(\mu\text{-SBu}^t)_2\text{Ni}(\text{C}_5\text{H}_4\text{R})]\text{BF}_4$ ($\text{R} = \text{H}, \text{Me}$) (H. Werner, B. Ulrich, U. Schubert, P. Hofmann, B. Zimmer-Gasser), (297) 27
- Monoalkyl- and monoaryl-amidotitanium complexes (C.T. Jekel-Vroegop, J.H. Teuben), (286) 309
- Niobocene and titanocene binuclear complexes containing fulvalene ligands, ^1H NMR spectra and electronic structure of (D.A. Lemenovskii, I.F. Urazowski, Yu.K. Grishin, V.A. Roznyatovsky), (290) 301
- Organocaluminium and organotitanium reagents used in nucleophilic cleavage of acetals (A. Mori, J. Fujiwara, K. Maruoka, H. Yamamoto), (285) 83
- Organometallic "metal-tuning", influence on stereo- and regio-chemical convergence in reactions of allylic carbanions with aldehydes of (Y. Yamamoto, Y. Saito, K. Maruyama), (292) 311
- Oxo-titanium and -zirconium diphosphines, $[(\eta^5\text{C}_5\text{H}_5)_2\text{M}(\text{CH}_2\text{PPh}_2)]_2\text{O}$ ($\text{M} = \text{Ti}, \text{Zr}$), as building blocks for heterobimetallic complexes (F. Senocq, M. Basso-Bert, R. Choukroun, D. Gervais), (297) 155
- Palladium and nickel catalysed aryl- and acyl-demetallation of organometallic compounds (N.A. Bumagin, A.B. Ponomaryov, I.P. Beletskaya), (291) 129
- (η^5 -Pentamethylcyclopentadienyl)-(η^5 -cyclopentadienyl)dichlorotitanium, -zirconium and -hafnium, formation and crystal and molecular structures of (R.D. Rogers, M.M. Benning, L.K. Kurihara, K.J. Moriarty, M.D. Rausch), (293) 51
- Pentamethylcyclopentadienyl-titanium, -zirconium and -hafnium cycloheptatrienyl and cyclocotetraenyl complexes, synthesis of (J. Blenkins, P. Bruin, J.H. Teuben), (297) 61
- Potassium-graphite route, highly reactive metals from; preparation and use of titanium-graphite and tin-graphite (G.P. Boldrini, D. Savoia, E. Tagliavini, C. Trombini, A. Umani-Ronchi), (280) 307
- Primary silane polymerisation to linear polysilanes catalysed by titanocene derivatives (C. Aitken, J.F. Harrod, E. Samuel), (279) C11
- Tetrachlorotitanium/magnesium system under nitrogen, influence of MgCl_2 on N_2 reduction in and formation of N—C bonds from N_2 and CO (P. Sobota, Z. Janas), (276) 171
- Tetramethylene-bridged titanocene dichloride and dicarbonyl derivatives, electrochemical reactions of (H. Schwemlein, W. Tritschler, H. Kiese, H.H. Brintzinger), (293) 353
- Thallium(I) carboxylates, formation of thallium complexes with carbon dioxide during mass spectrometry of (Yu.S. Nekrasov, T.V. Lysyak, Yu.Ya. Kharitonov, I.S. Kolominikov), (279) 337
- Thioalkyl, selenoalkyl-, thioaryl- and selenoaryl-metallocenes ($\text{M} = \text{Ti}, \text{Zr}, \text{Hf}$), He(I) and He(II) photoelectron spectra of (G. Guimon, G. Pfister-

- Guillouzo, P. Meunier, B. Gautheron, G. Tainturier, S. Pouly), (284) 299
- Titanium-catalysed Diels-Alder cyclo-addition of conjugated dienes containing trimethylsilyl groups (K. Mach, H. Antropiusová, L. Petrusová, F. Tureček, V. Hanuš, P. Sedmera, J. Schraml), (289) 331
- Titanocene dithiocyanate, (η -C₅H₅)₂Ti(NCS)₂, electrochemical study of (J. Losada, M. Morán), (276) 13
- Titanocene-tolane complex, reactions with carbonyl compounds of; synthesis of titanadihydrofuran metallacycles (V.B. Shur, V.V. Burlakov, A.I. Yanovsky, P.V. Petrovsky, Yu.T. Struchkov, M.E. Vol'pin), (297) 51
- Zirconium and titanium complexes as catalysts in olefin carbometalation assisted by alkyl-magnesium and -aluminium derivatives (U.M. Dzhemilev, O.S. Vostrikova), (285) 43

Transition metals — General

- Complexes containing heteronuclear metal-metal bonds. Some recent advances 1982-83. A. Compounds containing two different transition metals (excluding mixed-metal clusters) (M.I. Bruce), (283) 339
- Organic reactions of selected π -complexes; Annual Survey covering the year 1983 (G. Marr, B.W. Rockett), (278) 331
- Transition-metal activated magnesium, cleavage of tetrahydrofuran by (E. Bartmann), (284) 149
- Transition metals in organic synthesis; Annual Survey covering the year 1983 (L.S. Hegedus), (283) 1
- Transition metals in organic synthesis; Annual Survey covering the year 1984 (L.S. Hegedus), (298) 207
- Transition metals in organic synthesis: hydroformylation reduction and oxidation; Annual Survey covering the year 1983 (L. Markó), (283) 221

Tungsten

- Acetylene-tungsten complexes, η^5 -ArW(CO)(R¹C₂R²)R and η^5 -ArW(CO)(R¹C₂R²)COR (Ar = C₅H₅, C₅H₄Me, C₅Me₅; R¹, R² = H, Me, Ph; R = Me, Et, n-Pr, n-Bu, Ph),

- preparation and characterisation of (H.G. Alt), (288) 149
- [AgL(μ -PR₂)M(CO)₅] (L = 1,10-phenanthroline or tricyclohexylphosphine, M = Cr, Mo, W), synthesis and characterisation of (D. Obendorf, P. Peringer), (299) 127
- Alkenyltrimethylsilanes, olefin metathesis of (M. Berglund, C. Andersson, R. Larsson), (292) C15
- 1-Alkoxy-2-azaallenyl-chromium and -tungsten complexes, preparation and X-ray analysis of (F. Seitz, H. Fischer, J. Riede), (287) 87
- Alkyl- and aryl-carbonyl derivatives of manganese, molybdenum and tungsten, photo-induced degradation reactions of (T.E. Gismondi, M.D. Rausch), (284) 59
- μ -Alkylidenenonacarbonylditungsten, reaction with diphenophinoalkyne of (J. Levisalles, F. Rose-Munch, H. Rudler, J.C. Daraniu, Y. Jeannin), (279) 413
- μ -Alkylidene-tungsten and iron complexes, carbonylation reactions of (D. Navarre, F. Rose-Munch, H. Rudler), (284) C15
- Allyl-manganese and -tungsten complexes, photochemistry in frozen gas matrices at ca. 12 K of; IR evidence for photodecarbonylation and $\sigma \rightarrow \pi$ conversion processes in (R.B. Hitam, K.A. Mahmoud, A.J. Rest), (291) 321
- Allyl-molybdenum and -tungsten derivatives, fast atom bombardment mass spectrometry as technique for studying solution reactions of (B.J. Brisdon, A.J. Floyd), (288) 305
- Arenetricarbonyl derivatives of Group VI metals with phenyl- and diphenyl-acetylene, complex formation at low temperatures of (P.G. Sennikov, M.V. Panicheva, A.N. Egorochkin, N.I. Sirotkin, Ye.Ye. Zhiltsova), (280) 81
- 2,2'-Bipyridyltetracarbonyl anionic radical complexes of Group IVB metals vs. 2,2'-bipyridine anionic radicals, solution thermodynamic studies of (A.E. Alegría, O. Lozada, H. Rivera, J. Sánchez), (281) 229
- 2,2'-Bipyridyltetracarbonyl-chromium, -molybdenum and -tungsten, electrode-catalysed substitution initiated by reduction of (D. Miholová, A.A. Vlček), (279) 317

- Bis-phosphitediiodotricarbonyl-molybdenum(II) and -tungsten(II) complexes, preparation of (P.K. Baker, S.G. Fraser), (299) C23
- μ_2 -Carbomethoxyvinylidene chelating ligand containing heterometallic complexes, preparation of; X-ray crystal structure of $Cp(O\bar{C})_2MnW(CO)_4(\mu-C=CHCOOMe)$ and $[Cp(CO)_2Mn(\mu_2-C=CHCOOMe)]_2Mo(CO)_4$, (N.E. Kolobova, L.L. Ivanov, O.S. Zhvanko, A.S. Batsanov, Yu.T. Struchkov), (279) 419
- Carbonylation and hydroformylation of olefins via carbene and ketene intermediates, mechanism for (L. Bencze, L. Prókai), (294) C5
- Carbonylmetal fragments, reaction with coordinated diphosphorus groups of; crystal structure of $[(CO)_2Cr\cdot[(CO)_2W]P_2Co_2(CO)_6$ (A. Vizi-Orosz, G. Pályi, L. Markó, R. Boese, G. Schmid), (288) 179
- (π -C₅H₅)(CO)₂LM-X (M = Mo, W; X = FBF₃, FPF₃, FAsF₆, FSbF₆), reactions with O-donors of (K. Sünkel, G. Urban, W. Beck), (290) 231
- Chromium, molybdenum and tungsten zerovalent isocyanide complexes, preparation of; crystal structure of hexakis(2,6-xylyl isocyanide)molybdenum containing benzene as solvate (Y. Yamamoto, H. Yamazaki), (282) 191
- (η^5 -C₅H₄R)₂Ta(CO)(μ -H)MLn (M = Cr, Mo, Mn), synthesis of (J.D. Reynaud, J.C. Leblanc, C. Moise), (296) 377
- (η^5 -C₅H₅)W[C₃(CMe₃)₂Me](PMo₃)Cl₂, formation and crystal and molecular structure of (M.R. Churchill, J.C. Fettinger), (290) 375
- (η^5 -C₅H₅)W[C(Ph)C(CMe₃)C(Ph)]Cl₂, molecule possessing a localized, nonplanar tungstenacylcyclobutadiene ring crystal structure of (M.R. Churchill, J.W. Ziller), (279) 403
- (η^5 -C₅H₅)₂W₂Ir₂(CO)₆(CHCO, Et)₂, synthesis and structure of (M.R. Churchill, L.V. Biondi, J.R. Sharpley, C.H. McAteer), (280) C63
- C₅H₅WO₈(CO)₂(μ -H)(μ -O)[μ -C=CH-(*p*-tolyl)], crystal and molecular structure produced by rearrangement of a μ_3 -alkylidyne cluster of (M.R. Churchill, Y.-J. Li), (294) 367
- C₅H₅WO₈(CO)₂(μ -H)(μ -O)(μ -CHCH₂C₆H₄Me), hydro-alkylidene compound produced by hydrogenation of a μ_3 -alkylidyne, crystal and molecular structure of (M.R. Churchill, Y.-J. Li), (291) 61
- C₅H₅WO₈(CO)₂(μ -O)(μ -CCH₂-*p*-CH₃-C₆H₄), tetrahedral oxoalkylidene complex derived from a planar μ_3 - η^2 -acyl complex, crystal structure of (M.R. Churchill, J.W. Ziller, L.R. Beanan), (287) 235
- cis-Cyanodiethylaminocarbonyltungsten complexes with 2,2'-bipyridyl and 1,10-phenanthroline as ligands, preparation and dynamic behaviour of (E.O. Fischer, A.C. Fillippou, H.G. Alt), (296) 69
- Cyclooctyne coupling with carbon monoxide on divalent molybdenum and tungsten; crystal and molecular structure of bis(hexamethylene)-cyclopentadienonetungsten complex, W(S₂CNMe₂)₂(CO){(C₆H₁₂)₂CO} (M.A. Bennett, I.W. Boyd, G.B. Robertson, W.A. Wickramasinghe), (290) 181
- Cyclopentadienepentacarbonyl[methoxy(phenylethynyl)carbene]-chromium and -tungsten complexes, [4+2]-cycloaddition to (K.H. Dötz, W. Kuhn), (286) C23
- Cyclopentadienyl-chromium, -molybdenum and -tungsten complexes, photochemical reactions with allyl and crotyl halides of (J.L. Davidson, G. Vasapollo), (291) 43
- Cyclopentadienyldicarbonylligand-molybdenum and -tungsten cationic complexes, reactions with sulphur-containing ligands of (G. Urban, K. Sünkel, W. Beck), (290) 329
- Cyclopentadienyldicarbonylmetallophosphanes, boron complexes of (R. Maisch, E. Ott, W. Buchner, W. Malisch, I.J. Colquhoun, W. McFarlane), (286) C31
- Cyclopentadienylgermylene-transition metal complexes, X-ray structure of (Me₂C₅)[Me₂Si]₂CH]Ge \rightarrow W(CO)₆ (P. Jutzi, B. Hampel, M.B. Hursthouse, A.J. Howes), (299) 19
- (η -Cyclopentadienyl)nitrosyl-molybdenum and -tungsten derivatives scrambling of dithioacid ligands in (W. De Oliveira, J.-L. Migot, M.B. Gomes de Lima, J. Sala-Pala, J.E. Guerchais, J.-Y. Le Gall), (284) 313

- 1,4-Diaza-1,3-butadiene containing mononuclear carbonyl-transition metal complexes, He(I) and He(II) photoelectron spectra of (R.R. Andréa, J.N. Louwen, M.W. Kokkes, D.J. Stufkens, A. Oskam), (281) 273
- 1,4-Diaza-1,3-butadiene mixed alkyl isocyanide complexes of molybdenum(II) and tungsten(II) (A. Bell, W.A. Walton), (290) 341
- Dicyclopentadienyl-molybdenum and -tungsten complexes, formation, NMR spectra and stereochemistry of (L. Gomes de Lima, M. Cariou, H. Scordia, R. Kergoat, M.M. Kubicki, J.E. Guerchais), (290) 321
- Dihydridotungstenocene ring-substituted derivative, formation by the reaction of Cp_2WCl_2 with $Li[Si(SiMe_3)_3]$ (U. Schubert, A. Schenkel, J. Müller), (292) C11
- Dimetallacyclopropene complex, preparation by insertion of methylisonitrile into W—H—W bridges (H.G. Alt, T. Frister), (293) C7
- Diphenylbenzotrenylphosphine, a two electron ligand in carbonyl-containing π -aromatic chromium and manganese complexes and in Group VIB carbonyls (V.I. Losilkina, M.N. Estekhina, N.K. Baranetskaya, V.N. Setkina), (299) 187
- Ditungsten hexa-t-butoxide, reactions with acetylenes of (F.A. Cotton, W. Schwotzer, E.S. Shamshoum), (296) 55
- Electron transfer and transient radicals in organometallic chemistry (J.K. Kochi), (300) 139
- Gold-carbene complexes, exchange reactions of carbene ligands in (E.O. Fischer, M. Böck), (287) 279
- Group VI binuclear metal carbonyl dianions, generation by ion-pair extraction of (D.H. Gibson, K.R. Phillips, F.U. Ahmed), (276) 363
- Hexacarbonyl-chromium, -molybdenum and -tungsten, photochemical substitution with phosphinothioformamide ligands on (U. Kunze, H. Jawad), (277) C31
- Iminecarbonyltungsten stable complexes, formation of (D. Czarkie, Y. Shvo), (280) 123
- η^2 -Ketenetungsten anionic complexes, isolation and characterisation of (E.O. Fischer, A.C. Filippou, H.G. Alt), (276) 377
- Lithium cyclopentadienide formation by reactions of $Li(C_2H_5)_3BH$ with cyclopentadiene and preparation of $[M(CO)_3(C_5H_5)]^-$ ($M = Cr, Mo, W$) (M.A. El-Hinnawi, A.K. El-Qaseer), (281) 119
- $Me_2PP(CF_3)_2$ and $Me_2AsP(CF_3)_2$ ligand properties of (J. Grobe, M. Köhne-Wächter, D. Le Van), (280) 331
- Metallacyclic alkenyl ketone chromium, molybdenum and tungsten complexes, preparation and characterisation of; molecular structure of $C_5Me_5(CO)_2\bar{W}[MeC=CMe\bar{C}(O)Me]$ (H.G. Alt, H.E. Engelhardt, U. Thewalt, J. Riede), (288) 165
- Metallo-t-butylchlorostibine formation of (R. Schemm, W. Malisch), (288) C9
- Metal—metal bonded complexes, $[M(CO)_3C_5H_5]_2$ ($M = Cr, Mo, W$), heats of formation of (J.T. Landrum, C.D. Hoff), (282) 215
- Metathesis catalysts (R.R. Schrock), (300) 249
- 1-Methoxypent-4-ene(tetracarbonyl)-tungsten, $(CO)_4W=C(OCH_3)CH_2-CH_2CH=CH_2$, reactions with alkynes with formation of bicyclo[4.1.0]-heptane derivatives of (A. Parlier, H. Rudler, N. Platzer, M. Fontanille, A. Soum), (287) C8
- 4-Methyl-1,2,6-tristibatricyclo[2.2.-1.0^{2,6}]heptane (Sb_3 -nortricyclane), synthesis and reactivity towards hexacarbonyl-chromium, -molybdenum and -tungsten of (J. Ellermann, A. Veit), (290) 307
- Molybdenum and tungsten M_2C_2 tetrahedral clusters containing cyclopentadienyldicarbonylmetal vertices, fluxionality of (P. Bougeard, S. Peng, M. Mlekuz, M.J. McGlinchey), (296) 383
- Molybdenum- and tungsten-sulphane complexes, $(\mu-S_x)[M(\eta^5-C_5H_5)(CO)_3]_2$, ($M = Mo$ ($x = 2, 3$); $M = W$ ($x = 2$)), synthesis and characterisation of; routes to $[Cr(\eta^5-C_5H_5)(CO)_2]_2S$ (M.A. El-Hinnawi, A.K. El-Qaseer), (296) 393
- Monocyclooctyne complexes of divalent and tetravalent molybdenum and tungsten (M.A. Bennett, I.W. Boyd), (290) 165

- Monovalent organometallic groups as trigonally planar bridging substituents to $(L_nM)_2MX$ compounds ($M = P, As, Sb; X = \text{halogen}$), formation and X-ray structure of (G. Huttner, U. Weber, B. Sigwarth, O. Scheidsteiger, H. Lang, L. Zsolnai), (282) 331
- Oxo-metal complexes with high and low valency states of the metal (W.A. Herrmann), (300) 111
- Pentacarbonyl-chromium, -molybdenum and -tungsten complexes with amine and benzochinonediimine ligands, synthesis and behaviour on oxidation of (D. Sellmann, J. Müller), (277) 379
- Pentacarbonyl(diphenylcarbene)-chromium and -tungsten complexes, reactions with trimethylsilylazide of (H. Fischer, S. Zeuner), (286) 201
- Pentacarbonylfulminatotungsten, $\text{NEt}_4[\text{W}(\text{CNO})(\text{CO})]$, preparation and isomerisation at the metal atom of (F. Beck, W.-P. Fehlhammer, W. Beck), (279) C22
- Pentacarbonyl[methoxy(phenyl)carbene]-chromium, -molybdenum and -tungsten complexes, reactions with $\text{RC}\equiv\text{N}$ -containing complexes of (H. Fischer, R. Märkl, S. Zeuner), (286) 17
- Phosphane addition to chelated bis-carbene ligands; route to carbene-ylid complexes (N.H.T. Huy, E.O. Fischer, H.G. Alt, K.H. Dötz), (284) C9
- Phosphinidenes and diphosphenes, pentacarbonylmetal derivatives of (H. Lang, O. Obama, G. Huttner), (291) 293
- $[(\text{SCN})_3(\text{CO})_2\text{W}\equiv\text{C}\cdots\text{NEt}_4]^{2-}2[\text{NEt}_4]^+$, the first dianionic transition metal-carbyne complex (E.O. Fischer, D. Wittmann), (292) 245
- Selenobenzaldehyde-bridged dinuclear complexes, $[(\text{CO})_5\text{W}]_2(\mu_2, \eta^2-\text{Se}=\text{C}-(\text{H})\text{C}_6\text{H}_4\text{R})$ from $(\text{CO})_5\text{W}[\text{Se}=\text{C}(\text{H})\text{C}_6\text{H}_4\text{R}]$ (H. Fischer, S. Zeuner, H.G. Alt), (289) C21
- Silicon—hydrogen and carbon—hydrogen activation (W.A.G. Graham), (300) 81
- Stibinidene complexes, valence tautomerism in; synthesis of stibane and distibene complexes (U. Weber, G. Huttner, O. Scheidsteiger, L. Zsolnai), (289) 357
- $3,3',4,4'\text{-Tetramethyl-1,1'-diphosphapherrocene}$ bonded to pentacarbonyl-chromium, -molybdenum and -tungsten fragments, electrochemical formation of heterometallic complexes with multiple-redox centres from (P. Lemoine, M. Gross, P. Braunstein, F. Mathey, B. Deschamps, J.N. Nelson), (295) 189
- $\mu\text{-}(\text{Tetraphenyldiphosphoxane})\text{bis}[\text{pentacarbonylmetal}(0)]$ complexes, $[(\text{CO})_5\text{MP}(\text{C}_6\text{H}_5)_2]_2\text{O}$ ($M = \text{Cr}, \text{Mo}, \text{W}$), synthesis, properties and structure of (C. Zeiher, J. Mohyla, I.-P. Lorenz, W. Hiller), (286) 159
- Tolylmethylidyne(dicarbonyl)(cyclopentadienyl)tungsten, C—C bond formation in reactions with organo-chromium and -zinc compounds of (J.C. Jeffery, A.L. Ratermann, F.G.A. Stone), (289) 367
- Transition metal coordinated diphenyl telluroketone, [4+2] cycloaddition to (H. Fischer, U. Gerbing), (299) C7
- Transition metal mixed clusters containing coordinated $^t\text{BuC}\equiv\text{P}$, synthesis of (R. Bartsch, J.F. Nixon, N. Sarjudeen), (294) 267
- Transition metals and olefins, a promising land (B.M. Trost), (300) 263
- Tricarbonyl(cycloheptatrienyl)tungsten cation, mechanisms of addition of primary aromatic amines and cyclohexylamine to (T.I. Odiaka, L.A.P. Kane-Maguire), (284) 35
- Tricarbonyl-fluorene-molybdenum and -tungsten and tricarbonyl- η^6 -indene-molybdenum, synthesis and deprotonation of (L.N. Novikova, N.A. Ustyryuk, V.E. Zvorykin, L.S. Dneprovskaya, Yu.A. Ustyryuk), (292) 237
- Trimethylphosphine complexes of molybdenum and tungsten; synthesis and chemical properties of $\text{MoCl}_4\text{(PMe}_3)_3$ and crystal and molecular structures of $\text{WCl}_4\text{(PMe}_3)_3$ and $\text{MoO}(\text{acac})_2\text{PMe}_3$ (R.D. Rogers, E. Carmona, A. Galindo, J.L. Atwood, L.G. Canada), (277) 403
- Tris[bis-1,2-(dimethylphosphino)ethane]-zerovalent derivatives of chromium, molybdenum, tungsten, vanadium, niobium and tantalum, synthesis, crystal structures and reactions of (F.G.N. Cloke, P.J. Fyne, V.C. Gibson,

- M.L.H. Green, M.J. Ledoux, R.N. Perutz, A. Dix, A. Gourdon, C.K. Prout), (277) 61
- Tris(butadiene)-molybdenum and -tungsten, substituted derivatives of; molecular structures of ($\text{CH}_2=\text{CMeCMe}=\text{CH}_2)_3\text{M}$ ($\text{M} = \text{Mo, W}$) (B. Bogdanović, H. Bönnemann, R. Goddard, A. Startsev, J.M. Wallis), (299) 347
- Tungstenacyclobutadiene deprotonated complex, ($\eta^5\text{-C}_5\text{H}_5$) $\text{W}[\text{C}_3(\text{CMe}_3)_2\text{Cl}$, crystal structure of and characterisation of an $\eta^3\text{-RCCR}$ ligand in (M.R. Churchill, J.W. Ziller), (281) 237
- Unsaturated nitrile metathesis catalysed by $\text{WCl}_6/\text{Sn}(\text{CH}_3)_4$ or $\text{Re}_2\text{O}_7/\text{Al}_2\text{O}_3/\text{SnR}_4$ systems (R.H.A. Bosma, G.C.N. van den Aardweg, J.C. Mol), (280) 115
- $\text{W}[\text{C}(\text{t-Bu})\text{CHC}(\text{t-Bu})][\text{OCH}(\text{CF}_3)_2]$, complex containing a planar tungstenacyclobutadiene ring without alkyl substituent at β -carbon, X-ray structural analysis of (M.R. Churchill, J.W. Ziller), (286) 27
- $\text{W}(\equiv\text{CCMe}_3)(\text{PMe}_3)_3\text{Cl}_3$, crystal and molecular structure of; seven-coordinate tungsten(VI) alkylidyne complex with a regular capped octahedral (C_{3v}) stereochemistry (M.R. Churchill, Y.-J. Li), (282) 239
- $\text{WCl}_6/\text{LiAlH}_4$ promoted transformation of imines into secondary and tertiary amines (T. Ikariya, Y. Ishikawa, K. Hirai, S. Yoshikawa), (288) 311
- $\text{W}(\text{CO})_3\text{Cl}_2(\text{AsPh}_3)_2$, in reaction with norbornene propagating homometathesis of linear alkenes (L. Bencze, A. Kraut-Vass), (280) C14
- ### Uranium
- Actinide—carbon σ bonds, insertion of carbonyl compounds into; reactivity of $[(\text{Me}_2\text{Si})_2\text{M}-\text{CH}_2\text{Si}(\text{Me}_2)\text{NSiMe}_3$ (A. Dormond, A. El Bouadili, A. Aaliti, C. Moise), (288) C1
- Cyclopentadienyl-Group IIIA and -Group IV A compounds, steric factor dependence of structures of (E.B. Lobkovsky), (277) 53
- Cyclopentadienyluranium(IV) complexes containing phosphido and/or amido ligands, access to ($\text{C}_5\text{H}_5)_3\text{-UP}(\text{C}_6\text{H}_5)_2$ (G. Paolucci, G. Rossetto, P. Zanella, R.D. Fischer), (284) 213
- Dicyclopentadienyl-uranium(IV) and thorium(IV) compounds with bulky ligands, synthesis of (G. Paolucci, P. Zanella, A. Berton), (295) 317
- Trichlorocyclopentadienyldiligand-uranium complexes, $\text{C}_5\text{H}_5\text{UCl}_3\text{L}_2$ ($\text{L} = \text{hexamethylphosphoramide, tetrahydrofuran, triphenylphosphine oxide}$), structure and ligand exchange reactions in solution of (J.F. Le Maréchal, M. Ephritikhine, G. Folcher), (299) 85
- ### Vanadium
- Aqueous ion-radicals containing metal-to-carbon bonds, formation and reactivity of (D. Kataxis, J. Konstantatos, E. Vrachnou-Astra), (279) 131
- Carbylanadocenes, reactions with carbon monoxide, xylyl isocyanide and carbon dioxide of (J. Nieman, J.H. Teuben), (287) 207
- Crotyl-organometallic compounds, reversal of diastereoselectivity in BF_3 -promoted addition of aldehydes to (Y. Yamamoto, K. Maruyama), (284) C45
- Cyclopentadienyl-Group IIIA and -Group IV A compounds, steric factor dependence of structures of (E.B. Lobkovsky), (277) 53
- Cyclopentadienyltricarbonylvanadium tetrahydrofuran, synthesis, and reactions of; observation of $^{51}\text{V}-^{117,119}\text{Sn}$ coupling (M. Hoch, D. Rehder), (288) C25
- Dimethyldicyclopentadienylvanadium, photolysis with formation of ethane of (D.F. Foust, M.D. Rausch), (287) 195
- Heterometallic dinuclear complexes prepared from the tripledecker sandwich complex $[\text{Ni}_3(\text{C}_5\text{H}_4\text{P})_3]\text{BF}_4$ and cyclopentadienylmetal bis-(thiolates); crystal structure of $[(\text{C}_5\text{H}_5)_2\text{Mo}(\mu\text{-SBu}^t)_2\text{Ni}(\text{C}_5\text{H}_4\text{R})]\text{BF}_4$ ($\text{R} = \text{H, Me}$) (H. Werner, B. Ulrich, U. Schubert, P. Hofmann, B. Zimmer-Gasser), (297) 27
- Hexacarbonylvanadate(-I) anion, proton- and carbonyl-mediated electron transfer processes from (F. Calderazzo, G. Pampaloni, M. Lanfranchi, G. Pelizzi), (296) 1

- Organometallic chemistry, photoelectron spectroscopy in (J.C. Maire), (281) 45
- Oxovanadium complexes coordinated to *fac*-tridentate organometallic ligand; role in oxidative catalysis of; X-ray crystal structure of $[(\eta\text{-C}_5\text{H}_5\text{Co}\{\text{P}(\text{O})(\text{OC}_2\text{H}_5)_2\}_2\text{VO}(\text{acac})]$ (E. Roman, F. Tapia, M. Barrera, M.-T. Garland, J.-Y. Le Marouille, C. Giannotti), (297) C8
- Tris[bis-1,2-(dimethylphosphino)-ethane] zerovalent derivatives of chromium, molybdenum, tungsten, vanadium, niobium and tantalum, synthesis, crystal structures and reactions of (F.G.N. Cloke, P.J. Fyne, V.C. Gibson, M.L.H. Green, M.J. Ledoux, R.N. Perutz, A. Dix, A. Gourdon, C.K. Prout), (277) 61
- Vanadium isonitrile complexes, synthesis and characterisation of (N.J. Coville, G.W. Harris, D. Rehder), (293) 365
- Vanadocene, olefin complexes of (M. Morán, J.J. Santos-García, J.R. Masaguer, V. Fernández), (295) 327
- Vanadocenes, synthesis, substitution, and characterisation of halogen and pseudohalogen derivatives of (M. Morán, J.R. Masaguer, V. Fernández), (291) 311

Ytterbium

- Carbonylmetal derivatives of lanthanum, samarium and ytterbium, synthesis and structure of (I.P. Beletskaya, G.A. Suleimanov, R.R. Shifrina, R.Yu. Mekhdiev, T.A. Agdamskii, B.N. Khandozhko, N.E. Kolobova), (299) 239
- Dibromo- η^5 -cyclopentadienyltris(tetrahydrofuran)ytterbium(III), crystal and molecular structure of (G.B. Deacon, G.D. Fallon, D.L. Wilkinson), (293) 45
- Dichloro- η^5 -cyclopentadienyltris(tetrahydrofuran)ytterbium(III), structure and reactivity of (M. Adam, X.-F. Li, W. Oroschin, R.D. Fischer), (296) C19
- $[\text{Li}(\text{tmmed})_2][\text{C}_5\text{Me}_5\text{Lu}(\text{CH}_3)_3]$, synthesis and structure of (H. Schumann, I. Albrecht, J. Pickardt, E. Hahn), (276) C5
- Organoytterbium(III) compounds, synthesis by oxidation of dicyclo-

- pentadienyltytterbium(II) of; crystal structure of $[(\eta\text{-C}_5\text{H}_5)\text{Yb}(\text{O}_2\text{CC}_6\text{F}_5)]$ (G.B. Deacon, G.D. Fallon, P.I. McKinnon, R.H. Newnham, G.N. Pair, T.D. Tuong, D.L. Wilkinson), (277) C22
- Thienyl- and perfluorophenyl-lanthanide(II) derivatives (O.P. Syutkina, L.F. Rybakova, E.S. Petrov, I.P. Beletskaya), (280) C67

Zinc

- Allylic organometallic way to control acyclic stereochemistry and its application to the synthesis of carbohydrates (Y. Yamamoto, T. Komatsu, K. Murayama), (285) 31
- Azacymantrene, CO substitution in and reactions of $(\eta^5\text{-C}_5\text{H}_4\text{N})\text{Mn}(\text{CO})_2\text{PPh}_3$, with electrophiles; X-ray crystal structure of $[(\text{PPh}_3)(\text{CO})_2\text{Mn}(\eta^5\text{-C}_5\text{H}_4\text{N})_2]\text{PdCl}_2$ (N.I. Pyshnograeva, A.S. Batsanov, Yu.T. Struchkov, A.G. Ginzburg, V.N. Setkina), (297) 69
- γ -Bromocrotonic and γ -bromosenecioic trimethylsilyl esters, regioselectivity in reactions with benzaldehyde of the reaction product of (M. Bellassoued, M. Gaudemar, A. El Borgi, B. Baccar), (280) 165
- Dicyclopentadienylzinc, structure of (P.H.M. Budzelaar, J. Boersma, G.J.M. van der Kerk, A.L. Spek, A.J.M. Duisenberg), (281) 123
- Dihalophosphane complexes as organometallic precursors (H. Lang, L. Zsolnai, G. Huttner), (282) 23
- Diorganozinc compounds, exchange reactions of (H. Nehl, W.R. Scheidt), (289) 1
- $[\mu\text{-Ni}(\text{C}_5\text{H}_5)_2\text{P}(\text{C}_6\text{H}_5)_3][\mu\text{-C}_5\text{H}_5][\text{Zn-C}_5\text{H}_5]_2$, nickel-bridged cyclopentadienylzinc dimer, preparation and crystal structure of (P.H.M. Budzelaar, J. Boersma, G.J.M. van der Kerk, A.L. Spek, A.J.M. Duisenberg), (287) C13
- Non-transition alkylmetal compounds, radical formation on exchange interactions of (Yu.A. Alexandrov, S.A. Lebedev, N.V. Kuznetsova), (292) 39
- Palladium and nickel catalysed aryl- and acyl-demetallation of organometallic compounds (N.A. Bumagin, A.B. Ponomaryov, I.P. Beletskaya), (291) 129

- Palladium-catalysed asymmetric coupling reactions between allylic acetates and organozinc reagents (J.-C. Fiaud, L. Aribi-Zouïoueche), (295) 383
- Palladium-catalysed cyclisation via intramolecular allylation of alkenyl-metals (S. Chatterjee, E.-I. Negishi), (285) C1
- Stereoselectively-fluorinated conjugated dienes, preparation by palladium catalysed cross coupling reactions of (F. Telier, R. Sauvêtre, J.-F. Normant), (292) 19
- Tolylmethylidyne(dicarbonyl)(cyclopentadienyl)tungsten, C—C bond formation in reactions with organo-chromium and -zinc compounds of (J.C. Jeffery, A.L. Ratermann, F.G.A. Stone), (289) 367
- Transition-metal catalysed stannyl-metallation of acetylenes and conversion of enol triflates and vinyl iodides into vinylstannanes (S. Matsuura, J.-I. Hibino, Y. Morizawa, K. Oshima, H. Nozaki), (285) 163
- ## Zirconium
- Alkenyl- and alkynyl-permethylzirconocene and -permethylhafnocene, synthesis and reactivity of; rearrangement of alkenyl derivatives via β -H elimination from an sp^2 -hybridized carbon (C. McDade, J.E. Bercaw), (279) 281
- (Alkylideneamido)zirconocene mono- and dinuclear complexes, formation of (W. Frömberg, G. Erker), (280) 343
- Alkylidene-bridged heterobimetallic complexes, activation toward electrophilic attack (S.M. Clift, J. Schwartz), (285) C5
- Alkylzirconium-(II) and -(IV) complexes, synthesis and reactions of (T. Cuenca, P. Royo), (295) 159
- Allylic organometallic way to control acyclic stereochemistry and its application to the synthesis of carbohydrates (Y. Yamamoto, T. Komatsu, K. Murayama), (285) 31
- Bis(μ -chalcogeno) complexes [$(\eta^5\text{-RC}_5\text{H}_4)_2\text{M}(\mu\text{-E})_2$]₂ (M = Zr, Hf; R = H, t-Bu; E = S, Se), preparation from metallocene dichlorides and isolation of the μ -complexes [$(t\text{-BuC}_5\text{H}_4)_2\text{Zr}](\mu\text{-O})(\mu\text{-E})$ (G. Tainturier, B. Gautheron, M. Fahim), (290) C4
- $(\text{C}_5\text{H}_5)_2\text{TiCl}(\text{PMe}_3)(\text{CO})$ (M = Ti, Zr, Hf), $(\text{C}_5\text{H}_5)_2\text{Ti}(\text{PMe}_3)(\text{CO})$ and $(\text{C}_5\text{H}_5)_2\text{TiCl}(\text{PMe}_3)$, structural and spectroscopic comparison of; X-ray structures of $(\text{C}_5\text{H}_5)_2\text{Ti}(\text{PMe}_3)(\text{CO})$ and $(\text{C}_5\text{H}_5)_2\text{TiCl}(\text{PMe}_3)$ (L.B. Kool, M.D. Rausch, H.G. Alt, M. Herberhold, B. Wolf, U. Thewalt), (297) 159
- Crotyl-organometallic compounds, reversal of diastereoselectivity in BF_3 -promoted addition of aldehydes to (Y. Yamamoto, K. Maruyama), (284) C45
- Cyclopentadienyl-Group IIIA and -Group IVA compounds, steric factor dependence of structures of (E.B. Lobkovsky), (277) 53
- "Dibutylmagnesium", convenient reagent in organo(metallic) synthesis; preparation of $\text{Zr}(\text{C}_5\text{H}_5)_2\text{Cl}_2$; X-ray structure of $[\text{Mg}(\mu\text{-N}(\text{SiMe}_3)_2\text{C}_5\text{H}_4\text{N}(\text{SiMe}_3)_2\text{-}\sigma)(\text{OEt}_2)]_2$ (A.W. Duff, P.B. Hitchcock, M.F. Lappert, R.G. Taylor, J.A. Segal), (293) 271
- Dicyclopentadienyldicarbonyl- and dicyclopentadienylcarbonyltriphenylphosphine-zirconium and -hafnium, reactions with acetylenes and formation of metallacyclopentadiene complexes of (D.J. Sikora, M.D. Rausch), (276) 21
- Dicyclopentadienylzirconium(IV) complexes, ligand redistribution reactions of (R.F. Jordan), (294) 321
- Dicyclopentadienylzirconium hydrides, reactions with (iminoacyl)zirconocene complexes of (W. Frömberg, G. Erker), (280) 355
- Ethylene-bridged titanocene and zirconocene derivatives with permethylated ring ligands, synthesis and crystal structures of (F. Wochner, L. Zsolnai, G. Huttner, H.H. Bräntzinger), (288) 69
- Halodicyclopentadienyl-zirconium(III) and -hafnium(III), preparation and chemical behaviour of (T. Cuenca, P. Royo), (293) 61
- Mono- and di-cyclopentadienylzirconium-(IV) derivatives with heterocyclic thiones, synthesis and spectroscopic studies of (V. Srivastava, O.P. Pandey, S.K. Sengupta, S.C. Tripathi), (279) 395
- Organometallic "metal-tuning", in-

- fluence on stereo- and regio-chemical convergence in reactions of allylic carbanions with aldehydes of (Y. Yamamoto, Y. Saito, K. Maruyama), (292) 311
- Oxo-titanium and -zirconium diphosphines, $[(\eta\text{-C}_5\text{H}_5)_2\text{M}(\text{CH}_2\text{PPPh}_2)]_2\text{O}$ ($\text{M} = \text{Ti}, \text{Zr}$), as building blocks for heterobimetallic complexes (F. Senocq, M. Basso-Bert, R. Choukroun, D. Gervais), (297) 155
- Pentadienylmetal compounds, structural analysis and applications in organic synthesis of (H. Yasuda, A. Nakamura), (285) 15
- (η^5 -Pentamethylcyclopentadienyl)-(η^5 -cyclopentadienyl)dichlorotitanium, -zirconium and -hafnium, formation and crystal and molecular structures of (R.D. Rogers, M.M. Benning, L.K. Kurihara, K.J. Moriarity, M.D. Rausch), (293) 51
- Pentamethylcyclopentadienyl-titanium, -zirconium and -hafnium cyclohepta-trienyl and cyclooctatetraenyl complexes, synthesis of (J. Blenkers, P. Bruin, J.H. Teuben), (297) 61
- Thioalkyl-, selenoalkyl-, thioaryl- and selenoaryl-metallocenes ($\text{M} = \text{Ti}, \text{Zr}, \text{Hf}$), He(I) and He(II) photo-electron spectra of (C. Guimon, G. Pfister-Guillouzo, P. Meunier, B. Gautheron, G. Tainturier, S. Pouly), (284) 299
- Zirconium and titanium complexes as catalysts in olefin carbometalation assisted by alkyl-magnesium and -aluminium derivatives (U.M. Dzhemilev, O.S. Vostrikova), (285) 43
- Zirconium(IV) five-coordinated ionic complex with $(\pi\text{-C}_5\text{H}_5)_2\text{Zr}^{\text{IV}}$ grouping, $[(\pi\text{-C}_5\text{H}_5)_2\text{Zr}(\text{H}_2\text{O})_3]^{2+}\cdot(\text{CF}_3\text{SO}_3^-)_2\cdot\text{THF}$ (U. Thewalt, W. Lasser), (276) 341
- Zirconocene and hafnocene supported complexes, preparation and catalytic applications of (B.-H. Chang, R.H. Grubbs, C.H. Brubaker, Jr.), (280) 365
- ansa*-Zirconocene chiral derivative with ethylene-bridged tetrahydroindenyl ligands, synthesis and crystal structure of (F.R.W.P. Wild, M. Wasieciuk, G. Huttner, H.H. Brintzinger), (288) 63
- Book reviews**
- Activation of saturated hydrocarbons by transition metal complexes; by A.E. Shilov (G.L. Leigh), (284) C40
- Advanced organic chemistry; by J. March (C. Eaborn), (297) C23
- Advances in organometallic chemistry, Vol. 23; edited by F.G.A. Stone and R. West (E.A. Seddon, K.R. Seddon), (294) C46
- Asymmetric synthesis, Volume 3. Stereo-differentiating addition reactions, Part B; edited by J.D. Morris (P.A. Chaloner), (296) C55
- Asymmetric synthesis, Vol. 4. The chiral carbon pool and chiral sulphur, nitrogen, phosphorus and silicon centers; edited by J.D. Morrison and J.W. Scott (P.A. Chaloner), (299) C21
- A treasure for word lovers; by M.S. Freeman (C. Eaborn), (284) C41
- Basic organometallic chemistry; by I. Haiduc and J.J. Zuckerman (A.G. Davies), (294) C14
- Bio-inorganic chemistry; by R.W. Hay (G.J. Leigh), (282) C46
- Carbon-functional organosilicon compounds; edited by V. Chvalovský and J.M. Bellama (C. Eaborn), (297) C13
- Catalysis, science and technology, Vol. 6; edited by J.R. Anderson and M. Boudart (G.J. Leigh), (294) C15
- Catalytic conversion of synthesis gas and alcohols to chemicals; edited by R.G. Herman (G.J. Leigh), (277) C35
- Chemical research faculties: an international directory; edited by G.L. Pollock (C. Eaborn), (290) C43
- Chemistry of the elements; by N.N. Greenwood and A. Earnshaw (C. Eaborn), (282) C27
- Complex chemistry. Structure and bonding 57 (K.R. Seddon), (280) C40
- Dictionary of chemistry and chemical technology: English—German; edited by H. Gross (J.D. Smith), (284) C49
- Dictionary of chemistry and chemical technology: German—English; edited by H. Gross (J.D. Smith), (296) C54
- Dictionary of organometallic compounds; executive editor J. Buckingham (C. Eaborn), (286) C51
- Electrochemistry, Volume 9, A specialist periodical report of the Royal Society of Chemistry (K.R. Seddon), (282) C47

- Electron-deficient aromatic- and heteroaromatic-base interactions;** by E. Buncel, M.R. Crampton, M.J. Strauss and F. Terrier (C. Eaborn), (297) C14
- Electron spin resonance, Vol. 8.** Specialist periodical report (R.A. Jackson), (279) C45
- Fourier transform N.M.R. Spectroscopy;** by D. Shaw (P.D. Lickiss), (282) C26
- Gmelin—Durrer, metallurgy of iron.** Volume 8, Practice of Steelmaking 2; edited by H. Trenkler and W. Krieger (J.D. Smith), (296) C56
- Gmelin handbook of inorganic chemistry.** 8th edition, Br — Bromine, Supplement Vol. A, The Element (K.R. Seddon), (293) C20
- Gmelin handbook of inorganic chemistry,** 8th edit., Fe — Organoiron Compounds, Part B12. Mononuclear Compounds 12; by W. Petz and C. Siebert (M.F. Lappert), (282) C22
- Gmelin handbook of inorganic chemistry,** 8th edit. Formula index, 1st supplement, Vol. 1, Formula index Ac to Au (C. Eaborn), (282) C23
- Gmelin handbook of inorganic chemistry.** Index. Formula index. 1st supplement. Vol. 2. B—B₁, (C. Eaborn), (276) C38
- Gmelin handbook of inorganic chemistry,** 8th ed., Mn — manganese, Part D4, coordination compounds 4 (K.R. Seddon), (299) C20
- Gmelin handbook of inorganic chemistry,** 8th edit., Rh — rhodium, Suppl. Vol. B3. Coordination compounds with ligands containing S, Se, Te, P, As, Sb and metals; by W.P. Griffith, J.A. McCleverty and S.D. Robinson (M.F. Lappert), (287) C25
- Gmelin handbook of inorganic chemistry.** 8th edition, S — Sulfur—Nitrogen compounds, Part 2. Compounds with sulfur of oxidation number IV (K.R. Seddon), (293) C21
- Gmelin handbook of inorganic chemistry,** 8th edit., Sc, Y, La—Lu—Rare earth elements. Part D5: Complexes and salts of carboxylic acids, hydroxy-carboxylic acids and esters of carboxylic acids (K.R. Seddon), (290) C41
- Gmelin handbook of inorganic chemistry,** 8th edit., Sn — Organotin compounds, Part 11: trimethyltin- and trimethyltin-oxygen compounds (C. Eaborn), (291) C15
- Gmelin handbook of inorganic chemistry,** 8th edit., Sc, Y, La—Lu, Rare earth elements. Vol. A8; Y, La and the lanthanoids: Minerals (silicates), deposits, Mineral index (K.R. Seddon), (280) C39
- Gmelin handbook of inorganic chemistry,** Si — Silicon, Part A1. History (C. Eaborn), (284) C39
- Gmelin handbook of inorganic chemistry.** 8th edition, Th — Thorium, Supplement Vol. E, Coordination Compounds (K.R. Seddon), (293) C19
- Gmelin handbook of inorganic chemistry.** 8th edit., Ti — Organotitanium compounds: Part 3, Mononuclear compounds (F.G.N. Cloke), (284) C50
- Gmelin handbook of inorganic chemistry,** 8th edit., U — Uranium, Supplement Volume C4: Uranium dioxide (K.R. Seddon), (290) C41
- Gmelin handbook of inorganic chemistry,** 8th edit., U — Uranium, Suppl. Vol. C10: Compounds with sulphur (K.R. Seddon), (277) C11
- Gmelin handbook of inorganic chemistry,** 8th edit., W — Tungsten, Suppl. Vol. B6: Anhydrous Tungstates of Group IVA to VIB Metals (K.R. Seddon), (282) C23
- Inorganic and organometallic reaction mechanisms;** by J.D. Atwood (M.F. Lappert), (299) C32
- Inorganic chemistry. Topics in current chemistry 124;** edited by F.L. Boschke (K.R. Seddon), (290) C44
- Inorganic electronic spectroscopy;** by A.B.P. Lever (Studies in physical and theoretical chemistry 33) (2nd edit.) (K.R. Seddon), (290) C11
- Mechanisms of inorganic and organometallic reactions, Vol. 2;** edited by M.V. Twigg (M.F. Lappert), (282) C25
- Olefin metathesis and ring-opening polymerization of cyclo-olefins;** by V. Dragutan, A.T. Balaban, M. Dimonie (P.A. Chaloner), (299) C20
- Orbital interactions in chemistry;** by T.A. Albright, J.K. Burdett and M.H. Whangbo (D.M.P. Mingos), (289) C18
- Organic reactions. Volume 33** (C. Eaborn), (290) C42
- Organoboron compounds in organic synthesis;** by B.M. Mikhailov and Yu.N. Bubnov (C. Eaborn), (284) C43

- Organometallic chemistry, Vol. 12;
edited by E.W. Abel and F.G.A.
Stone (C. Eaborn), (276) C37
- Organometallic chemistry, Vol. 13;
reported by E.W. Abel and F.G.A.
Stone (M.F. Lappert), (299) C33
- Organometallic compounds and living
organisms; by J.S. Thayer (C.
Eaborn), (286) C36
- Organotin compounds in modern technology;
by C.J. Evans and S. Karpel
(A.G. Davies), (293) C22
- Phosphorus an outline of its chemistry,
biochemistry and technology, 3rd.
edit.; by D.E.C. Corbridge (J.F.
Nixon), (296) C56
- Reductions in organic chemistry; by M.
Hudlicky (C. Eaborn), (286) C38
- Sodium dihydro-bis(2-methoxyethoxy)-
aluminate (SDMA); a versatile organo-
metallic hydride; by O. Štrouf, B.
Čásenský, V. Kubánek (P.A. Chaloner),
(299) C56
- Spectroscopic properties of inorganic
and organometallic compounds.
Vol. 16 (C. Eaborn), (286) C37
- Structural inorganic chemistry; by
A.F. Wells (C. Eaborn), (282) C29
- Structure determination by X-ray crystal-
lography; by M.F.C. Ladd and R.A.
Palmer (P.B. Hitchcock), (297) C15
- Structures versus special properties
(Structure and bonding 52) (K.R.
Seddon), (282) C24
- The chemistry of ruthenium; by E.A.
Seddon and K.R. Seddon (B.L. Shaw),
(288) C22
- The chemistry of the catalyzed hydro-
genation of carbon monoxide; by
G. Henrici-Olivé and S. Olivé (G.J.
Leigh), (284) C42
- The chemistry of the liquid alkali metals;
by C.C. Addison (J.D. Smith), (294) C26
- The chemistry of the metal—carbon
bond. Vol. 2. The nature and cleavage
of carbon—metal bonds; edited by
F.R. Hartley and S. Patai (C. Eaborn),
(288) C61
- The coordination chemistry of metal-
loenzymes; edited by I. Bertini,
R.S. Drago, and C. Luchinat (G.J.
Leigh), (276) C59