

- Stelzer, O., 137
 Stephenson, G.R., C1
 Suades, J., 357
 Suagg, J.W., 297, 311
 Suleimanov, G.Z., 239
 Suzuki, H., C35
- Tagliavini, G., 157
 Taraban, M.B., 271
 Targos, T.S., 223
 Thewalt, U., 213
 Traverso, O., C11
 Tsukui, T., C35
- Uemura, M., 119
 Usón, R., 251
- Valyaev, V.I., 271
 Van der Helm, D., 67
 Veit, A., 51
 Voronkov, M.G., 271
- Wallis, J.M., 347
 Wei, C., 41
 Weinand, R., C15
 Werner, H., C15
 Williard, P.G., 311
- Yanez, R., 357
 Yardimcioglu, A., 149
- Zsolnai, L., C4

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 299 (1986)

SUBJECT INDEX

Antimony

$[(C_5H_5(CO)_2Mn)_2TePh]^x$ ($x = +1, -1$), synthesis and structure of; valence tautomerism in dinuclear complexes (G. Huttner, S. Schuler, L. Zsolnai, M. Gottlieb, H. Braunwarth, M. Minelli), C4

Arsenic

Arsenic containing cryptands or spherands, synthesis of (J. Ellermann, A. Veit, M. Moll), 51
 $[(C_5H_5(CO)_2Mn)_2TePh]^x$ ($x = +1, -1$), synthesis and structure of; valence tautomerism in dinuclear complexes (G. Huttner, S. Schuler, L. Zsolnai, M. Gottlieb, H. Braunwarth, M. Minelli), C4

Cerium

Organocerium reagents from iodine activated cerium metal and organic iodides, reactions with carbonyl compounds of (S.-I. Fukuzawa, T. Fujinami, S. Sakai), 179

Chromium

$[AgL(\mu\cdot PR_2)M(CO)_8]$ ($L = 1,10$ -phenanthroline or tricyclohexylphosphine, M = Cr, Mo, W), synthesis and characterisation of (D. Obendorf, P. Peringer), 127
 $(\eta^6\text{-Arene})\text{tricarbonylchromium}$ complexes and (benzophenone)bis(tricarbonylchromium), electrochemical reductive acylation of (C. Degrand, M. Bikrani, B. Gautheron), 111
 $(\text{Arene})\text{tricarbonylchromium}$ stabilised carbocations, reactions with aromatics and β -dicarbonyl compounds of (M. Uemura, T. Minami, Y. Hayashi), 119
 Bis(η^6 -chlorobenzotrifluoride)chromium(0), nucleophilic substitution with thiophenoxyde of (R.L. Harris), 105
 Diphenylbenchrotenylphosphine, a two-electron ligand in carbonyl-containing π -aromatic chromium and manganese complexes and in Group VIIB carbonyls (V.I. Losilkina, M.N. Estekhina, N.K. Baranetskaya, V.N. Setkina), 187
 Tricarbonylcyclopentadienylethylchromium, substitution and insertion reactions of (R.M. Medina, J.R. J.R. Masaguer), 341

Cobalt

- Acetyl iodotricarbonylcobaltate, product from reactions of methyl iodide with tetracarbonylcobaltate, preparation and reactions of (M. Röper, M. Schieren, B.T. Heaton), 131
- Carbonylmetal derivatives of lanthanum, samarium and ytterbium, synthesis and structure of (I.P. Beletskaya, G.Z. Suleimanov, R.R. Shifrina, R.Yu. Mekhdiev, T.A. Agdamskii, B.N. Khandozhko, N.E. Kolobova), 239
- $C_5H_4CH_3Co(CO)L$ ($L = CO, PPh_3$, tetra-cyanoethylene), oxidative addition reactions with BrCN and ICN of (M.J. Macazaga, M.S. Delgado, J.R. Masaguer), 377
- $C_5H_5(CO)_2Mo(\mu-O=CCH_3)(\mu-PPh_2)-FeC_5H_5(CO)$, synthesis and molecular structure of (T.S. Targos, G.L. Geoffroy, A.L. Rheingold), 223

Copper

- $\{[\eta^2-Bu^tC_2Mn(CO)_3(dppe)_2Cu\}(PF_6)$, synthesis and X-ray crystal structure of (G.A. Carriero, D. Miguel, V. Riera, X. Solans, M. Font-Altaba, M. Coll), C43

Erbium

- Carbonylmetal derivatives of lanthanum, samarium and ytterbium, synthesis and structure of (I.P. Beletskaya, G.A. Suleimanov, R.R. Shifrina, R.Yu. Mekhdiev, T.A. Agdamskii, B.N. Khandozhko, N.E. Kolobova), 239

Germanium

- Allyltriorgano-silanes and -germanes, photoinitiated reactions with poly-haloidalkanes of (T.V. Leshina, V.I. Valyaev, M.B. Taraban, V.I. Maryasova, V.I. Rakhlis, S.Kh. Khangazheez, R.G. Mirskov, M.G. Voronkov), 271
- Cyclopentadienylgermylene-transition metal complexes, X-ray structure of $(Me_3C_5)[(Me_3Si)_2CH]Ge \rightarrow W(CO)_5$ (P. Jutzi, B. Hampel, M.B. Hursthouse, A.J. Howes), 19

α -Halosubstituted alkyl groups, base cleavage from germanium of (W. Stańczyk), 15

(Trifluoromethyl)germanes, preparation and properties of $(CF_3)_2GeHX$ ($X = H, D, F, Cl, Br, I, CH_3$) and $CF_3GeH_nX_{3-n}$ ($X = H, D, CF_2H, CH_3$) (R. Eujen, R. Mellies, E. Petrauskas), 29

Trimethylsilylated germanocenes, synthesis of; X-ray structure and steric effects in hexakis(trimethylsilyl)-germanocene (P. Jutzi, E. Schlüter, M.B. Hursthouse, A.M. Arif, R.L. Short), 285

Tris(trimethylsilyl)germyl compounds (A.G. Brook, F. Abdesaken, H. Söllradl), 9

Iron

$C_5H_5(CO)_2Mo(\mu-O=CCH_3)(\mu-PPh_2)-FeC_5H_5(CO)$, synthesis and molecular structure of (T.S. Targos, G.L. Geoffroy, A.L. Rheingold), 223

Cyclopentadienyliron complexes with P—N ligands, $(C_6H_5)_{3-n}P(NR_2)_n$ ($n = 0-3$, $R = CH_3, C_2H_5$), synthesis and spectroscopic characterisation of (H. Schumann), 169

Di- and tri-nuclear anionic iron complexes derived from diphenylacetylene, reactivity towards electrophiles of (R. Yanez, J. Ros, R. Mathieu, J. Suades), 357

$[Fe_4(\mu_3-CCH_3)(CO)_{12}]^-$, reactions with alkynes of; ethylidyne—alkyne coupling on a tetranuclear iron cluster anion (M. Kalam-Alami, R. Mathieu), 363

Ferraenolates, $Li[C_5H_5Fe(CO)_2COCR^1R^2]$, selective generation and reactions with electrophiles of (M. Akita, A. Kondoh), 369

Phosphine hydride complexes of the iron group metals, photochemistry of (P. Bergamini, S. Sostero, O. Traverso), C11

Tricarbonyl (η^5 -cyclohexadienyl)iron(1+) salts, addition of cyanide to (R.P. Alexander, G.R. Stephenson), C1

Iridium

Dihydridobis(triethylsilyl)pentamethyl-cyclopentadienyliridium(V), neutron diffraction and photoelectron studies of (J.S. Ricci, Jr., T.F. Koetzle, M.J. Fernandez, P.M. Maitlis, J.C. Green), 383

Iridium complexes with cyclometallated t-Bu₃P, t-Bu₂PCH₂SiMe₂ and t-BuP-(CH₂SiMe₂)₂ ligands, preparation and stereochemistry of (L. Dahlenburg, A. Yardimcioglu), 149

Trifluoromethyl- and mixed hydridotri-fluoromethyl-iridium(III) complexes as potential precursors of a trifluoro-methyliridium(I) complex (T.R. Greene, W.R. Roper), 245

Lanthanum

Carbonylmetal derivatives of lanthanum, samarium and ytterbium, synthesis and structure of (I.P. Beletskaya, G.A. Suleimanov, R.R. Shifrina, R.Yu. Mekhdiev, T.A. Agdamskii, B.N. Khandozhko, N.E. Kolobova), 239

Dicyclopentadienyl-early lanthanide complexes, formation and cleavage of carbon—metal bonds of (C. Qian, Y. Ge), 97

Lithium

Bis(diphenylphosphino)methylolithium- (N,N,N',N'-tetramethylenediamine, crystal structure of (D.J. Brauer, S. Hietkamp, O. Stelzer), 137

Ferraenolates, Li[C₅H₅Fe(CO)₂COCR'R'²], selective generation and reactions with electrophiles of (M. Akita, A. Kondoh), 369

(LiCH₂CH₂CH₂NMe₂)₄, structure of (K.S. Lee, P.G. Williard, J.W. Suggs), 311

Lutetium

Cyclopentadienylhydridolutetium com-pounds, synthesis and molecular struc-ture of (H. Schumann, W. Genthe, E. Hahn, M.B. Hossain, D. van der Helm), 67

Manganese

{[n²-Bu^tC₂Mn(CO)₃(dppe)]₂Cu⁺}(PF₆), synthesis and X-ray crystal structure of (G.A. Carriedo, D. Miguel, V. Riera, X. Solans, M. Font-Altaba, M. Coll), C43

[(C₅H₅(CO)₂Mn)₂TePh]^x (x = +1, -1), synthesis and structure of; valence tautomerism in dinuclear complexes (G. Huttner, S. Schuler, L. Zsolnai, M. Gottlieb, H. Braunwarth, M. Minelli), C4

cis-CH₃Mn(CO)₄L, carbonylation and hydrogenation of, substitution reactivity of cis-HMn(CO)₄L and binuclear elimination between cis-CH₃Mn(CO)₄-P(OPh)₃ and cis-HMn(CO)₃P(OPh)₃ (L = CO, PPh₃, P(OPh)₃, PBu₃, P(OMe)₃) (R.J. Ruszczyk, B.-L. Huang, J.D. Atwood), 205

Diphenylbenclobutenylphosphine, a two-electron ligand in carbonyl-containing π-aromatic chromium and manganese complexes and in Group VIB carbonyls (V.I. Losilkina, M.N. Estekhina, N.K. Baranetskaya, V.N. Setkina), 187

Phosphametallacycloalkanes, correlation between chemical shifts and torsion angles in (E. Lindner, R. Fawzi), C47

Mercury

Carbonylmetal derivatives of lanthanum, samarium and ytterbium, synthesis and structure of (I.P. Beletskaya, G.Z. Suleimanov, R.R. Shifrina, R.Yu. Mekhdiev, T.A. Agdamskii, B.N. Khandozhko, N.E. Kolobova), 239

Dicarbonylmolybdenum(II) complexes, re-action with mercury(II) halides and pseudohalides of (M.A. Lobo, M.F. Perpiñan, M.P. Pardo, M. Cano), 197

Metallocenes

Dicyclopentadienyl-early lanthanide com-ples, formation and cleavage of carbon—metal bonds of (C. Qian, Y. Ge), 97

Trimethylsilylated germanocenes, syn-thesis of; X-ray structure and steric ef-fects in hexakis(trimethylsilyl)-germanocene (P. Jutz, E. Schlüter, M.B. Hursthouse, A.M. Arif, R.L. Short), 285

Molybdenum

- [AgL(μ -PR₂)M(CO)₅] (L = 1,10-phenanthroline or tricyclohexylphosphine, M = Cr, Mo, W), synthesis and characterisation of (D. Obendorf, P. Peringer), 127
- Bis[dicarbonyl(μ -trifluoromethyl isocyanide)(η -pentamethylcyclopentadienyl)molybdenum)], synthesis, crystal structure and isomerisation of (D. Lentz, I. Brüdgam, H. Hartl), C38
- Bis-phosphitediiodotricarbonyl-molybdenum(II) and -tungsten(II) complexes, preparation of (P.K. Baker, S.G. Fraser), C23
- Carbonylmetal derivatives of lanthanum, samarium and ytterbium, synthesis and structure of (I.P. Beletskaya, G.Z. Suleimanov, R.R. Shifrina, R.Yu. Mekhdiev, T.A. Agdamskii, B.N. Khandozhko, N.E. Kolobova), 239
- C₅H₅(CO)₂Mo(μ -O=CCH₃)(μ -PPPh₂)-FeC₅H₅(CO), synthesis and molecular structure of (T.S. Targas, G.L. Geoffroy, A.L. Rheingold), 223
- Dicarbonylmolybdenum(II) complexes, reactions with mercury(II) halides and pseudohalides of (M.A. Lobo, M.F. Perpiñan, M.P. Pardo, M. Cano), 197
- Diphenylbenchrotrenylphosphine, a two-electron ligand in carbonyl-containing π -aromatic chromium and manganese complexes and in Group VIB carbonyls (V.I. Losilkina, M.N. Estekhina, N.K. Baranetskaya, V.N. Setkina), 187
- Tris(butadiene)-molybdenum and -tungsten, substituted derivatives of; molecular structures of (CH₂=CMeCMe=CH₂)₃M (M = Mo, W) (B. Bogdanović, H. Bönnemann, R. Goddard, A. Startsev, J.M. Wallis), 347

Neodymium

- Dicyclopentadienyl-early lanthanide complexes, formation and cleavage of carbon–metal bonds of (C. Qian, Y. Ge), 97

Osmium

- Phosphine hydride complexes of the iron-group metals, photochemistry of

(P. Bergamini, S. Sostero, O. Traverso), C11

Vinylenemetal complexes, reaction products with benzoylazide of (H. Werner, A. Höhn, R. Weinand), C15

Palladium

- Carbon–tin bond cleavage directed by palladium (J.W. Suggs, K.S. Lee), 297
- N-Methylpentachlorobenzimidoyl-palladium(II) bridged and terminal complexes; insertion of MeNC into Pd–C₆Cl₅ bonds (R. Usón, J. Forniés, P. Espinet, L. Pueyo, E. Lalinde), 251

Phosphorus

- [AgL(μ -PR₂)M(CO)₅] (L = 1,10-phenanthroline or tricyclohexylphosphine, M = Cr, Mo, W), synthesis and characterisation of (D. Obendorf, P. Peringer), 127
- Bis(diphenylphosphino)methylolithium-(N,N,N',N'-tetramethylenediamine, crystal structure of (D.J. Brauer, S. Hietkamp, O. Stelzer), 137
- cis- and trans-Bis(phenyl)bis(tri-n-butylphosphine)platinum(II) compounds, IR and ¹H NMR spectroscopic criteria for determination of the configuration of (W.-D. Müller, H.A. Brune), 391
- cis-Bis(phenyl)platinum(II) compounds, mechanism of light-induced elimination of the biphenyl system from (R. Klötzbücher, H.A. Brune), 399
- Bis-phosphitediiodotricarbonyl-molybdenum(II) and -tungsten(II) complexes, preparation of (P.K. Baker, S.G. Fraser), C23
- C₅H₄CH₃Co(CO)L (L = CO, PPPh₃, tetracyanoethylene), oxidative addition reactions with BrCN and ICN of (M.J. Macazaga, M.S. Delgado, J.R. Masaguer), 377
- [C₅H₅(CO)₂Mn]₂TePh]^x (x = +1, -1), synthesis and structure of; valence tautomerism in dinuclear complexes (G. Huttner, S. Schuler, L. Zsolnai, M. Gottlieb, H. Braunwarth, M. Minelli), C4
- cis-CH₃Mn(CO)₄L, carbonylation and hydrogenation of, substitution reactivity of cis-HMn(CO)₄L and binuclear elimination between cis-CH₃Mn(CO)₄P(OPh)₃ and cis-HMn-

- (CO)₄P(OPh)₃ (L = CO, PPh₃, P(OPh)₃, PBu₃, P(OMe)₃) (R.J. Ruszczyk, B.-L. Huang, J.D. Atwood), 205
- Cyclopentadienyliron complexes with P–N ligands, (C_nH_n)_{3-n}P(NR₂)_n (n = 0–3, R = CH₃, C₂H₅), synthesis and spectroscopic characterisation of (H. Schumann), 169
- Diphenylbenchrotenylphosphine, a two-electron ligand in carbonyl-containing π -aromatic chromium and manganese complexes and in Group VIB carbonyls (V.I. Losikina, M.N. Estekhina, N.K. Baranotskaya, V.N. Setkina), 187
- Iridium complexes with cyclometallated t-Bu₂P, t-Bu₂PCH₂SiMe₃ and t-BuP-(CH₂SiMe₃)₂ ligands, preparation and stereochemistry of (L. Dahlenburg, A. Yardimcioglu), 149
- Methyltantalum derivatives, facile preparation from dimethylphenylphosphane by P–CH₃ cleavage (N. Hovnanian, L.G. Hubert-Pfalzgraf), C29
- Phosphametallacycloalkanes, correlation between chemical shifts and torsion angles in (E. Lindner, R. Fawzi), C47
- Phosphine hydride complexes of the iron group metals, photochemistry of (P. Bergamini, S. Sostero, O. Traverso), C11
- [Ru(CO)₂(PPh₃)₂(η²,η³-C₅H₄R)][PF₆]₂·0.5CH₂Cl₂ (R = CH₂C(Me)=CH₂), X-ray crystal structure of (N.G. Connolly, A.G. Orpen, I.C. Quarmby, J.B. Sheridan), C51
- Trichlorocyclopentadienyldi-ligand-uranium complexes, C₅H₅UCl₃L₂ (L = hexamethylphosphoramide, tetrahydrofuran, triphenylphosphine oxide), structure and ligand exchange reactions in solution of (J.F. Le Maréchal, M. Ephritikhine, G. Folcher), 85
- Vinylidenemetal complexes, reaction products with benzoylazide of (H. Werner, A. Höhn, R. Weinand), C15
- ## Platinum
- cis- and trans-Bis(phenyl)bis(tri-n-butylphosphine)platinum(II) compounds, IR and ¹H NMR spectroscopic criteria for determination of the configuration of (W.-D. Müller, H.A. Brune), 391
- cis-Bis(phenyl)platinum(II) compounds, mechanism of light-induced elimination of the biphenyl system from (R. Klotzbücher, H.A. Brune), 399
- 1-Platina-3-silacyclobutane, new route to (H. Suzuki, T. Tsukui, Y. Moro-oka), C35
- Polyamide-bound metal complex catalysts, synthesis, characterisation and catalytic properties of (Z.M. Michalska, B. Ostaszewski), 259
- ## Rhenium
- η⁵-Pentamethylcyclopentadienylrhenium dinuclear complexes with chalcogen bridges, molecular structure of [(η⁵-C₅Me₅)Re(CO)₂J₂(μ-Se)] (M. Herberhold, B. Schmidkonz, U. Thewalt, A. Razavi, H. Schöllhorn, W.A. Herrmann, C. Hecht), 213
- ## Rhodium
- Chlorocarbonylrhodium(I) dimer, monodentate pyridine-2-thiol and chelating and bridging pyridine-2-thiolato complexes derived from (A.J. Deeming, M.N. Meah, H.M. Dawes, M.B. Hursthouse), C25
- Polyamide-bound metal complex catalysts, synthesis, characterisation and catalytic properties of (Z.M. Michalska, B. Ostaszewski), 259
- Vinylidene metal complexes, reaction products with benzoylazide of (H. Werner, A. Höhn, R. Weinand), C15
- ## Ruthenium
- Phosphine hydride complexes of the iron group metals, photochemistry of (P. Bergamini, S. Sostero, O. Traverso), C11
- Ru(CO)₂(CH₃COO)₂(PBu₃)₂ as catalyst in homogeneous hydrogenation of dicarboxylic acid esters (U. Matteoli, G. Menchi, M. Bianchi, F. Piacenti), 233

Samarium

Carbonylmetal derivatives of lanthanum, samarium and ytterbium, synthesis and structure of (I.P. Beletskaya, G.A. Suleimanov, R.R. Shifrina, R.Yu. Mekhdiev, T.A. Agdamskii, B.N. Khandozhko, N.E. Kolobova), 239

Selenium

η^5 -Pentamethylcyclopentadienylrhenium dinuclear complexes with chalcogen bridges, molecular structure of $[(\eta^5\text{-C}_5\text{Me}_5)_2\text{Re}(\text{CO})_2]_2(\mu\text{-Se})$ (M. Herberhold, B. Schmidkonz, U. Thewalt, A. Razavi, H. Schöllhorn, W.A. Herrmann, C. Hecht), 213

Silicon

Allyltriorgano-silanes and -germanes, photoinitiated reactions with polyhaloalkanes of (T.V. Leshina, V.I. Valyaev, M.B. Taraban, V.I. Maryasova, V.I. Raklin, S.Kh. Khangazheez, R.G. Mirskov, M.G. Voronkov), 271
cis- and *trans*-Bis(phenyl)bis(tri-n-butylphosphine)platinum(II) compounds, IR and ^1H NMR spectroscopic criteria for determination of the configuration of (W.-D. Müller, H.A. Brune), 391
 Bis(*o*-phenylenedioxy)dimethylsilanes, structure of (J.A. Hawari, E.J. Gabe, F.L. Lee, M. Lesage, D. Griller), 279
 Dihydridobis(trimethylsilyl)pentamethylcyclopentadienyliridium(V), neutron diffraction and photoelectron studies of (J.S. Ricci, Jr., T.F. Koetzle, M.-J. Fernandez, P.M. Maitlis, J.C. Green), 383
 Disilatranylalkanes, preparation of (L. Birkhofer, K. Grafen), 143
 Iridium complexes with cyclometallated t-Bu₃P, t-Bu₂PCH₂SiMe₂ and t-BuP-(CH₂SiMe₃)₂ ligands, preparation and stereochemistry of (L. Dahlenburg, A. Yardimcioglu), 149
 Phenylfluorodisilanes, Si₂Ph_{6-n}F_n, preparation and characterisation of (E. Hengege, F. Schrank), 1
 1-Platina-3-silacyclobutane, new route to (H. Suzuki, T. Tsukui, Y. Moro-Oka), C35

Tricarbonyl(η^5 -cyclohexadienyl)iron(1+) salts, addition of cyanide to (R.P. Alexander, G.R. Stephenson), C1

Trimethylsilylated germanocenes, synthesis of; X-ray structure and steric effects in hexakis(trimethylsilyl)-germanocene (P. Jutzl, E. Schlüter, M.B. Hursthouse, A.M. Arif, R.L. Short), 285

Tris(trimethylsilyl)germyl compounds (A.G. Brook, F. Abdesaken, H. Söllradl), 9

Silver

[AgL(μ -PR₂)M(CO)_{5] (L = 1,10-phenanthroline or tricyclohexylphosphine, M = Cr, Mo, W), synthesis and characterisation of (D. Obendorf, P. Peringer), 127}

Sodium

Carbonylmetal derivatives of lanthanum, samarium and ytterbium, synthesis and structure of (I.P. Beletskaya, G.A. Suleimanov, R.R. Shifrina, R.Yu. Mekhdiev, T.A. Agdamskii, B.N. Khandozhko, N.E. Kolobova), 239

Sulphur

Bis(η^6 -chlorobenzotrifluoride)-chromium(0), nucleophilic substitution with thiophenoxyde of (R.L. Harris), 105

Chlorocarbonylrhodium(I) dimer, monodentate pyridine-2-thiol and chelating and bridging pyridine-2-thiolato complexes derived from (A.J. Deeming, M.N. Meah, H.M. Dawes, M.B. Hursthouse), C25

Tantalum

Methyltantalum derivatives, facile preparation from dimethylphenylphosphane by P—CH₃ cleavage (N. Hovnanian, L.G. Hubert-Pfalzgraf), C29

Tellurium

- $[(C_5H_5(CO)_2Mn)_2TePh]_x$ ($x = +1, -1$), synthesis and structure of; valence tautomerism in dinuclear complexes (G. Huttner, S. Schuler, L. Zsolnai, M. Gottilieb, H. Braunwarth, M. Minelli), C4
- Transition metal coordinated diphenyl telluroketone, [4+2] cycloaddition to (H. Fischer, U. Gerbing), C7
- Triethyltelluronium chloride and iodide, preparation and crystal structures of (R.K. Chadha, J.E. Drake), 331

Tin

- 2,2'-Bipyridyldichlorodi(*p*-tolyl)tin(IV), crystal and molecular structure of (V.G. Kumar Das, C. Wei, Y.C. Keong, T.C.W. Mak), 41
- Carbon—tin bond cleavage directed by palladium (J.W. Suggs, K.S. Lee), 297
- Chiral organotin enamines, synthesis and structure of (B. Nebout, B. De Jeso, A. Marchand), 319
- 4-Chloro-2,6-dialkyl-, 4-bromo-2,6-dialkyl-, (*E/Z*)-4-chloro-2,6-dialkyl-3-methyl and (*E/Z*)-4-bromo-2,6-dialkyl-3-methyl-tetrahydropyrans, preparation by condensation of aldehydes with di- and tri-halides of allyltin of (A. Boaretto, D. Furlan, D. Marton, G. Tagliavini, A. Gambaro), 157

Tungsten

- $[AgL(\mu-PR_2)M(CO)_5]$ ($L = 1,10$ -phenanthroline or tricyclohexylphosphine, M = Cr, Mo, W), synthesis and characterisation of (D. Obendorf, P. Peringer), 127
- Bis-phosphitediiodotricarbonyl-molybdenum(II) and -tungsten(II) complexes, preparation of (P.K. Baker, S.G. Fraser), C23
- Cyclopentadienylgermylene-transition metal complexes, X-ray structure of $(Me_3C_5)[(Me_3Si)_2CH]Ge-W(CO)_5$ (P. Jutzi, B. Hampel, M.B. Hursthouse, A.J. Howes), 19
- Diphenylbenzotrenylphosphine, a two-electron ligand in carbonyl-containing π -aromatic chromium and manganese complexes and in Group VIIB carbonyls (V.I. Losilkina, M.N. Estekhina, N.K. Baraneiskaya, V.N. Setkina), 187

Transition metal coordinated diphenyl telluroketone, [4+2] cycloaddition to (H. Fischer, U. Gerbing), C7

Tris(butadiene)-molybdenum and -tungsten, substituted derivatives of; molecular structures of $(CH_2=CMeCMe=CH_2)_3M$ (M = Mo, W) (B. Bogdanović, H. Bönnemann, R. Goddard, A. Starisev, J.M. Wallis), 347

Uranium

Trichlorocyclopentadienyldi-ligand-uranium complexes, $C_5H_5UCl_3L_2$ ($L =$ hexamethylphosphoramide, tetrahydrofuran, triphenylphosphine oxide), structure and ligand exchange reactions in solution of (J.F. Le Maréchal, M. Ephritikhine, G. Folcher), 85

Ytterbium

Carbonylmetal derivatives of lanthanum, samarium and ytterbium, synthesis and structure of (I.P. Beletskaya, G.A. Suleimanov, R.R. Shifrina, R.Yu. Mekhdiev, T.A. Agdamskii, B.N. Khandozhko, N.E. Kolobova), 239

Book reviews

- Asymmetric synthesis, Vol. 4. The chiral carbon pool and chiral sulphur, nitrogen, phosphorus and silicon centers; edited by J.D. Morrison and J.W. Scott (P.A. Chaloner), C21
- Gmelin handbook of inorganic chemistry, 8th ed., Mn - manganese, Part D4, coordination compounds 4 (K.R. Seddon), C20
- Inorganic and organometallic reaction mechanisms; by J.D. Atwood (M.F. Lappert), C32
- Olefin metathesis and ring-opening polymerization of cyclo-olefins; by V. Dragutan, A.T. Balaban, M. Dimonie (P.A. Chaloner), C20
- Organometallic chemistry, Vol. 13; reported by E.W. Abel and F.G.A. Stone (M.F. Lappert), C33
- Sodium dihydro-bis(2-methoxyethoxo)-aluminate (SDMA); a versatile organometallic hydride; by O. Štrouf, B. Čášenský, V. Kubánek (P.A. Chaloner), C56