

- | | | |
|--------------------|--------------------|------------------------|
| Teuben, J.H., 157 | Watanabe, J., 365 | Yamakawa, K., 365 |
| Thewalt, U., 315 | Waters, B.W., 263 | |
| Thomas, M.J.K., 59 | Watts, O., 49 | Zeiher, C., C43 |
| | Weichmann, H., 279 | Zhuravleva, I.L., C35 |
| Uchida, T., 365 | Werner, H., 123 | Zhvanko, O.S., 39 |
| | White, A.H., 271 | Ziegler, M.L., 89, 253 |
| Walton, R.A., 335 | | Zimmermann, K., 1 |

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 262 (1984)

SUBJECT INDEX

Aluminium

Trichloronitrosylmolybdenum(II) and dichlorodinitrosylmolybdenum(0) complexes, reactions with EtAlCl_2 of (K. Seyferth, R. Taube), 17

Antimony

Monocyclic organotri- and organotetra-stibanes, synthesis of $[(\text{Me}_3\text{Si})_2\text{CHSb}]_n$ ($n = 3, 4$) (H.J. Breunig, A. Soltani-Neshan), C27

Arsenic

Tetraarsenic trisulphide, cleavage by nickel moieties of (P. Stoppioni, M. Peruzzi), C5

Tetracarbonyl-molybdenum and -tungsten binuclear radical complexes with bridging N-heterocycles and Group VA ligand, ESR evidence for *cis*-configuration of (W. Kaim), 171

Boron

Aryl-alkyl-boron mixed model compound containing a 2-Me₂NCH₂C₆H₄ bifunctional ligand, synthesis and NMR study of (E. Kalbarczyk, S. Pasynkiewicz), 11

$(\text{BH}_2\text{CN})_n$ oligomer, explosions with (B. Györi, J. Emri, I. Fehér), C7

Chromium

Hexacarbonyl-, dicyclohexatrienyl- and tricarbonylcyclohexatrienyl-chromium complexes, metal-carbon "bond strengths" in (M.J. Calhorda, C.F. Frazão, J.A.M. Simões), 305

Pentacarbonyl-chromium(0) and -tungsten(0) complexes of 2,4,6-trithiaheptane and 2,4,6,8-tetrathianonane, dynamic NMR study of (E.W. Abel, M.A.Z. Chowdhury, K.G. Orrell, V. Šik), 293

Tricarbonylchromium complexes of substituted anilines and fluorobenzenes, synthesis and characterisation of (C.A.L. Mahaffy), 33

Cobalt

μ_2 - and μ_4 -(η^2 -acetylene)cobalt complexes, ^{13}C - ^{13}C coupling constants in (S. Aime, D. Osella, E. Giamello, G. Granozzi), C1

μ -Alkylidene-cobalt triply-bridged complexes, synthesis and structure of (W.A. Herrmann, J.M. Huggins, C. Bauer, M.L. Ziegler, H. Pfisterer), 253

Mixed metal clusters with 3 or 4 different metals containing the $\text{Ph}_2\text{PCH}_2\text{PPh}_2$ (dppm) ligand, synthesis of (P. Braunstein, C. de Méric de Bellefon, M. Ries), C14

Tris(diphenylphosphino)methane complexes with transition metals (J.T. Mague, S.E. Dessens), 347

Copper

Cyclopentadienyl-, pentamethylcyclopentadienyl- and alkylethenyl-trialkylphosphine-copper and -gold complexes, synthesis and properties of; crystal structure of $\text{C}_6\text{H}_7\text{AuPPr}_3$, (H. Werner, H. Otto, T. Ngo-Khac, C. Burschka), 124

Heteropentametallic clusters containing three different metals, $\text{MCo}_3(\text{CO})_{12}\text{M}'\text{L}$

(M = Fe, Ru; M' = Cu, Ag), synthesis of (P. Braunstein, J. Rosé), 223

Germanium

Carbonylvandium complexes, ^{51}V NMR spectroscopic investigation of vanadium—metal bonds in (R. Talay, R. Rehder), 25

Group IVB tetraphenyl derivatives, UV gas-phase photo-electron spectra of (I. Novak, A.W. Potts), 17

Gold

Carbonylvandium complexes, ^{51}V NMR spectroscopic investigation of vanadium—metal bonds in (R. Talay, D. Rehder), 25

Cyclopentadienyl-, pentamethylcyclopentadienyl- and alkylethenyl-trialkylphosphine-copper and -gold complexes, synthesis and properties of; crystal structure of $\text{C}_5\text{H}_5\text{AuPPr-i}_3$, (H. Werner, H. Otto, T. Ngo-Khac, C. Burschka), 123

Hafnium

Metallaselenaferrocenophanes, $\text{Fe}(\eta^5\text{-C}_5\text{H}_5\text{Se})_2\text{M}(\eta^5\text{-C}_5\text{H}_4\text{R})_2$ (M = Zr, Hf), synthesis and variable temperature ^1H NMR of (B. Gautheron, G. Tainturier), C30

Iridium

Dinuclear rhodium, iridium and iron complexes, theoretical semi-empirical study of concerted oxidative additions to (A. Sevin, Yu. Hengtai, P. Chaquin), 392

Iron

Acyl ligands, elaboration of; preparation and reactivity of the anion $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Fe}(\text{CO})(\text{PPh}_3)(\text{COCH}_3)]^-$ (N. Aktogu, H. Felkin, G.J. Baird, S.G. Davies, O. Watts), 49

Aryliron derivatives, $[\text{Fe}(\text{Ar})(\text{CO})\text{L}(\eta^5\text{-C}_5\text{H}_5)]$, Mössbauer, ^{57}Fe NMR and IR spectroscopic studies of (I.R. Butler, W.E. Lindsell, M.J.K. Thomas), 59

$\text{Cp}_2\text{Fe}_2(\text{CO})_{4-x}(\text{CS})_x$ ($x = 1, 2$), preparation, structure and fluxional behaviour of isonitrile derivatives of (J.A.S. Howell, P. Mathur, R. Kumar, A.R. Manning, F.S. Stephens), 227

Cyclopentadienyl(methoxyethenyl)bis-(trimethylphosphine)iron, $\text{Cp}(\text{Me}_3\text{P})_2\text{Fe}-\text{C}(\text{OMe})=\text{CH}_2$, "ylidic" reactivity of, proton abstraction from and carbon disulphide addition to (G. Grötsch, W. Malisch), C38

2-[(Dimethylamino)methyl]-1-hydroxyferrocene and its derivatives, syntheses and properties of (M. Onishi, K. Hiraki, A. Iwamoto), C11

Dinuclear rhodium, iridium and iron complexes, theoretical semi-empirical study of concerted oxidative additions to (A. Sevin, Yu. Hengtai, P. Chaquin), 392

Ferrocene and cymantrene derivatives of divalent ytterbium, synthesis and ^1H NMR spectra of (G.Z. Suleimanov, P.V. Petrovskii, Yu.S. Bogachev, I.L. Zhuravleva, E.I. Fedin, I.P. Beletskaya), C35

[4][3][4][3](1,2,3,4)Ferrocenophane, synthesis and X-ray structure of (M. Hisatome, J. Watanabe, K. Yamakawa, K. Kozawa, T. Uchida), 365

Heteropentametallic clusters containing three different metals, $\text{MCo}_3(\text{CO})_{12}\text{M}'\text{L}$ (M = Fe, Ru; M' = Cu, Ag), synthesis of (P. Braunstein, J. Rosé), 223

Iron and ruthenium electron-rich η^1 -cyano complexes, preparation and properties of (G.J. Baird, S.G. Davies), 215

Metallaselenaferrocenophanes, $\text{Fe}(\eta^5\text{-C}_5\text{H}_5\text{Se})_2\text{M}(\eta^5\text{-C}_5\text{H}_4\text{R})_2$ (M = Zr, Hf), synthesis and variable temperature ^1H NMR of (B. Gautheron, G. Tainturier), C30

Metallocenylpyrazolines, asymmetric induction in the synthesis of (V.N. Postnov, V.G. Andrianov, Yu. T. Struchkov, A.M. Baran, V.A. Sazonova), 201

Pentacarbonyliron as catalyst precursor in hydrogenation of N-benzylideneaniline with molecular hydrogen (M.A. Radhi, L. Markó), 359

Pentacarbonyliron in reaction with ethylenetrithiocarbonate; structure of $[\text{Fe}_3(\text{CO})_9\{\text{CS}(\text{CH}_2)_2\text{S}\}_3\text{S}]$ containing a μ_2 -dithiocarbene ligand (G.J. Kruger, L. Linford, H.G. Raubenheimer, A.A. Chalmers), 69

Tris(diphenylphosphino)methane complexes with transition metals, (J.T. Mague, S.E. Dessens), 347

Lead

Carbonylvandium complexes, ^{51}V NMR spectroscopic investigation of vanadium—metal bonds in (R. Talay, D. Rehder), 25

Group IVB tetraphenyl derivatives, UV gas-phase photo-electron spectra of (I. Novak, A.W. Potts), 17

Lithium

Allyl-alkali-metal compounds, ^{13}C NMR investigation of the geometry of (H. Ahlbrecht, K. Zimmermann, G. Boche, G. Decher), 1

Simplest metallocene derivative; X-ray structure of $[\text{Li}\{\eta\text{-C}_5\text{H}_4(\text{SiMe}_3)\}\{\text{NMe}_2(\text{CH}_2)_2\text{NMe}_2\}](\text{LiCp}'(\text{TMEDA}))$ (M.F. Lappert, A. Singh, L.M. Engelhardt, A.H. White), 271

Magnesium

Monocyclic organotri- and organotetra-stibanes, synthesis of $[(\text{Me}_3\text{Si})_2\text{CHSb}]_n$ ($n = 3, 4$) (H.J. Breunig, A. Soltani-Neshan), C27

Manganese

Allenylidene- and vinylidene-manganese complexes, protonation of; crystal and molecular structure of $[\text{Cp}(\text{CO})_2\text{Mn}=\text{C}-\text{CH}=\text{CPh}_2]^+\text{BF}_4^-$ (N.E. Kolobova, L.L. Ivanov, O.S. Zhvanko, O.M. Khitrova, A.A. Batsanov, Yu.T. Struchkov), 39

Ferrocene and cymantrene derivatives of divalent ytterbium, synthesis and ^1H NMR spectra of (G.Z. Suleimanov, P.V. Petrovskii, Yu.S. Bogachev, I.L. Zhuravleva, E.I. Fedin, I.P. Beletskaya), C35

Mixed metal clusters with 3 or 4 different metals containing the $\text{Ph}_2\text{PCH}_2\text{PPh}_2$ - (dppm) ligand, synthesis of (P. Braunstein, C. de Méric de Bellefon, M. Ries), C14

cis-Tetracarbonylhydrogenbis(diphenylphosphinito-*P*)manganese(I), $(\text{CO})_4\text{Mn}[(\text{P}(\text{C}_6\text{H}_5)_2\text{O})_2\text{H}]$, unsymmetrical hydrogen bridge in (R. Fawzi, W. Hiller, I.-P. Lorenz, J. Mohyla, C. Zeiher), C43

Tricarbonylcyclopentadienylmanganese derivatives, chemical ionisation of (J. Müller, C. Hänsch), 323

Mercury

Ferrocene and cymantrene derivatives of divalent ytterbium, synthesis and ^1H NMR spectra of (G.Z. Suleimanov, P.V. Petrovskii, Yu.S. Bogachev, I.L. Zhuravleva, E.I. Fedin, I.P. Beletskaya), C35

Mercury(II) salt reduction by CO in aqueous media, promoting effect of benzene on (V.A. Golodov, E.L. Kuksenko), 137

Metallocenes

2-[(Dimethylamino)methyl]-1-hydroxyferrocene and its derivatives, syntheses and properties of (M. Onishi, K. Hiraki, A. Iwamoto), C11

Ferrocene and cymantrene derivatives of divalent ytterbium, synthesis and ^1H NMR spectra of (G.Z. Suleimanov, P.V. Petrovskii, Yu.S. Bogachev, I.L. Zhuravleva, E.I. Fedin, I.P. Beletskaya), C35

$[4][3][4][3](1,2,3,4)$ Ferrocenophane, synthesis and X-ray structure of (M. Hisatome, J. Watanabe, K. Yamakawa, K. Kozawa, T. Uchida), 365

Metallaselenaferrocenophanes, $\text{Fe}(\eta^5\text{-C}_5\text{H}_4\text{Se})_2\text{M}(\eta^5\text{-C}_5\text{H}_4\text{R})_2$ ($\text{M} = \text{Zr}, \text{Hf}$), synthesis and variable temperature ^1H NMR of (B. Gautheron, G. Tainturier), C30

Metallocenylpyrazolines asymmetric induction in the synthesis of (V.N. Postnov, V.G. Andrianov, Yu.T. Struchkov, A.M. Baran, V.A. Sazonova), 201

Simplest metallocene derivative; X-ray structure of $[\text{Li}\{\eta\text{-C}_5\text{H}_4(\text{SiMe}_3)\}\{\text{NMe}_2(\text{CH}_2)_2\text{NMe}_2\}](\text{LiCp}'(\text{TMEDA}))$ (M.F. Lappert, A. Singh, L.M. Engelhardt, A.H. White), 271

Molybdenum

Nitrosylmolybdenum complexes as precatalysts in olefin metathesis (K. Seyferth, R. Taube), 191

Tetracarbonyl-molybdenum and -tungsten binuclear radical complexes with bridging N-heterocycles and Group VA

- ligands, ESR evidence for *cis*-configuration of (W. Kaim), 171
- Trichloronitrosylmolybdenum(II) and dichlorodinitrosylmolybdenum(0) complexes, reactions with EtAlCl_2 of (K. Seyferth, R. Taube), 179
- Tris(diphenylphosphino)methane complexes with transition metals, (J.T. Mague, S.E. Dessens), 347
- ### Nickel
- Nickel(II) complexes, reaction behaviour of 2-butyne with *sec*-amines and carbon monoxide in (H. Hoberg, F.J. Fañanás), C24
- Tetraarsenic trisulphide, cleavage by nickel moieties of (P. Stoppioni, M. Peruzzi), C5
- ### Osmium
- $(\mu_2\text{-H})\text{Os}_2\text{SW}(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_{11}$ pyramidal cluster, trapped synthesis and X-ray structure of (G. Süss-Fink, U. Thewalt, H.-P. Klein), 315
- $\text{Os}_6(\text{CO})_{14}(\mu_2\text{-PPh}_2)_2(\mu_2\text{-S})_2(\mu_4\text{-S})$, synthesis and crystal and molecular structure of (R.D. Adams, I.T. Horváth, B.E. Segmüller), 243
- ### Palladium
- Mixed metal clusters with 3 or 4 different metals containing the $\text{Ph}_2\text{PCH}_2\text{PPh}_2$ (dppm) ligand, synthesis of (P. Braunstein, C. de Méric de Bellefon, M. Ries), C14
- Palladium(0) and palladium(II) as catalysts in rearrangements of (*E,Z*)-4-acetyl[^{17}O]oxyhepta-2,5-diene, mechanistic deductions from observations by ^{17}O NMR spectroscopy (E. Curzon, B.T. Golding, C. Pierpont, B.W. Waters), 263
- 2-(1-Pyrrolyl)pyridine, cyclometallation of the pyrrole ring with palladium(II) and rhodium(II) in (M. Nonoyama), 407
- ### Phosphorus
- Acyl ligands, elaboration of; preparation and reactivity of the anion $[(\eta^5\text{-C}_5\text{H}_5)\text{-Fe}(\text{CO})(\text{PPh}_2)(\text{COCH}_3)]^-$ (N. Aktogu, H. Felkin, G.J. Baird, S.G. Davies, O. Watts), 49
- Carbonylvandium complexes, ^{51}V NMR spectroscopic investigation of vanadium-metal bonds in (R. Talay, D. Rehder), 25
- Chlorocarbonylrhodium(I) complexes containing 1,3-di-*t*-butyl-2,4-dihalo-cyclodiphosphazanes (PXN-t-Bu)₂ (X = Cl, F) and related ligands, synthesis and ^{31}P NMR spectra of (J.C.T.R. Burckett St. Laurent, J. Sinclair, J.F. Nixon), 379
- Cyclopentadienyl(methoxyethenyl)bis-(trimethylphosphine)iron, $\text{Cp}(\text{Me}_3\text{P})_2\text{-Fe-C(OMe)=CH}_2$, "ylidic" reactivity of, proton abstraction from and carbon disulphide addition to (G. Grötsch, W. Malisch), C38
- Cyclopentadienyl-, pentamethylcyclopentadienyl- and alkylethenyl-trialkylphosphine-copper and -gold complexes, synthesis and properties of; crystal structure of $\text{C}_5\text{H}_5\text{AuPPr-i}_3$ (H. Werner, H. Otto, T. Ngo-Khac, C. Burschka), 123
- Diorganophosphinoalkyl dimethyltin chloride, synthesis, structure and reactivity of (W. Weichmann), 279
- Homoleptic isocyanide complexes, $[\text{Re}(\text{CNR})_6]\text{PF}_6$ (R = Me, Ph, 4-MeC₆H₄), vibrational spectra of (C.J. Cameron, R.A. Walton, D.A. Edwards), 335
- Mixed metal clusters with 3 or 4 different metals containing the $\text{Ph}_2\text{PCH}_2\text{PPh}_2$ (dppm) ligand, synthesis of (P. Braunstein, C. de Méric de Bellefon, M. Ries), C14
- Nitrosylmolybdenum complexes as precatalysts in olefin metathesis (K. Seyferth, R. Taube), 191
- $\text{Os}_6(\text{CO})_{14}(\mu_2\text{-PPh}_2)_2(\mu_2\text{-S})_2(\mu_4\text{-S})$, synthesis and crystal and molecular structure of (R.D. Adams, I.T. Horváth, B.E. Segmüller), 243
- Tetraarsenic trisulphide, cleavage by nickel moieties of (P. Stoppioni, M. Peruzzi), C5
- cis*-Tetracarbonylhydrogenbis(diphenylphosphinito-*P*)manganese(I), $(\text{CO})_4\text{Mn}[(\text{P}(\text{C}_6\text{H}_5)_2\text{O})_2\text{H}]$, unsymmetrical hydrogen bridge in (R. Fawzi, W. Hiller, I.-P. Lorenz, J. Mohyla, C. Zeiher), C43
- Tetracarbonyl-molybdenum and -tungsten binuclear radical complexes with bridging N-heterocycles and Group VA ligand, ESR evidence for *cis*-configuration of (W. Kaim), 171

Trichloronitrosylmolybdenum(II) and dichlorodinitrosylmolybdenum(0) complexes, reactions with EtAlCl_2 of (K. Seyferth, R. Taube), 179

Tris(diphenylphosphino)methane complexes with transition metals, (J.T. Mague, S.E. Dessens), 347

Platinum

Mixed metal clusters with 3 or 4 different metals containing the $\text{Ph}_2\text{PCH}_2\text{PPh}_2$ (dppm) ligand, synthesis of (P. Braunstein, C. de Méric de Bellefon, M. Ries), C14

Platinum(II) complexes with neutral oxygen ligands, photochemical synthesis of; equilibrium of *cis*- and *trans*-di- μ -chlorodichlorobis(trimethyl-2,4,6-pyridinedi)platinum(II) (J. Aufret, P. Courtot, R. Pichon, R. Rumin, J.Y. Salaun), C19

Potassium

Allyl-alkali-metal compounds, ^{13}C NMR investigation of the geometry of (H. Ahlbrecht, K. Zimmerman, G. Boche, G. Decher), 1

Rhenium

Homoleptic isocyanide complexes, $[\text{Re}(\text{CNR})_6]\text{PF}_6$ ($\text{R} = \text{Me}, \text{Ph}, 4\text{-MeC}_6\text{H}_4$), vibrational spectra of (C.J. Cameron, R.A. Walton, D.A. Edwards), 335

Rhodium

Chlorocarbonylrhodium(I) complexes containing 1,3-di-*t*-butyl-2,4-dihalocycloelodiphosphazanes ($\text{PXN-}t\text{-Bu}$)₂ ($\text{X} = \text{Cl}, \text{F}$) and related ligands, synthesis and ^{31}P NMR spectra of (J.C.T.R. Burckett St. Laurent, J. Sinclair, J.F. Nixon), 379

Dinuclear rhodium, iridium and iron complexes, theoretical semi-empirical study of concerted oxidative additions to (A. Sevin, Yu. Hengtai, P. Chaquin), 392

2-Formylnorbornadienecyclopentadienylrhodium dialkylacetals, $[\text{Rh}(\eta^5\text{-5,6-}\eta^3\text{-2,3,8-C}_6\text{H}_7\text{-2-CHOR})(\eta^5\text{-C}_5\text{H}_5)]^+ \text{An}^-$, as key intermediates in the synthesis and hydrolysis of (I.T. Chizhevsky,

N.E. Kolobova, N.V. Rastova, V.F. Sizoi, P.V. Petrovskii, V.G. Andrianov, Yu.T. Struchkov), 81

α -Ketodiazalkanes, addition and cyclisation reactions with the metal-metal double bonds of carbonylmetal compounds; formation of metallacyclic structures (W.A. Herrmann, G.W. Kriechbaum, C. Bauer, B. Koumbouris, H. Pfisterer, E. Guggolz, M.L. Ziegler), 89

2-(1-Pyrrolyl)pyridine, cyclometallation of the pyrrole ring with palladium(II) and rhodium(II) in (M. Nonoyama), 407

Rhodium(II) pivalate, reaction of ethyldiazoacetate with haloethylenes in the presence of (D.J. Milner), 85

Tris(diphenylphosphino)methane complexes with transition metals, (J.T. Mague, S.E. Dessens), 347

Ruthenium

Bis(cyclopentadienyldicarbonylruthenium), $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Ru}(\text{CO})_2]_2$, synthesis of and methylene addition to (W.A. Herrmann, J.L. Hubbard), C46

Heteropentametallic clusters containing three different metals, $\text{MCo}_3(\text{CO})_{12}\text{M}'\text{L}$ ($\text{M} = \text{Fe}, \text{Ru}; \text{M}' = \text{Cu}, \text{Ag}$), synthesis of (P. Braunstein, J. Rosé), 223

Iron and ruthenium electron-rich η^1 -cyano complexes, preparation and properties of (G.J. Baird, S.G. Davies), 215

Metallocenylpyrazolines, asymmetric induction in the synthesis of (V.N. Postnov, V.G. Andrianov, Yu.T. Struchkov, A.M. Baran, V.A. Sazonova), 201

Selenium

Metallaselenaferrocenophanes, $\text{Fe}(\eta^5\text{-C}_5\text{H}_5\text{Se})_2\text{M}(\eta^5\text{-C}_5\text{H}_5\text{R})_2$ ($\text{M} = \text{Zr}, \text{Hf}$), synthesis and variable temperature ^1H NMR of (B. Gautheron, G. Tainturier), C30

Tetraarsenic trisulphide, cleavage by nickel moieties of (P. Stoppioni, M. Peruzzi), C5

Silicon

Carbonylvandium complexes, ^{51}V NMR spectroscopic investigation of vanadium-metal bonds in (R. Talay, D. Rehder), 25

- Group IVB tetraphenyl derivatives, UV gas-phase photo-electron spectra of (I. Novak, A.W. Potts), 17
- α -Ketodiazalkanes, addition and cyclisation reactions with the metal-metal double bonds of carbonylmetal compounds; formation of metallacyclic structures (W.A. Herrmann, G.W. Kriechbaum, C. Bauer, B. Koumbouris, H. Pfisterer, E. Guggolz, M.L. Ziegler), 89
- Metallaselenaferrocenophanes, $\text{Fe}(\eta^5\text{-C}_5\text{H}_4\text{Se})_2\text{M}(\eta^5\text{-C}_5\text{H}_4\text{R})_2$ (M = Zr, Hf), synthesis and variable temperature ^1H NMR of (B. Gautheron, G. Tainturier), C30
- Monocyclic organotri- and organotetra-stibanes, synthesis of $[(\text{Me}_2\text{Si})_n\text{CHSb}]_n$ ($n = 3, 4$) (H.J. Breunig, A. Soltani-Neshan), C27
- Simplest metallocene derivative; X-ray structure of $[\text{Li}\{\eta\text{-C}_5\text{H}_4(\text{SiMe}_3)\}\{\text{NMe}_2(\text{CH}_2)_2\text{NMe}_2\}]\{\text{LiCp}'(\text{TMEDA})\}$ (M.F. Lappert, A. Singh, L.M. Engelhardt, A.H. White), 271
- Trimethylsilylurethanes of the type $\text{Me}_3\text{Si}(p\text{-XC}_6\text{H}_4)\text{NCOEt}$ (X = Cl, H, Me), activation parameters for hydrolysis of (K. Hänig, H. Grosse-Ruyken, K. Rühlmann), 143
- Silver**
- Heteropentametallic clusters containing three different metals, $\text{MCo}_3(\text{CO})_{12}\text{M}'\text{L}$ (M = Fe, Ru; M' = Cu, Ag), synthesis of (P. Braunstein, J. Rosé), 223
- Sulphur**
- $\text{Cp}_2\text{Fe}_2(\text{CO})_{4-x}(\text{CS})_x$ ($x = 1, 2$), preparation, structure and fluxional behaviour of isonitrile derivatives of (J.A.S. Howell, P. Mathur, R. Kumar, A.R. Manning, F.S. Stephens), 227
- Cyclopentadienyl(methoxyethenyl)bis(trimethylphosphine)iron, $\text{Cp}(\text{Me}_3\text{P})_2\text{Fe}-\text{C}(\text{OMe})=\text{CH}_2$, "ylidic" reactivity of, proton abstraction from and carbon disulphide addition to (G. Grötsch, W. Malisch), C38
- $(\mu_2\text{-H})\text{Os}_3\text{SW}(\eta^5\text{-C}_5\text{H}_4)(\text{CO})_{11}$ pyramidal cluster, trapped synthesis and X-ray structure of (G. Süß-Fink, U. Thewalt, H.-P. Klein), 315
- Metallaselenaferrocenophanes, $\text{Fe}(\eta^5\text{-C}_5\text{H}_4\text{Se})_2\text{M}(\eta^5\text{-C}_5\text{H}_4\text{R})_2$ (M = Zr, Hf), synthesis and variable tempera-

- ture ^1H NMR of (B. Gautheron, G. Tainturier), C30
- $\text{Os}_3(\text{CO})_{14}(\mu_2\text{-PPH}_2)_2(\mu_3\text{-S})_2(\mu_4\text{-S})$, synthesis and crystal and molecular structure of (R.D. Adams, I.T. Horváth, B.E. Segmüller), 243
- Pentacarbonyl-chromium(0) and -tungsten(0) complexes of 2,4,6-trithiaheptane and 2,4,6,8-tetrathianonane, dynamic NMR study of (E.W. Abel, M.A.Z. Chowdhury, K.G. Orrell, V. Šik), 293
- Pentacarbonyliron in reaction with ethylenetrithiocarbonate; structure of $[\text{Fe}_3(\text{CO})_9\{\overline{\text{CS}(\text{CH}_2)_2\text{S}}\}_3\text{S}]$ containing a μ_2 -dithiocarbene ligand (G.J. Kruger, L. Linford, H.G. Raubenheimer, A.A. Chalmers), 69
- Tetraarsenic trisulphide, cleavage by nickel moieties of (P. Stoppioni, M. Peruzzi), C5
- Trichloronitrosylmolybdenum(II) and dichlorodinitrosylmolybdenum(0) complexes, reactions with EtAlCl_2 of (K. Seyferth, R. Taube), 179

Tellurium

- Bis(4-hydroxy-3-methylphenyl)tellurium-(IV) dichloride, crystalline β -isomer, X-ray study of (R.H. Jones, T.A. Hamor), 151

Tin

- Carbonylvanadium complexes, ^{51}V NMR spectroscopic investigation of vanadium-metal bonds in (R. Talay, D. Rehder), 25
- Diorganophosphinoalkyl dimethyltin chloride, synthesis, structure and reactivity of (H. Weichmann), 279
- Group IVB tetraphenyl derivatives, UV gas-phase photo-electron spectra of (I. Novak, A.W. Potts), 17
- Metallaselenaferrocenophanes, $\text{Fe}(\eta^5\text{-C}_5\text{H}_4\text{Se})_2\text{M}(\eta^5\text{-C}_5\text{H}_4\text{R})_2$ (M = Zr, Hf), synthesis and variable temperature ^1H NMR of (B. Gautheron, G. Tainturier), C30
- Titanium**
- Bis-benzyl- and bis-allyl-titanium(III) and -vanadium(III), synthesis and characterisation of; catalytic isomerisation of alkenes with $\text{C}_2\text{H}_5\text{V}(\eta^5\text{-C}_5\text{H}_5)_2$ (J. Nieman, J.W. Pattiasina, J.H. Teuben), 157

Tungsten

- Cyclopentadienyl(methoxyethenyl)bis-(trimethylphosphine)iron, $\text{Cp}(\text{Me}_3\text{P})_2\text{Fe}-\text{C}(\text{OMe})=\text{CH}_2$, "ylidic" reactivity of, proton abstraction from and carbon disulphide addition to (G. Grötsch, W. Malisch), C38
- $(\mu_2\text{-H})\text{Os}_2\text{SW}(\eta^5\text{-C}_5\text{H}_5)(\text{CO})_{11}$ pyramidal cluster, trapped synthesis and X-ray structure of (G. Süss-Fink, U. Thewalt, H.-P. Klein), 315
- Pentacarbonyl-chromium(0) and -tungsten(0) complexes of 2,4,6-trithiaheptane and 2,4,6,8-tetrathianonane, dynamic NMR study of (E.W. Abel, M.A.Z. Chowdhury, K.G. Orrell, V. Šik), 293
- Tetracarbonyl-molybdenum and -tungsten binuclear radical complexes with bridging N-heterocycles and Group VA ligands, ESR evidence for *cis*-configuration of (W. Kaim), 171

Vanadium

- Bis-benzyl- and bis-allyl-titanium(III) and -vanadium(III), synthesis and characterisation of; catalytic isomerisation of alkenes with $\text{C}_5\text{H}_5\text{V}(\eta^5\text{-C}_5\text{H}_5)_2$ (J. Nieman, J.W. Pattiasina, J.H. Teuben), 157
- Carbonylvanadium complexes, ^{51}V NMR spectroscopic investigation of vana-

dium-metal bonds in (R. Talay, D. Rehder), 25

Ytterbium

- Ferrocene and cymantrene derivatives of divalent ytterbium, synthesis and ^1H NMR spectra of (G.Z. Suleimanov, P.V. Petrovskii, Yu.S. Bogachev, I.L. Zhuravleva, E.I. Fedin, I.P. Beletskaya), C35

Zirconium

- Metallaselenaferrocenophanes, $\text{Fe}(\eta^5\text{-C}_5\text{H}_4\text{Se})_2\text{M}(\eta^5\text{-C}_5\text{H}_4\text{R})_2$ (M = Zr, Hf), synthesis and variable temperature ^1H NMR of (B. Gautheron, G. Tainturier), C30

Book reviews

- Landolt-Börnstein. Numerical data and functional relationships in science and technology. New series. Group III: Crystal and solid state physics. Vol. 7. Crystal structure of inorganic compounds, Part b, Key elements O, S, Se, Te; Part b3, Key elements S, Se, Te; by W. Pies and A. Weiss (C. Eaborn), C9
- Metal carboxylates; by R.C. Mehrotra and R. Bohra (M.F. Lappert), C9
- Organic photochemistry: Vol. 6; edited by A. Padwa (F. McCapra), C8