

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 256 (1983)

SUBJECT INDEX

Antimony

Cyclopentadienylnickel cations with $R_2E-E'R_2$ as structural ligand ($E, E' = P, As, Sb$) (N. Kuhn, M. Winter), C5

Arsenic

Cyclopentadienylnickel cations with $R_2E-E'R_2$ as structural ligand ($E, E' = P, As, Sb$) (N. Kuhn, M. Winter), C5

Bismuth

Metallochiral triorganobismuthines, synthesis of (P. Bras, A. van der Gen, J. Wolters), C1

Boron

Arylboronic acids with intramolecular B—N interaction, synthesis through *ortho*-lithiation of substituted benzylamines (M. Lauer, G. Wulff), 1

Bis(η^5 -1,2-azaborolinyl)cobalt sandwich complexes, oxidation reactions of (G. Schmid, U. Höhner, D. Kampmann, D. Zaika, R. Boese), 225

3-Borolenes, catalytic olefin isomerisation of (G.E. Herberich, B. Hessner, D. Söhnen), C23

Chromium

Arenetricarbonyl-chromium, -manganese and -iron, dependence of electrophilicity of coordinated cyclic π -hydrocarbons on the metal in (Y.K. Chung, E.D. Honig, D.A. Schweigart), 277

Bis[cyclopentadienyl(t-butoxy)chromium]-iron tetracarbonyl antiferromagnetic cluster containing a Cr₂Fe metallacycle, synthesis and molecular structure of (I.L. Eremenko, A.A. Pasynskii, Yu.V. Rakitin, O.G. Ellert, V.M. Novotortsev, V.T. Kalinnikov,

V.E. Shklover, Yu.T. Struchkov), 291

Metal—metal heterodinuclear double bonds, access by high-yield coupling reactions to (W.A. Herrmann, C.E. Barnes, R. Serrano, B. Koumbouris), C30

Pentacarbonyl(phenylthiophenylselenido)-chromium, molecular structure of (D. Neugebauer, U. Schubert), 43

Sulphur dioxide electron-rich complexes, synthesis, structure and isomerisation of (W.A. Schenk, F.-E. Baumann), 261

Tetramethylethylene-bridged chromocene carbonyl stable complex, $(CH_3)_4C_2(C_5H_4)_2Cr(CO)$, synthesis and molecular structure of (H. Schwemlein, L. Zsolnai, G. Huttner, H.H. Brintzinger), 285

Triethylaluminium, interaction with acetyl-acetonates of transition metals of (F.K. Schmidt, G.V. Ratovskii, T.V. Dmitrieva, I.N. Ivleva, Yu.G. Borodko), 309

Cobalt

Bis(η^5 -1,2-azaborolinyl)cobalt sandwich complexes, oxidation reactions of (G. Schmid, U. Höhner, D. Kampmann, D. Zaika, R. Boese), 225

Carbonylcobalt(I) substituted complexes, synthesis and ³¹P NMR characterisation of (N. España, P. Gomez, P. Royo, A. Vazquez De Miguel), 141

[(η^5 -C₅Me₅)M(μ -CO)]_n (M = Rh, Co), addition of alkynes under formation of metallacyclic structures to (W.A. Herrmann, C. Bauer, A. Schäfer), 147

Metal—metal heterodinuclear double bonds, access by high-yield coupling reactions to (W.A. Herrmann, C.E. Barnes, R. Serrano, B. Koumbouris), C30

Triethylaluminium, interaction with acetyl-acetonates of transition metals of (F.K. Schmidt, G.V. Ratovskii, T.V. Dmitrieva, I.N. Ivleva, Yu.G. Borodko), 309

Copper

Allenylcopper(I) compounds, use in synthesis of 2-alkynylsulphinamides and 2,5-dihydroisothiazole S-oxides of (K. Ruitenberg, P. Vermeer), 175

Stereoselective addition of organocuprates to a chiral α - β ethylene oxazolidine, mechanism, nature and reactivity of the intermediates in (J. Berlan, Y. Besace, G. Pourcelot, P. Cresson), 181

(I.L. Eremenko, A.A. Pasynskii,
Yu.V. Rakitin, O.G. Ellert,

V.M. Novotortsev, V.T. Kalinnikov,
V.E. Shklover, Yu.T. Struchkov), 291

Carbonyliron-carbonylmolybdenum-fluorophosphine complex, $(CO)_4FeP-[N(C_6H_5)PF_2]_3Mo(CO)_3$, synthesis of (R.B. King, M. Shimura), 71

η^6 -Heterocycle- η^5 -cyclopentadienyliron hexafluorophosphates, ring-opening reactions of (C.C. Lee, A. Piorko, B.R. Steele, U.S. Gill, R.G. Sutherland), 303

Metal—metal heterodinuclear double bonds, access by high-yield coupling reactions to (W.A. Herrmann, C.E. Barnes, R. Serrano, B. Koumbouris), C30

Phosphaferrocenes and their protonated derivatives, Mössbauer studies on (B. Lukas, R.M.G. Roberts, J. Silver, A.S. Wells), 103

Triethylaluminium, interaction with acetylacetones of transition metals of (F.K. Schmidt, G.V. Ratovskii, T.V. Dmitrieva, I.N. Ivleva, Yu.G. Borodko), 309

Germanium

Hexakis(t-butylgermanium sesquioxide), new cluster compound (H. Puff, S. Franken, W. Schuh), 23

Triethylgermyl radicals, influence of the magnetic field on reactions of (M.B. Taraban, T.V. Leshina, K.M. Salikhov, R.Z. Sagdeev, Yu.N. Molin, O.I. Margorskaya, N.S. Vyazankin), 31

Metal—metal heterodinuclear double bonds, access by high-yield coupling reactions to (W.A. Herrmann, C.E. Barnes, R. Serrano, B. Koumbouris), C30

Phosphaferrocenes and their protonated derivatives, Mössbauer studies on (B. Lukas, R.M.G. Roberts, J. Silver, A.S. Wells), 103

Triethylaluminium, interaction with acetylacetones of transition metals of (F.K. Schmidt, G.V. Ratovskii, T.V. Dmitrieva, I.N. Ivleva, Yu.G. Borodko), 309

Iridium

Chlorocarbonyliridium derivatives, formation from powdered iridium, chlorine and carbon monoxide of (F. Canziani, M. Tuissi, M. Angoletta), 169

Metal—metal heterodinuclear double bonds, access by high-yield coupling reactions to (W.A. Herrmann, C.E. Barnes, R. Serrano, B. Koumbouris), C30

Lithium

Arylboronic acids with intramolecular B—N interaction, synthesis through *ortho*-lithiation of substituted benzylamines (M. Lauer, G. Wulff), 1

Magnesium

Metallochiral triorganobismuthines, synthesis of (P. Bras, A. van der Gen, J. Wolters), C1

Iron

Arenetricarbonyl-chromium, -manganese and -iron, dependence of electrophilicity of coordinated cyclic π -hydrocarbons on the metal in (Y.K. Chung, E.D. Honig, D.A. Schweigart), 277

(Benzylideneacetone)carbonylphosphine-iron(0) complexes, photolytic preparation of; molecular structures of $Fe(CO)_3(PEt_3)(BDA)$ and $Fe(CO)_3(PPhMe_2)(BDA)$ ($BDA =$ benzylideneacetone) (E.J.S. Vichi, P.R. Raithby, M. McPartlin), 111

Bis[cyclopentadienyl(t-butoxy)chromium]-iron tetracarbonyl antiferromagnetic cluster containing a Cr_2Fe metallacycle, synthesis and molecular structure of

Manganese

Arenetricarbonyl-chromium, -manganese and -iron, dependence of electrophilicity of coordinated cyclic π -hydrocarbons on the metal in (Y.K. Chung, E.D. Honig, D.A. Schweigart), 277

$(\eta^5-C_6H_5)Mn(CO)(Ph_2PCH_2CH_2PPh_2)$, formation of geometrical isomers during protonation of (B.V. Lokshin, M.G. Yezernitskaya), 89

Metal—metal heterodinuclear double bonds, access by high-yield coupling reactions to (W.A. Herrmann, C.E. Barnes, R. Serrano, B. Koumbouris), C30

Mercury

Mercurimethanes, $\text{CH}_{4-n}(\text{HgX})_n$ ($X = \text{Cl}, \text{Br}, \text{I}, \text{CN}, \text{SCN}$), UV spectra of (D.K. Breitinger, W. Kress), 217

Molybdenum(0) substituted carbonyl complexes, $\text{Mo}(\text{CO})_2(\text{PPh}_3)_2(\text{DAB})$ and $\text{Mo}(\text{CO})_4(\text{DAB})$ ($\text{DAB} = 1,4\text{-diazabutadiene}$), reactions with HgX_2 ($X = \text{Cl}, \text{I}, \text{SCN}$) and SnCl_4 of (M. Iglesias, A. Llorente, C. Del Pino, A. Santos), 75

Tetrakis(anionomercuri)methanes, IR, Raman and force field studies of (J. Mink, Z. Meić, M. Gál, B. Korpar-Colig), 203

Metallocenes

Bis(η^5 -1,2-azaborolinyl)cobalt sandwich complexes, oxidation reactions of (G. Schmid, U. Höhner, D. Kampmann, D. Zaika, R. Boese), 225

Phosphaferrocenes and their protonated derivatives, Mössbauer studies on (B. Lukas, R.M.G. Roberts, J. Silver, A.S. Wells), 103

Tetramethylethylen-bridged chromocene carbonyl stable complex, $(\text{CH}_3)_4\text{C}_2(\text{C}_2\text{H}_4)_2\text{Cr}(\text{CO})$, synthesis and molecular structure of (H. Schwemlein, L. Zsolnai, G. Huttner, H.H. Brintzinger), 285

Tricyclopentadienylvanadium, NMR spectroscopic investigation of η^1/η^5 -ligand exchange in (F.H. Köhler, W.A. Geike), C27

Molybdenum

Arenetricarbonyl-chromium, -manganese and -iron, dependence of electrophilicity of coordinated cyclic π -hydrocarbons on the metal in (Y.K. Chung, E.D. Honig, D.A. Schweigart), 277

Carbonyliron-carbonylmolybdenum-fluorophosphine complex, $(\text{CO})_4\text{FeP}[\text{N}(\text{C}_6\text{H}_5)\text{PF}_2]_3\text{Mo}(\text{CO})_3$, synthesis of (R.B. King, M. Shimura), 71

Dicarbonyl(η^4 -diene)bis(trimethylphosphite)-molybdenum(0) and -tungsten(0), dynamic behaviour of (S. Özkar, C.G. Kreiter), 57

Molybdenum(0) substituted carbonyl complexes, $\text{Mo}(\text{CO})_2(\text{PPh}_3)_2(\text{DAB})$ and $\text{Mo}(\text{CO})_4(\text{DAB})$ ($\text{DAB} = 1,4\text{-diazabuta-$

diene}), reactions with HgX_2 ($X = \text{Cl}, \text{I}, \text{SCN}$) and SnCl_4 of (M. Iglesias, A. Llorente, C. Del Pino, A. Santos), 75

Sulphur dioxide electron-rich complexes, synthesis, structure and isomerisation of (W.A. Schenk, F.-E. Baumann), 261

Nickel

Cyclopentadienylnickel cations with $\text{R}_2\text{E}-\text{E}'\text{R}_2$ as structural ligand ($\text{E}, \text{E}' = \text{P}, \text{As}, \text{Sb}$) (N. Kuhn, M. Winter), C5

Triethylaluminium, interaction with acetyl-acetonates of transition metals of (F.K. Schmidt, G.V. Ratovskii, T.V. Dmitrieva, I.N. Ivleva, Yu.G. Borodko), 309

Osmium

Arenetricarbonyl-chromium, -manganese and -iron, dependence of electrophilicity of coordinated cyclic π -hydrocarbons on the metal in (Y.K. Chung, E.D. Honig, D.A. Schweigart), 277

2-Methylimidazolyl-triosmium cluster complex, $(\mu\text{-H})\text{Os}_3(\text{CO})_{10}[\mu\text{-}3,4\text{-}\eta^2\text{-C}_3\text{N}_1\text{H}_2\text{-}(2\text{-CH}_3)]$, crystal structure of (M.R. Churchill, J.R. Missert), 349

Rhodium-triosmium heteronuclear cluster, $(\mu\text{-H})_2\text{Os}_3\text{Rh}(\text{CO})_9(\eta^6\text{-C}_6\text{H}_4\text{Me})$, structure of (M.R. Churchill, C. Bueno), 357

Palladium

Palladium-catalysed one-step synthesis of aromatic acids from aromatic compounds with carbon monoxide (Y. Fujiwara, I. Kawata, H. Sugimoto, H. Taniguchi), C35

Pentafluorophenyl binuclear palladium(I) derivatives, insertion vs. coordination of isocyanides in (R. Usón, J. Fornies, P. Espinet, F. Martínez, C. Fortuño, B. Menjón), 365

Triethylaluminium, interaction with acetyl-acetonates of transition metals of (F.K. Schmidt, G.V. Ratovskii, T.V. Dmitrieva, I.N. Ivleva, Yu.G. Borodko), 309

Phosphorus

$[\text{Ag}_2\text{Pt}_4(\mu_3\text{-S})_4(\text{PPh}_3)_6](\text{BF}_4)_2 \cdot 0.25\text{CHCl}_3$,

- synthesis and characterisation of (C.E. Briant, T.S.A. Hor, N.D. Howells, D.M.P. Mingos), C15
- Arenetricarbonyl-chromium, -manganese and -iron, dependence of electrophilicity of coordinated cyclic π -hydrocarbons on the metal in (Y.K. Chung, E.D. Honig, D.A. Schweigart), 277
- (Benzylideneacetone)carbonylphosphine-iron(0) complexes, photolytic preparation of; molecular structures of $\text{Fe}(\text{CO})_2(\text{PPh}_3)(\text{BDA})$ and $\text{Fe}(\text{CO})_2(\text{PPhMe}_2)(\text{BDA})$ (BDA = benzylideneacetone) (E.J.S. Vichi, P.R. Raithby, M. McPartlin), 111
- Carbonyliron-carbonylmolybdenum-fluorophosphine complex, $(\text{CO})_4\text{FeP}(\text{N}(\text{C}_6\text{H}_5)\text{PF}_2)_3\text{Mo}(\text{CO})_3$, synthesis of (R.B. King, M. Shimura), 71
- $(\eta^5\text{-C}_5\text{H}_5)\text{Mn}(\text{CO})(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)$, formation of geometrical isomers during protonation of (B.V. Lokshin, M.G. Yezernitskaya), 89
- Cyclopentadienylnickel cations with $\text{R}_2\text{E}-\text{E}'\text{R}_2$ as structural ligand ($\text{E}, \text{E}' = \text{P}, \text{As}, \text{Sb}$) (N. Kuhn, M. Winter), C5
- Cyclopentadienylruthenium complexes with chelating diamines and diolefins; crystal structures of $[\text{Ru}(\text{nbd})(\text{PPh}_3)(\eta^5\text{-C}_5\text{H}_5)]\text{ClO}_4$ and $[\text{Ru}(\{\eta^6\text{-C}_6\text{H}_5\}-\text{Ph}_2\text{PO})(\eta^5\text{-C}_5\text{H}_5)]\text{ClO}_4$; new mode of coordination of triphenylphosphine oxide (R. Usón, L.A. Oro, M.A. Ciriano, M.M. Naval, M.C. Apreda, C. Foces-Foces, F.H. Cano, S. García-Blanco), 331
- Dicarbonyl(η^4 -diene)bis(trimethylphosphite)-molybdenum(0) and -tungsten(0), dynamic behaviour of (S. Özkar, C.G. Kreiter), 57
- Molybdenum(0) substituted carbonyl complexes, $\text{Mo}(\text{CO})_2(\text{PPh}_3)_2(\text{DAB})$ and $\text{Mo}(\text{CO})_4(\text{DAB})$ ($\text{DAB} = 1,4$ -diazabutadiene), reactions with HgX_2 ($\text{X} = \text{Cl}, \text{I}, \text{SCN}$) and SnCl_4 of (M. Iglesias, A. Llorente, C. Del Pino, A. Santos), 75
- Phosphaferrocenes and their protonated derivatives, Mössbauer studies on (B. Lukas, R.M.G. Roberts, J. Silver, A.S. Wells), 103
- Platinum(I) complex containing bis(diphenylphosphino)methanide ligand, $[\text{Pt}_2(\text{PPh}_3)_2(\mu\text{-Ph}_2\text{PCHPPPh}_2)(\mu\text{-Ph}_2\text{PCH}_2\text{PPH}_2)]\text{[PF}_6]$; preparation and X-ray crystal structure of (M.P. Brown, A. Yavari, L. Manojlović-Muir, K.W. Muir), C19
- Sulphur dioxide electron-rich complexes, synthesis, structure and isomerisation of (W.A. Schenk, F.-E. Baumann), 261
- Tetracarbonylcobalt, role of the cation in reactions with $\text{RuCl}_3 \cdot x\text{H}_2\text{O}$ of; synthesis and molecular structure of $[\text{N}(\text{PPh}_3)_3\text{I}_2\text{[Ru}_4(\mu\text{-Cl})_4(\mu\text{-CO})_2(\text{CO})_6]$ (P. Braunstein, J. Rose, Y. Desausoy, J.-P. Mangeot), 125
- Tris(triphenylphosphine)-1,5-dimethyl-1,2,4,3-triazaphospholeplatinum(0), $[\text{Pt}(\text{PPh}_3)_3\text{P=NN(Me)C(Me)=N}]$, X-ray molecular structure of (J.G. Kraaijkamp, G. van Koten, K. Vrieze, D.M. Grove, E.A. Klop, A.L. Spek, A. Schmidpeter), 375
- ## Platinum
- $[\text{Ag}_2\text{Pt}_4(\mu\text{-S})_4(\text{PPh}_3)_8]\text{[BF}_4\text{]}_2 \cdot 0.25\text{CHCl}_3$, synthesis and characterisation of (C.E. Briant, T.S.A. Hor, N.D. Howells, D.M.P. Mingos), C15
- Platinum(I) complex containing bis(diphenylphosphino)methanide ligand, $[\text{Pt}_2(\text{PPh}_3)_2(\mu\text{-Ph}_2\text{PCHPPPh}_2)(\mu\text{-Ph}_2\text{PCH}_2\text{PPH}_2)]\text{[PF}_6]$; preparation and X-ray crystal structure of (M.P. Brown, A. Yavari, L. Manojlović-Muir, K.W. Muir), C19
- Tris(triphenylphosphine)-1,5-dimethyl-1,2,4,3-triazaphospholeplatinum(0), $[\text{Pt}(\text{PPh}_3)_3\text{P=NN(Me)C(Me)=N}]$, X-ray molecular structure of (J.G. Kraaijkamp, G. van Koten, K. Vrieze, D.M. Grove, E.A. Klop, A.L. Spek, A. Schmidpeter), 375
- ## Potassium
- Triethylgermyl radicals, influence of the magnetic field on reactions of (M.B. Taraban, T.V. Leshina, K.M. Salikhov, R.Z. Sagdeev, Yu.N. Molin, O.I. Margorskaya, N.S. Vyazankin), 31
- ## Rhenium
- Arenetricarbonyl-chromium, -manganese and -iron, dependence of electrophilicity of coordinated cyclic π -hydrocarbons on the metal in (Y.K. Chung, E.D. Honig, D.A. Schweigart), 277

Rhodium

- 3-Borolenes, catalytic olefin isomerisation of (G.E. Herberich, B. Hessner, D. Söhnen), C23
 $[(\eta^5\text{-C}_5\text{Me}_5)\text{M}(\mu\text{-CO})]_2$ ($\text{M} = \text{Rh, Co}$), addition of alkynes under formation of metallacyclic structures to (W.A. Herrmann, C. Bauer, A. Schäfer), 147

Ruthenium

- Arenetricarbonyl-chromium, -manganese and -iron, dependence of electrophilicity of coordinated cyclic π -hydrocarbons on the metal in (Y.K. Chung, E.D. Honig, D.A. Schweigart), 277
 Cyclopentadienylruthenium complexes with chelating diamines and diolefins; crystal structures of $[\text{Ru}(\text{nbd})(\text{PPh}_3)_3(\eta^5\text{-C}_5\text{H}_5)]\text{ClO}_4$ and $[\text{Ru}((\eta^6\text{-C}_6\text{H}_5)\text{Ph}_2)_2\text{PO}](\eta^5\text{-C}_5\text{H}_5)\text{ClO}_4$; new mode of coordination of triphenylphosphine oxide (R. Usón, L.A. Oro, M.A. Ciriano, M.M. Naval, M.C. Apreda, C. Foces-Foces, F.H. Cano, S. García-Blanco), 331
 Rhodium-triosmium heteronuclear cluster, $(\mu\text{-H})_3\text{Os}_3\text{Rh}(\text{CO})_9(\eta^6\text{-C}_6\text{H}_5\text{Me})$, structure of (M.R. Churchill, C. Bueno), 357
 Tetracarbonylcobalt, role of the cation in reactions with $\text{RuCl}_3 \cdot x\text{H}_2\text{O}$ of; synthesis and molecular structure of $[\text{N}(\text{PPh}_3)_2]_2[\text{Ru}_4(\mu\text{-Cl})_4(\mu\text{-CO})_2(\text{CO})_8]$ (P. Braunstein, J. Rose, Y. Desausoy, J.-P. Mangeot), 125
 Transition metal catalysed interaction of ethylene and alkyl formates (P. Isnard, B. Denise, R.P.A. Sneeden, J.M. Cognion, P. Durual), 135

Selenium

- Pentacarbonyl(phenylthiophenylselenido)-chromium, molecular structure of (D. Neugebauer, U. Schubert), 43

Silicon

- Bis(η^5 -1,2-azaborolinyl)cobalt sandwich complexes, oxidation reactions of (G. Schmid, U. Höhner, D. Kampmann, D. Zaika, R. Boese), 225

Silicon-containing cyclic polysulphides, mass spectrometric investigations of (A.I. Mikaya, E.A. Trusova, V.G. Zaikin, V.D. Tyurin, O.V. Kuz'min, A.V. Lebedev), 97

Tetramethyl-N,N'-bis(o-chlorophenyl)cyclodisilazane, conformation of (L. Párkányi, A. Szöllősy, L. Bíhátsi, P. Hencei, J. Nagy), 235

Trimethylsilylated N-alkyl-substituted carbamates, preparation and reactions of (D. Knausz, A. Meszticzký, L. Szakács, B. Csákári, K. Ujszászy), 11

Silver

$[\text{Ag}_2\text{Pt}_4(\mu_3\text{-S})_4(\text{PPh}_3)_8](\text{BF}_4)_2 \cdot 0.25\text{CHCl}_3$, synthesis and characterisation of (C.E. Briant, T.S.A. Hor, N.D. Howells, D.M.P. Mingos), C15

Sodium

Triethylgermyl radicals, influence of the magnetic field on reactions of (M.B. Taraban, T.V. Leshina, K.M. Salikhov, R.Z. Sagdeev, Yu.N. Molin, O.I. Margorskaya, N.S. Vyazankin), 81

Sulphur

$[\text{Ag}_2\text{Pt}_4(\mu_3\text{-S})_4(\text{PPh}_3)_8](\text{BF}_4)_2 \cdot 0.25\text{CHCl}_3$, synthesis and characterisation of (C.E. Briant, T.S.A. Hor, N.D. Howells, D.M.P. Mingos), C15

Allenylcopper(I) compounds, use in synthesis of 2-alkynylsulphinamides and 2,5-dihydroisothiazole S-oxides of (K. Ruitenberg, P. Vermeer), 175

Pentacarbonyl(phenylthiophenylselenido)-chromium, molecular structure of (D. Neugebauer, U. Schubert), 43

Silicon-containing cyclic polysulphides, mass spectrometric investigations of (A.I. Mikaya, E.A. Trusova, V.G. Zaikin, V.D. Tyurin, O.V. Kuz'min, A.V. Lebedev), 97

Tin

Allyltin reagents, reactions with perfluoroalkyl nitriles of (W.A. Nugent,

- B.E. Smart), C9
 1,1-Bis(trimethylstannyl)-1-alkenes, iodo-destannylation of (T.N. Mitchell, A. Amamria), 87
 1,3,2-Dioxastannolans, reactions with diacyl chlorides of; decarbonylation in the reaction with oxalyl chloride (A.G. Davies, P. Hua-De, J.A.-A. Hawari), 251
 Molybdenum(0) substituted carbonyl complexes, Mo(CO)₂(PPh₃)₂(DAB) and Mo(CO)₄(DAB) (DAB = 1,4-diazabutadiene), reactions with HgX₂ (X = Cl, I, SCN) and SnCl₄ of (M. Iglesias, A. Llorente, C. Del Pino, A. Santos), 75
 1,10-Phenanthrolinedichlorodi-n-butyltin, crystal structure of (P. Ganis, V. Peruzzo, G. Valle), 245

Tungsten

- Acetylene-carbene-tungsten stable complexes, synthesis and vibrational spectral characterisation of (H.G. Alt), C12
 Arenetricarbonyl-chromium, -manganese and -iron, dependence of electrophilicity of coordinated cyclic π -hydrocarbons on the metal in (Y.K. Chung, E.D. Honig, D.A. Schweigart), 277
 Dicarbonyl(η^4 -diene)bis(trimethylphosphite)-molybdenum(0) and -tungsten(0), dynamic behaviour of (S. Özkar, C.G. Kreiter), 57

Sulphur dioxide electron-rich complexes, synthesis, structure and isomerisation of (W.A. Schenk, F.-E. Baumann), 261

Uranium

Bis- and tris-cyclopentadienyl asymmetric and mixed uranium complexes, preparation of (A. Dormond), 47

Vanadium

Tricyclopentadienylvanadium, NMR spectroscopic investigation of η^1/η^5 -ligand exchange in (F.H. Köhler, W.A. Geike), C27

Zinc

Organozinc synthesis of *N,N*-disubstituted α -amino esters (M. Bourhis, J.-J. Bosc, R. Golse), 193

Book reviews

- Catalysis, science and technology, Vol. 4; edited by J.R. Anderson and M. Boudart (G.J. Leigh), C38
 Mechanisms of inorganic and organometallic reactions, Vol. 1; edited by M.V. Twigg (C. Eaborn), C37