

## JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 258 (1983)

## SUBJECT INDEX

## Arsenic

*1H-1,3-Benzazoles, metallation and substitution reactions of  $\lambda^3$ -As=C—N group in (J. Heinicke, A. Petrasch, A. Tzschach), 257*

## Boron

- 1-Boraadamantane, conversion to 1-aza-adamantane of (B.M. Mikhailov, E.A. Shagova), 131*
- 1,2,3,4-Tetrahydro-1,10-phenanthroline-boron and -silicon complexes, multi-nuclear magnetic resonance of (G. Klebe, K. Hensen, J. von Jouanne), 137*

## Chromium

- Alkenyl-chromium, -molybdenum and -tungsten complexes, cis/trans- and E/Z-isomerisation in (G. Grötsch, W. Malisch), 297*
- Carbonyl complexes as a mean to probe chelating ligand sites of phosphines on silica gel (M. Berglund, C. Andersson, R. Larsson), 195*
- Cyclopentadienyltricarbonylmethyl-chromium, -molybdenum and -tungsten functionally substituted derivatives (D.W. Macomber, M.D. Rausch), 331*
- Hexacarbonyltungsten and some phosphine derivatives,  $^{183}\text{W}$  NMR spectroscopy of (R.L. Keiter, D.G. Vander Velde), C34*
- Metal(0) carbonyl complexes with di-phosphanes R(X)PP(X)R (R = aryl, X = Br, I, H,  $\text{C}_4\text{H}_9$ ) as bridging ligands (A.-M. Hinke, A. Hinke, W. Kuchen), 307*
- Metal carbonyl, metal nitrosylcarbonyl and metal nitrosyl complexes of bis-(diphenylphosphino)amines (J. Ellermann, W. Wend), 21*
- Tricarbonyl-chromium, -molybdenum and -tungsten complexes of tropone, relative base strength of (K. Lal, N.T. Leckey, W.E. Watts), 205*

## Cobalt

- Alkylidene-cobalt complexes, synthesis, structures and reactions of (W.A. Herrmann, C. Bauer, J.M. Huggins, H. Pfisterer, M.L. Ziegler), 81*
- Metal carbonyl, metal nitrosylcarbonyl and metal nitrosyl complexes of bis-(diphenylphosphino)amines (J. Ellermann, W. Wend), 21*

## Germanium

- Phenaza(oxa-, thia-)elementines of Group IV, structure and intramolecular electronic effects in (V.K. Belsky, I.E. Saratov, V.O. Reikhsfeld, A.A. Simonenko), 283*

## Iridium

- [Ir(acac-C<sup>3</sup>)(CO)(phen)], synthesis and crystal structure of (L.A. Oro, D. Carmona, M.A. Esteruelas, C. Foces-Foces, F.H. Cano), 357*

## Iron

- Alkyne- and vinylidene-substituted homo- and hetero-metallic clusters, reactivity towards molecular hydrogen in homogeneous conditions of (M. Castiglioni, R. Giordano, E. Sappa), 217*
- (Cycloheptatriene)tricarbonyliron derivatives, intermolecular metal transfer reactions and metal hydride shift isomerisation in (Z. Goldschmidt, Y. Bakal, D. Hoffer, A. Eisenstadt, P.F. Lindley), 53*

- $^{57}\text{Fe}$  Mössbauer spectroscopy used in assigning types of iron carbonyl units in iron-containing clusters (R.P. Brint, M.P. Collins, T.R. Spalding, F.A. Deeney), C57*

- Metal carbonyl, metal nitrosylcarbonyl and metal nitrosyl complexes of bis-(diphenylphosphino)amines (J. Ellermann, W. Wend), 21*
- Organoiron thiolate complexes, alkylation of (P.M. Treichel, M.S. Schmidt, S.D. Koehler), 209*

**Thioetherthiol ligands and their iron(II), molybdenum(0) and molybdenum(II) carbonyl complexes, synthesis of** (D. Sellmann, U. Kleine-Kleffmann), 315

## Lithium

- 1*H*-1,3-Benzazarsoles, metallation and substitution reactions of  $\lambda^3$ -As=C—N group in** (J. Heinicke, A. Petrasch, A. Tzschach), 257
- $\alpha$ -Phosphoramidolithium substituted allylic carbanions as homoenolate reagents with benzophenone** (P. Coutrot, J.R. Dormoy, A. Moukimou), C25
- Trimethylsilyl groups, addition to guaiaculene of** (G. Felix, J. Dunoguès, M. Petraud, B. Barbe), C49

## Magnesium

- Vinyl- and allyl-titanium bonds, addition of ethylene to** (H. Lehmkuhl, E. Janssen, R. Schwickardi), 171

## Manganese

- Hydrosilylation catalysis via silyl manganese carbonyl complexes, thermal vs. photochemical activation** (S.L. Pratt, R.A. Faltynek), C5
- Trialkylphosphinedihalomanganese compounds, reversible binding of carbon monoxide in the solid state and in solution by** (C.A. McAuliffe, D.S. Barratt, C.G. Benson, A. Hosseiny, M.G. Little, K. Minten), 35
- Ruthenium-manganese complexes, unexpected phosphidobridged complex with metal—metal bond** (S. Sabo, B. Chaudret, D. Gervais), C19
- $\eta^6$ -Veratrolemanganese tricarbonyl tetrafluoroborate, preparation and reactivity of** (A.J. Pearson, I.C. Richards), C41

## Molybdenum

- Alkenyl-chromium, -molybdenum and -tungsten complexes, *cis/trans*- and *E/Z*-isomerisation in** (G. Grötsch, W. Malisch), 297
- Carbonyl complexes as a mean to probe chelating ligand sites of phosphines on silica gel** (M. Berglund, C. Andersson,

R. Larsson), 195

**Cyclopentadienyltricarbonylmethyl-chromium, -molybdenum and -tungsten functionally substituted derivatives** (D.W. Macomber, M.D. Rausch), 331

**Metal carbonyl, metal nitrosylcarbonyl and metal nitrosyl complexes of bis-(diphenylphosphino)amines** (J. Ellermann, W. Wend), 21

**Thioetherthiol ligands and their iron(II), molybdenum(0) and molybdenum(II) carbonyl complexes, synthesis of** (D. Sellmann, U. Kleine-Kleffmann), 315

**Tricarbonyl-chromium, -molybdenum and -tungsten complexes of tropone, relative base strength of** (K. Lal, N.T. Leckey, W.E. Watts), 205

## Neodymium

- Carbon dioxide fixation by lanthanide complexes** (M.N. Bochkarev, E.A. Fedorova, Yu.F. Radkov, S.Ya. Khorshev, G.S. Kalinina, G.A. Razuvayev), C29

## Nickel

**Alkyne- and vinylidene-substituted homo- and hetero-metallic clusters, reactivity towards molecular hydrogen in homogeneous conditions of** (M. Castiglioni, R. Giordano, E. Sappa), 217

**3-Methyl-2-yn-3-ol/Ni(COD)<sub>2</sub>/P system, ligand properties and catalysing effects of** (W. Hartmann, K.D. Preuss, H. Singer), 235

**$\pi$ -Methylenecyclopropanebis(triphenylphosphine)nickel, preparation and properties of** (L.S. Isaeva, T.A. Peganova, P.V. Petrovskii, D.B. Furman, S.V. Zotova, A.V. Kudryashev, O.V. Bragin), 367

**$P_4Se_3$  cage molecule as ligand; crystal structure of [ {N(CH<sub>2</sub>CH<sub>2</sub>PPH<sub>2</sub>)<sub>3</sub>}·Ni(P<sub>4</sub>Se<sub>3</sub>) ]·2C<sub>6</sub>H<sub>6</sub>** (M. Di Vaira, M. Peruzzini, P. Stoppioni), 373

## Niobium

**Bromodicylclopentadienylniobium complexes** (L. Acedo, A. Otero, P. Royo), 181

**Tricarbonylcyclopentadienylniobium derivatives containing a niobium—metal bond, preparation and <sup>93</sup>Nb NMR of** (I. Pforr, F. Näumann, D. Rehder), 189

## Palladium

- $\pi$ -Allylpalladium chloride complexes containing a cyclopropane ring, syntheses of (C.A. Horiuchi, J.Y. Satoh), C45
- Carbonylphosphinepalladium 10-vertex cluster with minimal P-n-Bu<sub>3</sub> content, synthesis and X-ray structure of (E.G. Mednikov, N.K. Eremenko, Yu.L. Slovokhotov, Yu.T. Struchkov, S.P. Gubin), 247
- Palladium-catalysed efficient arylation of alkenes with aryl bromides (A. Spencer), 101
- Pd( $\eta^2$ -CSe<sub>2</sub>)-, Pt( $\eta^2$ -CSe<sub>2</sub>)- and Pt( $\eta^2$ -CSSe) complexes with mono- and bi-dentate phosphorus ligands, synthesis of (H. Werner, M. Ebner), C52

## Phosphorus

- Alkenyl-chromium, -molybdenum and -tungsten complexes, *cis/trans*- and E/Z-isomerisation in (G. Grötsch, W. Malisch), 297
- Alkyldiene-cobalt complexes, synthesis, structure and reactions of (W.A. Herrmann, C. Bauer, J.M. Huggins, H. Pfisterer, M.L. Ziegler), 81
- 1*H*-1,3-Benzazoles, metallation and substitution reactions of  $\lambda^3$ -As=C—N group in (J. Heinicke, A. Petrasch, A. Tzschach), 257
- Buta-1,3-diene, reactions with ruthenium atoms of, synthesis of [RuL( $\eta^4$ -C<sub>4</sub>H<sub>6</sub>)<sub>2</sub>] (L = PF<sub>3</sub>, CO, (CH<sub>3</sub>)<sub>3</sub>CNC) (D. Minniti, P.L. Timms), C12
- Carbonyl complexes as a mean to probe chelating ligand sites of phosphines on silica gel (M. Berglund, C. Andersson, R. Larsson), 195
- Diphenyl(ethenylphenyl)phosphinedeca-carbonyltriruthenium, binuclear complex obtained from; isolation and X-ray structure of Ru<sub>2</sub>( $\mu$ - $\eta^1$ , $\eta^3$ -MeCC<sub>6</sub>H<sub>4</sub>PPh<sub>2</sub>)(CO), (M.I. Bruce, M.L. Williams, B.K. Nicholson), 63
- Hexacarbonyltungsten and some phosphine derivatives, <sup>183</sup>W NMR spectroscopy of (R.L. Keiter, D.G. Vander Velde), C34
- Metal(0) carbonyl complexes with di-phosphanes R(X)PP(X)R (R = aryl,

- X = Br, I, H, C<sub>4</sub>H<sub>9</sub>) as bridging ligands (A.-M. Hinke, A. Hinke, W. Kuchen), 307
- Metal carbonyl, metal nitrosylcarbonyl and metal nitrosyl complexes of bis-(diphenylphosphino)amines (J. Ellermann, W. Wend), 21
- 3-Methylbut-2-yn-3-ol/Ni(COD)<sub>2</sub>/P system, ligand properties and catalysing effects of (W. Hartmann, K.D. Preuss, H. Singer), 235
- $\pi$ -Methylenecyclopropanebis(triphenylphosphine)nickel, preparation and properties of (L.S. Isaeva, T.A. P. Peganova, P.V. Petrovskii, D.B. Furman, S.V. Zotova, A.V. Kudryashev, O.V. Bragin), 357
- Monoalkylplatinum(II) complexes with tertiary phosphine ligands, mechanism of thermolysis of; methyl radical elimination from *trans*-Pt(I)(CD<sub>3</sub>)[P(CH<sub>3</sub>)<sub>2</sub>]<sub>2</sub> (A. Morillo, A. Turco), 383
- Pd( $\eta^2$ -CSe<sub>2</sub>)-, Pt( $\eta^2$ -CSe<sub>2</sub>)- and Pt( $\eta^2$ -CSSe) complexes with mono- and bi-dentate phosphorus ligands, synthesis of (H. Werner, M. Ebner), C52
- Phosphinylketenyltungsten complex,  $\eta^5$ -C<sub>5</sub>H<sub>5</sub>(CO)[P(CH<sub>3</sub>)<sub>3</sub>]ClW[O=C—C(C<sub>6</sub>H<sub>4</sub>CH<sub>3</sub>)P(CH<sub>3</sub>)<sub>2</sub>],  $\gamma$ -lactone formation with (M. Wolfgruber, F.R. Kreissl), C9
- $\alpha$ -Phosphoramidolithium substituted allylic carbanions as homoenolate reagents with benzophenone (P. Coutrot, J.R. Dormoy, A. Moukimou), C25
- P<sub>4</sub>Se<sub>8</sub> cage molecule as ligand; crystal structure of [ {N(CH<sub>2</sub>CH<sub>2</sub>PPH<sub>2</sub>)<sub>3</sub>}·Ni(P<sub>4</sub>Se<sub>8</sub>) ] · 2C<sub>6</sub>H<sub>6</sub> (M. Di Vaira, M. Peruzzini, P. Stoppioni), 373
- Thiocarbonylruthenium(II) complexes; synthesis of RuCl<sub>2</sub>(CS)(H<sub>2</sub>O)(PPh<sub>3</sub>)<sub>2</sub> and RuHCl(CS)(PPh<sub>3</sub>)<sub>3</sub> (P.J. Brothers, W.R. Roper), 73
- Thioetherthiol ligands and their iron(II), molybdenum(0) and molybdenum(II) carbonyl complexes, synthesis of (D. Sellmann, U. Kleine-Kleffmann), 315
- Triorganotin(IV) O,O-alkylene dithiophosphates, preparation of (R.J. Rao, G. Srivasta, R.C. Mehrotra), 155
- Platinum
- Bis(pentafluorophenyl)platinum and its adducts with ketones, arenes and water

- (G. Lopez, G. Garcia, J. Galvez, N. Cutillas), 123
- Halogenotrimethylplatinum complexes of 2,4,6-trithiaheptane, NMR pyramidal atomic inversion and other intramolecular rearrangements in (E.W. Abel, M.Z.A. Chowdhury, K.G. Orrell, V. Sik), 109
- Monoalkylplatinum(II) complexes, with tertiary phosphine ligands, mechanism of thermolysis of; methyl radical elimination from *trans*-Pt(I)(CD<sub>3</sub>)-[P(CH<sub>3</sub>)<sub>2</sub>]<sub>2</sub> (A. Morillo, A. Turco), 383
- Pd( $\eta^2$ -CSe<sub>2</sub>)-, Pt( $\eta^2$ -CSe<sub>2</sub>)- and Pt( $\eta^2$ -CSSe) complexes with mono- and bi-dentate phosphorus ligands, synthesis of (H. Werner, M. Ebner), C52
- ### Praseodymium
- Carbon dioxide fixation by lanthanide complexes (M.N. Bochkarev, E.A. Fedorova, Yu.F. Radkov, S.Ya. Khorshev, G.S. Kalinina, G.A. Razuvayev), C29
- ### Rhodium
- Hydroformylation of less reactive olefins with modified rhodium catalysts (P.W.N.M. van Leeuwen, C.F. Roobek), 343
- Rhodium vapour and cyclodienes, hydroformylation of cyclodienes to cycloalkenecarboxaldehydes using catalysts derived from (P. Salvadori, G. Vitulli, A. Raffaelli, R. Lazzaroni), 351
- ### Ruthenium
- Alkyne- and vinylidene-substituted homo- and hetero-metallic clusters, reactivity towards molecular hydrogen in homogeneous conditions of (M. Castiglioni, R. Giordano, E. Sappa), 217
- Buta-1,3-diene, reactions with ruthenium atoms of, synthesis of [RuL( $\eta^4$ -C<sub>4</sub>H<sub>6</sub>)<sub>2</sub>] (L = PF<sub>3</sub>, CO, (CH<sub>3</sub>)<sub>3</sub>CNC) (D. Minniti, P.L. Timms), C12
- ( $\eta^6$ -Cycloheptatriene)( $\eta^4$ -norbornadiene)-ruthenium(0), preparation and reaction with acetylene of (H. Nagashima, H. Matsuda, K. Itoh), C15
- Diphenyl(ethenylphenyl)phosphinedeca-
- carbonyltriruthenium, binuclear complex obtained from; isolation and X-ray structure of Ru<sub>2</sub>( $\mu$ -η<sup>1</sup>,η<sup>3</sup>-MeCC<sub>6</sub>H<sub>4</sub>PPPh<sub>2</sub>)-(CO)<sub>6</sub> (M.I. Bruce, M.L. Williams, B.K. Nicholson), 63
- Ruthenium-manganese complexes, unexpected phosphido-bridged complex with metal-metal bond (S. Sabo, B. Chaudret, D. Gervais), C19
- Triocarbonylruthenium(II) complexes; synthesis of RuCl<sub>3</sub>(CS)(H<sub>2</sub>O)-(PPh<sub>3</sub>)<sub>2</sub> and RuHCl(CS)(PPh<sub>3</sub>)<sub>3</sub> (P.J. Brothers, W.R. Roper), 73
- ### Selenium
- Pd( $\eta^2$ -CSe<sub>2</sub>)-, Pt( $\eta^2$ -CSe<sub>2</sub>)- and Pt( $\eta^2$ -CSSe) complexes with mono- and bi-dentate phosphorus ligands, synthesis of (H. Werner, M. Ebner), C52
- P<sub>4</sub>Se<sub>3</sub> cage molecule as ligand; crystal structure of [ {N(CH<sub>2</sub>CH<sub>2</sub>PPPh<sub>2</sub>)<sub>3</sub>} · Ni(P<sub>4</sub>Se<sub>3</sub>) ] · 2C<sub>6</sub>H<sub>6</sub> (M. Di Vaira, M. Peruzzini, P. Stoppioni), 373
- Telluro-1-chromenes, oxidation of (N. Dereu, M. Renson), 163
- ### Silicon
- Alkenyl-chromium, -molybdenum and -tungsten complexes, *cis/trans*- and E/Z-isomerization in (G. Grötsch, W. Malisch), 297
- 1H-1,3-Benzazarsoles, metallation and substitution reactions of λ<sup>3</sup>-As=C—N group in (J. Heinicke, A. Petrasch, A. Tzschach), 257
- Carbon dioxide fixation by lanthanide complexes (M.N. Bochkarev, E.A. Fedorova, Yu.F. Radkov, S.Ya. Khorshev, G.S. Kalinina, G.A. Razuvayev), C29
- Hydrosilylation catalysis via silyl-manganese carbonyl complexes, thermal vs. photochemical activation (S.L. Pratt, R.A. Faltynek), C5
- Octaallylsilsesquioxane, radiation sensitive substance, synthesis and investigation of (T.N. Martynova, V.P. Korchkov, P.P. Semyannikov), 277
- Phenaza(oxa-, thia)elementines of Group IV, structure and intramolecular electronic effects in (V.K. Belsky, I.E. Saratov, V.O. Reikhsfeld, A.A. Simonenko), 283
- Silicon-centred free radicals with a tri-

- (trimethylsilyl)methyl substituent, ESR study of (A.I. Al-Wassil, C. Eaborn, A. Hudson, R.A. Jackson), 271
- Silylene-metal complex, possible existence of (H. Nakatsuji, J. Ushio, T. Yonezawa), C1
- 1,2,3,4-Tetrahydro-1,10-phenanthroline-boron and -silicon complexes, multi-nuclear magnetic resonance of (G. Klebe, K. Hensen, J. von Jouanne), 137
- Trimethylsilyl groups, addition to guaiaculene of (G. Felix, J. Dunoguès, M. Petraud, B. Barbe), C49
- Triorganosilylsulphenyl halides, reactions with nucleophiles of (J. Kowalski, J. Chojnowski, J. Michalski), 1
- ### Sulphur
- Halogenotrimethylplatinum complexes of 2,4,6-trithiaheptane, NMR pyramidal atomic inversion and other intramolecular rearrangements in (E.W. Abel, M.Z.A. Chowdhury, K.G. Orrell, V. Šík), 109
- Organoiron thiolate complexes, alkylation of (P.M. Treichel, M.S. Schmidt, S.D. Koehler), 209
- Telluro-1-chromenes, oxidation of (N. Dereu, M. Renson), 163
- Thiocarbonylruthenium(II) complexes; synthesis of RuCl<sub>2</sub>(CS)(H<sub>2</sub>O)(PPh<sub>3</sub>)<sub>2</sub> and RuHCl(CS)(PPh<sub>3</sub>)<sub>3</sub> (P.J. Brothers, W.R. Roper), 73
- ### Tellurium
- Telluro-1-chromenes, oxidation of (N. Dereu, M. Renson), 163
- ### Tin
- Allylchlorotins as allylating agents of acyl chlorides (A. Gambaro, V. Peruzzo, D. Marton), 291
- Carbon dioxide fixation by lanthanide complexes (M.N. Bochkarev, E.A. Fedorova, Yu.F. Radkov, S.Ya. Khorshev, G.S. Kalinina, G.A. Razuvaeva), C29
- 2,2-Dibutyl-1,3,2-dioxastannolans, five-coordinate complexes of (A.G. Davies, A.J. Price), 7
- Neopentyl- and 1-methylcyclohexyl-methyl- and -chloro-tin compounds, preparation of (A.F. El-Farargy, W.P. Neumann), 15
- Phenaza(oxa-, thia-)elementines of Group IV, structure and intramolecular electronic effects in (V.K. Beisky, I.E. Saratov, V.O. Reikhsfeld, A.A. Simonenko), 283
- Triorganotin(IV) O,O-alkylene dithiophosphates, preparation of (R.J. Rao, G. Srivastava, R.C. Mehrotra), 155
- Triphenyltin(IV) carboxylates, <sup>13</sup>C and <sup>119</sup>Sn NMR study of (J. Holeček, K. Handlíř, M. Nádvorník, A. Lyčka), 147
- ### Titanium
- Vinyl- and allyl-titanium bonds, addition of ethylene to (H. Lehmkühl, E. Janssen, R. Schwickardi), 171
- ### Transition metals. General
- Simple topological model of a super-aromatic cluster and difficulties of the electron counting scheme (Yu.V. Slovokhotov, Yu.T. Struchkov), 47
- ### Tungsten
- Alkenyl-chromium, -molybdenum and -tungsten complexes, *cis/trans*- and E/Z-isomerisation in (G. Grötsch, W. Malisch), 297
- Carbonyl complexes as a mean to probe chelating ligand sites of phosphines on silica gel (M. Berglund, C. Andersson, R. Larsson), 195
- Cyclopentadienyltricarbonylmethyl-chromium, -molybdenum and -tungsten functionally substituted derivatives (D.W. Macomber, M.D. Rausch), 331
- Hexacarbonyltungsten and some phosphine derivatives, <sup>183</sup>W NMR spectroscopy of (R.L. Keiter, D.G. Vander Velde), C34
- Metal(0) carbonyl complexes with di-phosphanes R(X)PP(X)R (R = aryl, X = Br, I, H, C<sub>6</sub>H<sub>5</sub>) as bridging ligands (A.-M. Hinke, A. Hinke, W. Kuchen), 307
- Metal carbonyl, metal nitrosylcarbonyl and metal nitrosyl complexes of bis(diphenylphosphino)amines (J. Ellermann, W. Wend), 21
- Phosphinylketenetungsten complex,  $\eta^5\text{-C}_5\text{H}_5(\text{CO})[\text{P}(\text{CH}_3)_3]\text{ClW}[\text{O}=\text{C}=$

$\text{C}(\text{C}_6\text{H}_4\text{CH}_3)\text{P}(\text{CH}_3)_2$ ],  $\gamma$ -lactone formation with (M. Wolfgruber, F.R. Kreissl), C9  
Tricarbonyl-chromium, -molybdenum and -tungsten complexes of tropone, relative base strength of (K. Lal,

N.T. Leckey, W.E. Watts), 205  
Tungsten carbyne mononuclear complexes, proton-induced dimerisation and related reactions if (J.C. Jeffery, J.C.V. Laurie, I. Moore, F.G.A. Stone), C37