

- | | | |
|----------------------|------------------------------|---------------------|
| Röper, M., 95 | Soundararajan, R., 295 | Veszprémi, T., 41 |
| Rose, E., 317, C21 | Snow, M.R., 255 | Walton, R.A., 345 |
| | Spogliarich, R., 371 | Weiss, E., 179, 335 |
| Salema, M.S., 81 | Srinivasan, V.S., 295 | Weiss, G.A., 245 |
| Salerno, G., C35 | Suleimanov, G.Z., C5 | Weiss, K., C24 |
| Schaefer, D., C15 | Sweany, R.L., 327 | Werner, H., C41 |
| Schiemann, J., 179 | Sze, K.H., 123 | Wigley, D.E., 345 |
| Schumann, H., 305 | Teclé, B., 11 | Wild, R.E., 345 |
| Serwatowski, J., 269 | Teuben, J.H., 193 | Williams, M.L., 255 |
| Sharaev, O.K., 71 | Tinyakova, E.I., 71 | Wong, H.N.C., 123 |
| Sharma, R.D., 61 | Törös, S., 377 | Wood, T.E., 345 |
| Sharp, D.W.A., 231 | | |
| Siddiqui, K.F., 11 | | |
| Simões, J.A.M., 81 | Van den Aardweg, G.C.N., 159 | Yakovlev, V.A., 71 |
| Soboleva, T.V., 71 | Van Koten, G., 287 | |

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 255 (1983)

SUBJECT INDEX

Aluminium

Hydrolysis reaction mechanism of organo-aluminium compounds, ¹H NMR studies on the R₃Al/H₂O reaction in polar solvents (M. Bolesławski, J. Serwatowski), 269

Rhenium-based catalyst used in heterogeneous metathesis of unsaturated esters (R.H.A. Bosma, G.C.N. van den Aardweg, J.C. Mol), 159

Arsenic

η^2 -Acylcarbonylvanadium compounds, synthesis of (J. Schiemann, E. Weiss), 179

Boron

Aminoboration of phenyl isocyanate (R.H. Cragg, T.J. Miller), 143

Cyano and isocyano derivatives of boranes and the tetrahydroborate anion, preparation and properties of (B. Győri, J. Emri, I. Fehér), 17

Lanthanides of the type RLnI, carboranyl derivatives of (G.Z. Suleimanov, V.I. Bregadze, N.A. Koval'chuk, Kh.S. Khalilov, I.P. Beletskaya), C5

Tetrahydroborate copper(I) complexes, [(PR₃)₂Cu(η^2 -BH₄)] (R = Ph, Cy), re-

activity towards CO₂, COS, and SCNPh of (C. Bianchini, C.A. Ghilardi, A. Meli, S. Midollini, A. Orlandini), C27

Triethylborane, protonolysis with carboxylic acid of (H.C. Brown, N.C. Hébert), 135

Chromium

Arenechromium tricarbonyl complexes, recovery of chromium hexacarbonyl after nucleophilic reactions of (J.-C. (J.-C. Boutonnet, J. Levisalles, J.-M. Normant, E. Rose), C21

Group VI metal carbonyls containing the ligand bis(di-o-tolyl)phosphinomethane, preparation and properties of; crystal and molecular structure of dicarbonyl-bis(di-o-tolyl)phosphinomethane-chromium (G.R. Clark, P.W. Clark), 205

N-Methylindolechromium tricarbonyl, NMR and X-ray spectroscopic study of (J.-C. Boutonnet, J. Levisalles, E. Rose, G. Precigoux, C. Courseille, N. Platzer), 317

Cobalt

Cobalt-catalysed methanol homologation, intermediates in; labelling studies with deuterated methanol and methyl iodide (M. Röper, H. Loevenich), 95

Cobalt complexes with thioformaldehyde, selenoformaldehyde and dimethoxy-carboxyl ligands (L. Hofmann, H. Werner), C41

Metal carbonyl ions, evidence for a negative charge on hydrogen for (R.L. Sweany, J.W. Owens), 327

Copper

Bis(phenylethynyl)aurate(I) complex anion, prepared by ethynylation reactions using bis(phenylethynyl)cuprate(I) complex (O.M. Abu-Salah, A.R. Al-Ohaly), C39

Copper—carbon bond, insertion of form-aldehyde into (P. Leoni, M. Pasquali), C31

Lithium organocuprates in reaction with $\text{CH}_3\text{C}(-\text{O})\text{CH}=\text{CHCH}=\text{CHCH}_3$ (F. Barbot, A. Kadib-Elban, P. Miginiac), 1

Tetrahydroborate copper(I) complexes, $[(\text{PR}_3)_2\text{Cu}(\eta^2\text{-BH}_4)]$ ($\text{R} = \text{Ph}, \text{Cy}$), reactivity towards CO_2 , COS, and SCNPh of (C. Bianchini, C.A. Ghilardi, A. Meli, S. Midollini, A. Orlandini), C27

Tetrameric dibenzo[a,e]cyclooctatetraene-copper(I) chloride, synthesis and X-ray analysis of (T.C.W. Mak, H.N.C. Wong, K.H. Sze, L. Book), 123

Europium

Lanthanides of the type RLnI , carboranyl derivatives of (G.Z. Suleimanov, V.I. Bregadze, N.A. Koval'chuk, Kh.S. Khalilov, I.P. Beletskaya), C5

Gadolinium

Organolanthanide halides, preparation by oxidative addition by alkyl halides to metallic lanthanides of (B.A. Dolgoplosk, E.I. Tinyakova, I.N. Markevich, T.V. Soboleva, G.M. Chernenko, O.K. Sharaev, V.A. Yakovlev), 71

Germanium

Germanium-iron carbonyl clusters and germanium-iron-manganese carbonyl clusters, preparation and crystal structure of $\text{Ge}[\text{Fe}(\text{CO})_4]_4(2\text{Fe}-\text{Fe})$ and $\text{Ge}\{(\eta^5\text{-CH}_3\text{C}_5\text{H}_4)\text{Mn}(\text{CO})_2[\text{Fe}(\text{CO})_4]_3\}-(\text{Mn}-\text{Fe} + \text{Fe}-\text{Fe})$ (D. Melzer, E. Weiss), 335

$\text{Ge}\{(\eta^5\text{-CH}_3\text{C}_5\text{H}_4)\text{Mn}(\text{CO})_2[\text{Fe}(\text{CO})_4]_3\}-(\text{Mn}-\text{Fe} + \text{Fe}-\text{Fe})$ (D. Melzer, E. Weiss), 335

Main Group IV elements, relation between element NMR chemical shifts in (T.N. Mitchell), 279

Gold

Bis(phenylethynyl)aurate(I) complex an-ion, prepared by ethynylation reactions using bis(phenylethynyl)cuprate(I) complex (O.M. Abu-Salah, A.R. Al-Ohaly), C39

Holmium

Organolanthanide halides, preparation by oxidative addition by alkyl halides to metallic lanthanides of (B.A. Dolgoplosk, E.I. Tinyakova, I.N. Markevich, T.V. Soboleva, G.M. Chernenko, O.K. Sharaev, V.A. Yakovlev), 71

Iridium

Rhodium and iridium carbonyls and $[\text{Rh}(\text{diene})\text{L}_2]^+$ as catalysts in homogeneous catalytic reduction of benzal-acetone with carbon monoxide and water (J. Kaspar, R. Spogliarich, A. Cernogoraz, M. Graziani), 371

Iron

3,3-Bis(bromoethyl)-1,5-dithia[5](1,1')-ferrocenophane, synthesis and bridge reversal barrier of (B. Czech, A. Piorko, R. Annunziata), 365

N,N -Bis(trimethylsilyl)enamines, preparation via iron carbonyl photocatalysed isomerisation of unsaturated amines (R.J.P. Corriu, V. Huynh, J.J.E. Moreau, M. Pataud-Sat), 359

Germanium-iron carbonyl clusters and germanium-iron-manganese carbonyl clusters, preparation and crystal structure of $\text{Ge}[\text{Fe}(\text{CO})_4]_4(2\text{Fe}-\text{Fe})$ and $\text{Ge}\{(\eta^5\text{-CH}_3\text{C}_5\text{H}_4)\text{Mn}(\text{CO})_2[\text{Fe}(\text{CO})_4]_3\}-(\text{Mn}-\text{Fe} + \text{Fe}-\text{Fe})$ (D. Melzer, E. Weiss), 335

Metal carbonyl ions, evidence for a negative charge on hydrogen for (R.L. Sweany, J.W. Owens), 327

(μ_3 -Thio)(μ_3 -organophosphido)tris(tri-carbonyliron)(2Fe—Fe) complexes, synthesis and crystal structure of (E. Lindner, G.A. Weiss, W. Hiller, R. Fawzi), 245

Lead

Main Group IV elements, relation between element NMR chemical shifts in (T.N. Mitchell), 279

Lithium

Lanthanides of the type RLnI, carboranyl derivatives of (G.Z. Suleimanov, V.I. Bregadze, N.A. Koval'chuk, Kh.S. Khalilov, I.P. Beletskaya), C5

Lithium organocuprates in reaction with $\text{CH}_3\text{C}(=\text{O})\text{CH}=\text{CHCH}=\text{CHCH}_3$, (F. Barbot, A. Kadib-Elban, P. Miginiac), 1

Lutetium

Dicyclopentadienyl(alkyl)lutetinylmethinyltriorganophosphoranes, zwitterionic complexes, synthesis and NMR spectra of (H. Schumann, F.W. Reier, M. Dettlaff), 305

Magnesium

Lithium organocuprates in reaction with $\text{CH}_3\text{C}(=\text{O})\text{CH}=\text{CHCH}=\text{CHCH}_3$, (F. Barbot, A. Kadib-Elban, P. Miginiac), 1

Manganese

Cyclopentadienyldicarbonylmanganese alkylisocyanide complexes, catalytic synthesis of; crystal structure of ($\eta^5\text{-C}_5\text{H}_5$)-Mn(CO)₂(CNBu^t) (G.W. Harris, J.C.A. Boeyens, N.J. Coville), 87

Germanium-iron carbonyl clusters and germanium-iron-manganese carbonyl clusters, preparation and crystal structure of Ge[Fe(CO)₄]₄(2Fe—Fe) and Ge[($\eta^5\text{-CH}_3\text{C}_5\text{H}_4$)Mn(CO)₂[Fe(CO)₄]₃]₂(Mn—Fe + Fe—Fe) (D. Melzer, E. Weiss), 335

Metal carbonyl ions, evidence for a negative charge on hydrogen for (R.L. Sweany, J.W. Owens), 327

Mercury

Di-trans- β -styrylmercury, crystal and molecular structure of (B. Teclé, K.F. Siddiqui, C. Ceccarelli, J.P. Oliver), 11

Platinum(II) and Mercury(II), organic group transfer reactions between (R.J. Cross, A.J. McLennan), 113

Metallocenes

3,3-Bis(bromomethyl)-1,5-dithia[5](1,1')-ferrocenophane, synthesis and bridge reversal barrier of (B. Czech, A. Piorko, R. Annunziata), 365

Molybdenum

Di- η^5 -cyclopentadienyldihydrido-molybdenum in fragmentation reactions of phosphorus ylids, with [Me₃PCH₂R]-[HMnCp₂] (R = H, Me, Si) as intermediates (K. Fiederling, I. Grob, W. Malisch), 299

Group VI metal carbonyls containing the ligand bis(di-o-tolyl)phosphinomethane, preparation and properties of; crystal and molecular structure of dicarbonyl-bis(di-o-tolyl)phosphinomethane-chromium (G.R. Clark, P.W. Clark), 205

Molybdenum-rhodium bimetallic complexes, synthesis using as ligands electron-rich molybdenum(0) complexes containing an η^6 -methylidiphenylphosphine ligand (R. Luck, R.H. Morris), 221

Neodymium

Organolanthanide halides, preparation by oxidative addition of alkyl halides to metallic lanthanides of (B.A. Dolgoplosk, E.I. Tinyakova, I.N. Markevich, T.V. Soboleva, G.M. Chernenko, O.K. Sharaev, V.A. Yakovlev), 71

Nickel

Sorbic acid, preparation from piperylene, CO₂, isomeric nickel_a complexes and maleic anhydride of (N. Hoberg, D. Schaefer), C15

Niobium

Bis(methylcyclopentadienyl)carbonylchloroniobium, electrogeneration of (A. Fakhr, Y. Mugnier, H. Broussier, B. Gautheron, E. Laviron), C8

Palladium

[MCl {C₅H₅N(6-Cl)-C²} (PR₃)₂] (M = Pd, Pt; PR₃ = PPh₃, PMePh₂, or (PR₃)₂ = dppe), synthesis and characterisation of (A. Mantovani), 385

Palladium-catalysed carbonylation inducing diyne ring closure (G.P. Chiusoli, M. Costa, E. Masarati, G. Salerno), C35

Palladium-catalysed reaction of butadiene and carbon dioxide (A. Behr, K.-D. Juszak), 263

Phosphorus

η^3 -Acryloyl complexes, [(η^5 -C₅H₅)(CO)-LWC(O)C(CF₃)=C(CF₃)H] (L = CO, P(OMe)₃), X-ray structure and phosphine and phosphite substitution reactions of (F.Y. Pétillon, J.-L. Le Quéré, F. Le Floch-Pérennou, J.-E. Guerchais, M.-B. Gomes de Lima, L. Manojlović-Muir, K.W. Muir, D.W.A. Sharp), 231

η^2 -Acylcarbonylvanadium compounds, synthesis of (J. Schiemann, E. Weiss), 179

Bis(phenylethynyl)aurate(I) complex anion, prepared by ethynylation reactions using bis(phenylethynyl)cuprate(I) complex (O.M. Abu-Salah, A.R. Al-Ohal), C39

Cobalt complexes with thioformaldehyde, selenoformaldehyde and dimethoxy-carboxyl ligands (L. Hofmann, H. Werner), C41

Dicyclopentadienyl(alkyl)lutetinylmethinyltriorganophosphoranes, zwitterionic complexes, synthesis and NMR spectra of (H. Schumann, F.W. Reier, M. Dettlaff), 305

Di- η^5 -cyclopentadienylidihydrido-molybdenum in fragmentation reactions of phosphorus ylides, with [Me₃PCH₂R]₂HMOCp₂] (R = H, Me, Si) as intermediates (K. Fiederling, I. Grob, W. Malisch), 299

Group VI metal carbonyls containing the ligand bis(di-o-tolyl)phosphinomethane, preparation and properties of; crystal

and molecular structure of dicarbonyl-bis(di-o-tolyl)phosphinomethane-chromium (G.R. Clark, P.W. Clark), 205

[MCl {C₅H₅N(6-Cl)-C²} (PR₃)₂] (M = Pd, Pt; PR₃ = PPh₃, PMePh₂, or (PR₃)₂ = dppe), synthesis and characterisation of (A. Mantovani), 385

Molybdenum-rhodium bimetallic complexes, synthesis using as ligands electron-rich molybdenum(0) complexes containing an η^6 -methylidiphenylphosphine ligand of (R. Luck, R.H. Morris), 221

Monocyclopentadienylvanadium dihalide bis-phosphine complexes, preparation and characterisation of; crystal structure of (η^5 -C₅H₅)VCl₂(PMe₃)₂ (J. Nieman, J.H. Teuben, J.C. Huffman, K.G. Caulton), 193

Phosphinerhodium complexes as homogeneous catalysts in stereoselective hydrogenation of cyclic ketones (S. Törös, L. Kollár, B. Heil, L. Markó), 377

Rhodium and iridium carbonyls and [Rh(diene)L₂]⁺ as catalysts in homogeneous catalytic reduction of benzalacetone with carbon monoxide and water (J. Kaspar, R. Spogliarich, A. Cernogoraz, M. Graziani), 371

Ru₄(μ_4 - η^2 -P-HC≡CC₆H₄PPh₂)(CO)₁₁ · 0.5CH₂Cl₂, synthesis and structure of (M.I. Bruce, E. Horn, M.R. Snow, M.L. Williams), 255

Sorbic acid, preparation from piperylene, CO₂, isomeric nickel complexes and maleic anhydride of (H. Hoberg, D. Schaefer), C15

Tetramethyldiphosphine, semi-empirical SCF-MO study of mass spectral fragmentation of (J.R. Bewis, C. Glidewell), 49 (μ_3 -Thio)(μ_3 -organophosphido)tris(tricarbonyliron)(2Fe—Fe) complexes, synthesis and crystal structure of (E. Lindner, G.A. Weiss, W. Hiller, R. Fawzi), 245

Tris(triphenylphosphine)rhodium as hydrogenation catalyst in *ortho*- and *para*-hydrogen equilibration in solution (J.M. Brown, L.R. Canning, A.J. Downs, A.M. Forster), 103

[WH₂Cl₂(PMe₂Ph)₄], crystal structure and dehydrogenation generating a reactive metal centre of (H. Dadkhah, N. Kashef, R.L. Richards, D.L. Hughes, A.J.L. Pombeiro), C1

Platinum

- [8-(Dimethylamino)naphthyl]trimethyltin and trimethyltin halide, redistribution reaction between (J.T.B.H. Jastrzebski, C.T. Knaap, G. van Koten), 287
- [$MCl\{C_5H_3N(6-Cl)C^2\}(PR_3)_2$] ($M = Pd, Pt; PR_3 = PPh_3, PMePh_2$, or $(PR_3)_2 = dppe$), synthesis and characterisation of (A. Mantovani), 385
- Platinum(II) and mercury(II), organic group transfer reactions between (R.J. Cross, A.J. McLennan), 113
- Platinum(IV)-platinum(II) bridged complex, crystal structure of (S.S.M. Ling, R.J. Puddephatt, L. Manojlović-Muir, K.W. Muir), C11

Praseodymium

- Organolanthanide halides, preparation by oxidative addition of alkyl halides to metallic lanthanides of (B.A. Dolgoplosk, E.I. Tinyakova, I.N. Markevich, T.V. Soboleva, G.M. Chernenko, O.K. Sharaev, V.A. Yakovlev), 71

Rhenium

- K_2ReX_6 ($X = Br, I$) and Re_3X_9 ($X = Cl, Br, I$), reactions with alkyl and aryl isocyanides of (C.J. Cameron, D.E. Wigley, R.E. Wild, T.E. Wood, R.A. Walton), 345

Metal carbonyl ions, evidence for a negative charge on hydrogen for (R.L. Sweany, J.W. Owens), 327

Rhenium-based catalyst used in heterogeneous metathesis of unsaturated esters (R.H.A. Bosma, G.C.N. van den Aardweg, J.C. Mol), 159

Rhodium

- Molybdenum-rhodium bimetallic complexes, synthesis using as ligands electron-rich molybdenum(0) complexes containing an η^6 -methyldiphenyl-phosphine ligand of (R. Luck, R.H. Morris), 221

Phosphinerhodium complexes as homogeneous catalysts in stereoselective hydrogenation of cyclic ketones (S. Tóros, L. Kollár, B. Heil, L. Markó), 377

Rhodium and iridium carbonyls and $[Rh(\text{diene})L_2]^+$ as catalysts in homogeneous catalytic reduction of benzalacetone with carbon monoxide and water (J. Kaspar, R. Spogliarich, A. Cernogoraz, M. Graziani), 371

Tris(triphenylphosphine)ruthenium as hydrogenation catalyst in *ortho*- and *para*-hydrogen equilibration in solution (J.M. Brown, L.R. Canning, A.J. Downs, A.M. Forster), 103

Ruthenium

- $Ru_4(\mu_4-\eta^2-P-HC\equiv CC_8H_4PPh_2)(CO)_{11} \cdot 0.5CH_2Cl_2$, synthesis and structure of (M.I. Bruce, E. Horn, M.R. Snow, M.L. Williams), 255

Samarium

- Lanthanides of the type $RLnI$, carboranyl derivatives of (G.Z. Suleimanov, V.I. Bregadze, N.A. Koval'chuk, Kh.S. Khalilov, I.P. Beletskaya), C5

Selenium

- Cobalt complexes with thioformaldehyde, selenoformaldehyde and dimethoxy-carboxyl ligands (L. Hofmann, H. Werner), C41

Silicon

- N,N*-Bis(trimethylsilyl)enamines, preparation via iron carbonyl photocatalysed isomerisation of unsaturated amines (R.J.P. Corriu, V. Huynh, J.J.E. Moreau, M. Pataud-Sat), 359

Dicyclopentadienyl(alkyl)lutetiummethinyltriorganophosphoranes, zwitterionic complexes, synthesis and NMR spectra of (H. Schumann, F.W. Reier, M. Dettlaff), 305

Di- η^5 -cyclopentadienyldihydrido-molybdenum in fragmentation reactions of phosphorus ylids, with $[Me_3PCH_2R][HMOCp_2]$ ($R = H, Me, Si$) as intermediates (K. Fiederling, I. Grob, W. Malisch), 299

[8-(Dimethylamino)naphthyl]trimethyltin and trimethyltin halide, redistribution reaction between (J.T.B.H. Jastrzebski, C.T. Knaap, G. van Koten), 287

Lanthanides of the type RLnI , carboranyl derivatives of (G.Z. Suleimanov,

V.I. Bregadze, N.A. Koval'chuk,

Kh.S. Khalilov, I.P. Beletskaya), C5

Lithium organocuprates in reaction with $\text{CH}_3\text{C}(=\text{O})\text{CH}=\text{CHCH}=\text{CHCH}_3$

(F. Barbot, A. Kadib-Elban,
P. Miginiac), 1

Main Group IV elements, relation between element NMR chemical shifts in (T.N. Mitchell), 279

Organosilicon compounds, role of inductive hyperconjugative and *d*-orbital effects in (T. Veszprémi, J. Nagy), 41

Silyl-substituted cyclopropylmethyl radicals, ESR study of ring-opening of (A.G. Davies, J.A.-A. Hawari,
M. Grignon-Dubois, M. Pereyre), 29

Sodium

Alkyltin chlorides, use of organosodium intermediates in synthesis of (D.W. Owen, R.C. Poller), 173

Sulphur

3,3-Bis(bromomethyl)-1,5-dithia[5](1,1')-ferrocenophane, synthesis and bridge reversal barrier of (B. Czech, A. Piorko, R. Annunziata), 365

Cobalt complexes with thioformaldehyde, selenoformaldehyde and dimethoxy-carboxyl ligands (L. Hofmann, H. Werner), C41

Palladium-catalysed carbonylation inducing diyne ring closure (G.P. Chiusoli, M. Costa, E. Masarati, G. Salerno), C35

$(\mu_3\text{-Thio})(\mu_3\text{-organophosphido})\text{tris}(\text{tricarbonyliron})(2\text{Fe}-\text{Fe})$ complexes, synthesis and crystal structure of (E. Lindner, G.A. Weiss, W. Hiller, R. Fawzi), 245

Tellurium

Di-*t*-butyl ditelluride and di-*t*-butyl telluride, preparation of and ^{125}Te NMR and Mössbauer spectra of dialkyl tellurides and ditellurides (C.H.W. Jones, R.D. Sharma), 61

Thallium

Monoarylthallium(III) crown ether complexes, reductive thallium-carbon bond cleavage in (H. Kurosawa, N. Okuda, Y. Kawasaki), 153

Tin

Alkyltin chlorides, use of organosodium intermediates in synthesis of (D.W. Owen, R.C. Poller), 173

Rhenium-based catalyst used in heterogeneous metathesis of unsaturated esters (R.H.A. Bosma, G.C.N. van den Aardweg, J.C. Mol), 159

Tin(IV) mediated synthesis of *N*-halo compounds (R. Soundararajan, S. Krishnamurthy, V.S. Srinivasan, T.R. Balasubramanian), 295

Titanium

Dicyclopentadienyldiligandtitanium crystalline complexes ($\text{L} = \text{CH}_3\text{C}_6\text{H}_4$, $\text{CF}_3\text{C}_6\text{H}_4$, $\text{CH}_3\text{OC}_6\text{H}_4$), enthalpies of formation of (M.J. Calhorda, A.R. Dias, M.S. Salema, J.A. Martinho Simões), 81

Tungsten

$\eta^3\text{-Acryloyl complexes, } [(\eta^5\text{-C}_5\text{H}_5)(\text{CO})\text{LWC(O)(CF}_3)_2\text{C(CF}_3)_2\text{H}]$ ($\text{L} = \text{CO}$, $\text{P}(\text{OMe})_3$), X-ray structure and phosphine and phosphite substitution reactions of (F.Y. Pétillon, J.-L. Le Quéré, F. Le Floch-Pérennou, J.-E. Guérchais, M.-B. Gomes De Lima, L. Manojlović-Muir, K.W. Muir, D.W.A. Sharp), 231

Diphenylcarbenepentacarbonyltungsten, reaction with ethyl vinyl ether in non-polar solvents (K. Weiss, K. Hoffman), C24

Group VI metal carbonyls containing the ligand bis(di-*o*-tolyl)phosphinomethane, preparation and properties of; crystal and molecular structure of dicarbonylbis(di-*o*-tolyl)phosphinomethanechromium (G.R. Clark, P.W. Clark), 205

$[\text{WH}_2\text{Cl}_2(\text{PMe}_2\text{Ph})_4]$, crystal structure and dehydrogenation generating a reactive metal centre of (H. Ddadkhah, N. Kashef, R.L. Richards, D.L. Hughes, A.J.L. Pombeiro), C1

Uranium

Tris(2,4-dimethylpentadienyl)uranium,
U(2,4-C₅H₁₁)₃, synthesis and character-
isation of (T.H. Cymbaluk, J.-Z. Liu,
R.D. Ernst), 311

Vanadium

η^2 -Acylcarbonylvanadium compounds, syn-
thesis of (J. Schiemann, E. Weiss), 179

Monocyclopentadienylvanadium dihalide
bis-phosphine complexes, preparation
and characterisation of; crystal structure
of (η^5 -C₅H₅)VCl₂(PMe₃)₂ (J. Nieman,

J.H. Teuben, J.C. Huffman,
K.G. Caulton), 193

Ytterbium

Lanthanides of the type RLnI, carboranyl
derivatives of (G.Z. Suleimanov,
V.I. Bregadze, N.A. Koval'chuk,
Kh.S. Khalilov, I.P. Beletskaya), C5

Book review

Metal ions in biological systems, Vol. 15:
Zinc and its role in biology and nutrition;
edited by H. Sigel (J.W. Cornforth), C18