

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 260 (1984)

SUBJECT INDEX

**Aluminium**

Methyliron complex, reverse methyl migration to trimethylaluminium from; formation of  $[\text{Fe}(\text{dmpe})_2(\text{acac})]^+$   $[\text{AlMe}_4]^-$  (S. Komiya, M. Katoh, T. Ikariya, R.H. Grubbs, T. Yamamoto, A. Yamamoto), 115

**Antimony**

Bis(dimethyldibromostiborane)methane,  $[\text{Me}_2\text{SbBr}_2]_2\text{CH}_2$ , crystal and molecular structure of (W. Schwarz, W. Kolondra, J. Weidlein), C1  
 Stibinidene complexes with trigonal planar coordinated antimony (U. Weber, L. Zsolnai, B. Sigwarth, G. Huttner), 281

**Boron**

Aminoboration of phenylisocyanate, kinetic studies of (R.H. Cragg, T.J. Miller), 1  
 1-Boraadamantane, reaction with aromatic nitriles of (B.M. Mikhailov, T.K. Baryshnikova), 25  
 1-Boraadamantane, reaction with phosphorus ylides; synthesis of 4-alkyl-3-borahomoadamantanes (M.E. Gurskii, D.G. Pershin, B.M. Mikhailov), 17  
 Diborane, reactions with aryl-organotin compounds of (G.M. Pickles, T. Spencer, F.G. Thorpe, A.B. Chopa, J.C. Podesta), 7

**Chromium**

Arenetricarbonylchromium complexes containing toluene, anisole, *N,N*-dimethylaniline, acetophenone and methylbenzoate thermochemistry of (G. Al-Takhin, J.A. Connor, H.A. Skinner, M.T. Zafarani-Moattar), 189  
 Pentacarbonylchromium cyanide anion, anodic oxidation of (W.P. Fehlhammer, C. Moinet), C55  
 Stibinidene complexes with trigonal planar coordinated antimony (U. Weber, L. Zsolnai, G. Huttner), 281

Sulphur dioxide complexes, *O*-silylation of (W.A. Schenk, F.-E. Baumann), C6  
 Tetrachloromethane addition to alkenes in the presence of  $[\text{Cr}(\text{CO})_3(\eta^5\text{-C}_{10}\text{H}_8)]$ , mechanism of (W.J. Bland, R. Davis, J.L.A. Durrant), C75

**Cobalt**

Cobalt and rhodium  $\mu$ -methylene complexes, electron-impact decomposition pathways of (K.K. Mayer, E. Fischer, C. Bauer, W.A. Herrmann), 235  
 Cobaltocene, displacement of  $\text{C}_2\text{H}_2$  by a diene moiety in (D.W. Slocum, T.R. Engelmann, R.L. Fellows, M. Moronski, S. Duraj), C21

**Copper**

Alkyne  $\pi$  complexes of copper(I) trifluoromethanesulphonate, synthesis and metal-catalysed C-H bond activation of (J.G. Hefner, P.M. Zizelman, L.D. Durfee, G.S. Lewandos), 369  
 Mixed-metal clusters containing single  $\text{M}(\text{PPh}_3)$  fragment ( $\text{M} = \text{Cu, Ag, Au}$ ), structural similarities and differences among (I.D. Salter, F.G.A. Stone), C71

**Gold**

$\text{Au}_2\text{Os}$  mixed-metal carbonyl clusters, structure and bonding in; crystal and molecular structure of  $[\text{Os}(\text{CO})_4\text{-}\{\text{AuPPh}_3\}_2]$  (B.F.G. Johnson, J. Lewis, P.R. Raithby, A. Sanders), C29  
 Mixed-metal clusters containing single  $\text{M}(\text{PPh}_3)$  fragment ( $\text{M} = \text{Cu, Ag, Au}$ ), structural similarities and differences among (I.D. Salter, F.G.A. Stone), C71

**Hafnium**

$\eta^5$ -Cyclopentadienyl-titanium, -zirconium and -hafnium trihalide complexes, He(I) and He(II) photoelectron spectra of (A. Terpstra, J.N. Louwen, A. Oskam, J.H. Teuben), 207

**Iridium**

$\text{Ir}_4(\text{CO})_8[\text{P}(\text{CH}_3)_2\text{C}_6\text{H}_5]_4 \cdot 2\text{C}_6\text{H}_6$ , crystal and molecular structure of (A.J. Blake, A.G. Osborne), 227

Silica-supported catalysts from reactions between ethanol and polymethylhydrogensiloxane, evaluation of (R.V. Parish, M.I. Vania), 41

**Iron**

Dicarbonyl( $\eta^4$ -cyclohexadiene)triphenylphosphineiron, acetylation of (A.J. Birch, W.D. Raverty, A.-Y. Hsu, A.J. Pearson), C59

$\text{Fe}_2(\text{CO})_6(\mu\text{-COC}_2\text{H}_5)(\mu\text{-C}(\text{C}_6\text{H}_5)\text{C}(\text{C}_6\text{H}_5)\text{H})$ , C—C formation at a diiron centre by intramolecular coupling of ethoxycarbyne and 1,2-diphenylethenyl ligands in; X-ray structure of hexacarbonyl- $\mu$ -( $1\eta^2$ , 2-diphenyl-3-ethoxy- $\eta^3$ - $\eta^1$ -allyl)diiron (J. Ros, R. Mathieu, X. Solans, M. Font-Altaba), C40

Ferrocenecarboxylic acids, synthesis and cyclization of (V. Rapić, L. Korontoš), 219

Ferrocenyl ketones,  $^{13}\text{C}$  chemical shifts and carbonyl stretching frequencies as structural probes for (R.J. Janson, R.M.G. Roberts), 307

Ferrocenyl ketones and carbenium ions, steric and polar factors in (G. Neshvad, R.M.G. Roberts, J. Silver), 319

Formyl- and acetyl-tetracarbonyliron complexes, theoretical determination of thermodynamic stabilities of (A. Dedieu, S. Nakamura), C63

Iron and molybdenum hydrides, intermolecular reduction of CO by (C. Lapinte, D. Astruc), C13

Methyliron complex, reverse methyl migration to trimethylaluminium from; formation of  $[\text{Fe}(\text{dmpe})_2(\text{acac})]^+$   $[\text{AlMe}_4]^-$  (S. Komiya, M. Katoh, T. Ikariya, R.H. Grubbs, T. Yamamoto, A. Yamamoto), 115

Nitrosylalkyl(aryl)ferriporphyrine complexes with metal—carbon bonds, preparation and characterisation of (G. Lagrange, P. Cocolios, R. Guillard), C16

Organometallic compounds, IR laser pyrolysis and isotopic labelling of (N.J. Bristow, B.D. Moore, M. Polyakoff, G.J. Ryott, J.J. Turner), 181

Tricarbonyl(cycloheptatriene)iron, addition of carbonylcarbenes to; X-ray structure of tricarbonyl[( $\eta$ -5,6,7,8)-2,3-diphenyl-4*H*-cyclohepta[*b*]furan]iron (Z. Goldschmidt, S. Antebi, I. Goldberg), 105

**Lithium**

Bis- and tris-(trimethylsilyl)silacyclohexadienes, formation and reactions of (G. Märkl, H. Höllriegel, W. Schlosser), 129

**Manganese**

$\mu$ -(1-2- $\eta$ :2-3- $\eta$ -Allene)octacarbonyldimanganese(0), photochemical synthesis of (M. Leyendecker, C.G. Kreiter), C67

Organometallic compounds, IR laser pyrolysis and isotopic labelling of (N.J. Bristow, B.D. Moore, M. Polyakoff, G.J. Ryott, J.J. Turner), 181

Stibinidene complexes with trigonal planar coordinated antimony (U. Weber, L. Zsolnai, G. Huttner), 281

**Mercury**

Molybdenum and tungsten tetracarbonyl complexes with 2,2'-bipyridine, 1,10-phenanthroline and 2,9-dimethyl-1,10-phenanthroline ligands, reactions with mercury halides and pseudo-halides of (M.P. Pardo, M. Cano), 81

**Metalloenes**

5,5'-12,12'-Bis(triseleno)bis(naphthacene-6,11-quinone) 1/1 molecular complex with benzonitrile,  $(\text{C}_{18}\text{H}_8\text{Se}_3\text{O}_2)_2 \cdot (\text{C}_6\text{H}_5\text{CN})$ , crystal structure of (R.P. Shibaeva, V.F. Kaminskii, E.E. Kostyuchenko, E.B. Yagubskii), 293

Cobaltocene, displacement of  $\text{C}_5\text{H}_5$  by a diene moiety in (D.W. Slocum, T.R. Engelmann, R.L. Fellows, M. Moronski, S. Duraj), C21

$\eta^5$ -Cyclopentadienyl-titanium -zirconium and -hafnium trihalide complexes, He(I) and He(II) photoelectron spectra of (A. Terpstra, J.N. Louwen, A. Oskam, J.H. Teuben), 207

Ferrocenecarboxylic acids, synthesis and cyclization of (V. Rapić, L. Korontoš), 219

Ferrocenyl ketones,  $^{13}\text{C}$  chemical shifts and carbonyl stretching frequencies as structural probes for (R.J. Janson, R.M.G. Roberts), 307

Ferrocenyl ketones and carbenium ions, steric and polar factors in (G. Neshvad, R.M.G. Roberts, J. Silver), 319

Nickelocene, reductive substitution of; interception of a monohydride intermediate in hydrogenation of 2,3,4,5-tetraphenylcyclopentadienone (D.W. Slocum, M. Moronski, R. Gooding, S. Duraj), C26

Titanium complexes in cyclotrimerization of substituted acetylenes to arenes (M.E.E. Meijer-Veldman, H.J. de Liefde Meijer), 199

## Molybdenum

Iron and molybdenum hydrides, intermolecular reduction of CO by (C. Lapinte, D. Astruc), C13

Metallodichlorophosphanes, stabilisation by the tricarbonyl(pentamethylcyclopentadienyl)-molybdenum or -tungsten moieties of (R. Maisch, M. Barth, W. Malisch), C35

Molybdenum and tungsten carbonyl complexes with macrocyclic thiaether ligands (C.G. Young, J.A. Broomhead, C.J. Boreham), 91

Molybdenum and tungsten tetracarbonyl complexes with 2,2'-bipyridine, 1,10-phenanthroline and 2,9-dimethyl-1,10-phenanthroline ligands, reactions with mercury halides and pseudo-halides of (M.P. Pardo, M. Cano), 81

Sulphur dioxide complexes, *O*-silylation of (W.A. Schenk, F.-E. Baumann), C6

## Nickel

Di(1,4-bis(diethylphosphino)butane)-nickel(0), mechanism of oxidative addition of benzonitriles to (G. Favero, A. Morvillo), 363

Dienecarbonic acid amides, formation from 1,3-dienes, carbon monoxide and nickel(II) complexes of (H.J. Riegel, H. Hoberg), 121

Nickelocene, reductive substitution of; interception of a monohydride intermediate in hydrogenation of 2,3,4,5-tetraphenylcyclopentadienone (D.W. Slocum, M. Moronski, R. Gooding, S. Duraj), C26

Trimethylphosphane in reaction with  $[\text{C}_5\text{H}_5\text{Ni}(\text{C}_7\text{H}_8)]\text{BF}_4$  (N. Kuhn, U. Schwenk, M. Winter, R. Mynott), C43

## Osmium

$\text{Au}_2\text{Os}$  mixed-metal carbonyl clusters, structure and bonding in; crystal and molecular structure of  $[\text{Os}(\text{CO})_4\text{-}\{\text{AuPPh}_3\}_2]$  (B.F.G. Johnson, J. Lewis, P.R. Raithby, A. Sanders), C29

Organometallic compounds, IR laser pyrolysis and isotopic labelling of (N.J. Bristow, B.D. Moore, M. Polyakoff, G.J. Ryott, J.J. Turner), 181

## Palladium

Hydrosilanes, reactions with trifluoropropene and pentafluorostyrene catalysed by ruthenium, rhodium and palladium complexes of (I. Ojima, T. Fuchikawa, M. Yatabe), 335

$[(\text{Terdentate ligand})\text{M}(\mu\text{-H})\text{M}(\text{terdentate ligand})]$  cations (M = Pd, Pt), stable binuclear complex containing M—H—M bonds (H. Rimmel, L.M. Venanzi), C52

## Phosphorus

Benzene carbon—hydrogen bond activation using  $\text{Ru}(\text{C}_6\text{Me}_6)[\text{Ph}(\text{C}_6\text{H}_{11})_2]\text{H}_2$  (R.H. Morris, M. Shiralian), C47

1-Boraadamantane, reaction with phosphorus ylides; synthesis of 4-alkyl-3-borahomoadamantanes (M.E. Gurskii, D.G. Pershin, V.M. Mikhailov), 17

Di(1,4-bis(diethylphosphino)butane)-nickel(0), mechanism of oxidative addition of benzonitriles to (G. Favero, A. Morvillo), 363

Dicarbonyl( $\eta^4$ -cyclohexadiene)triphenylphosphineiron, acetylation of (A.J. Birch, W.D. Raverty, A.-Y. Hsu, A.J. Pearson), C59

$\text{Ir}_4(\text{CO})_8[\text{P}(\text{CH}_3)_2\text{C}_6\text{H}_5]_4 \cdot 2\text{C}_6\text{H}_6$ , crystal and molecular structure of (A.J. Blake, A.G. Osborne), 227

Metallodichlorophosphanes, stabilisation by the tricarbonyl(pentamethylcyclopentadienyl)-molybdenum or -tungsten moieties of (R. Maisch, M. Barth, W. Malisch), C35

Silica-supported catalysts for reactions between ethanol and polymethylhydrogensiloxane, evaluation of (R.V. Parish, M.I. Vania), 41

Sulphur dioxide complexes, *O*-silylation of (W.A. Schenk, F.-E. Baumann), C6  
 Trimethylphosphane in reaction with  $[C_5H_5Ni(C_2H_5)]BF_4$  (N. Kuhn, U. Schwenk, M. Winter, R. Mynott), C43  
 Triphenylphosphine oxide adduct of tri-3-thienyltin bromide,  $Ph_3PO \cdot SnBr(C_4H_5S)_3$ , crystal and molecular structure of (D.W. Allen, D.J. Derbyshire, I.W. Nowell, J.S. Brooks), 263

## Platinum

[(Terdentate ligand)M( $\mu$ -H)M(terdentate ligand)] cations (M = Pd, Pt), stable binuclear complex containing M—H—M (H. Rimml, L.M. Venanzi), C52

## Rhenium

*t*-Butylisocyanidenonacarbonyl dirhenium(0),  $Re_2(CO)_9(CNtBu)$ , synthesis and crystal structure of (M.O. Albers, J.C.A. Boeyens, N.J. Coville, G.W. Harris), 99

## Rhodium

Chelating trimethylsiloxy diisonitrile ligands and their rhodium(I) complexes, synthesis of; crystal and molecular structure of  $[Rh(t-BuDiNC)_2] \cdot BPh_4 \cdot 1.5CH_3CN$  (DiNC = chelating bidentate isonitrile ligand) (D.T. Plummer, B.A. Karcher, R.A. Jacobson, R.J. Angelici), 347

Cobalt and rhodium  $\mu$ -methylene complexes, electron-impact decomposition pathways of (K.K. Mayer, E. Fischer, C. Bauer, W.A. Herrmann), 235

Hydrosilanes, reactions with trifluoropropene and pentafluorostyrene catalysed by ruthenium, rhodium and palladium complexes of (I. Ojima, T. Fuchikawa, M. Yatabe), 335

Silica-supported catalysts for reactions between ethanol and polymethylhydrogensiloxane, evaluation of (R.V. Parish, M.I. Vania), 41

## Ruthenium

Benzene carbon—hydrogen bond activation using  $Ru(C_6Me_6)[PH(C_6H_{11})_2]H_2$  (R.H. Morris, M. Shiralian), C47

Cyclopentadienyl- and (pentamethylcyclopentadienyl)-dihalonitrosylruthenium, formation by nitrosylation of  $(\eta-R_5H_5)Ru(CO)_2X$  (R = H,  $CH_3$ ) under UV irradiation of (A. Efraty, G. Elbaze), 331

Hydrosilanes, reactions with trifluoropropene and pentafluorostyrene catalysed by ruthenium, rhodium and palladium complexes of (I. Ojima, T. Fuchikawa, M. Yatabe), 335

## Selenium

5,5'-12,12'-Bis(triseleno)bis(naphthacene-6,11-quinone) 1/1 molecular complex with benzonitrile,  $(C_{18}H_8Se_3O_2)_2 \cdot (C_6H_5CN)$ , crystal structure of (R.P. Shibaeva, V.F. Kaminskii, E.E. Kostyuchenko, E.B. Yagubskii), 293

## Silicon

Bis- and tris-(trimethylsilyl)silacyclohexadienes, formation and reactions of (G. Märkl, H. Höllriegel, W. Schlosser), 129

Chelating trimethylsiloxy diisonitrile ligands and their rhodium(I) complexes, synthesis of; crystal and molecular structure of  $[Rh(t-Bu(DiNC)_2)] \cdot BPh_4 \cdot 1.5CH_3CN$  (DiNC = chelating bidentate isonitrile ligand) (D.T. Plummer, B.A. Karcher, R.A. Jacobson, R.J. Angelici), 347

Disilanes, redistribution reactions of (H. Schmölder, E. Hengge), 31

Hydrosilanes, reactions with trifluoropropene and pentafluorostyrene catalysed by ruthenium, rhodium and palladium complexes of (I. Ojima, T. Fuchikawa, M. Yatabe), 335

Low-dimensional poly-yne polymers containing phthalocyaninesilicon and dimethylsilicon in the polymer backbone, synthesis and spectral study of (I.W. Shim, W.M. Risen, Jr.), 171

Silica-supported catalysts for reactions between ethanol and polymethylhydrogensiloxane, evaluation of (R.V. Parish, M.I. Vania), 41

Sulphur dioxide complexes, *O*-silylation of (W.A. Schenk, F.-E. Baumann), C6  
 Trimethylsilylurethanes,  $Me_3Si(p-XC_6H_4)NCOOEt$ , kinetic investigations on hydrolysis of (H. Grosse-Ruyken, K. Hänig, S. Wagner, K. Rühlmann, J. Schlapa), 51

## Silver

Mixed-metal clusters containing single  $M(PPh_3)_3$  fragment ( $M = Cu, Ag, Au$ ), structural similarities and differences among (I.D. Salter, F.G.A. Stone), C71

## Sulphur

Alkyne  $\pi$  complexes of copper(I) trifluoromethanesulphonate, synthesis and metal-catalysed C—H bond activation of (J.G. Hefner, P.M. Zizelman, L.D. Durfee, G.S. Lewandos), 369

5,5',12,12'-Bis(triseleno)bis(naphthacene-6,11-quinone) 1/1 molecular complex with benzonitrile,  $(C_{18}H_8Se_3O_2)_2 \cdot (C_6H_5CN)$ , crystal structure of (R.P. Shibaeva, V.F. Kaminskii, E.E. Kostyuchenko, E.B. Yagubskii), 293

Molybdenum and tungsten carbonyl complexes with macrocyclic thiaether ligands (C.G. Young, J.A. Broomhead, C.J. Boreham), 91

Molybdenum and tungsten tetracarbonyl complexes with 2,2'-bipyridine, 1,10-phenanthroline and 2,9-dimethyl-1,10-phenanthroline ligands, reactions with mercury halides and pseudo-halides of (M.P. Pardo, M. Cano), 81

Sulphur dioxide complexes, *O*-silylation of (W.A. Schenk, F.-E. Baumann), C6

Triphenylphosphine oxide adduct of tri-3-thienyltin bromide,  $Ph_3PO \cdot SnBr(C_4H_3S)_3$ , crystal and molecular structure of (D.W. Allen, D.J. Derbyshire, I.W. Nowell, J.S. Brooks), 263

## Tellurium

Triethyltelluronium salts, synthesis and characterization of; crystal structure of triethyltelluronium bromide (R.K. Chadha, J.E. Drake, M.A. Khan, G. Singh), 73

## Tin

Diborane, reactions with aryl-organotin compounds of (G.M. Pickles, T. Spencer, F.G. Thorpe, A.B. Chopa, J.C. Podestal), 7

Di-*t*-butyl- and di-*t*-amyl-tin oxides, synthesis and X-ray structures of (H. Puff, W. Schuh, R. Sievers, W. Wald, R. Zimmer), 271

Homoallylic alcohols and 4-chloro-2,6-dialkyl-3-methyltetrahydropyrans, *cis*-stereoconvergent synthesis by addition of 1-buten-3-yl-dichloro-*n*-butyltin and aldehydes of (A. Gambaro, A. Boaretto, D. Marton, G. Tagliavini), 255

Tin(IV) aquo complexes with crown ethers, synthesis and Mössbauer studies of (U. Russo, A. Cassol, A. Silvestri), 69

Triphenylphosphine oxide adduct of tri-3-thienyltin bromide,  $Ph_3PO \cdot SnBr(C_4H_3S)_3$ , crystal and molecular structure of (D.W. Allen, D.J. Derbyshire, I.W. Nowell, J.S. Brooks), 263

## Titanium

$\eta^5$ -Cyclopentadienyl-titanium, -zirconium and -hafnium trihalide complexes, He(I) and He(II) photoelectron spectra of (A. Terpstra, J.N. Louwen, A. Oskam, J.H. Teuben), 207

Titanium complexes in cyclootrimerization of substituted acetylenes to arenes (M.E.E. Meijer-Veldman, H.J. de Liefde Meijer), 199

## Tungsten

Metallodichlorophosphanes, stabilisation by the tricarbonyl(pentamethylcyclopentadienyl)-molybdenum or -tungsten moieties of (R. Maisch, M. Barth, W. Malisch), C35

Molybdenum and tungsten carbonyl complexes with macrocyclic thiaether ligands (C.G. Young, J.A. Broomhead, C.J. Boreham), 91

Molybdenum and tungsten tetracarbonyl complexes with 2,2'-bipyridine, 1,10-phenanthroline and 2,9-dimethyl-1,10-phenanthroline ligands, reactions with mercury halides and pseudo-halides of (M.P. Pardo, M. Cano), 81

Sulphur dioxide complexes, *O*-silylation of (W.A. Schenk, F.-E. Baumann), C6

## Vanadium

Trimesitylvanadium, reaction with ketones of (G. Kreisel, W. Seidel), 301

## Zirconium

$\eta^5$ -Cyclopentadienyl-titanium, -zirconium -hafnium trihalide complexes, He(I) and He(II) photoelectron spectra of (A. Terpstra, J.N. Louwen, A. Oskam, J.H. Teuben), 207