

- | | | |
|----------------------|-----------------------------|---------------------------|
| Predieri, G., C89 | Silaghi-Dumitrescu, L., 295 | Uchida, Y., 105 |
| Purcell, K.F., 181 | Simionescu, C., C43 | Urban, G., 187 |
| Quintard, J.-P., 37 | Simonneaux, G., C60 | Vahrenkamp, H., 95 |
| Rao, S.P.S., 231 | Sizoi, V.F., 201 | Van Meersche, M., 289 |
| Reddy, G.K.N., 231 | Smith, G.W., 341 | Vargaftik, M.N., 113 |
| Ries, W., C67 | Smith, P.J., 149 | Vätsä, M., C43 |
| Rima, G., C73 | Stromnova, T.A., 113 | Veit, A., 153 |
| Roper, W.R., C97 | Strumolo, D., C93 | Veszprémi, T., 121 |
| Rose, J., C101 | Sudhakar Rao, S.P., 231 | Vicente, J., 257 |
| | Sünkel, K., 187 | Vickers, M.E., 341 |
| | Surya Prakash, N., 301 | |
| Saleske, H., 29 | Tătaru, L., C43 | Wachter, J., C35 |
| Sappa, E., C89 | Tatsumi, T., 105 | Wanner, J.K.R., 175 |
| Satgé, J., C73 | Thakur, M.M., 1 | Werner, H., C29, C47, C53 |
| Schwarz, R., 347 | Thometzek, P., C29 | Winter, M., C5, C86 |
| Screttas, C.G., 263 | Thum, G., C67 | Wolfgruber, M., C39 |
| Seregni, C., C93 | Tominaga, H., 105 | Zaikin, V.G., 143 |
| Setkina, V.N., 201 | Town, K.G., C97 | Zedde, Ch., 267 |
| Sheldrick, G.M., 195 | Tresoldi, G., 381 | Zeuner, S., C63 |
| Sieber, W., C39 | Tsay, Y.H., 365 | Zolk, R., C53 |
| | Tyurin, V.D., 133, 143 | |

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 252 (1983)

SUBJECT INDEX

Aluminium

Organoaluminium compounds, reactions with tetracyanoethylene and 7,7,8,8-tetracyanoquinodimethane of (Z. Florjanczyk, U. Iwaniak), 275

Antimony

Dimethylarsino-, dimethylatibino- and dimethylbismuthino-bridged diastereo-isomeric trinuclear complexes, preparation of (D. Greissinger, W. Malisch, H.-A. Kaul), C23

Iron-coordinated dialkylaminosilyl ligands, anionic shifts to η^5 -cyclopentadienyl groups of (G. Thum, W. Ries, D. Greissinger, W. Malisch), C67

Arsenic

Arenechromium dimers, reductive elimination of dihydrogen from (T.E. Bitterwolf), 305

Cryptands and spherands with arsenic, oxygen, sulphur and nitrogen as hetero elements, synthesis, structure and reaction behaviour of (J. Ellermann, A. Veit, E. Lindner, S. Hoehne), 153

Dimethylarsino-, dimethylatibino- and dimethylbismuthino-bridged diastereo-isomeric trinuclear complexes, preparation of (D. Greissinger, W. Malisch, H.-A. Kaul), C23

Diphenylphosphinyl diorganodithioarsinates, sulphotropic rearrangement of; formation of diorganoarsenic(III) diphenyl-dithiophosphinates (L. Silaghi-Dumitrescu, I. Haiduc), 295
Hexacarbonyldiarsenidecobalt, $\text{As}_2\text{Co}_2(\text{CO})_6$, preparation of poly-nuclear complexes from (M. Müller, H. Vahrenkamp), 95

Bismuth

Dimethylarsino-, dimethylatibino- and dimethylbismuthino-bridged diastereo-isomeric trinuclear complexes, preparation of (D. Greissinger, W. Malisch, H.-A. Kaul), C23

Chromium

Arenechromium dimers, reductive elimination of dihydrogen from (T.E. Bitterwolf), 305

- Chromium and tungsten dinuclear carbyne complexes containing halogen bridges, synthesis of (E.O. Fischer, J.K.R. Wanner), 175**
- Chromium(0)-induced cyclization of alkynes, alkoxyvinylcarbene and carbon monoxide to tricarbonyl(benzhydro-chinone)chromium complexes (K.H. Dötz, W. Kuhn), C78**
- 2,3-Dimethyl-1,3-butadiene, addition-substitution reaction towards tricarbonyl(η^6 -8,8-dimethylheptafulvene)-chromium(0) of (E. Michels, C.G. Kreiter), C1**
- Hexacarbonyldiarsenicdicobalt, As₂Co₂(CO)₆, preparation of poly-nuclear complexes from (M. Müller, H. Vahrenkamp), 95**
- Trinuclear heterometallic clusters with four different skeletal atoms, synthesis of (P. Thometzek, H. Werner), C29**
- Tris(3,3,4,4-tetramethyl-3,4-dihydridiazete)-bis(tricarbonylchromium), (N₂C₂Me₄)₃[Cr(CO)₃]₂, crystal and molecular structure of (B. Bovio), 71**
- Cobalt**
- Cobalt acetate promoted homologation of methanol in the presence of iodine (P. Andrianary, G. Jenner, A. Kienemann), 209**
- Cobaltocene and nickelocene, reactivity towards secondary phosphinic chalcogenides, route to polydentate oxygen and sulphur ligands (W. Kläui, W. Eberspach, R. Schwarz), 347**
- Co—C bond behaviour in a series of alkyl-cobalt complexes, in the presence of MeSnCl₃ or Me₂SnCl₂ (M.H. Darbieu, G. Cros), 327**
- Co₃(C₂Me₅)₃(μ ₃-CCH₃)₂, synthesis and X-ray structure of; conversion of ethylene directly into a carbyne ligand (R.B.A. Pardy, G.W. Smith, M.E. Vickers), 341**
- Co(η -C₅Me₅)(R₂PCH₂CH₂PR₂), synthesis and structural characterisation of; photoelectron spectroscopy of pentamethylcyclopentadienylphosphine-cobalt complexes (N. Dudeney, J.C. Green, P. Grebenik, O.N. Kirchner), 221**
- Hexacarbonyldiarsenicdicobalt, As₂Co₂(CO)₆, preparation of poly-nuclear complexes from (M. Müller, H. Vahrenkamp), 95**
- Hydridodicobalt cation [(C₅H₅Co)₂(μ -PM₂Ph)₂(μ -H)]⁺, reactions with C₅(CO₂Me)₂ of; formation and X-ray structure of O=C(OMe)CH=C(CO₂Me)-PM₂Ph dinuclear complex with 6-electrons ligands (R. Zolk, H. Werner), C53**
- Phosphinecobalt carbonyl chiral catalysts, asymmetric hydrogenation of α - β unsaturated ketones with (P. Le Maux, G. Simonneaux), C60**
- Ruthenium-cobalt mixed-metal alkyne clusters: NEt₄[RuCo₃(μ -CO)₂(CO)₈(μ - η ²-PhC≡CPh)], synthesis and structure of (P. Braunstein, J. Rose, O. Bars), C101**
- Copper**
- α -Stannylvinyl anionoids of 1,1-bis(trimethylstannylyl)alkenes, formation of (T.N. Mitchell, A. Amamria), 47**
- Germanium**
- 3,3-Dialkyl-3-germethylketanes, synthesis and UV spectra of (J. Barrau, G. Rima, J. Satgé), C73**
- Pentamethylcyclopentadienyl-silanes and -germanes, synthesis and dynamic behaviour of (P. Jutzi, H. Saleska, D. Bühl, H. Grohe), 29**
- Gold**
- Mono-, di- and tri-auration of H₄Ru₄(CO)₁₂ with [Au(PPh₃)₃O][BF₄]; X-ray structure of HRu₄Au₃(CO)₁₂(PPh₃)₃ (M.I. Bruce, B.K. Nicholson), 243**
- ortho-, meta- and para-Nitrophenylgold(I) complexes, preparation and reactions of (J. Vicente, A. Arcas, M.T. Chicote), 257**
- Iridium**
- Selenocarbonyl complexes of iridium(I) and iridium(III), synthesis and reactions of IrCl(CSe)(PPh₃)₂ (W.R. Roper, K.G. Town), C97**
- Iron**
- Arenechromium dimers, reductive elimination of dihydrogen from (T.E. Bitterwolf), 305**
- Cyclopentadienyldicarbonylirondimethyl-triphenyldisilane, (η^5 -C₅H₅)Fe(CO)₂SiMe₂—SiPh₃, synthesis and crystal**

- structure of (L. Párkányi, K.H. Pannell, C. Hernandez), 127
- Cyclopentadienyliron carbonyl complexes, cyclopentadienyl ring metalation in (T.Yu. Orlova, V.N. Setkina, V.F. Sizoi, D.N. Kursanov), 201
- Dicyclopentadienyltetracarbonyldiiron, $[\text{Fe}_2(\eta^5\text{-C}_5\text{H}_5)_2(\text{CO})_4]$, oxidative cleavage by strong acids in acetonitrile solution of (B. Callan, A.R. Manning), C81
- Dimethylarsino-, dimethylatibino- and dimethylbismuthino-bridged diastereoisomeric trinuclear complexes, preparation of (D. Greissinger, W. Malisch, H.-A. Kaul), C23
- Ferroocene heterodisubstituted derivatives, β -lactamic antibiotics, properties and reactions of (C. Simionescu, T. Lixandru, L. Tătaru, I. Mazilu, M. Vătă, S. Luca), C43
- Iron-coordinated dialkylaminosilyl ligands, anionic shifts to η^5 -cyclopentadienyl groups of (G. Thum, W. Ries, D. Greissinger, W. Malisch), C67
- Transition metal ions as homogeneous catalysts in cleavage of C–N bond of tertiary amines by acid anhydrides (Bui The Kai, A. Arcelli), C9
- Trimethylvinylsilane, reaction with S_8 in the presence of dodecacarbonyltriiron, synthesis of cyclic polysulphides by (E.A. Chernyshev, O.V. Kuz'min, A.V. Lebedev, A.I. Gusev, N.I. Kirillova, N.S. Nametkin, V.D. Tyurin, A.M. Krapivin, N.A. Kubasova), 133
- Trimethylvinylsilane, reaction with S_8 in the presence of dodecacarbonyldiiron, synthesis of trimethylsilyl- μ -S,S'-ethylenedithiolatohexacarbonyldiiron and 1-methyl-3-trimethylsilyl-2,5-dithiacyclopentane (E.A. Chernyshev, O.V. Kuz'min, A.V. Lebedev, A.I. Gusev, M.G. Los', N.V. Alekseev, N.S. Nametkin, V.D. Tyurin, A.M. Krapivin, N.A. Kubasova, V.G. Zaikin), 143
- Trinuclear clusters containing $\text{Fe}_3(\text{CO})_9(\mu_3\text{-CCH}_3)$ unit, carbide formation and simultaneous intramolecular carbide-ethyldyne coupling as result of reduction of (D. De Montauzon, R. Mathieu), C83
- ## Lithium
- t-Butyl lithiocycloalkanecarboxylates, O-metalated structure of (L. Gorrichon, P. Maroni, C. Zedde, A. Dobrev), 267
- Lithium naphthalenide in tetrahydrofuran, single-titration method for determination of (C.G. Scettas, M. Michael Scettas), 263
- ## Magnesium
- α -Stannylinvinyl anionoids of 1,1-bis(trimethylstannyl)alkenes, formation of (T.N. Mitchell, A. Amamria), 47
- ## Manganese
- Thiazylbis(trifluoromethyl) nitroxide cationic transition metal complexes (G. Hartmann, R. Mews, G.M. Sheldrick), 195
- ## Mercury
- ortho*-, *meta*- and *para*-Nitrophenylgold(I) complexes, preparation and reactions of (J. Vicente, A. Arcas, M.T. Chicote), 257
- ## Metallocenes
- Arenechromium dimers, reductive elimination of dihydrogen from (T.E. Bitterwolf), 305
- Cobaltocene and nickelocene, reactivity towards secondary phosphinic chalcogenides, route to polydentate oxygen and sulphur ligands (W. Kläui, W. Eberspach, R. Schwarz), 347
- Ferroocene heterodisubstituted derivatives, β -lactamic antibiotics, properties and reactions of (C. Simionescu, T. Lixandru, L. Tătaru, I. Mazilu, M. Vătă, S. Luca), C43
- ## Molybdenum
- Bis(cyclopentadienyldicarbonylmolybdenum) ligands, activation of carbo-diimides with retention of the Mo–Mo bonds by (H. Brunner, B. Hoffmann, J. Wachter), C35
- Carbonylchloro(η^5 -cyclopentadienyl)-molybdenum and -tungsten chiral complexes with *N,N*-diphenylphosphino- α -amino acid esters, ($\eta^5\text{-C}_5\text{H}_5$) $(\text{CO})(\text{Cl})\text{M}(\text{Ph}_2\text{P})_2\text{NCHRCO}_2\text{Me}$ (M = Mo, W) (H.-G. Fick, W. Beck), 83
- Carbonyl-molybdenum and -tungsten complexes, observation of tetrafluoroborate coordination by ^{19}F and ^{31}P NMR

- spectroscopy of (K. Sünkel, G. Urban, W. Beck), 187
- Dimethylarsino-, dimethylatibino- and dimethylbismuthino-bridged diastereoisomeric trinuclear complexes, preparation of (D. Greissinger, W. Malisch, H.-A. Kaul), C23
- Hexacarbonyldiarsenicdicobalt, $\text{As}_2\text{Co}_2(\text{CO})_6$, preparation of polynuclear complexes from (M. Müller, H. Vahrenkamp), 95
- Molybdenum and tungsten complexes with η^3 -trimethylsiloxybutenone ligands, preparation by silylation of phosphonium metallates of (G. Grötsch, W. Malisch, H. Blau), C19
- trans*-Mo(N_2) $_2$ (Ph $_2$ PCH $_2$ CH $_2$ PPh $_2$) $_2$, reactions with allyl alcohols, allyl ethers and allylamines of (T. Tatsumi, K. Hashimoto, H. Tominaga, Y. Mizuta, K. Hata, M. Hidai, Y. Uchida), 105
- MoOOCH $_2$ CH $_2$, mechanism of epoxide formation from (K.F. Purcell), 181
- Trinuclear heterometallic clusters with four different skeletal atoms, synthesis of (P. Thometzek, H. Werner), C29

Nickel

- (η -C $_5$ H $_5$)NiOs $_3$ (CO) $_3$ (μ -H) $_3$, supported complex as hydrogenation catalyst, methanation of carbon monoxide and dioxide at atmospheric pressure (P. Moggi, G. Albanesi, G. Predieri, E. Sappa), C89
- [C $_5$ H $_5$ Ni(RTe-TeR)]BF $_4$, chemistry of (N. Kuhn, M. Winter), C86
- Cobaltocene and nickelocene, reactivity towards secondary phosphinic chalcogenides, route to polydentate oxygen and sulphur ligands (W. Kläui, W. Eberspach, R. Schwarz), 347
- Cyclopentadienylnickel complexes with hexaalkylphosphoric acid ligands, synthesis and reactivity of (N. Kuhn, M. Winter), C5
- Nickela compounds as intermediates of [2 + 2 + 2']-cycloaddition of alkynes containing isocyanates to 2-pyridones (H. Hoberg, B.W. Oster), 359
- Nickela heterocyclic compounds from nickel(0) and phenyl isocyanate (H. Hoberg, B.W. Oster, C. Krüger, Y.H. Tsay), 365
- Ni(CO) $_{4-n}$ [P(C≡CC $_6$ H $_5$) $_m$ (C $_6$ H $_5$) $_{3-m}$] $_n$ ($n = 2, 3, 4; m = 3, 2, 1$) (A. Hengefeld, R. Nast), 375

Osmium

- (η -C $_5$ H $_5$)NiOs $_3$ (CO) $_3$ (μ -H) $_3$ supported complex as hydrogenation catalyst, methanation of carbon monoxide and dioxide at atmospheric pressure (P. Moggi, G. Albanesi, G. Predieri, E. Sappa), C89

Palladium

- Palladium(II) carboxylates, mechanism of reactions with carbon monoxide in nonaqueous media of (T.A. Stromnova, M.N. Vargaftik, I.I. Moiseev), 113
- N-Thionitrosodimethylamine-palladium(II) and -platinum(II) complexes, ligating properties of thionitrosoamines (G. Tresoldi, G. Bruno, F. Crucitti, P. Piraino), 381
- Trinuclear heterometallic clusters with four different skeletal atoms, synthesis of (P. Thometzek, H. Werner), C29

Phosphorus

- Arenechromium dimers, reductive elimination of dihydrogen from (T.E. Bitterwolf), 305
- Bis(pentamethylcyclopentadienyl- μ -dimethylphosphinerrhodium), addition and insertion reactions of oxygen and its congeners to the Rh $_2$ P $_2$ unit in (B. Klingert, H. Werner), C47
- Carbonylchlorobis(dimethylphenylphosphine)(η^3 -pentadienyl)ruthenium, preparation and 1 H NMR spectra of (M. De Los Angeles Pas-Sandoval, P. Powell), 205
- Carbonylchloro(η^5 -cyclopentadienyl)-molybdenum and -tungsten chiral complexes with N,N-diphenylphosphino- α -amino acid esters, (η^5 -C $_5$ H $_5$)(CO)(Cl)M-(Ph $_2$ P) $_2$ NCHRCO $_2$ Me (M = Mo, W) (H.-G. Fick, W. Beck), 83
- [1-Carbonyl-1- η^5 -cyclopentadienyl-1-trimethylphosphinetungsta-2,2-dimethylphospha-3-methylbicyclo[1.1.0]-butan-4-one] chloride, preparation, spectra and X-ray analysis of (F.R. Kreissl, M. Wolfsgruber, W. Sieber, K. Ackermann), C39
- Carbonyl-molybdenum and -tungsten complexes, observation of tetrafluoroborate by 19 F and 31 P NMR spectroscopy of (K. Sünkel, G. Urban, W. Beck), 187

- Cobaltocene and nickelocene, reactivity towards secondary phosphinic chalcogenides, route to polydentate oxygen and sulphur ligands (W. Kläui, W. Eberspach, R. Schwarz), 347
- $\text{Co}(n\text{-C}_5\text{Me}_5)(\text{R}_2\text{PCH}_2\text{CH}_2\text{PR}_2)$, synthesis and structural characterisation of; photoelectron spectroscopy of pentamethylcyclopentadienylphosphine-cobalt complexes (N. Dudeney, J.C. Green, P. Grebenik, O.N. Kirchner), 221
- Cyclopentadienylnickel complexes with hexaalkylphosphoric acid ligands, synthesis and reactivity of (N. Kuhn, M. Winter), C5
- Dimethylarsino-, dimethylstibino- and dimethylbismuthino-bridged diastereoisomeric trinuclear complexes, preparation of (D. Greissinger, W. Malisch, H.-A. Kaul), C23
- Diphenylphosphinyl diorganodithioarsinates, sulphotropic rearrangement of; formation of diorganoarsenic(III) diphenyldithiophosphinates (L. Silaghi-Dumitrescu, I. Haadic), 295
- Hexacarbonyldiarsenicdicobalt, $\text{As}_2\text{Co}_2(\text{CO})_6$, preparation of polynuclear complexes from (M. Müller, H. Vahrenkamp), 95
- Hydridodicobalt cation $[(\text{C}_5\text{H}_5\text{Co})_2 \cdot (\mu\text{-PMe}_2)_2(\mu\text{-H})]^+$, reactions with $\text{C}_2(\text{CO}_2\text{Me})_2$ of; formation and X-ray structure of $\text{O}=\text{C}(\text{OMe})\text{CH}=\text{C}(\text{CO}_2\text{Me})\text{-PMe}_2$, dinuclear complex with 6-electrons ligands (R. Zolk, H. Werner), C53
- Molybdenum and tungsten complexes with η^3 -trimethylsiloxybutenone ligands, preparation by silylation of phosphonium metallates of (G. Grötsch, W. Malisch, H. Blau), C19
- Mono-, di- and tri-auration of $\text{H}_4\text{Ru}_4(\text{CO})_{12}$ with $[\{\text{Au}(\text{PPh}_3)\}_3\text{O}] [\text{BF}_4^-]$; X-ray structure of $\text{HRu}_4\text{Au}_3(\text{CO})_{12}(\text{PPh}_3)_3$ (M.I. Bruce, B.K. Nicholson), 243
- trans*- $\text{Mo}(\text{N}_2)_2(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2$, reactions with allyl alcohols, allyl ethers and allylamines of (T. Tatsumi, K. Hashimoto, H. Tominaga, Y. Mizuta, K. Hata, M. Hidai, Y. Uchida), 105
- Nickela heterocyclic compounds from nickel(0) and phenyl isocyanate (H. Hoberg, B.W. Oster, C. Krüger, Y.H. Tsay), 365
- $\text{Ni}(\text{CO})_{4-n}[\text{P}(\text{C}\equiv\text{C}_6\text{H}_5)_m(\text{C}_6\text{H}_5)_{3-m}]_n$ ($n = 2, 3, 4; m = 3, 2, 1$) (A. Hengefeld, R. Nast), 375
- Phosphinecobalt carbonyl chiral catalysts, asymmetric hydrogenation of α,β unsaturated ketones with (P. Le Maux, G. Simonneaux), C60
- Selenocarbonyl complexes of iridium(I) and iridium(III), synthesis and reactions of $\text{IrCl}(\text{CSe})(\text{PPh}_3)_2$ (W.R. Roper, K.G. Town), C97
- Trinuclear heterometallic clusters with four different skeletal atoms, synthesis of (P. Thometzek, H. Werner), C29
- ## Platinum
- N*-Thionitrosodimethylamine-palladium(II) and -platinum(II) complexes, ligating properties of thionitrosoamines (G. Tresoldi, G. Bruno, F. Crucitti, P. Piraino), 381
- Trinuclear heterometallic clusters with four different skeletal atoms, synthesis of (P. Thometzek, H. Werner), C29
- ## Rhenium
- Thiazylbis(trifluoromethyl) nitroxide cationic transition metal complexes (G. Hartmann, R. Mews, G.M. Sheldrick), 195
- ## Rhodium
- Binuclear diolefin rhodium(I) compounds, synthesis and reactions of; dichlorodi-1,5-cyclooctadiene(μ -pyrazine)d rhodium(I), $[(\text{Rh}(1,5\text{-C}_8\text{H}_{12})\text{Cl})_2 \cdot (\mu\text{-C}_4\text{H}_4\text{N}_2)]$ (R. Halesha, G.K.N. Reddy, S.P.S. Rao, H. Manohar), 231
- Bis(pentamethylcyclopentadienyl- μ -dimethylphosphinerrhodium), addition and insertion reactions of oxygen and its congeners to the Rh_2P_2 unit in (B. Klingert, H. Werner), C47
- Dodecanuclear carbido carbonyl cluster anions, $[\text{Rh}_{12}\text{C}_2(\text{CO})_{23}]^{n-}$ ($n = 3, 4$), synthesis of; X-ray characterisation of the $[\text{Rh}_{12}\text{C}_2(\mu\text{-CO})_{10}(\text{CO})_{13}]^{3-}$ trianion (D. Strumolo, C. Seregni, S. Martinengo, V.G. Albano, D. Braga), C93
- ## Ruthenium
- Carbonylchlorobis(dimethylphenylphosphine)(η^3 -pentadienyl)ruthenium, preparation and ^1H NMR spectra of (M. De Los Angeles Paz-Sandoval, P. Powell), 205
- Mono-, di- and tri-auration of $\text{H}_4\text{Ru}_4(\text{CO})_{12}$

- with $[\{Au(Ph_3)\}_3O][BF_4]$; X-ray structure of $HRu_4Au_3(CO)_1_2(PPh_3)_3$ (M.I. Bruce, B.K. Nicholson), 243
- Phenylbutenes, asymmetric hydrogenation catalysed by $H_4Ru_4(CO)_6[(-)-DIOP]$, of (M. Bianchi, U. Matteoli, P. Frediani, G. Menchi, F. Piacenti, C. Botteghi, M. Marchetti), 317**
- Ruthenium-cobalt mixed-metal alkyne clusters: $NEt_4[RuCo_3(\mu-CO)_2(CO)_6(\mu_4-\eta^2-PhC\equiv CPh)]$ and $RuCo_2(CO)_6(\mu_3-\eta^2-PhC\equiv CPh)$, synthesis and structure of (P. Braunstein, J. Rose, O. Bars), C101**
- Transition metal ions as homogeneous catalysts in cleavage of C—N bond of tertiary amines by acid anhydrides (Bui The Kai, A. Arcelli), C9**
- Selenium**
- Phenylselenyl oriented bromide, NMR spectroscopy of; applications of mixed liquid crystals to organometallic systems (N.S. Prakash, A.C. Kunwar, C.L. Khetrapal), 301**
- Selenocarbonyl complexes of iridium(I) and iridium(III), synthesis and reactions of $IrCl(CSe)(PPh_3)_2$ (W.R. Roper, K.G. Town), C97**
- Silicon**
- Cyclopentadienyldicarbonylirondimethyl-triphenyldisilane, $(\eta^5-C_5H_5)Fe(CO)_2-SiMe_2-SiPh_3$, synthesis and crystal structure of (L. Párkányi, K.H. Pannell, C. Hernandez), 127**
- Iron-coordinated dialkylaminosilyl ligands, anionic shifts to η^5 -cyclopentadienyl groups of (G. Thum, W. Ries, D. Greissinger, W. Malisch), C67**
- Molybdenum and tungsten complexes with η^3 -trimethylsiloxybutenone ligands, preparation by silylation of phosphonium metallates of (G. Grötsch, W. Malisch, H. Blau), C19**
- Pentamethylcyclopentadienyl-silanes and -germanes, synthesis and dynamic behaviour of (P. Jutzi, H. Saleska, D. Bühl, H. Grohe), 29**
- Trimethylsilyl- and t-butyl-thiophenes, photoelectron and Penning electron spectroscopy of (T. Veszprémi, Y. Harada, K. Ohno, H. Mutoh), 121**
- Trimethylvinylsilane, reaction with S_8 in the presence of dodecacarbonyltriiron, synthesis of cyclic polysulphides by (E.A. Chernyshev, O.V. Kuz'min, A.V. Lebedev, A.I. Gusev, N.I. Kirillova, N.S. Nametkin, V.D. Tyurin, A.M. Krapivin, N.A. Kubasova), 133**
- Trimethylvinylsilane, reaction with S_8 in the presence of dodecacarbonyliron, synthesis of trimethylsilyl- $\mu-S,S'$ -ethylenedithiolatohexacarbonyliron and 1-methyl-3-trimethylsilyl-2,5-dithiacyclopentane (E.A. Chernyshev, O.V. Kuz'min, A.V. Lebedev, A.I. Gusev, M.G. Los', N.V. Alekseev, N.S. Nametkin, V.D. Tyurin, A.M. Krapivin, N.A. Kubasova, V.G. Zaikin), 143**
- Tris(dimethylsilyl) methane derivatives, bicyclic tris(disiloxane) with a manthane structure (C. Eaborn, P.B. Hitchcock, P.D. Lickiss), 281**
- Sulphur**
- Cryptands and spherands with arsenic, oxygen, sulphur and nitrogen as hetero elements, synthesis, structure and reaction behaviour of (J. Ellermann, A. Veit, E. Lindner, S. Hoehne), 153**
- 3,3-Dialkyl-3-germathiethanes, synthesis and UV spectra of (J. Barrau, G. Rima, J. Satgé), C73**
- Diphenylphosphinyl diorganodithioarsinates, sulphotropic rearrangement of; formation of diorganoarsenic(III) diphenyldithiophosphinates (L. Silaghi-Dumitrescu, I. Haiduc), 295**
- N-Thionitrosodimethylamine-palladium(II) and -platinum(II) complexes, ligating properties of thionitrosoamines (G. Tresoldi, G. Bruno, F. Crucitti, P. Piraino), 381**
- Trimethylvinylsilane, reaction with S_8 in the presence of dodecacarbonyltriiron, synthesis of cyclic polysulphides by (E.A. Chernyshev, O.V. Kuz'min, A.V. Lebedev, A.I. Gusev, N.I. Kirillova, N.S. Nametkin, V.D. Tyurin, A.M. Krapivin, N.A. Kubasova), 133**
- Trimethylvinylsilane, reaction with S_8 in the presence of dodecacarbonyliron, synthesis of trimethylsilyl- $\mu-S,S'$ -ethylenedithiolatohexacarbonyliron and 1-methyl-3-trimethylsilyl-2,5-dithiacyclopentane (E.A. Chernyshev, O.V. Kuz'min, A.V. Lebedev, A.I. Gusev, M.G. Los', N.V. Alekseev, N.S. Nametkin, V.D. Tyurin, A.M. Krapivin, N.A. Kubasova, V.G. Zaikin), 143**

Tellurium

$[C_5H_5Ni(RTe-TeR)]BF_4$, chemistry of (N. Kuhn, M. Winter), C86

Pentacarbonyl(diphenyltelluroketone)-tungsten, preparation of (H. Fischer, S. Zeuner), C63

Thallium

Mono- and di-organothallium(III) derivatives, ^{13}C and 1H NMR parameters (F. Brady, R.W. Matthews, M.M. Thakur, D.G. Gillies), 1

Tin

Co-C bond behaviour in a series of alkyl-cobalt complexes, in the presence of $MeSnCl_3$ or Me_2SnCl_2 (M.H. Darbieu, G. Cros), 327

Diorganotin oxycarbonates, preparation and spectroscopy of (P.J. Smith, R. Hill, A. Nicolaides, J.D. Donaldson), 149

4-Methyl- and 5-methyltrimethylstannyl-3-cyclopentenes, synthesis and identification of the diastereoisomers of (G. Dumartin, J.-P. Quintard, M. Pereyre), 37

2,2,3,3,5,5,6,6-Octaphenyl-2,3,5,6-tetra-stannacyclohexane, crystal and molecular structure and ^{119}Sn NMR spectroscopy of (J. Meunier-Piret, M. Van Meerssche, M. Gielen, K. Jurkschat), 289

α -Stannylvinyl anionoids of 1,1-bis(trimethylstannyl)alkenes, formation of (T.N. Mitchell, A. Amamria), 47

Tungsten

Carbonylchloro(η^5 -cyclopentadienyl)-molybdenum and -tungsten chiral complexes with *N,N*-diphenylphosphino- α -amino acid esters, $(\eta^5C_5H_5)(CO)(Cl)M(Ph_2P)_2NCHRCO_2Me$ ($M = Mo, W$) (H.-G. Fick, W. Beck), 83

[1-Carbonyl-1- η^5 -cyclopentadienyl-1-trimethylphosphinetungsta-2,2-di-methylphospho-3-methylbicyclo[1.1.0]-butan-4-one] chloride, preparation, spectra and X-ray analysis of (F.R. Kreissl, M. Wolfsgruber, W. Sieber, K. Ackermann), C39

Carbonyl-molybdenum and -tungsten complexes, observation of tetrafluoroborate coordination by ^{19}F and ^{31}P NMR spectroscopy of (K. Sünkel, G. Urban, W. Beck), 187

Chromium and tungsten dinuclear carbyne complexes containing halogen bridges, synthesis of (E.O. Fischer, J.K.R. Wanner), 175

Hexacarbonyldiarsenicdicobalt,

$As_2Co_2(CO)_6$, preparation of poly-nuclear complexes from (M. Müller, H. Vahrenkamp), 95

Molybdenum and tungsten complexes with η^3 -trimethylsiloxybutenone ligands, preparation by silylation of phosphonium metallates of (G. Grötsch, W. Malisch, H. Blau), C19

Pentacarbonyl(diphenyltelluroketone)-tungsten, preparation of (H. Fischer, S. Zeuner), C63

Trinuclear heterometallic clusters with four different skeletal atoms, synthesis of (P. Thometzek, H. Werner), C29

Vanadium

Dicyclopentadienylpentacarbonyldivanadium, reactivity towards alkynes of (L.N. Lewis, K.G. Caulton), 57

Book reviews

Advances in organometallic chemistry, Vol. 21; edited by F.G.A. Stone and R. West (G.J. Leigh), C14

Gmelin handbook of inorganic chemistry, 8th ed., B — boron compounds, 2nd suppl. Vol. 2. Boron and halogens, chalcogens, carboranes, Formula index for 2nd suppl. Vol. 2; edited by K. Niedenzu (M.F. Lappert), C16

Gmelin handbook of inorganic chemistry, 8th ed., Mn — Manganese, Part C9. Compounds of manganese with phosphorus, arsenic, antimony, edited by H. Katscher (M.F. Lappert), C16

Gmelin handbook of inorganic chemistry, 8th ed., Mn — Manganese, Part D3, Coordination compounds 3; edited by E. Schleitzer-Rust (M.F. Lappert), C17

Gmelin handbook of inorganic chemistry, 8th ed., Sn — Organotin compounds, Part 10: Mono- and di-organotin-sulfur compounds. Organotin-selenium and organotin-tellurium compounds (C. Eaborn), C106

Gmelin handbook of inorganic chemistry, 8th ed., U — Uranium, Suppl. Vol. D4. Cation exchange and chromatography of uranium; edited by R. Keim et al. (M.F. Lappert), C17

The chemistry of the metal—carbon bond, Vol. 1, The structure, preparation, thermochemistry and characterization of organometallic compounds; edited by F.R. Hartley and S. Patai (G.J. Leigh), C15