

# JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 301 (1986)

---

## SUBJECT INDEX

### Boron

Palladium-catalysed carbonylative cross-coupling of organoboranes with aryl iodides or benzyl halides in the presence of bis(acetylacetone)zinc(II) (Y. Wakita, T. Yasunaga, M. Akita, M. Kojima), C17

### Chromium

Benzo[8,9]bicyclo[5.2.0]nona-2,4,8-triene, facile isomerisation to benzo[7,8]bicyclo[4.2.1]nona-2,4,7-triene promoted by  $L_3M(CO)_3$  complexes ( $M = Cr, Mo, W$ ) of; crystal structure of the tricarbonyl isomeric complex (P. Berno, A. Ceccon, F. Daprà, A. Gambaro, A. Venzo, P. Ganis, G. Valle), 161  
 $[(C_5H_4XC_6H_5)Cr(CO)_3]^-$  and  $(C_6H_5XC_6H_4)Mn(CO)_3$  ( $X = -, CO, CH_2, C_2H_2$ ), electronic structures of (N.J. Fitzpatrick, N.J. Gogan, P.K. Sayal), C31  
Tricarbonyl- $\eta$ -cycloheptatrienyl-chromium, -molybdenum and -tungsten salts, kinetics and reactions of methoxide ion with (P. Powell, M. Stephens, K.H. Yassin), 313

### Cobalt

Cobalt-catalysed low-pressure double carbonylation of aryl and secondary benzyl halides (F. Francalanci, E. Bencini, A. Gardano, M. Vincenti, M. Foà), C27  
 $[Co(CO)(dppm)_2]ClO_4$ , crystal and molecular structure of (C. Carriero, P. Gomez-Sal, P. Royo, S. Martinez-Carrera, S. Garcia-Blanco), 79  
Octacarbonyldicobalt, pyridine induced disproportionation in THF of: homonuclear ion pairs and dihydrogen activation (G. Fachinetti, G. Fochi, T. Funaioli), 91  
Organometallic-iron and -cobalt complexes, ligand exchange reactions between; crystal structure of

$[(C_5H_5)_2Co_4(CO)_5(F_3CC=CCF_3)]$  (R. Rumin, P. Courtot, J.E. Guerchais, F.Y. Pétilion, L. Manojlović-Muir, K.W. Muir), C1

### Copper

Lithium 2-(1-dimethylaminoethyl)-phenyl cuprates, steric consequence of diastereoselective addition to enones of (S. Andersson, S. Jagner, M. Nilsson, F. Urso), 257  
Organocopper(I) mediated synthesis of 1,4-diketones with ethoxy-acetylene applied as building block (P. Wijkens, P. Vermeer), 247

### Germanium

$(CH_3)_5C_5(Cl)Ge \rightarrow W(CO)_5$ , molecular rearrangement of (P. Jutzi, B. Hampel), 283  
13,13-Dimethyl-8,13-dihydro-5*H*-benzo[d,g][1.2.6]diselenagermanoine and 13,14-diphenyl-8,13-dihydro-5*H*-dibenzo[d,g][1.2.6]diselenasilonine, crystal and molecular structure of (V.E. Shklover, Yu.E. Ovchinnikov, Yu.T. Struchkov, V.I. Rokitskaya, O.G. Rodin, V.F. Traven', B.I. Stepanov, M.Yu. Aismont), 273  
5-Germaspiro[4.4]nona-2,7-dienes, preparation of (P. Mazerolles, F. Grégoire), 153  
 $Ph_3GeSiMe_3$  and  $Ph_3GeSiMe_2Fe(CO)_2$  ( $\eta^5-C_5H_5$ ), synthesis and crystal structures of (L. Párkányi, C. Hernández, K.H. Pannell), 145  
Polygermanes as by-products of the Grignard reaction of  $PhMgBr$  and  $GeCl_4$  (S. Roller, D. Simon, M. Dräger), 27  
Tetramethyldigermane, [2+2] cyclo-addition to multiple bonds of; synthesis of  $\Delta^{1,7}-2,2,6,6,8,8,9,9$ -octamethyl-4-thia-8,9-digermabicyclo[5.2.0]nonene (O.M. Nefedov, M.P. Egorov, A.M. Gal'minas, S.P. Kolesnikov, A. Krebs, J. Berndt), C21

## Hafnium

Zirconocene and hafnocene dihydrides, reactivity towards elemental selenium and sulphur of; insertion of a chalcogen unit into a M—H bond (M. Fahim, G. Tainturier), C45

## Iridium

Hydroxycarbonyliridium(III) complexes, modification of the acid–base properties by substitution of CO by a tertiary phosphine ligand in (A.J. Deeming, G.P. Proud), 385  
 $\text{MeIr}(\text{CO})(\text{PPh}_3)_2(\text{MeCO}_2\text{CH}=\text{CHCO}_2\text{Me})$ , formation and crystal structure of; comparison of analogous alkene and alkyne complexes (M.R. Churchill, J.C. Fettinger, W.M. Rees, J.D. Atwood), 99

## Iron

Bis( $\mu$ -cyclohexen-2-ylthio)- $\mu_4$ -thiocodiacarbonyltetrairon, synthesis and structure of (B.I. Kolobkov, N.S. Nametkin, V.D. Tyurin, A.I. Nekhaev, G.G. Aleksandrov, M.T. Tashev, H.B. Dustov), 349  
 Bis(perfluoroalkyl)tetracarbonyliron, intramolecular *cis*–*trans* isomerisation of (S.I. Vdovenko, I.I. Guerus, Yu.L. Yagupolskii), 195  
 $\eta^4$ -1,3-Butadienetris(triethylphosphane)-iron(0), synthesis properties and characterisation of (H. Hoberg, K. Jenni), C59  
 Coordinated cyclic polyolefins, reactions of; mechanism of pericyclic [4.4]-sigmahaptotropic rearrangement; crystal structure of tricarbonyl-(2,3,4,5- $\eta$ )bicyclo[4.2.1]nona-2,4-diene-7,7,8,8-tetracarbonitrile]iron (Z. Goldschmidt, H.E. Gottlieb, E. Genizi, D. Cohen, I. Goldberg), 337  
 Diazabutadienehexacarbonyldiiron complexes of t-BuN=CHCH=N-i-Pr,  $^1\text{H}$  NMR identification of regioisomers of (H.-W. Frühauf, J. Breuer), 183  
 (2-Formylbutadienetricarbonyliron, preparation, chirality and reactivity of (M. Franck-Neumann, D. Martina, M.-P. Heitz), 61  
 Migratory CO insertion rate structure correlations and steric acceleration in

the octahedral iron(II) case for (C.R. Jablonski, Y.-P. Wang), C49

Organometallic-iron and -cobalt complexes, ligand exchange reactions between; crystal structure of  $[(\text{C}_5\text{H}_5)_2\text{Co}_4(\text{CO})_5(\text{F}_3\text{CC}\equiv\text{CCF}_3)]$  (R. Rumin, P. Courtot, J.E. Guerchais, F.Y. Pétillon, L. Manojlović-Muir, K.W. Muir), C1

Triferrocenylferrocenoxyoxotungsten,  $\text{WO}(\text{OFC})\text{Fc}_3$  ( $\text{Fc}$  = ferrocenyl), molecular structure in the solid state and dynamic behaviour in solution of (M. Herberhold, H. Kniesel, L. Haumaier, U. Thewalt), 355

Vinylcarbynetetrairon complex, synthesis of; crystal and molecular structure of  $[(\text{C}_5\text{H}_5)_2(\text{CO})_2\text{Fe}_2(\mu\text{-CO})]_2(\mu\text{-C}_5\text{H}_3)^+\text{BF}_4^-$  (C.P. Casey, M.S. Konings, K.J. Haller), C55

## Lead

Dilithium bis(trimethylsilyl)hydrazine, reactions with Group IV halides of (S.K. Vasisht, M. Sood, N. Sood, G. Singh), 15  
 Organolead solid compounds, high-resolution  $^{207}\text{Pb}$  NMR of (J.R. Ascenso, R.K. Harris, P. Granger), C23

## Lithium

Dilithium bis(trimethylsilyl)hydrazine, reactions with Group IV halides of (S.K. Vasisht, M. Sood, N. Sood, G. Singh), 15  
 Lithium 2-(1-dimethylaminoethyl)phenyl cuprates, steric consequence of diastereoselective addition to enones of (S. Andersson, S. Jagner, M. Nilsson, F. Urso), 257

## Magnesium

Polygermanes as by-products of the Grignard reaction of  $\text{PhMgBr}$  and  $\text{GeCl}_4$  (S. Roller, D. Simon, M. Dräger), 27

## Manganese

$[(\text{C}_5\text{H}_4\text{XC}_6\text{H}_5)\text{Cr}(\text{CO})_3]^-$  and  $(\text{C}_6\text{H}_5\text{XC}_5\text{H}_4)\text{Mn}(\text{CO})_3$  ( $\text{X} = \text{—}, \text{CO}, \text{CH}_2, \text{C}_2\text{H}_4$ ), electronic structures of (N.J. Fitzpatrick, N.J. Gogan, P.K. Sayal), C31

Cymantrene optically active monosubstituted derivatives, relationship of chiroptical characteristics with absolute configuration of (N.M. Loim, M.V. Laryukova, P.V. Kondratev, Z.N. Parnes), 173

## Mercury

$[\text{Hg}_3 \{\text{HC}(\text{PPh}_3)_3\}(\text{OAc})_n](\text{O}_3\text{SCF}_3)_m$  ( $n + m = 6$ ) complexes containing an acidic carbon (M. Lusser, P. Peringer), 269

Methylmercurimethanes, vibrational spectra and force fields of (J. Mink, D.K. Breitinger, W. Kress), 1

## Metallocenes

$(\text{C}_5\text{H}_5)_2\text{Zr}(\text{CO})[\text{P}(\text{OCH}_3)_3]$ , preparation and structure of (G. Erker, U. Dorf, C. Krüger, K. Angermund), 299

Nickel(II) isolable phosphonio complexes,  $\text{C}_5\text{H}_5\text{Ni}(\text{PH}_3)_1$  and  $[\text{C}_5\text{H}_5\text{Ni}(\text{PH}_3)_2]\text{BF}_4^-$  (N. Kuhn, M. Winter), C9

Titanocene dichloride, hydrolysis of; preparation, structure and properties of trinuclear, oxygen-bridged, basic carboxylate complexes:  $[\text{Ti}_3(\mu_3\text{-O})(\mu_2\text{-OH})_3(\mu_2\text{-HCOO})_3 \cdot (\eta^5\text{-C}_5\text{H}_5)_3]^+ \text{HCOO}^- \cdot 2\text{HCOOH}$  (K. Döppert, U. Thewalt), 41

Triferrocenylerrocenoxyoxotungsten,  $\text{WO}(\text{OFC})\text{Fc}_3$  ( $\text{Fc}$  = ferrocenyl), molecular structure in the solid state and dynamic behaviour in solution of (M. Herberhold, H. Kniesel, L. Haumaier, U. Thewalt), 355

Zirconocene and hafnocene dihydrides, reactivity towards elemental selenium and sulphur of; insertion of a halogen unit into a M—H bond (M. Fahim, G. Tainturier), C45

## Molybdenum

Benzo[8,9]bicyclo[5.2.0]nona-2,4,8-triene, facile isomerisation to benzo[7,8]bicyclo[4.2.1]nona-2,4,7-triene promoted by  $\text{L}_3\text{M}(\text{CO})_3$  complexes ( $\text{M} = \text{Cr}, \text{Mo}, \text{W}$ ) of; crystal structure of the tricarbonyl isomeric complex (P. Berno, A. Ceccon, F. Daprà, A. Gambaro, A. Venzo, P. Ganis, G. Valle), 161

1-syn-Methyl- and phenyl-allyl complexes with symmetric metal ligand backbones, synthesis and spectra of; molecular structures of  $[(\eta\text{-1-PhC}_3\text{H}_4)\text{Pd}(\text{tmesta})]\text{BF}_4^-$ ,  $[(\eta\text{-C}_5\text{H}_5)\text{Pd}(\eta\text{-1-PhC}_3\text{H}_4)]$ , and  $[(\text{phen})\text{Mo}(\text{CO})_2(\text{NCS})(\eta\text{-1-PhC}_3\text{H}_4)]$  (N.W. Murrall, A.J. Welch), 109

Tricarbonyl- $\eta$ -cycloheptatrienyl-chromium, -molybdenum and -tungsten salts, kinetics and reactions of methoxide ion with (P. Powell, M. Stephens, K.H. Yassin), 313

Tricarbonyl( $\eta^6$ -cyclophane)molybdenum complexes and their geometry-dependent  $^{13}\text{C}$  NMR behaviour (M. Takamori, N. Mori), 321

## Nickel

2,2'-Bipyridinenickel, catalytic activity in electrochemical reduction of aliphatic halides of (S. Mabrouk, S. Pelligrini, J.-C. Folest, J. Périchon), 391

Nickel-catalysed coupling of activated alkenes with organic halides (G.P. Boldrini, D. Savoia, E. Tagliavini, C. Trombini, A. Umani Ronchi), C62

Nickel(II) isolable phosphonio complexes,  $\text{C}_5\text{H}_5\text{Ni}(\text{PH}_3)_1$  and  $[\text{C}_5\text{H}_5\text{Ni}(\text{PH}_3)_2]\text{BF}_4^-$  (N. Kuhn, M. Winter), C9

$[\text{Ni}_3\text{Pt}_3(\text{CO})_{21}\text{H}_{4-n}]^{n-}$  ( $n = 4, 3, 2$ ) anionic clusters, synthesis, NMR and structural characterisation of (A. Ceriotti, F. Demartin, G. Longoni, M. Manassero, G. Piva, G. Piro, M. Sansoni, B.T. Heaton), C5

$[\text{NiRR}'\text{L}_1]$  ( $\text{R}$  = aryl or vinyl;  $\text{L} = \text{PMe}_2\text{Ph}, \text{PEt}_3$ ) complexes, decomposition by bromine or anodic oxidation of (J.M. Coronas, G. Muller, M. Rocamora), 227

## Palladium

Carbonylphosphine-palladium high-nuclear cluster,  $\text{Pd}_{23}(\text{CO})_{22}(\text{PEt}_3)_{10}$ , production and characterisation of (E.G. Mednikov, N.K. Eremenko, Yu.L. Slovokhotov, Yu.T. Struchkov), C35

1-syn-Methyl- and -phenyl-allyl complexes with symmetric metal ligand backbones, synthesis and spectra of;

molecular structures of  $[\eta\text{-}1\text{-PhC}_3\text{H}_4]\text{-Pd(tmeda)}\text{BF}_4$ ,  $[(\eta\text{-C}_5\text{H}_5)\text{Pd}(\eta\text{-1-PhC}_3\text{H}_4)]$ , and  $[(\text{phen})\text{Mo}(\text{CO})_2\text{-}(\text{NCS})(\eta\text{-1-PhC}_3\text{H}_4)]$  (N.W. Murrall, A.J. Welch), 109

Palladium and rhodium complexes with  $[\text{R}_2\text{PCH}_2\text{CO}_2]^-$  ligands ( $\text{R} = \text{Ph}$ , cyclo-C<sub>6</sub>H<sub>11</sub>); crystal and molecular structure of  $[(o\text{-C}_6\text{H}_5\text{CH}_2\text{NMe}_2)\text{-Pd}[\text{Ph}_2\text{PCH}_2\text{C(O)O}]]$  (P. Braunstein, D. Matt, D. Nobel, S.-A. Bouaoud, D. Grandjean), 401

Palladium-catalysed carbonylative cross-coupling of organoboranes with aryl iodides or benzyl halides in the presence of bis(acetylacetone)zinc(II) (Y. Wakita, T. Yasunaga, M. Akita, M. Kijima), C17

## Phosphorus

$\eta^4\text{-1,3-Butadienetris(triethylphosphane)-iron(0)}$ , synthesis properties and characterisation of (H. Hoberg, K. Jenni), C59

Carbonylphosphine-palladium high-nuclear cluster,  $\text{Pd}_{13}(\text{CO})_{22}(\text{PEt}_3)_{10}$ , production and characterisation of (E.G. Mednikov, N.K. Eremenko, Yu.L. Slovokhotov, Yu.T. Struchkov), C35

(C<sub>5</sub>H<sub>5</sub>)<sub>2</sub>Zr(CO)[P(OCH<sub>3</sub>)<sub>3</sub>], preparation and structure of (G. Erker, U. Dorf, C. Krüger, K. Angermund), 299

[Co(CO)(dppm)<sub>2</sub>]ClO<sub>4</sub>, crystal and molecular of (C. Carriero, P. Gomez-Sal, P. Royo, S. Martinez-Carrera, S. Garcia-Blanco), 79

Hydroxycarbonyliridium(III) complexes, modification of the acid-base properties by substitution of CO by a tertiary phosphine ligand in (A.J. Deeming, G.P. Proud), 385

MeIr(CO)(PPh<sub>3</sub>)<sub>2</sub>(MeCO<sub>2</sub>CH=CHCO<sub>2</sub>Me), formation and crystal structure of; comparison of analogous alkene and alkyne complexes (M.R. Churchill, J.C. Fettinger, W.M. Rees, J.D. Atwood), 99

Nickel(II) isolable phosphonio complexes, C<sub>5</sub>H<sub>5</sub>Ni(PH<sub>3</sub>)I and [C<sub>5</sub>H<sub>5</sub>Ni(PH<sub>3</sub>)<sub>2</sub>]BF<sub>4</sub> (N. Kuhn, M. Winter), C9

[NiRR'L]<sub>n</sub> (R = aryl or vinyl; L = PMe<sub>2</sub>Ph, PEt<sub>3</sub>) complexes, decomposition by bromine or anodic oxidation

of (J.M. Coronas, G. Muller, M. Rocamora), 227

Optically active phosphines, formation by asymmetric substitution of prochiral, homochiral substituted phosphinous acid esters of (J. Neuffer, W.J. Richter), 289

Palladium and rhodium complexes with  $[\text{R}_2\text{PCH}_2\text{CO}_2]^-$  ligands ( $\text{R} = \text{Ph}$ , cyclo-C<sub>6</sub>H<sub>11</sub>); crystal and molecular structure of  $[(o\text{-C}_6\text{H}_5\text{CH}_2\text{NMe}_2)\text{-Pd}[\text{Ph}_2\text{PCH}_2\text{C(O)O}]]$  (P. Braunstein, D. Matt, D. Nobel, S.-A. Bouaoud, D. Grandjean), 401

trans-[Pt(H<sub>2</sub>){P(C<sub>6</sub>H<sub>11</sub>)<sub>3</sub>}<sub>2</sub>], reactions with heterocumulenes of; crystal and molecular structure of trans-[Pt{P(C<sub>6</sub>H<sub>11</sub>)<sub>3</sub>}<sub>2</sub>(H){OCH=C(C<sub>6</sub>H<sub>5</sub>)<sub>2</sub>}] (A. Musco, W. Porzio, S. Destri, G. Gatti, A. Grassi, P. Longo), 237

## Platinum

[Ni<sub>3</sub>Pt<sub>3</sub>(CO)<sub>21</sub>H<sub>4-n</sub>]<sup>n-</sup> ( $n = 4, 3, 2$ ) anionic clusters, synthesis, NMR and structural characterisation of (A. Ceriotti, F. Demartin, G. Longoni, M. Manassero, G. Piva, G. Piro, M. Sansoni, B.T. Heaton), C5

trans-[Pt(H<sub>2</sub>){P(C<sub>6</sub>H<sub>11</sub>)<sub>3</sub>}<sub>2</sub>], reactions with heterocumulenes of; crystal and molecular structure of trans-[Pt{P(C<sub>6</sub>H<sub>11</sub>)<sub>3</sub>}<sub>2</sub>(H){OCH=C(C<sub>6</sub>H<sub>5</sub>)<sub>2</sub>}] (A. Musco, W. Porzio, S. Destri, G. Gatti, A. Grassi, P. Longo), 237

## Rhenium

cis-( $\eta^5\text{-C}_5\text{H}_5$ )(CO)<sub>2</sub>Re(SiPh<sub>3</sub>)H, ring-versus metal-hydride deprotonation in with formation of cis- and trans-( $\eta^5\text{-C}_5\text{H}_4\text{(SiPh}_3\text{)}\text{(CO)}_2\text{ReH}_2$ ) (P. Pasman, J.J.M. Snel), 329

## Rhodium

Bis-olefin-rhodium(I) complexes of tripod ligand with an O,O,O-donor set (M. Scotti, M. Valderrama, S. Rojas, W. Kläui), 369

Mono- and di-azadienerhodium(I) complexes, synthesis, spectra, oxidative addition reactions of and homogeneous catalysis for hydrosilylation

- with (M. Brockmann, H. tom Dieck, J. Klaus), 209
- Palladium and rhodium complexes with  $[R_2PCH_2CO_2]^-$  ligands ( $R = Ph$ , cyclo-C<sub>6</sub>H<sub>11</sub>); crystal and molecular structure of [(o-C<sub>6</sub>H<sub>5</sub>CH<sub>2</sub>NMe<sub>2</sub>)-Pd{Ph, PCH<sub>2</sub>C(O)O}] (P. Braunstein, D. Matt, D. Nobel, S.-A. Bouaoud, D. Grandjean), 401**
- [Rh(oq)Br(P(o-C<sub>6</sub>F<sub>5</sub>)Ph<sub>2</sub>)(H<sub>2</sub>O)]<sub>2</sub> (oq = 8-oxyquinolate), molecular structure of (F. Barceló, P. Lahuerta, M.A. Ubeda, C. Foces-Foces, F.H. Cano, M. Martínez-Ripoll), 375**
- Ruthenium**
- Tris(2,2'-bipyridine)ruthenium(II), cyclometallated analogue of (E.C. Constable, J.M. Holmes), 203**
- Selenium**
- 13,13-Dimethyl-8,13-dihydro-5H-di-benzo[d,g][1.2.6]diselenagermonine and 13,14-diphenyl-8,13-dihydro-5H-dibenzo[d,g][1.2.6]diselenasilonine, crystal and molecular structure of (V.E. Shklover, Yu.E. Ovchinnikov, Yu.T. Struchkov, V.I. Rokitskaya, O.G. Rodin, V.F. Traven', B.I. Stepanov, M.Yu. Aismont), 273**
- Zirconocene and hafnocene dihydrides, reactivity towards elemental selenium and sulphur of; insertion of a chalcogen unit into a M—H bond (M. Fahim, G. Tainturier), C45**
- Silicon**
- cis-( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)(CO)<sub>2</sub>Re(SiPh<sub>3</sub>)H, ring-versus metal-hydride deprotonation with formation of *cis*- and *trans*-( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)(SiPh<sub>3</sub>)(CO)<sub>2</sub>ReH<sub>2</sub> (P. Pasman, J.J.M. Snel), 329**
- Dilithium bis(trimethylsilyl)hydrazine, reactions with Group IV halides of (S.K. Vasishth, M. Sood, N. Sood, G. Singh), 15**
- 13,13-Dimethyl-8,13-dihydro-5H-di-benzo[d,g][1.2.6]diselenagermonine and 13,14-diphenyl-8,13-dihydro-5H-dibenzo[d,g][1.2.6]diselenasilonine, crystal and molecular structure of (V.E. Shklover, Yu.E. Ovchinnikov, Yu.T. Struchkov, V.I. Rokits-**
- kaya, O.G. Rodin, V.F. Traven', B.I. Stepanov, M.Yu. Aismont), 273**
- Hydrogenosilanes, pentacoordination and pseudorotation in (J. Boyer, R.J.P. Corriu, A. Kpton, M. Poirier, G. Royo), 131**
- Mono- and di-azadienerhodium(I) complexes, synthesis, spectra, oxidative addition reactions of and homogeneous catalysis for hydrosilylation with (M. Brockmann, H. tom Dieck, J. Klaus), 209**
- Ph<sub>3</sub>GeSiMe<sub>3</sub> and Ph<sub>3</sub>GeSiMe<sub>2</sub>Fe(CO)<sub>2</sub>( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>), synthesis and crystal structures of (L. Párkányi, C. Hernández, K.H. Pannell), 145**
- Trichlorosilanes, reactions with enamines of (D.C. Snyder), 137**
- Sulphur**
- Bis( $\mu$ -cyclohexen-2-ylthio)- $\mu_4$ -thio-dodecacarbonyltetrairon, synthesis and structure of (B.I. Kolobkov, N.S. Nametkin, V.D. Tyurin, A.I. Nekhaev, G.G. Aleksandrov, M.T. Tashev, H.B. Dustov), 349**
- Tetramethyldigermane, [2+2] cyclo-addition to multiple bonds of; synthesis of  $\Delta^{1,7}$ -2,2,6,6,8,8,9,9-octamethyl-4-thia-8,9-digermabicyclo-[5.2.0]nonene (O.M. Nefedov, M.P. Egorov, A.M. Gal'minas, S.P. Kolesnikov, A. Krebs, J. Berndt), C21**
- Zirconocene and hafnocene dihydrides, reactivity towards elemental selenium and sulphur of; insertion of a chalcogen unit into a M—H bond (M. Fahim, G. Tainturier), C45**
- Tin**
- Dilithium bis(trimethylsilyl)hydrazine, reactions with Group IV halides of (S.K. Vasishth, M. Sood, N. Sood, G. Singh), 15**
- Titanium**
- Titanocene dichloride, hydrolysis of; preparation, structure and properties of trinuclear, oxygen-bridged, basic carboxylate complexes: [Ti<sub>3</sub>( $\mu_3$ -O)( $\mu_2$ -OH)<sub>3</sub>( $\mu_2$ -HCOO)<sub>3</sub>( $\eta^5$ -C<sub>5</sub>H<sub>5</sub>)<sub>3</sub>]<sup>+</sup> HCOO<sup>-</sup>·2HCOOH (K. Döppert, U. Thewalt), 41**

## Tungsten

**Benzo[8,9]bicyclo[5.2.0]nona-2,4,8-triene**, facile isomerisation to benzo-[7,8]bicyclo[4.2.1]nona-2,4,7-triene promoted by  $L_3M(CO)_3$  complexes ( $M = Cr, Mo, W$ ) of; crystal structure of the tricarbonyl isomeric complex (P. Berno, A. Ceccon, F. Daprà, A. Gambaro, A. Venzo, P. Ganis, G. Valle), 161  
 $(CH_3)_5C_5(Cl)Ge \rightarrow W(CO)_3$ , molecular rearrangement of (P. Jutzi, B. Hampel), 283

**Organotungsten(VI) complex containing  $W=N-N=W$  core,  $[(\eta^5-C_5Me_5)-W(CH_3)_3]_2(\mu-N_2)$** , crystal structure of (M.R. Churchill, Y.-J. Li), 49  
**Tricarbonyl- $\eta$ -cycloheptatrienyl-chromium, -molybdenum and -tungsten salts, kinetics and reactions of methoxide ion with** (P. Powell, M. Stephens, K.H. Yassin), 313

## Zinc

**Palladium-catalysed carbonylative cross-coupling of organoboranes with aryl iodides or benzyl halides in the presence of bis(acetylacetone)zinc(II)** (Y. Wakita, T. Yasunaga, M. Akita, M. Kojima), C17

## Zirconium

$(C_5H_5)_2Zr(CO)[P(OCH_3)_3]$ , preparation and structure of (G. Erker, U. Dorf, C. Krüger, K. Angermund), 299  
**Zirconocene and hafnocene dihydrides, reactivity towards elemental selenium and sulphur of; insertion of a chalcogen unit into a M—H bond** (M. Fahim, G. Tainturier), C45

## Book reviews

**Electrochemistry**, Vol. 10; reported by D. Pletcher et al. (K.R. Seddon), C40  
**Fundamental and technological aspects**

of organo- $f$ -element chemistry; edited by T.J. Marks and I.L. Fragalà (K.R. Seddon), C38

Gmelin handbook of inorganic chemistry, 8th edit., Th — Thorium, Supplement Vol. D2, Solvent extraction (K.R. Seddon), C65

Homogenous catalysis with compounds of rhodium and iridium; by R.S. Dickson (P.A. Chaloner), C13  
**Houben—Weyl Methoden der organischen Chemie, organische Schwefel-Verbindungen**, 4th edition, Vol. E11, parts 1 and 2; edited by D. Klamann (P.A. Chaloner), C42

Hydrogenation methods; by P.N. Rylander (P.A. Chaloner), C67

Inorganic syntheses, Vol. 23; edited by S. Kirschner (K.R. Seddon), C39

Landolt-Börnstein, Numerical data and functional relationships in science and technology. New series. Group II. Atomic and molecular physics, Supplement 4 (1973, 1974) to Vol. 12, Magnetic properties of coordination and organometallic transition metal compounds. Sub-Vol. b. Electron paramagnetic resonance; by E. König and G. König (C. Eaborn), C38

Lithium — current applications in science, medicine, and technology; edited by R.O. Bach (K.R. Seddon), C14

Metal ions in biological systems. Vol. 18. Circulation of metals in the environment; edited by H. Sigel (M.A.F. Smith), C12

Methods for the oxidation of organic compounds: alkanes, alkenes, alkynes and arenes; by A.H. Haines (P.A. Chaloner), C41

Organometallic chemistry reviews; Annual Surveys: Si, Sb, Bi, Mn, Tc, Re, heteronuclear complexes (J. Organometal. Chem. Library 17); edited by R.B. King and J.P. Oliver (P.D. Lickiss), C15

Transition metal chemistry, Vol. 9; ed. by G.A. Melson and B.N. Figgis (K.R. Seddon, E.A. Seddon), C66