
JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 302 (1986)

SUBJECT INDEX**Aluminium**

Methylcopper and methyl(tricyclohexylphosphine)copper, reactions with trialkylaluminum of (S. Pasynkiewicz, J. Popławska), 269

Boron

Alkoxy- and alkylthio-piperidinophenylboranes, comparison of $p_{\pi}-p_{\pi}$ bonding in (R.H. Cragg, T.J. Miller, D. O'N. Smith), 19

Boron tetracoordinated mono- and bicyclic derivatives and α -aminodiacidic boron derivatives (B. Garrigues, M. Mulliez, A. Raharinarina), 153

Chromium

(α -Diimine)tetracarbonyl-chromium, -molybdenum and -tungsten complexes, correlation between solvatochromism and back-bonding in (S. Ernst, Y. Kurth, W. Kaim), 211

Cobalt

Amidocarbonylation catalysation of substituted allylic alcohols (S.-S. Yuan, A.M. Ajami), 255

2-Aryl-2-hydroxyethylcobaloximes, synthesis, characterisation and decomposition of (K.L. Brown, A. Fulep-Poszmik, Z. Szeverenyl, O. Perkins), 101

Carbonylcobalt reaction of oxetanes with a hydrosilane and carbon monoxide (T. Murai, K. Furuta, S. Kato, S. Murai, N. Sonoda), 249

$[(C_5H_5)_2Co_2(\mu-PMe_2)_2(\mu-H)]^+$ cation, opening of the hydrido bridges by Lewis bases in (H. Werner, R. Zolk, W. Hofmann), 65

$[M(P(O)(OMe)_2)(P(OMe)_3)_4]$ (M = Co, Ir, Rh), synthesis and variable ^{31}P NMR spectra of (S.I. Klein, F. Nixon), 87

Copper

[2-(4,4-Dimethyl-2-oxazoline)-4-methylphenylcopper]copper bromide complex, crystal structure of (E. Wehman, G. van Koten, J.T.B.H. Jastrzebski), C35

Methylcopper and methyl(tricyclohexylphosphine)copper, reactions with trialkylaluminum of (S. Pasynkiewicz, J. Popławska), 269

Germanium

5,5-Diphenyloctafluorogermanthrene, $(C_6H_5)_2GeC_{12}F_8$, crystal and molecular structure of (D.S. Brown, A.G. Massey, T.K. Mistry), 343

Metallocenes in biochemistry, microbiology and medicine (*Review*) (K.E. Dombrowski, W. Baldwin, J.E. Sheats), 281

Gold

Platinum-gold heterometallic clusters, MO calculations on (D.I. Gilmour, D.M.P. Mingos), 127

Tetranuclear gold-silver cluster with phenylacetylde groups and phosphine ligands, preparation and X-ray structure of (O.M. Abu-Salah, C.B. Knobler), C10

Hafnium

Zirconocene and hafnocene dichlorides, electrogeneration of Zr^{III} and Hf^{III} anions of (A. Fakhr, Y. Mugnier, B. Gautheron, E. Laviron), C7

Iridium

$[M(P(O)(OMe)_2P(OMe)_3)_4]$ (M = Co, Ir, Rh), synthesis and variable ^{31}P NMR spectra of (S.I. Klein, F. Nixon), 87

Phosphineiridium chiral complexes as catalysts in asymmetric transfer hydrogenation of ketones (H.W. Krause, A.K. Bhatnagar), 265

Iron

- η^6 -Arene- η^5 -cyclopentadienyliron cations and related systems (*Review*) (R.G. Sutherland, M. Iqbal, A. Piórko), 307
- Bis(diphenylphosphino)methane derivatives of dodecacarbonyl-triiron, -triruthenium and -triosmium, preparation of; X-ray crystal structure of $\text{Os}_3(\text{CO})_9(\mu\text{-dppm})(\eta^1\text{-dppm})(\text{dppm} = \text{Ph}_2\text{PCH}_2\text{PPh}_2)$ (S. Cartwright, J.A. Clucas, R.H. Dawson, D.F. Foster, M.M. Harding, A.K. Smith), 403
- η^5 -Cyclopentadienyl- η^6 -areneiron(I) paramagnetic complexes, electrochemistry of; substitution of the arene group with cyclopentadiene (A. Darchen), 389
- (1,4-Diaza-1,3-diene)tricarbonyliron, reactions with alkyne under formation of 1,5-dihydropyrrol-2-ones of; stereospecific ligand incorporation in formation of the [2.2.2]bicyclic intermediate (H.-W. Frühauf, F. Seils), 59
- $\text{Fe}_3(\text{PhCH}_2\text{N})(\text{CO})_{10}$ and $\text{HFe}_3(\text{PhCH}=\text{N})(\text{CO})_9$, preparation from benzalazine and $\text{Fe}_3(\text{CO})_{12}$; X-ray crystal structure of $\mu\text{-(}o\text{-C}_6\text{H}_4\text{CH}_2\text{NN}=\text{CHPh})\text{Fe}_2(\text{CO})_6$ (N.S. Nametkin, V.D. Tyurin, V.V. Trusov, A.I. Nekhaev, A.S. Batsanov, Yu.T. Struchkov), 243
- Tricarbonyldieneiron complexes, application of ultrasound to (S.V. Ley, C.M.R. Low, A.D. White), C13

Lanthanides

- 1,1'-Trimethylenedicyclopentadienyl-early lanthanide σ -bonded complexes, synthesis and thermal decomposition of (C. Qian, C. Ye, Y. Li), 171

Lithium

- $\mu\text{-}[(\text{Di-}\eta^5\text{-cyclopentadienyl)dimethylsilyl}]_2\text{bis(tricarbonyltungsten)$, preparation and X-ray structure analysis of (W. Abriel, J. Heck), 363
- Lithium nitride reduction of chlorocyclopentadienyltitanium complexes, reaction products of (M. Kilner, G. Parkin), 181
- α -Sulphonylvinyl lithium compounds,

stereochemical stability of (H. Kleijn, P. Vermeer), 1

Magnesium

- 2-Phenylcyclobutylmethyl bromide Grignard reagent, formation and rearrangements of (E.A. Hill, C.L. Harder, R. Wagner, D. Meh, R.P. Bowman), 5
- Tetrafluoroterephthalonitrile, monoalkyldecyanation by reactions with Grignard reagents of (D.J. Milner), 147

Manganese

- η^2 -Acetylene- and η^1 -vinylidene-manganese complexes, preparation from *p*-diethynylbenzene and cymantrene; X-ray crystal and molecular structure of $(\text{C}_5\text{H}_5)(\text{CO})_2\text{Mn}=\text{C}=\text{CHC}_6\text{H}_4\text{CBr}=\text{CH}_2$ (N.E. Kolobova, O.S. Zhvanko, L.L. Ivanov, A.S. Batsanov, Yu.T. Struchkov), 235
- Decacarbonyldimanganese(0) photochemical reaction with 1,1-dimethylallene (C.G. Kreiter, M. Leyendecker, W.S. Sheldrick), 217
- Decacarbonyldimanganese, reaction with allenes under UV irradiation of (C.G. Kreiter, M. Leyendecker, W.S. Sheldrick), 35
- Octahedral carbonylmanganese(I) complexes with SCN or CN ligands, synthesis of; crystal structure of *fac*-[SCNMn(CO)₃(dppm)] (G.A. Carriedo, M.C. Crespo, V. Riera, M.G. Sanchez, M.L. Valin, D. Moreiras, X. Solans), 47

Metallocenes

- η^6 -Arene- η^5 -cyclopentadienyliron cations and related systems (*Review*) (R.G. Sutherland, M. Iqbal, A. Piórko), 307
- η^5 -Cyclopentadienyl- η^6 -areneiron(I) paramagnetic complexes, electrochemistry of; substitution of the arene group with cyclopentadiene (A. Darchen), 389
- Dicyclopentadienylbis(toluenesulphonato)-zirconium preparation and structure of (W. Lasser, U. Thewalt), 201
- Metallocenes in biochemistry, micro-

biology and medicine (*Review*) (K.E. Dombrowski, W. Baldwin, J.E. Sheats), 281

Titanocenyl-Ti^{IV} cationic complexes, preparation and structure of $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Ti}(\text{bipy})]^{2+}(\text{CF}_3\text{SO}_3^-)_2$ and $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Ti}(\text{phen})]^{2+}(\text{CF}_3\text{SO}_3^-)_2$ (U. Thewalt, K. Berhalter), 193

Zirconocene and hafnocene dichlorides, electrogeneration of Zr^{III} and Hf^{III} anions of (A. Fakhr, Y. Mugnier, B. Gautheron, E. Laviron), C7

Molybdenum

(α -Diimine)tetracarbonyl-chromium, -molybdenum and -tungsten complexes, correlation between solvatochromism and back-bonding in (S. Ernst, Y. Kurth, W. Kaim), 211

Phosphinothioformamides, diastereoselective complex formation with tricarbonylchlorocyclopentadienyl-molybdenum and -tungsten (U. Kunze, H. Jawad, R. Burghardt, R. Tittmann, V. Kruppa), C30

Neodymium

1,1'-Trimethylenedicyclopentadienyl-early lanthanide σ -bonded complexes, synthesis and thermal decomposition of (C. Qian, C. Ye, Y. Li), 171

Osmium

Bis(diphenylphosphino)methane derivatives of dodecacarbonyl-triiron, -triruthenium and -triosmium, preparation of; X-ray crystal structure of $\text{Os}_3(\text{CO})_9(\mu\text{-dppm})(\eta^1\text{-dppm})(\text{dppm} = \text{Ph}_2\text{PCH}_2\text{PPh}_2)$ (S. Cartwright, J.A. Clucas, R.H. Dawson, D.F. Foster, M.M. Hardin, A.K. Smith), 403

μ -Carbyne-triosmium complex, formation in the reaction of $\overline{\text{O}=\text{C}}\text{Os}_3\text{H}(\text{CO})_9 - \{\mu_3\text{-}\eta^2\text{-C}=\text{C}(\text{Ph})\overline{\text{C}=\text{C}}(\text{Ph})\text{Re}(\text{CO})_4\}$ with dimethylphenylphosphine; X-ray structure of $\text{HOs}_3(\text{CO})_{10}\{\mu\text{-CC}(\text{Ph})=\text{C}=\text{C}(\text{Ph})\text{Re}(\text{CO})_4\text{PMe}_2\text{Ph}\}$ (A.A. Koridze, O.A. Kizas, N.E. Kolobova, A.I. Yanovsky, Yu.T. Struchkov), 413

Dodecacarbonyltriosmium, photochemical reactivity of and thermal activa-

tion of diosmacyclobutanes towards alkynes (M.R. Burke, J. Takats), C25

Palladium

Palladium-assisted organic reactions, simple synthesis of 2,3-disubstituted phthalimidines (N. Barr, N.P. Bartley, P.W. Clark, P. Dunstan, S.F. Dyke), 117

Phosphorus

2,3-Bis(dimethylphosphino)maleic anhydride and 2,3-bis(dimethylphosphino)-*N*-phenylmaleimide, asymmetric hydrogenation catalysed by rhodium complexes of (A. Kinting, H.-W. Krause), 259

Bis(diphenylphosphino)methane derivatives of dodecacarbonyl-triiron, -triruthenium and -triosmium, preparation of; X-ray crystal structure of $\text{Os}_3(\text{CO})_9(\mu\text{-dppm})(\eta^1\text{-dppm})(\text{dppm} = \text{Ph}_2\text{PCH}_2\text{PPh}_2)$ (S. Cartwright, J.A. Clucas, R.H. Dawson, D.F. Foster, M.M. Harding, A.K. Smith), 403

Bis(tertiary phosphine)cycloheptatrienyltungsten complexes, synthesis and spectra of (R. Breeze, S. bt. Endud, M.W. Whiteley), 371

μ -Carbyne-triosmium complex, formation in the reaction of $\overline{\text{O}=\text{C}}\text{Os}_3\text{H}(\text{CO})_9 - \{\mu_3\text{-}\eta^2\text{-C}=\text{C}(\text{Ph})\overline{\text{C}=\text{C}}(\text{Ph})\text{Re}(\text{CO})_4\}$ with dimethylphenylphosphine; X-ray structure of $\text{HOs}_3(\text{CO})_{10}\{\mu\text{-CC}(\text{Ph})=\text{C}=\text{C}(\text{Ph})\text{Re}(\text{CO})_4\text{PMe}_2\text{Ph}\}$ (A.A. Koridze, O.A. Kizas, N.E. Kolobova, A.I. Yanovsky, Yu.T. Struchkov), 413

$[(\text{C}_5\text{H}_5\text{Co})_2(\mu\text{-PMe}_2)_2(\mu\text{-H})]^+$ cation, opening of the hydrido bridges by Lewis bases in (H. Werner, R. Zolk, W. Hofmann), 65

Di- μ -pyrazolate(μ -carbonyl)dirhodium triply-bridged complexes with pentamethylcyclopentadienyl and diphosphine ligands, preparation and properties of (L.A. Oro, D. Carmona, J. Reyes), 417

Methylcopper and methyl(tricyclohexylphosphine)copper, reactions with trialkylaluminium of (S. Pasynkiewicz, J. Popławska), 269

$[\text{M}(\text{P}(\text{O})(\text{OMe})_2)(\text{P}(\text{OMe})_3)_4]$ (M = Co, Ir, Rh), synthesis and variable ³¹P

NMR spectra of (S.I. Klein, F. Nixon)

87

Octahedral carbonylmanganese(I) complexes with SCN of CN ligands, synthesis of; crystal structure of *fac*-[SCNMn(CO)₃(dppm)] (G.A. Carriedo, M.C. Crespo, C. Riera, M.G. Sanchez, M.L. Valin, D. Moreiras, X. Solans), 47

Phosphineiridium chiral complexes as catalysts in asymmetric transfer hydrogenation of ketones (H.W. Krause, A.K. Bhatnagar), 265

Phosphinothioformamides, diastereoselective complex formation with tricarbonylchlorocyclopentadienyl-molybdenum and -tungsten (U. Kunze, H. Jawad, R. Burghardt, R. Tittmann, V. Kruppa), C30

Tetranuclear gold-silver cluster with phenylacetylde groups and phosphine ligands, preparation and X-ray structure of (O.M. Abu-Salah, C.B. Knobler), C10

Tris(triphenylphosphine)carbonylhydridorhodium, catalytic activity in the presence of thiol of (P. Escaffre, A. Thorez, P. Kalck, B. Besson, R. Perron, Y. Colleuille), C17

Platinum

Platinum-gold heterometallic clusters, MO calculations on (D.I. Gilmour, D.M.P. Mingos), 127

Praseodymium

1,1'-Trimethylenedicyclopentadienyl-early lanthanide σ -bonded complexes, synthesis and thermal decomposition of (C. Qian, C. Ye, Y. Li), 171

Rhenium

μ -Carbene-triosmium complex, formation in the reaction of $\overline{\text{O}=\text{C}}\text{Os}_2\text{H}(\text{CO})_5\{\mu_3-\eta^2-\text{C}=\text{C}(\text{Ph})-\overline{\text{C}=\text{C}(\text{Ph})\text{Re}(\text{CO})_4}\}$ with dimethylphenylphosphine; X-ray structure of $\text{HOs}_3(\text{CO})_{10}\{\mu-\text{CC}(\text{Ph})=\text{C}=\text{C}(\text{Ph})\text{Re}(\text{CO})_4\text{PMe}_2\text{Ph}\}$ (A.A. Koridze, O.A. Kizas, N.E. Kolobova, A.I. Yanovsky, Yu.T. Struchkov), 413

Pentacarbonylrhenate/carbodiimide/electrophile system, reactions of (W.P. Fehlhammer, P. Hirschmann, A. Völkl), 379

Rhodium

Amidocarbonylation catalysation of substituted allylic alcohols (S.-S. Yuan, A.M. Ajami), 255

2,3-Bis(dimethylphosphino)maleic anhydride and 2,3-bis(dimethylphosphine)-*N*-phenylmaleimide, asymmetric hydrogenation catalysed by rhodium complexes of (A. Käting, H.-W. Krause), 259

Di- μ -pyrazolate(μ -carbonyl)dirhodium triply-bridged complexes with pentamethylcyclopentadienyl and diphosphine ligands, preparation and properties of (L.A. Oro, D. Carmona, J. Reyes), 417

[M(P(O)(OMe)₂)(P(OMe)₃)₄] (M = Co, Ir, Rh), synthesis and variable ³¹P NMR spectra of (S.I. Klein, F. Nixon), 87

Toluene-solvated rhodium atoms; evidence for a hydridorhodium complex (G. Vitulli, G. Uccello-Barretta, P. Pannocchia, A. Raffaelli), C21

Tris(triphenylphosphine)carbonylhydridorhodium, catalytic activity in the presence of thiol of (P. Escaffre, A. Thorez, P. Kalck, B. Besson, R. Perron, Y. Colleuille), C17

Ruthenium

Bis(diphenylphosphino)methane derivatives of dodecacarbonyl-triruthenium, -triruthenium and -triosmium, preparation of; X-ray crystal structure of Os₃(CO)₉(μ -dppm)(η^1 -dppm) (dppm = Ph₂PCH₂PPh₂) (S. Cartwright, J.A. Clucas, R.H. Dawson, D.F. Foster, M.M. Harding, A.K. Smith), 403

η^5 -Cyclopentadienyl- η^6 -areneiron(I) paramagnetic complexes, electrochemistry of; substitution of the arene group with cyclopentadiene (A. Darchen), 389

Selenium

Dimethyl-selenium and -tellurium and trimethyl-selenium and -tellurium iodides, synthesis of (N. Kuhn, P. Faupel, E. Zauder), C4

Silicon

Carbonylcobalt reaction of oxetanes

- with a hydrosilane and carbon monoxide (T. Murai, K. Furuta, S. Kato, S. Murai, N. Sonoda), 249
- μ -[(Di- η^5 -cyclopentadienyl)dimethylsilyl]bis(tricarbonyltungsten), preparation and X-ray structure analysis of (W. Abriel, J. Heck), 363
- Difluorosilylene, reactions with cyclic alkenes, cyclopentadiene and cycloheptatriene of (W.L. Lee, C.F. Shieh, C.S. Liu), 23
- Di-*i*-propylsilanediol, hydrogen bonding in and crystal structure of (N.H. Buttrus, C. Eaborn, P.B. Hitchcock, P.D. Lickiss), 159
- Metallocenes in biochemistry, microbiology and medicine (*Review*) (K.E. Dombrowski, W. Baldwin, J.E. Sheats), 281

Silver

- Tetranuclear gold-silver cluster with phenylacetylde groups and phosphine ligands, preparation and X-ray structure of (O.M. Abu-Salah, C.B. Knobler), C10

Sulphur

- Dicyclopentadienylbis(toluolsulphonato)-zirconium preparation and structure of (W. Lasser, U. Thewalt), 201
- Octahedral carbonylmanganese(I) complexes with SCN or CN ligands, synthesis of; crystal structure of *fac*-[SCNMn(CO)₃(dppm)] (G.A. Carriedo, M.C. Crespo, V. Riera, M.G. Sanchez, M.L. Valin, D. Moreiras, X. Solans), 47
- Phosphinothioformamides, diastereoselective complex formation with tricarbonylchlorocyclopentadienylmolybdenum and -tungsten (U. Kunze, H. Jawad, R. Burghardt, R. Tittmann, V. Kruppa), C30
- α -Sulphonylvinyllithium compounds, stereochemical stability of (H. Kleijn, P. Vermeer), 1
- Titanocenyl-Ti^{IV} cationic complexes, preparation and structure of [(η^5 -C₅H₅)₂Ti(bipy)]²⁺ (CF₃SO₃⁻)₂ and [(η^5 -C₅H₅)₂Ti(phen)]²⁺ (CF₃SO₃⁻)₂ (U. Thewalt, K. Berhalter), 193

- Tris(triphenylphosphine)carbonylhydridorhodium, catalytic activity in the presence of thiol of (P. Escaffre, A. Thorez, P. Kalck, B. Besson, R. Perron, Y. Colleuille), C17

Tellurium

- Dimethyl-selenium and -tellurium and trimethyl-selenium and -tellurium iodides, synthesis of (N. Kuhn, P. Faupel, E. Zauder), C4

Tin

- Bis(trimethyltin)carbonate (E.R.T. Tiekink), C1
- Dicyclohexyltin dichloride and dibromide, crystal and molecular structures of (P. Ganis, G. Valle, D. Furlani, G. Tagliavine), 165

Titanium

- Lithium nitride reduction of chlorocyclopentadienyltitanium complexes, reaction products of (M. Kilner, G. Parkin), 181
- Titanocenyl-Ti^{IV} cationic complexes, preparation and structure of [(η^5 -C₅H₅)₂Ti(bipy)]²⁺ (CF₃SO₃⁻)₂ and [(η^5 -C₅H₅)₂Ti(phen)]²⁺ (CF₃SO₃⁻)₂ (U. Thewalt, K. Berhalter), 193

Transition metals general

- Metallocenes in biochemistry, microbiology and medicine (*Review*) (K.E. Dombrowski, W. Baldwin, J.E. Sheats), 281

Tungsten

- Bis(tertiary phosphine)cycloheptatrienyltungsten complexes, synthesis and spectra of (R. Breeze, S. bt. Endud, M.W. Whiteley), 371
- μ -[(Di- η^5 -cyclopentadienyl)dimethylsilyl]bis(tricarbonyltungsten), preparation and X-ray structure analysis of (W. Abriel, J. Heck), 363
- (α -Diimine)tetracarbonyl-chromium, -molybdenum and -tungsten complexes, correlation between solvatochromism

and back-bonding in (S. Ernst, Y. Kurth, W. Kaim), 211

Phosphinothioformamides, diastereo-selective complex formation with tricarbonylchlorocyclopentadienyl-molybdenum and -tungsten (U. Kunze, H. Jawad, R. Burghardt, R. Tittmann, V. Kruppa), C30

Uranium

Dicyclopentadienyl alkoxides and aryl oxides of uranium(IV), influence of steric hindrance of an alkyl group on their stability (A. Berton, M. Porchia, G. Rossetto, P. Zanella), 351

Yttrium

1,1'-Trimethylenedicyclopentadienyl-early lanthanide σ -bonded complexes, synthesis and thermal decomposition of (C. Qian, C. Ye, Y. Li), 171

Zirconium

Dicyclopentadienylbis(toluolsulphonato)-zirconium, preparation and structure of (W. Lasser, U. Thewalt), 201

Zirconocene and hafnocene dichlorides, electrogeneration of Zr^{III} and Hf^{III} anions of (A. Fakhr, Y. Mugnier, B. Gautheron, E. Laviron), C7