

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 304 (1986)

SUBJECT INDEX

Aluminium

Organaluminium derivatives from $\text{RC}\equiv\text{CCH}_2\text{Br}$, reactions with acetals of and formation of α -allenic ethers from (F. Barbot, Ph. Miginiac), 83

Antimony

Allylbis-ligand-nickel(II) hexafluorophosphate complexes, oligomerisation of ethylene by (J.-P. Gehrke, R. Taube, E. Balabolov, K. Kurtev), C4

Organoferricenium cations applied as selective oxidizing agents in organometallic chemistry (H. Schumann), 341

Phosphorus, arsenic or antimony containing chalcogenides, coordination properties of; chemical and spectroscopic investigation of the cations $[\text{C}_5\text{H}_5\text{Fe}(\text{CO})_2(\text{R}_3\text{EX})]^+$ ($\text{E} = \text{P, As, Sb; X = S, Se}$) (N. Kuhn, H. Schumann), 181

Arsenic

Diphosphorus, phosphorus, arsenic and antimony as building elements in clusters (H. Lang, G. Huttner, L. Zsolnai, G. Mohr, B. Sigwarth, U. Weber, O. Orama, I. Jibril), 157

Organoferricenium cations applied as selective oxidizing agents in organometallic chemistry (H. Schumann), 341

Phosphorus, arsenic or antimony containing chalcogenides, coordination properties of; chemical and spectroscopic investigation of the cations $[\text{C}_5\text{H}_5\text{Fe}(\text{CO})_2(\text{R}_3\text{EX})]^+$ ($\text{E} = \text{P, As, Sb; X = S, Se}$) (N. Kuhn, H. Schumann), 181

Boron

Organoboration of *cis*-diethylplatinum(II) complexes with $\text{R}_2\text{P}(\text{CH}_2)_2\text{PR}$ ligands; platinacyclopentadienes and their behaviour in solution (A. Sebald, B. Wrackmeyer), 271

Chromium

Diphosphenetris(pentacarbonyl-chromium, -molybdenum and -tungsten) complexes, preparation and reactions of (G. Huttner, J. Borm, L. Zsolnai), 309

Diphosphorus, phosphorus, arsenic and antimony as building elements in clusters (H. Lang, G. Huttner, L. Zsolnai, G. Mohr, B. Sigwarth, U. Weber, O. Orama, I. Jibril), 157

Organoferricenium cations applied as selective oxidizing agents in organometallic chemistry (H. Schumann), 341

$\mu_3\text{-P}$ and $\mu_3\text{-As}$ bridged clusters as ligands (H. Lang, G. Huttner, B. Sigwarth, I. Jibril, L. Zsolnai, O. Orama), 137

Cobalt

Organoferricenium cations applied as selective oxidizing agents in organometallic chemistry (H. Schumann), 341

$\mu_3\text{-P}$ and $\mu_3\text{-As}$ bridged clusters as ligands (H. Lang, G. Hüttnner, B. Sigwarth, I. Jibril, L. Zsolnai, O. Orama), 137

Rhodium and iridium phosphonate complexes from $[\text{M}(\text{P}(\text{OMe})_3)_5]\text{Cl}$ ($\text{M} = \text{Rh, Ir}$), formation of; reactions of H_2 with $[\text{MP(O)(OMe)}_2\text{-}(\text{P}(\text{OMe})_3)_4]$ complexes (S.I. Klein, J.F. Nixon), 371

Iridium

Carbomethoxy-pentacoordinate iridium(I) complex, $\text{CH}_3\text{OC}(\text{O})\text{Ir}(\text{CO})_2(\text{PPh}_3)_2$, synthesis and crystal structure of (M.R. Churchill, J.C. Fettinger, W.M. Rees, J.D. Atwood), 227

Rhodium and iridium phosphonate complexes from $[\text{M}(\text{P}(\text{OMe})_3)_5]\text{Cl}$ ($\text{M} = \text{Rh, Ir}$), formation of; reactions of H_2 with $[\text{MP(O)(OMe)}_2\text{-}(\text{P}(\text{OMe})_3)_4]$ complexes (S.I. Klein, J.F. Nixon), 371

Iron

Bis(diphenylphosphino)-ethane- and -ethene-cyclopentadienyliron com-

- plexes with CO^- , N_2^- , NH_3^- , HN_3^- or N_3^- as ligands (D. Sellmann, W. Weber), 195
- Carbonylcyclopentadienyliron complexes with potentially bidentate amine ligands, synthesis, Mössbauer and ^1H NMR study of (M.-J. Bermejo, B. Martinez, J. Vinaixa), 207**
- ($\eta^5\text{-C}_5\text{H}_5\text{COCl}$)(CO)₂FeCH₂Ph, intramolecular acylation of crystal structure of (CO)₂Fe($\eta^5\text{-C}_5\text{H}_5\text{COC}_6\text{H}_4\text{CH}_2$) (T.Yu. Orlova, V.N. Setkina, P.V. Petrovsky, A.I. Yanovsky, A.S. Batsanov, Yu.T. Struchkov), 331
- Cyclopentadienyldicarbonyl- σ -benzyliron derivatives with oxygen-containing functional groups in the cyclopentadienyl ring (T.Yu. Orlova, V.N. Setkina), 337**
- Diphosphorus, phosphorus, arsenic and antimony as building elements in clusters (H. Lang, G. Huttner, L. Zsolnai, G. Mohr, B. Sigwarth, U. Weber, O. Orama, I. Jibril), 157**
- Organoferricium cations applied as selective oxidizing agents in organometallic chemistry (H. Schumann), 341**
- Phosphidoiron cluster, [{Fe₃(CO)₁₀} - P[Fe(CO)₄]]⁻, synthesis and X-ray analysis of (A. Gourdon, Y. Jeannin), C1**
- Phosphorus, arsenic or antimony containing chalcogenides, coordination properties of; chemical and spectroscopic investigation of the cations [C_xH_yFe(CO)₂(R₃EX)]⁺ (E = P, As, Sb; X = S, Se) (N. Kuhn, H. Schumann), 181**
- (Pyridine-2-carbaldehyde-iminehexacarbonyl-diiron and -diruthenium) complexes with $\sigma\text{-N}, \mu_2\text{-N}', \eta^2\text{-C=N}'$ bonded 6-R¹-py-2-C(R²)=NR ligand; X-ray structure of [Ru₂(CO)₆{1,2-bis(μ -isopropylamido)-1,2-bis(2-pyridyl)-ethane}] containing two C=C linked pyridine-2-carbaldehyde-imine ligands (L.H. Polm, G. van Koten, C.J. Elsevier, K. Vrieze, B.F.K. van Santen, C.H. Stam), 353**
- ### Lithium
- Alkylidene and vinyl phosphonates, synthesis of (M.-P. Teulade, P. Savignac, E.E. Aboujaoude, S. Liétge, N. Collignon), 283**
- Manganese**
- Diphosphorus, phosphorus, arsenic and antimony as building elements in clusters (H. Lang, G. Huttner, L. Zsolnai, G. Mohr, B. Sigwarth, U. Weber, O. Orama, I. Jibril), 157**
- $\mu_3\text{-P}$ and $\mu_3\text{-As}$ bridged clusters as ligands (H. Lang, G. Huttner, B. Sigwarth, I. Jibril, L. Zsolnai, O. Orama), 137
- ### Metallocenes
- Dicyclopentadienylmolybdenum complexes derived from dimethyl acetyl-enedicarboxylate; crystal structure of [($\eta^5\text{-C}_5\text{H}_5$)₂MoOC(O)CH=CCO₂CH₃] (M. Cariou, M.M. Kubicki, R. Kergoat, J.E. Guerchais, P. L'Haridon), 127**
- Organoferricium cations applied as selective oxidizing agents in organometallic chemistry (H. Schumann), 341**
- ### Molybdenum
- Dicyclopentadienylmolybdenum complexes derived from dimethyl acetyl-enedicarboxylate; crystal structure of [($\eta^5\text{-C}_5\text{H}_5$)₂MoOC(O)CH=CCO₂CH₃] (M. Cariou, M.M. Kubicki, R. Kergoat, J.E. Guerchais, P. L'Haridon), 127**
- Diphosphenetrakis(pentacarbonyl-chromium, -molybdenum and -tungsten) complexes, preparation and reactions of (G. Huttner, J. Borm, L. Zsolnai), 309**
- Diphosphorus, phosphorus, arsenic and antimony as building elements in clusters (H. Lang, G. Huttner, L. Zsolnai, G. Mohr, B. Sigwarth, U. Weber, O. Orama, I. Jibril), 157**
- Organoferricium cations applied as selective oxidizing agents in organometallic chemistry (H. Schumann), 341**
- ### Nickel
- Allylbis-ligand-nickel(II) hexafluorophosphate complexes, catalysis of oligomerisation of ethylene by (J.-P. Gehrke, R. Taube, E. Balabolov, K. Kurtev), C4**
- Allylic phosphites, nickel chloride catalysed rearrangement of (X. Lu, J. Zhu), 239**
- Organoferricium cations applied as selective oxidizing agents in organometallic chemistry (H. Schumann), 341**

Palladium

- Binuclear and trinuclear complex clusters with Pd-Pd and Pd-Pt bonds stabilised by Ph₂PCH₂PPh₂ ligands (G. Nemra, P. Lemoine, P. Braunstein, C. de Meric de Bellefon, M. Ries), 245**
- cis-Bis-acetylene-bis(pentafluorophenyl)-palladium(II) and -platinum(II) complexes, preparation of; crystal structure of cis-[Pt(C₆F₅)₂(PhC≡CPh)₂] (R. Usón, J. Forniés, M. Tomás, B. Menjón, A.J. Welch), C24**
- Bis(diphenylphosphino)amine containing mononuclear palladium and platinum complexes and binuclear Pd,Pd, Pd,Ag, and Pt,Ag complexes, preparation of (R. Usón, J. Forniés, R. Navarro, J.I. Cebollada), 381**
- Tetrakis(triphenyl)palladium(0), hexaalkylditin addition to alkynes catalysed by (T.N. Mitchell, A. Amamria, H. Killing, D. Rutschow), 257**

Phosphorus

- Alkylidene and vinyl phosphonates, synthesis of (M.-P. Teulade, P. Savignac, E.E. Aboujaoude, S. Liétge, N. Collignon), 283**
- Allylbis-ligand-nickel(II) hexafluorophosphate complexes, oligomerisation of ethylene by (J.-P. Gehrke, R. Taube, E. Balabolov, K. Kurtev), C4**
- Allylic phosphites, nickel chloride catalysed rearrangement of (X. Lu, J. Zhu), 239**
- Allylplatinum and platinum(0) complexes with phosphorus-sulphur mixed ligands (M. Bressan, A. Morillo), 267**
- Binuclear and trinuclear complex cluster with Pd-Pd and Pd-Pt bonds stabilised by Ph₂PCH₂PPh₂ ligands (G. Nemra, P. Lemoine, P. Braunstein, C. de Meric de Bellefon, M. Ries), 245**
- Bis- μ -[bis(diphenylphosphino)methane]-dihalodiplatinum(Pt-Pt) and its hydrido "A" frame derivatives, preparation and NMR spectra of (M.C. Grossel, J.R. Batson, R.P. Mouldin, K.R. Seddon), 391**
- Bis(diphenylphosphino)amine containing mononuclear palladium and platinum complexes and binuclear Pd,Pd, Pd,Ag, and Pt,Ag complexes, preparation of (R. Usón, J. Forniés, R. Navarro, J.I. Cebollada), 381**
- Bis(diphenylphosphino)-ethane- and -ethene-cyclopentadienyliron complexes with CO⁻, N₂⁻, NH₃⁻, HN₃⁻, or N₃⁻ as ligands (D. Sellmann, W. Weber), 195**
- Carbomethoxy-pentacoordinate iridium(I) complex, CH₃OC(O)Ir(CO)₂(PPh₃)₂, synthesis and crystal structure of (M.R. Churchill, J.C. Fettinger, W.M. Rees, J.D. Atwood), 227**
- Diphosphenetris(pentacarbonyl-chromium, -molybdenum and -tungsten) complexes, preparation and reactions of (G. Huttner, J. Borm, L. Zsolnai), 309**
- Diphosphorus, phosphorus, arsenic and antimony as building elements in clusters (H. Lang, G. Huttner, L. Zsolnai, G. Mohr, B. Sigwarth, U. Weber, O. Orama, I. Jibril), 157**
- Hexaruthenium frameworks, behaviour of phenylphosphinidene ligands to (J.S. Field, R.J. Haines, D.N. Smit), C17**
- Organoboration of cis-diethylplatinum(II) complexes with R₂P(CH₃)₂PR ligands; platinacyclopentadienes and their behaviour in solution (A. Sebald, B. Wrackmeyer), 271**
- Organoferricium cations applied as selective oxidizing agents in organometallic chemistry (H. Schumann), 341**
- μ_3 -P and μ_3 -As bridged clusters as ligands (H. Lang, G. Huttner, B. Sigwarth, I. Jibril, L. Zsolnai, O. Orama), 137**
- 5-Phenyl-5-phospha-2,8-dithia-1-stanna(II)-bicyclo[3.3.0^{1,5}]octane, reactivity and crystal and molecular structure of (U. Baumeister, H. Hartung, K. Jurkschat, A. Tzschach), 107**
- Phosphidoiron cluster, [{Fe₃(CO)₁₀} - P{Fe(CO)₄}]⁻, synthesis and X-ray analysis of (A. Gourdon, Y. Jeannin), C1**
- Phosphorus, arsenic or antimony containing chalcogenides, coordination properties of; chemical and spectroscopic investigation of the cations [C₆H₅Fe(CO)₂(R,EX)]⁺ (E = P, As, Sb; X = S, Se) (N. Kuhn, H. Schumann), 181**
- Rhodium and iridium phosphonate complexes from [M(P(OMe)₃)₅]Cl (M = Rh, Ir), formation of; reactions of H₂ with [MP(O)(OMe)₂(P(OMe)₃)₄] complexes (S.I. Klein, J.F. Nixon), 371**
- Tetrakis(triphenylphosphine)palladium(0), hexaalkylditin addition to alkynes catalysed by (T.N. Mitchell, A. Amamria, H. Killing, D. Rutschow), 257**

Platinum

- Allylplatinum and platinum(0) complexes with phosphorus-sulphur mixed ligands (M. Bressan, A. Morvillo), 267
- Binuclear and trinuclear complex clusters with Pd-Pd and Pd-Pt bonds stabilised by Ph₂PCH₂PPh₂ ligands (G. Nemra, P. Lemoine, P. Braunstein, C. de Meric de Bellefon, M. Ries), 245
- cis-Bis-acetylene-bis(pentafluorophenyl)-palladium(II) and -platinum(II) complexes, preparation of; crystal structure of cis-[Pt(C₆F₅)₂(PhC≡CPh)₂] (R. Usón, J. Forniés, M. Tomás, B. Menjón, A.J. Welch), C24
- Bis- μ -[bis(diphenylphosphino)methane]-dihalodiplatinum(Pt-Pt) and its hydrido "A" frame derivatives, preparation and NMR spectra of (M.C. Grossel, J.R. Batson, R.P. Moulding, K.R. Seddon), 391
- Bis(diphenylphosphino)amine containing mononuclear palladium and platinum complexes and binuclear Pd,Pd, Pd,Ag, and Pt,Ag complexes, preparation of (R. Usón, J. Forniés, R. Navarro, J.I. Cebollada), 381
- Organoboration of cis-diethylplatinum(II) complexes with R₂P(CH₂)₂PR₂ ligands; platinacyclopentadienes and their behaviour in solution (A. Sebald, B. Wrackmeyer), 271

Rhenium

- Rhenium complexes, analysis by desorption chemical ionisation mass spectrometry of (W.A. Korfmacher, J.P. Freeman, R.K. Mitchum, N.T. Allison, W. Yongskulrote, R. Ferede), 323

Rhodium

- 2-(2'-Pyridyl)pyridine-rhodium(I) chiral complexes, enantioface-discriminating transfer hydrogenation of acetophenone catalysed by (C. Botteghi, G. Chelucci, G. Chessa, G. Delogu, S. Gladiali, F. Soccolini), 217
- Rhodium and iridium phosphonate complexes from [M(P)(OMe)₃]₂Cl (M = Rh, Ir), formation of; reactions of H₂ with [MP(O)(OMe)₂(P(OMe)₃)₄] complexes (S.I. Klein, J.F. Nixon), 371

- Rhodium(acetylacetone)bis(vinyl) chloride, photolysis in frozen gas matrices at 12 K of (A. Oskam, G. Schoemaker, A.R. Rest), C13
- Tricyclic heterocycles with bifunctional silicon centres (J.Y. Corey, C.S. John, M.C. Ohmsted, L.S. Chang), 93

Ruthenium

- Hexaruthenium frameworks, behaviour of phenylphosphinidene ligands to (J.S. Field, R.J. Haines, D.N. Smit), C17
- (Pyridine-2-carbaldehyde-iminehexacarbonyldi-iron and -diruthenium) complexes with σ -N, μ_2 -N', η^2 -C=N' bonded 6-R¹-py-2-C(R²)=NR ligand; X-ray structure of [Ru₂(CO)₅{1,2-bis(μ -isopropylamido)-1,2-bis(2-pyridyl)ethane}] containing two C-C linked pyridine-2-carbaldehyde-imine ligands (L.H. Polm, G. van Koten, C.J. Elsevier, K. Vrieze, B.F.K. van Santen, C.H. Stam), 353

Selenium

- Organoferricium cations applied as selective oxidizing agents in organometallic chemistry (H. Schumann), 341
- Phosphorus, arsenic or antimony containing chalcogenides, coordination properties of; chemical and spectroscopic investigation of the cations [C₅H₅Fe(CO)₂(R₃EX)]⁺ (E = P, As, Sb; X = S, Se) (N. Kuhn, H. Schumann), 181

Silicon

- Bis(1,3,2-diazasilacycloalkyl)dimethylsilanes, preparation and properties of (R.H. Cragg, C.K. Ma), 87
- Tricyclic heterocycles with bifunctional silicon centres (J.Y. Corey, C.S. John, M.C. Ohmsted, L.S. Chang), 93

Silver

- Bis(diphenylphosphino)amine containing mononuclear palladium and platinum complexes and binuclear Pd,Pd, Pd,Ag, and Pt,Ag complexes, preparation of (R. Usón, J. Forniés, R. Navarro, J.I. Cebollada), 381

Sulphur

- Alkylidene and vinyl phosphonates, synthesis of (M.-P. Teulade, P. Savignac, E.E. Aboujaoude, S. Liétge, N. Collignon), 283
- Allylplatinum and platinum(0) complexes with phosphorus-sulphur mixed ligands (M. Bressan, A. Morvillo), 267
- 5-Phenyl-5-phospha-2,8-dithia-1-stanna(II)-bicyclo[3.3.0^{1,5}]octane, reactivity and crystal and molecular structure of (U. Baumeister, H. Hartung, K. Jurkschat, A. Tzschach), 107
- Phosphorus, arsenic or antimony containing chalcogenides, coordination properties of; chemical and spectroscopic investigation of the cations [C₅H₅Fe(CO)₂(R₃EX)]⁺ (E = P, As; Sb; X = S, Se) (N. Kuhn, H. Schumann), 181
- 1-Trialkylstannylyl-2-*para*-toluenesulphonylacetylenes, synthesis and reactivity of (Z. Djeghaba, G. Jousseaume, M. Ratier, J.-G. Duboudin), 115

Tellurium

- Organoferricium cations applied as selective oxidizing agents in organometallic chemistry (H. Schumann), 341

Tin

- Estertin dichloride, Cl₃SnCH₂CH₂CO₂R, Lewis acidity towards acetonitrile of; crystal structure of Cl₃SnCH₂CH₂CO₂Pr-i (R.A. Howie, E.S. Patterson, J.L. Wardell, J.W. Burley), 301
- 5-Phenyl-5-phospha-2,8-dithia-1-stanna(II)-bicyclo[3.3.0^{1,5}]octane, reactivity and crystal and molecular structure of (U. Baumeister, H. Hartung, K. Jurkschat, A. Tzschach), 107
- Tetrakis(triphenylphosphine)palladium(0), hexaalkylditin addition to alkynes catalysed by (T.N. Mitchell, A. Amamria, H. Killing, D. Rutschow), 257
- Transition metal catalysis in organotin chemistry (Review) (T.N. Mitchell), 1
- 1-Trialkylstannylyl-2-*para*-toluenesulphonylacetylenes, synthesis and reactivity of (Z. Djeghaba, G. Jousseaume, M. Ratier, J.-G. Duboudin), 115

Transition metals general

- Transition metal catalysis in organotin chemistry (Review) (T.N. Mitchell), 1

Tungsten

- Diphosphenetris(pentacarbonyl-chromium, -molybdenum and -tungsten) complexes, preparation and reactions of (G. Huttner, J. Borm, L. Zsolnai), 309
- Disphosphorus, phosphorus, arsenic and antimony as building elements in clusters (H. Lang, G. Huttner, L. Zsolnai, G. Mohr, B. Sigwarth, U. Weber, O. Orama, I. Jibril), 157

Vanadium

- Vanadium organometallic compounds, analysis and classification of crystallographic data (Review), (C.E. Holloway, M. Melnik), 41

Zirconium

- Zirconium based homogeneous catalysts in organic synthesis (Review) (U.M. Dzhemilev, O.S. Vostrikova, G.A. Tolstikov), 17

Book reviews

- Asymmetric synthesis. Vol. 2; Stereo-differentiating addition reactions, Part A; edited by J.D. Morrison (P.A. Chaloner), C27

- Carbocation chemistry; by P. Vogel (C. Eaborn), C29

- Gmelin handbook of inorganic chemistry, 8th ed., Sn — Organotin compounds, Part 12, Tripropyltin- and tributyltin-oxygen compounds; by H. Schumann and I. Schumann (C. Eaborn), C8

- Landolt—Börnstein, Numerical data and functional relationships in science and technology. New series, Group III, Vol. 10 (Eds. K.-H. Hellwege and A.M. Hellwege). Supplement to Vol. III/5, Structure data of organic sub-volume a: C₁ . . . C₁₅ (C. Eaborn), C9

- Supported metal complexes. A new generation of catalysts; by F.R. Hartley (P.A. Chaloner), C10

- The chemistry of the metal—carbon bond. Vol. 3: Carbon—carbon bond formation using organometallic compounds; edited by F.R. Hartley and S. Patai (G.J. Leigh), C7