

- Rossetto, G., (310) C1
 Rotsch, A.-R., (310) 1
 Rücker, C., (310) 135
 Rudulier, M. Le, (310) 209
 Ruiz, J., (310) C36
- Sabade, M.B., (310) 311
 Sakai, F., (310) 293
 Sampson, C.N., (310) C42
 Sanchez-Santano, M.J., (310) 401
 Santos, A., (310) C8
 Sasaki, Y., (310) 293
 Schat, G., (310) C25
 Schott, I., (310) 269
 Schumann, H., (310) 107, C29
 Sellman, D., (310) 83
 Shapley, J.R., (310) 55
 Sheldrick, G.M., (310) 401, C47
- Shiina, K., (310) C57
 Shteingarts, V.D., (310) 189
 Sielisch, T., (310) 179
 Smit, D.N., (310) C47, C69
 Smith, S.J., (310) 21
 Snow, M.R., (310) C33
 Sowerby, D.B., (310) 161
 Stephens, M., (310) 255
 Stone, F.G.A., (310) 47
 Strum, W., (310) C22
 Studabaker, W.B., (310) C39
 Sundermeyer, J., (310) C42
 Sutherland, R.G., (310) 391
- Thewalt, U., (310) 27
 Tiekink, E.R.T., (310) C33
 Tse, J.S., (310) 169
 Tzschach, A., (310) C17
- Van de Heisteeg, B.J.J., (310) C25
 Vargas, M., (310) 21
 Vegas, A., (310) C8
 Vertal, L., (310) 21
 Vicente, J., (310) 401
 Volkov, O.V., (310) 189
- Wasiucioneck, M., (310) 225
 Werner, H., (310) C11, C51
 West, A.A., (310) C5
 Wilke, J., (310) 317
 Wilson, J.W., (310) 1
 Wrackmeyer, P., (310) 151
- Zanella, P., (310) C1
 Zolk, R., (310) C11
 Zsolnai, L., (310) 83, 225

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 310 (1986)

SUBJECT INDEX

Aluminium

- Alkyltris(tertiary phosphine)cobalt compounds, cleavage of phosphine-metal bonds and rearrangements in (R. Mohtachemi, G. Kanner, H. Schumann, S. Chocron, M. Michman), (310)107
- Tricyclopentadienyluranium tetrahydroaluminate, synthesis and characterisation of (F. Ossola, N. Brianese, M. Porchia, G. Rossetto, P. Zanella), (310)C1

Arsenic

- Alkyltris(tertiary phosphine)cobalt compounds, cleavage of phosphine-metal bonds and rearrangements in (R. Mohtachemi, G. Kanner, H. Schumann, S. Chocron, M. Michman), (310)107
- $(\eta^5\text{-C}_5\text{H}_5)_2(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)\text{Ru}=\text{CH}_2^+$
 AsF_6^- , spectral characterisation and measurement of the barrier to methylene rotation (W.B. Studabaker, M. Brookhart), (310)C39
- $[\text{Ph}_4\text{As}]_2[\text{Re}_7\text{C}(\text{CO})_{21}\text{Au}(\text{PPh}_3)]$, crystal structure of; comparison of H^+ and $\text{Au}(\text{PPh}_3)^+$ coordination to $[\text{Re}_7\text{C}(\text{CO})_{21}]^{3-}$ (T.J. Henly, J.R. Shapley, A.L. Rheingold), (310)55

Boron

- Bis(trimethylstannylethynyl)dimethyl-silane and -germane, organoboration of (B. Wrackmeyer), (310)151
- Diborylamines, influence of steric effects on conformation and parameters of (D. Männig, H. Nöth, H. Prigge, A.-E. Rotsch, S. Gopinathan, J.W. Wilson), (310)1

Chromium

- ortho*-Alkyloxy- and *ortho*-dialkylamino-ethylbenzene-tricarbonylchromium, diastereoselectivity of (J. Brocard, J. Lebib), (310)C63
- Arenetricarbonylchromium(0) complexes, acidity in THF of (R.R. Fraser, T.S. Mansour), (310)C60
- Bis-arene-chromium complexes, synthesis with a varied substituent in one of the ligands (V.V. Litvak, P.P. Kun, I.I. Oleynik, O.V. Volkov, V.D. Shteingarts), (310)189
- Dicyclopentadienyl[η^2 -(*C,N*)-ketene imine]-vanadium complexes, synthesis and structure of (T. Sielisch, U. Behrens), (310)179
- Fulvenetricarbonylchromium complexes and α -ferrocenylcarbenium ions, reactions with nucleophiles of (F. Edlmann, P. Behrens, S. Behrens, U. Behrens), (310)333

Pentacarbonyl[1,3-difluorophenyl(methoxy)-carbene]chromium and 2,6-dimethyl(phenyl)carbene analogue, cycloaddition with alkynes of (K.H. Dötz, W. Sturm), (310)C22

Cobalt

Alkyltris(tertiary phosphine)cobalt compounds, cleavage of phosphine-metal bonds and rearrangements in (R. Mohtachemi, G. Kannert, H. Schumann, S. Chocron, M. Michman), (310)107

Cobalt and rhodium complexes as catalysts in hydrocarbonylation of lactones (G. Bitsi, H. Kheradmand, G. Jenner), (310)115

Tetracyanoethylene complexes of monomethylcyclopentadienylcobalt derivatives, formation and characterisation of (M.J. Macazaga, M.S. Delgado, J.R. Masaguer), (310)249

Germanium

Alkyltris(tertiary phosphine)cobalt compounds, cleavage of phosphine-metal bonds and rearrangements in (R. Mohtachemi, G. Kannert, H. Schumann, S. Chocron, M. Michman), (310)107

Bis(trimethylstannylethynyl)dimethyl-silane and -germane, organoboration of (B. Wrackmeyer), (310)151

Gold

Bis(diphenylphosphino)methanide octahedral derivatives and heterometallic species from mixed ligand isocyanide-dppm-iron(II) complexes (V. Riera, J. Ruiz), (310)C36

Diarylgold(III) mixed complexes, synthesis of; structure of *cis*-[2-(phenylazo)phenyl][2-((dimethylamino)methyl)phenyl]gold(III) tetrachloroaurate (J. Vicente, M.-T. Chicote, M.D. Bermudez, M.J. Sanchez-Santano, P.G. Jones, C. Fittschen, G.M. Sheldrick), (310)401

[Ph₄As]₂[Re₇C(CO)₂₁Au(PPh₃)], crystal structure of; comparison of H⁺ and Au(PPh₃)⁺ coordination to [Re₇C(CO)₂₁]³⁻ (T.J. Henly, J.R. Shapley, A.L. Rheingold), (310)55

Hafnium

Di- η^5 -cyclopentadienylhafnacyclopentadiene compounds, facile, high-yield synthesis of (M.B. Sabade, M.F. Faroná), (310)311

Dilithium benzene-*o*-diselenolate, reactions with metallocene dichlorides of (H. Köpf, Th. Klapötke), (310)303

Vanadium, niobium, tantalum and hafnium cyclic silylamides; crystal and molecular structures of spirocyclic tetramides of V^{IV}, CH₃Nb^V and Hf^{IV} (D.J. Brauer, H. Bürger, G.R. Liewald, J. Wilke), (310)317

Iridium

Difulvene-iridium(I) and -rhodium(I) complexes, intramolecular rearrangements in (E.J. Probits, R.J. Mawby), (310)121

Iron

η^6 -Arene- η^5 -cyclopentadienyliron cations and η^6 -arene- η^5 -cyclopentadienyliron dications, synthesis of complexed ketones or sulphones by oxidation of (C.C. Lee, R.L. Chowdhury, A. Pforke, R.G. Sutherland), (310)391

Bis(diphenylphosphino)methanide octahedral derivatives and heterometallic species from mixed ligand isocyanide-dppm-iron(II) complexes (V. Riera, J. Ruiz), (310)C36

[η^5 -Cyclopentadienyl- η^6 -areneiron]⁺ cations bearing methylene, methyl or methyne substituents at arene, preparation of (M. Le Rudulier, C. Moinet, E. Raoult), (310)209

1-Dimethylaminopropyne, reactivity towards dodecacarbonyltriiron and nonacarbonyliron of; synthesis and structures of Fe₂(CO)₆{C₅O(CH₃)₂(N(C₂H₅)₂)₂}, [Fe(CO)₈{C₄(CH₃)₂(N(C₂H₅)₂)₂}], [Fe₂(CO)₇{C₂(CH₃)N(C₂H₅)₂}] and [Fe₃(CO)₈{C₄(CH₃)₂(N(C₂H₅)₂)₂}] (E. Cabrera, J.-C. Daran, Y. Jeannin, O. Kristiansson), (310)367

Diphosphazane-bridged nonacarbonyl-iron and -ruthenium derivatives, action of halogenoalkanes and halogens on; crystal structure of [Ru₂Cl₂(CO)₄{ μ -(MeO)₂PN(Et)P(OMe)₂}₂] (J.S. Field, R.J. Haines, C.N. Sampson, J. Sundermeyer), (310)C42

Fe{C(CF₃)₂(OH)}(CO)₂(η -C₅H₅), X-ray structure of (M.I. Bruce, D.N. Duffy, M.R. Snow, E.R.T. Tiekink), (310)C33

Fulvenetricarbonylchromium complexes and α -ferrocenylcarbenium ions, reactions with nucleophiles of (F. Edelmann, P. Behrens, S. Behrens, U. Behrens), (310)333

Methoxymethylideneironruthenium cluster complex, Fe₂Rh(μ -H)(μ_3 -COCH₃)(CO)₇(η -C₅H₅), molecular structure and fluxional behaviour of (L.J. Farrugia), (310)67

Nonacarbonyltriiron triple-bridged clusters, $[(\mu_3\text{-RP})\text{Fe}_3(\text{CO})_9]^{2-}$, synthesis and reactions of (K. Knoll, G. Huttner, L. Zsolnai, O. Orama, M. Wasiucionek), (310)225

Lithium

Arenetricarbonylchromium(0) complexes, acidity in THF of (R.R. Fraser, T.S. Mansour), (310)C60

Dilithium benzene-*o*-diselenolate, reactions with metallocene dichlorides of (H. Köpf, Th. Klapötke), (310)303

Pentamethylcyclopentadienyl(chloro)dialkyl-lanthanoide anions, synthesis and characterisation of (I. Albrecht, H. Schumann), (310)C29

Tris(lithiomethyl)cyclohexane and hexalithiotrimethylcyclohexanetriolate, multiply metalated organic intermediates (C. Rücker), (310)135

Lutetium

Pentamethylcyclopentadienyl(chloro)dialkyl-lanthanoide anions, synthesis and characterisation of (I. Albrecht, H. Schumann), (310)C29

Magnesium

Alkyltris(tertiary phosphine)cobalt compounds, cleavage of phosphine-metal bonds and rearrangements in (R. Mohtachemi, G. Kanert, H. Schumann, S. Chocron, M. Michman), (310)107

Manganese

Decacarbonylmanganeserhenium, reaction with isocyanides of (D.J. Robinson, E.A. Darling, N.J. Coville), (310)203

Mercury

Alkyltris(tertiary phosphine)cobalt compounds, cleavage of phosphine-metal bonds and rearrangements in (R. Mohtachemi, G. Kanert, H. Schumann, S. Chocron, M. Michman), (310)107

Metallocenes

η^6 -Arene- η^5 -cyclopentadienyliron cations and η^6 -arene- η^5 -cyclopentadienyliron dications, synthesis of complexed ketones or sulphones by oxidation of (C.C. Lee, R.L. Chowdhury, A. Piorko, R.G. Sutherland), (310)391

(η^1 : η^5 -C₅H₄)-bridged Group IV metallocene derivatives, synthesis and characterisation of; X-ray structure of Cp(μ -[η^1 : η^5 -C₅H₄])Ti-[PMe₃]₂ (L.B. Kool, M.D. Rausch, H.G. Alt, M. Herberhold, U. Thewalt, B. Honold), (310)27

[η^5 -Cyclopentadienyl- η^6 -areneiron]⁺ cations bearing methylene, methyl on methyne substituents at arene, preparation of (M. Le Rudulier, C. Moinet, E. Raoult), (310)209

Di- η^5 -cyclopentadienylhafnacyclopentadiene compounds, facile, high-yield synthesis of (M.B. Sabade, M.F. Farona), (310)311

1,3-Dititanacyclobutanes, formation of titanocene-methylene complexes from (B.J.J. van de Heisteeg, G. Schat, O.S. Akkerman, F. Bickelhaupt), (310)C25

Molybdenum

Dilithium benzene-*o*-diselenolate, reactions with metallocene dichlorides of (H. Köpf, Th. Klapötke), (310)303

Fulvenetricarbonylchromium complexes and α -ferrocenylcarbenium ions, reactions with nucleophiles of (F. Edelman, P. Behrens, S. Behrens, U. Behrens), (310)333

Tricarbonyl- η^5 -cyclopentadienylmethylmolybdenum, photoreaction with 1,3-cyclopentadienes of (C.G. Kreiter, J. Kögler, K. Nist), (310)35

Niobium

Vanadium, niobium, tantalum and hafnium cyclic silylamides; crystal and molecular structures of spirocyclic tetraamides of V^{IV}, CH₃Nb^V and Hf^{IV} (D.J. Brauer, H. Bürger, G.R. Liewald, J. Wilke), (310)317

Osmium

Nitrosylthiocarbonylosmium complexes, synthesis of (M. Herberhold, A.F. Hill, N. McAuley, W.R. Roper), (310)95

OsC_2P metallaheterocycles, formation via cationic hydrido- and deuterido-methylene intermediates of (H. Werner, K. Roder), (310)C51

Palladium

Chloride-bridged methylpalladium(II) dimers, preparation, carbonylation and bridge-splitting reactions with tertiary phosphines of (Y. Hayashi, K. Isobe, Y. Nakamura, S. Okeya), (310)127

Phosphorus

Alkyltris(tertiary phosphine)cobalt compounds, cleavage of phosphine-metal bonds and rearrangements in (R. Mohtachemi, G. Kanert, H. Schumann, S. Chocron, M. Michman), (310)107

Bis(diphenylphosphino)methanide octahedral derivatives and heterometallic species from mixed ligand isocyanide-dppm-iron(II) complexes (V. Riera, J. Ruiz), (310)C36

$(\eta^1: \eta^5\text{-C}_5\text{H}_4)$ -bridged Group IV metallocene derivatives, synthesis and characterisation of; X-ray structure of $\{\text{Cp}(\mu\text{-}[\eta^1: \eta^5\text{-C}_5\text{H}_5])\text{Ti}[\text{PMe}_3]_2\}$ (L.B. Kool, M.D. Rausch, H.G. Alt, M. Herberhold, U. Thewalt, B. Honold), (310)27

$(\eta^5\text{-C}_5\text{H}_5)(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)\text{Ru}=\text{CH}_2^+$ AsF_6^- , spectral characterisation and measurement of the barrier to methylene rotation (W.B. Studabaker, M. Brookhart), (310)C39

$[\text{C}_6\text{Me}_6\text{RuH}(\text{NH}_2\text{Pr}^i)\text{PMe}_3]\text{PF}_6$, formation and structure of, example of reductive amination of acetone by a hydridometal complex (H. Werner, H. Kletzin, R. Zolk, H. Otto), (310)C11

η^5 -Cyclopentadienyl- η^5 -1-phenylpentadienyl-rhodium hexafluorophosphate, crystal and molecular structure of (P. Powell, M. Stephens, A. Muller, M.G.B. Drew), (310)255

mer-Dihalogenotricarbonyldialkylaminocarbonytungsten anionic complexes, formation and characterisation of (A.C. Filippou, E.O. Fischer, H.G. Alt), (310)357

Diphosphazane-bridged nonacarbonyl-iron and -ruthenium derivatives, action of halogenoalkanes and halogens on; crystal structure of $[\text{Ru}_2\text{Cl}_2(\text{CO})_4\{\mu\text{-}(\text{MeO})_2\text{PN}(\text{Et})\text{P}(\text{OMe})_2\}_2]$ (J.S. Field, R.J. Haines, C.N. Sampson, J. Sundermeyer), (310)C42

1,3-Dititanacyclobutanes, formation of titanocene-methylene complexes from (B.J.J. van de Heistee, G. Schat, O.S. Akkerman, F. Bickelhaupt), (310)C25

Fulvenetricarbonylchromium complexes and α -ferrocenylcarbenium ions, reactions with nucleophiles of (F. Edelmann, P. Behrens, S. Behrens, U. Behrens), (310)333

Nonacarbonyltriiron triple-bridged clusters, $[(\mu_3\text{-RP})\text{Fe}_3(\text{CO})_9]^{2-}$, synthesis and reactions of (K. Knoll, G. Huttner, L. Zsolnai, O. Orama, M. Wasiucionek), (310)225

OsC_2P metallaheterocycles, formation via cationic hydrido- and deuterido-methylene intermediates of (H. Werner, K. Roder), (310)C51

$\text{PCl}_{3-n}\text{R}_n$ ($n = 1, 2$) and a bis-imidazolidine reducing agent, P-P single or double bond formation from (H. Goldwhite, J. Kaminski, G. Millhauser, J. Ortiz, M. Vargas, L. Vertal, M.F. Lappert, S.J. Smith), (310)21

$[\text{Ph}_4\text{As}]_2[\text{Re}_7\text{C}(\text{CO})_{21}\text{Au}(\text{PPh}_3)]$, crystal structure of; comparison of H^+ and $\text{Au}(\text{PPh}_3)^+$ coordination to $[\text{Re}_7\text{C}(\text{CO})_{21}]^{3-}$ (T.J. Henly, J.R. Shapley, A.L. Rheingold), (310)55

o-Phosphinophenole, preparation by rearrangement of 1,3-carbanionic *o*-metallated aryloxyphosphine (J. Heinicke, E. Nietzschmann, A. Tzschach), (310)C17

$[\text{Ru}(\text{CO})\text{H}(\text{NCMe})_2(\text{PPh}_3)_2]\text{ClO}_4$, reaction with 1-hydroxymethyl-3,5-dimethylpyrazole; formation of an amidine complex; crystal structure of $[\text{Ru}(\text{CO})\text{H}\{\text{NH}=\text{CMe}(\text{Me}_2\text{pz})\}(\text{PPh}_3)_2]\text{ClO}_4$ (A. Romero, A. Vegas, A. Santos), (310)C8

$[\text{Ru}_8(\mu_8\text{-P})(\mu_2\text{-}\eta^1, \eta^6\text{-CH}_2\text{C}_6\text{H}_5)(\mu_2\text{-CO})_2(\text{CO})_{17}]$, synthesis and characterisation of (L.M. Bullock, J.S. Field, R.J. Haines, E. Minshall, D.N. Smit, G.M. Sheldrick), (310)C47

Ruthenium(II) monocarbonyl and phosphine complexes with $[\text{Ru}(\text{SNNS})]$ fragments containing tetradentate amine ligands (D. Sellmann, U. Reineke, G. Huttner, L. Zsolnai), (310)83

Tolylmethylidyne(carborane)tungsten anionic complexes, protonation and reaction with trimethylphosphine of (A.P. James, F.G.A. Stone), (310)47

Rhenium

Decacarbonylmanganerhenium, reaction with isocyanides of (D.J. Robinson, E.A. Darling, N.J. Coville), (310)203

$[\text{Ph}_4\text{As}]_2[\text{Re}_7\text{C}(\text{CO})_{21}\text{Au}(\text{PPh}_3)]$, crystal structure of; comparison of H^+ and $\text{Au}(\text{PPh}_3)^+$ coordination to $[\text{Re}_7\text{C}(\text{CO})_{21}]^{3-}$ (T.J. Henly, J.R. Shapley, A.L. Rheingold), (310)55

Rhodium

Cobalt and rhodium complexes as catalysts in hydrocarbonylation of lactones (G. Bitsi, H. Kheradmand, G. Jenner), (310)115

η^5 -Cyclopentadienyl- η^5 -1-phenylpentadienyl-rhodium hexafluorophosphate, crystal and molecular structure of (P. Powell, M. Stephens, A. Muller, M.G.B. Drew), (310)255

Difulvene-iridium(I) and -rhodium(I) complexes, intramolecular rearrangements in (E.J. Probitts, R.J. Mawby), (310)121

Methoxymethylidyneironruthenium cluster complex, $\text{Fe}_2\text{Rh}(\mu\text{-H})(\mu_3\text{-COCH}_3)(\text{CO})_7(\eta\text{-C}_5\text{H}_5)$, molecular structure and fluxional behaviour of (L.J. Farrugia), (310)67

Ruthenium

$(\eta^5\text{-C}_5\text{H}_5)(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)\text{Ru}=\text{CH}_2^+ \text{AsF}_6^-$, spectral characterisation and measurement of the barrier to methylene rotation (W.B. Studabaker, M. Brookhart), (310)C39

$[(\eta\text{-C}_5\text{H}_5)\text{Ru}((R)\text{-Ph}_2\text{PCH}(\text{CH}_3)\text{CH}_2\text{PPh}_2)\text{-}(\text{olefin})\text{PF}_6]$ optically active complexes, influence of the stereogenic metal atom on enantioface selection in (G. Consiglio, F. Morandini), (310)C66

$[\text{C}_6\text{Me}_6\text{RuH}(\text{NH}_2\text{Pr}^+\text{IPMe}_3)]\text{PF}_6$, formation and structure of, example of reductive amination of acetone by a hydridometal complex (H. Werner, H. Kletzin, R. Zolk, H. Otto), (310)C11

Diphosphazane-bridged nonacarbonyl-iron and -ruthenium derivatives, action of halogenoalkanes and halogens on; crystal structure of $[\text{Ru}_2\text{Cl}_2(\text{CO})_4\{\mu\text{-}(\text{MeO})_2\text{PN}(\text{Et})\text{P}(\text{OMe})_2\}]$ (J.S. Field, R.J. Haines, C.N. Sampson, J. Sundermeyer), (310)C42

$[\text{Ru}(\text{CO})\text{H}(\text{NCMe})_2(\text{PPh}_3)_2]\text{ClO}_4$, reaction with 1-hydroxymethyl-3,5-dimethylpyrazole; formation of an amidine complex; crystal structure of $[\text{Ru}(\text{CO})\text{H}\{\text{NH}=\text{CMe}(\text{Me}_2\text{pz})\}\text{-}(\text{PPh}_3)_2]\text{ClO}_4$ (A. Romero, A. Vegas, A. Santos), (310)C8

$[\text{Ru}_8(\mu_8\text{-P})(\mu_2\text{-}\eta^1, \eta^6\text{-CH}_2\text{C}_6\text{H}_5)(\mu_2\text{-CO})_2\text{-}(\text{CO})_{17}]$, synthesis and characterisation of (L.M. Bullock, J.S. Field, R.J. Haines, E.

Minshall, D.N. Smit, G.M. Sheldrick), (310)C47

closo- $[\text{Ru}_4(\mu_4\text{-PPh}_3)_2(\mu_2\text{-CO})(\text{CO})_{10}]$, insertion of acetylene into Ru-P bonds of; crystal structure of $[\text{Ru}_4(\mu_4\text{-PPh})(\mu_4\text{-}\eta^3\text{-P}(\text{Ph})\text{CH-CH})(\mu_2\text{-CO})(\text{CO})_{10}]$ (J.S. Field, R.J. Haines, E. Minshall, D.N. Smith), (310)C69

Ruthenium(II) monocarbonyl and phosphine complexes with $[\text{Ru}(\text{SNNS})]$ fragments containing tetradentate amine ligands (D. Sellmann, U. Reineke, G. Huttner, L. Zsolnai), (310)83

Selenium

Dilithium benzene-*o*-diselenolate, reactions with metallocene dichlorides of (H. Köpf, Th. Klapötke), (310)303

Silicon

Alkyltris(tertiary phosphine)cobalt compounds, cleavage of phosphine-metal bonds and rearrangements in (R. Mohtachemi, G. Kanner, H. Schumann, S. Chocron, M. Michner), (310)107

Bis(*N*-pentafluorophenyl)tetraphenylcyclodisilazane-tetrabenzene, $(\text{Ph}_2\text{SiNC}_6\text{F}_6)_2 \cdot 4\text{C}_6\text{H}_6$, crystal structure of (P. Clare, D.B. Sowerby, I. Haiduc), (310)161

Bis(trimethylstannylethynyl)dimethyl-silane and -germane, organoboration of (B. Wrackmeyer), (310)151

Diborylamines, influence of steric effects on conformation and parameters of (D. Männig, H. Nöth, H. Prigge, A.-E. Rotsch, S. Gopinathan, J.W. Wilson), (310)1

o-(Disilanylene)phenylene polymer, preparation via ring-opening polymerisation at Si-Si bonds of (K. Shiina), (310)C57

1,6-Methano[10]annulene-Group IVB derivatives, synthesis, substituent effects and reactivity of (W. Kitching, H.A. Olszowy, I. Schott, W. Adcock, D.P. Cox), (310)269

o-Phosphinophenole, preparation by rearrangement of 1,3-carbanionic *o*-metallated aroxyphosphine (J. Heinicke, E. Nietzschmann, A. Tzschach), (310)C17

Vanadium, niobium, tantalum and hafnium cyclic silylamides; crystal and molecular structures of spirocyclic tetraamides of V^{IV} , $\text{CH}_3\text{Nb}^{\text{V}}$ and Hf^{IV} (D.J. Brauer, H. Bürger, G.R. Liewald, J. Wilke), (310)317

Sodium

Pentamethylcyclopentadienyl(chloro)dialkyl-lanthanoide anions, synthesis and characterisation of (I. Albrecht, H. Schumann), (310)C29

Sulphur

Nitrosylthiocarbonylosmium complexes, synthesis of (M. Herberhold, A.F. Hill, N. McAuley, W.R. Roper), (310)95

Ruthenium(II) monocarbonyl and phosphine complexes with [Ru(SNNS)] fragments containing tetradentate amine ligands (D. Sellmann, U. Reineke, G. Huttner, L. Zsolnai), (310)83

Tantalum

Vanadium, niobium, tantalum and hafnium cyclic silylamides; crystal and molecular structures of spirocyclic tetraamides of V^{IV}, CH₃Nb^V and Hf^{IV} (D.J. Brauer, H. Bürger, G.R. Liewald, J. Wilke), (310)317

Tellurium

Bis(2-(2-pyridyl)phenyl)trtelluride, synthesis and crystal structure of (T.A. Hamor, N. Al-Salim, A.A. West, W.R. McWhinnie), (310)C5

Tin

Alkyltris(tertiary phosphine)cobalt compounds, cleavage of phosphine-metal bonds and rearrangements in (R. Mohtachemi, G. Kanner, H. Schumann, S. Chocron, M. Michman), (310)107

Bis(trimethylstannylethynyl)dimethyl-silane and -germane, organoboration of (B. Wrackmeyer), (310)151

Dimethyltin dichloride and 2,2'-bipyridine solution complex, proton relaxation and dynamic NMR studies of solute-solvent interactions in (F. Sakai, H. Fujiwara, Y. Sasaki), (310)293

1,6-Methano[10]annulene-Group IVB derivatives, synthesis, substituent effects and reac-

tivity of (W. Kitching, H.A. Olszowy, I. Schott, W. Adcock, D.P. Cox), (310)269

Methyltin triiodide, crystal, molecular and electronic structure of (J.S. Tse, M.J. Collins, F.L. Lee, E.J. Gabe), (310)169

Trimethyltin halides and dimethyltin dihalides, IR and Mössbauer studies of diamine complexes with (G. Eng, P.K. McKinney-Forbes, K.L. Richie, V.V. Nguyen, L. May), (310)285

Titanium

(η^1 : η^5 -C₅H₄)-bridged Group IV metallocene derivatives, synthesis and characterisation of; X-ray structure of {Cp(μ -[η^1 : η^5 -C₅H₄])Ti[PMe₃]}₂ (L.B. Kool, M.D. Rausch, H.G. Alt, M. Herberhold, U. Thewalt, B. Honold), (310)27

Dilithium benzene-*o*-diselenolate, reactions with metallocene dichlorides of (H. Köpf, Th. Klapötke), (310)303

1,3-Dititanacyclobutanes, formation of titanocene-methylene complexes from (B.J.J. van de Heistee, G. Schat, O.S. Akkerman, F. Bickelhaupt), (310)C25

Tungsten

mer-Dihalogenotricarbonyldialkylaminocarbonyl-tungsten anionic complexes, formation and characterisation of (A.C. Filippou, E.O. Fischer, H.G. Alt), (310)357

Dilithium benzene-*o*-diselenolate, reactions with metallocene dichlorides of (H. Köpf, Th. Klapötke), (310)303

Fulvenetricarbonylchromium complexes and α -ferrocenylcarbenium ions, reactions with nucleophiles of (F. Edelmann, P. Behrens, S. Behrens, U. Behrens), (310)333

Tolylmethylidyne(carborane)tungsten anionic complexes, protonation and reaction with trimethylphosphine of (A.P. James, F.G.A. Stone), (310)47

Uranium

Tricyclopentadienyluranium tetrahydroaluminate, synthesis and characterisation of (F. Ossola, N. Brianese, M. Porchia, G. Rossetto, P. Zanella), (310)C1

Vanadium

Dicyclopentadienyl[η^2 -(*C,N*)-ketene imine]-vanadium complexes, synthesis and structure of (T. Sielisch, U. Behrens), (310)179

Vanadium, niobium, tantalum and hafnium cyclic silylamides; crystal and molecular structures of spirocyclic tetraamides of V^{IV} , CH_3Nb^V and Hf^{IV} (D.J. Brauer, H. Bürger, G.R. Liewald, J. Wilke), (310)317

Ytterbium

Pentamethylcyclopentadienyl(chloro)dialkyl-lanthanoide anions, synthesis and characterisation of (I. Albrecht, H. Schumann), (310)C29

Zirconium

Dilithium benzene-*o*-diselenolate, reactions with metallocene dichlorides of (H. Köpf, Th. Klapötke), (310)303

Book reviews

Advances in organometallic chemistry, Vol. 24; edited by F.G.A. Stone and R. West (C. Eaborn), (310)C76

Chemistry of monoterpenes, an encyclopedic handbook, vol. A and B; by W.F. Erman (J.R. Hanson), (310)C75

Gmelin handbook of inorganic chemistry. 8th edit., Mo — molybdenum, Suppl. Vol. B4: Compounds — hydrous molybdates of Group VA to VIB metals (System Nos. 18–52) (K.R. Seddon), (310)C74