

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 315 (1986)
SUBJECT INDEX
Antimony

Phenylantimony bis(monothioacetate), preparation, structure and stability of (M. Hall, D.B. Sowerby, C.P. Falshaw), (315) 321

Boron

Arylhalogenoboranes, preparation of (W. Haubold, J. Herdtle, W. Gollinger, W. Einholz), (315) 1

arachno- $[(\eta^6\text{-C}_6\text{Me}_6)\text{RuB}_8\text{H}_{14}]$, nine-vertex structural analogue of $n\text{-B}_9\text{H}_{15}$ rather than of $\text{iso-B}_9\text{H}_{15}$ (M. Brown, X.L.R. Fontaine, N.N. Greenwood, J.D. Kennedy, M. Thornton-Pett), (315) C1

Dicyclopentadienylhexaaquatitanium(IV) cation, formation and structure of a trinuclear organyl-titanium(IV) cation formed with methanol of (H. Aslan, T. Sielisch, R.D. Fischer), (315) C69

Tricyclopentadienyluranium(IV) cationic complexes with isonitrile ligands of the type $[\text{Cp}_3\text{U}(\text{CNR})\text{L}]^+$ (H. Aslan, R.D. Fischer), (315) C64

Cerium

Tricyclopentadienylbis(cyclohexylisonitrile)lanthanum(III), preparation and ^{139}La NMR characterisation of (S.H. Eggers, R.D. Fischer), (315) C61

Chromium

Diterpenoid chromium carbene complex, synthesis and cyclopentaannulation of (R.C. Cambie, P.S. Rutledge, M. Tercel, P.D. Woodgate), (315) 171

Metallacyclic alkenyl ketone complexes, $\text{Cp}'(\text{CO})_2\text{Cr}[\text{R}^1\text{C}=\text{CR}^2\text{C}(\text{CO})\text{Me}]$ ($\text{Cp}' = \eta^5\text{-C}_5\text{Me}_5$; $\text{R}^1, \text{R}^2 = \text{H}, \text{Me}, \text{Ph}, \text{CH}_2\text{OH}, (\text{CH}_2)_2\text{Me}, (\text{CH}_2)_5\text{Me}$), preparation, char-

acterisation and reactivity of (H.G. Alt, H.I. Hayen), (315) 337

Thioketene-cobalt complexes, $[\text{Co}(\text{R}_2\text{C}=\text{C}=\text{S})(\text{PMe}_3)(\text{C}_5\text{H}_5)]$, reactions with electrophiles of (R. Drews, F. Edelmann, U. Behrens), (315) 369

Cobalt

Agostic interactions as an alternative to octahedral ethylene-hydride complexes, $\beta\text{-CH}$ bond activation (P.N.V. Pavankumar, B. Ashok, R.D. Jemmis), (315) 361

Cobalt(II) complexes with phosphorus-sulphur bidentate ligands, reductive carbonylation of (A. Del Zotto, P. Rigo), (315) 165

η^5 -Cyclopentadienyldicarbonylcobalt, flash-vacuum pyrolysis under formation of cobaltocene of (J.-C. Fiaud, R. Chauvin, R. Bloch), (315) C32

Heterodinuclear complex with bridged ethenyl ligand, $\text{FeCo}(\text{CO})_7(\mu\text{-CH}=\text{CPhH})$, synthesis and crystal structure of (I. Moldes, J. Ros, R. Yañez, X. Solans, M. Font-Altaba, R. Mathieu), (315) C22

Methyl- and trimethylsilyl-tris(triphenylphosphine)cobalt, interference by phosphine decomposition in oxidative additions of aryl halides to (M. Michman, S. Chocron, S. Nussbaum, H. Schumann, R. Mohtachemi, G. Kannert), (315) 113

Silica-supported cyclopentadienyl-rhodium(I), -cobalt(I), and titanium(IV) complexes (B.L. Booth, G.C. Ofunne, C. Stacey, P.J.T. Tait), (315) 143

Thioketene-cobalt complexes, $[\text{Co}(\text{R}_2\text{C}=\text{C}=\text{S})(\text{PMe}_3)(\text{C}_5\text{H}_5)]$, reactions with electrophiles of (R. Drews, F. Edelmann, U. Behrens), (315) 369

Copper

Sulphur ylide-palladium, -zinc and -copper complexes, synthesis in water of (I.J.B. Lin, L.

Hwan, H.C. Shy, M.C. Chen, Y. Wang), (315) 135

Germanium

Carbeneiron(0) electron-rich trigonal bipyramidal carbonyls $[\text{Fe}(\text{CO})_3(\text{L})(\text{L}')]]$ ($\text{L} = \overline{\text{C}}\text{N}(\text{Me})(\text{CH}_2)_2\text{NMe}$, $\text{L}' = \text{PEt}_3$ or $\text{L} = \text{M}(\text{OAr})_2$ ($\text{M} = \text{Ge}$, Sn , $\text{Ar} = \text{C}_6\text{H}_2\text{Bu}^1\text{-2,6-Me-4}$), $\text{L}' = \text{CO}$) (P.B. Hitchcock, M.F. Lappert, S.A. Thomas, A.J. Thorne, A.J. Carty, N.J. Taylor), (315) 27

Germylenes, cycloaddition to 3,5-di-*t*-butyl orthoquin-one of (P. Rivière, A. Castel, J. Satgé, D. Guyot), (315) 157

Gold

Gold(I) and gold(III) complexes containing bis(diphenylphosphine)-methane disulphide or -amine disulphide ligands (A. Laguna, M. Laguna, A. Rojo, M.N. Fraile), (315) 269

Hafnium

Halo(alkoxo)- and monocyclopentadienyl(hal)alkoxo-titanium, -zirconium and -hafnium derivatives, preparation of (A. Gómez-Carrera, M. Mena, P. Royo, R. Serrano), (315) 329

Iridium

Thionitrosodimethylamine ($\text{Me}_2\text{N}-\text{N}=\text{S}$) complexes of ruthenium, osmium and iridium (M. Herberhold, A.F. Hill), (315) 105

Iron

Arylnitrenes formed by cleavage of azoarenes, trapping with $\text{Fe}_3(\text{CO})_{12}$ or $\text{Ru}_3(\text{CO})_{12}$ of: X-ray structure of $\text{Ru}_3(\mu_3\text{-NPh})_2(\mu\text{-dppm})(\text{CO})_7$ (M.I. Bruce, M.G. Humphrey, O. bin Shawkataly, M.R. Snow, E.R.T. Tiekink), (315) C51

2-(2-Butadienyltricarbonyliron)-1,3-dithiane carbanions, formation and properties of (M. Franck-Neumann, D. Martin, M.-P. Heitz), (315) 59

Carbeneiron(0) electron-rich trigonal bipyramidal carbonyls, $[\text{Fe}(\text{CO})_3(\text{L})(\text{L}')]]$ ($\text{L} = \overline{\text{C}}\text{N}(\text{Me})(\text{CH}_2)_2\text{NMe}$, $\text{L}' = \text{PEt}_3$ or $\text{L} = \text{M}(\text{OAr})_2$ ($\text{M} = \text{Ge}$, Sn , $\text{Ar} = \text{C}_6\text{H}_2\text{Bu}^1\text{-2,6-Me-4}$), $\text{L}' = \text{CO}$) (P.B. Hitchcock, M.F. Lappert, S.A. Thomas, A.J. Thorne, A.J. Carty, N.J. Taylor), (315) 27

Cyclopentadienyliron complexes, coordination of polyfunctional thioether in (N. Kuhn, H. Schumann), (315) 93

$\eta\text{-}o$ -Dichlorobenzene- η^5 -cyclopentadienyliron hexafluorophosphate, nucleophilic substitution reactions with (C.C. Lee, A.S. Abd-El-Aziz, R.L. Chowdhury, U.S. Gill, A. Piórko, R.G. Sutherland), (315) 79

Dithioester pentacarbonyldiiron complexes, structures and properties of (A. Lagadec, B. Misterkiewicz, H. Patin, A. Mousser, J.-Y. Le Marouille), (315) 201

$\text{Fe}(\text{CNCH}_3)_4(\text{CN}_2)$, photolysis in acetonitrile solution of (L.L. Costanzo, S. Giuffrida, G. De Guidi, G. Condorelli), (315) 73

Heterodinuclear complex with bridged ethenyl ligand, $\text{FeCo}(\text{CO})_7(\mu\text{-CH}=\text{CPhH})$, synthesis and crystal structure of (I. Moldes, J. Ros, R. Yañez, X. Solans, M. Font-Altaba, R. Mathieu), (315) C22

Lanthanum

Tricyclopentadienylbis(cyclohexylisocyanide)lanthanum(III), preparation and ^{139}La NMR characterisation of (S.H. Eggers, R.D. Fischer), (315) C61

Lithium

2-(2-Butadienyltricarbonyliron)-1,3-dithiane carbanions, formation and properties of (M. Franck-Neumann, D. Martina, M.-P. Heitz), (315) 59

Lithium salts of imino- and amino-silanes, crystal structures of (R. Boese, U. Klingebiel), (315) C17

Lutetium

Tricyclopentadienylbis(cyclohexylisocyanide)lanthanum(III), preparation and ^{139}La NMR characterisation of (S.H. Eggers, R.D. Fischer), (315) C61

Manganese

Thioketene-cobalt complexes, $[\text{Co}(\text{R}_2\text{C}=\text{C}=\text{S})\text{(PMe}_3)(\text{C}_5\text{H}_5)]$, reactions with electrophiles of (R. Drews, F. Edelmann, U. Behrens), (315) 369

Toluene halogenation with sulphuryl chloride and dichlorine in the presence of transition metals (R. Davis, J.L.A. Durrant, C.C. Rowland), (315) 119

Metalloenes

η^5 -Cyclopentadienyldicarbonylcobalt, flash-vacuum pyrolysis under formation of cobaltocene of (J.-C. Fiaud, R. Chauvin, R. Bloch), (315) C32

Dicyclopentadienylhexaquaquitanium(IV) cation, formation and structure of a trinuclear organyl-titanium(IV) cation formed with methanol of (H. Aslan, T. Sielisch, R.D. Fischer), (315) C69

Molybdenum

Cyclopentadienyltricarbonylmolybdenum complexes, heats of reaction with CCl_4 , CBr_4 , I_2 and CH_3 of; solution thermochemical study of the Mo-X bond ($X = \text{H}, \text{Cl}, \text{Br}, \text{I}, \text{CH}_3$) (S.P. Nolan, R. López de la Vega, C.D. Hoff), (315) 187

Molybdenum(II) seven-coordinate complexes containing carbonyl, triphenylphosphine and O-donor or S-donor anionic bidentate ligands (V. Riera, F.J. Arnaiz, G.G. Herbosa), (315) 51

Nickel

Azanickelecyclopentanones, and cinnamanilide, catalytic formation from styrene and isocyanates by CC coupling of (E. Hernandez, H. Hoberg), (315) 245

Benzylnickel, reactions of dioxygen with (G. Favero, S. Issa, A. Turco, U. Vettori), (315) 237

Nickel(II), palladium(II) and platinum(II) complexes of *trans* spanning ditertiary phosphine 3,3'-oxybis[(di-*meta*-tolylphosphino)-methyl]benzene (P.N. Kapoor), (315) 383

Osmium

Alkylidyne-alkylidyne and alkylidyne-carbonyl coupling on the triosmium framework (W.-Y. Yeh, J.R. Shapley), (315) C29

$\text{Os}(\equiv\text{CR})\text{Cl}(\text{CO})(\text{PPh}_3)_2$ and $\text{Os}(\equiv\text{C}[\text{AgCl}]\text{R})\text{Cl}(\text{CO})(\text{PPh}_3)_2$, synthesis, reactions and crystal structures of (G.R. Clark, C.M. Cochrane, K. Marsden, W.R. Roper, L.J. Wright), (315) 211

Thionitrosodimethylamine ($\text{Me}_2\text{N}-\text{N}=\text{S}$) complexes of ruthenium, osmium and iridium (M. Herberhold, A.F. Hill), (315) 105

Tricarbonyl-*tetra*haptocyclopentadienoneruthenium(0) complexes, catalysis with;

a water-gas type reaction (Y. Shvo, D. Czar-
kic), (315) C25

Palladium

Aryl-palladium(II) and -platinum(II) rigid complexes, synthesis and structure aspects of; X-ray crystal structure of *o,o*-bis[(dimethylamino)methyl]phenyl-platinum(II) bromide (J. Terheijden, G. van Koten, F. Muller, D.M. Grove, K. Vrieze, E. Nielsen, C.H. Stam), (315) 401

Bis(pyrazolyl)alkane-palladium(II) and -platinum(II) complexes, preparation and characterisation of; crystal and molecular structures of $[\text{Pd}\{\text{CH}_2(\text{pz})_2\}_2][\text{BF}_4]_2$ and $[\text{PdCl}_2\{(\text{CH}_3)_2\text{C}(\text{pz})_2\}]_2$ (pzH = pyrazole), example of $\text{Pd}\cdots\text{H}-\text{C}$ agostic interaction (G. Minghetti, M.A. Cinelli, A.L. Bandini, G. Banditelli, F. Demartin, M. Manassero), (315) 387

Nickel(II), palladium(II) and platinum(II) complexes of *trans* spanning ditertiary phosphine 3,3'-oxybis[(di-*meta*-tolylphosphino)-methyl]benzene (P.N. Kapoor), (315) 383

Sulphur ylide-palladium, -zinc and -copper complexes, synthesis in water of (I.J.B. Lin, L. Hwan, H.C. Shy, M.C. Chen, Y. Wang), (315) 135

Toluene halogenation with sulphuryl chloride and dichlorine in the presence of transition metals (R. Davis, J.L.A. Durrant, C.C. Rowland), (315) 119

Phosphorus

Chloromethylplatinum(II), formation of cationic ylide-platinum(II) complex from; crystal structures of *cis*- $[\text{Pt}(\text{CH}_2\text{PPh}_3)_2\text{X}(\text{PPh}_3)_2]\text{I}$ ($X = \text{Cl}, \text{I}$) (C. Engelter, J.R. Moss, L.R. Nas-simbeni, M.L. Niven, G. Reid, J.C. Spiers), (315) 255

Cobalt(II) complexes with phosphorus-sulphur bidentate ligands, reductive carbonylation of (A. Del Zotto, P. Rigo), (315) 165

Gold(I) and gold(III) complexes containing bis(diphenylphosphine)-methane disulphide or -amide disulphide ligands (A. Laguna, M. Laguna, A. Rojo, M.N. Fraile), (315) 269

Metallacyclic alkenyl ketone complexes, $\text{Cp}'(\text{CO})_2\text{Cr}[\text{R}^1\text{C}=\text{CR}^2\text{C}(\text{O})\text{Me}]$ ($\text{Cp}' = \eta^5\text{C}_5\text{Me}_5$; $\text{R}^1, \text{R}^2 = \text{H}, \text{Me}, \text{Ph}, \text{CH}_2\text{OH}, (\text{CH}_2)_2\text{Me}, (\text{CH}_2)_5\text{Me}$), preparation, characterisation and reactivity of (H.G. Alt, H.I. Hayen), (315) 337

Nickel(II), palladium(II) and platinum(II) com-

- plexes of *trans* spanning ditertiary phosphine 3,3'-oxybis[(di-*meta*-tolylphosphino)-methyl]benzene (P.N. Kapoor), (315) 383
- Os(\equiv CR)Cl(CO)(PPh₃)₂ and Os(\equiv C[AgCl]R)Cl(CO)(PPh₃)₂, synthesis, reactions and crystal structures of (G.R. Clark, C.M. Cochrane, K. Marsden, W.R. Roper, L.J. Wright), (315) 211
- Polyhydridorhenium anionic complex, mechanistic studies on oxidation of; generation and reactivity of the transient radical [ReH₆(PMePh₂)₂] (J.W. Bruno, K.G. Caulton), (315) C13
- Rhodium-phosphine "in-situ" catalysis, hydroformylation of nitrogen-containing cyclic olefins via (K. Prölai-Tátrai, S. Törös, B. Heil), (315) 231
- Thioketene-cobalt complexes, [Co(R₂C=C=S)(PMe₃)(C₅H₅)], reactions with electrophiles of (R. Drews, F. Edelmann, U. Behrens), (315) 369
- Platinum**
- Aryl-palladium(II) and -platinum(II) rigid complexes, syntheses and structural aspects of; X-ray crystal structure of *o,o*-bis[(dimethylamino)methyl]phenyl-platinum(II) bromide (J. Terheijden, G. van Koten, F. Muller, D.M. Grove, K. Vrieze, E. Nielsen, C.H. Stam), (315) 401
- Bis(pyrazolyl)alkane-palladium(II) and -platinum(II) complexes, preparation and characterisation of; crystal and molecular structures of [Pd(CH₂(pz)₂)₂][BF₄]₂ and [Pd-Cl₂{(CH₃)₂C(pz)₂}] (pzH = pyrazole), example of Pd...H-C agostic interaction (G. Minghetti, M.A. Cinelli, A.L. Bandini, G. Banditelli, F. Demartin, M. Manassero), (315) 387
- Chloromethylplatinum(II), formation of cationic ylide-platinum(II) complex from; crystal structures of *cis*-[Pt(CH₂PPh₃)₂X(PPh₃)₂]I (X = Cl, I) (C. Engelter, J.R. Moss, L.R. Nasimbeni, M.L. Niven, G. Reid, J.C. Spiers), (315) 255
- Nickel(II), palladium(II) and platinum(II) complexes of *trans* spanning ditertiary phosphine 3,3'-oxybis[(di-*meta*-tolylphosphino)-methyl]benzene (P.N. Kapoor), (315) 383
- Sulphur dioxide-platinum cluster compounds, facilitation of substitution reactions by amine N-oxides of (M.F. Hallam, D.M.P. Mingos), (315) C35
- Thioketene-cobalt complexes, [Co(R₂C=C=S)(PMe₃)(C₅H₅)], reactions with electrophiles

of (R. Drews, F. Edelmann, U. Behrens), (315) 369

- Toluene halogenation with sulphuryl chloride and dichlorine in the presence of transition metals (R. Davis, J.L.A. Durrant, C.C. Rowland), (315) 119

Praseodymium

- Tricyclopentadienylbis(cyclohexylisocyanide)lanthanum(III), preparation and ¹³⁹La NMR characterisation of (S.H. Eggers, R.D. Fischer), (315) C61

Rhenium

- Polyhydridorhenium anionic complex, mechanistic studies on oxidation of; generation and reactivity of the transient radical [ReH₆(PMePh₂)₂] (J.W. Bruno, K.G. Caulton), (315) C13
- Toluene halogenation with sulphuryl chloride and dichlorine in the presence of transition metals (R. Davis, J.L.A. Durrant, C.C. Rowland), (315) 119

Rhodium

- H₂Ru₂Rh₂(CO)₁₁(PPh₃), structural, spectroscopic and conformational studies of (J. Pursiainen, T.A. Pakkanen), (315) 353
- Rhodium-catalysed C-C bond formation by ring-opening of alkylidenecyclopropanes and insertion of 3-butenic acid (G.P. Chiusoli, M. Costa, P. Schianchi, G. Salerno), (315) C45
- Rhodium-phosphine "in-situ" catalysis, hydroformylation of nitrogen-containing cyclic olefins via (K. Prölai-Tátrai, S. Törös, B. Heil), (315) 231
- Silica-supported cyclopentadienyl-rhodium(I), -cobalt(I), and -titanium(IV) complexes (B.L. Booth, G.C. Ofunne, C. Stacey, P.J.T. Tait), (315) 143

Ruthenium

- Arylnitrenes formed by cleavage of azoarenes, trapping with Fe₃(CO)₁₂ or Ru₃(CO)₁₂ of; X-ray structure of Ru₃(μ₃-NPh)₂(μ-dppm)(CO)₇ (M.L. Bruce, M.G. Humphrey, O. bin Shawkataly, M.R. Snow, E.R.T. Tiekink), (315) C51
- arachno*-[(η⁶-C₆Me₆)RuB₈H₁₄], nine-vertex

structural analogue of $n\text{-B}_9\text{H}_{15}$, rather than of $\text{iso-B}_9\text{H}_{15}$ (M. Brown, X.L.R. Fontaine, N.N. Greenwood, J.D. Kennedy, M. Thornton-Pett), (315) C1

$\text{H}_2\text{Ru}_2\text{Rh}_2(\text{CO})_{11}(\text{PPh}_3)$, structural, spectroscopic and conformational studies of (J. Pursiainen, T.A. Pakkanen), (315) 353

Thionitrosodimethylamine ($\text{Me}_2\text{N-N=S}$) complexes of ruthenium, osmium and iridium (M. Herberhold, A.F. Hill), (315) 105

Tricarbonyl-*tetrahapto*-cyclopentadienoneruthenium(0) complexes, catalysis with a water-gas type reaction (Y. Shvo, D. Czarneckie), (315) C25

Silicon

Arylhalogenoboranes, preparation of (W. Haubold, J. Herdtle, W. Gollinger, W. Einholz), (315) 1

Lithium salts of imino- and amino-silanes, crystal structures of (R. Boese, U. Klingebiel), (315) C17

Methyl- and trimethylsilyl-tris(triphenylphosphine)cobalt, interference by phosphine decomposition in oxidative additions of aryl halides to (M. Michman, S. Chocron, S. Nussbaum, H. Schumann, R. Mohtachemi, G. Kannert), (315) 113

Organosilicon cations, 1,3-migration of chloride and azide substituents within, and anchimeric assistance by the azido group (C. Eaborn, P.D. Lickiss, S.T. Najim, M.N. Romanelli), (315) C5

Silaethene, $\text{Me}_2\text{Si}=\text{C}(\text{SiMe}_3)_2$, stabilisation by formation of adducts of; reactivity of $\text{Me}_2\text{Si}=\text{C}(\text{SiMe}_3)_2 \cdot \text{NMe}_3$ (N. Wiberg, H. Köpf), (315) 9

Silica-supported cyclopentadienyl-rhodium(I), -cobalt(II), and -titanium(IV) complexes (B.L. Booth, G.C. Ofunne, C. Stacey, P.J.T. Tait), (315) 143

$(\text{SiO})_4$, $(\text{SiOSiN})_2$ and $(\text{SiN})_4$ isoelectronic rings, unusual conformations of (E. Egert, M. Haase, U. Klingebiel, C. Lensch, D. Schmidt, G.M. Sheldrick), (315) 19

Silver

$\text{Os}(\equiv\text{CR})\text{Cl}(\text{CO})(\text{PPh}_3)_2$ and $\text{Os}(\overline{=\text{C}[\text{AgCl}]\text{R}})\text{Cl}(\text{CO})(\text{PPh}_3)_2$, synthesis, reactions and crystal structures of (G.R. Clark, C.M. Cochrane, K. Marsden, W.R. Roper, L.J. Wright), (315) 211

Sulphur

2-(2-Butadienyltricarbonyliron)-1,3-dithiane carbanions, formation and properties of (M. Franck-Neumann, D. Martin, M.-P. Heitz), (315) 59

Cobalt(II) complexes with phosphorus-sulphur bidentate ligands, reductive carbonylation of (A. Del Zotto, P. Rigo), (315) 165

Dithioester pentacarbonyldiiron complexes, structures and properties of (A. Lagadec, B. Misterkiewicz, H. Patin, A. Mousser, J.-Y. Le Marouille), (315) 201

Gold(I) and gold(III) complexes containing bis(diphenylphosphine)-methane disulphide or -amine disulphide ligands (A. Laguna, M. Laguna, A. Rojo, M.N. Fraile), (315) 269

Phenylantimony bis(monothioacetate), preparation, structure and stability of (M. Hall, D.B. Sowerby, C.P. Falshaw), (315) 321

Sulphur dioxide-platinum cluster compounds, facilitation of substitution reactions by amine *N*-oxides of (M.F. Hallam, D.M.P. Mingos), (315) C35

Sulphur ylide-palladium, -zinc and -copper complexes, synthesis in water of (I.J.B. Lin, L. Hwan, H.C. Shy, M.C. Chen, Y. Wang), (315) 135

Thioketene-cobalt complexes, $[\text{Co}(\text{R}_2\text{C}=\text{C}=\text{S})(\text{PMe}_3)(\text{C}_5\text{H}_5)]$, reactions with electrophiles of (R. Drews, F. Edelmann, U. Behrens), (315) 369

Thallium

Pentamethylcyclopentadienyltantalum, crystal structure of (H. Werner, H. Otto, H.J. Kraus), (315) C57

Tin

Allyltin compounds, evidence for $\sigma-\pi$ interaction by photoelectron spectroscopy and LCBO calculations of (C. Cauletti, C. Furlani, F. Grandinetti, D. Marton), (315) 287

1-Aza-5-methyltricyclo[3.3.3.0^{1,5}]undecane, crystal and molecular structure of; transannular donor-acceptor interaction in a tetraorganotin compound (K. Jurkschat, A. Tzschach, J. Meunier-Piret), (315) 45

Bis-alkoxy-tin(IV) ($\text{R}_3\text{SnO-A-OSnR}_3$) derivatives of ethyleneglycol and pyridine-2,6-methanol, structures of (C. Picard, P. Tisnes, L. Cazaux), (315) 277

Carbeneiron(0) electron-rich trigonal bipyramidal carbonyls, $[\text{Fe}(\text{CO})_3(\text{L})(\text{L}')]]$ ($\text{L}=\text{CN}$ -

$(\text{Me})(\text{CH}_2)_2\text{NMe}$, $L' = \text{PEt}_3$ or $L = \text{M}(\text{O}-\text{Ar})_2$ ($\text{M} = \text{Ge}, \text{Sn}$), $\text{Ar} = \text{C}_6\text{H}_2\text{Bu}^t\text{-2,6-Me-4}$, $L' = \text{CO}$) (P.B. Hitchcock, M.F. Lappert, S.A. Thomas, A.J. Thorne, A.J. Carty, N.J. Taylor), (315) 27

Di-n-butyltin(IV) compounds, ^{13}C and ^{119}Sn NMR spectra of (J. Holeček, M. Nádvořík, K. Handlíř, A. Lyčka), (315) 299

Triorganotin derivatives of 1,2-bis(2'-carboxyphenylamino)ethane and -propane and ethylenediaminetetraacetic acid (G.K. Sandhu, S.P. Verma, L.S. Moore, R.V. Parish), (315) 309

Titanium

Bis(trimethylstannyl)aminotitanium complex, $[\text{TiCl}_2(\text{OC}_6\text{H}_3\text{Ph}_{2-2,6})_2]$ and $[\text{TiCl}\{\text{N}(\text{SnMe}_3)_2\}(\text{OC}_6\text{H}_3\text{Ph}_{2-2,6})_2]$, synthesis and structures of (J.R. Dilworth, J. Hanich, M. Krestel, J. Beck, J. Strähle), (315) C9

Dicyclopentadienylhexaaquatitanium(IV) cation, formation and structure of a trinuclear organyl-titanium(IV) cation formed with methanol of (H. Aslan, T. Sielisch, R.D. Fischer), (315) C69

Halo(alkoxo)- and monocyclopentadienyl-(halo)alkoxo-titanium, -zirconium and -hafnium derivatives, preparation of (A. Gómez-Carrera, M. Mena, P. Royo, R. Serrano), (315) 329

Silica-supported cyclopentadienyl-rhodium(I), -cobalt(I), and -titanium(IV) complexes (B.L. Booth, G.C. Ofunne, C. Stacey, P.J.T. Tait), (315) 143

Uranium

Tricyclopentadienyluranium(IV) cationic complexes with isonitrile ligands of the type

$[\text{Cp}_3\text{U}(\text{CNR})\text{L}]^+$ (H. Aslan, R.D. Fischer), (315) C64

Yttrium

Tricyclopentadienylbis(cyclohexylisocyanide)lanthanum(III), preparation and ^{139}La NMR characterisation of (S.H. Eggers, R.D. Fischer), (315) C61

Zinc

Sulphur ylide-palladium, -zinc and -copper complexes, synthesis in water of (I.J.B. Lin, L. Hwan, H.C. Shy, M.C. Chen, Y. Wang), (315) 135

Zirconium

Halo(alkoxo)- and monocyclopentadienyl(halo)alkoxo-titanium, -zirconium and -hafnium derivatives, preparation of (A. Gómez-Carrera, M. Mena, P. Royo, R. Serrano), (315) 329

Book reviews

Carbosilanes: Synthesis and reactions: by G. Fritz and E. Matern (C. Eaborn), (315) C40
Gmelin handbook of inorganic chemistry, 8th ed., Se. Y, La-Lu Rare earth elements, Part C9: Compounds with Se (K.R. Seddon), (315) C39