

---

**JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 316 (1986)**


---

**SUBJECT INDEX****Antimony**

Diphenylantimony(III) diphenylphosphonate and diphenylmonothiophosphinate, synthesis, spectra and crystal structure of (M.J. Begley, D.B. Sowerby, D.M. Wesolek, C. Silvestru, I. Haiduc), (316) 281

**Bismuth**

*cis*-Cyclohexane-1,2-diol and *meso*-butane-2,3-diol, enantioselective phenylation in the presence of catalysts of (H. Brunner, U. Obermann, P. Wimmer), (316) C1

**Chromium**

Free radical halogenation of alkanes initiated by transition metal complexes (R. Davis, J.L.A. Durrant, C.C. Rowland), (316) 147

**Cobalt**

Half-open cobaltocene, diene replacement vs. hydride abstraction by triphenylmethyl cation (T.D. Newbound, R.D. Ernst), (316) 213

**Copper**

*cis*-Cyclohexane-1,2-diol and *meso*-butane-2,3-diol, enantioselective phenylation in the presence of catalysts of (H. Brunner, U. Obermann, P. Wimmer), (316) C1

Silylcupration of acetylenes (H.-M. Chen, J.P. Oliver), (316) 255

**Germanium**

Dodecaphenyl-n-pentagermane, pergerma analogue of n-pentane (S. Roller, M. Dräger), (316) 57

2,2,6,6-Tetramethyl-4-metallaspiro[3.3]heptanes, synthesis of (B.J.J. van de Heistee, M.A.G.M. Tinga, Y. van den Winkel, O.S. Akkerman, F. Bickelhaupt), (316) 51

Tris- and tetrakis-(trifluoromethyl)fluorogermanates, structure of an anion with pentacoordinated germanium (D.J. Brauer, J. Wilke, R. Eujen), (316) 261

Trithiagermatranes substituted with functional groups, synthesis of (N. Kakimoto, K. Sato, M. Matsui, T. Takada, M. Akiba), (316) C17

**Iridium**

Di- $\mu$ -hydroxo- and dimethoxy-pentamethyl-cyclopentadienyl derivatives of rhodium and iridium with pyridine type ligands; crystal structure of  $[(C_5Me_5)Rh(Py)]_2(\mu-OH)_2[ClO_4]_2$  (F.J. Lahoz, D. Carmona, L.A. Oro, M.P. Lamata, M.P. Puebla, C. Foces-Foces, F.H. Cano), (316) 221

$IrH(diene)L_2$  compounds, preparation via methoxyiridium complexes; catalysts for hydrogen transfer reactions (M.J. Fernandez, M.A. Esteruelas, M. Covarrubias, L.A. Oro), (316) 343

$\eta$ -Thiophenebis(triphenylphosphine)-rhodium and -iridium cations, hydrodesulphurisation reactions and X-ray structure of the rhodium derivative of (R.A. Sanchez-Delgado, R.L. Marquez-Silva, J. Puga, A. Tiripicchio, M. Tiripicchio Camellini), (316) C35

**Iron**

2-Benzylidene[3]ferrocenophane-1,3-dione, crystal and molecular structure of (E. Gyepes, T. Glowiak, Š. Toma), (316) 163

2,2-Biphospholyl, synthesis and reactions of (F. Mercier, S. Holand, F. Mathey), (316) 271

*t*-Butyldicarbonyl- $\eta^5$ -cyclopentadienyliron, insertion reactions of (K.H. Pannell, T. Giasolli, R.N. Kapoor), (316) 315

- C-C bond formation between donor atoms of adjacent acyl and alkenyl ligands (C.M. Lukehart, J.B. Myers, Jr., B.J. Sweetman), (316) 319
- Dodecaironruthenium and tridecahydridodirondiruthenium, synthetic route to; crystal structure of  $\text{H}_2\text{Fe}_2\text{Ru}_2(\text{CO})_{13}$  (T. Venäläinen, T.A. Pakkanen), (316) 183
- $[\text{Fe}(\eta^5\text{-C}_5\text{H}_5)(\text{CO})(\mu\text{-SC}_5\text{H}_9\text{NCH}_2)]_2$ , synthesis, crystal structure and properties of (W. Gaete, J. Ros, R. Yañez, X. Solans, M. Font-Altaba), (316) 169
- Free radical halogenation of alkanes initiated by transition metal complexes (R. Davis, J.L.A. Durrant, C.C. Rowland), (316) 147
- Manganese and iron di- and tri-nuclear complexes with sulphur monoxide as bridging ligands synthesis and structure of (I.-P. Lorenz, J. Messelhäuser, W. Hiller, M. Conrad), (316) 121
- Polymethylthiopheneciron complexes,  $\sigma$  vs.  $\pi$  bonding in (V. Guerciais, D. Astruc), (316) 335
- Silver(I) electrophiles, reactions with  $[\text{Fe}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_2(\text{L})\{\text{CN}(\text{Me})\text{H}\}]^+$  and  $[\text{Fe}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_2\{\text{CN}(\text{Me})\text{H}\}_2]^{2+}$  salts (L = CO or CNMe) of (B. Callan, A.E. Manning), (316) 325
- Tricarbonyl-8-*p*-tolyl-8-azaheptafulveneiron, reaction with tetraeyanoethene of (S.K. Chopra, P. McArdle), (316) 177

## Lithium

- 2,6-Bis(lithiumtrimethylsilylmethyl)pyridine-2-TMEDA, monomeric dilithio compound exhibiting electrostatic charge communication (R. Hacker, P.v.R. Schleyer, G. Reber, G. Müller, L. Brandsma), (316) C4
- C-C bond formation between donor atoms of adjacent acyl and alkenyl ligands (C.M. Lukehart, J.B. Myers, Jr., B.J. Sweetman), (316) 319
- cis*-Diacetoxylation of alkenes with tellurium(IV) oxide and lithium bromide in acetic acid (S. Uemura, K. Ohe, S.-I. Fukuzawa, S.R. Patil, N. Sugita), (316) 67

## Magnesium

- Alkyl- and alkenyl-sodium compounds, solubility in hexane on complexation with magnesium alkoxides of (C.G. Serettas, M. Michas-Screttas), (316) 1
- Diethyl-1-magnesium chloride methanophosphate, novel Grignard reagent used in

organic synthesis (P. Coutrot, M. Youssefi-Tabrizi, C. Grison), (316) 13

- Grignard reagents, mechanism of reactions with titanium and zirconium tetrachloride of (P. Sobota, J. Utko, Z. Janas), (316) 19

## Manganese

- 2,2'-Biphospholyl, synthesis and reactions of (F. Mercier, S. Holand, F. Mathey), (316) 271
- Free radical halogenation of alkanes initiated by transition metal complexes (R. Davis, J.L.A. Durrant, C.C. Rowland), (316) 147
- Manganese and iron di- and tri-nuclear complexes with sulphur monoxide as bridging ligands synthesis and structure of (I.-P. Lorenz, J. Messelhäuser, W. Hiller, M. Conrad), (316) 121
- (Pentacarbonyl)acylmanganese compounds, synthesis gas incorporation into (D.J. Sheeran, J.D. Arenivar, M. Orchin), (316) 139

## Mercury

- Phenylene and polyphenylene mercurials, reactions of (A.G. Massey, N.A.A. Al-Jabar, R.E. Humphries, G.B. Deacon), (316) 25

## Metalloenes

- 2-Benzylidene[3]ferrocenophane-1,3-dione, crystal and molecular structure of (E. Gyepes, T. Glowiak, Š. Toma), (316) 163
- Half-open cobaltocene, diene replacement vs. hydride abstraction by triphenylmethyl cation (T.D. Newbound, R.D. Ernst), (316) 213

## Molybdenum

- 2,2'-Biphospholyl, synthesis and reactions of (F. Mercier, S. Holand, F. Mathey), (316) 271
- 2,2'-Bipyridinemolybdenum(II) six-coordinate complexes containing thiolate, nitrate, nitrite and pentane-2,4-dionate ligands (J.A. Connor, E.J. James), (316) 79
- Bis(1-*t*-butylimino-2-*t*-butylaminoethane)hexacarbonyldimolybdenum, metal-metal bond breaking and rearrangement of (R.R. Andréa, H.E. de Jager, D.J. Stufkens, A. Oskam), (316) C24
- Bis(2,3-dicarbomethoxybornadiene)dicarbonylmolybdenum and related complexes, structure and bonding characteristics of (T.J. Chow, T.-H. Lin, S.-M. Peng, M.-C. Cheng), (316) C29

Free radical halogenation of alkanes initiated by transition metal complexes (R. Davis, J.L.A. Durrant, C.C. Rowland), (316) 147

## Nickel

Triethylenickel, reactions with 7,7-difluorocyclopropabenzene in the presence of tetraethylenediamine (R. Benn, H. Schwager, G. Wilke), (316) 229

## Osmium

Carbonyl-ruthenium and -osmium substituted clusters, reactions with dihydrogen of; X-ray crystal structures of  $\text{Ru}_3(\mu\text{-H})_2(\mu\text{-PPh})(\text{CO})_8(\text{PMePh}_2)$ ,  $\text{Ru}_4(\mu\text{-H})_4(\mu\text{-dppm})(\text{CO})_{10}$ ,  $\text{Ru}_4(\mu\text{-H})(\mu_3\text{-PPhCH}_2\text{PPh}_2)(\text{CO})_{10}$  and  $\text{Os}_3(\mu\text{-H})_2(\mu\text{-dppm})(\text{CO})_8$  (M.I. Bruce, E. Horn, O. bin Shawkataly, M.R. Snow, E.R.T. Tiekink, M.L. Williams), (316) 187

## Palladium

Pentafluorophenylpalladium(I)-platinum(I) derivatives, synthesis and reactivity of; molecular structures of  $\text{ClPt}(\mu\text{-dppm})_2\text{Pd}(\text{C}_6\text{F}_5)$  (J. Fornies, F. Martinez, R. Navarro, A. Redondo, M. Tomas, A.J. Welch), (316) 351

## Phosphorus

2,2'-Biphospholyl, synthesis and reactions of (F. Mercier, S. Holand, F. Mathey), (316) 271

*cis*-Bis(7-methylnaphth-1-yl)bis(triphenylphosphane)platinum(II), formation of (H.A. Brune, W. Schäfer, K.-H. Spohn, C. Weismann), (316) 367

Butadienylenungsten(IV) symmetrically substituted complexes, synthesis of (K. Stahl, K. Dehnicke), (316) 85

Carbonyl-ruthenium and -osmium substituted clusters, reactions with dihydrogen of; X-ray crystal structures of  $\text{Ru}_3(\mu\text{-H})_2(\mu_3\text{-PPh})(\text{CO})_8(\text{PMePh}_2)$ ,  $\text{Ru}_4(\mu\text{-H})_4(\mu\text{-dppm})(\text{CO})_{10}$ ,  $\text{Ru}_4(\mu\text{-H})_3(\mu_3\text{-PPhCH}_2\text{PPh}_2)(\text{CO})_{10}$  and  $\text{Os}_3(\mu\text{-H})_2(\mu\text{-dppm})(\text{CO})_8$  (M.I. Bruce, E. Horn, O. bin Shawkataly, M.R. Snow, E.R.T. Tiekink, M.L. Williams), (316) 187

$\text{Cp}'(\text{CO})(\text{L})\text{W}[(\text{PMe}_3)\text{HCC}(\text{H})\text{COMe}]$  ( $\text{Cp}' = \eta^5\text{-C}_5\text{H}_5$ ,  $\eta^5\text{-C}_5\text{Me}_5$ ;  $\text{L} = \text{CO}$ ,  $\text{PMe}_3$ ), rearrangements with  $\text{CF}_3\text{COOH}$  of; reactions of  $[\text{C}_5\text{-Me}_5(\text{CO})_2(\text{CF}_3\text{COO})_2][\text{PMe}_3\text{CH}_2\text{CH}_2\text{COMe}]$  with  $\text{Co}$ ,  $\text{PMe}_3$ ,  $\text{NOBF}_4$  and  $\text{Et}_3\text{OBF}_4$  (H.G. Alt, H.I. Hayen), (316) 301

Dibromoacetylenungsten(IV) complexes, crystal structure of  $\text{PPh}_4[\text{WBr}_5(\text{BrC}=\text{CBr}) \cdot 0.5\text{CCl}_4]$  (K. Stahl, A. El-Kholi, U. Müller, K. Dehnicke), (316) 95

Diethyl-1-magnesium chloride methanephosphanate, novel. Grignard reagent used in organic synthesis (P. Coutrot, M. Youssefi-Tabrizi, C. Grison), (316) 13

Diphenylantimono(III) diphenylphosphonate and diphenylmonothiophosphinate, synthesis, spectra and crystal structure of (M.J. Begley, D.B. Sowerby, D.M. Wesolek, C. Silvestru, I. Haiduc), (316) 281

Manganese and iron di- and tri-nuclear complexes with sulphur monoxide as bridging ligands synthesis and structure of (L.-P. Lorenz, J. Messelhäuser, W. Hiller, M. Conrad), (316) 121

## Platinum

*cis*-Bis(7-methylnaphth-1-yl)bis(triphenylphosphane)platinum(II), formation of (H.A. Brune, W. Schäfer, K.-H. Spohn, C. Weismann), (316) 367

Pentafluorophenylpalladium(I)-platinum(I) derivatives, synthesis and reactivity of; molecular structure of  $\text{ClPt}(\mu\text{-dppm})_2\text{Pd}(\text{C}_6\text{F}_5)$  (J. Fornies, F. Martinez, R. Navarro, A. Redondo, M. Tomas, A.J. Welch), (316) 351

Platinum(II) trichlorostannate chemistry, importance of Pt-Sn linkage in hydroformulation chemistry, and formation of  $\text{PtC}(\text{OSnCl}_2)\text{R}$ -carbene (H.J. Ruegg, P.S. Pregosin, A. Scriveri, L. Toniolo, C. Botteghi), (316) 233

## Potassium

2,5-Disubstituted thiophenes, synthesis from 1-propynylamines or allenic amines and thio-carbonyl compounds of (R.L.P. de Jong, L. Brandsma), (316) C21

## Rhenium

Free radical halogenation of alkanes initiated by transition metal complexes (R. Davis, J.L.A. Durrant, C.C. Rowland), (316) 147

## Rhodium

Di- $\mu$ -hydroxo- and dimethoxy-pentamethylcyclopentadienyl derivatives of rhodium and

iridium with pyridine type ligands; crystal structure of  $[(C_5Me_5)Rh(Py)]_2(\mu-OH)_2 \cdot [ClO_4]_2$  (F.J. Lahoz, D. Carmona, L.A. Oro, M.P. Lamata, M.P. Puebla, C. Foces-Foces, F.H. Cano), (316) 221

## Ruthenium

Carbonyl-ruthenium and -osmium substituted clusters, reactions with dihydrogen of: X-ray crystal structures of  $Ru_3(\mu-H)_2(\mu_3-PPh)(CO)_8(PMePh_2)_2$ ,  $Ru_4(\mu-H)_4(\mu-dppm)(CO)_{10}$ ,  $Ru_4(\mu-H)_3(\mu_3-PPhCH_2PPh_2)(CO)_{10}$  and  $Os_3(\mu-H)_2(\mu-dppm)(CO)_8$  (M.I. Bruce, E. Horn, O. bin Shawkataly, M.R. Snow, E.R.T. Tiekink, M.L. Williams), (316) 187

Dodecairidionruthenium and tridecahydridodiridionruthenium, synthetic route to: crystal structure of  $H_2Fe_2Ru_2(CO)_{13}$  (T. Venäläinen, T.A. Pakkanen), (316) 183

$\eta$ -Thiophenebis(triphenylphosphine)-rhodium and -iridium cations, hydrodesulphurisation reactions and X-ray structure of the rhodium derivative of (R.A. Sanchez-Delgado, R.L. Marquez-Silva, J. Puga, A. Tiripicchio, M. Tiripicchio Camellini), (316) C35

## Silicon

Acetyldimethylphenylsilane, fluoride induced fragmentation of (H. Zilch, R. Tacke), (316) 243

2,6-Bis(lithiumtrimethylsilylmethyl)pyridine · 2TMEDA, monomeric dithio compound exhibiting electrostatic charge communication (R. Hacker, P.v.R. Schleyer, G. Reber, G. Müller, L. Brandsma), (316) C4

Butadienylenungsten(IV) symmetrically substituted complexes, synthesis of (K. Stahl, K. Dehnicke), (316) 85

Dibromoacetylenungsten(IV) complexes, crystal structure of  $PPh_4[WBr_5(BrC\equiv CBr)] \cdot 0.5CCl_4$  (K. Stahl, A. El-Kholi, U. Müller, K. Dehnicke), (316) 95

Silicon-containing aziridines, formation from reactions of vinylsilanes with ethoxycarbonylnitrene under phase-transfer conditions (E. Lukevics, V.V. Dirnens, Yu.Sh. Goldberg, E.E. Liepinsh), (316) 249

Silylcupration of acetylenes (H.-M. Chen, J.P. Oliver), (316) 255

2,2,6,6-Tetramethyl-4-metallasp[3.3]heptanes, synthesis of (B.J.J. van de Heisteeg, M.A.G.M. Tinga, Y. van den Winkel, O.S. Akkerman, F. Bickelhaupt), (316) 51

2,4,6-Tri-*t*-butylphenyl-substituted disilane, synthesis and conformation of (M. Weidenbruch, K. Kramer, S. Pohl, W. Saak), (316) C13

(Trifluoromethyl)trichlorosilane, synthesis and properties of (H. Beckers, H. Bürger, P. Bursch, I. Ruppert), (316) 41

## Silver

Silver(I) electrophiles, reactions with  $[Fe_2(\eta-C_5H_5)_2(CO)_2(L)\{CN(Me)H\}]^+$  and  $[Fe_2(\eta-C_5H_5)_2(CO)_2\{CN(Me)H\}_2]^{2+}$  salts (L = CO or CNMe) of (B. Callan, A.E. Manning), (316) 325

## Sodium

Alkyl- and alkenyl-sodium compounds, solubility in hexane on complexation with magnesium alkoxides of (C.G. Screttas, M. Micha-Screttas), (316) 1

## Sulphur

Bis(pentamethylcyclopentadienyl)titanium(IV) cationic complexes,  $[(C_5Me_5)_2(DMF)Cl][CF_3SO_3]$  and  $[(C_5Me_5)_2(DMF)_2][CF_3SO_3]_2$  (DMF = dimethylformamide), preparation and structure of (B. Henold, U. Thewalt), (316) 291

2,5-Disubstituted thiophenes, synthesis from 1-propynylamines or allenic amines and thio-carbonyl compounds of (R.L.P. de Jong, L. Brandsma), (316) C21

Manganese and iron di- and tri-nuclear complexes with sulphur monoxide as bridging ligands synthesis and structure of (I.-P. Lorenz, J. Messelhäuser, W. Hiller, M. Conrad), (316) 121

Polymethylthiopheneiron complexes,  $\sigma$  vs.  $\pi$  bonding in (V. Guerschais, D. Astruc), (316) 335

$\eta$ -Thiophenebis(triphenylphosphine)-rhodium and -iridium cations, hydrodesulphurisation reactions and X-ray structure of the rhodium derivative of (R.A. Sanchez-Delgado, R.L. Marquez-Silva, J. Puga, A. Tiripicchio, M. Tiripicchio Camellini), (316) C35

Trithiagermatranes substituted with functional groups, synthesis of (N. Kakimoto, K. Sato, M. Matsui, T. Takada, M. Akiba), (316) C17

## Tellurium

*cis*-Diacetoxylation of alkenes with tellurium(IV) oxide and lithium bromide in acetic acid (S. Uemura, K. Ohe, S.-I. Fukuzawa, S.R. Patil, N. Sugita), (316) 67

## Tin

*cis*-Bis(7-methylnaphth-1-yl)bis(triphenylphosphane)platinum(II), formation of (H.A. Brune, W. Schäfer, K.-H. Spohn, C. Weismann), (316) 367

Platinum(II) trichlorostannate chemistry, importance of Pt-Sn linkage in hydroformulation chemistry, and formation of PtC(OSnCl<sub>2</sub>)R-carbene (H.J. Rugg, P.S. Pregosin, A. Scriveranti, L. Toniolo, C. Botteghi), (316) 233

2,2,6,6-Tetramethyl-4-metallaspiro[3.3]heptanes, synthesis of (B.J.J. van de Heisteeg, M.A.G.M. Tinga, Y. van den Winkel, O.S. Akkerman, F. Bickelhaupt), (316) 51

## Titanium

Bis(pentamethylcyclopentadienyl)titanium(IV) cationic complexes, [(C<sub>5</sub>Me<sub>5</sub>)<sub>2</sub>(DMF)Cl]CF<sub>3</sub>SO<sub>3</sub> and [(C<sub>5</sub>Me<sub>5</sub>)<sub>2</sub>(DMF)<sub>2</sub>](CF<sub>3</sub>SO<sub>3</sub>)<sub>2</sub> (DMF = dimethylformamide), preparation and structure of (B. Honold, U. Thewalt), (316) 291

Grignard reagents, mechanism of reactions with titanium and zirconium tetrachloride of (P. Sobota, J. Utko, Z. Janas), (316) 19

## Tungsten

Butadiynetungsten(IV) symmetrically substituted complexes, synthesis of (K. Stahl, K. Dehnicke), (316) 85

*t*-Butyldicarbonyl- $\eta^5$ -cyclopentadienyliron, insertion reactions of (K.H. Pannell, T. Giasolli, R.N. Kapoor), (316) 315

Cp'(CO)(L)W[(PMe<sub>3</sub>)HCCHCOMe] (Cp' =  $\eta^5$ -C<sub>5</sub>H<sub>5</sub>,  $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>; L = CO, PMe<sub>3</sub>), rearrangements with CF<sub>3</sub>COOH of; reactions of [C<sub>5</sub>Me<sub>5</sub>(CO)<sub>2</sub>(CF<sub>3</sub>COO)<sub>2</sub>]PMe<sub>3</sub>CH<sub>2</sub>CH<sub>2</sub>COMe with CO, PMe<sub>3</sub>, NOBF<sub>4</sub> and Et<sub>3</sub>OBF<sub>4</sub> (H.G. Alt, H.I. Hayen), (316) 301

Dibromoacetylenetungsten(IV) complexes, crystal structure of PPh<sub>4</sub>[WBr<sub>2</sub>(BrC≡CBr)]·0.5CCl<sub>4</sub> (K. Stahl, A. El-Kholi, U. Müller, M. Dehnicke), (316) 95

Metallacyclic alkenyl ketone complexes, Cp'(CO)<sub>2</sub>-W[HC=CHC(O)Me] (Cp' =  $\eta^5$ -C<sub>5</sub>H<sub>5</sub>,  $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>) with NO, ClNO and CF<sub>3</sub>COOH, fragmentation, nitrosylation and hydration reactions of (H.G. Alt, H.I. Hayen), (316) 105

## Zirconium

Grignard reagents, mechanism of reactions with titanium and zirconium tetrachloride of (P. Sobota, J. Utko, Z. Janas), (316) 19

## Book review

Topics in organic electrochemistry; edited by A.J. Fry and W.E. Britton, (K.R. Seddon), (316) C39