

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 331 (1987)**SUBJECT INDEX****Aluminium**

Trimethylaluminium in reaction with a macrocyclic tetradeятate tertiary amine; synthesis and molecular structures of $[Al(CH_3)_3]_4[N\text{-tetramethylcyclam}]$ (G.H. Robinson, H. Zhang, J.L. Atwood), (331) 153

Arsenic

Organobis(thiophenolate)bismuth(III) complexes, synthesis, spectroscopic characterisation and microbiological effects of (T. Klapötke), (331) 299

Bismuth

Organobis(thiophenolate)bismuth(III) complexes, synthesis, spectroscopic characterisation and microbiological effects of (T. Klapötke), (331) 299

Boron

1,3-Dibora- and 1,3-borasilaindanes, synthesis by thermolysis of arylhalogenoboranes of (W. Schacht, D. Kaufmann), (331) 139

Chromium

Isocyanomethylenephosphorane, [3 + 2] cycloaddition reactions with heteroallenes of (W.P. Fehlhammer, G. Zinner, M. Bakola-Christianopoulou), (331) 193

Metallacyclic pentamethylcyclopentadienyl-alkenylketone complexes of chromium, molybdenum and tungsten, competition of electronic and steric influence of substituents of; molecular structure of $C_5Me_5(CO)_2-Cr[HC=CPhC(O)Me]$ (H.G. Alt, G.S. Herrmann, H.E. Engelhardt, R.D. Rogers), (331) 329

Organochromium and -tungsten complexes con-

taining functional germylene ligands (A. Castel, P. Rivière, J. Satgé, M. Ahbala), (331) 11

Pentamethylcyclopentadienyloxomolybdenum sulphides, preparation and reactivity of (H. Brunner, H. Kauermann, J. Pfauntsch, J. Wachter, J.H. Enemark, C.G. Young), (331) 45

Tetracarbonyl-chromium, -molybdenum and -tungsten complexes containing secondary and tertiary phosphines (R.L. Keiter, M.J. Madigan), (331) 341

Tricarbonyl-chromium, -molybdenum and -tungsten complexes containing bipyridyl and a unidentate diphosphine; facile synthesis via trimethylamine *N*-oxide-induced decarbonylations (T.S.A. Hor, S.-M. Chee), (331) 23

Trimethylphosphane and hydridocarbonyl half-sandwich chromium, molybdenum and tungsten complexes, preparation and properties of (H.G. Alt, H.E. Engelhardt, W. Kläui, A. Müller), (331) 317

Cobalt

$[(C_5H_5Co)_2(\mu\text{-PMe}_2)_2(\mu\text{-H})]^+$, dinuclear complexes with alkynes of; crystal structure of $[(C_5H_5Co)_2(\mu\text{-PMe}_2)(\mu\text{-}\eta^4\text{-Me}_2PC(CO_2\text{-}Me)=CHC(OMe)=O)]BF_4^-$ (R. Zolk, H. Werner), (331) 95

Homogeneous bimetallic catalysis, selective synthesis of acetic acid from hydrogen and carbon monoxide by (H. Ono, M. Hashimoto, K. Fujiwara, E. Sugiyama, K. Yoshida), (331) 387

Trimethylphosphane and hydridocarbonyl half-sandwich chromium, molybdenum and tungsten complexes, preparation and properties of (H.G. Alt, H.E. Engelhardt, W. Kläui, A. Müller), (331) 317

Copper

Alkene-copper complexes, bonding in the ground and excited states of (P.H.M. Budzelaar,

- P.J.J.A. Timmermans, A. Mackor, E.J. Baerends), (331) 397
- Cuprous ions, influence on allylic substitution of stable enolates of (T. Cuvigny, M. Julia), (331) 121
- ## Germanium
- Organochromium and -tungsten complexes containing functional germylene ligands (A. Castel, P. Rivière, J. Satgé, M. Ahbala), (331) 11
- ## Iridium
- Carbonyliridium clusters, chemistry of; preparation of $\text{Ir}_4(\text{CO})_{12}$ (R. Della Pergola, L. Garlaschelli, S. Martinengo), (331) 271
- ## Iron
- Di- η -cyclopentadienyldicarbonyliron(*p*-tolyl)-tin(IV) bromide, structural study of (Z.-T. Wang, H.-K. Wang, X.-Y. Liu, X.-K. Yao, H.-G. Wang), (331) 263
- Dithioesters, $S=C(\text{Me})\text{SEt}$ and $S=C(\text{Ph})\text{SMe}$, carbonyl insertion into a C-S bond and complex dimerisation during reactions with carbonyliron complexes of (G.J. Kruger, A. van A. Lombard, H.G. Raubenheimer), (331) 247
- (2,4-Dimethylpentadienyl)iron dicarbonyl dimer, solid state structure of (R.W. Gedridge, A.T. Patton, R.D. Ernst, H. Ma), (331) 73
- $(\text{Fe}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_{4-n}(\text{CNMe})_n)_n$ complexes, reactions with silver(I) salts of; crystal structure of $[\text{Fe}(\eta\text{-C}_5\text{H}_5)(\text{CO})_2(\text{CNMe})]\text{BF}_4^-$ (B. Callan, A.R. Manning, F.S. Stephens), (331) 357
- ## Lithium
- $(\mu_3\text{-Te})[(\eta^5\text{-C}_5\text{H}_5)\text{Mn}(\text{CO})_2]_3$, electrophilicity of the trigonal planar coordinated tellurium atom in (W.A. Herrmann, C. Hecht, E. Herdtweck), (331) 309
- ## Manganese
- Bis[tetracarbonyldiphenylphosphidomanganese(0)], crystal and molecular structure of (H. Matsuda, T. Taga, K. Machida, T. Kawamura), (331) 239
- Decacarbonylmanganeserhenium, matrix isolation and time-resolved infrared spectroscopic study of selective loss of CO in the photochemistry of (S. Firth, P.M. Hodges, M. Poliakoff, J.J. Turner, M.J. Therien), (331) 347
- Neutral and cationic carbonylmanganese-tetramethylthiourea complexes; crystal structure of *cis*- $\{\text{Mn}(\text{CO})_4(\text{SC}[\text{N}(\text{CH}_3)_2]_2)_2\}\text{ClO}_4$ (C. Carriero, M.V. Sanchez, G.A. Carriero, V. Riera, X. Solans, M.I. Valin), (331) 53
- $(\mu_3\text{-Te})[(\eta^5\text{-C}_5\text{H}_5)\text{Mn}(\text{CO})_2]_3$, electrophilicity of the trigonal planar coordinated tellurium atom in (W.A. Herrmann, C. Hecht, E. Herdtweck), (331) 309
- ## Molybdenum
- $[\eta^5\text{-C}_5\text{H}_4\text{CHO}]\text{M}(\text{CO})_3^+$ anions ($\text{M} = \text{Mo}, \text{W}$), reactivity towards carboxylic acid chlorides of (S. Töfke, U. Behrens), (331) 229
- cis*-Dicarbonylbis(η^4 -1,3,4-tetramethylsilole)-molybdenum and related complexes, crystal structure and dynamic stereochemistry of (F. Carré, E. Colomer, R.J.P. Corriu, M. Lheureux, A. Cavé), (331) 29
- Metallayclic pentamethylcyclopentadienyl-alkenylketone complexes of chromium, molybdenum and tungsten, competition of electronic and steric influence of substituents of; molecular structure of $\text{C}_5\text{Me}_5(\text{CO})_2\text{Cr}[\text{HC}=\text{CPh}(\text{O})\text{Me}]$ (H.G. Alt, G.S. Herrmann, H.E. Engelhardt, R.D. Rogers), (331) 329
- Pentamethylcyclopentadienylloxomolybdenum sulphides, preparation and reactivity of (H. Brunner, H. Kauermann, J. Pfauntsch, J. Wachter, J.H. Enmark, C.G. Young), (331) 45
- Tetra- and hexa-carbonyldicyclopentadienyl-dimolybdenum, comparative studies of photochemical and thermal reactivity of; their Mo-Mo and Mo=Mo bonds towards nitrite and nitrate (K. Isobe, S. Kimura, Y. Nakamura), (331) 221
- Tetracarbonyl-chromium, -molybdenum and -tungsten complexes containing secondary and tertiary phosphines (R.L. Keiter, M.J. Madigan), (331) 341
- Tricarbonyl-chromium, -molybdenum and -tungsten complexes containing bipyridyl and a unidentate diphosphine; facile synthesis via trimethylamine *N*-oxide-induced decarbonylations (T.S.A. Hor, S.-M. Chee), (331) 23
- Trimethylphosphane and hydridocarbonyl half-sandwich chromium, molybdenum and tungsten complexes, preparation and properties of (H.G. Alt, H.E. Engelhardt, W. Kläui, A. Müller), (331) 317

Niobium

Monocyclopentadienylalkoxoniobium(V) derivatives, preparation and structural study of; crystal structure of $\{[\text{Nb}(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)\text{-Cl}]_2(\mu\text{-CO})(\mu\text{-OOC}_6\text{H}_4)_2\}$, (F.A. Jalón, A. Otero, P. Royo, J.M. Fernández-G., M.J. Rosales, R.A. Toscano), (331) C1

Osmium

Tetrahedral ruthenium–osmium carbonyl hydrides, $[\text{H}_2\text{RuOs}_3(\text{CO})_{13}]$ and $[\text{Ph}_4\text{As}]\text{-}[\text{H}_3\text{RuOs}_3(\text{CO})_{12}]$, X-ray structure determination of; examination of bent semi-bridging metal–carbonyl bonding in (A.L. Rheingold, B.C. Gates, J.P. Scott, J.R. Budge), (331) 81

Palladium

Fluorodienes and fluorostyrenes, palladium-catalysed preparation and reactivity of (F. Tellier, R. Sauvêtre, J.F. Normant, Y. Dromzee, Y. Jeannin), (331) 281

Palladium(II) chloride, orthometallation reactions of benzylideneamines by (M.C. Navarro-Ranninger, A. Alvarez-Valdés, M.J. Camazón, J. Román, R. Lozano), (331) 107
1-(*p*-Toluenesulphonyl)-2-propene and 1-(trimethylsilyl)-1-(*p*-toluenesulphonyl)-2-propene, palladium-catalysed allylic oxidation of (J. Muzart, J.-P. Pete, A. Riahi), (331) 113

Phosphorus

Bis[tetracarbonyldiphenylphosphidomanganese(0)], crystal and molecular structure of (H. Matsuda, T. Taga, K. Machida, T. Kawamura), (331) 239

$[(\text{C}_5\text{H}_5\text{Co})_2(\mu\text{-PMe}_2)_2(\mu\text{-H})]^+$, dinuclear complexes with alkynes of; crystal structure of $[(\text{C}_5\text{H}_5\text{Co})_2(\mu\text{-PMe}_2)(\mu\text{-}\eta^4\text{-Me}_2\text{PC}(\text{CO}_2\text{-Me})=\text{CHC}(\text{OMe})=\text{O})]\text{BF}_4^-$ (R. Zolk, H. Werner), (331) 95

Ether-phosphane-ruthenium(II) cationic complexes, potential catalysts for homogeneous hydration of aldehydes (E. Lindner, U. Schober, M. Stängle), (331) C13

Hydridotantalum seven-coordinate complexes, $[\text{Ta}(\text{H})(\text{CO})_{6-n}(\text{oligophos})]$, preparation and dynamics of (D. Rehder, M. Formalczky, P. Oltmans), (331) 207

Isocyanomethyleneephosphorane, [3 + 2] cycloaddition reactions with heteroallenes of (W.P.

Fehlhammer, G. Zinner, M. Bakola-Christianopoulou), (331) 193

Silver(I) complexes with carbonyl-stabilised phosphorus ylides; crystal structures of $[\text{Ag}(\text{CH}(\text{PPh}_3)\text{C}(\text{O})\text{R})_2]^+$ derivatives (J. Vicente, M.T. Chicote, J. Fernandez-Baeza, J. Martin, I. Saura-Llamas, J. Turpin, P.G. Jones), (331) 409

Tetracarbonyl-chromium, -molybdenum and -tungsten complexes containing secondary and tertiary phosphines (R.L. Keiter, M.J. Madigan), (331) 341

Tricarbonyl-chromium, -molybdenum and -tungsten complexes containing bipyridyl and a unidentate diphosphine; facile synthesis via trimethylamine *N*-oxide-induced decarbonylations (T.S.A. Hor, S.-M. Chee), (331) 23

Trimethylphosphane and hydridocarbonyl half-sandwich chromium, molybdenum and tungsten complexes, preparation and properties of (H.G. Alt, H.E. Engelhardt, W. Kläui, A. Müller), (331) 317

Rhenium

Decacarbonylmanganese-rhenium, matrix isolation and time-resolved infrared spectroscopic study of selective loss of CO in the photochemistry of (S. Firth, P.M. Hodges, M. Poliakoff, J.J. Turner, M.J. Therien), (331) 347

Di- η -cyclopentadienylhydridorhenium, insertion reactions with mono-substituted acetylenes of (G.E. Herberich, W. Barlage), (331) 63

Ruthenium

Dodecacarbonyltriruthenium-catalysed one-to-one addition of *N*-substituted formamides to olefins (Y. Tsuji, S. Yoshii, T. Ohsumi, T. Kondo, Y. Watanabe), (331) 379

Ether-phosphane-ruthenium(II) cationic complexes, potential catalysts for homogeneous hydration of aldehydes (E. Lindner, U. Schober, M. Stängle), (331) C13

Homogeneous bimetallic catalysis, selective synthesis of acetic acid from hydrogen and carbon monoxide by (H. Ono, M. Hashimoto, H. Fujiwara, E. Sugiyama, K. Yoshida), (331) 387

Tetrahedral ruthenium–osmium carbonyl hydrides, $[\text{H}_2\text{RuOs}_3(\text{CO})_{13}]$ and $[\text{Ph}_4\text{As}]\text{-}[\text{H}_3\text{RuOs}_3(\text{CO})_{12}]$, X-ray structure determination of; examination of bent semi-bridging metal–carbonyl bonding in (A.L. Rheingold, B.C. Gates, J.P. Scott, J.R. Budge), (331) 81

Silicon

- Alkyl- and trimethylsilyl-furanes, UV photoelectron spectroscopy and quantum-mechanical study of (T. Veszprémi, L. Nyulászi, J. Nagy), (331) 175
- Benzyltrimethylsilane, electrophilic substitution of (M. Bordeau, P. Villeneuve, B. Bennetau, J. Dunoguès), (331) 169
- 1,3-Dibora- and 1,3-borasilaindanes, synthesis by thermolysis of arylhalogen–boranes of (W. Schacht, D. Kaufmann), (331) 139
- cis*-Dicarbonylbis(η^4 -1,1,3,4-tetramethylsilole)-molybdenum and related complexes, crystal structure and dynamic stereochemistry of (F. Carré, E. Colomer, R.J.P. Corriu, M. Lheureux, A. Cavé), (331) 29
- Monocyclopentadienylalkoxoniobium(V) derivatives, preparation and structural study of; crystal structure of $\{[\text{Nb}(\eta^5\text{-C}_5\text{H}_4\text{SiMe}_3)\text{-Cl}]_2(\mu\text{-CO})(\mu\text{-OOC}_6\text{H}_4)_2\}$ (F.A. Jalón, A. Otero, P. Royo, J.M. Fernández-G., M.J. Rosales, R.A. Toscano), (331) C1
- Sterically hindered α -silylisoxazoles, synthesis, structure and reactions of (M. Borth, K.D. Bowles, L. Schlicksupp, N.R. Natale), (330) 1
- 1-(*p*-Toluenesulphonyl)-2-propene- and 1-(trimethylsilyl)-1-(*p*-toluenesulphonyl)-2-propene, palladium-catalysed allylic oxidation of (J. Muzart, J.-P. Pete, A. Riahi), (331) 113
- N,N,N'*-Tris(trimethylsilyl)amidines, preparation of (R.T. Boéré, R.T. Oakley, R.W. Reed), (331) 161
- Dithioesters, S=C(Me)SEt and S=C(Ph)SMe , carbonyl insertion into a C–S bond and complex dimerisation during reactions with carbonyliron complexes of (G.J. Kruger, A. van A. Lombard, H.G. Raubenheimer), (331) 247
- Isocyano(methylenephosphorane, [3 + 2] cycloaddition reactions with heteroallenes of (W.P. Fehlhammer, G. Zinner, M. Bakola-Christianopoulou), (331) 193
- Neutral and cationic carbonylmanganese-tetramethylthiourea complexes; crystal structure of *cis*- $\{\text{Mn}(\text{CO})_4(\text{SC}[\text{N}(\text{CH}_3)_2]_2)_2\}\text{ClO}_4$ (C. Carriedo, M.V. Sanchez, G.A. Carriedo, V. Riera, X. Solans, M.L. Valin), (331) 53
- Organobis(thiophenolate)bismuth(III) complexes, synthesis, spectroscopic characterisation and microbiological effects of (T. Klapötke), (331) 299
- Organochromium and -tungsten complexes containing functional germylene ligands (A. Castel, P. Rivière, J. Satgé, M. Ahbala), (331) 11
- Pentamethylcyclopentadienyloxomolybdenum sulphides, preparation and reactivity of (H. Brunner, H. Kauermann, J. Pfauntsch, J. Wachter, J.H. Enemark, C.G. Young), (331) 45
- 1-(*p*-Toluenesulphonyl)-2-propene- and 1-(trimethylsilyl)-1-(*p*-toluenesulphonyl)-2-propene, palladium-catalysed allylic oxidation of (J. Muzart, J.-P. Pete, A. Riahi), (331) 113

Silver

- $[\text{Fe}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_{4-n}(\text{CNMe})_n]$ complexes, reactions with silver(I) salts of; crystal structure of $[\text{Fe}(\eta\text{-C}_5\text{H}_5)(\text{CO})_2(\text{CNMe})]\text{BF}_4^-$ (B. Callan, A.R. Manning, F.S. Stephens), (331) 357
- Silver(I) complexes with carbonyl-stabilised phosphorus ylides; crystal structures of $[\text{Ag}(\text{CH}(\text{PPh}_3)\text{C}(\text{O})\text{R})_2]^+$ derivatives (J. Vicente, M.T. Chicote, J. Fernandez-Baeza, J. Martin, I. Saura-Llamas, J. Turpin, P.G. Jones), (331) 409
- Silver(I) 2,4,5-trichlorophenolate, crystal structure of (G. Smith, E.J. O'Reilly, B.J. Reynolds, C.H.L. Kennard, T.C.W. Mak), (331) 275

Sulphur

- Alkyl- and trimethylsilyl-furanes, UV photoelectron spectroscopy and quantum-mechanical

study of (T. Veszprémi, L. Nyulászi, J. Nagy), (331) 175

Dithioesters, S=C(Me)SEt and S=C(Ph)SMe , carbonyl insertion into a C–S bond and complex dimerisation during reactions with carbonyliron complexes of (G.J. Kruger, A. van A. Lombard, H.G. Raubenheimer), (331) 247

Isocyano(methylenephosphorane, [3 + 2] cycloaddition reactions with heteroallenes of (W.P. Fehlhammer, G. Zinner, M. Bakola-Christianopoulou), (331) 193

Neutral and cationic carbonylmanganese-tetramethylthiourea complexes; crystal structure of *cis*- $\{\text{Mn}(\text{CO})_4(\text{SC}[\text{N}(\text{CH}_3)_2]_2)_2\}\text{ClO}_4$ (C. Carriedo, M.V. Sanchez, G.A. Carriedo, V. Riera, X. Solans, M.L. Valin), (331) 53

Organobis(thiophenolate)bismuth(III) complexes, synthesis, spectroscopic characterisation and microbiological effects of (T. Klapötke), (331) 299

Organochromium and -tungsten complexes containing functional germylene ligands (A. Castel, P. Rivière, J. Satgé, M. Ahbala), (331) 11

Pentamethylcyclopentadienyloxomolybdenum sulphides, preparation and reactivity of (H. Brunner, H. Kauermann, J. Pfauntsch, J. Wachter, J.H. Enemark, C.G. Young), (331) 45

1-(*p*-Toluenesulphonyl)-2-propene- and 1-(trimethylsilyl)-1-(*p*-toluenesulphonyl)-2-propene, palladium-catalysed allylic oxidation of (J. Muzart, J.-P. Pete, A. Riahi), (331) 113

Tantalum

Hydridotantalum seven-coordinate complexes, $[\text{Ta}(\text{H})(\text{CO})_{6-n}(\text{oligophos})]$, preparation and dynamics of (D. Rehder, M. Fornalczy, P. Oltmans), (331) 207

Tellurium

$(\mu_3\text{-Te})(\eta^5\text{-C}_5\text{H}_5)\text{Mn}(\text{CO})_2\}_3$, electrophilicity of the trigonal planar coordinated tellurium atom in (W.A. Herrmann, C. Hecht, E. Herdtweck), (331) 309

Tin

Dialkytin polymeric oxides, $[\text{R}_2\text{SnO}]$ ($\text{R} = \text{Me}$, n-Bu), structure probed by high-resolution solid-state ^{119}Sn NMR of (R.K. Harris, A. Sebald), (331) C9

Di- η -cyclopentadienyldicarbonyliron(*p*-tolyl)-tin(IV); bromide, structural study of (Z.-T. Wang, H.-K. Wang, X.-Y. Liu, X.-K. Yao, H.-G. Wang), (331) 263

α -Tributylstannyllic esters, synthesis and thermolysis of (J.G. Duboudin, M. Ratier, B. Trouve), (331) 181

Tungsten

[η^5 -(C₅H₄CHO)M(CO)₃]⁻ anions (M = Mo, W), reactivity towards carboxylic acid chlorides of (S. Töfke, U. Behrens), (331) 229

Isocyanomethyleneephosphorane, [3 + 2] cycloaddition reactions with heteroallenes of (W.P. Fehlhammer, G. Zinner, M. Bakola-Christianopoulou), (331) 193

Metallacyclic pentamethylcyclopentadienyl-alkenylketone complexes of chromium, molybdenum and tungsten, competition of electronic and steric influence of substituents of; molecular structure of C₅Me₅(CO)₂-Cr[HC=CPhC(O)Me] (H.G. Alt, G.S. Herrmann, H.E. Engelhardt, R.D. Rogers), (331) 329

Organo-chromium and -tungsten complexes containing functional germylene ligands (A. Castel, P. Rivière, J. Satgé, M. Ahbala), (331) 11

Tetracarbonyl-chromium, -molybdenum and -tungsten complexes containing secondary and tertiary phosphines (R.L. Keiter, M.J. Madigan), (331) 341

Tricarbonyl-chromium, -molybdenum and -tungsten complexes containing bipyridyl and a unidentate diphosphine; facile synthesis via trimethylamine *N*-oxide-induced decarbonylations (T.S.A. Hor, S.-M. Chee), (331) 23

Trimethylphosphane and hydridocarbonyl half-sandwich chromium, molybdenum and tungsten complexes, preparation and properties of (H.G. Alt, H.E. Engelhardt, W. Kläui, A. Müller), (331) 317

Zinc

Fluorodienes and fluorostyrenes, palladium-catalysed preparation and reactivity of (F. Tellier, R. Sauvêtre, J.F. Normant, V. Dromzee, Y. Jeannin), (331) 281

Book review

Catalyst design; progress and perspectives; edited by L.S. Hegedus (P.A. Chaloner), (331) C18

Perspectives in the organic chemistry of sulphur; edited by B. Zwanenburg and A.J.H. Klunder (P.A. Chaloner), (331) C7

Polymeric reagents and catalysts (ACS symposium series, Vol. 308); edited by W.T. Ford (P.A. Chaloner), (331) C6

Stereoselective synthesis, by M. Nográdi (P.A. Chaloner), (331) C18

Tin in organic synthesis; by M. Pereyre, J.-P. Quintard and A. Rahm (P.A. Chaloner), (331) C5