

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 321 (1987)

SUBJECT INDEX

Aluminium

Organoaluminium geminal compounds, Al-C bond reactivity in (S. Pasynkiewicz, T. Dłużniewski, G. Sonnek), (321) 1

Arsenic

Dicarbonyl(cyclopentadienyl)manganese complexes with phosphino- and arsino-substituted sulphur diimide bridging ligands; crystal structure of $S\{NP-t-Bu_2[Mn(CO)_2-Cp]\}_2$ (M. Herberhold, W. Bühlmeyer, A. Gieren, T. Hübner), (321) 27

Boron

Phenylboronic bicyclic esters containing configurationally stable chiral nitrogen and boron, asymmetric synthesis of (T. Mancilla, R. Contreras), (321) 191

Chromium

Bis(di-*t*-butylphosphino)sulphur diimide carbonylmetal complexes, formation of dinuclear complexes $S\{NP-t-Bu_2[ML_n]\}_2$ ($ML_n = Cr(CO)_5, Mo(CO)_5, W(CO)_5, Fe(CO)_5$) and chelates $S\{NP-t-Bu_2\}_2M(CO)_4$ ($M = Cr, Mo, W$); crystal and molecular structure of $S\{NP-t-Bu_2\}_2Cr(CO)_4$ (M. Herberhold, W. Bühlmeyer, A. Gieren, T. Hübner, J. Wu), (321) 51

Formylchromium neutral complexes, isolation of (P. Leoni, A. Landi, M. Pasquali), (321) 365
Monoalkylamino(silyl)carbene complexes, $(CO)_5MC(NHR')SiR_3$ ($M = W, Mo, Cr; SiR_3 = SiPh_3, SiMePh_2; R' = Me, Et, n-Bu, C_6H_{11}, Ph$), $HSiR_3$ elimination from (W. Hepp, U. Schubert), (321) 317

Tricarbonylchromium complexes with aromatic hydrocarbons, reactions with benzaldehydes

and furfural in THF and in the presence of *t*-BuOK of (M.-C. Senechal-Tocquer, D. Senechal, J.-Y. Le Bihan, D. Gentric, B. Caro), (321) 353

Cobalt

Cobaloximes, effect of 2-cyano-2-propyl and 2-cyano-2-propyl peroxy radicals on (T. Szymanska-Buzar, J. Paál-Lukács, P. Sándor, I.P. Hajdu, D. Gál), (321) 249

Cobalt/iridium and rhodium/iridium multiple bonds, organic and organometallic cyclopropanation reactions of (R. Hörllein, W.A. Herrmann, C.E. Barnes, C. Weber, C. Krüger, M.L. Ziegler, T. Zahn), (321) 257

Germanium

Di-Grignard approach to metallabenzocyclobutenes of group 14, investigation of (H.J.R. de Boer, O.S. Akkerman, F. Bickelhaupt), (321) 291

Germanium optically active species used in resolution of diastereoisomeric transition metal complexes with five different and independent ligands (G. Cerveau, E. Colomer, R.J.P. Corriu, A. Vioux), (321) 327

Hafnium

Zirconium and hafnium organometallic compounds, analysis and classification of crystallographic and structural data (Review) (C.E. Holloway, I.M. Walker, M. Melník), (321) 143

Iridium

Cobalt/iridium and rhodium/iridium multiple bonds, organic and organometallic cyclopropanation reactions of (R. Hörllein, W.A.

Herrmann, C.E. Barnes, C. Weber, C. Krüger, M.L. Ziegler, T. Zahn), (321) 257

Iron

η^2 -Acrylonitrilecyclopentadienyldicarbonyliron-(II) tetrafluoroborate, a high-valent transition metal complex, preparation and reactions of (M. Rosenblum, M.M. Turnbull, M.K. Begum), (321) 67

Bis(di-t-butylphosphino)sulphur diimide carbonylmetal complexes, formation of dinuclear complexes $S\{NP-t-Bu_2[ML_n]\}_2$ ($ML_n = Cr(CO)_5, Mo(CO)_5, W(CO)_5, Fe(CO)_5$) and chelates $S(NP-t-Bu_2)_2M(CO)_4$ ($M = Cr, Mo, W$); crystal and molecular structure of $S(NP-t-Bu_2)_2Cr(CO)_4$ (M. Herberhold, W. Bühlmeyer, A. Gieren, T. Hübner, J. Wu), (321) 51

Bis(2,3,4-trimethylpentadienyl)iron, solid-state structure of (J.-C. Han, J.P. Hutchinson, R.D. Ernst), (321) 389

Cyclopentadienyliron complexes, exploratory flash vacuum pyrolysis of (C. Glidewell, J.S. McKechnie), (321) C21

1,2-Ethanedithiolato complex $[(CO)_3Fe]_2SC_2H_4S(O)$, synthesis and structure of; insertion reactions of ethene and carbon monoxide into S-S bonds of nido-clusters $[(CO)_3FeS]_2$ (J. Messelhäuser, K.U. Gutensohn, I.-P. Lorenz, W. Hiller), (321) 377

2-(Pentacarbonylmanganese)-4,6-difluoro-1,3,5-triazine, medium effects for substitution in (G.A. Artamkina, A.Yu. Mil'chenko, I.P. Beletskaya, O.A. Reutov), (321) 371

Tricarbonyl(1-5- η -dienyl)iron(II) cations (dienyl = C_6H_7 , 2-MeOC $_6H_6$, C_7H_9), synthetic and mechanistic studies of addition of 4-chloroaniline to (T.I. Odiaka), (321) 227

Magnesium

Di-Grignard approach to metallabenzocyclobutenes of group 14, investigation of (H.J.R. de Boer, O.S. Akkerman, F. Bickelhaupt), (321) 291

Manganese

Aryldiazovinylidene-ruthenium and -osmium complexes, preparation and properties of (M.I. Bruce, M.G. Humphrey, M.J. Liddell, E. Poczman), (321) 91

Dicarbonylcyclopentadienylmanganese complexes with phosphino- and arsino-substituted sulphur diimide bridging ligands; crystal structure of $S\{NP-t-Bu_2[Mn(CO)_2-Cp]\}_2$ (M. Herberhold, W. Bühlmeyer, A. Gieren, T. Hübner), (321) 27

2-(Pentacarbonylmanganese)-4,6-difluoro-1,3,5-triazine, medium effects for substitution in (G.A. Artamkina, A.Yu. Mil'chenko, I.P. Beletskaya, O.A. Reutov), (321) 371

mer-Tricarbonylmanganese(I) compounds containing N-donor chelate ligands (F.J. Garcia Alonso, V. Riera, M. Vivanco), (321) C30

Metallocenes

Cyclopentadienyliron complexes, exploratory flash vacuum pyrolysis of (C. Glidewell, J.S. McKechnie), (321) C21

Dicyclopentadienyltitanium(IV) complex with dianion of bis(ethoxythiophosphoric acid) disulphide as chelating ligand, $Cp_2Ti(P_2S_4O_2(OEt)_2)$, isolation and structure of (U. Thewalt, S. Klima, H.G. Alt), (321) 209

Molybdenum

Bis(di-t-butylphosphino)sulphur diimide carbonylmetal complexes, formation of dinuclear complexes $S\{NP-t-Bu_2[ML_n]\}_2$ ($ML_n = Cr(CO)_5, Mo(CO)_5, W(CO)_5, Fe(CO)_5$) and chelates $S(NP-t-Bu_2)_2M(CO)_4$ ($M = Cr, Mo, W$); crystal and molecular structure of $S(NP-t-Bu_2)_2Cr(CO)_4$ (M. Herberhold, W. Bühlmeyer, A. Gieren, T. Hübner, J. Wu), (321) 51

Dicyclopentadienyltetracarbonylmolybdenum, $(\eta^5-C_5H_5)_2Mo_2(CO)_4$, addition of PH functional methylenebisphosphanes to the Mo=Mo bond in (D.J. Brauer, G. Hasselkuss, O. Stelzer), (321) 339

Germanium optically active species used in resolution of diastereoisomeric transition metal complexes with five different and independent ligands (G. Cerveau, E. Colomer, R.J.P. Corriu, A. Vioux), (321) 327

Monoalkylamino(silyl)carbene complexes, $(CO)_5MC(NHR')SiR_3$ ($M = W, Mo, Cr$; $SiR_3 = SiPh_3, SiMePh_2$; $R' = Me, Et, n-Bu, C_6H_{11}, Ph$), $HSiR_3$, elimination from (W. Hepp, U. Schubert), (321) 317

2-(Pentacarbonylmanganese)-4,6-difluoro-1,3,5-triazine, medium effects for substitution in (G.A. Artamkina, A.Yu. Mil'chenko, I.P. Beletskaya, O.A. Reutov), (321) 371

Nickel

Diligand-acetylenenickel(0) complexes, acetylene complexation and activation in (U. Rosenthal, W. Schulz), (321) 103

Osmium

Aryldiazovinylidene-ruthenium and -osmium complexes, preparation and properties of (M.I. Bruce, M.G. Humphrey, M.J. Liddell, E. Poczman), (321) 91

Palladium

Cyclopalladated benzyl methyl sulphide, one-pot synthesis of heterocyclic compounds through insertion of alkynes into Pd-C bonds of (J. Dupont, M. Pfeffer), (321) C13

$K_2[Pd(C_6F_5)_4]$ -catalysed cyclotrimerisation of malononitrile (G. Lopez, G. Sanchez, G. Garcia, J. Galvez, J. Ruiz), (321) 273

Palladium-catalysed 2-acetoxyallylation of carbonucleophilic reagents prepared by ruthenium-catalysed addition reaction of acetic acid to propargyl alcohol derivatives (Y. Hori, T.-A. Mitsudo, Y. Watanabe), (321) 397

Palladium-catalysed cross-coupling followed by bromination, synthesis of bopareastrol from (M.I. Al-Hassan), (321) 119

Phosphorus

Bis(di-t-butylphosphino)sulphur diimide carbonylmetal complexes, formation of dinuclear complexes $S(NP-t-Bu_2[ML_n])_2$ ($ML_n = Cr(CO)_5, Mo(CO)_5, W(CO)_5, Fe(CO)_5$) and chelates $S(NP-t-Bu_2)_2M(CO)_4$ ($M = Cr, Mo, W$); crystal and molecular structure of $S(NP-t-Bu_2)_2Cr(CO)_4$ (M. Herberhold, W. Bühlmeyer, A. Gieren, T. Hübler, J. Wu), (321) 51

Dicarbonyl(cyclopentadienyl)manganese complexes with phosphino- and arsino-substituted sulphur diimide bridging ligands; crystal structure of $S(NP-t-Bu_2[Mn(CO)_2-Cp])_2$ (M. Herberhold, W. Bühlmeyer, A. Gieren, T. Hübler), (321) 37

Dicyclopentadienylbis(trimethylphosphine)-titanium and -zirconium complexes, fixation and activation of CO_2 and CS_2 of (H.G. Alt, K.-H. Schwind, M.D. Rausch), (321) C9

Dicyclopentadienyltetracarbonyldimolybdenum, ($\eta^5-C_5H_5)_2Mo_2(CO)_4$, addition of PH func-

tional methylenebisphosphanes to the $Mo=Mo$ bond in (D.J. Brauer, G. Hasselkuss, O. Stelzer), (321) 339

Diligand-acetylenenickel(0) complexes, acetylene complexation and activation in (U. Rosenthal, W. Schulz), (321) 103

Palladium-catalysed 2-acetoxyallylation of carbonucleophilic reagents prepared by ruthenium-catalysed addition reaction of acetic acid to propargyl alcohol derivatives (Y. Hori, T.-A. Mitsudo, Y. Watanabe), (321) 397

mer-Tricarbonylmanganese(I) compounds containing N-donor chelate ligands (F.J. Garcia Alonso, V. Riera, M. Vivanco), (321) C30

Platinum

Platinum(II) mixed ligand complexes, preparation and characterisation of (H.C. Clark, A.B. Goel, V.K. Jain, K.G. Tyers, C.S. Wong), (321) 123

Silica-immobilised amine-platinum complexes as hydrosilylation catalysts (E.N. Ejike, R.V. Parish), (321) 135

Rhenium

2-(Pentacarbonylmanganese)-4,6-difluoro-1,3,5-triazine, medium effects for substitution in (G.A. Artamkina, A.Yu. Mil'chenko, I.P. Beletskaya, O.A. Reutov), (321) 371

Rhodium

Cobalt/iridium and rhodium/iridium multiple bonds, organic and organometallic cyclopropanation reactions of (R. Hölein, W.A. Herrmann, C.E. Barnes, C. Weber, C. Krüger, M.L. Ziegler, T. Zahn), (321) 257

Ruthenium

Aryldiazovinylidene-ruthenium and -osmium complexes, preparation and properties of (M.I. Bruce, M.G. Humphrey, M.J. Liddell, E. Poczman), (321) 91

Bis(η^6 -hexamethylbenzene)(η^6, η^6 -triple layered [2,2]paracyclophane)diruthenium(II,II) tetrakis(tetrafluoroborate) and related mixed-valence ion, synthesis and characterisation of (H.C. Kang, K.-D. Plitzko, V. Boekelheide, H. Higuchi, S. Misumi), (321) 79

1,5-Cyclooctadiene-1,4-diaza-1,3-diene hydrido-ruthenium complexes, (COD)(diamino-

diene)Ru(H)Cl, synthesis, structure and catalytic properties of (H. tom Dieck, I. Kleinwächter, E.T.K. Haupt), (321) 237

Palladium-catalysed 2-acetoxallylation of carbonucleophilic reagents prepared by ruthenium-catalysed addition reaction of acetic acid to propargyl alcohol derivatives (Y. Hori, T.-A. Mitsudo, Y. Watanabe), (321) 397

Tetranuclear ruthenium cluster, $[\text{Ru}_4(\text{CO})_{10}(\mu_2\text{-Cl})_2(\mu_3\text{-OEt})_2]$, preparation and structure of (B.F.G. Johnson, J. Lewis, J.M. Mace, P.R. Raithby, M.D. Vargas), (321) 409

Silicon

Di-Grignard approach to metallabenzocyclobutenes of group 14, investigation of (H.J.R. de Boer, O.S. Akkerman, F. Bickelhaupt), (321) 291

Diligand-acetylenenickel(0) complexes, acetylene complexation and activation in (U. Rosenthal, W. Schulz), (321) 103

O-Ethyl-C,O-bis(trimethylsilyl)ketene acetal, treatment of α,β -unsaturated ketones; synthesis of α -ylidene- δ -lactones (I. Matsuda), (321) 307

Monoalkylamino(silyl)carbene complexes, $(\text{CO})_5\text{MC}(\text{NHR}')\text{SiR}_3$ ($\text{M} = \text{W, Mo, Cr}$; $\text{SiR}_3 = \text{SiPh}_3, \text{SiMePh}_2$; $\text{R}' = \text{Me, Et, n-Bu, C}_6\text{H}_{11}, \text{Ph}$), HSiR_3 elimination from (W. Hepp, U. Schubert), (321) 317

Phenyl- and benzyl-trimethylsilanes, electrosynthesis of (P. Pons, C. Biran, M. Bordeau, J. Dunoguès, S. Sibille, J. Périchon), (321) C27

Silica-immobilised amine-platinum complexes as hydrosilylation catalysts (E.N. Ejike, R.V. Parish), (321) 135

Tetramethyl-*N,N'*-bis(*o*-methoxyphenyl)cyclodisilazane, conformation of (L. Párkányi, L. Bihátsi, P. Hencsei, A. Szöllősy), (321) 7

Tin(II) amides, cyclometallation reactions with (C. Stader, B. Wrackmeyer), (321) C1

Zinc carbonoid reagents, reactions with enol ethers: cyclopropanation and subsequent isomerisation to allylic ethers (I. Ryu, T. Aya, S. Otani, S. Murai, N. Sonoda), (321) 279

Sulphur

Bis(di-*t*-butylphosphino)sulphur diimide carbonylmetal complexes, formation of dinuclear complexes $\text{S}(\text{NP-}t\text{-Bu}_2[\text{ML}_n])_2$ ($\text{ML}_n = \text{Cr}(\text{CO})_5, \text{Mo}(\text{CO})_5, \text{W}(\text{CO})_5, \text{Fe}(\text{CO})_5$) and chelates $\text{S}(\text{NP-}t\text{-Bu}_2)_2\text{M}(\text{CO})_4$ ($\text{M} = \text{Cr, Mo, W}$); crystal and molecular structure of $\text{S}(\text{NP-}$

$t\text{-Bu}_2)_2\text{Cr}(\text{CO})_4$ (M. Herberhold, W. Bühlmeyer, A. Gieren, T. Hübner, J. Wu), (321) 51

Cyclopalladated benzyl methyl sulphide, one-pot synthesis of heterocyclic compounds through insertion of alkynes into Pd–C bonds of (J. Dupont, M. Pferrer), (321) C13

Dicyclopentadienylbis(trimethylphosphine)-titanium and -zirconium complexes, fixation and activation of CO_2 and CS_2 of (H.G. Alt, K.-H. Schwind, M.D. Rausch), (321) C9

Dicyclopentadienyltitanium(IV) complex with dianion of bis(ethoxythiophosphoric acid) disulphide as chelating ligand, $\text{Cp}_2\text{Ti}(\text{P}_2\text{S}_4\text{O}_2(\text{OEt})_2)$, isolation and structure of (U. Thewalt, S. Klima, H.G. Alt), (321) 209

1,2-Ethanedithiolato complex $[(\text{CO})_3\overset{\circ}{\text{Fe}}_2\text{SC}_2\text{H}_4\overset{\circ}{\text{S}}(\text{O})$, synthesis and structure of; insertion reactions of ethene and carbon monoxide into S–S bonds of *nido*-clusters $[(\text{CO})_3\overset{\circ}{\text{Fe}}\text{S}_2]$ (J. Messelhäuser, K.U. Gutensohn, I.-P. Lorenz, W. Hiller), (321) 377

Tin

(*E/Z*)- $\text{Bu}_3\text{SnCH}_2\text{CH=CHCH}_3$, stereochemical course of addition reactions with aldehydes in the presence of Lewis acids ($\text{Bu}_2\text{SnCl}_2, \text{BF}_3 \cdot \text{Et}_2\text{O}$ and TiCl_4) (A. Boaretto, D. Maratto, G. Tagliavini, P. Ganis), (321) 199

Di-Grignard approach to metallabenzocyclobutenes of group 14, investigation of (H.J.R. de Boer, O.S. Akkerman, F. Bickelhaupt), (321) 291

Monooctyltin(IV) compounds, synthesis from 1-, 2-, or 3-octenes of (V.G. Kumar Das, O.G. Chee), (321) 335

Tin(II) amides, cyclometallation reactions with (C. Stader, B. Wrackmeyer), (321) C1

Triorganotin(IV) benzoates and aminobenzoates, preparation and characterisation of (G.K. Sandhu, S.P. Verma, L.S. Moore, R.V. Parish), (321) 15

Titanium

Dicyclopentadienylbis(trimethylphosphine)-titanium and -zirconium complexes, fixation and activation of CO_2 and CS_2 of (H.G. Alt, K.-H. Schwind, M.D. Rausch), (321) C9

Dicyclopentadienyltitanium(IV) complex with dianion of bis(ethoxythiophosphoric acid) disulphide as chelating ligand, $\text{Cp}_2\text{Ti}(\text{P}_2\text{S}_4\text{O}_2(\text{OEt})_2)$, isolation and structure of (U. Thewalt, S. Klima, H.G. Alt), (321) 209

O-Ethyl-*C,O*-bis(trimethylsilyl)ketene acetal, treatment of α,β -unsaturated ketones; synthesis of α -ylidene- δ -lactones (I. Matsuda), (321) 307

Tungsten

Bis(di-*t*-butylphosphino)sulphur diimide carbonylmetal complexes, formation of dinuclear complexes $S\{NP-t-Bu_2[ML_n]\}_2$ ($ML_n = Cr(CO)_5$, $Mo(CO)_5$, $W(CO)_5$, $Fe(CO)_5$) and chelates $S(NP-t-Bu_2)_2M(CO)_4$ ($M = Cr$, Mo , W); crystal and molecular structure of $S(NP-t-Bu_2)_2Cr(CO)_4$ (M. Herberhold, W. Bühlmeyer, A. Gieren, T. Hübner, J. Wu), (321) 51

Germanium optically active species used in resolution of diastereoisomeric transition metal complexes with five different and independent ligand (G. Cerveau, E. Colomer, R.J.P. Corriu, A. Vioux), (321) 327

Monoalkylamino(silyl)carbene complexes, $(CO)_5MC(NHR')SiR_3$ ($M = W$, Mo , Cr ; $SiR_3 = SiPh_3$, $SiMePh_2$; $R' = Me$, Et , $n-Bu$, C_6H_{11} , Ph), $HSiR_3$ elimination from (W. Hepp, U. Schubert), (321) 317

Pentacarbonyl(diphenylcarbene)tungsten, reaction with diethylamino(dimethyl)acetonitrile of (H. Fischer, S. Zeuner), (321) C6

2-(Pentacarbonylmanganese)-4,6-difluoro-1,3,5-triazine, medium effects for substitution in (G.A. Artamkina, A.Yu. Mil'chenko, I.P. Beletskaya, O.A. Reutov), (321) 371

Tetra- and penta-carbonyl-binuclear-tungsten complexes, solvatochromism of metal-to-ligand charge transfer transitions in (W. Kaim, S. Kohlmann, S. Ernst, B. Olbrich-Deussner, C. Bessenbacher, A. Schulz), (321) 215

Zinc

Zinc carbenoid reagents, reactions with enol ethers: cyclopropanation and subsequent isomerisation to allylic ethers (I. Ryu, T. Aya, S. Otani, S. Murai, N. Sonoda), (321) 279

Zirconium

Dicyclopentadienylbis(trimethylphosphine)-titanium and -zirconium complexes, fixation and activation of CO_2 and CS_2 of (H.G. Alt, K.-H. Schwind, M.D. Rausch), (321) C9

Dicyclopentadienylzirconium(IV) dichloride, aliphatic acid dihydrazide derivatives of and their reactions with β -diketones (V. Srivastava, O.P. Pandey, S.K. Sengupta, S.C. Tripathi), (321) 27

Monooctyltin(IV) compounds, synthesis from 1-, 2-, or 3-octenes of (V.G. Kumar Das, O.G. Chee), (321) 335

Zirconium and hafnium organometallic compounds, analysis and classification of crystallographic and structural data (Review) (C.E. Holloway, I.M. Walker, M. Melnik), (321) 143

Book reviews

An introduction to organometallic chemistry; by A.W. Parkins and R.C. Poller (M.F. Lappert), (321) C17

Bond and structure models (Structure and bonding 63) (K.R. Seddon), (321) C18

Catalytic hydrogenation; edited by L. Červený (P.A. Chaloner), (321) C33

Chemistry of pseudohalides; edited by A.M. Golub, H. Köhler and V.V. Skopenko (C. Eaborn), (321) C21

The manipulation of air-sensitive compounds; by D.F. Shriver and M.A. Dreizdon (J.D. Smith), (321) C34