
JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 323 (1987)

SUBJECT INDEX**Aluminium**

Alumino-metalloaminocarbene complexes (M = Fe, Mn), structural investigations of (J.F. Janik, E.N. Duesler, R.T. Paine), (323)149

Antimony

Bis(tricarbonylcyclopentadienylmolybdenum), $[C_5H_5Mo(CO)_3]_2$, Mo-Mo bond cleavage by ferricenium cations in the presence of Group V ligands under photochemical radiation of; formation of $[C_5H_5Mo(CO)_2L_2]BF_4$ complexes (H. Schumann), (323) 193

Tris(2,4,6-trimethylphenyl)antimony dihydroxide, synthesis and reactions with sulphonic acids RSO_3H (R = C_6H_5 , CF_3) of; crystal structure of $[2,4,6-(CH_3)_3C_6H_2]_3SbO \cdot HO_3SC_6H_5$ (F. Huber, T. Westhoff, H. Preut), (323) 173

Arsenic

Bis(tricarbonylcyclopentadienylmolybdenum), $[C_5H_5Mo(CO)_3]_2$, Mo-Mo bond cleavage by ferricenium cations in the presence of Group V ligands under photochemical radiation of; formation of $[C_5H_5Mo(CO)_2L_2]BF_4$ complexes (H. Schumann), (323) 193

Bismuth

Bis(tricarbonylcyclopentadienylmolybdenum), $[C_5H_5Mo(CO)_3]_2$, Mo-Mo bond cleavage by ferricenium cations in the presence of Group V ligands under photochemical radiation of; formation of $[C_5H_5Mo(CO)_2L_2]BF_4$ complexes (H. Schumann), (323) 193

Boron

Diborane, simple method for generation from $NaBH_4$ and I_2 of (C. Narayana, M. Periasamy), (323) 145

Tricyclopentadienyl(cyclooctane-1,5-diyl)uranium dihydroborate, synthesis and crystal structure of (P. Zanella, F. Ossola, M. Porchia, G. Rossetto, A. Chiesi Villa, C. Guastini), (323) 295

Chromium

Heterobimetallic μ -phosphido complexes, effect of the nature of the phosphido bridge on CO labilisation in (J. Schwald, P. Peringer), (323) C51

Supported transition metals and metal oxides as catalysts for the metal carbonyl substitution reaction (M.O. Albers, N.J. Coville, E. Singleton), (323) 37

Cobalt

Bis(dimethylphosphinecyclopentadienylcobalt), $[C_5H_5Co(\mu-PMe_2)]_2$, addition and insertion reactions with sulphur, selenium and tellurium of (H. Werner, G. Luxenburger, W. Hofmann, M. Nadvornik), (323) 161

Cationic metallocyclophanes with arene and cyclopentadienyl ligands, synthesis of (V.S. Kaganovich, A.R. Kudinov, M.I. Rybinskaya), (323) 111

$(CH_3C(CH_2PPh_2)_3)CoL$ complexes (L = O_2CO , S_2CO , O_2SO), synthesis through metal-assisted CO_2 , CS_2 , SO_2 oxidation of; crystal structure of $(CH_3C(CH_2PPh_2)_3)Co(O_2SO)$ (F. Ceconi, C.A. Ghilardi, S. Midolini, S. Moneti, A. Orlandini), (323) C5

$Co_3(\mu_3-CPh)(CO)_9$, crystal structures of mixed-metal cluster derivatives of (M. Ahlgren, T.T. Pakkanen, I. Tahvanainen), (323) 91

Cyclopentadienyldiiodocarbonylcobalt(I) and trimethylphosphite, double demethylation pathway involving (E.V. Schleman, T.B. Brill), (323) 103

Dicobaltdiiron clusters, selectivity in carbonyl reduction of; formyl intermediates in formation of hydrido derivatives (M.G. Richmond, J.K. Kochi), (323) 219

- (η^4 -Diene)transition metal complexes, indirect scalar spin-spin coupling constant $^1J(^{13}\text{C}, ^{13}\text{C})$ in (R. Benn, A. Ruffińska), (323) 305
- Monophosphacyclobutadienecobalt(I) complex, formation by codimerization of *t*-butylphosphaacetylene with bis(trimethylsilyl)acetylene of (P. Binger, R. Milczarek, R. Mynott, M. Regitz), (323) C35
- Trimethylphosphinecobalt(I) complexes, crystal and molecular structure of $[\text{Co}(\text{CO})_2(\text{PMe}_3)_3]\text{BPh}_4$ (Y. Pérès, A. Kerkeni, M. Dartiguenave, Y. Dartiguenave, F. Bélanger-Gariépy, A.L. Beauchamp), (323) 397

Germanium

- Octaphenylpropane analogues, $\text{Ph}_3\text{SnSiPh}_2\text{SnPh}_3$ and $\text{Ph}_3\text{SnGePh}_2\text{SnPh}_3$, correlation between geminal NMR couplings and non-bonded Sn...Sn distances (S. Adams, M. Dräger), (323) 11
- Organogermanium *O,O'*-dimethyl- and -diethylthiophosphates, preparation and characterisation of (R.K. Chadha, J.E. Drake, A.B. Sarkar), (323) 271

Gold

- $\text{Co}_3(\mu_3\text{-CPh})(\text{CO})_9$; crystal structures of mixed-metal cluster derivatives of (M. Ahlgrén, T.T. Pakkanen, I. Tahvanainen), (323) 91

Hafnium

- (η^4 -Diene)transition metal complexes, indirect scalar spin-spin coupling constant $^1J(^{13}\text{C}, ^{13}\text{C})$ in (R. Benn, A. Ruffińska), (323) 305

Iridium

- Cationic metallocyclophanes with arene and cyclopentadienyl ligands, synthesis of (V.S. Kaganovich, A.R. Kudinov, M.I. Rybinskaya), (323) 111
- Di-organo-iridium complexes, $\text{RR}'\text{Ir}(\text{CO})(\text{PPh}_3)_2\text{X}$ ($\text{R}, \text{R}' = \text{Me}, \text{Ph}, \text{CH}_2\text{Ph}, \text{CO-CH}_3$; $\text{X} = \text{Cl}, \text{I}$), formation of C-C bonds on; crystal structure of *cis,cis,trans*- $[\text{Ir}(\text{CH}_3)_2(\text{CO})_2(\text{PPh}_3)_2]^+[\text{CF}_3\text{SO}_3]^-$ (M.R. Churchill, J.C. Fettinger, T.S. Janik, W.M. Rees, J.S. Thompson, S. Tomaszewski, J.D. Atwood), (323) 233
- Iridium pentahydride complex, selective conversion of pinane into β -pinene catalysed by (Y. Lin, D. Ma, X. Lu), (323) 407

- trans*- $\text{MeOIr}(\text{CO})(\text{PPh}_3)_2$, reactions with alkenes of; crystal and molecular structure of penta-coordinate alkoxyalkeneiridium(I) complex, $\text{MeOIr}(\text{CO})(\text{PPh}_3)_2(\text{TCNE})$ (T.S. Janik, K.A. Bernard, M.R. Churchill, J.D. Atwood), (323) 247

Iron

- Alumino-metalloaminocarbene complexes ($\text{M} = \text{Fe}, \text{Mn}$), structural investigations of (J.F. Janik, E.N. Duesler, R.T. Paine), (323) 149
- Arenecyclopentadienyliron(II), bis-arene-iron(II) and substituted ferrocenes, organometallic conductors obtained by reactions with tetracyanoquinodimethane of (R.M. Lequan, M. Lequan, P. Legeay, J. Padiou), (323) 77
- Bis(tricarbonylcyclopentadienylmolybdenum), $[\text{C}_5\text{H}_5\text{Mo}(\text{CO})_3]_2$, Mo-Mo bond cleavage by ferricenium cations in the presence of Group V ligands under photochemical radiation of; formation of $[\text{C}_5\text{H}_5\text{Mo}(\text{CO})_2\text{L}_2]\text{BF}_4$ complexes (H. Schumann), (323) 193
- $\text{Co}_3(\mu_3\text{-CPh})(\text{CO})_9$; crystal structures of mixed-metal cluster derivatives of (M. Ahlgrén, T.T. Pakkanen, I. Tahvanainen), (323) 91
- Dicobaltdiiron clusters, selectivity in carbonyl reduction of; formyl intermediates in formation of hydrido derivatives (M.G. Richmond, J.K. Kochi), (323) 219
- (η^4 -Diene)transition metal complexes, indirect scalar spin-spin coupling constant $^1J(^{13}\text{C}, ^{13}\text{C})$ in (R. Benn, A. Ruffińska), (323) 305
- 1,5-Dihydropyrrol-2-ones, formation from (1,4-diaza-1,3-diene)tricarbonyliron and alkyne, electronic and steric effects in reactions of (H.-W. Frühauf, F. Seils), (323) 67
- Diiron μ -ketene complex, $[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})_2]\text{CH}_2\text{CO}[(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})_2]$, conversion into binuclear cationic oxycarbene complexes of and their bimodal reactivities (M. Akita, A. Kondoh, T. Kawahara, Y. Morooka), (323) C43
- Ditetrahydrofuran(2,3,8,9-dibenzo-1,4,7,10-tetra-thiadecane)iron, $[\text{Fe}(\text{dtd})(\text{THF})_2]$, reactions with tetracarbonylnorbornadienemolybdenum, $[\text{Mo}(\text{CO})_4(\text{nor})]$, by redox-coupled ligand transfer of; synthesis, structure and reactivity of $[\mu\text{-dtd}\{\text{Mo}(\text{CO})_3\}_2] \cdot 2\text{H}_2\text{O}$ and $[\mu\text{-dtd}\{\text{Mo}(\text{CO})_4\}_2]^{2-}$ (D. Sellmann, G. Binker, J. Schwarz, F. Knoch, R. Böse, G. Huttner, L. Zsolnai), (323) 323
- $[\text{Fe}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_{4-n}(\text{CNMe})_n]$ ($n = 0-4$) complexes, reactions with halogens and mercury(II) salts of (R. Kumar, A.R. Manning, P.T. Murray), (323) 53
- cis*- $[\text{Fe}(\text{CO})_2(\text{t-Bu}_2\text{C}_6\text{H}_2\text{S}_2)_2]^{2-}$, formation, re-

- giospecific alkylation and structure of (D. Sellmann, G. Freyberger, R. Eberlein, E. Böhlen, G. Huttner, L. Zsolnai), (323) 21
- Heteronuclear (W-Fe) and homonuclear (Fe-Fe) μ -alkylidenemetal complexes from mononuclear terminal carbene complexes; crystal structures of $\text{CH}_3\text{C}_2\text{H}_2(\text{CO})_8\text{WFeOC}_2\text{H}_5$ and $(\text{CO})_6\text{WFeC}_3\text{H}(\text{CH}_3)(\text{OC}_2\text{H}_5)_2$ (C. Alvarez-Toledano, A. Parlier, R. Rose-Munch, H. Rudler, J.C. Daran, C. Knobler, Y. Jeanin), (323) 371
- Hydrocarbyl-substituted carbonyl-iron and -nickel clusters, regiospecific substitution of CO by phosphine ligands in; spectroscopic characterisation of the reaction products (E. Sappa), (323) 83
- Pentacarbonyliron, reaction with *N,N*-diethyl-*S*-ethylcarbamate of; crystal structure of $[\{\text{Fe}_2(\text{CO})_6\}_3(\mu_4\text{-S})_2(\mu\text{-CNEt}_2)_2]_3(\text{Fe-Fe})$ (H.G. Raubenheimer, G.J. Kruger, A. van A. Lombard), (323) 385
- Supported transition metals and metal oxides as catalysts for the metal carbonyl substitution reaction (M.O. Albers, N.J. Coville, E. Singleton), (323) 37
- Lanthanides**
- Organo-lanthanide and -yttrium chlorides, synthesis, identification and reactivity with chelating 1,1'-(3-oxapentamethylene)dicyclopentadienyl ligand of (C. Qian, Z. Xie, Y. Huang), (323) 285
- Lithium**
- P-C bond cleavage in diphosphines by lithium; crystal structure of $[\text{Li}_4(\text{PhPCH}_2\text{CH}_2\text{PPh})_2(\text{OC}_4\text{H}_8)_8]$ (P. Brooks, D.C. Craig, M.J. Gallagher, A.D. Rae, A. Sarroff), (323) C1
- α -Silylated and α,α -disilylated phosphonates, $(\text{RO})_2\text{P}(\text{O})\text{CR}^1\text{R}^2\text{SiR}^3\text{R}^4\text{R}^5$ and $(\text{RO})_2\text{P}(\text{O})\text{CR}^1[\text{Si}(\text{CH}_3)_3]_2$, preparation and properties of (P. Savignac, M.-P. Teulade, N. Collignon), (323) 135
- Manganese**
- Alumino-metalloaminocarbene complexes (M = Fe, Mn), structural investigations of (J.F. Janik, E.N. Duesler, R.T. Paine), (323) 149
- Bis(dimethylphosphine)cyclopentadienylcobalt, $[\text{C}_5\text{H}_5\text{Co}(\mu\text{-PMe}_2)]_2$, addition and insertion reactions with sulphur, selenium and tellurium of (H. Werner, G. Luxenburger, W. Hofmann, M. Nadvornik), (323) 161
- $[1\text{-}\eta\text{-}6\text{-}exo\text{-Re}(\text{CO})_5\text{C}_7\text{H}_8]\text{Mn}(\text{CO})_3$, synthesis by metal carbonyl anion addition to a coordinated cyclic π -hydrocarbon (R.C. Bush, R.A. Jacobson, R.J. Angelici), (323) C25
- Siloxycarbenemanganese complexes, preparation of (M.J. McGeary, J.L. Templeton), (323) 199
- Supported transition metals and metal oxides as catalysts for the metal carbonyl substitution reaction (M.O. Albers, N.J. Coville, E. Singleton), (323) 37
- Mercury**
- $[\text{Fe}_2(\eta\text{-C}_5\text{H}_5)_2(\text{CO})_{4-n}(\text{CNMe})_n]$ ($n = 0\text{-}4$) complexes, reactions with halogens and mercury(II) salts of (R. Kumar, A.R. Manning, P.T. Murray), (323) 53
- Metalloenes**
- Alkylpermethyltrocene complexes, synthesis of (K.H. den Haan, Y. Wielstra, J.J.W. Eshuis, J.H. Teuben), (323) 181
- Arenecyclopentadienyliron(II), bis-arene-iron(II) and substituted ferrocenes, organometallic conductors obtained by reactions with tetracyanoquinodimethane of (R.M. Lequan, M. Lequan, P. Legeay, J. Padiou), (323) 77
- Organo-lanthanide and -yttrium chlorides, synthesis, identification and reactivity with chelating 1,1'-(3-oxapentamethylene)-dicyclopentadienyl ligand of (C. Qian, Z. Xie, Y. Huang), (323) 285
- Molybdenum**
- Alkyne- and alkynyl-molybdenum and -tungsten complexes, formation by reactions with *trans*- $[\text{M}(\text{N}_2)_2(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2]$ (M = Mo, W) and with $[\text{Mo}(\text{Ph}_2\text{PCH}_2\text{PPh}_2)_3]$; X-ray structure of *trans*- $[\text{Mo}(\text{C}\equiv\text{CPh})_2(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2]$ (N.A. Buang, D.L. Hughes, N. Kashef, R.L. Richards, A.J.L. Pombeiro), (323) C47
- Bis(tricarbonylcyclopentadienylmolybdenum), $[\text{C}_5\text{H}_5\text{Mo}(\text{CO})_3]_2$, Mo-Mo bond cleavage by ferricenium cations in the presence of Group V ligands under photochemical radiation of; formation of $[\text{C}_5\text{H}_5\text{Mo}(\text{CO})_2\text{L}_2]\text{BF}_4$ complexes (H. Schumann), (323) 193
- Carbonyl-dichromium(0) and -dimolybdenum(0) complexes containing bridging *trans*- $\text{Ph}_2\text{PCH}=\text{CHPPH}_2$ ligands, synthesis of and NMR studies on; crystal structure of $[\text{Mo}_2(\text{CO})_2(\mu\text{-trans-Ph}_2\text{PCH}=\text{CHPPH}_2)_2]$

(G.B. Jacobson, B.L. Shaw, M. Thornton-Pett), (323) 313

(η^4 -Diene)transition metal complexes, indirect scalar spin-spin coupling constant $^1J(^{13}\text{C}, ^{13}\text{C})$ in (R. Benn, A. Ruffinska), (323) 305

Ditetrahydrofuran(2,3,8,9-dibenzo-1,4,7,10-tetra-thiadecane)iron, $[\text{Fe}(\text{dtd})(\text{THF})_2]$, reactions with tetracarbonylnorbornadienemolybdenum, $[\text{Mo}(\text{CO})_4(\text{nor})]$, by redox-coupled ligand transfer of; synthesis, structure and reactivity of $[\mu\text{-dtd}\{\text{Mo}(\text{CO})_3\}_2] \cdot 2\text{H}_2\text{O}$ and $[\mu\text{-dtd}\{\text{Mo}(\text{CO})_4\}_2]^{2-}$ (D. Sellmann, G. Binker, J. Schwarz, F. Knoch, R. Böse, G. Huttner, L. Zsolnai), (323) 323

Heterobimetallic μ -phosphido complexes, effect of the nature of the phosphido bridge on CO labilisation in (J. Schwald, P. Peringer), (323) C51

Supported transition metals and metal oxides and catalysts for the metal carbonyl substitution reaction (M.O. Albers, N.J. Coville, E. Singleton), (323) 37

Nickel

Hydrocarbyl-substituted carbonyl-iron and -nickel clusters, regiospecific substitution of CO by phosphine ligands in; spectroscopic characterisation of the reaction products (E. Sappa), (323) 83

N-Protonated 2-pyridylnickel(II) complexes, insertion of isocyanides into the nickel-2-pyridyl bond of (B. Crociani, F. Di Bianca, A. Giovenco, A. Berton), (323) 123

Osmium

Supported transition metals and metal oxides as catalysts for the metal carbonyl substitution reaction (M.O. Albers, N.J. Coville, E. Singleton), (323) 37

Palladium

Supported transition metals and metal oxides as catalysts for the metal carbonyl substitution reaction (M.O. Albers, N.J. Coville, E. Singleton), (323) 37

Trithia macrocyclic complexes of palladium, structural and electrochemical studies on (A.J. Blake, A.J. Holder, T.I. Hyde, Y.V. Roberts, A.J. Lavery, M. Schröder), (323) 261

Phosphorus

Alkyne- and alkynyl-molybdenum and -tungsten complexes, formation by reactions with *trans*- $[(\text{N}_2)_2(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2]$ (M = Mo, W) and with $[\text{Mo}(\text{Ph}_2\text{PCH}_2\text{PPh}_2)_3]$; X-ray structure of *trans*- $[\text{Mo}(\text{C}\equiv\text{CPh})_2(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2]$ (N.A. Buang, D.L. Hughes, N. Kashef, R.L. Richards, A.J.L. Pombeiro), (323) C47

Bis(dimethylphosphine)cyclopentadienylcobalt, $[\text{C}_5\text{H}_5\text{Co}(\mu\text{-PMe}_2)]_2$, addition and insertion reactions with sulphur, selenium and tellurium of (H. Werner, G. Luxenburger, W. Hofmann, M. Nadvornik), (323) 161

Bis(tricarbonylcyclopentadienylmolybdenum), $[\text{C}_5\text{H}_5\text{Mo}(\text{CO})_3]_2$, Mo-Mo bond cleavage by ferricenium cations in the presence of Group V ligands under photochemical radiation of; formation of $[\text{C}_5\text{H}_5\text{Mo}(\text{CO})_2\text{L}_2]\text{BF}_4$ complexes (H. Schumann), (323) 193

Carbonyl-dichromium(0) and -dimolybdenum(0) complexes containing bridging *trans*- $\text{Ph}_2\text{PCH}=\text{CHPPh}_2$ ligands, synthesis of and NMR studies on; crystal structure of $[\text{Mo}_2(\text{CO})_2(\mu\text{-trans-Ph}_2\text{PCH}=\text{CHPPh}_2)_2]$ (G.B. Jacobson, B.L. Shaw, M. Thornton-Pett) (323) 313

$\text{Co}_3(\mu_3\text{-CPh})(\text{CO})_9$; crystal structures of mixed-metal cluster derivatives of (M. Ahlgren, T.T. Pakkanen, I. Tahvanainen), (323) 91

(η^4 -Diene)transition metal complexes, indirect scalar spin-spin coupling constant $^1J(^{13}\text{C}, ^{13}\text{C})$ in (R. Benn, A. Ruffinska), (323) 305

Diruthenium bridged cations containing cyclopentadienyl and bidentate amine ligands, synthesis of; crystal and molecular structure of $\{[(\eta^5\text{-C}_5\text{H}_5)\text{Ru}(1,10\text{-phenanthroline})]_2(\mu\text{-bis}(\text{diphenylphosphine})\text{methane})(\text{PF}_6)_2\} \cdot \text{CH}_2\text{Cl}_2$ (M.O. Albers, D.C. Liles, D.J. Robinson, E. Singleton), (323) C39

cis- $[\text{Fe}(\text{CO})_2(\text{t-Bu}_2\text{C}_6\text{H}_2\text{S}_2)_2]^{2-}$, formation, regiospecific alkylation and structure of (D. Sellmann, G. Freyberger, R. Eberlein, E. Böhlen, G. Huttner, L. Zsolnai), (323) 21

Heterobimetallic μ -phosphido complexes, effect of the nature of the phosphido bridge on CO labilisation in (J. Schwald, P. Peringer), (323) C51

Hydrocarbyl-substituted carbonyl-iron and -nickel clusters, regiospecific substitution of CO by phosphine ligands in; spectroscopic characterisation of the reaction products (E. Sappa), (323) 83

Monophosphacyclobutadienecobalt(I) complex, formation by codimerization of *t*-butylphosphaacetylene with bis(trimethylsilyl)acetylene

of (P. Binger, R. Milczarek, R. Mynott, M. Regitz), (323) C35

Organogermanium *O,O'*-dimethyl- and -diethyl-dithiophosphates, preparation and characterisation of (R.K. Chadha, J.E. Drake, A.B. Sarkar), (323) 271

P-C bond cleavage in diphosphines by lithium; crystal structure of $[\text{Li}_4(\text{PhPCH}_2\text{CH}_2\text{-PPh})_2(\text{OC}_4\text{H}_8)_8]$ (P. Brooks, D.C. Craig, M.J. Gallagher, A.D. Rae, A. Sarroff), (323) C1

Rhenium(I) enolate complex, synthesis, structure and photochemistry of (L.U. Gron, K.J. Haller, A.B. Ellis), (323) 207

$\text{Ru}(\text{CO})_3(\text{PMe}_3)\text{MeI}$ and its acetyl derivatives, preparation of (G. Cardaci), (323)C10

α -Silylated and α,α -disilylated phosphonates, $(\text{RO})_2\text{P}(\text{O})\text{CR}^1\text{R}^2\text{SiR}^3\text{R}^4\text{R}^5$ and $(\text{RO})_2\text{P}(\text{O})\text{-CR}^1[\text{Si}(\text{CH}_3)_3]_2$, preparation and properties of (P. Savignac, M.-P. Teulade, N. Collignon), (323) 135

Trimethylphosphinecobalt(I) complexes, crystal and molecular structure of $[\text{Co}(\text{CO})_2(\text{PMe}_3)_3]\text{BPh}_4$ (Y. Pérès, A. Kerkeni, M. Dartiguenave, Y. Dartiguenave, F. Bélanger-Gariépy, A.L. Beauchamp), (323) 397

Platinum

Pentamethylcyclopentadienyl- and indenyl-platinum complexes, chemistry and characterisation by double quantum filtered phase sensitive two-dimensional NMR spectroscopy of (D. O'Hare), (323) C13

Supported transition metals and metal oxides as catalysts for the metal carbonyl substitution reaction (M.O. Albers, N.J. Coville, E. Singleton), (323) 37

Rhenium

$[1-5-\eta-6\text{-exo-Re}(\text{CO})_5\text{C}_7\text{H}_8]\text{Mn}(\text{CO})_3$, synthesis by metal carbonyl anion addition to a coordinated cyclic π -hydrocarbon (R.C. Bush, R.A. Jacobson, R.J. Angelici), (323) C25

Rhenium(I) enolate complex, synthesis, structure and photochemistry of (L.U. Gron, K.J. Haller, A.B. Ellis), (323) 207

Supported transition metals and metal oxides as catalysts for the metal carbonyl substitution reaction (M.O. Albers, N.J. Coville, E. Singleton), (323) 37

Rhodium

Cationic metallocyclophanes with arene and cyclopentadienyl ligands, synthesis of (V.S.

Kaganovich, A.R. Kudinov, M.I. Rybinskaya), (323) 111

Ruthenium

Cationic metallocyclophanes with arene and cyclopentadienyl ligands, synthesis of (V.S. Kaganovich, A.R. Kudinov, M.I. Rybinskaya), (323) 111

Diruthenium bridged cations containing cyclopentadienyl and bidentate amine ligands, synthesis of; crystal and molecular structure of $\{[(\eta^5\text{-C}_5\text{H}_5)\text{Ru}(1,10\text{-phenanthroline})]_2(\mu\text{-bis}(\text{diphenylphosphine})\text{methane})(\text{PF}_6)_2 \cdot \text{CH}_2\text{Cl}_2$ (M.O. Albers, D.C. Liles, D.J. Robinson, E. Singleton), (323) C39

$\text{Ru}(\text{CO})_3(\text{PMe}_3)\text{MeI}$ and its acetyl derivatives, preparation of (G. Cardaci), (323) C10

Supported transition metals and metal oxides as catalysts for the metal carbonyl substitution reaction (M.O. Albers, N.J. Coville, E. Singleton), (323) 37

Selenium

Bis(dimethylphosphinecyclopentadienylcobalt), $[\text{C}_5\text{H}_5\text{Co}(\mu\text{-PMe}_2)]_2$, addition and insertion reactions with sulphur, selenium and tellurium of (H. Werner, G. Luxenburger, W. Hofmann, M. Nadvornik), (323) 161

Silicon

Monophosphacyclobutadienecobalt(I) complex, formation by codimerization of *t*-butylphosphaacetylene with bis(trimethylsilyl)acetylene of (P. Binger, R. Milczarek, R. Mynott, M. Regitz), (323) C35

Octaphenylpropane analogues, $\text{Ph}_3\text{SnSiPh}_2\text{Sn-Ph}_3$ and $\text{Ph}_3\text{SnGePh}_2\text{SnPh}_3$, correlation between geminal NMR couplings and non-bonded Sn...Sn distances (S. Adams, M. Dräger), (323) 11

Siloxanes, synthesis of; rearrangement of silyl groups at the Si_3CSiO skeleton (S. Pillmann, U. Klingebiel), (323) 1

Siloxycarbenemanganese complexes, preparation of (M.J. McGearry, J.L. Templeton), (323) 199

α -Silylated and α,α -disilylated phosphonates, $(\text{RO})_2\text{P}(\text{O})\text{CR}^1\text{R}^2\text{SiR}^3\text{R}^4\text{R}^5$ and $(\text{RO})_2\text{P}(\text{O})\text{-CR}^1[\text{Si}(\text{CH}_3)_3]_2$, preparation and properties of (P. Savignac, M.-P. Teulade, N. Collignon), (323) 135

Sulphur

Bis(dimethylphosphinecyclopentadienylcobalt), $[\text{C}_5\text{H}_5\text{Co}(\mu\text{-PMe}_2)]_2$, addition and insertion reactions with sulphur, selenium and tellurium of (H. Werner, G. Luxenburger, W. Hofmann, M. Nadvornik), (323) 161

$(\text{CH}_3\text{C}(\text{CH}_2\text{PPh}_2)_3)\text{CoL}$ complexes (L = O_2CO , S_2CO , O_2SO), synthesis through metal-assisted CO_2 , CS_2 , SO_2 oxidation of; crystal structure of $(\text{CH}_3\text{C}(\text{CH}_2\text{PPh}_2)_3)\text{Co}(\text{O}_2\text{SO})$ (F. Ceconi, C.A. Ghilardi, S. Midollini, S. Moneti, A. Orlandini), (323) C5

Ditetrahydrofuran(2,3,8,9-dibenzo-1,4,7,10-tetrahiadecane)iron, $[\text{Fe}(\text{dttf})(\text{THF})_2]$, reactions with tetracarbonylnorbornadienemolybdenum, $[\text{Mo}(\text{CO})_4(\text{nor})]$, by redox-coupled ligand transfer of; synthesis, structure and reactivity of $[\mu\text{-dttf}\{\text{Mo}(\text{CO})_3\}_2] \cdot 2\text{H}_2\text{O}$ and $[\mu\text{-dttf}\{\text{Mo}(\text{CO})_4\}_2]^{2-}$ (D. Sellmann, G. Binker, J. Schwarz, F. Knoch, R. Böse, G. Huttner, L. Zsolnai), (323) 323

cis- $[\text{Fe}(\text{CO})_2(\text{t-Bu}_2\text{C}_6\text{H}_2\text{S}_2)_2]^{2-}$, formation, regioselective alkylation and structure of (D. Sellmann, G. Freyberger, R. Eberlein, E. Böhlen, G. Huttner, L. Zsolnai), (323) 21

Organogermanium *O, O'*-dimethyl- and -diethyl-dithiophosphates, preparation and characterisation of (R.K. Chadha, J.E. Drake, A.B. Sarkar), (323) 271

Pentacarbonyliron, reaction with *N, N*-diethyl-*S*-ethylcarbamate of; crystal structure of $[\{\text{Fe}_2(\text{CO})_6\}_3(\mu_4\text{-S})_2(\mu\text{-CNEt}_2)_2]_3(\text{Fe-Fe})$ (H.G. Raubenheimer, G.J. Kruger, A. van A. Lombard), (323) 385

Tris(2,4,6-trimethylphenyl)antimony dihydroxide, synthesis and reactions with sulphonic acids RSO_3H (R = C_6H_5 , CF_3) of; crystal structure of $[\text{2,4,6-(CH}_3)_3\text{C}_6\text{H}_2]_3\text{SbO} \cdot \text{HO}_3\text{-SC}_6\text{H}_5$ (F. Huber, T. Westhoff, H. Preut), (323) 173

Trithia macrocyclic complexes of palladium, structural and electrochemical studies on (A.J. Blake, A.J. Holder, T.I. Hyde, Y.V. Roberts, A.J. Lavery, M. Schröder), (323) 261

Tellurium

Bis(dimethylphosphinecyclopentadienylcobalt), $[\text{C}_5\text{H}_5\text{Co}(\mu\text{-PMe}_2)]_2$, addition and insertion reactions with sulphur, selenium and tellurium of (H. Werner, G. Luxenburger, W. Hofmann, M. Nadvornik), (323) 161

Thorium

$(\eta^4\text{-Diene})$ transition metal complexes, indirect scalar spin-spin coupling constant $^1J(^{13}\text{C}, ^{13}\text{C})$ in (R. Benn, A. Ruffínska), (323) 305

Tin

Octaphenylpropane analogues, $\text{Ph}_2\text{SnSiPh}_2\text{Sn-Ph}_3$ and $\text{Ph}_3\text{SnGePh}_2\text{SnPh}_3$, correlation between geminal NMR couplings and non-bonded Sn...Sn distances (S. Adams, M. Dräger), (323) 11

Titanium

Dichloro- η^5 -cyclopentadienyltrimethylhydrazido-(1-)titanium, molecular structure of (R. Hemmer, U. Thewalt, D.L. Hughes, G.J. Leigh, D.G. Walker), (323) C29

Tungsten

Alkyne- and alkynyl-molybdenum and -tungsten complexes, formation by reactions with *trans*- $[(\text{N}_2)_2(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2]$ (M = Mo, W) and with $[\text{Mo}(\text{Ph}_2\text{PCH}_2\text{PPh}_2)_3]$; X-ray structure of *trans*- $[\text{Mo}(\text{C}\equiv\text{CPh})_2(\text{Ph}_2\text{-PCH}_2\text{CH}_2\text{PPh}_2)_2]$ (N.A. Buang, D.L. Hughes, N. Kashaf, R.L. Richards, A.J.L. Pombeiro), (323) C47

$\text{C}_5\text{Me}_5(\text{CO})(\text{CF}_3\text{COO})_2\text{W}[\eta^2\text{-C}(\text{O})\text{CH}_2\text{CH}_2\text{CO-Me}]$, preparation, characterisation and molecular structure of (H.I. Hayen, H.G. Alt, R.D. Rogers), (323) 339

$(\eta^4\text{-Diene})$ transition metal complexes, indirect scalar spin-spin coupling constant $^1J(^{13}\text{C}, ^{13}\text{C})$ in (R. Benn, A. Ruffínska), (323) 305

Heterobimetallic μ -phosphido complexes, effect of the nature of the phosphido bridge on CO labilisation in (J. Schwald, P. Peringer), (323) C51

Heteronuclear (W-Fe) and homonuclear (Fe-Fe) μ -alkylidenemetal complexes from mononuclear terminal carbene complexes; crystal structures of $\text{CH}_3\text{C}_2\text{H}_2(\text{CO})_8\text{WFeOC}_2\text{H}_5$ and $(\text{CO})_6\text{WFeC}_3\text{H}(\text{CH}_3)(\text{OC}_2\text{H}_5)_2$ (C. Alvarez-Toledano), A. Parlier, F. Rose-Munch, H. Rudler, J.C. Daran, C. Knobler, Y. Jeanin) (323) 371

Homonuclear μ -alkylidenetungsten complexes, synthesis and X-ray structures of (A. Parlier, M. Rudler, H. Rudler, J.C. Daran), (323) 353

Supported transition metals and metal oxides as catalysts for the metal carbonyl substitution reaction (M.O. Albers, N.J. Coville, E. Singleton), (323) 37

Uranium

Tricyclopentadienyl(cyclooctane-1,5-diyl)uranium dihydroborate, synthesis and crystal structure of (P. Zanella, F. Ossola, M. Porchia, G. Rossetto, A. Chiesi Villa, C. Guastini), (323) 295

Yttrium

Alkylpermethyltrocene complexes, synthesis of (K.H. den Haan, Y. Wielstra, J.J.W. Eshuis, J.H. Teuben), (323) 181

Organo-lanthanide and -yttrium chlorides, synthesis, identification and reactivity with chelating 1,1'-(3-oxapentamethylene)-dicyclopentadienyl ligand of (C. Qian, Z. Xie, Y. Huang), (323) 285

Zirconium

(η^4 -Diene)transition metal complexes, indirect scalar spin-spin coupling constant $^1J(^{13}\text{C}, ^{13}\text{C})$ in (R. Benn, A. Ruffńska), (323) 305

Book reviews

Advances in heterocyclic chemistry, Vol. 39; edited by A.R. Katritzky (P.A. Chaloner), (323) C18

Advances in organometallic chemistry, Vol. 25; edited by F.G.A. Stone and R. West (C. Eaborn), (323) C33

Gmelin handbook of inorganic chemistry, 8th edit., Fe — organoiron compounds, Part B8, Mononuclear compounds 8; by A. Slawisch; edited by R. Froböse and A. Slawisch (M.F. Lappert), (323) C22

Gmelin handbook of inorganic chemistry, Sn — organotin. Part 13. Other R_3Sn -oxygen compounds, $\text{R}_2\text{R}'\text{Sn}$ - and $\text{RR}'\text{R}''\text{Sn}$ -oxygen compounds (C. Eaborn), (323) C33

Inorganic high pressure chemistry: kinetics and mechanisms, Studies in inorganic chemistry 7; edited by R. van Eldik (K.R. Seddon), (323) C23

Landolt-Börnstein Group II Vol. 12b, Magnetic properties of coordination and organometallic transition metal compounds; by E. König and G. König (R.A. Jackson), (323) C21

Landolt-Börnstein Group II Vol. 13e, Radical reaction rates in liquids, proton and electron transfer, biradicals; by J.K. Dohrmann, J.C. Scaiano and S. Steenken (R.A. Jackson), (323) C22

Organometallic synthesis, Vol. 3; edited by R.B. King (J.D. Smith), (323) C18

Plain words; by Sir E. Gowers, revised edition by S. Greenbaum and J. Whitcut (C. Eaborn), (323) C55

The chemistry of the actinide elements, 2nd edition; edited by J.J. Katz, G.T. Seaborg and L.R. Morss (K.R. Seddon) (323) C20

The chemist's English; by R. Schoenfeld (C. Eaborn), (323) C54