

- Page, J.A., (320) 249
 Paine, R.T., (320) 307
 Paoli, M.A. de, (320) 91
 Pellinghelli, M.A., (320) 101
 Peringer, P., (320) 47
 Poilblanc, R., (320) C51
 Pracejus, H., (320) C56
 Qian, Y., (320) 27
 Qiu, W., (320) 21
 Raabe, E., (320) 325
 Rausch, M.D., (320) 37
 Riede, J., (320) 83
 Robinson, B.H., (320) 363
 Rockswold, P.D., (320) 197
 Roesky, H.W., (320) C31
 Romao, C.C., (320) 63
 Rufińska, A., (320) 115
 Schenk, W.A., (320) C23
 Schore, N.E., (320) 339, 349
 Schouten, A., (320) 1
 Schroth, G., (320) 325
 Schubert, U., (320) C11
 Schumann, H., (320) 145
 Seitz, F., (320) 185
 Shen, Y., (320) 21
 Sherman, D.J., (320) 257
 Sieber, W.J., (320) 83
 Sieler, J., (320) 129
 Simpson, J., (320) 363
 Singh, A.K., (320) 283
 Smith, J.D., (320) 137
 Smith, S.J., (320) C27
 Snook, C.F., (320) 13
 Snyder, D.C., (320) 163
 Spek, A.L., (320) 1
 Süss-Fink, G., (320) 101
 Sutton, K.H., (320) C19
 Suzuki, F., (320) C16
 Svensson, A., (320) 129
 Thewalt, U., (320) 37, 177
 Tripietchio, A., (320) 101
 Tomotake, Y., (320) 239
 Tueting, D.R., (320) 339, 349
 Van der Kerk, G.J.M., (320) 1
 Wada, K., (320) 239
 Watanabe, E., (320) 239
 Whittaker, M., (320) C19
 Winter, M., (320) 391
 With, J. de, (320) 289
 Wolfgruber, M., (320) 83
 Wong Chi Man, W.W.C., (320) C1, C7
 Xu, J.-M., (320) 267
 Zeldin, M., (320) 267

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 320 (1987)

SUBJECT INDEX

Antimony

Cyclopentadienylcobalt(III) dicitons, simple route for synthesis of (N. Kuhn, H. Brüggenmann, M. Winter, V.M. De Bellis), (320) 391
p-Nitrophenyl- and *p*-tolyl-oxadithia- and -trithia-stibocanes, synthesis and correlation between transannular distances and vibrational data of (H.M. Hoffmann, M. Dräger), (320) 273

Arsenic

Cyclopentadienylcarbonyliron cationic complexes, alkylidene-bridged diphosphanes and dichalcogenodiphosphorane ligands in (H. Schumann), (320) 145

Cyclopentadienylcobalt(III) dicitons, simple route for synthesis of (N. Kuhn, H. Brüggenmann, M. Winter, V.M. De Bellis), (320) 391
 Lithium-arsenic homoleptic compound, $[Li\{\mu\text{-As}(\text{CH}(\text{SiMe}_3)_2)_2\}]_3$, synthesis, structure and reactions of (P.B. Hitchcock, M.F. LapPERT, S.J. Smith), (320) C27

Trifluoroacetylmethylenetriphenylarsorane, synthesis, reactivity and crystal structure of (Y. Shen, Z. Fan, W. Qiu), (320) 21

Boron

Bis(diphenylphosphino)-methanido- or -phosphido-bridged dihydridoruthenium complexes, formation in reactions of $\text{RuRh}_2\text{Cl}(\text{C}_8\text{H}_{12})(\text{Ph}_2\text{PCH}_2\text{PPh}_2)_2$ with trialkylborohydrides of (H. Benlaarab, B. Chaudret, F. Dahan, R. Poilblanc), (320) C51

Cadmium

$[(\text{Me}_3\text{Si})_2(\text{CH}_2=\text{CHMe}_2\text{Si})\text{C}]_2\text{Hg}$, $[(\text{Me}_3\text{Si})_2(\text{CH}_2=\text{CHMe}_2\text{Si})\text{C}]_2\text{Cd}$ and $[(\text{Me}_3\text{Si})_2(\text{CH}_2=\text{CHMe}_2\text{Si})\text{C}]_2\text{HgBr}$, preparation and reactions of; crystal structure of the cadmium compound (G.A. Ayoko, N.H. Buttrus, C. Eaborn, P.B. Hitchcock, J.D. Smith), (320) 137

Chromium

Arenetricarbonylchromium, regiospecificity of the benzylic functional group of (J. Brocard, J. Lebibi), (320)295

[Hg₂(μ -PEt₂)Cr(CO)₅]₃⁻, preparation and NMR spectra of (D. Obendorf, P. Peringer), (320)47

Pentacarbonyl-[methoxy- and -[acetoxyl-(phenyl)- carbene]-chromium and -tungsten complexes, reactions with tetramethylcyano guanidine of (H. Fischer, F. Seitz, G. Müller), (320)185

Silicon-disubstituted (η^4 -silole) complexes, synthesis and reactivity of (R.J.P. Corriu, C. Guérin, B.J.L. Henner, W.W.C. Wong Chi Man), (320)C7

Tricarbonylchromium-substituted dienes, synthesis and conformations of (T.E. Bitterwolf, R. Herzog, P.D. Rockswold), (320)197

Cobalt

Bis(diphenylphosphino)methane-substituted products from (μ_3 -CCH₃)Co₃(CO)₉ (S. Aime, M. Botta, R. Gobetto, D. Osella), (320)229

Cyclic polynuclear ferrocenes derived from (C₆H₅)₂PCH₂CH₂Si(CH₃)₂C₅H₄Li as a bridging ligand, preparation and study of (S.R. Iyer, D.R. Tueting, N.E. Schore), (320)339

Cyclopentadienylcobalt(III) dications, simple route for synthesis of (N. Kuhn, H. Brüggemann, M. Winter, V.M. De Bellis), (320)391

Silicon-disubstituted (η^4 -silole) complexes, synthesis and reactivity of (R.J.P. Corriu, C. Guérin, B.J.L. Henner, W.W.C. Wong Chi Man), (320)C7

Zirconocene and indirectly linked carbonyl containing complexes, construction and chemistry of (D.R. Tueting, S.R. Iyer, N.E. Schore), (320)349

Gold

CH₃C₅H₄(CO)₂Mn(μ -H)AuPPh₃- (*Mn-Au*) and [CH₃C₅H₄(CO)₂Mn(μ -H)]₂Pt(3-picolin)₂- (*Mn-Pt*), synthesis from Na[CH₂C₅H₄(CO)₂MnSiR₃]; formation of metal-metal bonds and simultaneous SiR₃/H exchange (E. Kunz, J. Müller, U. Schubert), (320)C11

Trigonal-bipyramidal platinum-gold cluster compound, [Pt₃Au₂(μ -Cl)(μ -SO₂)₂(PCy₃)₃(P{*p*-C₆H₄F}₃)₂][PF₆]₂, synthesis and structural characterisation of (D.M.P. Mingos, P. Oster, D.J. Sherman), (320)257

Hafnium

Dichalcogenophenylenemetallocenes (M = Ti, Zr, Hf), preparation of; first example of a ditellurophenylenezirconocene (P. Meunier, B. Gautheron, A. Mazouz), (320)C39

Iron

Carbonylcyclopentadienylethyl(triphenylphosphine)iron, [$(\eta^5$ -C₅H₅)Fe(CO)(PPh₃)CH₂CH₃], conformational analysis and X-ray crystal structure of (S.G. Davies, I.M. Dordor-Hedgecock, K.H. Sutton, M. Whittaker), (320)C19

(η^4 -*exo*- and η^4 -*endo*-1-chloro-2,5-diphenylsila-cyclopentadiene)tricarbonyliron complexes, stereochemical behaviour of (R.J.P. Corriu, B.J.L. Henner, W.W.C. Wong Chi Man), (320)C1

Cp^{*}Fe(CO)₂[η^1 -SP(S)(OR)₂] (Cp^{*} = η -C₅H₅ or η -C₅Me₅), electrochemical reduction of (M. Morán, I. Cuadrado, J. Losada), (320)317

Cyclic polynuclear ferrocenes derived from (C₆H₅)₂PCH₂CH₂Si(CH₃)₂C₅H₄Li as a bridging ligand, preparation and study of (S.R. Iyer, D.R. Tueting N.E. Schore), (320)339

Cyclopentadienylcarbonyliron cationic complexes alkylidene-bridged diphosphanes and dichalcogenodiphosphorane ligands in (H. Schumann), (320)145

Cyclopentadienylcobalt(III) dications, simple route for synthesis of (N. Kuhn, H. Brüggemann, M. Winter, V.M. De Bellis), (320)391

(*N*-heterocyclic)(η^4 -diene)dicarbonyliron(0) compounds, X-ray structure of (M.-A. De Paoli, J.E. Lechat, A.T. Inamaru), (320)91

Silicon-disubstituted (η^4 -silole) complexes, synthesis and reactivity of (R.J.P. Corriu, C. Guérin, B.J.L. Henner, W.W.C. Wong Chi Man), (320)C7

Stable cationic diene-iron complexes, preparation and characterisation of (M.J. Hynes, M.F.T. Mahon, P. McArdle), (320)C44

Sulphur monoxide-iron cationic complex, [CpFe(dppe)-(SO)]PF₆, and sulphur dioxide-iron cationic complex, [CpFe(dppe)(SO₂)]PF₆, preparation of (W.A. Schenk, S. Müssig), (320)C23

Trialkylphosphanealkadieneiron(0) complexes, preparation of (H. Hoberg, K. Jenni, E. Raabe, C. Krüger, G. Schroth), (320)325

Lithium

Cyclic polynuclear ferrocenes derived from (C₆H₅)₂PCH₂CH₂Si(CH₃)₂C₅H₄Li as a

bridging ligand, preparation and study of (S.R. Iyer, D.R. Tueting, N.E. Schore), (320)339

Fluoropyridinyl-containing chlorosilanes, synthesis and hydrolysis of (M. Zeldin, J.-M. Xu), (320)267

Lithium-arsenic homoleptic compound, $[Li\{\mu\text{-As(CH(SiMe₃)₂)₂\}]_3$, synthesis, structure and reactions of (P.B. Hitchcock, M.F. LapPERT, S.J. Smith), (320)C27

Magnesium

Trialkylphosphanealkadieneiron(0) complexes, preparation of (H. Hoberg, K. Jenni, E. Raabe, C. Krüger, G. Schroth), (320)325

Manganese

Bis[tris(dimethylamino)phosphane]hexacarbonyl-dimanganese, $Mn_2(CO)_8[P(NMe₂)₃]₂$, structural study of (J.J. Hunt, E.N. Duesler, R.T. Paine), (320)307

$CH_3C_5H_4(CO)_2Mn(\mu\text{-H})AuPPb_3$ (*Mn-Au*) and $[CH_3C_5H_4(CO)_2Mn(\mu\text{-H})]_2Pt(3\text{-picolin})_2$ (*Mn-Pt*), synthesis from $Na[CH_2C_5H_4(CO)_2MnSiR_3]$; formation of metal-metal bonds and simultaneous SiR₃/H exchange (E. Kunz, J. Müller, U. Schubert), (320)C11

Pentacarbonyl($\eta^1\text{-}2,4\text{-pentadienyl}$)manganese, synthesis, characterisation and reactivity of (T.-W. Lee, R.-S. Liu), (320)211

Mercury

C_3 -bonded acetylacetones of tellurium(IV), preparative and spectral investigations of (B.L. Khandelwal, A.K. Singh, N.S. Bhandari), (320)283

$[Hg\{(\mu\text{-PEt}_2)Cr(CO)_5\}_3]^{+}$, preparation and NMR spectra of (D. Obendorf, P. Peringer), (320)47

$[(Me_3Si)_2(CH_2=CHMe_2Si)C]_2Hg$, $[(Me_3Si)_2(CH_2=CHMe_2Si)C]_2Cd$ and $[(Me_3Si)_2(CH_2=CHMe_2Si)C]HgBr$, preparation and reactions of; crystal structure of the cadmium compound (G.A. Ayoko, N.H. Butrus, C. Eaborn, P.B. Hitchcock, J.D. Smith), (320)137
ortho-Terphenylenemercury dimer, $(C_{18}H_{12}Hg)_2$, crystal and molecular structure of (J. Bowen-Jones, D.S. Brown, C.F. Snook, A.G. Massey), (320)13

Metallocenes

Bis- and mono-(substituted cyclopentadienyl)titanium derivatives, high-performance liquid chromatographic behaviour of (B. He, Y. Qian, S. Chen), (320)27

Cyclic polynuclear ferrocenes derived from $(C_5H_5)_2PCH_2CH_2Si(CH_3)_2C_5H_4Li$ as a bridging ligand, preparation and study of (S.R. Iyer, D.R. Tueting, N.E. Schore), (320)339

Dichalcogenophenylenemetallocenes ($M = Ti, Zr, Hf$), preparation of; first example of a ditellurophenylenezirconocene (P. Meunier, B. Gautheron, A. Mazouz), (320)C39

Diecyclopentadienylbis(trimethylphosphine)-titanium and -zirconium, preparation, characterisation and reactivity of; crystal structure of the zirconium compound (L.B. Kool, M.D. Rausch, H.G. Alt, M. Herberhold, B. Honold, U. Thewalt), (320)37

Dicyclopentadienylmolybdenum derivatives containing a four-membered ring, $[Mo(\eta^5-C_5H_5)_2(2-NHC_5H_4)]PF_6$ and $[Mo(\eta^5-C_5H_5)_2(2-ONC_5H_4)]PF_6$, molecular structure of (M.J. Calhorda, M.A.A.F. de C.T. Carrondo, R.G. Da Costa, A.R. Dias, M.T.L.S. Duarte, M.B. Hursthouse), (320)53

Dicyclopentadienylnitrile-molybdenum and -tungsten complexes, preparation and reactivity of; structure of di- η^5 -cyclopentadienylidoacetonitrile-molybdenum(IV) hexafluorophosphate, $[Mo(\eta^5-C_5H_5)_2I(NCCH_3)]PF_6$ (M.J. Calhorda, M.A.A.F. de Carrondo, A.R. Dias, A.M.T. Domingos, M.T.L.S. Duarte, M.H. Garcia, C.C. Romão), (320)63

Heteroallene complexes of molybdenocenes, structure of (J. Okuda, G.E. Herberich), (320)C35

Zirconocene and indirectly linked carbonyl containing complexes, construction and chemistry of (D.R. Tueting, S.R. Iyer, N.E. Schore), (320)349

Molybdenum

$\eta^3\text{-Allyl}$ molybdenum cationic complex, $[\eta^5-C_5H_5)_2Mo(\eta^1-C_3H_5)]^+[p\text{-CH}_3C_6H_4SO_3]^-$, convenient one-step synthesis of (T. Ito, T. Igarashi, F. Suzuki), (320)C16

Dicarbonyl- and carbonyl-(trimethylphosphine)-(cyclopentadienyl)carbyne-molybdenum and -tungsten complexes, acid-induced rearrangement of (F.R. Kreissl, W.J. Sieber, H. Keller, J. Riede, M. Wolfgruber), (320)83

Dicyclopentadienylmolybdenum derivatives containing a four-membered ring, $[Mo(\eta^5-$

- $C_5H_5)_2(2-NHC_5H_4)][PF_6]$ and $[Mo(\eta^5-C_5H_5)_2(2-ONC_5H_4)][PF_6]$, molecular structure of (M.J. Calhorda, M.A.A.F. de C.T. Carrondo, R.G. Da Costa, A.R. Dias, M.T.L.S. Duarte, M.B. Hursthouse), (320)53
- Dicyclopentadienylnitrile-molybdenum and -tungsten complexes, preparation and reactivity of; structure of di- η^5 -cyclopentadienylidoacetonitrilemolybdenum(IV) hexafluorophosphate, $[Mo(\eta^5-C_5H_5)_2I(NCCH_3)][PF_6]$ (M.J. Calhorda, M.A.A.F. de C.T. Carrondo, A.R. Dias, A.M.T. Domingos, M.T.L.S. Duarte, M.H. Garcia, C.C. Romão), (320)63
- Heteroallene complexes of molybdenocenes, structure of (J. Okuda, G.E. Herberich), (320)C35

Nickel

- Cyclic polynuclear ferrocenes derived from $(C_6H_5)_2PCH_2CH_2Si(CH_3)_2C_5H_4Li$ as a bridging ligand, preparation and study of (S.R. Iyer, D.R. Tueting, N.E. Schore), (320)339

Cyclopentadienylcarbonyliron cationic complexes alkylidene-bridged diphosphanes and dichalcogenodiphosphorane ligands in (H. Schumann), (320)145

Osmium

- Dodeca-triruthenium and -triosmium and triphenylphosphine, redox chemistry of; mechanism of catalysed nucleophilic substitution (A.J. Downard, B.H. Robinson, J. Simpson, A.M. Bond), (320)363

Halovinylidene-containing ruthenium and osmium complexes, synthesis and properties of; X-ray structure of $[Ru(C=CIPh)(PPh_3)_2(\eta^5-C_5H_5)]I_3$ (M.I. Bruce, G.A. Koutsantonis, M.J. Liddell, B.K. Nicholson), (320)217

Hex-5-en-2-one, double bond shifts induced by reaction with triosmium clusters of (A.J. Arce, E. Boyar, A.J. Deeming), (320)385

Platina-allenyl ligand coordination to a triosmium cluster, X-ray cluster structure of the acetylide complex $Os_3Pt(\mu-H)(\mu_4-\eta^2-C\equiv C-Ph)(CO)_{10}(PCy_3)$ ($Cy = cyclohexyl$) (P. Ewing, L.J. Farrugia), (320)C47

Trinuclear osmium clusters containing amino-phosphine and phosphinoamido ligands, synthesis and molecular structure of $Os_3(CO)_{11}(PPh_2NPh)$ and $HOs_3(CO)_8(PPh_2NPh)(PPh_2NPh)$ (G. Süss-Fink, M.A. Pellinghelli, A. Tiripicchio), (320)101

Palladium

- μ_3 -Allyl- μ_1 -chlorobis(triphenylphosphine)dipalladium(I), preparation and crystal structure of (J. Sieler, M. Helms, W. Gaube, A. Svensson, O. Lindqvist), (320)129

Palladium(II)-based catalytic system for dimerisation of methyl acrylate promoted by silver tetrafluoroborate and *p*-benzoquinone (G. Oehme, H. Pracejus), (320)C56

Phosphorus

- μ_3 -Allyl- μ_1 -chlorobis(triphenylphosphine)dipalladium(I), preparation and crystal structure of (J. Sieler, M. Helms, W. Gaube, A. Svensson, O. Lindqvist), (320)129

Bis(diphenylphosphino)methane-substituted products from $(\mu_3-CCH_3)Co_3(CO)_9$ (S. Aime, M. Botta, R. Gobetto, D. Osella), (320)229

Bis(diphenylphosphino)-methanido- or -phosphido-bridged dihydridoruthenium complexes, formation in reactions of $RuRhH_2Cl-(C_8H_{12})(Ph_2PCH_2PPh_2)_2$ with trialkylborohydrides of (H. Benlaarab, B. Chaudret, F. Dahan, R. Poilblanc), (320)C51

Bis[tris(dimethylamino)phosphane]hexacarbonyldimanganese, $Mn_2(CO)_8[P(NMe_2)_3]_2$, structural study of (J.J. Hunt, E.N. Duesler, R.T. Paine), (320) 307

Carbonylcyclopentadienylethyl(triphenylphosphine)iron, $[(\eta^5-C_5H_5)Fe(CO)(PPh_3)CH_2CH_3]$, conformational analysis and X-ray crystal structure of (S.G. Davies, I.M. Dordor-Hedgecock, K.H. Sutton, M. Whittaker), (320)C19

$CH_3C_5H_4(CO)_2Mn(\mu-H)AuPPh_3$ -(*Mn-Au*) and $[CH_3C_5H_4(CO)_2Mn-(\mu-H)]_2Pt(3-picolin)_2$ -(*Mn-Pt*), synthesis from $Na[CH_2C_5H_4(CO)_2MnSiR_3]$; formation of metal-metal bonds and simultaneous SiR_3/H exchange (E. Kunz, J. Müller, U. Schubert), (320)C11

$Cp^*Fe(CO)_2[\eta^1-SP(S)(OR)_2]$ ($Cp^* = \eta^5-C_5H_5$ or $\eta^5-C_5Me_5$), electrochemical reduction of (M. Morán, I. Cuadrado, J. Losada), (320)317

Cyclic polynuclear ferrocenes derived from $(C_6H_5)_2PCH_2CH_2Si(CH_3)_2C_5H_4Li$ as a bridging ligand, preparation and study of (S.R. Iyer, D.R. Tueting, N.E. Schore), (320)339

Cyclopentadienylcarbonyliron cationic complexes, alkylidene-bridged diphosphanes and dichalcogenodiphosphorane ligands in (H. Schumann), (320)145

Cyclopentadienylcobalt(III) dication, simple

- route for synthesis of (N. Kuhn, H. Brüggenmann, M. Winter, V.M. De Bellis), (320)391
- Dicarbonyl- and carbonyl-(trimethylphosphine) (cyclopentadienyl)carbyne-molybdenum and -tungsten complexes, acid-induced rearrangement of (F.R. Kreissl, W.J. Sieber, H. Keller, J. Riede, M. Wolfsgruber), (320)83
- Dieyclopentadienylbis(trimethylphosphine)-titanium and -zirconium, preparation, characterisation and reactivity of; crystal structure of the zirconium compound (L.B. Koel, M.D. Rausch, H.G. Alt, M. Herberhold, B. Honold, U. Thewalt), (320)37
- Dodeca-triruthenium and -triosmium and triphenylphosphine, redox chemistry of; mechanism of catalysed nucleophilic substitution (A.J. Downard, B.H. Robinson, I. Simpson, A.M. Bond), (320)363
- Hexacarbonylbis(tricyclopentylphosphine)dirhodium and hexacarbonylbis(triisopropylphosphine)dirhodium from a catalytic system for syngas conversion to ethylene glycol (Y. Tomotake, T. Matsuzaki, K. Murayama, E. Watanabe, K. Wada, T. Onoda), (320)239
- $[\text{Hg}(\mu\text{-PEt}_2)_2\text{Cr}(\text{CO})_5]^{+}$, preparation and NMR spectra of (D. Obendorf, P. Peringer), (320)47
- Organorhodium complexes, two-dimensional indirect ^1H , ^{103}Rh NMR spectroscopic investigations of (R. Benn, H. Brenneke, A. Rufińska), (320)115
- Palladium(II)-based catalytic system for dimerisation of methyl acrylate promoted by silver tetrafluoroborate and ρ -benzoquinone (G. Oehme, H. Pracejus), (320)C56
- Platina-allenyl ligand coordination to a triruthenium cluster, X-ray structure of the acetylidy complex $\text{Os}_3\text{Pt}(\mu\text{-H})(\mu_4\text{-}\eta^2\text{-C}\equiv\text{C-Ph})(\text{CO})_{10}(\text{PCy}_3)$ ($\text{Cy} = \text{cyclohexyl}$) (P. Ewing, L.J. Farrugia), (320)C47
- Sulphur monoxide-iron cationic complex, $[\text{CpFe}(\text{dppp})(\text{SO})]\text{PF}_6^-$, and sulphur dioxide-iron cationic complex, $[\text{CpFe}(\text{dppp})(\text{SO}_2)]\text{-PF}_6^-$, preparation of (W.A. Schenk, S. Müssig), (320)C23
- Trialkylphosphanealkadieniron(0) complexes, preparation of (H. Hoberg, K. Jenni, E. Raabe, C. Krüger, G. Schroth), (320)325
- Triethylphosphineplatinum(II) complexes in aqueous solution, fast atom bombardment mass spectrometric investigation of (D.W. Bruce, D.J. Cole-Hamilton, F.H. Cottee, J.A. Page), (320)249
- Trinuclear osmium clusters containing amino-phosphine and phosphinoamido ligands, synthesis and molecular structure of $\text{Os}_3(\text{CO})_{11}(\text{PPh}_2\text{NHPh})$ and $\text{HOs}_3(\text{CO})_8$ (PPh₂NHPh)(PPh₂NPh) (G. Süss-Fink, M.A. Pellinghelli, A. Tiripicchio), (320)101
- ## Platinum
- $\text{CH}_3\text{C}_5\text{H}_4(\text{CO})_2\text{Mn}(\mu\text{-H})\text{AuPPh}_3$, ($Mn = 4u$) and $[\text{CH}_3\text{C}_5\text{H}_4(\text{CO})_2\text{Mn}(\mu\text{-H})]_2\text{Pt}(3\text{-picolin})_2\text{-}Mn-Pt$, synthesis from $\text{Na}[\text{CH}_3\text{C}_5\text{H}_4(\text{CO})_2\text{MnSiR}_3]$, formation of metal-metal bonds and simultaneous SiR₃/H exchange (E. Kunz, J. Müller, C. Schubert), (320)C11
- Platina-allenyl ligand coordination to a triruthenium cluster, X-ray structure of the acetylidy complex $\text{Os}_3\text{Pt}(\mu\text{-H})(\mu_4\text{-}\eta^2\text{-C}\equiv\text{C-Ph})(\text{CO})_{10}(\text{PCy}_3)$ ($\text{Cy} = \text{cyclohexyl}$) (P. Ewing, L.J. Farrugia), (320)C47
- Triethylphosphineplatinum(II) complexes in aqueous solution, fast atom bombardment mass spectrometric investigation of (D.W. Bruce, D.J. Cole-Hamilton, F.H. Cottee, J.A. Page), (320)249
- Trigonal-bipyramidal platinum-gold cluster compound, $[\text{Pt}_3\text{Au}_2(\mu\text{-Cl})(\mu\text{-SO}_2)_2(\text{PCy}_3)_3\text{-}(\text{P}(\rho\text{-C}_6\text{H}_4\text{F})_3)_2]\text{[PF}_6^-]$, synthesis and structural characterisation of (D.M.P. Mingos, P. Oster, D.J. Sherman), (320)257
- ## Rhodium
- Bis(diphenylphosphino)-methanido- or -phosphido-bridged dihydridoruthenium-rhodium complexes, formation in reactions of $\text{RuRhH}_2\text{Cl}(\text{C}_8\text{H}_{12})(\text{Ph}_2\text{PCH}_2\text{PPh}_2)_2$ with trialkylborohydrides of (H. Benlaarab, B. Chaudret, F. Dahan, R. Poilblanc), (320)C51
- Dinuclear rhodium complexes, reaction with sulphur dioxide of (T.E. Bitterwolf), (320)121
- Hexacarbonylbis(tricyclopentylphosphine)dirhodium and hexacarbonylbis(triisopropylphosphine)dirhodium from a catalytic system for syngas conversion to ethylene glycol (Y. Tomotake, T. Matsuzaki, K. Murayama, E. Watanabe, K. Wada, T. Onoda), (320)239
- Organorhodium complexes, two-dimensional indirect ^1H , ^{103}Rh NMR spectroscopic investigations of (R. Benn, H. Brenneke, A. Rufińska), (320)115
- ## Ruthenium
- Bis(diphenylphosphino)-methanido- or -phosphido-bridged dihydridoruthenium-rhodium complexes, formation in reactions of $\text{RuRhH}_2\text{Cl}(\text{C}_8\text{H}_{12})(\text{Ph}_2\text{PCH}_2\text{PPh}_2)_2$ with

- trialkylborohydrides of (H. Benlaarab, B. Chaudret, F. Dahan, R. Poilblanc), (320)C51
 Dodeca-triruthenium and -triosmium and triphenylphosphine, redox chemistry of; mechanism of catalysed nucleophilic substitution (A.J. Downard, B.H. Robinson, J. Simpson, A.M. Bond), (320)363
 Halovinylidene-containing ruthenium and osmium complexes, synthesis and properties of; X-ray structure of $[Ru(C\equiv CPh)(PPh_3)_2(\eta^5-C_5H_5)][I_3]$ (M.I. Bruce, G.A. Koutsantonis, M.J. Liddell, B. K. Nicholson), (320)217

Selenium

- Cyclopentadienylcarbonyliron cationic complexes, alkylidene-bridged diphosphanes and dichalcogenodiphosphorane ligands in (H. Schumann), (320)145
 Cyclopentadienylcobalt(III) dications, simple route for synthesis of (N. Kuhn, H. Brüggenmann, M. Winter, V.M. De Bellis), (320)391
 Dichalcogenophenylenemetallocenes ($M = Ti, Zr, Hf$), preparation of; first example of a ditelurophenylenezirconocene (P. Meunier, B. Gautheron, A. Mazouz), (320)C39

Silicon

- $CH_3C_5H_4(CO)_2Mn(\mu-H)AuPPh_3$ -($Mn-Au$) and $[CH_3C_5H_4(CO)_2Mn(\mu-H)]_2Pt(3\text{-picolin})_2$ -($Mn-Pt$), synthesis from $Na[CH_2C_5H_4(CO)_2MnSiR_3]$; formation of metal-metal bonds and simultaneous SiR_3/H exchange (E. Kunz, J. Müller, U. Schubert), (320)C11
 η^4 -exo- and η^4 -endo-1-Chloro-2,5-diphenylsilacyclopentadiene)tricarbonyliron complexes, stereochemical behaviour of (R.J.P. Corriu, B.J.L. Henner, W.W.C. Wong Chi Man), (320)C1
 Cyclic polynuclear ferrocenes derived from $(C_6H_5)_2PCH_2CH_2Si(CH_3)_2C_5H_4Li$ as a bridging ligand, preparation and study of (S.R. Iyer, D.R. Tueting, N.E. Schore), (320)339
 Fluoropyridinyl-containing chlorosilanes, synthesis and hydrolysis of (M. Zeldin, J.-M. Xu), (320)267
 Lithium-arsenic homoleptic compound, $[Li-\mu-As(CH(SiMe_3)_2)_2]_3$, synthesis, structure and reactions of (P.B. Hitchcock, M.F. Lappert, S.J. Smith), (320)C27
 $[(Me_3Si)_2(CH_2=CHMe_2Si)C]_2Hg$, $[(Me_3Si)_2(CH_2=CHMe_2Si)C]_2Cd$ and $[(Me_3Si)_2(CH_2=CHMe_2Si)C]HgBr$, preparation and reactions of; crystal structure of the cadmium

compound (G.A. Ayoko, N.H. Butrus, C. Eaborn, P. B. Hitchcock, J.D. Smith), (320)137

Silicon-disubstituted (η^4 -silole) complexes, synthesis and reactivity of (R.J.P. Corriu, C. Guérin, B.J.L. Henner, W.W.C. Wong Chi Man), (320)C7

Thioketene-vanadium complexes, synthesis and structure of (J. Benecke, R. Drews, U. Behrens, F. Edelmann, K. Keller, H.W. Roesky), (320)C31

α -Trichlorosilyl-substituted organic amines, removal by hydrochlorides and base of the $SiCl_3$ group from (D.C. Snyder), (320)163

Silver

Palladium(II)-based catalytic system for dimerisation of methyl acrylate promoted by silver tetrafluoroborate and *p*-benzoquinone (G. Oehme, H. Pracejus), (320)C56

Sulphur

$Cp^*Fe(CO)_2[\eta^1-SP(S)(OR)_2](Cp^* = \eta^5-C_5H_5 \text{ or } \eta^5-C_5Me_5)$, electrochemical reduction of (M. Morán, I. Cuadrado, J. Losada), (320)317

Cyclopentadienylcarbonyliron cationic complexes, alkylidene-bridged diphosphanes and dichalcogenodiphosphorane ligands in (H. Schumann), (320)145

Dichalcogenophenylenemetallocenes ($M = Ti, Zr, Hf$), preparation of; first example of a ditelurophenylenezirconocene (P. Meunier, B. Gautheron, A. Mazouz), (320)C39

Dicyclopentadienylnitrile-molybdenum and -tungsten complexes, preparation and reactivity of; structure of di- η^5 -cyclopentadienylidoacetonitrilemolybdenum(IV) hexafluorophosphate, $[Mo(\eta^5-C_5H_5)_2I(NCCH_3)][PF_6]$ (M.J. Calhorda, M.A.A.F. De Carrondo, A.R. Dias, A.M.T. Domingos, M.T.L.S. Duarte, M.H. Garcia, C.C. Romão), (320)63

p-Nitrophenyl- and *p*-tolyl-oxadithia- and -thriethia-stibocanes, synthesis and correlation between transannular distances and vibrational data of (H.M. Hoffman, M. Dräger), (320)273

Sulphur monoxide-iron cationic complex, $[CpFe(dppe)(SO)]PF_6$, and sulphur dioxide-iron cationic complex, $[CpFe(dppe)(SO_2)]PF_6$, preparation of (W.A. Schenk, S. Müssig), (320)C23

Thioketene-vanadium complexes, synthesis and structure of (J. Benecke, R. Drews, U. Behrens, F. Edelmann, K. Keller, H.W. Roesky), (320)C31

Tellurium

C_3 -bonded acetylacetones of tellurium(IV), preparative and spectral investigations of (B.L. Khandelwal, A.K. Singh, N.S. Bhandari), (320)283

Cyclopentadienylcobalt(III) dicitations, simple route for synthesis of (N. Kuhn, H. Brüggenmann, M. Winter, V.M. De Bellis), (320)391

Dichalcogenophenylenemetallocenes ($M = Ti, Zr, Hf$), preparation of; first example of a ditellurophenylenezirconocene (P. Meunier, B. Gautheron, A. Mazouz), (320)C39

Tin

Nitroalkanes, *O*- and *C*-stannylation of (E. Guibé-Jampel, F. Huet), (320)171

Titanium

Acyl C–O bond cleavage in $(C_5Me_5)_2TiCOR$ compounds, formation of benzene derivatives by ring expansion involving incorporation of the acyl–carbon atom (E.J.M. de Boer, J. de With), (320)289

Bis- and mono-(substituted cyclopentadienyl)titanium derivatives, high-performance liquid chromatographic behaviour of (B. He, Y. Qian, S. Chen), (320)27

Dichalcogenophenylenemetallocenes ($M = Ti, Zr, Hf$), preparation of; first example of a ditellurophenylenezirconocene (P. Meunier, B. Gautheron, A. Mazouz), (320)C39

Dicyclopentadienylbis(trimethylphosphine)-titanium and -zirconium, preparation, characterisation and reactivity of; crystal structure of the zirconium compound (L.B. Kool, M.D. Rausch, H.G. Alt, M. Herberhold, B. Honold, U. Thewalt), (320)37

Tetrakis[μ -oxo-(2,4,6-trimethylphenoxy)cyclopentadienyl]titanium(IV)], preparation and structure of (U. Thewalt, K. Döppert), (320)177

Tungsten

Dicarbonyl-carbonyl-(trimethylphosphine)(cyclopentadienyl)carbyne-molybdenum and -tungsten complexes, acid-induced rearrangement of (F.R. Kreissl, W.J. Sieber, H. Keller, J. Riede, M. Wolfgruber), (320)83

Dicyclopentadienylnitrile-molybdenum and -tungsten complexes, preparation and reactiv-

ity of; structure of di- η^5 -cyclopentadienyl-iodoacetonitrilemolybdenum(IV) hexafluorophosphate, $[Mo(\eta^5-C_5H_5)_2I(NCCH_3)][PF_6]$ (M.J. Calhorda, M.A.A.F. de Carondo, A.R. Dias, A.M.T. Domingos, M.T.L.S. Duarte, M.H. Garcia, C.C. Romão), (320)63

Pentacarbonyl-[methoxy- and -acetoxymethoxy-phenyl]-carbene-chromium and -tungsten complexes, reactions with tetramethylcyanoguanidine of (H. Fischer, F. Seitz, G. Müller), (320)185

Silicon-disubstituted (η^4 -silo) complexes, synthesis and reactivity of (R.J.P. Corru, C. Guérin, B.J.L. Henner, W.W.C. Wong Chi Man), (320)C7

Vanadium

Thioketene-vanadium complexes, synthesis and structure of (J. Benecke, R. Drews, U. Behrens, F. Edelmann, K. Keller, H.W. Roesky), (320)C31

Zinc

Zinc enolates, C- or O-metallation of (J. Dekker, A. Schouten, P.H.M. Budzelaar, J. Boersma, G.J.M. van der Kerk, A.L. Spek, A.J.M. Duisenberg), (320)1

Zirconium

Dichalcogenophenylenemetallocenes ($M = Ti, Zr, Hf$), preparation of; first example of a ditellurophenylenezirconocene (P. Meunier, B. Gautheron, A. Mazouz), (320)C39

Dicyclopentadienylbis(trimethylphosphine)-titanium and -zirconium, preparation, characterisation and reactivity of; crystal structure of the zirconium compound (L.B. Kool, M.D. Rausch, H.G. Alt, M. Herberhold, B. Honold, U. Thewalt), (320)37

Zirconocene and indirectly linked carbonyl containing complexes, construction and chemistry of (D.R. Tieting, S.R. Iyer, N.E. Schore), (320) 349

Book review

Gmelin handbook of inorganic chemistry, 8th edit., Th – Thorium, Supplement Vol. A2, History, isotopes, recovery of thorium (K.R. Seddon), (320)C5