

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 332 (1987)

SUBJECT INDEX

Aluminium

Group 3 organic compounds, possibility of complex formation with molecular oxygen of (Yu.A. Alexandrov, N.N. Vyshinskii, V.N. Kokorev, V.A. Alferov, N.V. Chikina, G.I. Makin), (332) 259

Boron

Dimethylaminotrimethylborane, crystal structure of (K. Ouzounis, H. Riffel, H. Hess), (332) 253

Group 3 organic compounds, possibility of complex formation with molecular oxygen of (Yu.A. Alexandrov, N.N. Vyshinskii, V.N. Kokorev, V.A. Alferov, N.V. Chikina, G.I. Makin), (332) 259

Lithiation of 2-methylbenzoxazol, organometallic derivatives containing a tridentate ligand (S. Kersch, B. Wrackmeyer), (332) 25

Calcium

Organocalcium halides, preparation by cocondensation of calcium vapour with solvents (K. Mochida, T. Yamanishi), (332) 247

Chromium

η^6 -Naphthalenetetracarbonylchromium, lithiation of (E.P. Kündig, C. Grivet, S. Spichiger), (332) C13

Transition metal coordinated selenoketones, kinetics and mechanism of reactions with 1-diethylamino-1-propyne of (H. Fischer, U. Gerbing, A. Tirilomis), (332) 105

Copper

Bis(hexafluoroacetoacetato)copper(II), complex formation during cyclization of 1-diazo-

3-phenoxy-2-propanone catalysed by (M. Branca, G. Micera, A. Saba), (332) 229

Carbophilic vs. thiophilic attack in reactions of metallated aromates and heteroaromates with carbon disulphide (H.D. Verkruijse, L. Brandsma), (332) 95

Mixed metal cluster compounds, $[M_2Ru(\mu-CO)_{10}(PPh_3)_2]$ (M = Cu, Ag, Au), synthesis and structural characterisation of; X-ray crystal structures of $[M_2Ru_4(\mu-CO)_3(CO)_{10}(PPh_3)_2]$ (M = Cu, Ag) (S.S.D. Brown, I.D. Salter, T. Adatia, M. McPartlin), (332) C6

Palladium catalysed synthesis of substituted phenylethylpentamethylsilanes and phenylethynylheptamethyltrisilanes (K.A. Horn, R.B. Grossman, A.A. Whitenack), (332) 271

Gallium

Group 3 organic compounds, possibility of complex formation with molecular oxygen of (Yu.A. Alexandrov, N.N. Vyshinskii, V.N. Kokorev, V.A. Alferov, N.V. Chikina, G.I. Makin), (332) 259

Gold

Mixed metal cluster compounds, $[M_2Ru(\mu-CO)_{10}(PPh_3)_2]$ (M = Cu, Ag, Au), synthesis and structural characterisation of; X-ray crystal structures of $[M_2Ru_4(\mu-CO)_3(CO)_{10}(PPh_3)_2]$ (M = Cu, Ag) (S.S.D. Brown, I.D. Salter, T. Adatia, M. McPartlin), (332) C6

Iron

Bis(diphenylphosphineethyl)hydridoiron cation, $\{FeH(Ph_2PCH_2CH_2PPh_2)_2\}^+$, electrochemical metal-hydride bond cleavage at (M.A.N.D.A. Lemos, A.J.L. Pombeiro), (332) C17

Ferrocenylphospholes, preparation and chem-

istry of (E. Deschamps, F. Mathey), (332) 141

Nonacarbonyltriiron clusters containing (RP)-(RCCR) groups, topoisomerisation and rearrangements of (K. Knoll, G. Huttner, L. Zsolnai), (332) 175

Organoiron sulphanes, $(\mu\text{-S}_x)[\text{FeCp}(\text{CO})_2]_2$ ($x = 3, 4$), reactions of; synthesis of cyclopentadienyldicarbonyliron *S*-bonded monothiocarboxylates, $\text{FeCp}(\text{CO})_2(\text{SCOR})$ (M.A. El-Hinnawi, A.M. Al-Ajlouni), (332) 321

Sulphur and selenium containing heterodisubstituted ferrocenes, synthesis of; formation of 1,1'-dithiol- and 1,1'-diselenol-ferrocenes (R. Broussier, A. Abdulla, B. Gautheron), (332) 165

Lithium

Aryllithiums, synthesis of diarylalkylcarbinols and derivatives via CO insertion into (A.A. Vitale, F. Doctorovich, N.S. Nudelman), (332) 9

Carbophilic vs. thiophilic attack in reactions of metallated aromates and heteroaromates with carbon disulphide (H.D. Verkruisje, L. Brandsma), (332) 95

Cyclopropenylphosphaalkenes, educts for synthesis of stable 2*H*-phosphole (F. Zurmühlen, M. Regitz), (332) C1

Ferrocenylphospholes, preparation and chemistry of (E. Deschamps, F. Mathey), (332) 141

2-Fluoro-2-alkenoic acids, synthesis by treatment with *n*-butyllithium and Horner reaction of (P. Coutrot, C. Grison, R. Sauvêtre), (332) 1

Lithiation of 2-methylbenzoxazol, organometallic derivatives containing a tridentate ligand (S. Kersch, B. Wrackmeyer), (332) 25

η^6 -Naphthalenetetracarbonylchromium, lithiation of (E.P. Kündig, C. Grivet, S. Spichiger), (332) C13

Sulphur and selenium containing heterodisubstituted ferrocenes, synthesis of; formation of 1,1'-dithiol- and 1,1'-diselenol-ferrocenes (R. Broussier, A. Abdulla, B. Gautheron), (332) 165

Magnesium

Allyl and benzyl ether cleavage by activated magnesium (E. Bartmann), (332) 19

Grignard reagent composition in THF, influence of MgCl_2 on (P. Sobota, B. Duda), (332) 239

Metalloenes

Dicyclopentadienyltitanium(IV)-containing cationic complexes, structure of a nitrile ligated complex (K. Berhalter, U. Thewalt), (332) 123

Ferrocenylphospholes, preparation and chemistry of (E. Deschamps, F. Mathey), (332) 141

Iron(0) interaction with CO_2 , COS and CS_2 , ab initio calculations on $\text{Fe}(\text{CO})_2(\text{PH}_3)_2(\eta^2\text{-CO}_2)$, $\text{Fe}(\text{CO})_2(\text{PH}_3)_2(\eta^2\text{-COS})$, $\text{Fe}(\text{CO})_2(\text{PH}_3)_2(\eta^2\text{-CS}_2)$ and $\text{Fe}(\text{PH}_3)_4(\eta^2\text{-CO}_2)$ (M. Rosi, A. Sgamellotti, F. Tarantelli, C. Floriani), (332) 153

Sulphur and selenium containing heterodisubstituted ferrocenes, synthesis of; formation of 1,1'-dithiol- and 1,1'-diselenol-ferrocenes (R. Broussier, A. Abdulla, B. Gautheron), (332) 165

Molybdenum

$[\text{MoBr}_2(\text{CO})_2(\text{PPh}_3)_2]$, reactions with N- and P-donor ligands of; crystal structure of $[\text{MoBr}_2(\text{CO})_2(\text{dppm})(\text{PPh}_3)] \cdot 0.4\text{CHCl}_3$ (F.J. Arnaiz, G. Garcia, C. Foces Foces, F.H. Cano, M. Martinez-Ripoll), (332) 299

Nickel

Acetyltris(trimethylphosphine)nickel cation; synthesis carbonylation reactions, and crystal and molecular structure of $[\{\text{Ni}(\text{PMe}_3)_4\}\text{BF}_4 \cdot \text{Ni}_4(\text{CO})_6(\text{PMe}_3)_4]$ (M. Bochmann, I. Hawkins, M.B. Hursthouse, R.L. Short), (332) 361

Alkyltrimethylphosphinenickel complexes, reactions with isocyanides and alkynes of (M. Bochmann, I. Hawkins, M.P. Sloan), (332) 371

Amidohydrocarbylnickel derivatives, mechanistic studies on carbonylation of (M.D. Fryzuk, P.A. MacNeil, S.J. Rettig), (332) 345

Niobium

Monocyclopentadienylniobium(III) complexes, reactions with α -diketones of; crystal structure of the phosphonium salt $[\text{P}\{\text{C}(\text{OH})\text{Me}\text{C}(\text{O})\text{Me}\}\text{Me}_2\text{Ph}]\text{Cl}$ (F.A. Jalón, P. Gómez-Sal, A. Otero, P. Royo, S. García-Blanco, S. Martínez-Carrera), (332) 289

Palladium

Palladium catalysed synthesis of substituted phenylethylpentamethyldisilanes and phenylethynylheptamethyltrisilanes (K.A. Horn, R.B. Grossman, A.A. Whitenack), (332) 271

Phosphorus

Acetyltris(trimethylphosphine)nickel cation; synthesis carbonylation reactions, and crystal and molecular structure of $[(\text{Ni}(\text{PMe}_3)_4)\text{BF}_4 \cdot \text{Ni}_4(\text{CO})_6(\text{PMe}_3)_4]$ (M. Bochmann, I. Hawkins, M.B. Hursthouse, R.L. Short), (332) 361

Alkyltrimethylphosphinenickel complexes, reactions with isocyanides and alkynes of (M. Bochmann, I. Hawkins, M.P. Sloan), (332) 371

Bis(dimethylphosphino)methanenonacarbonylruthenium clusters, C-H and P-C bond cleavages in; molecular structure of $[\text{Ru}_3(\text{CO})_9(\mu\text{-H})(\mu_3\text{-}\eta^3\text{-Me}_2\text{PCHPMe}_2)]$ (L. Manojlović-Muir, D.A. Brandes, R.J. Puddephatt), (332) 201

Bis(diphenylphosphineethyl)hydridoiron cation, $\{\text{FeH}(\text{Ph}_2\text{PCH}_2\text{CH}_2\text{PPh}_2)_2\}^+$, electrochemical metal-hydride bond cleavage at (M.A.N.D.A. Lemos, A.J.L. Pombeiro), (332) C17

cis-Bis(phenyl)platinum(II) substituted compounds, *E, Z* atropisomerisation in; synthesis and NMR characterisation of *cis*-(2-alkoxy-6-methoxyphenyl)(2-methylphenyl)bis(triphenylphosphine)platinum(II) (R. Baumgärtner, G. Laube, G. Schmidtberg, H.A. Brune), (332) 221

Cyclopropenylphosphaalkenes, educts for synthesis of stable 2*H*-phosphole (F. Zurmühlen, M. Regitz), (332) C1

Ferrocenylphospholes, preparation and chemistry of (E. Deschamps, F. Mathey), (332) 141

Iron(0) interaction with CO_2 , COS and CS_2 , ab initio calculations on $\text{Fe}(\text{CO})_2(\text{PH}_3)_2(\eta^2\text{-CO}_2)$, $\text{Fe}(\text{CO})_2(\text{PH}_3)_2(\eta^2\text{-COS})$, $\text{Fe}(\text{CO})_2(\text{PH}_3)_2(\eta^2\text{-CS}_2)$ and $\text{Fe}(\text{PH}_3)_4(\eta^2\text{-CO}_2)$, (M. Rosi, A. Sgamellotti, F. Tarantelli, C. Floriani), (332) 153

Mixed metal cluster compounds, $[\text{M}_2\text{Ru}_4(\mu\text{-CO})_{10}(\text{PPh}_3)_2]$ (M = Cu, Ag, Au), synthesis and structural characterisation of; X-ray crystal structures of $[\text{M}_2\text{Ru}_4(\mu\text{-CO})_3(\text{CO})_{10}(\text{PPh}_3)_2]$ (M = Cu, Ag) (S.S.D. Brown, I.D. Salter, T. Adatia, M. McPartlin), (332) C6

$[\text{MoBr}_2(\text{CO})_2(\text{PPh}_3)_2]$, reactions with N- and P-donor ligands of; crystal structure of

$[\text{MoBr}_2(\text{CO})_2(\text{dppm})(\text{PPh}_3)] \cdot 0.4\text{CHCl}_3$ (F.J. Arnaiz, G. Garcia, C. Focés Foces, F.H. Cano, M. Martinez-Ripoll), (332) 299

Monocyclopentadienylniobium(III) complexes, reactions with α -diketones of; crystal structure of the phosphonium salt $[\text{P}\{\text{C}(\text{OH})\text{MeC}(\text{O})\text{Me}\}\text{Me}_2\text{Ph}]\text{Cl}$ (F.A. Jalón, P. Gómez-Sal, A. Otero, P. Royo, S. García-Blanco, S. Martínez-Carrera), (332) 289

Nonacarbonyltriiron clusters containing (R^p)-(RCCR) groups, topoisomerisation and rearrangements of (K. Knoll, G. Huttner, L. Zsolnai), (332) 175

Nonacarbonyltriiron clusters containing (R^p)-(RCCR) groups as tripledecker complexes (K. Knoll, T. Fässler, G. Huttner), (332) 309

Palladium catalysed synthesis of substituted phenylethylpentamethyldisilanes and phenylethynylheptamethyltrisilanes (M.A. Horn, R.B. Grossman, A.A. Whitenack), (332) 271

Peroxorhodium phosphino complexes, reactions with methylene active compounds of; formation of hydroperoxorhodium complexes (A. Morvillo, M. Bressan), (332) 337

Phosphinerhodium "in situ" catalysis, hydroformylation of methyl methacrylate via (K. Prókai-Tátrai, S. Törös, B. Heil), (332) 331

Platinum

cis-Bis(phenyl)platinum(II) substituted compounds, *E, Z* atropisomerisation in; synthesis and NMR characterisation of *cis*-(2-alkoxy-6-methoxyphenyl)(2-methylphenyl)bis(triphenylphosphine)platinum(II) (R. Baumgärtner, G. Laube, G. Schmidtberg, H.A. Brune), (332) 221

cis-Bis(phenyl)platinum(II) substituted compounds, *E, Z* atropisomerisation in; synthesis of (1,2,5,6- η^4 -cycloocta-1,5-diene)bis(2-methoxymethyl-6-methylphenyl)platinum(II) (R. Baumgärtner, H.A. Brune), (332) 379

Rhodium

Monocarbonylrhodium(I) complexes with S-S donor ligands, reactions with I_2 and CH_3I of (J.V. Heras, E. Pinilla, P. Ovejero), (332) 213

Peroxorhodium phosphine complexes, reactions with methylene active compounds of; formation of hydroperoxorhodium complexes (A. Morvillo, M. Bressan), (332) 337

Phosphinerhodium "in situ" catalysis, hydroformylation of methyl methacrylate via (K. Prókai-Tátrai, S. Törös, B. Heil), (332) 331

Ruthenium

Bis(dimethylphosphino)methanenonacarbonyltriruthenium clusters, C-H and P-C bond cleavages in; molecular structure of $[\text{Ru}_3(\text{CO})_9(\mu\text{-H})(\mu_3\text{-}\eta^3\text{-Me}_2\text{PCHPMe}_2)]$ (L. Manojlović-Muir, D.A. Brandes, R.J. Puddephatt), (332) 201

Mixed metal cluster compounds, $[\text{M}_2\text{Ru}_4(\mu\text{-CO})_{10}(\text{PPh}_3)_2]$ (M = Cu, Ag, Au), synthesis and structural characterisation of; X-ray crystal structures of $[\text{M}_2\text{Ru}_4(\mu\text{-CO})_3(\text{CO})_{10}(\text{PPh}_3)_2]$ (M = Cu, Ag) (S.S.D. Brown, I.D. Salter, T. Adatia, M. McPartlin), (332) C6

Selenium

Sulphur and selenium containing heterodisubstituted ferrocenes, synthesis of; formation of 1,1'-dithiol- and 1,1'-diselenol-ferrocenes (R. Broussier, A. Abdulla, B. Gautheron), (332) 165

Transition metal coordinated selenoketones, kinetics and mechanism of reactions with 1-diethylamino-1-propyne of (H. Fischer, U. Gerbing, A. Tiriliomis), (332) 105

Tristannachalcogena cyclic compounds, preparation and structures of (H. Puff, B. Breuer, W. Schuh, R. Sievers, R. Zimmer), (332) 279

Silicon

Bis(organosilyl) amides containing dimethylsilyl and bis(dimethylsilyl)ethylene groups, structure of (M.S. Samples, C.H. Yoder), (332) 69

Cyclopropenylphosphaalkenes, educts for synthesis of stable 2H-phosphole (F. Zurmühlen, M. Regitz), (332) C1

Disiloxanes containing hydroxyalkyl groups, synthesis of (F. Braun, L. Willner, M. Hess, R. Kosfeld), (332) 63

Lithiation of 2-methylbenzoxazol, organometallic derivatives containing a tridentate ligand (S. Kersch, B. Wrackmeyer), (332) 25

Palladium catalysed synthesis of substituted phenylethynylpentamethylidisilanes and phenylethynylheptamethyltrisilanes (K.A. Horn, R.B. Grossman, A.A. Whitenack), (332) 271

Pentacoordinate silicon compound, regular and irregular exchange mechanisms in (G. Klebe), (332) 35

Polycyclic methylsilanes, preparation of (F.K. Mitter, E. Hengge), (332) 47

γ -Trimethylsilyl alcohols, 1,4-elimination reac-

tions via ionic and radical processes (J.R. Hwu, B.A. Gilbert), (332) 53

Silver

Mixed metal cluster compounds, $[\text{M}_2\text{Ru}_4(\mu\text{-CO})_{10}(\text{PPh}_3)_2]$ (M = Cu, Ag, Au), synthesis and structural characterisation of; X-ray crystal structures of $[\text{M}_2\text{Ru}_4(\mu\text{-CO})_3(\text{CO})_{10}(\text{PPh}_3)_2]$ (M = Cu, Ag) (S.S.D. Brown, I.D. Salter, T. Adatia, M. McPartlin), (332) C6

Sulphur

Carbophilic vs. thiophilic attack in reactions of metallated aromates and heteroaromates with carbon disulphide (H.D. Verkruisje, L. Brandsma), (332) 95

Iron(0) interaction with CO_2 , COS and CS_2 , ab initio calculations on $\text{Fe}(\text{CO})_2(\text{PH}_3)_2(\eta^2\text{-CO}_2)$, $\text{Fe}(\text{CO})_2(\text{PH}_3)_2(\eta^2\text{-COS})$, $\text{Fe}(\text{CO})_2(\text{PH}_3)_2(\eta^2\text{-CS}_2)$ and $\text{Fe}(\text{PH}_3)_4(\eta^2\text{-CO}_2)$ (M. Rosi, A. Sgamellotti, F. Tarantelli, C. Floriani), (332) 153

α -Metallation of vinylic ethers and thioethers, convenient procedures for (H.D. Verkruisje, L. Brandsma, P. von R. Schleyer), (332) 99

Monocarbonylrhodium(I) complexes with S-S donor ligands, reactions with I_2 and CH_3I of (J.V. Heras, E. Pinilla, P. Ovejero), (332) 213

Organoiron sulphanes, $(\mu\text{-S}_x)\{\text{FeCp}(\text{CO})_2\}_2$ (x = 3, 4), reactions of; synthesis of cyclopentadienyldicarbonyliron S-bonded monothiocarboxylates, $\text{FeCp}(\text{CO})_2(\text{SCOR})$ (M.A. El-Hinnawi, A.M. Al-Ajlouni), (332) 321

Organozirconium(IV) compounds with N-aryl-2-mercaptoacetamides preparation and characterisation of (S.C. Dixit, R. Sharan, R.N. Kapoor), (332) 135

Sulphur and selenium containing heterodisubstituted ferrocenes, synthesis of; formation of 1,1'-dithiol- and 1,1'-diselenol-ferrocenes (R. Broussier, A. Abdulla, B. Gautheron), (332) 165

Tetra(*p*-methoxyphenyl)tin(IV) and tetra(*p*-methylthiophenyl)tin(IV), crystal and molecular structures of (I. Wharf, M.G. Simard), (332) 85

Tristannachalcogena cyclic compounds, preparation and structures of (H. Puff, B. Breuer, W. Schuh, R. Sievers, R. Zimmer), (332) 279

Tellurium

Tetraphenyltellurium and bis(2,2'-biphenylene) tellurium, ^{125}Te NMR and Mössbauer data for (C.H.W. Jones, R.D. Sharma), (332) 115

Tristannachalcogena cyclic compounds, preparation and structures of (H. Puff, B. Breuer, W. Schuh, R. Sievers, R. Zimmer), (332) 279

Tin

Lithiation of 2-methylbenzoxazol, organometallic derivatives containing a tridentate ligand (S. Kersch, B. Wrackmeyer), (332) 25

Tetra(*p*-methoxyphenyl)tin(IV) and tetra(*p*-methylthiophenyl)tin(IV), crystal and molecular structures of (I. Wharf, M.G. Simard), (332) 85

Triorganotin(IV) derivatives of *N*-benzoyl-DL-alanine and *N*-benzoyl-DL-alanylglycine, preparation and vibrational spectra of (G.K. Sandhu, G. Kaur, J. Holeček, A. Lyčka), (332) 75

Tristannachalcogena cyclic compounds, preparation and structures of (H. Puff, B. Breuer, W. Schuh, R. Sievers, R. Zimmer), (332) 279

Titanium

Dicyclopentadienyltitanium(IV)-containing cationic complexes, structure of a nitrile ligated complex (K. Berhalter, U. Thewalt), (332) 123

Tungsten

Transition metal coordinated selenoketones, kinetics and mechanism of reactions with 1-

diethylamino-1-propyne of (H. Fischer, U. Gerbing, A. Tiriliomis), (332) 105

Zirconium

Organozirconium(IV) compounds with *N*-aryl-2-mercaptoacetamides preparation and characterisation of (S.C. Dixit, R. Sharan, R.N. Kapoor), (332) 135

Book reviews

Excited states and reactive intermediates — photochemistry, photophysics and electrochemistry. ACS symposium Series 307; edited by A.B.P. Lever (K.R. Seddon), (332) C22

Gmelin handbook of inorganic chemistry, 8th edit., F — fluorine, Supplement Vol. 5: Compounds with nitrogen (K.R. Seddon), (332) C23

Gmelin handbook of inorganic chemistry, 8th edit., Sc, Y, La–Lu Rare earth elements, Part C10: Compounds with Te, Po (K.R. Seddon) (332) C24

Gmelin handbook of inorganic chemistry, 8th edit., S → sulfur–nitrogen compounds, Part 3: Compounds with sulfur of oxidation number IV (K.R. Seddon), (332) C25

Gmelin handbook of inorganic chemistry, 8th edit., U — uranium, Supplement Vol. C12: Uranium carbides (K.R. Seddon), (332) C26
Modern NMR spectroscopy: by J.K.M. Sanders and B.K. Hunter (P.D. Lickiss), (332) C21