

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 336 (1987)

SUBJECT INDEX

**Aluminium**

Di- $\eta^5$ -cyclopentadienyl(diethylalane- $\mu$ -chloro)titanium(III), EPR spectra of reaction products with  $C_1$  compounds of (S.K. Tyrlik, A. Korda, L. Poppe, A. Rockenbauer, M. Györ), (336) 343

**Arsenic**

Pentacarbonylchromiumdihydro(phenyl)arsenic,  $Cr(CO)_5As(C_6H_5)_2$ , insertion of alkenes and alkynes into As-H bonds of (L.-R. Frank, I. Jibril, L. Zsolnai, G. Huttner), (336) 337  
Tetrakis[(diiodoarsino)methyl]methane, hydrolysis and oxidative hydrolysis of; crystal structure of an arsonous acid-organoarsenic oxide (J. Ellermann, L. Brehm, E. Köck, E. Lindner, W. Hiller, R. Fawzi), (336) 323

**Boron**

( $\eta^5$ -Borole)-chromium, -tungsten and -molybdenum complexes, synthesis via borole ammonia adducts of; crystal and molecular structure of tetracarbonyl[ $\eta^5$ -(1-phenylborole)]-chromium and -molybdenum (G.E. Herberich, B. Hessner, M. Negele, J.A.K. Howard), (336) 29  
(4*R-trans*)-2-(1-Methylethenyl)-1,3,2-dioxaborolane-4,5-dicarboxylic acid bis-ethyl ester, asymmetric aldol reactions by use of (G.P. Boldrini, L. Lodi, E. Tagliavini, C. Trombini, A. Umani-Ronchi), (336) 23

**Chromium**

Alkoxy(triphenylsilyl)carbene complexes,  $(CO)_5MC(OR)SiPh_3$  ( $M = Cr, Mo, W$ ), thermal fragmentation pattern of (U. Schubert, H. Hörnig), (336) 307  
Arenetricarbonylchromium, reactions with Grignard reagent,  $n-BuMgBr$ , of (S. Top, G. Jaouen), (336) 143  
Bis(arene)chromium complexes, electrochemical oxidation and ionisation potentials of (L.P. Yur'eva, S.M. Peregodova, D.N. Kravtsov,

A.Yu. Vasil'kov, L.M. Nekrasov, N.L. Asfandiarov, M.M. Timoshenko, Yu.V. Chizhov), (336) 371

( $\eta^5$ -Borole)-chromium, -tungsten and -molybdenum complexes, synthesis via borole ammonia adducts of; crystal and molecular structure of tetracarbonyl [ $\eta^5$ -(1-phenylborole)]-chromium and -molybdenum (G.E. Herberich, B. Hessner, M. Negele, J.A.K. Howard), (336) 29

Metallacyclic alkenyl ketone substituted complexes,  $(\eta^5-C_5Me_5)(CO)_2M[R^1C=CR^2C(O)Me]$  ( $M = Cr, Mo, W$ ;  $R^1, R^2 = H, Me, Ph$ ), reactions with NO or ClNO of (H.G. Alt, U. Freytag, M. Herberhold, H.I. Hayen), (336) 361

*ortho*-Methoxybenzaldehydic tricarbonylchromium complex, stereospecific Reformatsky reaction of (J. Brocard, L. Pelinski, J. Lebibi), (336) C47

*N*-Methyl-3-aryopyrrole anions and their  $Cr(CO)_3$  complexes, experimental and SCCC-MO studies on (N.J. Gogan, I.S. Jayasinghe, P.K. Sayal), (336) 137

Pentacarbonylchromium(0) deprotonated sulphur donor complexes, reactions with carbon disulphide or carbon diselenide of (H.G. Raubenheimer, S. Lotz, G.J. Kruger, A.v.A. Lombard, J.C. Viljoen), (336) 349

Pentacarbonylchromiumdihydro(phenyl)arsenic,  $Cr(CO)_5As(C_6H_5)_2$ , insertion of alkenes and alkynes into As-H bonds of (L.-R. Frank, I. Jibril, L. Zsolnai, G. Huttner), (336) 337

Tricarbonyl(methylbenzo[*b*]thiophene)chromium complexes, synthesis and lithiation of (J.L. Davidson, H. Patel, P.N. Preston), (336) C44

**Cobalt**

Bis(trifluoromethylisocyanido)( $\eta$ -pentamethylcyclopentadienyl)cobalt, formation and oxidation to trifluoromethylisocyanido( $\eta$ -pentamethylcyclopentadienyl)dihalogenocobalt of (D. Lentz, B. Pötter), (336) 393

Dodecacarbonyltetra-cobalt, -rhodium and -iridium complexes containing bridging CO ligands, M-M bond length shortening effects in (D. Braga, F. Grepioni), (336) C9

## Copper

- 1-Pentene-3-one/copper(I) chloride polymeric complex, synthesis and crystal structure of (M. Håkansson, S. Jagner, M. Nilsson), (336) 279

## Gallium

- Trialkyl-gallium and -indium adducts of tetramethyldiphosphine, synthesis of (H.D. Hodes, A.D. Berry), (336) 299

## Germanium

- $\{[\mu-(\text{Me}_3\text{Si})\text{C}(\text{PMe}_2)_2]_3\text{Ge}_4\text{Cl}_2\}^+ [\text{GeCl}_3]^-$ , dispirocyclic cationic germylene complex with bent Ge chain (H.H. Karsch, B. Deubelly, J. Riede, G. Müller), (336) C37

## Gold

- $[\text{AuX}_3(\text{ylide})]$  and *trans*- $[\text{Au}(\text{C}_6\text{F}_5)\text{X}_2(\text{ylide})]$  (X = halide or pseudohalide) neutral complexes, synthesis and reactivity of; X-ray structure of  $[\text{Au}(\text{SCN})_3(\text{CHPPPh}_3)]$  (R. Usón, A. Laguna, M. Laguna, M.C. Gimeno, P.G. Jones, K. Meyer-Bäse, C.F. Erdbrügger), (336) 461
- Pentafluorophenyl(dithiocarbamate)gold(III) complexes, crystal and molecular structure of  $(\text{C}_6\text{F}_5)_2\text{Au}(\text{S}_2\text{CN}(\text{CH}_2\text{Ph})_2)$  (R. Usón, A. Laguna, M. Laguna, M. Luz Castilla, P.G. Jones, K. Meyer-Bäse), (336) 453

## Indium

- Trialkyl-gallium and -indium adducts of tetramethyldiphosphine, synthesis of (H.D. Hodes, A.D. Berry), (336) 299

## Iridium

- $(\text{COD})_2\text{M}_2(\mu\text{-R})_2$ , reactions with organolithium reagents under formation of  $(\text{COD})_2\text{-M}_2\text{R}_4\text{Li}_2$  (M = Rh, Ir) of; crystal structure of  $(\text{COD})_2\text{Rh}_2(\text{CH}_2\text{SiMe}_3)_4\text{Li}_2$  and  $(\text{COD})\text{Rh}(\text{CH}_2\text{SiMe}_3)_2\text{Li}(\text{Me}_2\text{NCH}_2\text{CH}_2\text{-NMe}_2)$  (M.A. Kulzick, R.A. Andersen, E.L. Muetterties, V.W. Day), (336) 221
- 2,6-Diallylpyridine (DAP) complexes of iridium(I), ruthenium(II), palladium(II), synthesis of; crystal structures of  $[\text{RuCl}_2\text{-}(\text{PPh}_3)(\text{DAP})]$  and  $[\text{PdCl}_2(\text{DAP})_2]$  (G. Vasapollo, C.F. Nobile, M. Latronico, M. Lanfranchi, M.A. Pellinghelli), (336) 429

- Dodecacarbonyltetra-cobalt, -rhodium and -iridium complexes containing bridging CO ligands, M–M bond length shortening effects in (D. Brage, F. Grepioni), (336) C9
- Pentadienyl-iridium(III) and -rhodium(III) complexes, synthesis and characterisation of (C.-C. Chen, R.-S. Liu), (336) 249

## Iron

- Alkyneiron bi- and tri-nuclear complexes, synthesis and characterisation of; crystal structures of  $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Fe}_3(\text{CO})_3(\mu_3\text{-CO})(\mu\text{-CO})(\text{CF}_3\text{C}_2\text{CF}_3)]$  and  $[\{\mu\text{-CF}_3\text{CC}(\text{CF}_3)\text{S}\}\{\text{Fe}(\text{CO})_3\}_2]$  (R. Rumin, F.Y. Pétillon, A.H. Henderson, L. Manojlović-Muir, K.W. Muir), (336) C50
- Alkynyl-iron and -ruthenium complexes, synthetic and electrochemical studies on (C. Bitcon, M.W. Whitely), (336) 385
- Arenetricarbonylchromium, reactions with Grignard reagent, *n*-BuMgBr, of (S. Top, G. Jaouen), (336) 143
- Bis(diphenylphosphineethane)(pentamethylcyclopentadienyl)iron complexes, direct and specific sonochemically assisted preparation of (C. Roger, P. Marseille, C. Salus, J.-R. Hamon, C. Lapinte), (336) C13
- Bis( $\mu$ -phenylphosphidolithium)bis(tricarbonyliron)  $(\mu\text{-PhPLi})_2\text{Fe}_2(\text{CO})_6$ , reactions with organic halides of; anionic rearrangement of a chelating diphosphido ligand (D. Seyferth, T.G. Wood and R.S. Henderson), (336) 163
- Bis-porphyrin-ferrocene, synthesis and electrochemistry of (P.D. Beer, S.S. Kurek), (336) C17
- $\eta^4$ -Complexes *endo*-1-chloro-2,5-diphenylsilylcyclopentadiene, reactions with lithium reagents of; crystal structure of dicarbonylphenyl( $\eta^4$ -*exo*-1-methyl-1-oxy-2,5-diphenylsilylcyclopentadiene) carbeneiron (F.H. Carré, R.J.P. Corriu, C. Guerin, B.J.L. Henner, W.W.C. Wong Chi Man), (336) C1
- Ferrocenylchalcogenides, synthesis of (M. Herberhold, P. Leitner), (336) 153
- N*-Ferrocenyl-2-hydroxybenzylideneimine-heterobimetallic complexes, synthesis of (M. Ertas, V. Ahsen, A. Gürek, Ö. Bekaroğlu), (336) 183
- Iron group metal 30-electron triple-decker complexes with cyclopentadienyl ligands, synthesis of; X-ray structure of  $[(\eta\text{-C}_5\text{H}_5)\text{Ru}(\mu, \eta\text{-C}_5\text{Me}_5)\text{Ru}(\eta\text{-C}_5\text{Me}_5)]\text{PF}_6$  (A.R. Kudinov, M.I. Rybinskaya, Yu.T. Struchkov, A.I. Yanovskii, P.V. Petrovskii), (336) 187
- Tin(IV) halides, reactions with  $[\text{Fe}_2(\eta\text{-C}_5\text{H}_5)_2\text{-}(\text{CO})_{4-n}(\text{CNMe})_n]$  (*n* = 1, 2) (P. Donegan, A.R. Manning), (336) 115

## Lithium

- Bis( $\mu$ -phenylphosphidolithium)bis(tricarbonyl-iron) ( $\mu$ -PhPLi)<sub>2</sub>Fe<sub>2</sub>(CO)<sub>6</sub>, reactions with organic halides of; anionic rearrangement of a chelating diphosphido ligand (D. Seyferth, T.G. Wood and R.S. Henderson), (336) 163
- $\overline{\text{CH}_2\text{CH}_2(\text{R})\text{CHSi}=\text{CHCH}_2\text{Bu-t}}$  (R = H, Me), formation and cyclo-addition reactions with *t*-butyllithium of (N. Auner), (336) 83
- (COD)<sub>2</sub>M<sub>2</sub>( $\mu$ -R)<sub>2</sub>, reactions with organolithium reagents under formation of (COD)<sub>2</sub>M<sub>2</sub>R<sub>4</sub>Li<sub>2</sub> (M = Rh, Ir) of; crystal structure of (COD)<sub>2</sub>Rh<sub>2</sub>(CH<sub>2</sub>SiMe<sub>3</sub>)<sub>4</sub>Li<sub>2</sub> and (COD)-Rh(CH<sub>2</sub>SiMe<sub>3</sub>)<sub>2</sub>Li(Me<sub>2</sub>NCH<sub>2</sub>CH<sub>2</sub>NMe<sub>2</sub>) (M.A. Kulzick, R.A. Andersen, E.L. Muetterties, V.W. Day), (336) 221
- Cyclopentadienyl-lithium, and -sodium ion pairs in THF and hexamethylphosphoric triamide, IR spectra of (O.G. Garkusha, I.A. Garbuzova, B.V. Lokshin, G.K. Borisov), (336) 13
- N,N*-Dimethyl-*O*-(quinolyl-5, -6, -7 and -8) carbamates, metallation of (A. Godard, Y. Robin, G. Queguiner), (336) 1
- Group 1 tetrameric and hexameric aggregates, applications of point charge and HSE force field models to (R.J. Bushby, H.L. Steel), (336) C25
- Methyl- and trimethyl-substituted vinylsilanes and disilanes, reactions with *t*-butyllithium of (N. Auner), (336) 59
- Tricarbonyl(methylbenzo[*b*]thiophene)chromium complexes, synthesis and lithiation of (J.L. Davidson, H. Patel, P.N. Preston), (336) C44

## Magnesium

- Arenetricarbonylchromium, reactions with Grignard reagent, *n*-BuMgBr, of (S. Top, G. Jaouen), (336) 143
- (*E*)- $\beta$ -Bromostyrene and 1-phenylethylmagnesium chloride, asymmetric Grignard cross-coupling reaction between (H.-J. Kreuzfeld, C. Döbler, H.-P. Abicht), (336) 287
- Olefin-coordinated platina(II)cyclobutane, synthesis and conversion into diphosphine-platina(II)cyclobutanes of (H.J.R. de Boer, O.S. Akkerman, F. Bickelhaupt), (336) 447

## Manganese

- Orthomanganates aryl ketones, transmetallation by mercuric chloride of; synthesis of *ortho*-acyl-substituted arylmercury(II) compounds (J.M. Cooney, L.H.P. Gommans, L. Main, B.K. Nicholson), (336) 293

## Mercury

- Orthomanganated aryl ketones, transmetallation by mercuric chloride of; synthesis of *ortho*-acyl-substituted arylmercury(II) compounds (J.M. Cooney, L.H.P. Gommans, L. Main, B.K. Nicholson), (336) 293

## Metalloenes

- Arenetricarbonylchromium, reactions with Grignard reagent, *n*-BuMgBr, of (S. Top, G. Jaouen), (336) 143
- Bis-porphyrin-ferrocene, synthesis and electrochemistry of (P.D. Beer, S.S. Kurek), (336) C17
- Ferrocenylchalcogenides, synthesis of (M. Herberhold, P. Leitner), (336) 153
- N*-Ferrocenyl-2-hydroxybenzylideneimine-heterobimetallic complexes, synthesis of (M. Ertas, V. Ahsen, A. Gürek, Ö. Bekároğlu), (336) 183.
- Iron group metal 30-electron triple-decker complexes with cyclopentadienyl ligands, synthesis of; X-ray structure of [( $\eta$ -C<sub>5</sub>H<sub>5</sub>)Ru( $\mu$ ,  $\eta$ -C<sub>5</sub>Me<sub>5</sub>)Ru( $\eta$ -C<sub>5</sub>Me<sub>5</sub>)]PF<sub>6</sub> (A.R. Kudinov, M.I. Rybinskaya, Yu.T. Struchkov, A.I. Yanovskii, P.V. Petrovskii), (336) 187

## Molybdenum

- Alkoxy(triphenylsilyl)carbene complexes, (CO)<sub>5</sub>-MC(OR)SiPh<sub>3</sub> (M = Cr, Mo, W), thermal fragmentation pattern of (U. Schubert, H. Hörnig), (336) 307
- ( $\mu^5$ -Borole)-chromium, -tungsten and -molybdenum complexes, synthesis via borole ammonia adducts of; crystal and molecular structure of tetracarbonyl [ $\eta^5$ -(1-phenylborole)]-chromium and -molybdenum (G.E. Herberich, B. Hessner, M. Negele, J.A.K. Howard), (336) 29
- Dioxodimesitylmolybdenum(VI) complex, formation of a dihydropyridine dimer from CO and pyridine mediated by (R. Lai, S. Le Bot, R. Faure), (336) C5
- Metallacyclic alkenyl ketone substituted complexes, ( $\eta^5$ -C<sub>5</sub>Me<sub>5</sub>)(CO)<sub>2</sub>M[R<sup>1</sup>C=CR<sup>2</sup>C(O)Me] (Me = Cr, Mo, W; R<sup>1</sup>, R<sup>2</sup> = H, Me, Ph), reactions with NO or ClNO of (H.G. Alt, U. Freytag, M. Herberhold, H.I. Hayen), (336) 361

## Osmium

- Iron group metal 30-electron triple-decker complexes with cyclopentadienyl ligands, synthe-

sis of; X-ray structure of  $[(\eta\text{-C}_5\text{H}_5)\text{Ru}(\mu, \eta\text{-C}_5\text{Me}_5)\text{Ru}(\eta\text{-C}_5\text{Me}_5)]\text{PF}_6$  (A.R. Kudinov, M.I. Rybinskaya, Yu.T. Struchkov, A.I. Yanovskii, P.V. Petrovskii), (336) 187

## Palladium

Bis{(2-vinylphenyl)diphenylphosphine}palladium(0), addition of organic halides to; X-ray structure of the chelate  $\sigma$ -alkylpalladium(II) complex  $\text{PdI}\{\sigma\text{-CH}(\text{CH}_3)\text{C}_6\text{H}_4\text{PPh}_2\}\{(E)\text{-}o\text{-Ph}_2\text{PC}_6\text{H}_4\text{CH}=\text{CHC}_6\text{H}_5\}$  (M.A. Bennett, P.N. Kapoor), (336) 257

2,6-Diallylpyridine (DAP) complexes of iridium(I), ruthenium(II), palladium(II), synthesis of; crystal structures of  $[\text{RuCl}_2(\text{PPh}_3)(\text{DAP})]$  and  $[\text{PdCl}_2(\text{DAP})_2]$  (G. Vasapollo, C.F. Nobile, M. Latronico, M. Lanfranchi, M.A. Pellinghelli), (336) 429

Methyl- and dimethyl-palladium(II) and trimethylpalladium(IV) complexes, synthetic routes to; crystal structure of  $[\text{MePd}(2,2'\text{-dipyridyl})\text{-}(\gamma\text{-picoline})]\text{BF}_4$  (P.K. Byers, A.J. Canty, B.W. Skelton, A.H. White), (336) C55

Palladium-catalysed *N,N'*-disubstituted urea synthesis by oxidative carbonylation of amines under CO and O<sub>2</sub> at atmospheric pressure (P. Giannoccaro), (336) 271

## Phosphorus

$[\text{AuX}_3(\text{ylide})]$  and *trans*- $[\text{Au}(\text{C}_6\text{F}_5)_2\text{X}_2(\text{ylide})]$  (X = halide or pseudohalide) neutral complexes, synthesis and reactivity of; X-ray structure of (R. Usón, A. Laguna, M. Laguna, M.C. Gimeno, A. de Pablo, P.G. Jones, K. Meyer-Bäse, C.F. Erdbrügger), (336) 461

Bis(diphenylphosphine)ethane(pentamethylcyclopentadienyl)iron complexes, direct and specific sonochemically assisted preparation of (C. Roger, P. Marseille, C. Salus, J.-R. Hamon, C. Lapinte), (336) C13

Bis( $\mu$ -phenylphosphido)lithiumbis(tricarbonyliron) ( $\mu$ -PhPLi)<sub>2</sub>Fe<sub>2</sub>(CO)<sub>6</sub>, reactions with organic halides of; anionic rearrangement of a chelating diphosphido ligand (D. Seyferth, T.G. Wood and R.S. Henderson), (336) 163

Bis{(2-vinylphenyl)diphenylphosphine}palladium(0), addition of organic halides to; X-ray structure of the chelate  $\sigma$ -alkylpalladium(II) complex  $\text{PdI}\{\sigma\text{-CH}(\text{CH}_3)\text{-C}_6\text{H}_4\text{PPh}_2\}\{(E)\text{-}o\text{-Ph}_2\text{PC}_6\text{H}_4\text{CH}=\text{CHC}_6\text{H}_5\}$  (M.A. Bennett, P.N. Kapoor), (336) 257

$\{[\mu\text{-}(\text{Me}_3\text{Si})\text{C}(\text{PMe}_2)_2]_3\text{Ge}_4\text{Cl}_2\}^+ [\text{GeCl}_3]^-$ , dispirocyclic cationic germylene complex with

bent Ge chain (H.H. Karsch, B. Deubelly, J. Riede, G. Müller), (336) C37

Olefin-coordinated platinum(II)cyclobutane, synthesis and conversion into diphosphine-platinum(II)cyclobutanes of (H.J.R. de Boer, O.S. Akkerman, F. Bickelhaupt), (336) 447

1,3,2-Oxazaphosphorinanes in rhodium(I) complexes (E.E. Nifant'ev, A.T. Teleshev, T.A. Shikovets, A.R. Bekker, A.N. Chernega, M. Yu. Antipin, Yu.T. Struchkov), (336) 237

Rhodium(I) and rhodium(II) complexes containing alkynes, alkynyls and vinylidenes as ligands; crystal structure of  $[\text{C}_5\text{H}_5\text{Rh}(\text{C}=\text{CHPh})(\text{PPr}\text{-}i_3)]$  (H. Werner, J. Wolf, F.J. Garcia Alonso, M.L. Ziegler, O. Serhadli), (336) 397

Trialkyl-gallium and -indium adducts of tetramethyldiphosphine, synthesis of (H.D. Hodes, A.D. Berry), (336) 299

Vinylidene complex,  $\text{C}_5\text{H}_5\text{Rh}(\text{C}=\text{CHR})(\text{PPr}\text{-}i_3)$ , protonation and stepwise rearrangement to vinyl- and  $\alpha$ -halogenoalkyl-rhodium compounds of (J. Wolf, H. Werner), (336) 413

## Platinum

2,6-Diallylpyridine (DAP) complexes of iridium(I), ruthenium(II), palladium(II), synthesis of; crystal structures of  $\text{RuCl}_2(\text{PPh}_3)(\text{DAP})$  and  $\text{PdCl}_2(\text{DAP})_2$  (G. Vasapollo, C.F. Nobile, M. Latronico, M. Lanfranchi, M.A. Pellinghelli), (336) 429

Olefin-coordinated platinum(II) cyclobutane, synthesis and conversion into diphosphine-platinum(II) cyclobutanes of (H.J.R. de Boer, O.S. Akkerman, F. Bickelhaupt), (336) 447

Tetrakis(trimethyl- $\mu$ -S,S,N-thiocyanatoplatinum),  $\{[\text{Pt}(\text{CH}_3)_3\text{SCN}]_4\}$ , crystal structure of (B. Vance), (336) 441

Tris(pentachlorophenyl)platinatate(II) and dichloromonopentachlorophenyl platinatate(II) complexes,  $[\text{NBu}_4][\text{Pt}(\text{C}_6\text{Cl}_5)_3\text{L}]$  and  $[\text{NBu}_4][\text{PtCl}_2(\text{C}_6\text{Cl}_5)_2\text{L}]$ , synthesis of (R. Usón, J. Fornies, M. Tomás, I. Ara, B. Menjón), (336) 129

## Rhodium

$(\text{COD})_2\text{M}_2(\mu\text{-R})_2$ , reactions with organolithium reagents under formation of  $(\text{COD})_2\text{M}_2\text{R}_4\text{Li}_2$  (M = Rh, Ir) of; crystal structure of  $(\text{COD})_2\text{Rh}_2(\text{CH}_2\text{SiMe}_3)_4\text{Li}_2$  and  $(\text{COD})\text{-Rh}(\text{CH}_2\text{SiMe}_3)_2\text{Li}(\text{Me}_2\text{NCH}_2\text{CH}_2\text{NMe}_2)$  (M.A. Kulzick, R.A. Andersen, E.L. Muetterties, V.W. Day), (336) 221

Dodecacarbonyltetra-cobalt, -rhodium and

- iridium complexes, containing bridging CO ligands, M-M bond length shortening effects in (D. Braga, F. Grepioni), (336) C9
- 1,3,2-Oxazaphosphorinanes in rhodium(I) complexes (E.E. Nifantsev, A.T. Teleshev, T.A. Shikovets, A.R. Bekker, A.N. Chernega, M.Yu. Antipin, Yu.T. Struchkov), (336) 237
- Pentadienyl-iridium(III) and -rhodium(III) complexes synthesis and characterization of (C.-C. Chen, R.-S. Liu), (336) 249
- Rhodium(I) and rhodium(III) complexes containing alkynes, alkynyls and vinylidenes as ligands; crystal structure of  $[C_5H_5Rh(=C=CHPh)(PPr-i_3)]$  (H. Werner, J. Wolf, F.J. Garcia Alonso, M.L. Ziegler, O. Serhadli), (336) 397
- Vinylidene complex,  $C_5H_5Rh(=C=CHR)(PPr-i_3)$ , protonation and stepwise rearrangement to vinyl- and  $\alpha$ -halogenoalkyl-rhodium compounds of (J. Wolf, H. Werner), (336) 413

## Ruthenium

- Alkynyl-iron and -ruthenium complexes, synthetic and electrochemical studies on (C. Bitcon, M.W. Whately), (336) 377
- Bis(arylimido)triruthenium complexes, preparation and substitution reactions of; X-ray structure of  $Ru_3(\mu_3-NPh)(\mu_3-NC_6H_4F-3)(CO)_9$  and  $Ru_3(\mu_3-NPh)_2(CO)_8L$  (L =  $CNC_6H_3Me_2-2,6$  and  $PPh_3$ ) (M.I. Bruce, M.G. Humphrey, O. bin Shawkataly, M.R. Snow, E.R.T. Tiekink), (336) 199
- 2,6-Diallylpyridine (DAP) complexes of iridium(I), ruthenium(II), palladium(II), synthesis of; crystal structures of  $[RuCl_2(PPh_3)_2(DAP)]$  and  $[PdCl_2(DAP)_2]$  (G. Vasapollo, C.F. Nobile, M. Latronico, M. Lanfranchi, M.A. Pellinghelli), (336) 429
- Iron group metal 30-electron triple-decker complexes with cyclopentadienyl ligands, synthesis of; X-ray structure of  $[(\eta-C_6H_5)Ru(\mu, \eta-C_5Me_5)Ru(\eta-C_5Me_5)]PF_6$  (A.R. Kudinov, M.I. Rybinskaya, Yu.T. Struchkov, A.I. Yanovskii, P.V. Petrovskii), (336) 187

## Selenium

- Ferrocenylchalcogenides, synthesis of (M. Herberhold, P. Leitner), (336) 153
- Pentacarbonylchromium(0) deprotonated sulphur donor complexes, reactions with carbon disulphide or carbon diselenide of (H.G. Raubenheimer, S. Lotz, G.J. Kruger, A.v.A. Lombard, J.C. Viljoen), (336) 349

## Silicon

- Alkoxy(triphenylsilyl)carbene complexes,  $(CO)_5-MC(OR)SiPh_3$  (M = Cr, Mo, W), thermal fragmentation pattern of (U. Schubert, H. Hörnig), (336) 307
- Bis(trimethylsilyl)silyl radical, configuration of (R.A. Jackson, C.J. Rhodes), (336) 45
- $\alpha$ -Bromo-,  $\alpha$ -chloro- and  $\alpha$ -trimethylsilyl-zinc ester enolates, Reformatsky-type Darzens and Peterson reactions of (A. Fürstner), (336) C33
- $\overline{CH_2CH_2(R)CHSi=CHCH_2Bu-t}$  (R = H, Me), formation and cyclo-addition reactions with t-butyllithium of (N. Auner), (336) 83
- $\eta^4$ -Complexes, *endo*-1-chloro-2,5-diphenylsilylcyclopentadiene, reactions with lithium reagents of; crystal structure of dicarbonylphenyl( $\eta^4$ -*exo*-1-methyl-1-oxy-2,5-diphenylsilylcyclopentadiene)carbeneiron (F.H. Carré, R.J.P. Corriu, C. Guerin, B.J.L. Henner, W.W.C. Wong Chi Man), (336) C1
- Intramolecular interactions in compounds bearing Si-O-C-C-N or C-O-C-C-N fragments (E.I. Brodskaya, M.G. Voronkov, D.D. Toryashinova, V.P. Baryshok, G.V. Ratovski, D.D. Chuvashov, V.G. Efreimov), (336) 49
- $\{[\mu-(Me_3Si)C(PMe_2)_2]_3Ge_4Cl_2\}^+ [GeCl_3]^-$ , dispirocyclic cationic germylene complex with bent Ge chain (H.H. Karsch, B. Deubelly, J. Riede, G. Müller), (336) C37
- Methoxy-pentamethyl-disilane, mechanism of methyl loss from; anchimeric assistance vs. direct bond cleavage (T. Weiske, S. Akkök, H. Schwarz), (336) 105
- Methyl- and trimethyl-substituted vinylsilanes and disilanes, reactions with t-butyllithium of (N. Auner), (336) 59
- Trimethylsilyl ester radical cations, and ESR study (C.J. Rhodes), (336) 317

## Sodium

- Cyclopentadienyl-lithium, and -sodium ion pairs in THF and hexamethylphosphoric triamide, IR spectra of (O.G. Garkusha, I.A. Garbuzova, B.V. Lokshin, G.K. Borisov), (336) 13
- Group 1 tetrameric and hexameric aggregates, applications of point charge and HSE force field models to (R.J. Busby, H.L. Steel), (336) C25

## Sulphur

- $[AuX_3(ylide)]$  and *trans*- $[Au(C_6F_5)_2X_2(ylide)]$  (X = halide or pseudohalide) neutral complexes,

synthesis and reactivity of: X-ray structure of (R. Usón, A. Laguna, M. Laguna, M.C. Gimeno, A. de Pablo, P.G. Jones, K. Meyer-Bäse, C.F. Erdbrügger), (336) 461

Ferrocenylchalcogenides, synthesis of (M. Herberhold, P. Leitner), (336) 153

Pentacarbonylchromium(0) deprotonated sulphur donor complexes, reactions with carbon disulphide or carbon diselenide of (H.G. Raubenheimer, S. Lotz, G.J. Kruger, A.v.A. Lombard, J.C. Viljoen), (336) 349

Pentafluorophenyl(dithiocarbamate)gold(III) complexes, crystal and molecular structure of  $(C_6F_5)_2Au\{S_2CN(CH_2Ph)_2\}$  (R. Usón, A. Laguna, M. Laguna, M. Luz Castilla, P.G. Jones, K. Meyer-Bäse), (336) 453

Tetrakis(trimethyl- $\mu$ -S,S,N-thiocyanatoplatinum,  $[(Pt(CH_3)_3SCN)_4]$ , crystal structure of (B. Vance), (336) 441

Tricarbonyl(methylbenzo[*b*]thiophene)chromium complexes, synthesis and lithiation of (J.L. Davidson, H. Patel, P.N. Preston), (336) C44

## Tellurium

Ferrocenylchalcogenides, synthesis of (M. Herberhold, P. Leitner), (336) 153

## Tin

Tin(IV) halides, reactions with  $[Fe_2(\eta-C_5H_5)_2-(CO)_{4-n}(CNMe)_n]$  ( $n = 1, 2$ ) (P. Donegan, A.R. Manning), (336) 115

Trimethylsilylation of carbenoids generated from allyl and benzyl halides (H. Andringa, Y.A. Heus-Kloos, L. Brandsma), (336) C41

## Titanium

Di- $\eta^5$ -cyclopentadienyl(diethylalane-di-*p*-chloro)-titanium(III), EPR spectra of reaction products with  $C_1$  compounds of (S.K. Tyrlik, A. Korda, L. Poppe, A. Rockenbauer, M. Györ), (336) 343

Pentacarbonylchromium(0) deprotonated sulphur donor complexes, reactions with carbon disulphide or carbon diselenide of (H.G. Raubenheimer, S. Lotz, G.J. Kruger, A.v.A. Lombard, J.C. Viljoen), (336) 349

## Tungsten

Alkoxy(triphenylsilyl)carbene complexes,  $(CO)_5-MC(OR)SiPh_3$  ( $M = Cr, Mo, W$ ), thermal fragmentation pattern of (U. Schubert, H. Hörnig), (336) 307

Metallacyclic alkenyl ketone substituted complexes,  $(\eta^5-C_5Me_5)(CO)_2M[R^1C=CR^2C(O)Me]$  ( $M = Cr, Mo, W$ ;  $R^1, R^2 = H, Me, Ph$ ), reactions with NO or ClNO of (H.G. Alt, U. Freytag, M. Herberhold, H.I. Hayen), (336) 361

$[Wl_2(CO)(NCMe)(\eta^2-RC_2R)_2]$  ( $R = Me, Ph$ ), reactions with CO giving  $[Wl_2(CO)_2(\eta^2-MeC_2Me)_2]$  or  $[W(\mu-I)(CO)(\eta^2-PhC_2-Ph)_2]_2$ ; crystal structure of the former (E.M. Armstrong, P.K. Baker, M.G.B. Drew), (336) 377

## Zinc

$\alpha$ -Bromo-,  $\alpha$ -chloro- and  $\alpha$ -trimethylsilyl-zinc ester enolates, Reformatsky-type Darzens and Peterson reactions of (A. Fürstner), (336) C33  
*ortho*-Methoxybenzaldehydic tricarbonylchromium complex, stereospecific Reformatsky reaction of (J. Brocard, L. Pelinski, J. Lebib), (336) C47

## Book review

Principles and applications of organotransition metal chemistry; by J.P. Collman, L.S. Hegedus, J.R. Norton and R.G. Finke (M.F. Lappert), (336) C22