

Journal of organometallic chemistry, vol. 338 (1988)

SUBJECT INDEX

Antimony

Diphenyltrimethylsilyl-amine, -phosphine, -arsine, and -stibine, UV photoelectron spectroscopy of (G. Distefano, L. Zanathy, L. Szepes, H.J. Breunig), (338) 181

Arsenic

Diphenyltrimethylsilyl-amine, -phosphine, -arsine, and -stibine, UV photoelectron spectroscopy of (G. Distefano, L. Zanathy, L. Szepes, H.J. Breunig), (338) 181

Boron

cis-Dimethyl(chloro)stannyldiethylborylalkene, exchange reactions with organyltrimethylstannanes of (S. Kerschl, B. Wrackmeyer) (338) 195

Chromium

η^6 -Benzenetricarbonylchromium analogues of chalcones, preparation of (J. Federič, Š. Toma, B. Gautheron), (338) 211

Diamagnetic heterometallic clusters with a CrCo_2 butterfly frame, $(\text{RC}_5\text{H}_4)_2\text{Cr}_2(\mu_3-\text{S})_2(\mu_4-\text{S})\text{Co}_2(\text{CO})_4$ synthesis and molecular structure of (I.L. Eremenko, A.A. Pasynskii, B. Oraszakhatov, A.F. Shestakov, G.Sh. Gasanov, A.S. Katugin, Yu.T. Struchkov, V.E. Shklover), (338) 369

1,1-Dimethylindene, spirocyclopropane-1,1-indene and spirocyclopropane-9,9-fluorene, reactions with $\text{L}_3\text{M}(\text{CO})_3$ ($\text{L} = \text{NH}_3$, Py; M = Cr, Mo, W) of (N.A. Ustyryuk, L.N. Novikova, V.E. Zvorykin, D.N. Kravtsov, Yu. Ustyryuk), (338) 19

Hetero-dinuclear azulene complexes, preparation and characterisation of (S. Töfke, U. Behrens), (338) 29

$[\text{M}(\text{CO})_4\{(\text{Ph}_2\text{P})_2\text{C}=\text{CH}_2\}]$ (M = W, Mo, Cr), conjugate additions of functionalised carbanions to the vinylidene groups of (A.M. Herring, S.H. Koskimies, B.L. Shaw), (338) 13
Naphthalenetricarbonylchromium complexes, interring $\eta^6 \rightleftharpoons \eta^6$ haptotropic rearrangements in (Yu.F. Oprunenko, S.G. Malugina, Yu.A. Ustyryuk, N.A. Ustyryuk, D.N. Kravtsov), (338) 357

Cobalt

Diamagnetic heterometallic clusters with a CrCo_2 butterfly frame, $(\text{RC}_5\text{H}_4)_2\text{Cr}_2(\mu_3-\text{S})_2(\mu_4-\text{S})\text{Co}_2(\text{CO})_4$, synthesis and molecular structure of (I.L. Eremenko, A.A. Pasynskii, B. Oraszakhatov, A.F. Shestakov, G.Sh. Gasanov, A.S. Katugin, Yu.T. Struchkov, V.E. Shklover), (338) 369

Germanium

1,3-Dilithiopropanes: dimethylbis(α -lithiobenzyl)-silane and -germane, synthesis and applications of (O.S. Akkerman, F. Bickelhaupt), (338) 159

Gold

Fluorenyl(triphenylphosphine)gold(I), synthesis and structure of (Yu.T. Struchkov, Yu.L. Slovokhotov, D.N. Kravtsov, T.V. Baukova, E.G. Perevalova, K.J. Grandberg), (338) 269

Hafnium

Hafnacyclopentadiene unsymmetrically substituted compounds, synthesis and structure of (M.B. Sabade, M.F. Farona, E.A. Zarate, W.J. Youngs), (338) 347

Indium

Alkyl- and aryl-thioindanes, preparation and properties of (G.G. Hoffmann), (338) 305

Iron

Allyl cationic complexes from trinuclear carbonyl clusters of iron, ruthenium and osmium, synthesis of (V.V. Krivkh, T. Asunta, O.V. Gusev, M.I. Rybinskaya), (338) 55

(Diene)Fe(CO)₂PR₃ and [(dienyl)Fe(CO)₂-PR₃]X complexes, altered reactivity towards electrophiles and nucleophiles of (J.A.S. Howell, M.-C. Tirvengadum, G. Walton), (338) 217

[Fe(CO)₃(1-5- η -C₆H₇)]⁺, extended nucleophilicity scale for nucleophilic addition to (T. Ghazy, L.A.P. Kane-Maguire), (338) 47

cis-FeH₂[P(CH₂CH₂CH₂PMe₂)₃], synthesis and reactions of (M. Antberg, K.M. Frosin, L. Dahlenburg), (338) 319

Ferrocene, ligand exchange with methyl- and ethyl-substituted naphthalenes of (W. Billig, J. Wendt, D. Patt, E. Gresch, H. Singer), (338) 227

Ferrodithiocarboxylic acid, synthesis of (A. Mayr, H. Stolzenberg, W.P. Fehlhammer), (338) 223

Hetero-dinuclear azulene complexes, preparation and characterisation of (S. Töfke, U. Behrens), (338) 29

Sulphuryl chloride, reactions with [Fe₂(η -C₅H₅)₂(CO)_{4-n}(CNMe)_n] ($n = 0, 1, 2, 4$) and related complexes; structure of [Fe(η^5 -C₉H₇)(CO)₃]FeCl₄] (A.R. Manning, G. McNally, D. Cunningham, P. McArdle, J.M. Simmie), (338) 383

2,4,6-Tri-t-butylidiphosphphaallene, ArP=C=PAr (Ar = 2,4,6-t-Bu₃C₆H₂), hydrogen modes migration in reactions with [W(CO)₅(THF)] and [Fe₃(CO)₁₂] of; crystal structure of [Fe₂(CO)₆(ArP=CHPC₂(CMe₂)C₆H₂t-Bu₂)] (C.A. Akpan, P.B. Hitchcock, J.F. Nixon, M. Yoshifuji, T. Niitsu, N. Inamoto), (338) C35

Lithium

Acetylenic ketones, efficient method for synthesis of (H.D. Verkruisse, Y.A. Heus-Kloos, L. Brandsma), (338) 289

Bis(diphenylphosphino)methanide ion, stabilization by bridging octadienyldirhenium of (R. Dominguez, T.J. Lynch, F. Wang), (338) C7

1,1-Bis(trimethylsiloxy)-1,3-butadiene and trimethylsilyl 4-trimethylsilyl-2-buten-2-oate, preparation and reactions with benzaldehyde of (M. Bellassoued, R. Ennigrou, M. Gaudemar), (338) 149

1,3-Dilithiopropanes: dimethylbis(α -lithiobenzyl)-silane and -germane, synthesis and applications of (O.S. Akerman, F. Bickelhaupt), (338) 159

Ethyneyltrisopropoxytitanium reactions with pyrimidinones (F. Rise, D. Grace, K. Undheim), (338) 341

α -Lithiated-*O*,*O*-diethyltrimethylchloromethyl-phosphonate, preparation and properties of (M.-P. Teulade, P. Savignac), (338) 295

1-Phenyl-3-biphenyl-2-azaallyl-lithium and -sodium, ion pairing and kinetics of *cis,trans* to *trans,trans* isomerisation in (R.N. Young), (338) 139

Metallocenes

Ferrocene, ligand exchange with methyl- and ethyl-substituted naphthalenes of (W. Billig, J. Wendt, D. Patt, E. Gresch, H. Singer), (338) 227

Titanocenyl-substituted dimethyl ether, open-chain molecular structure of (G. Erker, R. Schlund, C. Krüger), (338) C4

Molybdenum

1,1-Dimethylindene, spirocyclopropane-1,1-indene and spirocyclopropane-9,9-fluorene, reactions with L₃M(CO)₃ (L = NH₃, Py; M = Cr, Mo, W) of (N.A. Ustynyuk, L.N. Novikova, V.E. Zvorykin, D.N. Kravtsov, Yu. Ustynyuk), (338) 19

Hetero-dinuclear azulene complexes, preparation and characterisation of (S. Töfke, U. Behrens), (338) 29

[M(CO)₄((Ph₂P)₂C=CH₂)] (M = W, Mo, Cr), conjugate additions of functionalised carbanions to the vinylidene groups of (A.M. Herring, S.H. Koskimies, B.L. Shaw), (338) 13

Tetramethyl(alkyl- and alkenyl-)cyclopentadienylmolybdenum complexes, preparation of (K.H. Dötz, J. Rott), (338) C11

Nickel

Metallacyclobutane-nickel and -palladium complexes, preparation and properties of (A. Miyashita, M. Ohyoshi, H. Shitara, H. Nohira), (338) 103

Niobium

Bis(trimethylsilylcyclopentadienyl)dichloronio-bium, electrogeneration of the anionic Nb^V complex of (H. Nabaoui, A. Fakhr, Y. Mugnier, A. Antiñolo, M. Fajardo, A. Otero, P. Royo), (338) C17

Osmium

Allyl cationic complexes from trinuclear carbonyl clusters of iron, ruthenium and osmium, synthesis of (V.V. Krivykh, T. Asunta, O.V. Gusev, M.I. Rybinskaya), (338) 55

Chalcocarbonyl complexes, OsCl₂(CO)(CE)-(PPh₃)₂ (E = S, Se, Te), synthesis and structure of (G.R. Clark, K. Marsden, C.E.F. Rickard, W.R. Roper, L.J. Wright), (338) 393

Os₃H(CO)₉(L)(μ-η²-C≡CPh) (L = CO, PMe₂Ph) clusters, intramolecular rearrangement of the bridging σ, π-acetylide ligand in; crystal structure of Os₃H(CO)₉(PMe₂Ph)(μ-η²-C≡CPh) (A.A. Koridze, O.A. Kizas, P.V. Petrovskii, N.E. Kolobova, Yu.T. Struchkov, A.I. Yanovsky), (338) 81

Palladium

Acetylacetonato(π-allyl)palladium optically active complex, stereochemistry and mechanism of ligand-coupling reaction of (T. Hayashi, A. Yamamoto, Y. Ito), (338) 261

Acetylenic ketones, efficient method for synthesis of (H.D. Verkrijse, Y.A. Heus-Kloos, L. Brandsma), (338) 289

Metal cyanides, *trans*-(R₃P)₂M(CN)₂ (M = Pd, Pt; R = Et, Ph), reactions with 1,3-dioxolenium tetrafluoroborate of (W. Weigand, W. Beck), (338) 113

Metallacyclobutane-nickel and -palladium complexes, preparation and properties of (A. Miyashita, M. Ohyoshi, H. Shitara, H. Nohira), (338) 103

Palladium acetate, reaction with tropone and tropilidene derivatives in benzene of (K. Saito), (338) 265

Rhodium(III) and palladium(II) complexes as catalysts for oxidation reactions of 2-methyl-3-but-en-2-ol (F. Derdar, J. Martin, C. Martin, J.-M. Brégault, J. Mercier), (338) C21

Phosphorus

Bis(diphenylphosphino)methanide ion, stabilization by bridging octadienyldirhenium of (R. Dominguez, T.J. Lynch, F. Wang), (338) C7

cis- and *trans*-Bis(phenyl)bis(phosphane)-platinum(II) complexes, UV spectroscopic investigations of (H. Palkovits, U. Ziegler, G. Schmidtberg, H.A. Brune), (338) 119

Cyclopentadienylruthenium complexes with sulphur donor ligands; comparative study of reactivity of Ru(η-RC₅H₄)Cl(L)₂ (R = H, CH₃, CH₃CO; L = CO, Ph₂PCH₂CH₂-PPh₂/2, P(CH₂CH₂CN)₃) towards anionic (S-S) donor ligands (A. Gutiérrez Alonso, L. Ballister Reventós), (338) 249

(Diene)Fe(CO)₂PR₃ and [(dienyl)Fe(CO)₂-'PR₃]X complexes, altered reactivity towards electrophiles and nucleophiles of (J.A.S. Howell, M.-C. Tirvengadum, G. Walton), (338) 217

Diphenyltrimethylsilyl-amine, -phosphine, -arsine, and -stibine, UV photoelectron spectroscopy of (G. Distefano, L. Zanathy, L. Szepes, H.J. Breunig), (338) 181

cis-FeH₂[P(CH₂CH₂CH₂PMe₂)₃], synthesis and reactions of (M. Antberg, K.-M. Frosin, L. Dahlenburg), (338) 319

Fluorenyl(triphenylphosphine)gold(I), synthesis and structure of (Yu.T. Struchkov, Yu.L. Slovokhotov, D.N. Kravtsov, T.V. Baukova, E.G. Perevalova, K.J. Grandberg), (338) 269

Functionalised diphosphine as (P-N)-binucleating ligand; X-ray structure of [{RhCl-(BTPE)}₂][RhCl₄(BTPE)]₂ · xCHCl₃ (BTPE = (C₇H₄NS)₂PCH₂CH₂P(C₇H₄NS)₂) (M.F.M. Al-Dulaymmi, P.B. Hitchcock, R.L. Richards), (338) C31

α-Lithiated O,O-diethyltrimethylchloromethyl-phosphonate, preparation and properties of (M.-P. Teulade, P. Savignac), (338) 295

[M(CO)₄{(Ph₂P)₂C=CH₂}] (M = W, Mo, Cr), conjugate additions of functionalised carbanions to the vinylidene groups of (A.M. Herring, S.H. Koskimies, B.L. Shaw), (338) 13

Metal cyanides, *trans*-(R₃P)₂M(CN)₂ (M = Pd, Pt; R = Et, Ph), reactions with 1,3-dioxolenium tetrafluoroborate of (W. Weigand, W. Beck), (338) 113

Methylidyne phosphane, (HC≡P) cycloaddition reagent for 1,3-dipoles (E.P.O. Fuchs, M. Hermesdorf, W. Schnurr, W. Rösch, H. Heydt, M. Regitz, P. Binger), (338) 329

Ru-C(sp²) bond lengths, effect of chelation on; X-ray structures of Ru(C₆H₄PPh₂)(PPh₃)(η-C₅H₅) · 0.5CH₂Cl₂ and Ru{C(=CMePh)CH(PPh₂)CH₂PPh₂}(η-C₅H₅) (M.I. Bruce, M.P. Cifuentes, M.G. Humphrey, E. Pockman, M.R. Snow, E.R.T. Tiekkink), (338) 237

Ru{(Z)-C(CO₂Me)=CH(CO₂Me))(CO)(PPh₃)-(η-C₅H₅) · 0.5EtOH, Ru{(E)-C(CO₂Me)=CH(CO₂Me))(dppe)(η-C₅H₅) and Ru{C(CO₂Me)=C(CO₂Me)C(CO₂Me)=CH-

$(CO_2Me)(PPh_3)(\eta-C_5H_5)$, X-ray structures of (M.I. Bruce, A. Catlow, M.G. Humphrey, G.A. Koutsantonis, M.R. Snow, E.R.T. Tiekkink), (338) 59

Ruthenium(0) compounds, substituted ketene elimination from acid chlorides induced by (S. Singh, M.C. Baird), (338) 255

2,4,6-Tri-t-butylidiphosphaaallene, $ArP=C=PAR$ ($Ar = 2,4,6-t-Bu_3C_6H_2$), hydrogen modes migration in reactions with $[W(CO)_5(THF)]$ and $[Fe_3(CO)]_{12}$ of; crystal structure of $[Fe_2(CO)_6(ArP=CHPCH_2(CMe_2)C_6H_2-t-Bu_2)]$ (C.A. Akpan, P.B. Hitchcock, J.F. Nixon, M. Yoshifuji, T. Niitsu, N. Inamoto), (338) C35

Platinum

cis- and trans-Bis(phenyl)bis(phosphane)platinum(II) complexes, UV spectroscopic investigations of (H. Palkovits, U. Ziegler, G. Schmidtberg, H.A. Brune), (338) 119

Metal cyanides, trans-(R₃P)₂M(CN)₂ (M = Pd, Pt; R = Et, Ph), reactions with 1,3-dioxolenium tetrafluoroborate of (W. Weigand, W. Beck), (338) 113

Rhenium

Bis(diphenylphosphino)methanide ion, stabilisation by bridging octadienyldirhenium of (R. Dominguez, T.J. Lynch, F. Wang), (338) C7

Rhodium

4,5-Dicyano-1,2,3-triazole-rhodium complexes, preparation, properties and reactions of (M.T. Pinillos, A. Elduque, L.A. Oro), (338) 411

Functionalised diphosphine as (P-N)-binucleating ligand; X-ray structure of $[(RhCl(BTPE)_2][RhCl_4(BTPE)]_2 \cdot xCHCl_3]$ ($BTP = (C_7H_4NS)_2PCH_2CH_2P(C_7H_4NS)_2$) (M.F.M. Al-Dulaymmi, P.B. Hitchcock, R.L. Richards), (338) C31

Hetero-dinuclear azulene complexes, preparation and characterisation of (S. Töfke, U. Behrens), (338) 29

Rhodium(III) and palladium(II) complexes as catalysts for oxidation reactions of 2-methyl-3-butene-2-ol (F. Derdar, J. Martin, C. Martin, J.-M. Brégault, J. Mercier), (338) C21

Rhodium dihydride complexes $[RhH_2(R-DAB)(PR'_3)_2]^+$, reactions with the acetylenes $CH_3OOCC=CCOOCH_2$ and $HC\equiv CC_6H_5$; crystal structure of $[RhC(CO_2CH_3)=C(CO_2CH_3)C(CO_2CH_3)=C(CO_2CH_3)(C_6H_{11}N=$

$CHCH=NC_6H_{11})(PCH_3(C_6H_5)_2)H_2O]Cl-O_4$ (M. Iglesias, C. del Pino, J. Ros, S. García Blanco, S.M. Carrera), (338) 89

Ruthenium

Allyl cationic complexes from trinuclear carbonyl clusters of iron, ruthenium and osmium, synthesis of (V.V. Krivkh, T. Asunta, O.V. Gusev, M.I. Rybinskaya), (338) 55

Cyclopentadienylruthenium complexes with sulphur donor ligands; comparative study of reactivity of $Ru(\eta-RC_5H_4)Cl(L)_2$ ($R = H, CH_3, CH_3CO$; L = CO, $Ph_2PCH_2CH_2PPh_2/2$, $P(CH_2CH_2CN)_3$) towards anionic (S-S) donor ligands (A. Gutiérrez Alonso, L. Ballister Reventós), (338) 249

Ru-C(sp²) bond lengths, effect of chelation on; X-ray structures of $Ru(C_6H_4PPh_2)(PPh_3)(\eta-C_5H_5) \cdot 0.5CH_2Cl_2$ and $Ru\{C=C(Me)Ph-CH(PPh_2)CH_2PPh_2\}(\eta-C_5H_5)$ (M.I. Bruce, M.P. Cifuentes, M.G. Humphrey, E. Poczman, M.R. Snow, E.R.T. Tiekkink), (338) 237

$Ru\{(Z)-C(CO_2Me)=CH(CO_2Me)\}(CO)(PPh_3)-(\eta-C_5H_5) \cdot 0.5EtOH$, $Ru\{(E)-C(CO_2Me)=CH(CO_2Me)\}(dppe)(\eta-C_5H_5)$ and $Ru\{C(CO_2Me)=C(CO_2Me)C(CO_2Me)=CH(CO_2Me)\}(PPh_3)(\eta-C_5H_5)$, X-ray structures of (M.I. Bruce, A. Catlow, M.G. Humphrey, G.A. Koutsantonis, M.R. Snow, E.R.T. Tiekkink), (338) 59

Ruthenium(0) compounds, substituted ketene elimination from acid chlorides induced by (S. Singh, M.C. Baird), (338) 255

Selenium

Chalcocarbonyl complexes, $OsCl_2(CO)(CE)-(PPh_3)_2$ (E = S, Se, Te), synthesis and structures of (G.R. Clark, K. Marsden, C.E.F. Rickard, W.R. Roper, L.J. Wright), (338) 393

Silicon

1,1-Bis(trimethylsiloxy)-1,3-butadiene and trimethylsilyl 4-trimethylsilyl-2-buten-2-oate, preparation and reactions with benzaldehyde of (M. Bellassoued, R. Ennigrou, M. Gaudemar), (338) 149

Bis(trimethylsilylcyclopentadienyl)dichloroniobium, electrogeneration of the anionic Nb^V complex of (H. Nabaoui, A. Fakhr, Y. Mugnier, A. Antíñolo, M. Fajardo, A. Otero, P. Royo), (338) C17

- (*O*-*Si*)- and (*Cl*-*Si*)-Chloro[1-(1,1-dimethyl-2-acylhydrazonium)methyl]dimethylsilanes and (*O*-*Si*)-chloro[2-(1,1-dimethyl-2-acylhydrazino)methyl]dimethylsilanes, synthesis and NMR spectra of (I.D. Kalikhman, V.A. Pestunovich, B.A. Gostevskii, O.B. Banikova, M.G. Voronkov), (338) 169
- 1,3-Dilithiopropanes: dimethylbis(α -lithiobenzyl)-silane and -germane, synthesis and applications of (O.S. Akkerman, F. Bickelhaupt), (338) 159
- cis*-Dimethyl(chloro)stannyldiethylborylalkene, exchange reactions with organyltrimethylstannanes of (S. Kerschl, B. Wrackmeyer), (338) 195
- Diphenyltrimethylsilyl-amine, -phosphine, -arsine, and -stibine, UV photoelectron spectroscopy of (G. Distefano, L. Zanathy, L. Szepes, H.J. Breunig), (338) 181
- α -Lithiated-*O,O*-diethyltrimethylchloromethylphosphonate, preparation and properties of (M.-P. Teulade, P. Savignac), (338) 295
- (Me₃Si)₂C(SiMe₂OCOMe)(SiMe₂Cl), nature of anchimeric assistance by acetoxy group in solvolysis of (C. Eaborn, P.D. Lickiss, A.D. Taylor), (338) C27
- Methylidyneephosphane, (HC≡P), cycloaddition reagent for 1,3-dipoles (E.P.O. Fuchs, M. Hermesdorf, W. Schnurr, W. Rösch, H. Heydt, M. Regitz, P. Binger), (338) 329
- Tetra-*t*-butyldisilene, [2 + 2] cyclo-addition to imine of (M. Weidenbruch, B. Flintjer, S. Pohl, D. Haase, J. Martens), (338) C1

Sodium

- 1-Phenyl-3-biphenyl-2-azaallyl-lithium and -sodium, ion pairing and kinetics of *cis,trans* to *trans,trans* isomerisation in (R.N. Young), (338) 139
- Tetramethyl(alkyl- and alkenyl-)cyclopentadienylmolybdenum complexes, preparation of (K.H. Dötz, J. Rott), (338) C11

Sulphur

- Alkyl- and aryl-thioindanes, preparation and properties of (G.G. Hoffmann), (338) 305
- Chalcocarbonyl complexes, OsCl₂(CO)(CE)-(PPh₃)₂ (E = S, Se, Te), synthesis and structures of (G.R. Clark, K. Marsden, C.E.F. Rickard, W.R. Roper, L.J. Wright), (338) 393
- Cyclopentadienylruthenium complexes with sulphur donor ligands; comparative study of reactivity of Ru(η -RC₅H₄)Cl(L)₂ (R = H,

CH₃, CH₃CO; L = CO, Ph₂PCH₂CH₂-PPh₂/2, P(CH₂CH₂CN)₃) towards anionic (S-S) donor ligands (A. Gutiérrez Alonso, L. Ballister Reventós), (338) 249

Ferrodithiocarboxylic acid, synthesis of (A. Mayr, H. Stolzenberg, W.P. Fehlhammer), (338) 223

Tetramethyl(alkyl- and alkenyl-)cyclopentadienylmolybdenum complexes, preparation of (K.H. Dötz, J. Rott), (338) C11

Tellurium

Chalcocarbonyl complexes, OsCl₂(CO)(CE)-(PPh₃)₂ (E = S, Se, Te), synthesis and structures of (G.R. Clark, K. Marsden, C.E.F. Rickard, W.R. Roper, L.J. Wright), (338) 393

1,2-Ditellurane, synthesis of (H.B. Singh, P.K. Khanna), (338) 9

3,5-Naphtho-1-telluracyclohexane, synthesis of (H.B. Singh, P.K. Khanna, S.K. Kumar), (338) 1

Tin

Dibromobis(pyrazole)dimethyltin(IV), crystal structure of (B. Alberte, A. Sánchez González, E. García, J.S. Casas, J. Sordo, E.E. Castellano), (338) 187

cis-Dimethyl(chloro)stannyldiethylborylalkene, exchange reactions with organyltrimethylstannanes of (S. Kerschl, B. Wrackmeyer), (338) 195

Titanium

Ethylnetriisopropoxytitanium reactions with pyrimidinones (F. Riss, D. Grace, K. Undheim), (338) 341

Titanoceneyl-substituted dimethyl ether, open-chain molecular structure of (G. Erker, R. Schlund, C. Krüger), (338) C4

Tungsten

1,1-Dimethylindene, spirocyclopropane-1,1-indene and spirocyclopropane-9,9-fluorene, reactions with L₃M(CO)₃ (L = NH₃, Py; M = Cr, Mo, W) of (N.A. Ustyryuk, L.N. Novikova, V.E. Zvorykin, D.N. Kravtsov, Yu. Ystyryuk), (338) 19

[M(CO)₄{(Ph₂P)₂C=CH₂}] (M = W, Mo, Cr), conjugate additions of functionalised carbanions to the vinylidene groups of (A.M. Herring, S.H. Koskimies, B.L. Shaw), (338) 13

2,4,6-Tri-t-butylidiphosphphaallene, ArP=C=PAr
 (Ar = 2,4,6-t-Bu₃C₆H₂), hydrogen modes
 migration in reactions with [W(CO)₅(THF)]
 and [Fe₃(CO)₁₂] of; crystal structure of
 [Fe₂(CO)₆(ArP=CHPC₂(CMe₂)C₆H₂-t-
 Bu₂)] (C.A. Akpan, P.B. Hitchcock, J.F.
 Nixon, M. Yoshiyfuiji, T. Niitsu, N. Inamoto),
 (338) C35

Vanadium

[(η -C₅H₅)₂VCl]([η -C₅H₅)VCl₂](μ -O), preparation and structure of (F. Bottomley, L. Sutin, P.S. White), (338) 205

Zinc

Acetylenic ketones, efficient method for synthesis of (H.D. Verkruisse, Y.A. Heus-Kloos, L. Brandsma), (338) 289

Book review

Advances in heterocyclic chemistry; edited by A.R. Katritzky, Vol. 41 (D.W. Young), (338) C14

Organolithium compounds/solvated electrons, by N.M. Alpatova, L.I. Krishtalik, A. Maercker, R.S. Mali, N.S. Narasimhan, Y.V. Pleskov, M. Theis (P.A. Chaloner), (338) C38