

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 347 (1988)
SUBJECT INDEX
Aluminium

Titanocene chloro(ethyl)aluminates, influence on properties by methyl-substituted cyclopentadienyl ligands in (K. Mach, V. Varga), (347) 85

Antimony

Di-*t*-butylcyclopentadienyl-group 15 compounds, synthesis, structure and fluxional behaviour of (S.T. Abu-Orabi, P. Jutzi), (347) 307

Dodecamethyl-2,3,5,6,7,8-hexasila-diarsa-, -distiba- and -dibismutha-bicyclo[2.2.2]octane, formation and identification of (K. Hassler, S. Seidl), (347) 27

Phenylchloroantimonates(III), preparations and crystal structures of $\text{Me}_4\text{N}[\text{PhSbCl}_3]$, $[\text{Hpy}]_2[\text{PhSbCl}_4]$, and $\text{Me}_4\text{N}[\text{Ph}_2\text{SbCl}_2]$ (M. Hall, D.B. Sowerby), (347) 59

Tricarbonyl(trichlorostibine)nickel(0), $\text{Ni}(\text{CO})_3\text{-SbCl}_3$, force constant calculations for (H.G.M. Edwards, V. Fawcett, B.M.Y. Ip), (347) 391

Arsenic

Di-*t*-butylcyclopentadienyl-group 15 compounds, synthesis, structure and fluxional behaviour of (S.T. Abu-Orabi, P. Jutzi), (347) 307

Dodecacarbonyl-triruthenium and -triosmium group 15 ligand-substituted derivatives; X-ray structures of undeca-, deca- and nonacarbonyl complexes derived from (M.I. Bruce, M.J. Liddell, C.A. Hughes, B.W. Skelton, A.H. White, and in part J.M. Patrick, O. bin Shawkataly), (347) 157, 181, 207

Dodecamethyl-2,3,5,6,7,8-hexasila-diarsa-, distiba- and -dibismutha-bicyclo[2.2.2]octane, formation and identification of (K. Hassler, S. Seidl), (347) 27

Triphenylarsine derivatives of cyclopentadienyl-

carbonylmolybdenum compounds, formation of (J.A. Clark, M. Kilner), (347) 107

Bismuth

Bi-Co heteronuclear carbonyl bonds, $[\text{Bi}\{\text{Co}(\text{CO})_4\}_4]^-$ synthesis and X-ray structure of its NMe_4 salt (S. Martinengo, A. Fumagalli, G. Ciani, M. Moret), (347) 413

Dodecamethyl-2,3,5,6,7,8-hexasila-diarsa-, -distiba- and -dibismutha-bicyclo[2.2.2]octane, formation and identification of (K. Hassler, S. Seidl), (347) 27

Boron

Dichloro(diisopropylamino)boranes, borylation of benzene and naphthalene by dehalogenation products of (A. Meller, D. Bromm, W. Maringgele, D. Böhler, G. Elter), (347) 11

To tilt or not to tilt? The dilemma of $\mu\text{-C}_3\text{R}_3$ ligands in binuclear complexes (E.D. Jemmis, B.V. Prasad), (347) 401

Cadmium

Cadmium-metal-mediated allylation of carbonyl compounds (S. Araki, H. Ito, Y. Butsugan), (347) 5

Chromium

η^6 -Arylphosphinemolybdenum(0) electron rich complexes as ligands in group 6 carbonyl-metal complexes (R.L. Luck, R.H. Morris), (347) 349

Bis(triphenylphosphine)iminium(tetracarbonylnitrosylchromium), synthesis, characterisation and reactivity of (D.R. Mantell, W.L. Gladfelter), (347) 333

Chromium, tungsten and iron isocyanide complexes, addition reactions to heteroallenes of (E. Bär, W.P. Fehlhammer, W. Weigand, W. Beck), (347) 101

Heterometallic di- and tri-nuclear complexes with bridging thiocarbonyl and methylthiocarbyne ligands; crystal and molecular structure of $C_5H_5(PMe_2)(\mu-CO)[\mu-CMn(CO)_2C_5H_5]-Mn(CO)C_5H_5$ (H. Werner, O. Kolb, P. Thometzek), (347) 137

Phosphorus-substituted butadiene systems, complexation of (R. Appel, B. Niemann, W. Schuhn, N. Siabalis), (347) 299

Cobalt

Bi-Co heteronuclear carbonyl bonds, $[Bi\{Co(CO)_4\}_4]^-$ synthesis and X-ray structure of its NMe_4 salt (S. Martinengo, A. Fumagalli, G. Ciani, M. Moret), (347) 413

Bis(pentamethylcyclopentadienylcarbonyl-cobalt) and -rhodium complexes, stepwise formation of dinuclear chalcogenic complexes with elemental sulphur, selenium or tellurium from (H. Brunner, N. Janietz, W. Meier, J. Wachter, E. Herdtweck, W.A. Herrmann, O. Serhadli, M.L. Ziegler), (347) 237

η^5 -Cyclooctadienyl- η^5 -cyclopentadienylcobalt and related cations, kinetics and mechanism of addition of tertiary phosphines and phosphites to (L.A.P. Kane-Maguire, P.A. Moucher, A. Salzer), (347) 383

Heterometallic di- and tri-nuclear complexes with bridging thiocarbonyl and methylthiocarbyne ligands; crystal and molecular structure of $C_5H_5(PMe_2)(\mu-CO)[\mu-CMn(CO)_2C_5H_5]-Mn(CO)C_5H_5$ (H. Werner, O. Kolb, P. Thometzek), (347) 137

Iron-cobalt trinuclear mixed cluster bicapped with sulphur, structural determination of (Y. Wakatsuki, H. Yamazaki, G. Cheng), (347) 151

$Na_6[(PhSiO_{1.5})_{22}Co_3O_6] \cdot 7H_2O$, synthesis and crystal structure of (Yu.E. Ovchinnikov, V.E. Shklover, Yu.T. Struchkov, M.M. Levitsky, A.A. Zhdanov), (347) 253

Iron

Bis(dicarbonyl- η^5 -cyclopentadienyl)iron)diphenyltin, crystal structure of (L. Párkányi, K.H. Pannell, C. Hernandez), (347) 295

18-Crown-6 potassium [η^4 -(1,4-diphenylbutadienylene)tricarbonyliron]trifluorosilicate, synthesis, dynamic behaviour and structure of (F.H. Carré, R.J.P. Corriu, C. Guérin, B.J.L. Henner, W.W.C. Wong Chi Man), (347) C1

Di- η^5 -cyclopentadienyliron(II) derivatives, electronic structure of (A.M. Al-Saeed, E.A. Sed-

don, K.R. Seddon, A.A. Shimran, S. Tompkins, M.C. Gossel, J.P. Knychiala), (347) C25

Iron-cobalt trinuclear mixed cluster bicapped with sulphur, structural determination of (Y. Wakatsuki, H. Yamazaki, G. Cheng), (347) 151

(Methylsorbate)-, (sorbaldehyde)- and (1-methoxycyclohexadiene)-dicarbonyl((+)-neomenthyltriphenylphosphine)iron, diastereoisomer separation and absolute configuration of (J.A.S. Howell, M.C. Tirvengadam, A.D. Squibb, G. Walton, P. McArdle, D. Cunningham), (347) C5

Organometallic aryl cations, reactions with aryloxy anions, route to substituted diphenyl ethers (F. Hossner, M. Voyle), (347) 365

Phosphorus-substituted butadiene systems, complexation of (R. Appel, B. Niemann, W. Schuhn, N. Siabalis), (347) 299

Silyl-substituted trihydrido-iron complexes, $FeH_3(CO)(Ph)_2PCH_2C(CH_3)_2SiR_3$ (M. Knorr, S. Gilbert, U. Schubert), (347) C17

To tilt or not to tilt? The dilemma of $\mu-C_3R_3$ ligands in binuclear complexes (E.D. Jemmis, B.V. Prasad), (347) 401

Magnesium

Tolane-titanocene complex, isolation, spectral characterisation and reactivity of (V.B. Shur, V.V. Burlakov, M.E. Vol'pin), (347) 77

Manganese

Heterometallic di- and tri-nuclear complexes with bridging thiocarbonyl and methylthiocarbyne ligands; crystal and molecular structure of $C_5H_5(PMe_3)(\mu-CO)[\mu-CMn(CO)_2C_5H_5]-Mn(CO)C_5H_5$ (H. Werner, O. Kolb, P. Thometzek), (347) 137

Mercury

Dihexyn-4-ylzinc, intramolecular interaction between zinc atom and $C\equiv C$ in (E. Okninska, K.B. Starowiejski), (347) 1

Metalloenes

η^5 -Cyclooctadienyl- η^5 -cyclopentadienylcobalt and related cations, kinetics and mechanism of addition of tertiary phosphines and phosphites to (L.A.P. Kane-Maguire, P.A. Moucher, A. Salzer), (347) 383

- Di- η^5 -cyclopentadienyliron(II) derivatives, electronic structure of (A.M. Al-Saeed, E.A. Seddon, K.R. Seddon, A.A. Shimran, S. Tompkins, M.C. Grossel, J.P. Knychala), (347) C25
- Titanocene chloro(ethyl)aluminates, influence on properties by methyl-substituted cyclopentadienyl ligands in (K. Mach, V. Varga), (347) 85
- Tolane-titanocene complex, isolation, spectral characterisation and reactivity of (V.B. Shur, V.V. Burlakov, M.E. Vol'pin), (347) 77
- Vanadocene, reactions with aliphatic halides of (R. Sustmann, G. Kopp), (347) 325
- Vanadocene, reactions with benzyl bromide of (R. Sustman, G. Kopp), (347) 313

Molybdenum

- η^6 -Arylphosphinemolybdenum(0) electron rich complexes as ligands in group 6 carbonyl-metal complexes (R.L. Luck, R.H. Morris), (347) 349
- Bis(triphenylphosphine)iminium(tetracarbonylnitrosylchromium), synthesis, characterisation and reactivity of (D.R. Mantell, W.L. Gladfelter), (347) 333
- Chromium, tungsten and iron isocyanide complexes, addition reactions to heteroallenes of (E. Bär, W.P. Fehlhammer, W. Weigand, W. Beck), (347) 101
- $\text{NEt}_4[(\eta^5\text{-C}_5\text{H}_5)\text{Mo}(\text{CO})_2\text{Se}_2]$, synthesis and crystal structure of (J. Adel, F. Weller, K. Dehnicke), (347) 343
- Phosphorus-substituted butadiene systems, complexation of (R. Appel, B. Niemann, W. Schuhn, N. Siabalis), (347) 299
- To tilt or not to tilt? The dilemma of $\mu\text{-C}_3\text{R}_3$ ligands in binuclear complexes (E.D. Jemmis, B.V. Prasad), (347) 401
- Triphenylarsine derivatives of cyclopentadienyl-carbonylmolybdenum compounds, formation of (J.A. Clark, M. Kilner), (347) 107

Nickel

- Phosphorus-substituted butadiene systems, complexation of (R. Appel, B. Niemann, W. Schuhn, N. Siabalis), (347) 299
- To tilt or not to tilt? The dilemma of $\mu\text{-C}_3\text{R}_3$ ligands in binuclear complexes (E.D. Jemmis, B.V. Prasad), (347) 401
- Tricarbonylbis[bis(diphenylphosphine)methanickel]binuclear complex, $\text{Ni}_2(\mu\text{-dpm})_2(\mu\text{-CO})(\text{CO})_2$, formation and molecular structure of (Z.-Z. Zhang, H.-K. Wang, H.-G. Wang, R.-J. Wang, W.-J. Zhao, L.-M. Yang), (347) 269

- Tricarbonyl(trichlorostibine)nickel(0), $\text{Ni}(\text{CO})_3\text{-SbCl}_3$, force constant calculations for (H.G.M. Edwards, V. Fawcett, B.M.Y. Ip), (347) 391

Niobium

- Carbonyldi-(η -cyclopentadienyl)hydridoniobium, insertion reactions of activated acetylenes into (G.E. Herberich, H. Mayer), (347) 93

Osmium

- Dodecarbonyl-triruthenium and -triosmium group 15 ligand-substituted derivatives; X-ray structures of undeca-, deca- and nona-carbonyl complexes derived from (M.I. Bruce, M.J. Liddell, C.A. Hughes, B.W. Skelton, A.H. White, and in part J.M. Patrick, O. bin Shawkataly), (347) 157, 181, 207
- Triosmium-platinum 60-electron tetrahedral cluster containing CO bridging Os-Os edge, $\text{Os}_3\text{Pt}(\mu\text{-H})_2(\mu\text{-CO})(\text{CO})_9(\text{C}_8\text{H}_{12})$, synthesis and X-ray structure of (P. Ewing, L.J. Farugia), (347) C31

Palladium

- To tilt or not to tilt? The dilemma of $\mu\text{-C}_3\text{R}_3$ ligands in binuclear complexes (E.D. Jemmis, B.V. Prasad), (347) 401

Phosphorus

- η^6 -Arylphosphinemolybdenum(0) electron rich complexes as ligands in group 6 carbonyl-metal complexes (R.L. Luck, R.H. Morris), (347) 349
- Chromium, tungsten and iron isocyanide complexes, addition reactions to heteroallenes of (E. Bär, W.P. Fehlhammer, W. Weigand, W. Beck), (347) 101
- η^5 -Cyclooctadienyl- η^5 -cyclopentadienylcobalt and related cations, kinetics and mechanism of addition of tertiary phosphines and phosphites to (L.A.P. Kane-Maguire, P.A. Mouncher, A. Salzer), (347) 383
- Decacarbonylnitrosyltriruthenate, reactivity of; synthesis and characterisation of $[\text{Ru}(\text{CO})_3(\text{NO})]^-$ (R.E. Stevens, D.E. Fjare, W.L. Gladfelter), (347) 373
- Di-*t*-butylcyclopentadienyl-group 15 compounds, synthesis, structure and fluxional behaviour of (S.T. Abu-Orabi, P. Jutzi), (347) 307

Dodecacarbonyl-triruthenium and -triosmium group 15 ligand-substituted derivatives; X-ray structures of undeca-, deca- and nona-carbonyl complexes derived from (M.I. Bruce, M.J. Liddell, C.A. Hughes, B.W. Skelton, A.H. White, and in part J.M. Patrick, O. bin Shawkataly), (347) 157, 181, 207

Heterometallic di- and tri-nuclear complexes with bridging thiocarbonyl and methylthiocarbyne ligands; crystal and molecular structure of $C_5H_5(PMe_3)(\mu-CO)[\mu-CSMn(CO)_2C_5H_5]-Mn(CO)C_5H_5$ (H. Werner, O. Kolb, P. Thometzek), (347) 137

(Methylsorbate)- (soraldehyde)- and (1-methoxycyclohexadiene)-dicarbonyl((+)-neomenthyltriphenylphosphine)iron, diastereoisomer separation and absolute configuration of (J.A.S. Howell, M.C. Tirvengadam, A.D. Squibb, G. Walton, P. McArdle, D. Cunningham), (347) C5

Phosphorus-substituted butadiene systems, complexation of (R. Appel, B. Niemann, W. Schuhn, N. Siabalis), (347) 299

Silyl-substituted trihydrido-iron complexes, $FeH_3(CO)(Ph_2PCH_2CH_2PPh_2)SiR_3$ (M. Knorr, S. Gilbert, U. Schubert), (347) C17

Tricarbonylbis[bis(diphenylphosphine)methanickel] binuclear complex, $Ni_2(\mu-dpm)_2(\mu-CO)(CO)_2$, formation and molecular structure of (Z.-Z. Zhang, H.-K. Wang, H.-G. Wang, R.-J. Wang, W.-J. Zhao, L.-M. Yang), (347) 269

Platinum

To tilt or not to tilt? The dilemma of $\mu-C_3R_3$ ligands in binuclear complexes (E.D. Jemmis, B.V. Prasad), (347) 401

Triosmium-platinum 60-electron tetrahedral cluster containing CO bridging Os-Os edge, $Os_3Pt(\mu-H)_2(\mu-CO)(CO)_9(C_8H_{12})$, synthesis and X-ray structure of (P. Ewing, L.J. Farugia), (347) C31

Rhodium

Bis(pentamethylcyclopentadienylcarbonyl-cobalt) and -rhodium) complexes, stepwise formation of dinuclear chalcogenic complexes with elemental sulphur, selenium or tellurium from (H. Brunner, N. Janietz, W. Meier, J. Wachter, E. Herdtweck, W.A. Herrmann, O. Serhadli, M.L. Ziegler), (347) 237

Heterometallic di- and tri-nuclear complexes with bridging thiocarbonyl and methylthiocarbyne ligands; crystal and molecular structure of

$C_5H_5(PMe_2)(\mu-CO)[\mu-CSMn(CO)_2C_5H_5]-Mn(CO)C_5H_5$ (H. Werner, O. Kolb, P. Thometzek), (347) 137

Tungsten-rhodium complexes with bridging alkylidyne groups, synthesis of (M.D. Bermudez, F.G.A. Stone), (347) 115

Ruthenium

Decacarbonylnitrosyltriruthenate, reactivity of; synthesis and characterisation of $[Ru(CO)_3(NO)]^-$ (R.E. Stevens, D.E. Fjare, W.L. Gladfelter), (347) 73

Dodecacarbonyl-triruthenium and -triosmium group 15 ligand-substituted derivatives; X-ray structures of undeca-, deca- and nona-carbonyl complexes derived from (M.I. Bruce, M.J. Liddell, C.A. Hughes, B.W. Skelton, A.H. White, and in part J.M. Patrick, O. bin Shawkataly), (347) 157, 181, 207

Selenium

Bis(pentamethylcyclopentadienylcarbonyl-cobalt) and -rhodium) complexes, stepwise formation of dinuclear chalcogenic complexes with elemental sulphur, selenium or tellurium from (H. Brunner, N. Janietz, W. Meier, J. Wachter, E. Herdtweck, W.A. Herrmann, O. Serhadli, M.L. Ziegler), (347) 237

Dibenzochalcogeno-silonines, transannular donor-acceptor interaction in; crystal and molecular structure of 13,13-diphenyl-8,13-dihydro-5*H*-dibenzo[*d,g*][1.2.6]dithiasilonine (Yu.E. Ovchinnikov, V.E. Shklover, Yu.T. Struchkov, V.F. Traven', O.G. Rodin, V.I. Rokitskaya), (347) 73

$NEt_4[(\eta^5-C_5H_5)Mo(CO)_2Se_2]$, synthesis and crystal structure of (J. Adel, F. Weller, K. Dehnicke), (347) 343

Silicon

18-Crown-6 potassium [η^4 -(1,4-diphenylbutadienylene)tricarbonyliron]trifluorosilicate, synthesis, dynamic behaviour and structure of (F.H. Carré, R.J.P. Corriu, C. Guérin, B.J.L. Henner, W.W.C. Wong Chi Man), (347) C1

Dibenzochalcogeno-silonines, transannular donor-acceptor interaction in; crystal and molecular structure of 13,13-diphenyl-8,13-dihydro-5*H*-dibenzo[*d,g*][1.2.6]dithiasilonine (Yu.E. Ovchinnikov, V.E. Shklover, Yu.T.

Struchkov, V.F. Traven', O.G. Rodin, V.I. Rokitskaya), (347) 33

Dimethylsilanone and dimethylsilanone-*d*₆, low temperature matrix stabilisation in the gas phase of (V.N. Khabashesku, Z.A. Kerzina, E.G. Baskir, A.K. Maltsev, O.M. Nefedov), (347) 277

Dodecamethyl-2,3,5,6,7,8-hexasila-diarsa-, -distiba- and -dibismutha-bicyclo[2.2.2]octane, formation and identification of (K. Hassler, S. Seidl), (347) 27

Na₆[(PhSiO_{1.5})₂₂Co₃O₆]·7H₂O, synthesis and crystal structure of (Yu.E. Ovchinnikov, V.E. Shklover, Yu.T. Struchkov, M.M. Levitsky, A.A. Zhdanov), (347) 253

Organosilicon chemistry, simple technique for gas kinetic studies in (I.M.T. Davidson, G. Eaton, K.J. Hughes), (346) 17

Phosphorus-substituted butadiene systems, complexation of (R. Appel, B. Niemann, W. Schuhn, N. Siabalis), (347) 299

Silyl-substituted trihydro-iron complexes, FeH₃(CO)(Ph₂PCH₂CH₂PPh₂)₂SiR₃ (M. Knorr, S. Gilbert, U. Schubert), (347) C17

Tris(hexamethyldisilylamido)uranium(IV) chloride, one-electron reduction of (S. Renaud, A. Dormond, L. Roullier, Y. Mugnier), (347) 71

Sodium

Na₆[(PhSiO_{1.5})₂₂Co₃O₆]·7H₂O, synthesis and crystal structure of (Yu.E. Ovchinnikov, V.E. Shklover, Yu.T. Struchkov, M.M. Levitsky, A.A. Zhdanov), (347) 253

Sulphur

Bis(pentamethylcyclopentadienylcarbonyl-cobalt) and -rhodium) complexes, stepwise formation of dinuclear chalcogenic complexes with elemental sulphur, selenium or tellurium from (H. Brunner, N. Janietz, W. Meier, J. Wachter, E. Herdtweck, W.A. Herrmann, O. Serhadli, M.L. Ziegler), (347) 237

Dibenzochalcogeno-silonines, transannular donor-acceptor interaction in; crystal and molecular structure of 13,13-diphenyl-8,13-dihydro-5*H*-dibenzo[*d*, *g*] [1.2.6]dithiasilonine (Yu.E. Ovchinnikov, V.E. Shklover, Yu.T. Struchkov, V.F. Traven', O.G. Rodin, V.I. Rokitskaya), (347) 33

Heterometallic di- and tri-nuclear complexes with bridging thiocarbonyl and methylthiocarbyne ligands; crystal and molecular structure of C₅H₅(PMe₂)(μ-CO)[μ-CMn(CO)₂C₅H₅]Mn(CO)C₅H₅ (H. Werner, O. Kolb, P. Thometzek), (347) 137

Tantalum

Dicyclopentadienyltantalum complex, stereostable centrometallated chirality in (G. Bonnet, O. Lavastre, J.C. Leblanc, C. Moise, G. Vitulli), (347) C21

Tellurium

Bis(pentamethylcyclopentadienylcarbonyl-cobalt) and -rhodium) complexes, stepwise formation of dinuclear chalcogenic complexes with elemental sulphur, selenium or tellurium from (H. Brunner, N. Janietz, W. Meier, J. Wachter, E. Herdtweck, W.A. Herrmann, O. Serhadli, M.L. Ziegler), (347) 237

Tin

Bis(dicarbonyl-η⁵-cyclopentadienyliron(diphenyltin, crystal structure of (L. Párkányi, K.H. Pannell, C. Hernandez), (347) 295

Bis(triphenylphosphine)iminium(tetracarbonylnitrosylchromium), synthesis, characterisation and reactivity of (D.R. Mantell, W.L. Gladfelter), (347) 333

Penta- and hexa-coordinated organotin compounds, synthesis and structures of (K. Jurkschat, J. Kalbitz, M. Dargatz, E. Kleinpeter, A. Tzschach), (347) 41

Titanium

Alkyldicyclopentadienyltitanium cationic complexes as catalysts for ethylene polymerization (R. Taube, L. Krukowka), (347) C9

Titanocene chloro(ethyl)aluminates, influence on properties by methyl-substituted cyclopentadienyl ligands in (K. Mach, V. Varga), (347) 85

Tolane-titanocene complex, isolation, spectral characterisation and reactivity of (V.B. Shur, V.V. Burlakov, M.E. Vol'pin), (347) 77

Tungsten

η⁶-Arylphosphinemolybdenum(0) electron rich complexes as ligands in group 6 carbonyl-metal complexes (R.L. Luck, R.H. Morris), (347) 349

Bis(triphenylphosphine)iminium(tetracarbonylnitrosylchromium), synthesis, characterisation and reactivity of (D.R. Mantell, W.L. Gladfelter), (347) 333

Chromium, tungsten and iron isocyanide complexes, addition reactions to heteroallenes of

(E. Bär, W.P. Fehlhammer, W. Weigand, W. Beck), (347) 101

Isonitrile-substituted neutral and cationic diethylaminocarbynyltungsten complexes, synthesis of (A.C. Filippou, E.O. Fischer, R. Paciello), (347) 127

Phosphorus-substituted butadiene systems, complexation of (R. Appel, B. Niemann, W. Schuhn, N. Siabalis), (347) 299

To tilt or not to tilt? The dilemma of μ -C₃R₃ ligands in binuclear complexes (E.D. Jemmis, B.V. Prasad), (347) 401

Tungsten-rhodium complexes with bridging alkylidyne groups, synthesis of (M.D. Bermudez, F.G.A. Stone), (347) 115

Uranium

Tris(hexamethyldisilylamido)uranium(IV) chloride, one-electron reduction of (S. Renaud, A. Dormond, L. Roullier, Y. Mugnier), (347) 71

Vanadium

Vanadocene, reactions with aliphatic halides of (R. Sustmann, G. Kopp), (347) 325

Vanadocene, reactions with benzyl bromide of (R. Sustmann, G. Kopp), (347) 313

Zinc

Dihexyn-4-ylzinc, intramolecular interaction between zinc atom and C \equiv C in (E. Okninska, K.B. Starowieyski), (347) 1

Book reviews

Advances in inorganic chemistry, Vol. 31; edited by H.J. Emeléus and A.G. Sharpe (K.R. Seddon), (347) C15

Advances in molten salt chemistry, Vol. 6; edited by G. Mamantov, C.B. Mamantov and J. Braunstein (K.R. Seddon), (347) C13

Gmelin handbook of inorganic chemistry, 8th edit., Th—Thorium, Supplement Vol. C3: Compounds with nitrogen (K.R. Seddon), (347) C35

Gmelin handbook of inorganic chemistry, 8th edit., W—Tungsten, Supplement Vol. A2: Physical properties (K.R. Seddon), (347) C36

Molten salt techniques, Vol. 3; edited by D.G. Lovering and R.J. Gale (K.R. Seddon), (347) C12