

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 344 (1988)

SUBJECT INDEX

Aluminium

Exchange reactions in coordination sphere of Al atom; crystal and molecular structure of $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Ti}(\mu_2\text{-H})_2]_2\text{Al}(\eta^2\text{-H}_2\text{BH}_2)$ (A.I. Sizov, I.V. Molodnitskaya, B.M. Bulychev, G.L. Soloveichik, V.K. Bel'skii), (344) 185

Titanium and aluminium bimetallic hydride complexes, crystal and molecular structures of $(\eta^5\text{-C}_5\text{H}_5)_2\text{Ti}(\mu_2\text{-H})_2\text{Al}(\text{CH}_3)(\mu_2\text{-H})_2\text{Ti}(\eta^5\text{-C}_5\text{H}_5)_2$ and $\{(\eta^5\text{-C}_5\text{H}_5\text{B}_2\text{Ti}(\mu_2\text{-H})_2\text{Al}(\mu_2\text{-H})(\eta^1\text{-}\eta^5\text{-C}_5\text{H}_4)\text{Ti}(\eta^5\text{-C}_5\text{H}_5)(\mu_2\text{-H})_2\cdot\text{C}_6\text{H}_6$ (A.I. Sizov, I.V. Molodnitskaya, B.M. Bulychev, E.V. Evdokimova, V.K. Bels'kii, G.L. Soloveichik), (344) 293

Antimony

Phenyl- and benzyl-group 14 element complexes, hyperconjugation in (A.N. Egorochkin, G.A. Razuvaev, M.A. Lopatin), (344) 49

Arsenic

Phenyl- and benzyl-group 14 element complexes, hyperconjugation in (A.N. Egorochkin, G.A. Razuvaev, M.A. Lopatin), (344) 49

Boron

β -Binaphthyl-silane, -stannane and -borane asymmetric complexes, synthesis of (U.-M. Gross, M. Bartels, D. Kaufmann), (344) 277

Palladium(0)-catalysed carbonylation of alkenyl- and aryl-borates and boronic acids with CO (T. Ohe, K. Ohe, S. Uemura, N. Sugita), (344) C5

Palladium-catalyzed allylic alkylation of carbonylnucleophiles with allylic borates or allylic alcohols and boron oxide under neutral conditions (X. Lu, X. Jiang, X. Tao), (344) 109

Phenyl- and benzyl-group 14 element complexes, hyperconjugation in (A.N. Egorochkin, G.A. Razuvaev, M.A. Lopatin), (344) 49

N,N,N',N'-Tetramethylethylenediamine adducts of monosubstituted boranes, preparation of (B. Györi, I. Lázár, J. Emri), (344) 29

Chromium

Arenecarbonylcobalt clusters with functional substituents in a side chain (V.S. Kaganovich, M.I. Rybinskaya), (344) 383

Cocyclisation of bimetallic bis-carbene complexes, synthesis of bis-naphthol and bis-indene derivatives (N. Hoa Tran Huy, P. Lefloch), (344) 303

μ -[Di- η^6 -phenyl(trimethylsilyl)methane][bis(tricarbonyl)chromium], synthesis and crystal structure of (N.H. Buttrus, C. Eaborn, M.E. Molla, P.B. Hitchcock, J.D. Smith), (344) 313

Pentacarbonylchromium complex of 2-(pentafluoroethyl)-3-fluoro-3-(trifluoromethyl-2-phosphabicyclo[2.2.1]hept-5-ene, synthesis and molecular structure of (J. Grobe, J. Szameitat, M. Möller), (344) 61

Sulphide-bridged methylcyclopentadienylmetal tetrahedra, effect of electron deficit on; synthesis, characteristics and structures of $\text{Cp}'_3\text{Cr}_3(\mu_3\text{-S})_4\text{Co}(\text{CO})$, $\text{Cp}'_4\text{Cr}_4(\mu_3\text{-O})(\mu_3\text{-S})_3^+\text{ZnCl}_3\cdot\text{C}_4\text{H}_8\text{O}^-$, and $\text{Cp}'_4\text{V}_4\text{S}_4$ ($\text{Cp}' = \pi\text{-CH}_3\text{C}_5\text{H}_4$) (A.A. Pasynskii, I.L. Eremenko, A.S. Katugin, G.S. Gasanov, E.A. Turchanova, O.G. Ellert, Yu.T. Struchkov, V.E. Shklover, N.T. Berberova, A.G. Sogomonova, O.Yu. Okhlobystin), (344) 195

Cobalt

Arenecarbonylcobalt clusters with functional substituents in a side chain (V.S. Kaganovich, M.I. Rybinskaya), (344) 383

1-(But-3-enyl)-2,3,4,5-tetramethylcyclopentadienyl-iron and -cobalt complexes, synthesis of (J. Okuda, K.H. Zimmermann), (344) C1

$[\text{CoRu}_3(\mu\text{-CO})_2(\text{CO})_6(\mu_4, \eta^2\text{-C}_2\text{Ph}_2)]$ [PPN] cluster, synthesis and crystal structure of (O. Benali-Baitich, J.-C. Daran, Y. Jeannin), (344) 393

- 1,8-Diazabicyclo[5.4.0]undec-7-ene, intermediate ligand in selective CO substitution in a Ru-Co complex (R. Regragui, P. Dixneuf), (344) C11
- Sulphide-bridged methylcyclopentadienylmetal tetrahedra, effect of electron deficit on; synthesis, characteristics and structures of $\text{Cp}'_3\text{Cr}_3(\mu_3\text{-S})_4\text{Co}(\text{CO})$, $\text{Cp}'_4\text{Cr}_4(\mu_3\text{-O})(\mu_3\text{-S})_3^+ \text{ZnCl}_3 \cdot \text{C}_4\text{H}_8\text{O}^-$, $\text{Cp}'_4\text{V}_4\text{S}_4$ ($\text{Cp}' = \pi\text{-CH}_3\text{C}_5\text{H}_4$) (A.A. Paysnskii, I.L. Eremenko, A.S. Katugin, G.S. Gasanov, E.R. Turchanova, O.G. Ellert, Yu.T. Struchkov, V.E. Shklover, N.T. Berberova, A.G. Sogomonova, O.Yu. Okhlobystin), (344) 195

Copper

- $[\text{Cu}_2\text{Ru}_4(\mu_3\text{-H})_2(\text{CO})_{12}\text{L}_2]$ (L = phosphine) clusters in solution, NMR investigation of stereochemical non-rigidity in metal framework in (P.J. McCarthy, I.D. Salter, V. Šik), (344) 411

Erbium

- Tricyclopentadienyllanthanides/ sodium hydride, reduction and isomerisation of olefins with (C. Qian, Y. Ge, D. Deng, Y. Gu, C. Zhang), (344) 175

Germanium

- Phenyl- and benzyl-group 14 element complexes, hyperconjugation in (A.N. Egorochkin, G.A. Razuvaev, M.A. Lopatin), (344) 49
- Phosphane-germylene spirocyclic complexes $[\text{XC}(\text{PMe}_2)_2]_2\text{Ge}$ (X = PMe_2 , SiMe_3), preparation, structure and dynamic behaviour of (H.H. Karsch, B. Deubelly, G. Hanika, J. Riede, G. Müller), (344) 153

Gold

- $\text{C}_2\{\text{Au}[\text{P}(\text{C}_6\text{H}_4\text{R-3})_3]\}_2 \cdot n\text{C}_6\text{H}_6$ (R = H, $n = 2$; R = Me, $n = 0, 1$), crystal structures of (M.I. Bruce, K.R. Grundy, M.J. Liddell, M.R. Snow, E.R.T. Tiekink), (344) C49
- (Tertiary phosphine)gold(I) substituted imidazoles or pyrazolones, reactions with acidic reagents of; crystal structure of 1-methyl-2-(cyclohexylphosphinegoldthiolato)imidazole · 2benzimidazole (F. Bonati, A. Burini, B.R. Pietroni, E. Giorgini, B. Bovio), (344) 119

Iridium

- Cycloheptatrienyl-bridged heterobimetallic complexes synthesis and reactivity of $(\mu\text{-C}_7\text{H}_7)\text{Fe}(\text{CO})_3\text{Ir}(\text{CO})_2$ (F. Edelmann, J. Takats), (344) 351
- Iridium-initiated C-C coupling of malonodinitrile with CS_2 ; synthesis and crystal structure of $[\text{H}_2\text{Ir}(\text{PPhMe}_2)_4]^+ [\text{HS}(\text{S})\text{CC}(\text{CN})_2]^-$ (A. Behr, W. Keim, W. Kipshagen, D. Vogt, E. Herdtweck, W.A. Herrmann), (344) C15
- Tris(pyrazol-1-yl)methane-rhodium(I) and -iridium(I) complexes, crystal structure of $[\text{Rh}(\text{COD})(\text{tpzm})][\text{RhCl}_2(\text{COD})] \cdot 3\text{CHCl}_3$ (M.A. Esteruelas, L.A. Oro, M.C. Apreda, C. Foces-Foces, F.H. Cano, R.M. Claramunt, C. Lopez, J. Elguero, M. Begtrup), (344) 93

Iron

- Arenecarbonylcobalt clusters with functional substituents in a side chain (V.S. Kaganovich, M.I. Rybinskaya), (344) 383
- 1-(But-3-enyl)-2,3,4,5-tetramethylcyclopentadienyl-iron and -cobalt complexes, synthesis of (J. Okuda, K.H. Zimmermann), (344) C1
- Cycloheptatrienyl-bridged heterobimetallic complexes, synthesis and reactivity of $(\mu\text{-C}_7\text{H}_7)\text{Fe}(\text{CO})_3\text{Ir}(\text{CO})_2$ (F. Edelmann, J. Takats), (344) 351
- (4*S*,5*S*)-*trans*-4-(Cyclopentadiene-1-methyl)-5-diphenylphosphine-2,2-dimethyl-1,3-dioxolane and *trans*- $[\text{Fe}\{\eta\text{-C}_5\text{H}_4\text{CH}_2[\text{CHOC}(\text{CH}_3)_2\text{OCH}]\text{CH}_2\text{PPh}_2\}_2]$, synthesis of (M.L.H. Green, N.M. Walker), (344) 379
- Ethylidenediiron bridged complex, reaction with tetracyanoethylene of; synthesis and crystal structure of $\mu\text{-3,4,4-tricyanobuta-1,3-dienylidene complex } [(\text{C}_5\text{H}_5)\text{Fe}(\text{CO})_2(\mu\text{-CO})\{\mu\text{-C}=\text{CH}(\text{NC})\text{C}=\text{C}(\text{CN})_2\}]$ (M. Etienne, L. Toupet), (344) C19
- Iron-promoted coupling of homohyostrophene (T.J. Chow, M.-F. Ding), (344) 357
- Palladium tetrafluoroborate complexes of 1,1'-bis[(alkyl- or aryl)-thio]- and 1,1'-bis(diphenylphosphino)-ferrocenes; bond formation between Fe and Pd in (M. Sato, M. Sekino, S. Akabori), (344) C31
- 3-Spiro[5]ferrocenophane-1,5-diones, synthesis from direct condensation of diacetylferrocene and cycloalkanones of (J. Mirek, S. Rachwal, T. Górecki, B. Kawalek, P. Milart, E. Szneler), (344) 363
- Thioacyliron dinuclear complexes, structure and reactions of (W. Ziegler, H. Umland, U. Behrens), (344) 235

Lanthanum

Tricyclopentadienyllanthanides/ sodium hydrides reduction and isomerisation of olefins with (C. Qian, Y. Ge, D. Deng, Y. Gu, C. Zhang), (344) 175

Lead

Phenyl- and benzyl-group 14 element complexes, hyperconjugation in (A.N. Egorochkin, G.A. Razuvaev, M.A. Lopatin), (344) 49

Lithium

1-(But-3-enyl)-2,3,4,5-tetramethylcyclopentadienyl-iron and -cobalt complexes, synthesis of (J. Okuda, K.H. Zimmermann), (344) C1

Metallation of linalol with strong bases and alkylation at C(8) and C(6) (T. Cuvigny, M. Julia, C. Rolando), (344) 9

Polyfluorotriphenylenes derived from fluoroaromatic lithium reagents; crystal and molecular structure of hexadecafluoro-1-phenyltri-phenylene (C.A. Beaumont, J. Bowen Jones, D.S. Brown, A.G. Massey, J. Watkin), (344) 1

Lutetium

Tricyclopentadienyllanthanides/ sodium hydride, reduction and isomerisation of olefins with (C. Qian, Y. Ge, D. Deng, Y. Gu, C. Zhang), (344) 175

Magnesium

(*E*)- β -Bromostyrene and 1-phenylethylmagnesium chloride, asymmetric Grignard cross-coupling reaction between (C. Döbler, H.J. Kreuzfeld), (344) 249

1-(But-3-enyl)-2,3,4,5-tetramethylcyclopentadienyl-iron and -cobalt complexes, synthesis of (J. Okuda, K.H. Zimmermann), (344) C1

Manganese

Acetylene complexes as precursors for carbene and nitrile ligands, molecular structures of $C_5H_4Me(CO)_2Mn[C(Me)NH_2]$, $C_5Me_5(CO)_2Mn[C(Me)NH_2]$, $C_5Me_5(CO)_2Mn[C(Me)NMe_2]$ and $C_5Me_5(CO)_2MnNCMe$ (H.G. Alt, H.E. Engelhardt, E. Steinlein, R.D. Rogers), (344) 321

Phosphane addition to acetylene ligands; synthesis and characterisation of $Cp'(CO)_2Mn(HC-$

$CHPR_3)$ and $Cp'(CO)_2Mn[C(PR_3)CH_2]$ ($Cp' = C_5H_5, C_5H_4Me, C_5Me_5$) (H.G. Alt, H.E. Engelhardt, E. Steinlein), (344) 227

Mercury

4-Amino-5-mercapto-3-trifluoromethyl-1,2,4-triazole complexes with monoorganomercury and diorganothallium; crystal structure of dimethyl(4-amino-5-mercapto-3-trifluoromethyl-1,2,4-triazolato)thallium(III) (Y.P. Mascarenhas, I. Vencato, M.C. Carrascal, J.M. Varela, J.S. Casas, J. Sordo), (344) 137

Phenyl- and benzyl-group 14 element complexes, hyperconjugation in (A.N. Egorochkin, G.A. Razuvaev, M.A. Lopatin), (344) 49

Metalloenes

1-(But-3-enyl)-2,3,4,5-tetramethylcyclopentadienyl-iron and -cobalt complexes, synthesis of (J. Okuda, K.H. Zimmermann), (344) C1

(4*S*,5*S*)-*trans*-4-(Cyclopentadiene-1-methyl)-5-diphenylphosphine-2,2-dimethyl-1,3-dioxolane and *trans*-[Fe(η - $C_5H_4CH_2$)[CHOC(CH₃)₂OCH]CH₂PPh₂]₂], synthesis of (M.L.H. Green, N.M. Walker), (344) 379

Palladium tetrafluoroborate complexes of 1,1'-bis[(alkyl- or aryl)-thio]- and 1,1'-bis(diphenylphosphino)-ferrocenes; bond formation between Fe and Pd in (M. Sato, M. Sekino, S. Akabori), (344) C31

3-Spiro[5]ferrocenophane-1,5-diones, synthesis from direct condensation of diacetylferrocene and cycloalkanones of (J. Mirek, S. Rachwal, T. Górecki, B. Kawalek, P. Milart, E. Szneler), (344) 363

Molybdenum

η^3 -*trans*-Butadienylmolybdenum complexes, crystal structure of $[Mo(2,2'$ -bipyridine) $(CO)_2$ - η^3 -CH₂=C(CONHMe)=C=CH₂)-(O₂CC₃F₇)] (B.J. Brisdon, A.G.W. Hodson, M.F. Mahon, K.C. Molloy), (344) C8

Carbonyl(cyclopentadienyl)(trimethylphosphine)-tolylcarbyne-molybdenum and -tungsten complexes, reactions of (F.R. Kreissl, W. Uedelhoven, D. Neugebauer), (344) C27

Neodymium

Tricyclopentadienyllanthanides/ sodium hydride, reduction and isomerisation of olefins

with (C. Qian, Y. Ge, D. Deng, Y. Gu, C. Zhang), (344) 175

Nickel

(*E*)- β -Bromostyrene and 1-phenylethylmagnesium chloride, asymmetric Grignard cross-coupling reaction between (C. Döbler, H.J. Kreuzfeld), (344) 249

Nickel(0) catalysed synthesis of crotonic acid anilide from propene and phenyl isocyanate (H. Hoberg, K. Sümmermann, E. Hernandez, C. Rupp, D. Guhl), (344) C35

Nickel complexes in the presence of zinc, condensation of organic bromides with vinyl compounds catalysed by (S.A. Lebedev, V.S. Lopatina, E.S. Petrov, I.P. Beletskaya), (344) 253

Phosphane trifunctional ligands in cyclopentadienylnickel complexes, coordination of (N. Kuhn, M. Winter, E. Zimmer), (344) 401

Palladium

(*E*)- β -Bromostyrene and 1-phenylethylmagnesium chloride, asymmetric Grignard cross-coupling reaction between (C. Döbler, H.J. Kreuzfeld), (344) 249

Palladium-catalyzed allylic alkylation of carbonyl nucleophiles with allylic borates or allylic alcohols and boron oxide under neutral conditions (X. Lu, X. Jiang, X. Tao), (344) 109

Palladium(0)-catalysed carbonylation of alkenyl- and aryl-borates and boronic acids with CO (T. Ohe, K. Ohe, S. Uemura, N. Sugita), (344) C5

Palladium tetrafluoroborate complexes of 1,1'-bis(alkyl- or aryl-thio)-1,1'-bis(diphenylphosphino)-ferrocenes; bond formation between Fe and Pd in (M. Sato, M. Sekino, S. Akabori), (344) C31

Phosphorus

Carbonyl(cyclopentadienyl)(trimethylphosphine)-tolylcarbyne-molybdenum and -tungsten complexes, reactions of (F.R. Kreissl, W. Uedelhoven, D. Neugebauer), (344) C27

$C_2\{Au[P(C_6H_4R-3)]_3\}_2 \cdot nC_6H_6$ (R = H, $n = 2$; R = Me, $n = 0, 1$), crystal structures of (M.I. Bruce, K.R. Grundy, M.J. Liddell, M.R. Snow, E.R.T. Tiekink), (344) C49

Chiral bicyclic *O,N*-bis(diphenylphosphino)-aminoalkanol as ligands for enantioselective metal complex hydrogenation catalysts (C. Döbler, H.-J. Kreuzfeld, H. Pracejus), (344) 89

$[Cu_2Ru_4(\mu_3-H)_2(CO)_{12}L_2]$ (L = phosphine) clusters in solution, NMR investigation of stereochemical non-rigidity in metal framework in (P.J. McCarthy, I.D. Salter, V. Šik), (344) 411

(4*S,5S*)-*trans*-4-(Cyclopentadiene-1-methyl)-5-diphenylphosphine-2,2-dimethyl-1,3-dioxolane and *trans*-[Fe(η -C₅H₄CH₂[CHOC(CH₃)₂OCH]CH₂PPh₂)₂], synthesis of (M.L.H. Green, N.M. Walker), (344) 379

Diethylaminocarbonyl complexes, reductive elimination of halogeno ligands with PMe₃ from (A.C. Philippou, E.O. Fischer, H.G. Alt), (344) 215

Iridium-initiated C-C coupling of malonodinitrile with CS₂; synthesis and crystal structure of [H₂Ir(PPhMe₂)₄]⁺[HS(S)-CC(CN)₂]⁻ (A. Behr, W. Keim, W. Kipshagen, D. Vogt, E. Herdtweck, W.A. Herrmann), (344) C15

Nickel(0) catalysed synthesis of crotonic acid anilide from propene and phenyl isocyanate (H. Hoberg, K. Sümmermann, E. Hernandez, C. Rupp, D. Guhl), (344) C35

μ -Nitridobis(triphenylphosphonium) cation, [PPN]⁺, economical small scale synthesis of (F.J. Lalor, S. Chaona), (344) 163

Pentacarbonylchromium complex of 2-(pentafluoroethyl)-3-fluoro-3-(trifluoromethyl)-2-phosphabicyclo[2.2.1]hept-5-ene, synthesis and molecular structure of (J. Grobe, J. Szameitat, M. Möller), (344) 61

Phenyl- and benzyl-group 14 element complexes, hyperconjugation in (A.N. Egorochkin, G.A. Razuvaev, M.A. Lopatin), (344) 49

Phosphane addition to acetylene ligands; synthesis and characterisation of Cp'(CO)₂Mn(HC-CHPR₃) and Cp'(CO)₂Mn[C(PR₃)CH₂] (Cp' = C₅H₅, C₅H₄Me, C₅Me₃) (H.G. Alt, H.E. Engelhardt, E. Steinlein), (344) 227

Phosphane-germylene spirocyclic complexes [XC(PMe₂)₂]₂Ge (X = PMe₂, SiMe₃), preparation, structure and dynamic behaviour of (H.H. Karsch, B. Deubelly, G. Hanika, J. Riede, G. Müller), (344) 153

Phosphane trifunctional ligands in cyclopentadienylnickel complexes, coordination of (N. Kuhn, M. Winter, E. Zimmer), (344) 401

Platinum(II)/SnCl₂ catalysis, mechanism of hydroformylation of olefins; reactivity of alkyl complexes containing chelating diphosphines (A. Scriveri, C. Botteghi, L. Toniolo, A. Berton), (344) 261

[Rh(CO)₃P-*i*-Pr₃]₂, homonuclear disproportionation induced by nitrogen bases of, existence of homonuclear ion pair [Rh(CO)(P-*i*-Pr₃)₂(amine)]⁺[Rh(CO)₄]⁻ (E. Watanabe, Y. Shimada, K. Wada, T. Onoda), (344) C45

- (Tertiary phosphine)gold(I) substituted imidazoles or pyrazolones, reactions with acidic reagents of; crystal structure of 1-methyl-2-(cyclohexylphosphinegoldthiolato)imidazole · 2benzimidazole (F. Bonati, A. Burini, B.R. Pietroni, E. Giorgini, B. Bovio), (344) 119
- Thioacyliron dinuclear complexes, structure and reactions of (W. Ziegler, H. Umland, U. Behrens), (344) 235

Platinum

- Platinum(II)/SnCl₂ catalysis, mechanism of hydroformylation of olefins; reactivity of alkyl complexes containing chelating diphosphines (A. Scrivanti, C. Botteghi, L. Toniolo, A. Berton), (344) 261

Potassium

- Lithium *t*-butylamino fluorosilanes, bicyclic molecules with two- and four-coordinated lithium (D. Stalke, U. Klingebiel, G.M. Sheldrick), (344) 37
- Metallation of linalol with strong bases and alkylation at C(8) and C(6) (T. Cuvigny, M. Julia, C. Rolando), (344) 9

Praseodymium

- Tricyclopentadienyllanthanides/ sodium hydride, reduction and isomerisation of olefins with (C. Qian, Y. Ge, D. Deng, Y. Gu, C. Zhang), (344) 175

Rhenium

- Halogenotricarbonylrhenium(I) complexes of sterically hindered dithioethers, synthesis and dynamic behaviour of (E.W. Abel, R. Corben, I. Moss, K.G. Orrell, N.R. Richardson, V. Šik), (344) 343

Rhodium

- Chiral bicyclic *O,N*-bis(diphenylphosphino)-aminoalkanols as ligands for enantioselective metal complex hydrogenation catalysts (C. Döbler, H.-J. Kreuzfeld, H. Pracejus), (344) 89
- [Rh(CO)₃P-*i*-Pr₃]₂, homonuclear disproportionation induced by nitrogen bases of, existence of homonuclear ion pair [Rh(CO)(P-*i*-Pr₃)₂(amine)]⁺ [Rh(CO)₄]⁻ (E. Watanabe, Y. Shimada, K. Wada, T. Onoda), (344) C45

- Rhodium(I) hydride complex as catalyst in regiodefined synthesis of α -trimethylsilyl ketones (S. Sato, I. Matsuda, Y. Izumi), (344) 71
- Tris(pyrazol-1-yl)methane-rhodium(I) and -iridium(I) complexes, crystal structure of [Rh(COD)(tpzm)][RhCl₂(COD)] · 3CHCl₃ (M.A. Esteruelas, L.A. Oro, M.C. Apreda, C. Foces-Foces, F.H. Cano, R.M. Claramunt, C. Lopez, J. Elguero, M. Begtrup), (344) 93

Ruthenium

- [CoRu₃(μ -CO)₂(CO)₉(μ_4 - η^2 -C₂Ph₂)] [PPN] cluster, synthesis and crystal structure of (O. Benali-Baitich, J.-C. Daran, Y. Jeannin), (344) 393
- [Cu₂Ru₄(μ_3 -H)₂(CO)₁₂L₂] (L = phosphine) clusters in solution, NMR investigation of stereochemical non-rigidity in metal framework in (P.J. McCarthy, I.D. Salter, V. Šik), (344) 411
- 1,8-Diazabicyclo[5.4.0]undec-7-ene, intermediate ligand in selective CO substitution in a Ru-Co complex (R. Regragui, P. Dixneuf), (344) C11

Samarium

- Tricyclopentadienyllanthanides/ sodium hydride, reduction and isomerisation of olefins with (C. Qian, Y. Ge, D. Deng, Y. Gu, C. Zhang), (344) 175

Silicon

- β -Binaphthyl-silane, -stannane and -borane asymmetric complexes, synthesis of (U.-M. Gross, M. Bartels, D. Kaufmann), (344) 277
- μ -[Di- η^6 -phenyl(trimethylsilyl)methane]bis(tricarbonyl)chromium, synthesis and crystal structure of (N.H. Buttrus, C. Eaborn, M.E. Molla, P.B. Hitchcock, J.D. Smith), (344) 313
- Lithium *t*-butylamino fluorosilanes, bicyclic molecules with two- and four-coordinated lithium (D. Stalke, U. Klingebiel, G.M. Sheldrick), (344) 37
- Phenyl- and benzyl-group 14 element complexes, hyperconjugation in (A.N. Egorochkin, G.A. Razuvaev, M.A. Lopatin), (344) 49
- Phosphane-germylene spirocyclic complexes [XC(PMe₂)₂]₂Ge (X = PMe₂, SiMe₃), preparation, structure and dynamic behaviour of (H.H. Karsch, B. Deubelly, G. Hanika, J. Riede, G. Müller), (344) 153
- Rhodium(I) hydride complex as catalyst in regiodefined synthesis of α -trimethylsilyl ketones (S. Sato, I. Matsuda, Y. Izumi), (344) 71

Silylation of indole, multinuclear NMR of reaction products from; evidence for 4,5-disilylation (C. Biran, M. Fourtignon, B. Efundene, J. Dunogués), (344) 145

Sulphur

4-Amino-5-mercapto-3-trifluoromethyl-1,2,4-triazole complexes with monoorganomercury and diorganothallium; crystal structure of dimethyl(4-amino-5-mercapto-3-trifluoromethyl-1,2,4-thallium(III) Y.P. Mascarenhas, I. Vencato, M.C. Carrascal, J.M. Varela, J.S. Casas, J. Sordo), (344) 137

Halogenotricarbonylrhenium(I) complexes of sterically hindered dithioethers, synthesis and dynamic behaviour of (E.W. Abel, R. Corben, I. Moss, K.G. Orrell, N.R. Richardson, V. Šik), (344) 343

Hexamethyldistannane, synthesis from bis(trimethylstannyl)sulphide of (G. Capozzi, S. Menichetti, A. Ricci, M. Taddei), (344) 285

Iridium-initiated C-C coupling of malonodinitrile with CS₂; synthesis and crystal structure of [H₂Ir(PPhMe₂)₄]⁺[HS(S)CC(CN)₂]⁻ (A. Behr, W. Keim, W. Kipshagen, D. Vogt, E. Herdtweck, W.A. Herrmann), (344) C15

Palladium tetrafluoroborate complexes of 1,1'-bis[(alkyl- or aryl-]thio]- and 1,1'-bis(diphenylphosphino)-ferrocenes; bond formation between Fe and Pd in (M. Sato, M. Sekino, S. Akahori), (344) C31

(Tertiary phosphine)gold(I) substituted imidazoles or pyrazolones, reactions with acidic reagents of; crystal structure of 1-methyl-2-(cyclohexylphosphinegoldthiolato)imidazole-2-benzimidazole (F. Bonati, A. Burini, B.R. Pietroni, E. Giorgini, B. Bovio), (344) 119

Tellurium

Divinyl ditellurides, synthesis and reactivity of (M.J. Dabdoub, J.V. Comasseto), (344) 167

Terbium

Tricyclopentadienyllanthanides/ sodium hydride, reduction and isomerisation of olefins with (C. Qian, Y. Ge, D. Deng, Y. Gu, C. Zhang), (344) 275

Thallium

4-Amino-5-mercapto-3-trifluoromethyl-1,2,4-triazole complexes with monoorganomercury

and diorganothallium; crystal structure of dimethyl(4-amino-5-mercapto-3-trifluoromethyl-1,2,4-triazolato)thallium(III) (Y.P. Mascarenhas, I. Vencato, M.C. Carrascal, J.M. Varela, J.S. Casas, J. Sordo), (344) 137

Thorium

4-Amino-5-mercapto-3-trifluoromethyl-1,2,4-triazole complexes with monoorganomercury and diorganothallium; crystal structure of dimethyl(4-amino-5-mercapto-3-trifluoromethyl-1,2,4-triazolato)thallium(III) (Y.P. Mascarenhas, I. Vencato, M.C. Carrasca, J.M. Varela, J.S. Casas, J. Sordo), (344) 137

Tin

β -Binaphthyl-silane, -stannane and -borane asymmetric complexes, synthesis of (U.-M. Gross, M. Bartels, D. Kaufmann), (344) 277

Hexamethyldistannane, synthesis from bis(trimethylstannyl)sulphide of (G. Capozzi, S. Menichetti, A. Ricci, M. Taddei), (344) 285

Phenyl- and benzyl-group 14 element complexes, hyperconjugation in (A.N. Egorochkin, G.A. Razuvaev, M.A. Lopatin), (344) 49

Platinum(II)/SnCl₂ catalysis, mechanism of hydroformylation of olefins; reactivity of alkyl complexes containing chelating diphosphines (A. Scrivanti, C. Botteghi, L. Toniolo, A. Berton), (344) 261

Tri-n-butylstannyl alkoxides of benzhydrol and substituted benzhydrols, kinetics and mechanisms of oxidation by bromine in CCl₄ of (R. Ravindran, T.R. Balasubramanian), (344) 289

Titanium

Exchange reactions in coordination sphere of Al atom; crystal and molecular structure of [(η^5 -C₅H₅)₂Ti(μ_2 -H)₂]₂Al(η^2 -H₂BH₂) (A.I. Sizov, I.V. Molodnitskaya, B.M. Bulychev, G.L. Soloveichik, V.K. Bel'skii), (344) 185

Titanium and aluminium bimetallic hydride complexes, crystal and molecular structures of (η^5 -C₅H₅)₂Ti(μ_2 -H)₂Al(CH₃)(μ_2 -H)₂Ti(η^5 -C₅H₅)₂ and [(η^5 -C₅H₅)₂Ti(μ_2 -H)₂Al(μ_2 -H)](η^1 : η^5 -C₅H₄)Ti(η^5 -C₅H₅)(μ_2 -H)]₂·C₆H₆ (A.I. Sizov, I.V. Molodnitskaya, B.M. Bulychev, E.V. Evdokimova, V.K. Bels'kii, G.L. Soloveichik), (344) 293

Tungsten

Carbonyl(cyclopentadienyl)(trimethylphosphine)tolylycarbyne-molybdenum and -tungsten

- complexes, reactions of (F.R. Kreissl, W. Uedelhoven, D. Neugebauer), (344) C27
- Cocyclisation of bimetallic bis-carbene complexes, synthesis of bis-naphthol and bis-indene derivatives (N. Hoa Tran Huy, P. Lefloch), (344) 303
- Diethylaminocarbynylungsten complexes, reductive elimination of halogeno ligands with PMe_3 from (A.C. Filippou, E.O. Fischer, H.G. Alt), (344) 215

Vanadium

- Sulphide-bridged methylcyclopentadienylmetal tetrahedra, effect of electron deficit on; synthesis, characteristics and structures of $\text{Cp}'_3\text{Cr}_3(\mu_3\text{-S})_4\text{Co}(\text{CO})$, $\text{Cp}'_4\text{Cr}_4(\mu_3\text{-O})(\mu_3\text{-S})_3^+ \text{ZnCl}_3 \cdot \text{C}_4\text{H}_8\text{O}^-$, $\text{Cp}'_4\text{V}_4\text{S}_4$ ($\text{Cp}' = \pi\text{-CH}_3\text{C}_5\text{H}_4$) (A.A. Pasynskii, I.L. Eremenko, A.S. Katugin, G.S. Gasanov, E.R. Turchanova, O.G. Ellert, Yu.T. Struchkov, V.E. Shklover, N.T. Berberova, A.G. Sogomonova, O.Yu. Okhlobystin), (344) 195

Ytterbium

- Tricyclopentadienyllanthanides/ sodium hydride, reduction and isomerisation of olefins with (C. Qian, Y. Ge, D. Deng, Y. Gu, C. Zhang), (344) 175

Yttrium

- Tricyclopentadienyllanthanides/ sodium hydride, reduction and isomerisation of olefins with (C. Qian, Y. Ge, D. Deng, Y. Gu, C. Zhang), (344) 175

Zinc

- Nickel complexes in the presence of zinc, condensation of organic bromides with vinyl

- compounds catalysed by (S.A. Lebedev, V.S. Lopatina, E.S. Petrov, I.P. Beletskaya), (344) 253

Book reviews

- Electron transfer reactions in organic chemistry; by L. Ebersson (Reactivity and structure concepts in organic chemistry, Vol. 25) (P.A. Chaloner) (344) C25
- Gmelin handbook of inorganic chemistry, 8th edit., B - Boron compounds, 3rd Suppl., Vol. 1; by T. Onak (J.D. Smith) (344) C42
- Homogeneous and heterogeneous catalysis, edit. by Yu. Yermakov and V. Likholobov (P.A. Chaloner), (344) C55
- Inorganic reactions and methods, Vol. 1. The formation of bonds to hydrogen (Part 2); edit. by J.J. Zuckerman (G.J. Leigh), (344) C53
- International tables for crystallography, Vol. A, 2nd edition; edit. by T. Hahn (P.B. Hitchcock), (344) C42
- Organic chemistry: The name game; by A. Nickon and E.F. Silversmith (C. Eaborn), (344) C39
- Organic photochemistry; edit. by A. Padwa, Volumes 8 and 9 (P.A. Chaloner), (344) C41
- Reactivity and structure: concepts in organic chemistry; edit. by K. Hafner, J.-M. Lehn, C.W. Ress, P.v.R. Schleyer, B.M. Trost, R. Zahradnik, Vol. 26, Polyquinane chemistry, Synthesis and reactions; by L.A. Paquette, A.M. Doherty (J.R. Hanson) (344) C24
- Spectroscopic methods in organic chemistry; by D.H. Williams and I. Fleming (C. Eaborn), (344) C40
- Spectroscopic properties of inorganic and organometallic compounds, Vol. 19; edit. by G. Davidson and E.A.V. Ebsworth (P.A. Chaloner), (344) C54